

HP-UX Reference - Clickable Manpage Index

Reference Index for HP-UX 11i v3 (March 2011 Update)

[Section 1](#) [Section 1m](#) [Section 2](#) [Section 3](#) [Section 4](#) [Section 5](#) [Section 7](#) [Section 9](#)

Section 1 Manpages

[return to top](#)

Index(1): [a](#) [b](#) [c](#) [d](#) [e](#) [f](#) [g](#) [h](#) [i](#) [j](#) [k](#) [l](#) [m](#) [n](#) [o](#) [p](#) [q](#) [r](#) [s](#) [t](#) [u](#) [v](#) [w](#) [x](#) [y](#) [z](#)

adb(1)	adjust(1)	admin(1)
alias(1)	answer(1)	ar(1)
as(1)	as_ia(1)	as_pa(1)
asa(1)	at(1)	attributes(1)
awk(1)		
banner(1)	basename(1)	batch(1)
bc(1)	bdiff(1)	bg(1)
bs(1)		
cal(1)	calendar(1)	caliper(1)
cancel(1)	cat(1)	cc_bundled(1)
ccat(1)	cd(1)	cdc(1)
cerupdate(1)	chac(1)	chatr(1)
chatr_ia(1)	chatr_pa(1)	checknr(1)
chfn(1)	chgrp(1)	chkey(1)
chmod(1)	chown(1)	chsh(1)
ci(1)	ckconfig(1)	cksum(1)
clear(1)	cmp(1)	co(1)
col(1)	comb(1)	comm(1)
command(1)	compact(1)	compress(1)
compressdir(1)	convert(1)	cp(1)
cpio(1)	cpp(1)	crontab(1)
crypt(1)	csh(1)	cslip(1)
csplit(1)	ct(1)	ctags(1)
cu(1)	cut(1)	
date(1)	dc(1)	dd(1)
delta(1)	deroff(1)	dhcpv6client_ui(1)
diff(1)	diff3(1)	diffmk(1)
dircmp(1)	dirname(1)	disable(1)
divpage(1)	dmpxlt(1)	dnssec-keygen(1)
dnssec-makekeyset(1)	dnssec-signkey(1)	dnssec-signzone(1)
domainname(1)	dos2ux(1)	dosdf(1)
dspcat(1)	dspmsg(1)	du(1)
dumpmsg(1)		
echo(1)	ed(1)	edit(1)
egrep(1)	elfdump(1)	elm(1)
elmalias(1)	emtui(1)	enable(1)
env(1)	eucset(1)	evfs_wrapper(1)
evfsauth(1)	evfsfile(1)	evfspkey(1)
evfsrun(1)	evfsxfr(1)	evmget(1)
evminfo(1)	evmpost(1)	evmshow(1)
evmsort(1)	evmwatch(1)	ex(1)
expand(1)	expand_alias(1)	expr(1)
factor(1)	false(1)	fastbind(1)
fastmail(1)	fc(1)	fg(1)
fgrep(1)	file(1)	find(1)
findmsg(1)	findstr(1)	finger(1)
fmt(1)	fold(1)	fontdl(1)
footprints(1)	forder(1)	from(1)
fruled(1)	ftio(1)	ftp(1)
ftpcount(1)	ftprestart(1)	ftpsht(1)
ftpwho(1)		
gcore(1)	gencat(1)	genxlt(1)
get(1)	getaccess(1)	getacl(1)
getconf(1)	getopt(1)	getopts(1)
getprivgrp(1)	gprof(1)	grep(1)

grget(1)	groups(1)	
hashcheck(1)	hashmake(1)	head(1)
host(1)	hostname(1)	hp(1)
hp9000s200(1)	hp9000s300(1)	hp9000s400(1)
hp9000s500(1)	hp9000s700(1)	hp9000s800(1)
hp-mc680x0(1)	hp-pa(1)	hyphen(1)
iconv(1)	id(1)	ident(1)
idlookup(1)	ied(1)	insertmsg(1)
intro(1)	inv(1)	iostat(1)
ipcrm(1)	ipcs(1)	
jobs(1)	join(1)	
kdestroy(1)	kermit(1)	keylogin(1)
keylogout(1)	keysh(1)	kill(1)
kinit(1)	klist(1)	kpasswd(1)
ksh(1)	ktutil(1)	kvno(1)
l(1)	last(1)	lastb(1)
lastcomm(1)	lc(1)	ld(1)
ld_ia(1)	ld_pa(1)	ldapentry(1)
ldapschema(1)	ldd(1)	ldd_ia(1)
ldd_pa(1)	leave(1)	lifcp(1)
lifinit(1)	lifls(1)	lifrename(1)
lifrm(1)	line(1)	listusers(1)
ll(1)	ln(1)	locale(1)
lock(1)	logger(1)	login(1)
logname(1)	lorder(1)	lp(1)
lpalt(1)	lpfilter(1)	lprpp(1)
lpstat(1)	ls(1)	lsacl(1)
lsf(1)	lsr(1)	lsx(1)
ltrace(1)		
m4(1)	machid(1)	machinfo(1)
mail(1)	mailfrom(1)	mailq(1i)
mailstats(1)	mailx(1)	make(1)
makekey(1)	man(1)	mediainit(1)
merge(1)	mesg(1)	mkcatdefs(1)
mkdir(1)	mkfifo(1)	mkmf(1)
mkmsgs(1)	mkstr(1)	mktemp(1)
mkuupath(1)	mm(1)	model(1)
more(1)	mpsched(1)	mt(1)
mv(1)		
named-checkconf(1)	named-checkzone(1)	neqn(1)
netstat(1)	newalias(1)	newform(1)
newgrp(1)	newmail(1)	news(1)
nice(1)	nl(1)	nljust(1)
nm(1)	nohup(1)	nroff(1)
nslookup(1)	nsquery(1)	nsupdate(1)
od(1)	odump(1)	on(1)
osdd(1)		
pack(1)	page(1)	parstatus(1)
parstatus2(1)	passwd(1)	paste(1)
patch(1)	pathalias(1)	pathchk(1)
pax(1)	pcat(1)	pdp11(1)
pfiles(1)	pg(1)	pgrep(1)
pipcrm(1)	pipcs(1)	pkill(1)
pldd(1)	plotdvr(1)	pmap(1)
ppl(1)	ppp(1)	pppd(1)
pppoec(1)	pr(1)	praliases(1)
prealloc(1)	primes(1)	printenv(1)
printf(1)	printstat(1)	privatepw(1)
prmail(1)	prof(1)	prs(1)
ps(1)	pstack(1)	ptree(1)
ptx(1)	pty(1)	pwd(1)
pwget(1)		
quota(1)		
ranlib(1)	rcp(1)	rcs(1)
rcsdiff(1)	rcsmerge(1)	rdist(1)
read(1)	readmail(1)	red(1)
remsh(1)	reset(1)	rev(1)
reverse(1)	rexec(1)	rksh(1)
rlog(1)	rlogin(1)	rm(1)
rmail(1)	rmel(1)	rmdir(1)
rmnl(1)	rndc(1)	rndc-confgen(1)
rpcgen(1)	rsh(1)	rtprio(1)

rtsched(1)	rup(1)	ruptime(1)
rusers(1)	rwho(1)	
sact(1)	samlog_view(1)	sccs(1)
sccsdiff(1)	sccshelp(1)	script(1)
sdiff(1)	sed(1)	send_sound(1)
serialize(1)	setacl(1)	sffinger(1)
sh(1)	shar(1)	shl(1)
show_patches(1)	sh-posix(1)	size(1)
sleep(1)	slip(1)	slp(1)
soelim(1)	sort(1)	spell(1)
spellin(1)	split(1)	ssp(1)
strings(1)	strip(1)	stty(1)
su(1)	sum(1)	sysdiff(1)
tabs(1)	tail(1)	talk(1)
tar(1)	tbl(1)	tcpdchk(1)
tcpdmatch(1)	tee(1)	telnet(1)
test(1)	tftp(1)	time(1)
timex(1)	top(1)	touch(1)
tput(1)	tr(1)	true(1)
tryfrom(1)	tset(1)	tsm(1)
tsm.command(1)	tsm.info(1)	tsort(1)
tty(1)	ttytype(1)	
u370(1)	u3b(1)	u3b10(1)
u3b2(1)	u3b5(1)	ul(1)
umask(1)	umodem(1)	unalias(1)
uname(1)	uncompact(1)	uncompress(1)
uncompressd(1)	unexpand(1)	unget(1)
unifdef(1)	uniq(1)	units(1)
unpack(1)	uptime(1)	users(1)
uucp(1)	uudecode(1)	uuencode(1)
uulog(1)	uuname(1)	uupath(1)
uupick(1)	uustat(1)	uuto(1)
uutry(1)	uux(1)	ux2dos(1)
vacation(1)	val(1)	vax(1)
vc(1)	vecheck(1)	vedit(1)
vi(1)	view(1)	vis(1)
vmstat(1)	vt(1)	
w(1)	wait(1)	wc(1)
what(1)	whereis(1)	which(1)
who(1)	whoami(1)	whois(1)
wlipolicy(1)	wlisign(1)	wlitool(1)
wliwrap(1)	wlixfr(1)	write(1)
xargs(1)	xd(1)	xstr(1)
yes(1)	ypcat(1)	ypmatch(1)
yppasswd(1)	ypwhich(1)	
zcat(1)		

Section 1m Manpages

[return to top](#)

Index(1m): [A](#) [a](#) [b](#) [c](#) [d](#) [e](#) [f](#) [g](#) [h](#) [i](#) [k](#) [l](#) [m](#) [n](#) [o](#) [p](#) [q](#) [r](#) [s](#) [t](#) [u](#) [v](#) [w](#) [x](#) [y](#)

Asecure(1m)	Aserver(1m)	
accept(1m)	acct(1m)	acctcms(1m)
acctcom(1m)	acctcon(1m)	acctcon1(1m)
acctcon2(1m)	acctdisk(1m)	acctdusg(1m)
acctmerg(1m)	accton(1m)	acctprc(1m)
acctprc1(1m)	acctprc2(1m)	acctsh(1m)
acctwtmp(1m)	arp(1m)	asecure(1m)
aserver(1m)	audevent(1m)	audfilter(1m)
audfilterd(1m)	audisp(1m)	auditdp(1m)
audomon(1m)	audsys(1m)	audusr(1m)
authadm(1m)	authck(1m)	auto_parms(1m)
automount(1m)	automountd(1m)	autopush(1m)
backup(1m)	bastille(1m)	bastille_drift(1m)
bdf(1m)	bgpd(1m)	biod(1m)
boot(1m)	bootpd(1m)	bootpquery(1m)
cachefslog(1m)	cachefspack(1m)	cachefsstat(1m)
cachefswsize(1m)	captainfo(1m)	catman(1m)
cfsadmin(1m)	ch_rc(1m)	chargefee(1m)

chnlspath(1m)	chroot(1m)	ckpacct(1m)
cleanup(1m)	clear_locks(1m)	closewtmp(1m)
cli(1m)	cli_hfs(1m)	clrsvc(1m)
cmdprivadm(1m)	cmpt_tune(1m)	convert_awk(1m)
convertfs(1m)	convertfs_hfs(1m)	coreadm(1m)
cplxmodify(1m)	cpset(1m)	crashconf(1m)
crashutil(1m)	create_sysfile(1m)	cron(1m)
dcopy(1m)	dcopy_hfs(1m)	devnm(1m)
df(1m)	df_cdfs(1m)	df_hfs(1m)
df_nfs(1m)	dhcpcclient(1m)	dhcpcdb2conf(1m)
dhcptools(1m)	dhcipv6clientd(1m)	dhcipv6d(1m)
dhcipv6db2conf(1m)	dig(1m)	diskinfo(1m)
diskowner(1m)	disksecn(1m)	diskusg(1m)
dmesg(1m)	dodisk(1m)	dpp(1m)
drd(1m)	drd_register_mirror(1m)	drd_unregister_mirror(1m)
drd-activate(1m)	drd-clone(1m)	drd-deactivate(1m)
drd-mount(1m)	drd-rehost(1m)	drd-runcmd(1m)
drd-status(1m)	drd-sync(1m)	drd-umount(1m)
drd-unrehost(1m)	dump(1m)	dumpfs(1m)
dumpfs_hfs(1m)		
edquota(1m)	efi_cp(1m)	efi_fsinit(1m)
efi_ls(1m)	efi_mkdir(1m)	efi_rm(1m)
efi_rmdir(1m)	envd(1m)	esmd(1m)
evfsadm(1m)	evfsvol(1m)	evmchmgr(1m)
evmd(1m)	evmlogger(1m)	evmreload(1m)
evmstart(1m)	evmstop(1m)	exportfs(1m)
extendfs(1m)	extendfs_hfs(1m)	
fbackup(1m)	fcmsutil(1m)	fdetach(1m)
ff(1m)	ff_hfs(1m)	fingerd(1m)
fixman(1m)	format(1m)	frecover(1m)
frupower(1m)	fsadm(1m)	fsadm_hfs(1m)
fsck(1m)	fsck_cacheufs(1m)	fsck_hfs(1m)
fsclean(1m)	fsclean_hfs(1m)	fsdaemon(1m)
fsdb(1m)	fsdb_hfs(1m)	fsirand(1m)
fstadm(1m)	fstyp(1m)	fsweb(1m)
ftpd(1m)	fuser(1m)	fwtmp(1m)
gated(1m)	gdc(1m)	geocustoms(1m)
getfilexsec(1m)	getmemwindow(1m)	getprocxsec(1m)
getprpw(1m)	getrules(1m)	getty(1m)
getx25(1m)	groupadd(1m)	groupdel(1m)
groupmod(1m)	grpck(1m)	gsscred(1m)
gsscred_clean(1m)	gssd(1m)	
hosts_to_na(1m)	hotplugd(1m)	hpsmh(1m)
hpux(1m)	hpux.efi(1m)	
identd(1m)	idisk(1m)	ifconfig(1m)
inetd(1m)	inetsvcs_sec(1m)	infocmp(1m)
init(1m)	insf(1m)	install(1m)
intctl(1m)	intrbald(1m)	intro(1m)
io_cdsf_config(1m)	io_redirect_dsf(1m)	iobind(1m)
iofind(1m)	ioinit(1m)	ioscan(1m)
ip6addrpol(1m)	isisd(1m)	isl(1m)
itemap(1m)		
kclog(1m)	kcmodule(1m)	kconfig(1m)
kcpath(1m)	kctune(1m)	kcweb(1m)
keyenvoy(1m)	keyserv(1m)	killall(1m)
killsm(1m)	kl(1m)	krs_flush(1m)
krsd(1m)	ktracedump(1m)	ktracer(1m)
kwdb(1m)		
labelit(1m)	labelit_hfs(1m)	lanadmin(1m)
lanadmin_vlan(1m)	lanapplyconf(1m)	lancheckconf(1m)
ldeleteconf(1m)	landiag(1m)	lanqueryconf(1m)
lanscan(1m)	lastlogin(1m)	ldapcinfo(1m)
ldapclientd(1m)	ldaphostlist(1m)	ldaphostmgr(1m)
ldapugadd(1m)	ldapugdel(1m)	ldapuglist(1m)
ldapugmod(1m)	libcadmin(1m)	link(1m)
linkloop(1m)	livedump(1m)	localedef(1m)
lockd(1m)	logins(1m)	loratune(1m)
lpadmin(1m)	lpana(1m)	lpfence(1m)
lpmove(1m)	lpsched(1m)	lpshut(1m)
lsdev(1m)	lssf(1m)	lugadmin(1m)
lvchange(1m)	lvcreate(1m)	lvdisplay(1m)
lvextend(1m)	lvlnboot(1m)	lvmadm(1m)

lvchk(1m)	lvmerge(1m)	lvmove(1m)
lvmpud(1m)	lvreduce(1m)	lvremove(1m)
lvmbboot(1m)	lvsplit(1m)	lvsync(1m)
lwresd(1m)		
makedbm(1m)	makemap(1m)	map-mbone(1m)
mc(1m)	mk_kernel(1m)	mkboot(1m)
mkfs(1m)	mkfs_hfs(1m)	mklost+foun(1m)
mknod(1m)	mkfsf(1m)	modprpw(1m)
monacct(1m)	mount(1m)	mount_cache(1m)
mount_cdfs(1m)	mount_hfs(1m)	mount_lofs(1m)
mount_memfs(1m)	mount_nfs(1m)	mountall(1m)
mountd(1m)	mrinfo(1m)	mrouted(1m)
mtail(1m)	mymdir(1m)	
naaagt(1m)	named(1m)	ncheck(1m)
ncheck_hfs(1m)	ncweb(1m)	nnd(1m)
ndp(1m)	netfmt(1m)	netmgr_apa(1m)
netmgr_gelan(1m)	netmgr_iether(1m)	netmgr_igelan(1m)
nettl(1m)	nettladm(1m)	nettlconf(1m)
newaliases(1m)	newfs(1m)	newfs_hfs(1m)
newkey(1m)	nfs4cbd(1m)	nfsd(1m)
nfslogd(1m)	nfsmapid(1m)	nfsstat(1m)
nisd_resolv(1m)	ntpdate(1m)	ntpq(1m)
nulladm(1m)	nwmgr(1m)	nwmgr_btlan(1m)
nwmgr_ixgbe(1m)	nwmgr_intl100(1m)	nwmgr_ixgbe(1m)
nwmgr_vlan(1m)		
ocd(1m)	ocdebug(1m)	olrad(1m)
opx25(1m)	ospf_monitor(1m)	owners(1m)
parconfig(1m)	parcreate(1m)	parcreate2(1m)
pardefault(1m)	parmodify(1m)	parmodify2(1m)
parolrad(1m)	parperm(1m)	parremove(1m)
parremove2(1m)	parunlock(1m)	pcnfsd(1m)
pcserver(1m)	pdc(1m)	pdweb(1m)
ping(1m)	portmap(1m)	power_onoff(1m)
pppoerd(1m)	pppoesd(1m)	prctmp(1m)
prdaily(1m)	privedit(1m)	privrun(1m)
prtacct(1m)	psfontpf(1m)	psmsgen(1m)
psrset(1m)	pstactctl(1m)	pvchange(1m)
pvck(1m)	pvcreate(1m)	pvdisplay(1m)
pvmove(1m)	pvremove(1m)	pwck(1m)
pwconv(1m)	pwgr_stat(1m)	pwgrd(1m)
pwunconv(1m)		
quot(1m)	quot_hfs(1m)	quotacheck(1m)
quotacheck_hfs(1m)	quotaoff(1m)	quotaon(1m)
rad(1m)	ram_monitor(1m)	ramd(1m)
rarpc(1m)	rarpd(1m)	rbacdbchk(1m)
rc(1m)	rcancel(1m)	rdc(1m)
rdpd(1m)	rdump(1m)	reboot(1m)
reject(1m)	remshd(1m)	renice(1m)
repquota(1m)	restore(1m)	rexd(1m)
rexecd(1m)	ripngd(1m)	ripquery(1m)
rlogind(1m)	rlp(1m)	rlpdaemon(1m)
rlpstat(1m)	rmboot(1m)	rmsf(1m)
rmt(1m)	roleadm(1m)	route(1m)
rpc.lockd(1m)	rpc.mountd(1m)	rpc.nisd_resolv(1m)
rpc.pcnfsd(1m)	rpc.sprayd(1m)	rpc.statd(1m)
rpc.yppupdated(1m)	rpcbind(1m)	rpcinfo(1m)
rquotad(1m)	rrestore(1m)	rstatd(1m)
rtradvd(1m)	runacct(1m)	rusersd(1m)
rwall(1m)	rwalld(1m)	rwhod(1m)
sa1(1m)	sa2(1m)	saconfig(1m)
sadc(1m)	sam(1m)	sar(1m)
sasmgr(1m)	sautil(1m)	savecrash(1m)
scsictl(1m)	scsimgr(1m)	sd(1m)
secweb(1m)	sendmail(1m)	service.switch(1m)
set_parms(1m)	setboot(1m)	setfilexsec(1m)
setmemwindow(1m)	setoncnv(1m)	setprivgrp(1m)
setrules(1m)	setuname(1m)	share(1m)
share_nfs(1m)	shareall(1m)	showmount(1m)
shutacct(1m)	shutdown(1m)	sig_named(1m)
slpd(1m)	slpdc(1m)	smh(1m)
smhassist(1m)	smhconfig(1m)	smhstartconfig(1m)
smrsh(1m)	snmpd(1m)	snmpdm(1m)

softpower(1m)	spray(1m)	sprayd(1m)
st(1m)	startup(1m)	statd(1m)
strace(1m)	strchg(1m)	strclean(1m)
strconf(1m)	strerr(1m)	strvf(1m)
swacl(1m)	swagentd(1m)	swapinfo(1m)
swapoff(1m)	swapon(1m)	swask(1m)
swconfig(1m)	swcopy(1m)	swgettools(1m)
swinstall(1m)	swjob(1m)	swlist(1m)
swmodify(1m)	swpackage(1m)	swreg(1m)
swremove(1m)	swverify(1m)	sync(1m)
syncer(1m)	sysdef(1m)	syslogd(1m)
talkd(1m)	tcpd(1m)	telnetd(1m)
tftpd(1m)	tic(1m)	tsm.lpadmin(1m)
tunefs(1m)	tunefs_hfs(1m)	turnacct(1m)
udpublickey(1m)	ugweb(1m)	umount(1m)
umount_cachefs(1m)	umount_cdfs(1m)	umount_hfs(1m)
umount_lofs(1m)	umount_nfs(1m)	umountall(1m)
unlink(1m)	unshare(1m)	unshare_nfs(1m)
unshareall(1m)	untic(1m)	updaters(1m)
ups_mond(1m)	useradd(1m)	userdbck(1m)
userdbget(1m)	userdbset(1m)	userdel(1m)
usermod(1m)	userstat(1m)	utmp2wtmp(1m)
utmpd(1m)	uuccheck(1m)	uucico(1m)
uuclean(1m)	uucleanup(1m)	uucpd(1m)
uugetty(1m)	uuls(1m)	uusched(1m)
uusnap(1m)	uusnaps(1m)	uusub(1m)
uuxqt(1m)		
vgcdsf(1m)	vgcfgbackup(1m)	vgcfgrestor(1m)
vgchange(1m)	vgchgid(1m)	vgcreate(1m)
vgdisplay(1m)	vgexport(1m)	vgextend(1m)
vgimport(1m)	vgmodify(1m)	vgmove(1m)
vgreduce(1m)	vgremove(1m)	vgscan(1m)
vgsync(1m)	vgversion(1m)	vhardlinks(1m)
vipw(1m)	volcopy(1m)	volcopy_hfs(1m)
vparadmin(1m)	vparboot(1m)	vparboot2(1m)
vparconfig(1m)	vparcreate(1m)	vparcreate2(1m)
vpardbprofile(1m)	vpardump(1m)	vparefiutil(1m)
vparenv(1m)	vparextract(1m)	vparmodify(1m)
vparmodify2(1m)	vparreloc(1m)	vparremove(1m)
vparremove2(1m)	vparreset(1m)	vparreset2(1m)
vparstatus(1m)	vparstatus2(1m)	vparutil(1m)
vtdaemon(1m)		
wall(1m)	whodo(1m)	wliadm(1m)
wlicert(1m)	wlisys(1m)	wlisyspolicy(1m)
wlitrace(1m)	wtmpfix(1m)	
xntpd(1m)	xntpdc(1m)	
ypbind(1m)	ypinit(1m)	ypmake(1m)
yppasswdd(1m)	yppoll(1m)	yppush(1m)
ypserv(1m)	ypset(1m)	ypupdated(1m)
ypxfr(1m)	ypxfrd(1m)	

Section 2 Manpages

[return to top](#)

Index(2): [C](#) [F](#) [P](#) [_](#) [a](#) [b](#) [c](#) [d](#) [e](#) [f](#) [g](#) [i](#) [k](#) [l](#) [m](#) [n](#) [o](#) [p](#) [q](#) [r](#) [s](#) [t](#) [u](#) [v](#) [w](#)

CPU_IS_PA_R(2)		
FD_CLR(2)	FD_ISSET(2)	FD_SET(2)
FD_ZERO(2)		
PRI_HPUX_TO(2)	PRI_POSIX_T(2)	
_pset_rtctl(2)	_Exit(2)	_exit(2)
_lwp_getscheduler(2)	_lwp_kill(2)	_lwp_self(2)
_lwp_setscheduler(2)		
accept(2)	access(2)	acct(2)
acl(2)	adjtime(2)	aio_cancel(2)
aio_error(2)	aio_fsync(2)	aio_read(2)
aio_reap(2)	aio_return(2)	aio_suspend(2)
aio_write(2)	alarm(2)	audctl(2)
audswitch(2)	audwrite(2)	
bind(2)	brk(2)	

chdir(2)	chmod(2)	chown(2)
chroot(2)	clock_getres(2)	clock_gettime(2)
clock_settime(2)	clocks(2)	close(2)
connect(2)	coreadm(2)	crashconf(2)
creat(2)	creat64(2)	
dup(2)	dup2(2)	
errno(2)	exec(2)	execl(2)
execle(2)	execlp(2)	execv(2)
execve(2)	execvp(2)	exit(2)
fadvise(2)	fchdir(2)	fchmod(2)
fchown(2)	fcntl(2)	fdatasync(2)
fgetacl(2)	flock(2)	fork(2)
fpathconf(2)	fsctl(2)	fsetacl(2)
fstat(2)	fstat64(2)	fstatfs(2)
fstatvfs(2)	fstatvfs64(2)	fsync(2)
ftime(2)	ftruncate(2)	ftruncate64(2)
getaccess(2)	getacl(2)	getaudid(2)
getaudproc(2)	getcontext(2)	getdirentri(2)
getdomainna(2)	getdomainname(2)	getdtablesize(2)
getegid(2)	geteuid(2)	getevent(2)
getfh(2)	getgid(2)	getgroups(2)
gethostid(2)	gethostname(2)	getitimer(2)
getksym(2)	getmsg(2)	getpagesize(2)
getpeername(2)	getpgid(2)	getpggrp(2)
getpggrp(2)	getpid(2)	getpmsg(2)
getppid(2)	getpriority(2)	getprivgrp(2)
getrlimit(2)	getrlimit64(2)	getrusage(2)
getsid(2)	getsockname(2)	getsockopt(2)
gettimeofday(2)	gettimeofday(2)	gettune(2)
getuid(2)	gtty(2)	
intro(2)	ioctl(2)	iscomsec(2)
kill(2)	killpg(2)	
lchown(2)	link(2)	lio_listio(2)
listen(2)	lockf(2)	lockf64(2)
lseek(2)	lseek64(2)	lstat(2)
lstat64(2)	lsync(2)	
madvise(2)	makecontext(2)	memcntl(2)
mincore(2)	mkdir(2)	mknod(2)
mlock(2)	mlockall(2)	mmap(2)
mmap64(2)	modload(2)	modpath(2)
modstat(2)	moduload(2)	mount(2)
mpctl(2)	mprotect(2)	mq_close(2)
mq_getattr(2)	mq_notify(2)	mq_open(2)
mq_receive(2)	mq_send(2)	mq_setattr(2)
mq_unlink(2)	msem_init(2)	msem_lock(2)
msem_remove(2)	msem_unlock(2)	msgctl(2)
msgget(2)	msgop(2)	msgrcv(2)
msgsnd(2)	msync(2)	munlock(2)
munlockall(2)	munmap(2)	mvalid(2)
nanosleep(2)	nice(2)	
open(2)	open64(2)	
pathconf(2)	pause(2)	pipe(2)
plock(2)	poll(2)	posix_fadvise(2)
posix_fadvise64(2)	postwait(2)	pread(2)
pread64(2)	prealloc(2)	prealloc64(2)
pri_hpux_to(2)	pri_posix_t(2)	profil(2)
pselect(2)	pset_assign(2)	pset_bind(2)
pset_create(2)	pset_ctl(2)	pset_destroy(2)
pset_getattr(2)	pset_setattr(2)	pstat(2)
pstat_getcommandline(2)	pstat_getcrashdev(2)	pstat_getcrashinfo(2)
pstat_getdisk(2)	pstat_getdynamic(2)	pstat_getfile(2)
pstat_getfile2(2)	pstat_getfiledetails(2)	pstat_getio(2)
pstat_getipc(2)	pstat_getlocality(2)	pstat_getlv(2)
pstat_getlwp(2)	pstat_getmpathname(2)	pstat_getmsg(2)
pstat_getnode(2)	pstat_getpathname(2)	pstat_getpmq(2)
pstat_getproc(2)	pstat_getprocessor(2)	pstat_getproclocality(2)
pstat_getprocvm(2)	pstat_getpsem(2)	pstat_getpset(2)
pstat_getsem(2)	pstat_getshm(2)	pstat_getsocket(2)
pstat_getstable(2)	pstat_getstatic(2)	pstat_getstream(2)
pstat_getswap(2)	pstat_getvminfo(2)	putmsg(2)
putpmsg(2)	pw_getukid(2)	pw_getvmax(2)
pw_post(2)	pw_postv(2)	pw_wait(2)

pwrite(2)	pwrite64(2)	
quotactl(2)		
raise(2)	read(2)	readlink(2)
readv(2)	reboot(2)	recv(2)
recvfrom(2)	recvmsg(2)	rename(2)
rmdir(2)	rtprio(2)	rtsched(2)
sbrk(2)	sched_get_p(2)	sched_getpa(2)
sched_getsc(2)	sched_rr_ge(2)	sched_setpa(2)
sched_setsc(2)	sched_yield(2)	select(2)
sem_close(2)	sem_destroy(2)	sem_getvalue(2)
sem_init(2)	sem_open(2)	sem_post(2)
sem_trywait(2)	sem_unlink(2)	sem_wait(2)
semctl(2)	semget(2)	semop(2)
semtimedop(2)	send(2)	sendfile(2)
sendfile64(2)	sendmsg(2)	sendto(2)
serialize(2)	setacl(2)	setaudit(2)
setaudproc(2)	setcontext(2)	setdomainna(2)
setdomainname(2)	setegid(2)	seteuid(2)
setevent(2)	setgid(2)	setgroups(2)
sethostname(2)	setitimer(2)	setpgid(2)
setpgrp(2)	setpgrp2(2)	setpgrp3(2)
setpriority(2)	setprivgrp(2)	setregid(2)
setresgid(2)	setresuid(2)	setreuid(2)
setrlimit(2)	setrlimit64(2)	setsid(2)
setsockopt(2)	settimeofda(2)	settimeofday(2)
settune(2)	settune_txn(2)	setuid(2)
setuname(2)	shm_open(2)	shm_unlink(2)
shmat(2)	shmctl(2)	shmctl(2)
shmget(2)	shmop(2)	shutdown(2)
sigaction(2)	sigaltstack(2)	siginterrupt(2)
signal(2)	sigpending(2)	sigprocmask(2)
sigqueue(2)	sigsend(2)	sigsendset(2)
sigspace(2)	sigsuspend(2)	sigtimedwait(2)
sigvec(2)	sigwait(2)	sigwaitinfo(2)
socket(2)	socketpair(2)	sprofil(2)
stat(2)	stat64(2)	statfs(2)
statvfs(2)	statvfs64(2)	stime(2)
stream(2)	stty(2)	swapcontext(2)
swapctl(2)	swapon(2)	symlink(2)
sync(2)	sysconf(2)	sysfs(2)
time(2)	timer_create(2)	timer_delete(2)
timer_getoverrun(2)	timer_gettime(2)	timer_settime(2)
timers(2)	times(2)	truncate(2)
truncate64(2)	ttrace(2)	ttrace_wait(2)
tuneinfo2(2)		
ualarm(2)	ulimit(2)	umask(2)
umount(2)	uname(2)	unlink(2)
usleep(2)	ustat(2)	utime(2)
utimes(2)		
vfor(2)	vfork(2)	vfsmount(2)
wait(2)	wait3(2)	wait4(2)
waitid(2)	waitpid(2)	write(2)
writev(2)		

Section 3 Manpages

return to top

Index(3): [E](#) [G](#) [H](#) [I](#) [P](#) [R](#) [S](#) [U](#) [_](#) [a](#) [b](#) [c](#) [d](#) [e](#) [f](#) [g](#) [h](#) [i](#) [j](#) [k](#) [l](#) [m](#) [n](#) [o](#) [p](#) [q](#) [r](#) [s](#) [t](#) [u](#) [v](#) [w](#) [x](#) [y](#)

ENDUTSENT(3c)	ERROR(3x)	EvmConnCheck(3)
EvmConnControl(3)	EvmConnCreate(3)	EvmConnCreatePoster(3)
EvmConnCreateSubscriber(3)	EvmConnDestroy(3)	EvmConnDispatch(3)
EvmConnFdGet(3)	EvmConnFlush(3)	EvmConnRegistrationGet(3)
EvmConnSubscribe(3)	EvmConnTemplateScan(3)	EvmConnWait(3)
EvmEventCreate(3)	EvmEventCreateVa(3)	EvmEventDestroy(3)
EvmEventDump(3)	EvmEventDup(3)	EvmEventFormat(3)
EvmEventFormatFromTemplate(3)	EvmEventNameMatch(3)	EvmEventNameMatchStr(3)
EvmEventPost(3)	EvmEventPostVa(3)	EvmEventRead(3)
EvmEventValidate(3)	EvmEventWrite(3)	EvmFilterCreate(3)
EvmFilterDestroy(3)	EvmFilterIsFile(3)	EvmFilterReadFile(3)

EvmFilterSet(3)	EvmFilterTest(3)	EvmItemGet(3)
EvmItemListFree(3)	EvmItemListGet(3)	EvmItemRelease(3)
EvmItemSet(3)	EvmItemSetVa(3)	EvmSrvMessageGet(3)
EvmSrvStart(3)	EvmStatusTextGet(3)	EvmVarFormat(3)
EvmVarGet(3)	EvmVarGetOpaque(3)	EvmVarGetString(3)
EvmVarGetType(3)	EvmVarGetXxx(3)	EvmVarListFree(3)
EvmVarListGet(3)	EvmVarRelease(3)	EvmVarSet(3)
EvmVarSetOpaque(3)	EvmVarSetString118N(3)	EvmVarSetXxx(3)
GETC(3x)	GETUTSENT(3c)	GETUTSID(3c)
GETUTSLINE(3c)		
HPPACADDD(3x)	HPPACCOMPDP(3x)	HPPACCVAD(3x)
HPPACCVBD(3x)	HPPACCVDA(3x)	HPPACCVDB(3x)
HPPACDIVD(3x)	HPPACLONGDI(3x)	HPPACMPYD(3x)
HPPACNSLD(3x)	HPPACSLD(3x)	HPPACSRD(3x)
HPPACSUBD(3x)		
INIT(3x)		
PAM(3)	PEEK(3x)	PUTUTSLINE(3c)
RETURN(3x)		
SETUTSENT(3c)	SLPClose(3n)	SLPDeAttrs(3n)
SLPDereg(3n)	SLPError(3n)	SLPEscape(3n)
SLPFindAttrs(3n)	SLPFindScopes(3n)	SLPFindSrvs(3n)
SLPFindSrvTypes(3n)	SLPFree(3n)	SLPGetProperty(3n)
SLPGetRefreshInterval(3n)	SLPOpen(3n)	SLPParseSrvURL(3n)
SLPReg(3n)	SLPSetProperty(3n)	SLPUnescape(3n)
U_STACK_TRACE(3x)	UNGETC(3x)	
_uc_get_ar(3)	_uc_get_ar_bsp(3)	_uc_get_ar_bspstore(3)
_uc_get_ar_ccv(3)	_uc_get_ar_csd(3)	_uc_get_ar_ec(3)
_uc_get_ar_fpsr(3)	_uc_get_ar_lc(3)	_uc_get_ar_pfs(3)
_uc_get_ar_rsc(3)	_uc_get_ar_ssd(3)	_uc_get_ar_unat(3)
_uc_get_brs(3)	_uc_get_cfm(3)	_uc_get_cr(3)
_uc_get_ed(3)	_uc_get_frs(3)	_uc_get_grs(3)
_uc_get_ip(3)	_uc_get_prs(3)	_uc_get_reason(3)
_uc_get_rsebs(3)	_uc_get_rsebs64(3)	_uc_get_um(3)
_uc_set_ar(3)	_uc_set_ar_ccv(3)	_uc_set_ar_csd(3)
_uc_set_ar_ec(3)	_uc_set_ar_fpsr(3)	_uc_set_ar_lc(3)
_uc_set_ar_pfs(3)	_uc_set_ar_rsc(3)	_uc_set_ar_ssd(3)
_uc_set_ar_unat(3)	_uc_set_brs(3)	_uc_set_cfm(3)
_uc_set_ed(3)	_uc_set_frs(3)	_uc_set_grs(3)
_uc_set_ip(3)	_uc_set_prs(3)	_uc_set_rsebs(3)
_uc_set_rsebs64(3)	_uc_set_um(3)	_authdes_getucrd(3n)
_decodebinary128(3m)	_decodebinary32(3m)	_decodebinary64(3m)
_decodedecimal128(3m)	_decodedecimal32(3m)	_decodedecimal64(3m)
_encodebinary128(3m)	_encodebinary32(3m)	_encodebinary64(3m)
_encodedecimal128(3m)	_encodedecimal32(3m)	_encodedecimal64(3m)
_ldcvt(3c)	_ldcvt_r(3c)	_ldfcvt(3c)
_ldfcvt_r(3c)	_ldgcvt(3c)	_ldgcvt_r(3c)
_longjmp(3c)	_pututline(3c)	_setjmp(3c)
_tolower(3c)	_toupper(3c)	_UNW_clear(3x)
_unw_clear(3x)	_UNW_clearAlertCode(3x)	_unw_clearalertcode(3x)
_UNW_createContext(3x)	_unw_createcontext(3x)	_UNW_createContextForSelf(3x)
_unw_createcontextforself(3x)	_UNW_currentContext(3x)	_unw_currentcontext(3x)
_UNW_destroyContext(3x)	_unw_destroycontext(3x)	_UNW_FR_PhysicalNumber(3x)
_unw_fr_physicalnumber(3x)	_UNW_getAlertCode(3x)	_unw_getalertcode(3x)
_UNW_getAR(3x)	_unw_getar(3x)	_UNW_getBR(3x)
_unw_getbr(3x)	_UNW_getCFM(3x)	_unw_getcfm(3x)
_UNW_getFR(3x)	_unw_getfr(3x)	_UNW_getGR(3x)
_unw_getgr(3x)	_UNW_getGR_NaT(3x)	_unw_getgr_nat(3x)
_UNW_getIP(3x)	_unw_getip(3x)	_UNW_getKernelSavedContext(3x)
_unw_getkernelsavedcontext(3x)	_UNW_getPR(3x)	_unw_getpr(3x)
_UNW_getPreds(3x)	_unw_getpreds(3x)	_UNW_GR_PhysicalNumber(3x)
_unw_gr_physicalnumber(3x)	_UNW_jmpbufContext(3x)	_UNW_PR_PhysicalNumber(3x)
_unw_pr_physicalnumber(3x)	_UNW_setAR(3x)	_unw_setar(3x)
_UNW_setBR(3x)	_unw_setbr(3x)	_UNW_setCFM(3x)
_unw_setcfm(3x)	_UNW_setFR(3x)	_unw_setfr(3x)
_UNW_setGR(3x)	_unw_setgr(3x)	_UNW_setGR_NaT(3x)
_unw_setgr_nat(3x)	_UNW_setIP(3x)	_unw_setip(3x)
_UNW_setPR(3x)	_unw_setpr(3x)	_UNW_setPreds(3x)
_unw_setpreds(3x)	_UNW_STACK_TRACE(3x)	_unw_stack_trace(3x)
_UNW_step(3x)	_unw_step(3x)	
a64l(3c)	abort(3c)	abs(3c)
aclentrysta(3c)	aclsort(3c)	acltostr(3c)
acltostr_r(3c)	acos(3m)	acosd(3m)

acosd128(3m)	acosd32(3m)	acosd64(3m)
acosdf(3m)	acosdl(3m)	acosdq(3m)
acosdw(3m)	acosf(3m)	acosh(3m)
acoshd128(3m)	acoshd32(3m)	acoshd64(3m)
acoshf(3m)	acoshl(3m)	acoshq(3m)
acoshw(3m)	acosl(3m)	acosq(3m)
acosw(3m)	acpm_getenvattr(3)	acpm_getobj(3)
acpm_getobjattr(3)	acpm_getop(3)	acpm_getopattr(3)
acpm_getsubattr(3)	acpm_getsubcreds(3)	acpm_getsubid(3)
acps(3)	acps_addenvattr(3)	acps_addobjattr(3)
acps_addopattr(3)	acps_addsubattr(3)	acps_addsubcred(3)
acps_api(3)	acps_checkauth(3)	acps_end(3)
acps_setobj(3)	acps_setop(3)	acps_setsubid(3)
acps_spi(3)	acps_start(3)	add_wch(3x)
add_wchnstr(3x)	add_wchstr(3x)	addch(3x)
addchnstr(3x)	addchstr(3x)	addmntent(3x)
addnstr(3x)	addnwstr(3x)	addsev(3c)
addstr(3x)	addwstr(3x)	advance(3x)
alloca(3c)	alphasort(3c)	annuity(3m)
annuityf(3m)	annuityl(3m)	annuityq(3m)
annuityw(3m)	asctime(3c)	asctime_r(3c)
asin(3m)	asind(3m)	asind128(3m)
asind32(3m)	asind64(3m)	asindf(3m)
asindl(3m)	asindq(3m)	asindw(3m)
asinf(3m)	asinh(3m)	asinhd128(3m)
asinhd32(3m)	asinhd64(3m)	asinhf(3m)
asinhl(3m)	asinhq(3m)	asinhw(3m)
asinl(3m)	asinq(3m)	asinw(3m)
assert(3x)	atan(3m)	atan2(3m)
atan2d(3m)	atan2d128(3m)	atan2d32(3m)
atan2d64(3m)	atan2df(3m)	atan2dl(3m)
atan2dq(3m)	atan2dw(3m)	atan2f(3m)
atan2l(3m)	atan2q(3m)	atan2w(3m)
atand(3m)	atand128(3m)	atand32(3m)
atand64(3m)	atandf(3m)	atandl(3m)
atandq(3m)	atandw(3m)	atanf(3m)
atanh(3m)	atanhd128(3m)	atanhd32(3m)
atanhd64(3m)	atanhf(3m)	atanhl(3m)
atanhq(3m)	atanhw(3m)	atanl(3m)
atanq(3m)	atanw(3m)	atexit(3)
atof(3c)	atoi(3c)	atol(3c)
atoll(3c)	atomic(3c)	attr_get(3x)
attr_off(3x)	attr_on(3x)	attr_set(3x)
attroff(3x)	attron(3x)	attrset(3x)
audit_dpms_api(3)	audit_dpms_spi(3)	auth_destroy(3n)
authdes_create(3n)	authdes_seccreate(3n)	authnone_create(3n)
authsys_create(3n)	authsys_create_default(3n)	authunix_create(3n)
authunix_create_default(3n)		
basename(3c)	baudrate(3x)	bcmp(3c)
bcopy(3c)	beep(3x)	bgets(3g)
bigcrypt(3c)	bkgd(3x)	bkgdset(3x)
bkgrnd(3x)	bkgrndset(3x)	border(3x)
border_set(3x)	box(3x)	box_set(3x)
bsdproc(3c)	bsearch(3c)	btowc(3c)
bufsplit(3g)	bwtmptime(3c)	bwtmps(3c)
byteorder(3n)	bzero(3c)	
cabs(3m)	cabsf(3m)	cabsl(3m)
cabsq(3m)	cabsw(3m)	cacos(3m)
cacosf(3m)	cacosh(3m)	cacoshf(3m)
cacoshl(3m)	cacoshq(3m)	cacoshw(3m)
cacosl(3m)	cacosq(3m)	cacosw(3m)
calloc(3c)	callrpc(3n)	can_change_color(3x)
carg(3m)	cargf(3m)	cargl(3m)
cargq(3m)	cargw(3m)	casin(3m)
casinf(3m)	casinh(3m)	casinhf(3m)
casinhl(3m)	casinhq(3m)	casinhw(3m)
casinl(3m)	casing(3m)	casinw(3m)
catan(3m)	catanf(3m)	catanh(3m)
catanhf(3m)	catanhl(3m)	catanhq(3m)
catanhw(3m)	catanl(3m)	catanq(3m)
catanw(3m)	catclose(3c)	catgets(3c)
catopen(3c)	cbreak(3x)	cbrt(3m)

[cbrtd128\(3m\)](#)
[cbrtf\(3m\)](#)
[cbrtw\(3m\)](#)
[ccosh\(3m\)](#)
[ccoshq\(3m\)](#)
[ccosq\(3m\)](#)
[ceild128\(3m\)](#)
[ceilf\(3m\)](#)
[ceilw\(3m\)](#)
[cexp10f\(3m\)](#)
[cexp10w\(3m\)](#)
[cexp2l\(3m\)](#)
[cexpf\(3m\)](#)
[cexpw\(3m\)](#)
[cfsetispeed\(3c\)](#)
[chgat\(3x\)](#)
[cimagf\(3m\)](#)
[cimagw\(3m\)](#)
[cisdf\(3m\)](#)
[cisdw\(3m\)](#)
[cisiq\(3m\)](#)
[clearenv\(3c\)](#)
[clearok\(3x\)](#)
[clnt_control\(3n\)](#)
[clnt_destroy\(3n\)](#)
[clnt_geterr\(3n\)](#)
[clnt_perror\(3n\)](#)
[clnt_sperrno\(3n\)](#)
[clnt_tp_create\(3n\)](#)
[clnttcp_create\(3n\)](#)
[clock\(3c\)](#)
[clog10f\(3m\)](#)
[clog10w\(3m\)](#)
[clog2l\(3m\)](#)
[clogf\(3m\)](#)
[clogw\(3m\)](#)
[closelog\(3c\)](#)
[cmpt_change\(3\)](#)
[cmpt_get_addrcid\(3\)](#)
[cmpt_get_peer_cid\(3\)](#)
[cmpt_getent\(3\)](#)
[color_set\(3x\)](#)
[compound\(3m\)](#)
[compoundq\(3m\)](#)
[conj\(3m\)](#)
[conjq\(3m\)](#)
[copydvagent\(3\)](#)
[copysignd128\(3m\)](#)
[copysignf\(3m\)](#)
[copysignw\(3m\)](#)
[cosd\(3m\)](#)
[cosd64\(3m\)](#)
[cosdq\(3m\)](#)
[cosh\(3m\)](#)
[coshd64\(3m\)](#)
[coshq\(3m\)](#)
[cosq\(3m\)](#)
[cotd\(3m\)](#)
[cotdq\(3m\)](#)
[cotl\(3m\)](#)
[cpacl\(3c\)](#)
[cpowl\(3m\)](#)
[cproj\(3m\)](#)
[cprojq\(3m\)](#)
[cr_info\(3\)](#)
[cr_perror\(3\)](#)
[cr_uncompress\(3\)](#)
[crealf\(3m\)](#)
[crealw\(3m\)](#)
[crt0_pa\(3\)](#)
[crypt2\(3c\)](#)
[csinh\(3m\)](#)

[cbrtd32\(3m\)](#)
[cbrtl\(3m\)](#)
[ccos\(3m\)](#)
[ccoshf\(3m\)](#)
[ccoshw\(3m\)](#)
[ccosw\(3m\)](#)
[ceild32\(3m\)](#)
[ceil\(3m\)](#)
[cexp\(3m\)](#)
[cexp10l\(3m\)](#)
[cexp2\(3m\)](#)
[cexp2q\(3m\)](#)
[cexpl\(3m\)](#)
[cfgetispeed\(3c\)](#)
[cfsetospeed\(3c\)](#)
[chownacl\(3c\)](#)
[cimagl\(3m\)](#)
[cis\(3m\)](#)
[cisdl\(3m\)](#)
[cisf\(3m\)](#)
[cisw\(3m\)](#)
[clearerr\(3s\)](#)
[clnt_broadcast\(3n\)](#)
[clnt_create\(3n\)](#)
[clnt_dg_create\(3n\)](#)
[clnt_pcreateerror\(3n\)](#)
[clnt_raw_create\(3n\)](#)
[clnt_sperror\(3n\)](#)
[clnt_vc_create\(3n\)](#)
[clntudp_bufcreate\(3n\)](#)
[clog\(3m\)](#)
[clog10l\(3m\)](#)
[clog2\(3m\)](#)
[clog2q\(3m\)](#)
[clogl\(3m\)](#)
[close_secdef\(3\)](#)
[clrtobot\(3x\)](#)
[cmpt_endent\(3\)](#)
[cmpt_get_endpoint_cid\(3\)](#)
[cmpt_getbyname\(3\)](#)
[cmpt_setent\(3\)](#)
[cols\(3x\)](#)
[compoundf\(3m\)](#)
[compoundw\(3m\)](#)
[conjf\(3m\)](#)
[conjlw\(3m\)](#)
[copylist\(3g\)](#)
[copysignd32\(3m\)](#)
[copysignl\(3m\)](#)
[copywin\(3x\)](#)
[cosd128\(3m\)](#)
[cosdf\(3m\)](#)
[cosdw\(3m\)](#)
[coshd128\(3m\)](#)
[coshf\(3m\)](#)
[coshw\(3m\)](#)
[cosw\(3m\)](#)
[cotdf\(3m\)](#)
[cotdw\(3m\)](#)
[cotq\(3m\)](#)
[cpow\(3m\)](#)
[cpowq\(3m\)](#)
[cprojf\(3m\)](#)
[cprojw\(3m\)](#)
[cr_isaddr\(3\)](#)
[cr_read\(3\)](#)
[cr_verify\(3\)](#)
[creall\(3m\)](#)
[crt0\(3\)](#)
[crypt\(3c\)](#)
[csin\(3m\)](#)
[csinhf\(3m\)](#)

[cbrtd64\(3m\)](#)
[cbrtq\(3m\)](#)
[ccosf\(3m\)](#)
[ccoshl\(3m\)](#)
[ccosl\(3m\)](#)
[ceil\(3m\)](#)
[ceild64\(3m\)](#)
[ceilq\(3m\)](#)
[cexp10\(3m\)](#)
[cexp10q\(3m\)](#)
[cexp2f\(3m\)](#)
[cexp2w\(3m\)](#)
[cexpq\(3m\)](#)
[cfgetospeed\(3c\)](#)
[cfspeed\(3c\)](#)
[cimag\(3m\)](#)
[cimagq\(3m\)](#)
[cisd\(3m\)](#)
[cisdq\(3m\)](#)
[cisl\(3m\)](#)
[clear\(3x\)](#)
[clearerr_un\(3s\)](#)
[clnt_call\(3n\)](#)
[clnt_create_vers\(3n\)](#)
[clnt_freeres\(3n\)](#)
[clnt_permpo\(3n\)](#)
[clnt_spcreateerror\(3n\)](#)
[clnt_tli_create\(3n\)](#)
[clntraw_create\(3n\)](#)
[clntupd_create\(3n\)](#)
[clog10\(3m\)](#)
[clog10q\(3m\)](#)
[clog2f\(3m\)](#)
[clog2w\(3m\)](#)
[clogq\(3m\)](#)
[closedir\(3c\)](#)
[clrtoeol\(3x\)](#)
[cmpt_get\(3\)](#)
[cmpt_get_ifcid\(3\)](#)
[cmpt_getbynum\(3\)](#)
[color_content\(3x\)](#)
[compile\(3x\)](#)
[compoundl\(3m\)](#)
[confstr\(3c\)](#)
[conjl\(3m\)](#)
[conv\(3c\)](#)
[copysign\(3m\)](#)
[copysignd64\(3m\)](#)
[copysignq\(3m\)](#)
[cos\(3m\)](#)
[cosd32\(3m\)](#)
[cosdl\(3m\)](#)
[cosf\(3m\)](#)
[coshd32\(3m\)](#)
[coshl\(3m\)](#)
[cosl\(3m\)](#)
[cot\(3m\)](#)
[cotdl\(3m\)](#)
[cotf\(3m\)](#)
[cotw\(3m\)](#)
[cpowf\(3m\)](#)
[cpoww\(3m\)](#)
[cprojl\(3m\)](#)
[cr_close\(3\)](#)
[cr_open\(3\)](#)
[cr_set_node\(3\)](#)
[creal\(3m\)](#)
[crealq\(3m\)](#)
[crt0_ia\(3\)](#)
[crypt_r\(3c\)](#)
[csinf\(3m\)](#)
[csinhl\(3m\)](#)

csinhq(3m)	csinhw(3m)	csinl(3m)
csinq(3m)	csinw(3m)	csqrt(3m)
csqrtf(3m)	csqrtl(3m)	csqrtq(3m)
csqrtw(3m)	ctan(3m)	ctanf(3m)
ctanh(3m)	ctanhf(3m)	ctanh1(3m)
ctanhq(3m)	ctanhw(3m)	ctanl(3m)
ctanq(3m)	ctanw(3m)	ctermid(3s)
ctime(3c)	ctime_r(3c)	ctime64(3c)
ctime64_r(3c)	ctype(3c)	cur_term(3x)
curs_set(3x)	curscr(3x)	curses_intro(3x)
cuserid(3s)		
datalock(3c)	daylight(3c)	dbm(3c)
dbm_clearer(3x)	dbm_close(3x)	dbm_delete(3x)
dbm_error(3x)	dbm_fetch(3x)	dbm_firstke(3x)
dbm_nextkey(3x)	dbm_open(3x)	dbm_store(3x)
dbmclose(3c)	dbminit(3c)	decodebinary128(3m)
decodebinary32(3m)	decodebinary64(3m)	decodedecimal128(3m)
decodedecimal32(3m)	decodedecimal64(3m)	def_prog_mode(3x)
def_shell_mode(3x)	del_curterm(3x)	delay_output(3x)
delch(3x)	delete(3c)	deleteln(3x)
delmntent(3x)	delscreen(3x)	delwin(3x)
derwin(3x)	devnm(3)	dial(3c)
difftime(3c)	difftime64(3c)	directory(3c)
dirname(3c)	div(3c)	dladdr(3c)
dlclose(3c)	dld_getenv(3x)	dlerrno(3c)
dlerror(3c)	dlget(3c)	dlgetfileinfo(3c)
dlgetmodinfo(3c)	dlgetname(3c)	dlmodadd(3c)
dlmodinfo(3c)	dlmodremove(3c)	dlopen(3c)
dlopen_ia(3c)	dlopen_pa(3c)	dlsetlibpath(3c)
dlsym(3c)	dn_comp(3n)	dn_expand(3n)
doupdate(3x)	drand48(3c)	drand48_r(3c)
drem(3m)	dremf(3m)	drem1(3m)
dremq(3m)	dremw(3m)	dupwin(3x)
echo(3x)	echo_wchar(3x)	echochar(3x)
ecvt(3c)	ecvt_r(3c)	edata(3c)
elf(3e)	elf_begin(3e)	elf_cntl(3e)
elf_end(3e)	elf_errmsg(3e)	elf_errno(3e)
elf_error(3e)	elf_fill(3e)	elf_flag(3e)
elf_flagdata(3e)	elf_flagehdr(3e)	elf_flagelf(3e)
elf_flagphdr(3e)	elf_flagscn(3e)	elf_flagshdr(3e)
elf_fsize(3e)	elf_getarhdr(3e)	elf_getarsym(3e)
elf_getbase(3e)	elf_getdata(3e)	elf_getehdr(3e)
elf_getident(3e)	elf_getphdr(3e)	elf_getscn(3e)
elf_getshdr(3e)	elf_hash(3e)	elf_kind(3e)
elf_ndxscn(3e)	elf_newdata(3e)	elf_newscn(3e)
elf_next(3e)	elf_nextscn(3e)	elf_rand(3e)
elf_rawdata(3e)	elf_rawfile(3e)	elf_strptr(3e)
elf_update(3e)	elf_version(3e)	elf_xlate(3e)
elf32_fsize(3e)	elf32_getehdr(3e)	elf32_getphdr(3e)
elf32_getshdr(3e)	elf32_newehdr(3e)	elf32_newphdr(3e)
elf32_xlatetof(3e)	elf32_xlatetom(3e)	elf64_fsize(3e)
elf64_getehdr(3e)	elf64_getphdr(3e)	elf64_getshdr(3e)
elf64_newehdr(3e)	elf64_newphdr(3e)	elf64_xlatetof(3e)
elf64_xlatetom(3e)	encodebinary128(3m)	encodebinary32(3m)
encodebinary64(3m)	encodedecimal128(3m)	encodedecimal32(3m)
encodedecimal64(3m)	encrypt(3c)	encrypt_r(3c)
end(3c)	endbootpent(3x)	endbwent(3c)
enddvagent(3)	endfsent(3x)	endgrent(3c)
endgrent_r(3c)	endhostent(3n)	endhostent_r(3n)
endmntent(3x)	endnetconfig(3n)	endnetent(3n)
endnetent_r(3n)	endnetgrent(3c)	endnetpath(3n)
endprdfent(3)	endprotoent(3n)	endprotoent_r(3n)
endprpwent(3)	endprtcent(3)	endpwent(3c)
endrpwent_r(3c)	endrpcent(3c)	endservent(3n)
endservent_r(3n)	endspent(3c)	endspwent(3x)
endspwent_r(3x)	endusershel(3c)	endutent(3c)
endutent_r(3c)	endutsent(3c)	endutxent(3c)
endwin(3x)	erand48(3c)	erand48_r(3c)
erase(3x)	erasechar(3x)	erasewchar(3x)
erf(3m)	erfc(3m)	erfcd128(3m)
erfcd32(3m)	erfcd64(3m)	erfcf(3m)
erfcl(3m)	erfcq(3m)	erfcw(3m)

erfd128(3m)
erff(3m)
erfw(3m)
evmconncheck(3)
evmconncreateposter(3)
evmconndispatch(3)
evmconnregistrationget(3)
evmconnwait(3)
evmeventdestroy(3)
evmeventformat(3)
evmeventnamematchstr(3)
evmeventread(3)
evmfiltercreate(3)
evmfilterreadfile(3)
evmitemget(3)
evmitemrelease(3)
evmsrvmessageget(3)
evmvarformat(3)
evmvargetstring(3)
evmvarlistfree(3)
evmvarset(3)
evmvarsetxxx(3)
exp10d128(3m)
exp10f(3m)
exp10w(3m)
exp2d32(3m)
exp2l(3m)
expd128(3m)
expf(3m)
expm1d128(3m)
expm1f(3m)
expm1w(3m)
fabs(3m)
fabsd64(3m)
fabsq(3m)
fclose(3s)
fcvt(3c)
fdim(3m)
fdimd64(3m)
fdimq(3m)
fe_dec_getround(3m)
fegetenv(3m)
fegetround(3m)
feof(3s)
ferror(3s)
fesetexceptflag(3m)
fesettrapenable(3m)
feupdateenv(3m)
ffs(3c)
fgetgrent_r(3c)
fgetpwent(3c)
fgets_unloc(3s)
fgetspwent_(3x)
fgetws(3c)
filter(3x)
finitel(3m)
firstkey(3c)
floor(3m)
floord64(3m)
floorq(3m)
fma(3m)
fmad64(3m)
fmaq(3m)
fmaxd128(3m)
fmaxf(3m)
fmaxw(3m)
fmind32(3m)
fminl(3m)
fmod(3m)
fmodd64(3m)
fmodq(3m)
fnmatch(3c)

erfd32(3m)
erfl(3m)
errno(3c)
evmconncontrol(3)
evmconncreatesubscriber(3)
evmconnfdget(3)
evmconnsubscribe(3)
evmeventcreate(3)
evmeventdump(3)
evmeventformatfromtemplate(3)
evmeventpost(3)
evmeventvalidate(3)
evmfilterdestroy(3)
evmfilterset(3)
evmitemlistfree(3)
evmitemset(3)
evmsrvstart(3)
evmvarget(3)
evmvargettype(3)
evmvarlistget(3)
evmvarsetopaque(3)
exp(3m)
exp10d32(3m)
exp10l(3m)
exp2(3m)
exp2d64(3m)
exp2q(3m)
expd32(3m)
expl(3m)
expm1d32(3m)
expm1l(3m)
expq(3m)
fabsd128(3m)
fabsf(3m)
fabsw(3m)
fclose_unlo(3s)
fcvt_r(3c)
fdimd128(3m)
fdimf(3m)
fdimw(3m)
fe_dec_setround(3m)
fegetexceptflag(3m)
fegettrapenable(3m)
feof_unlock(3s)
ferror_unlo(3s)
fesetflushতোzero(3m)
fetch(3c)
fflush(3s)
fgetc(3s)
fgetpos(3s)
fgetpwent_r(3c)
fgetspent(3c)
fgetwc(3c)
fgetws_unlo(3c)
finite(3m)
finiteq(3m)
flash(3x)
floord128(3m)
floorf(3m)
floorw(3m)
fmad128(3m)
fmaf(3m)
fmaw(3m)
fmaxd32(3m)
fmaxl(3m)
fmin(3m)
fmind64(3m)
fminq(3m)
fmodd128(3m)
fmodf(3m)
fmodw(3m)
fopen(3s)

erfd64(3m)
erfq(3m)
etext(3c)
evmconncreate(3)
evmconndestroy(3)
evmconnflush(3)
evmconntemplatescan(3)
evmeventcreateva(3)
evmeventdup(3)
evmeventnamematch(3)
evmeventpostva(3)
evmeventwrite(3)
evmfilterisfile(3)
evmfiltertest(3)
evmitemlistget(3)
evmitemsetva(3)
evmstatustextget(3)
evmvargetopaque(3)
evmvargetxxx(3)
evmvarrelease(3)
evmvarsetstringi18n(3)
exp10(3m)
exp10d64(3m)
exp10q(3m)
exp2d128(3m)
exp2f(3m)
exp2w(3m)
expd64(3m)
expm1(3m)
expm1d64(3m)
expm1q(3m)
expw(3m)
fabsd32(3m)
fabsl(3m)
fattach(3c)
fcpacl(3c)
fdetach(3c)
fdimd32(3m)
fdiml(3m)
fdopen(3s)
feclearexcept(3m)
fegetflushতোzero(3m)
feholdexcept(3m)
feraiseexcept(3m)
fesetenv(3m)
fesetround(3m)
fetestexcept(3m)
fflush_unlo(3s)
fgetgrent(3c)
fgetpos64(3s)
fgets(3s)
fgetspwent(3x)
fgetwc_unlo(3c)
fileno(3s)
finitf(3m)
finitew(3m)
flockfile(3s)
floord32(3m)
floorl(3m)
flushinp(3x)
fmad32(3m)
fmal(3m)
fmax(3m)
fmaxd64(3m)
fmaxq(3m)
fmind128(3m)
fminf(3m)
fminw(3m)
fmodd32(3m)
fmodl(3m)
fmtmsg(3c)
fopen64(3s)

fpclassify(3m)
fputs(3s)
fputwc_unlo(3c)
fread(3s)
freeaddrinfo(3n)
freopen64(3s)
frexpd32(3m)
frexpl(3m)
fscanf(3s)
fseeko(3s)
fsetpos(3s)
fstatvfsdev(3c)
ftell_unloc(3s)
ftok(3c)
ftw64(3s)
fwprintf(3c)
fwscanf(3c)

gai_strerror(3n)
gammaf(3m)
gammal_r(3m)
gammaw(3m)
gcv(3c)
get_resfield(3n)
get_wch(3x)
getauduser(3)
getbkgmd(3x)
getc(3s)
getch(3x)
getclock(3c)
getdate_r(3c)
getdvagent(3)
getfsent(3x)
getfstype(3x)
getgrgid(3c)
getgrnam_r(3c)
gethostbyna(3n)
gethostent_r(3n)
getlocale(3c)
getlogin_r(3c)
getmntent_r(3x)
getnetbyadd(3n)
getnetbyname(3n)
getnetconfig(3n)
getnetent_r(3n)
getnetpath(3n)
getparyx(3x)
getprdfnam(3)
getprotobyname_r(3n)
getprotoent(3n)
getprpwent(3)
getprtcent(3)
getpw(3c)
getpwnam(3c)
getpwuid_r(3c)
getrpcbyname(3c)
getrpcport(3n)
getservbyna(3n)
getservbyport(3n)
getsourcefilter(3n)
getspnam_r(3c)
getspwent(3x)
getspwnam_r(3x)
getstr(3x)
gettut(3c)
getutent(3c)
getutid_r(3c)
getuts(3c)
getutslines(3c)
getutxid(3c)
getw_unlock(3s)
getwchar(3c)
getwin(3x)

fprintf(3s)
fputs_unloc(3s)
fputws(3c)
fread_unloc(3s)
freenetconfignt(3n)
frexp(3m)
frexpd64(3m)
frexpq(3m)
fseek(3s)
fseeko64(3s)
fsetpos64(3s)
fstatvfsdev64(3s)
ftello(3s)
ftrylockfile(3s)
funlockfile(3s)
fwrite(3s)

gamma(3m)
gammaf_r(3m)
gammaq(3m)
gammaw_r(3m)
get_expiration_time(3t)
get_secdef_int(3)
get_wstr(3x)
getbegyx(3x)
getbootpent(3x)
getc_unlock(3s)
getchar(3s)
getcwd(3c)
getdiskbina(3c)
getdvagname(3)
getfsfile(3x)
getgrent(3c)
getgrgid_r(3c)
gethostbyad(3n)
gethostbyname(3n)
gethrtime(3c)
getlocale_r(3c)
getmaxyx(3x)
getn_wstr(3x)
getnetbyaddr(3n)
getnetbyname(3n)
getnetconfignt(3n)
getnetgrent(3c)
getnstr(3x)
getpass(3c)
getprotobyn(3n)
getprotobynumber(3n)
getprotoent_r(3n)
getprpwnam(3)
getprtcnam(3)
getpwent(3c)
getpwnam_r(3c)
getresgid(3)
getrpcbyname(3c)
gets(3s)
getservbyname(3n)
getservent(3n)
getspent(3c)
getspwaid(3x)
getspwent_r(3x)
getspwuid(3x)
getsubopt(3c)
getusershell(3c)
getutent_r(3c)
getutline(3c)
getutsent(3c)
getutx(3c)
getutxline(3c)
getwc(3c)
getwchar_un(3c)
getyx(3x)

fputc(3s)
fputwc(3c)
fputws_unlo(3c)
free(3c)
freopen(3s)
frexpd128(3m)
frexpf(3m)
frexpw(3m)
fseek_unloc(3s)
fsetaclentr(3c)
fstatfsdev(3c)
ftell(3s)
ftello64(3s)
ftw(3c)
fwide(3c)
fwrite_unlo(3s)

gamma_r(3m)
gammal(3m)
gammaq_r(3m)
gcrto.o(3)
get_myaddress(3n)
get_secdef_str(3)
getaddrinfo(3n)
getbkgd(3x)
getbwent(3c)
getccchar(3x)
getchar_unl(3s)
getdate(3c)
getdiskbyname_r(3c)
getenv(3c)
getfsspec(3x)
getgrent_r(3c)
getgmam(3c)
gethostbyaddr(3n)
gethostent(3n)
getipvs4sourcefilter(3n)
getlogin(3c)
getmntent(3x)
getnameinfo(3n)
getnetbyaddr_r(3n)
getnetbyname_r(3n)
getnetent(3n)
getnetname(3n)
getopt(3c)
getprdfent(3)
getprotobyname(3n)
getprotobynumber_r(3n)
getprpwaid(3)
getprpwuid(3)
getpublickey(3n)
getpwent_r(3c)
getpwuid(3c)
getresuid(3)
getrpccent(3c)
getsecretkey(3n)
getservbypo(3n)
getservent_r(3n)
getspnam(3c)
getspwaid_r(3x)
getspwnam(3x)
getspwuid_r(3x)
gettimer(3c)
getut(3c)
getutid(3c)
getutline_r(3c)
getutsid(3c)
getutxent(3c)
getw(3s)
getwc_unloc(3c)
getwd(3c)
glob(3c)

[globfree\(3c\)](#)
[gmtime64\(3c\)](#)
[gsignal\(3c\)](#)
[gss_add_cred\(3\)](#)
[gss_compare_name\(3\)](#)
[gss_delete_sec_context\(3\)](#)
[gss_duplicate_name\(3\)](#)
[gss_get_mic\(3\)](#)
[gss_indicate_mechs\(3\)](#)
[gss_inquire_cred\(3\)](#)
[gss_inquire_names_for_mech\(3\)](#)
[gss_release_cred\(3\)](#)
[gss_test_oid_set_member\(3\)](#)
[gss_wrap\(3\)](#)
[halfdelay\(3x\)](#)
[has_il\(3x\)](#)
[hcreate\(3c\)](#)
[hg\(3\)](#)
[hg_context_switch_tries\(3\)](#)
[hg_gethrtime\(3\)](#)
[hg_public_init\(3\)](#)
[hg_public_is_reporting\(3\)](#)
[hg_public_nmailboxes\(3\)](#)
[hg_public_remove\(3\)](#)
[hline_set\(3x\)](#)
[hosts_ctl\(3\)](#)
[htonl\(3n\)](#)
[hypotd128\(3m\)](#)
[hypotf\(3m\)](#)
[hypotw\(3m\)](#)
[iconv\(3c\)](#)
[idcok\(3x\)](#)
[if_indextoname\(3n\)](#)
[ilogb\(3m\)](#)
[ilogbd64\(3m\)](#)
[ilogbq\(3m\)](#)
[imaxdiv\(3c\)](#)
[in_wchnstr\(3x\)](#)
[inchnstr\(3x\)](#)
[inet\(3n\)](#)
[inet_makead\(3n\)](#)
[inet_netof\(3n\)](#)
[inet_ntoa\(3n\)](#)
[inet_pton\(3n\)](#)
[inet6_opt_find\(3n\)](#)
[inet6_opt_init\(3n\)](#)
[inet6_rth_add\(3n\)](#)
[inet6_rth_reverse\(3n\)](#)
[init_color\(3x\)](#)
[initscr\(3x\)](#)
[innstr\(3x\)](#)
[ins_wch\(3x\)](#)
[insdelln\(3x\)](#)
[insque\(3c\)](#)
[intrflush\(3x\)](#)
[invsqrtf\(3m\)](#)
[invsqrtw\(3m\)](#)
[io_block_to_raw\(3x\)](#)
[io_dev_to_node\(3x\)](#)
[io_error\(3x\)](#)
[io_get_mapping\(3x\)](#)
[io_hw_compare_ext\(3x\)](#)
[io_init\(3x\)](#)
[io_is_legacy_dev\(3x\)](#)
[io_legacy_to_new_dev\(3x\)](#)
[io_mkdev\(3x\)](#)
[io_new_to_legacy_dsfs\(3x\)](#)
[io_query\(3x\)](#)
[io_raw_to_block\(3x\)](#)
[io_search_array_batch\(3x\)](#)
[is_linetouched\(3x\)](#)
[isalpha\(3c\)](#)

[gmtime\(3c\)](#)
[gmtime64_r\(3c\)](#)
[gss_accept_sec_context\(3\)](#)
[gss_add_oid_set_member\(3\)](#)
[gss_context_time\(3\)](#)
[gss_display_name\(3\)](#)
[gss_export_name\(3\)](#)[gss_import_name\(3\)](#)
[gss_init_sec_context\(3\)](#)
[gss_inquire_cred_by_mech\(3\)](#)
[gss_process_context_token\(3\)](#)
[gss_release_name\(3\)](#)
[gss_unwrap\(3\)](#)
[gss_wrap_size_limit\(3\)](#)
[has_colors\(3x\)](#)
[hasmntopt\(3x\)](#)
[hdestroy\(3c\)](#)
[hg_busywait\(3\)](#)
[hg_context_switch_voluntary\(3\)](#)
[hg_getspu\(3\)](#)
[hg_public_is_onRunQ\(3\)](#)
[hg_public_is_running\(3\)](#)
[hg_public_nMailboxesInUse\(3\)](#)
[hg_setcrit\(3\)](#)
[host2netname\(3n\)](#)
[hppac\(3x\)](#)
[htons\(3n\)](#)
[hypotd32\(3m\)](#)
[hypotl\(3m\)](#)
[iconv_close\(3c\)](#)
[idlok\(3x\)](#)
[if_nameindex\(3n\)](#)
[ilogbd128\(3m\)](#)
[ilogbf\(3m\)](#)
[ilogbw\(3m\)](#)
[immedok\(3x\)](#)
[in_wchstr\(3x\)](#)
[inchstr\(3x\)](#)
[inet_addr\(3n\)](#)
[inet_makeaddr\(3n\)](#)
[inet_network\(3n\)](#)
[inet_ntoa_r\(3n\)](#)
[inet6\(3n\)](#)
[inet6_opt_finish\(3n\)](#)
[inet6_opt_next\(3n\)](#)
[inet6_rth_getaddr\(3n\)](#)
[inet6_rth_segments\(3n\)](#)
[init_pair\(3x\)](#)
[initstate\(3m\)](#)
[innwstr\(3x\)](#)
[ins_wstr\(3x\)](#)
[insertln\(3x\)](#)
[insstr\(3x\)](#)
[intro\(3c\)](#)
[invsqrtl\(3m\)](#)
[inwstr\(3x\)](#)
[io_char_to_block_dsf\(3x\)](#)
[io_dev_to_options\(3x\)](#)
[io_get_devs\(3x\)](#)
[io_get_node_relation\(3x\)](#)
[io_hw_path_to_node\(3x\)](#)
[io_init_hw_path\(3x\)](#)
[io_is_legacy_token\(3x\)](#)
[io_legacy_to_new_dsf\(3x\)](#)
[io_mkdev_ext\(3x\)](#)
[io_new_to_legacy_hwpath\(3x\)](#)
[io_query_array\(3x\)](#)
[io_search\(3x\)](#)
[io_str_to_hw_path\(3x\)](#)
[is_wintouched\(3x\)](#)
[isascii\(3c\)](#)

[gmtime_r\(3c\)](#)
[grantpt\(3c\)](#)
[gss_acquire_cred\(3\)](#)
[gss_canonicalize_name\(3\)](#)
[gss_create_empty_oid_set\(3\)](#)
[gss_display_status\(3\)](#)
[gss_export_sec_context\(3\)](#)
[gss_import_sec_context\(3\)](#)
[gss_inquire_context\(3\)](#)
[gss_inquire_mechs_for_name\(3\)](#)
[gss_release_buffer\(3\)](#)
[gss_release_oid_set\(3\)](#)
[gss_verify_mic\(3\)](#)
[has_ic\(3x\)](#)
[havedisk\(3n\)](#)
[herror\(3n\)](#)
[hg_context_switch_involuntary\(3\)](#)
[hg_gethrcycles\(3\)](#)
[hg_nano_to_cycle_ratio\(3\)](#)
[hg_public_is_onrunq\(3\)](#)
[hg_public_nMailboxes\(3\)](#)
[hg_public_nmailboxesinuse\(3\)](#)
[hline\(3x\)](#)
[hosts_access\(3\)](#)
[hsearch\(3c\)](#)
[hypot\(3m\)](#)
[hypotd64\(3m\)](#)
[hypotq\(3m\)](#)
[iconv_open\(3c\)](#)
[if_freenameindex\(3n\)](#)
[if_nametoindex\(3n\)](#)
[ilogbd32\(3m\)](#)
[ilogbl\(3m\)](#)
[imaxabs\(3c\)](#)
[in_wch\(3x\)](#)
[inch\(3x\)](#)
[index\(3c\)](#)
[inet_lnaof\(3n\)](#)
[inet_net\(3n\)](#)
[inet_network\(3n\)](#)
[inet_ntop\(3n\)](#)
[inet6_opt_append\(3n\)](#)
[inet6_opt_get_val\(3n\)](#)
[inet6_opt_set_val\(3n\)](#)
[inet6_rth_init\(3n\)](#)
[inet6_rth_space\(3n\)](#)
[initgroups\(3c\)](#)
[innnetgr\(3c\)](#)
[ins_nwstr\(3x\)](#)
[insch\(3x\)](#)
[insnstr\(3x\)](#)
[instr\(3x\)](#)
[invsqrt\(3m\)](#)
[invsqrtq\(3m\)](#)
[io_block_to_char_dsf\(3x\)](#)
[io_dev_to_dsf\(3x\)](#)
[io_end\(3x\)](#)
[io_get_legacy_mode\(3x\)](#)
[io_hw_compare\(3x\)](#)
[io_hw_path_to_str\(3x\)](#)
[io_is_hwpath_legacy\(3x\)](#)
[io_is_option_set\(3x\)](#)
[io_legacy_to_new_hwpath\(3x\)](#)
[io_new_to_legacy_devs\(3x\)](#)
[io_node_to_hw_path\(3x\)](#)
[io_query_batch\(3x\)](#)
[io_search_array\(3x\)](#)
[io_strerror\(3x\)](#)
[isalnum\(3c\)](#)
[isastream\(3c\)](#)

isatty(3c)	isblank(3c)	iscntrl(3c)
isdigit(3c)	isendwin(3x)	isfinite(3m)
isgraph(3c)	isgreater(3m)	isgreatesterequal(3m)
isinf(3m)	isless(3m)	islessequal(3m)
islessgreater(3m)	islower(3c)	isnan(3m)
isnormal(3m)	isprint(3c)	ispunct(3c)
isspace(3c)	isunordered(3m)	isupper(3c)
iswalnum(3c)	iswalpha(3c)	iswblank(3c)
iswcntrl(3c)	iswctype(3c)	iswdigit(3c)
iswgraph(3c)	iswlower(3c)	iswprint(3c)
iswpunct(3c)	iswspace(3c)	iswupper(3c)
iswxdigit(3c)	isxdigit(3c)	iticks(3c)
j0(3m)	j0f(3m)	j0l(3m)
j0q(3m)	j0w(3m)	j1(3m)
j1f(3m)	j1l(3m)	j1q(3m)
j1w(3m)	jn(3m)	jnf(3m)
jnl(3m)	jmq(3m)	jnw(3m)
jrand48(3c)	jrand48_r(3c)	
key_decryptsession(3n)	key_encryptsession(3n)	key_gendes(3n)
key_name(3x)	key_secretkey_is_set(3n)	key_setsecret(3n)
keyname(3x)	keypad(3x)	killchar(3x)
killwchar(3x)		
l64a(3c)	l64a_r(3c)	labs(3c)
lckpwn(3c)	lcong48(3c)	lcong48_r(3c)
ldcv(3c)	ldcv(3c)	ldcv_r(3c)
ldexp(3m)	ldexpd128(3m)	ldexpd32(3m)
ldexpd64(3m)	ldexpf(3m)	ldexpl(3m)
ldexpq(3m)	ldexpw(3m)	ldfcvt(3c)
ldfcvt_r(3c)	ldgcv(3c)	ldgcv_r(3c)
ldiv(3c)	leaveok(3x)	lfind(3c)
lgamma(3m)	lgamma_r(3m)	lgammad128(3m)
lgammad32(3m)	lgammad64(3m)	lgammaf(3m)
lgammaf_r(3m)	lgammal(3m)	lgammal_r(3m)
lgammaq(3m)	lgammaq_r(3m)	lgammaw(3m)
lgammaw_r(3m)	libcom_err(3)	libcom_err.sl(3)
libcom_err.so(3)	libIO(3x)	libio(3x)
libk5crypto(3)	libk5crypto.sl(3)	libk5crypto.so(3)
libkrb5(3)	libkrb5.sl(3)	libkrb5.so(3)
libslp(3n)	libwliapi(3)	lines(3x)
llabs(3c)	lldiv(3c)	llrint(3m)
llrintd128(3m)	llrintd32(3m)	llrintd64(3m)
llrintf(3m)	llrintl(3m)	llrintq(3m)
llrintw(3m)	llround(3m)	llroundd128(3m)
llroundd32(3m)	llroundd64(3m)	llroundf(3m)
llroundl(3m)	llroundq(3m)	llroundw(3m)
localeconv(3c)	localtime(3c)	localtime_r(3c)
localtime64(3c)	localtime64_r(3c)	log(3m)
log10(3m)	log10d128(3m)	log10d32(3m)
log10d64(3m)	log10f(3m)	log10l(3m)
log10q(3m)	log10w(3m)	log1p(3m)
log1pd128(3m)	log1pd32(3m)	log1pd64(3m)
log1pf(3m)	log1pl(3m)	log1pq(3m)
log1pw(3m)	log2(3m)	log2d128(3m)
log2d32(3m)	log2d64(3m)	log2f(3m)
log2l(3m)	log2q(3m)	log2w(3m)
logb(3m)	logbd128(3m)	logbd32(3m)
logbd64(3m)	logbf(3m)	logbl(3m)
logbq(3m)	logbw(3m)	logd128(3m)
logd32(3m)	logd64(3m)	logf(3m)
logl(3m)	logname(3c)	logq(3m)
logw(3m)	longjmp(3c)	longname(3x)
lrand48(3c)	lrand48_r(3c)	lrint(3m)
lrintd128(3m)	lrintd32(3m)	lrintd64(3m)
lrintf(3m)	lrintl(3m)	lrintq(3m)
lrintw(3m)	lround(3m)	lroundd128(3m)
lroundd32(3m)	lroundd64(3m)	lroundf(3m)
lroundl(3m)	lroundq(3m)	lroundw(3m)
lsearch(3c)	ltoa(3c)	ltoa_r(3c)
ltostr(3c)	ltostr_r(3c)	
mallinfo(3c)	malloc(3c)	mallocng(3x)
mallopi(3c)	mblen(3c)	mbrlen(3c)
mbrtowc(3c)	mbsinit(3c)	mbsrtowcs(3c)

mbstowcs(3c)	mbtowc(3c)	mcrct0.o(3)
memalign(3c)	memccpy(3c)	memchr(3c)
memcmp(3c)	memcpy(3c)	memmove(3c)
memory(3c)	memorymap(3c)	memset(3c)
mercury(3)	meta(3x)	mkdirp(3g)
mkfifo(3c)	mkstemp(3c)	mktemp(3c)
mktime(3c)	mktime64(3c)	mktimer(3c)
modf(3m)	modfd128(3m)	modfd32(3m)
modfd64(3m)	modff(3m)	monitor(3c)
mount(3n)	move(3x)	mrand48(3c)
mrand48_r(3c)	multibyte(3c)	mvadd_wch(3x)
mvadd_wchnstr(3x)	mvadd_wchstr(3x)	mvaddch(3x)
mvaddchnstr(3x)	mvaddchstr(3x)	mvaddnstr(3x)
mvaddnwstr(3x)	mvaddstr(3x)	mvaddwstr(3x)
mvchgat(3x)	mvcur(3x)	mvdelch(3x)
mvderwin(3x)	mvget_wch(3x)	mvget_wstr(3x)
mvgetch(3x)	mvgetn_wstr(3x)	mvgetnstr(3x)
mvgetstr(3x)	mvhline(3x)	mvhline_set(3x)
mvin_wch(3x)	mvin_wchnstr(3x)	mvin_wchstr(3x)
mvinch(3x)	mvinchnstr(3x)	mvinchstr(3x)
mvinnstr(3x)	mvinnwstr(3x)	mvins_nwstr(3x)
mvins_wch(3x)	mvins_wstr(3x)	mvinsch(3x)
mvinsnstr(3x)	mvinsnstr(3x)	mvinstr(3x)
mvinwstr(3x)	mvprintw(3x)	mvscanw(3x)
mvvline(3x)	mvvline_set(3x)	mvwadd_wch(3x)
mvwadd_wchnstr(3x)	mvwadd_wchstr(3x)	mvwaddch(3x)
mvwaddchnstr(3x)	mvwaddchstr(3x)	mvwaddnstr(3x)
mvwaddnwstr(3x)	mvwaddstr(3x)	mvwaddwstr(3x)
mvwchgat(3x)	mvwdelch(3x)	mvwget_wch(3x)
mvwget_wstr(3x)	mvwgetch(3x)	mvwgetn_wstr(3x)
mvwgetnstr(3x)	mvwgetstr(3x)	mvwhline(3x)
mvwhline_set(3x)	mvwin(3x)	mvwin_wch(3x)
mvwin_wchnstr(3x)	mvwin_wchstr(3x)	mvwinch(3x)
mvwinchnstr(3x)	mvwinchstr(3x)	mvwinnstr(3x)
mvwinnwstr(3x)	mvwins_nwstr(3x)	mvwins_wch(3x)
mvwins_wstr(3x)	mvwinsch(3x)	mvwinsnstr(3x)
mvwinsstr(3x)	mvwinstr(3x)	mvwinwstr(3x)
mvwprintw(3x)	mvwscanw(3x)	mvwvline(3x)
mvwvline_set(3x)		
nan(3m)	nand128(3m)	nand32(3m)
nand64(3m)	nanf(3m)	nanl(3m)
nanq(3m)	nanw(3m)	napms(3x)
nc_perror(3n)	nc_sperror(3n)	ndbm(3x)
nearbyint(3m)	nearbyintd128(3m)	nearbyintd32(3m)
nearbyintd64(3m)	nearbyintf(3m)	nearbyintl(3m)
nearbyintq(3m)	nearbyintw(3m)	net_aton(3c)
net_ntoa(3c)	netdir(3n)	netdir_free(3n)
netdir_getbyaddr(3n)	netdir_getbyname(3n)	netdir_options(3n)
netdir_perror(3n)	netdir_sperror(3n)	netname2host(3n)
netname2user(3n)	newpad(3x)	newterm(3x)
newwin(3x)	nextafter(3m)	nextafterd128(3m)
nextafterd32(3m)	nextafterd64(3m)	nextafterf(3m)
nextafterl(3m)	nextafterq(3m)	nextafterw(3m)
nextkey(3c)	nexttoward(3m)	nexttowardd128(3m)
nexttowardd32(3m)	nexttowardd64(3m)	nexttowardf(3m)
nexttowardl(3m)	nexttowardq(3m)	nexttowardw(3m)
nftw(3c)	nftw2(3c)	nftw64(3s)
nl(3x)	nl_langinfo(3c)	nlist(3c)
nlist_ia(3c)	nlist_pa(3c)	nocbreak(3x)
nodelay(3x)	noecho(3x)	nonl(3x)
noqiflush(3x)	noraw(3x)	notimeout(3x)
nrand48(3c)	nrand48_r(3c)	ntohl(3n)
ntohs(3n)		
open_secdef(3)	opendir(3c)	openlog(3c)
optarg(3c)	opterr(3c)	optind(3c)
optopt(3c)	overlay(3x)	overwrite(3x)
pair_content(3x)	pam(3)	pam_acct_mgmt(3)
pam_authenticate(3)	pam_chauthtok(3)	pam_close_session(3)
pam_end(3)	pam_get_data(3)	pam_get_item(3)
pam_get_user(3)	pam_open_session(3)	pam_set_data(3)
pam_set_item(3)	pam_setcred(3)	pam_sm(3)
pam_sm_acct_mgmt(3)	pam_sm_authenticate(3)	pam_sm_chauthtok(3)

[pam_sm_close_session\(3\)](#)
[pam_start\(3\)](#)
[parse_bp_hatype\(3x\)](#)
[pclose\(3s\)](#)
[perror\(3c\)](#)
[pmap_getport\(3n\)](#)
[pmap_unset\(3n\)](#)
[posix_openpt\(3c\)](#)
[powd32\(3m\)](#)
[powl\(3m\)](#)
[powllnl\(3m\)](#)
[pown\(3m\)](#)
[pownq\(3m\)](#)
[poww\(3m\)](#)
[prefresh\(3x\)](#)
[priv_add\(3\)](#)
[priv_delset\(3\)](#)
[priv_getbynum\(3\)](#)
[priv_remove\(3\)](#)
[priv_str_to_set\(3\)](#)
[privset_add_effective\(3\)](#)
[privset_del\(3\)](#)
[privset_free\(3\)](#)
[privset_inverse\(3\)](#)
[privset_isfull\(3\)](#)
[privset_remove\(3\)](#)
[privset_union\(3\)](#)
[pthread_attr_destroy\(3t\)](#)
[pthread_attr_getinheritsched\(3t\)](#)
[pthread_attr_getschedparam\(3t\)](#)
[pthread_attr_getstack\(3t\)](#)
[pthread_attr_init\(3t\)](#)
[pthread_attr_setinheritsched\(3t\)](#)
[pthread_attr_setschedparam\(3t\)](#)
[pthread_attr_setstack\(3t\)](#)
[pthread_cancel\(3t\)](#)
[pthread_cond_broadcast\(3t\)](#)
[pthread_cond_signal\(3t\)](#)
[pthread_condattr_destroy\(3t\)](#)
[pthread_condattr_setshared\(3t\)](#)
[pthread_default_rsestacksize_np\(3t\)](#)
[pthread_equal\(3t\)](#)
[pthread_getconcurrency\(3t\)](#)
[pthread_getspecific\(3t\)](#)
[pthread_key_create\(3t\)](#)
[pthread_launch_policy_np\(3t\)](#)
[pthread_mutex_destroy\(3t\)](#)
[pthread_mutex_getyieldfreq_np\(3t\)](#)
[pthread_mutex_setprioceiling\(3t\)](#)
[pthread_mutex_unlock\(3t\)](#)
[pthread_mutexattr_getprioceiling\(3t\)](#)
[pthread_mutexattr_getspin_np\(3t\)](#)
[pthread_mutexattr_setprioceiling\(3t\)](#)
[pthread_mutexattr_setspin_np\(3t\)](#)
[pthread_num_ldoms_np\(3t\)](#)
[pthread_processor_bind_np\(3t\)](#)
[pthread_resume_np\(3t\)](#)
[pthread_rwlock_rdlock\(3t\)](#)
[pthread_rwlock_unlock\(3t\)](#)
[pthread_rwlockattr_getpshared\(3t\)](#)
[pthread_self\(3t\)](#)
[pthread_setcanceltype\(3t\)](#)
[pthread_setschedprio\(3t\)](#)
[pthread_sigmask\(3t\)](#)
[pthread_testcancel\(3t\)](#)
[publickey\(3n\)](#)
[putc\(3s\)](#)
[putchar_unl\(3s\)](#)
[putp\(3x\)](#)
[putprtcnam\(3\)](#)
[puts_unlock\(3s\)](#)
[pututline_r\(3c\)](#)

[pam_sm_open_session\(3\)](#)
[pam_strerror\(3\)](#)
[parse_bp_iaddr\(3x\)](#)
[pecho_wchar\(3x\)](#)
[pfmt\(3c\)](#)
[pmap_rmtcall\(3n\)](#)
[pnoutrefresh\(3x\)](#)
[pow\(3m\)](#)
[powd64\(3m\)](#)
[powl_n\(3m\)](#)
[powllnq\(3m\)](#)
[pownf\(3m\)](#)
[pownw\(3m\)](#)
[prcmd\(3n\)](#)
[printf\(3s\)](#)
[priv_add_effective\(3\)](#)
[priv_get\(3\)](#)
[priv_ismember\(3\)](#)
[priv_set_effective\(3\)](#)
[privileges\(3\)](#)
[privset_alloc\(3\)](#)
[privset_empty\(3\)](#)
[privset_get\(3\)](#)
[privset_isempty\(3\)](#)
[privset_ismember\(3\)](#)
[privset_set_effective\(3\)](#)
[pthread\(3t\)](#)
[pthread_attr_getdetachstate\(3t\)](#)
[pthread_attr_getprocessor_np\(3t\)](#)
[pthread_attr_getschedpolicy\(3t\)](#)
[pthread_attr_getstackaddr\(3t\)](#)
[pthread_attr_setdetachstate\(3t\)](#)
[pthread_attr_setprocessor_np\(3t\)](#)
[pthread_attr_setschedpolicy\(3t\)](#)
[pthread_attr_setstackaddr\(3t\)](#)
[pthread_cleanup_pop\(3t\)](#)
[pthread_cond_destroy\(3t\)](#)
[pthread_cond_timedwait\(3t\)](#)
[pthread_condattr_getpshared\(3t\)](#)
[pthread_continue\(3t\)](#)
[pthread_default_stacksize_np\(3t\)](#)
[pthread_exit\(3t\)](#)
[pthread_getlwpid_np\(3t\)](#)
[pthread_gettimeslice_np\(3t\)](#)
[pthread_key_delete\(3t\)](#)
[pthread_ldom_bind_np\(3t\)](#)
[pthread_mutex_disable_handoff_np\(3t\)](#)
[pthread_mutex_init\(3t\)](#)
[pthread_mutex_setyieldfreq_np\(3t\)](#)
[pthread_mutexattr_destroy\(3t\)](#)
[pthread_mutexattr_getprotocol\(3t\)](#)
[pthread_mutexattr_gettype\(3t\)](#)
[pthread_mutexattr_setprotocol\(3t\)](#)
[pthread_mutexattr_settype\(3t\)](#)
[pthread_num_processors_np\(3t\)](#)
[pthread_processor_id_np\(3t\)](#)
[pthread_rwlock_destroy\(3t\)](#)
[pthread_rwlock_tryrdlock\(3t\)](#)
[pthread_rwlock_wrlock\(3t\)](#)
[pthread_rwlockattr_init\(3t\)](#)
[pthread_set_nice_np\(3t\)](#)
[pthread_setconcurrency\(3t\)](#)
[pthread_setspecific\(3t\)](#)
[pthread_spu_to_ldom_np\(3t\)](#)
[pthread_yield\(3t\)](#)
[publickey\(3r\)](#)
[putc_unlock\(3s\)](#)
[putdvagnam\(3\)](#)
[putprdfnam\(3\)](#)
[putpwent\(3c\)](#)
[putspent\(3c\)](#)
[pututline\(3c\)](#)

[pam_sm_setcred\(3\)](#)
[parse_bp_haddr\(3x\)](#)
[pathfind\(3g\)](#)
[pechochar\(3x\)](#)
[pmap_getmaps\(3n\)](#)
[pmap_set\(3n\)](#)
[popen\(3s\)](#)
[powd128\(3m\)](#)
[powf\(3m\)](#)
[powllnf\(3m\)](#)
[powllnw\(3m\)](#)
[pownl\(3m\)](#)
[powq\(3m\)](#)
[prcmd_init\(3n\)](#)
[printw\(3x\)](#)
[priv_addset\(3\)](#)
[priv_getbyname\(3\)](#)
[priv_isobserved\(3\)](#)
[priv_set_to_str\(3\)](#)
[privset_add\(3\)](#)
[privset_copy\(3\)](#)
[privset_fill\(3\)](#)
[privset_intersect\(3\)](#)
[privset_isequal\(3\)](#)
[privset_issubset\(3\)](#)
[privset_subtract\(3\)](#)
[pthread_atfork\(3t\)](#)
[pthread_attr_getguardsize\(3t\)](#)
[pthread_attr_getrsestacksize_np\(3t\)](#)
[pthread_attr_getscope\(3t\)](#)
[pthread_attr_getstacksize\(3t\)](#)
[pthread_attr_setguardsize\(3t\)](#)
[pthread_attr_setrsestacksize_np\(3t\)](#)
[pthread_attr_setscope\(3t\)](#)
[pthread_attr_setstacksize\(3t\)](#)
[pthread_cleanup_push\(3t\)](#)
[pthread_cond_init\(3t\)](#)
[pthread_cond_wait\(3t\)](#)
[pthread_condattr_init\(3t\)](#)
[pthread_create\(3t\)](#)
[pthread_detach\(3t\)](#)
[pthread_get_nice_np\(3t\)](#)
[pthread_getschedparam\(3t\)](#)
[pthread_join\(3t\)](#)
[pthread_kill\(3t\)](#)
[pthread_ldom_id_np\(3t\)](#)
[pthread_mutex_getprioceiling\(3t\)](#)
[pthread_mutex_lock\(3t\)](#)
[pthread_mutex_trylock\(3t\)](#)
[pthread_mutexattr_disable_handoff\(3t\)](#)
[pthread_mutexattr_getpshared\(3t\)](#)
[pthread_mutexattr_init\(3t\)](#)
[pthread_mutexattr_setpshared\(3t\)](#)
[pthread_num_ldomprocs_np\(3t\)](#)
[pthread_once\(3t\)](#)
[pthread_pset_bind_np\(3t\)](#)
[pthread_rwlock_init\(3t\)](#)
[pthread_rwlock_trywrlock\(3t\)](#)
[pthread_rwlockattr_destroy\(3t\)](#)
[pthread_rwlockattr_setpshared\(3t\)](#)
[pthread_setcancelstate\(3t\)](#)
[pthread_setschedparam\(3t\)](#)
[pthread_settimeslice_np\(3t\)](#)
[pthread_suspend\(3t\)](#)
[ptsname\(3c\)](#)
[putbootpt\(3x\)](#)
[putchar\(3s\)](#)
[putenv\(3c\)](#)
[putprpwnam\(3\)](#)
[puts\(3s\)](#)
[pututline\(3c\)](#)
[pututxline\(3c\)](#)

putw(3s)	putw_unlock(3s)	putwc(3c)
putwc_unloc(3c)	putwchar(3c)	putwchar_un(3c)
putwin(3x)	putws(3c)	putws_unloc(3c)
qiflush(3x)	qsort(3c)	quantexpd128(3m)
quantexpd32(3m)	quantexpd64(3m)	quantized128(3m)
quantized32(3m)	quantized64(3m)	
rand(3c)	rand_r(3c)	random(3m)
raw(3x)	rcmd(3n)	rcmd_af(3n)
readdir(3c)	readdir_r(3c)	realloc(3c)
realpath(3x)	redrawwin(3x)	refresh(3x)
regcomp(3c)	regerror(3c)	regexec(3c)
regexp(3x)	regfree(3c)	registerrpc(3n)
reltimer(3c)	remainder(3m)	remainderd128(3m)
remainderd32(3m)	remainderd64(3m)	remainderf(3m)
remainderl(3m)	remainderq(3m)	remainderw(3m)
remove(3c)	remque(3c)	remquo(3m)
remquo(3m)	remquo(3m)	remquoq(3m)
remquow(3m)	request_init(3)	request_set(3)
res_init(3n)	res_mkquery(3n)	res_query(3n)
res_search(3n)	res_send(3n)	reset_prog_mode(3x)
reset_shell_mode(3x)	resetty(3x)	resolver(3n)
restartterm(3x)	rewind(3s)	rewind_unlo(3s)
rewinddir(3c)	rexec(3n)	rexec_af(3n)
rindex(3c)	rint(3m)	rind128(3m)
rind32(3m)	rind64(3m)	rintf(3m)
rintl(3m)	rintq(3m)	rintw(3m)
riponffline(3x)	rmdirp(3g)	rmtimer(3c)
rmusers(3n)	round(3m)	roundd128(3m)
roundd32(3m)	roundd64(3m)	roundf(3m)
roundl(3m)	roundq(3m)	roundw(3m)
rpc(3n)	rpc_broadcast(3n)	rpc_broadcast_exp(3n)
rpc_call(3n)	rpc_clnt_auth(3n)	rpc_clnt_calls(3n)
rpc_clnt_create(3n)	rpc_control(3n)	rpc_createerr(3n)
rpc_gss_get_error(3n)	rpc_gss_get_mech_info(3n)	rpc_gss_get_mechanisms(3n)
rpc_gss_get_principal_name(3n)	rpc_gss_get_versions(3n)	rpc_gss_getcred(3n)
rpc_gss_is_installed(3n)	rpc_gss_max_data_length(3n)	rpc_gss_mech_to_oid(3n)
rpc_gss_qop_to_num(3n)	rpc_gss_seccreate(3n)	rpc_gss_set_callback(3n)
rpc_gss_set_defaults(3n)	rpc_gss_set_svc_name(3n)	rpc_gss_svc_max_data_length(3n)
rpc_reg(3n)	rpc_soc(3n)	rpc_svc_calls(3n)
rpc_svc_create(3n)	rpc_svc_err(3n)	rpc_svc_reg(3n)
rpc_xdr(3n)	rpcb_getaddr(3n)	rpcb_getmaps(3n)
rpcb_gettime(3n)	rpcb_rmtcall(3n)	rpcb_set(3n)
rpcb_unset(3n)	rpcbind(3n)	rpcsec_gss(3n)
rresvport(3n)	rresvport_af(3n)	rsqrt(3m)
rsqrtf(3m)	rsqrtl(3m)	rsqrtq(3m)
rsqrtw(3m)	rstat(3n)	ruserok(3n)
rusers(3n)	rwall(3n)	
samequantumd128(3m)	samequantumd32(3m)	samequantumd64(3m)
savetty(3x)	scalb(3m)	scalbf(3m)
scalbl(3m)	scalbln(3m)	scalblnd128(3m)
scalblnd32(3m)	scalblnd64(3m)	scalblnf(3m)
scalblnl(3m)	scalblnq(3m)	scalblnw(3m)
scalbn(3m)	scalbnd128(3m)	scalbnd32(3m)
scalbnd64(3m)	scalbnf(3m)	scalbnl(3m)
scalbnq(3m)	scalbnw(3m)	scalbq(3m)
scalbw(3m)	scandir(3c)	scanf(3s)
scanw(3x)	scr_dump(3x)	scr_init(3x)
scr_restore(3x)	scr_set(3x)	scr(3x)
scroll(3x)	scrollok(3x)	secdef(3)
secure_rpc(3n)	seed48(3c)	seed48_r(3c)
seekdir(3c)	set_curterm(3x)	set_resfield(3n)
set_term(3x)	setaclentry(3c)	setauduser(3)
setbootpent(3x)	setbuf(3s)	setbwent(3c)
setcat(3c)	setcchar(3x)	setclock(3c)
setdvagent(3)	setenv(3c)	setfsent(3x)
setgrent(3c)	setgrent_r(3c)	sethostent(3n)
sethostent_r(3n)	setip4sourcefilter(3n)	setjmp(3c)
setkey(3c)	setkey_r(3c)	setLabel(3c)
setlinebuf(3s)	setlocale(3c)	setlocale_r(3c)
setlogmask(3c)	setmntent(3x)	setnetconfig(3n)
setnetent(3n)	setnetent_r(3n)	setnetgrent(3c)
setnetpath(3n)	setprdfent(3)	setprotoent(3n)

[setprotoent_r\(3n\)](#)
[setpwent\(3c\)](#)
[setscreg\(3x\)](#)
[setsourcefilter\(3n\)](#)
[setspwent_r\(3x\)](#)
[setusershel\(3c\)](#)
[setutsent\(3c\)](#)
[setvbuf_unl\(3s\)](#)
[shl_load_ia\(3x\)](#)
[sigdelset\(3c\)](#)
[sighold\(3c\)](#)
[siglongjmp\(3c\)](#)
[significand\(3m\)](#)
[significandq\(3m\)](#)
[sigrelse\(3c\)](#)
[sigsetops\(3c\)](#)
[sincosd\(3m\)](#)
[sincosdq\(3m\)](#)
[sincosl\(3m\)](#)
[sind\(3m\)](#)
[sind64\(3m\)](#)
[sindq\(3m\)](#)
[sinh\(3m\)](#)
[sinhcoshl\(3m\)](#)
[sinhd128\(3m\)](#)
[sinhf\(3m\)](#)
[sinhw\(3m\)](#)
[sinw\(3m\)](#)
[slk_attr_on\(3x\)](#)
[slk_attron\(3x\)](#)
[slk_color\(3x\)](#)
[slk_noutrefresh\(3x\)](#)
[slk_set\(3x\)](#)
[slpclose\(3n\)](#)
[slperror\(3n\)](#)
[slpfindscopes\(3n\)](#)
[slpfree\(3n\)](#)
[slpopen\(3n\)](#)
[slpsetproperty\(3n\)](#)
[smfi_addrcpt\(3n\)](#)
[smfi_getpriv\(3n\)](#)
[smfi_main\(3n\)](#)
[smfi_quarantine\(3n\)](#)
[smfi_setbacklog\(3n\)](#)
[smfi_setmlreply\(3n\)](#)
[smfi_settimeout\(3n\)](#)
[snprintf\(3s\)](#)
[sprintf\(3s\)](#)
[sqrtd32\(3m\)](#)
[sqrtl\(3m\)](#)
[srand\(3c\)](#)
[srandom\(3m\)](#)
[standend\(3x\)](#)
[statfsdev\(3c\)](#)
[stdio\(3s\)](#)
[step\(3x\)](#)
[strcat\(3c\)](#)
[strcoll\(3c\)](#)
[strdup\(3c\)](#)
[strfmon\(3c\)](#)
[strlen\(3c\)](#)
[strncmp\(3c\)](#)
[strpbrk\(3c\)](#)
[strrstr\(3c\)](#)
[strtoacl\(3c\)](#)
[strtod\(3c\)](#)
[strtoimax\(3c\)](#)
[strtold\(3c\)](#)
[strtoul\(3c\)](#)
[strtoimax\(3c\)](#)
[subpad\(3x\)](#)
[svc_control\(3n\)](#)

[setprpwent\(3\)](#)
[setpwent_r\(3c\)](#)
[setservent\(3n\)](#)
[setspent\(3c\)](#)
[setstate\(3m\)](#)
[setutent\(3c\)](#)
[setutxent\(3c\)](#)
[setvbuf_unlocked\(3s\)](#)
[shl_load_pa\(3x\)](#)
[sigemptyset\(3c\)](#)
[sigignore\(3c\)](#)
[signbit\(3m\)](#)
[significandf\(3m\)](#)
[significandw\(3m\)](#)
[sigset\(3c\)](#)
[sin\(3m\)](#)
[sincosdf\(3m\)](#)
[sincosdw\(3m\)](#)
[sincosq\(3m\)](#)
[sind128\(3m\)](#)
[sindf\(3m\)](#)
[sindw\(3m\)](#)
[sinhcosh\(3m\)](#)
[sinhcoshq\(3m\)](#)
[sinhd32\(3m\)](#)
[sinhl\(3m\)](#)
[sinl\(3m\)](#)
[sleep\(3c\)](#)
[slk_attr_set\(3x\)](#)
[slk_attrset\(3x\)](#)
[slk_init\(3x\)](#)
[slk_refresh\(3x\)](#)
[slk_touch\(3x\)](#)
[slpdelattrs\(3n\)](#)
[slpescape\(3n\)](#)
[slpfindsrvs\(3n\)](#)
[slpgetproperty\(3n\)](#)
[slpparsesrvurl\(3n\)](#)
[slpunescape\(3n\)](#)
[smfi_chghheader\(3n\)](#)
[smfi_getsymval\(3n\)](#)
[smfi_opensocket\(3n\)](#)
[smfi_register\(3n\)](#)
[smfi_setconn\(3n\)](#)
[smfi_setpriv\(3n\)](#)
[smfi_stop\(3n\)](#)
[socketatmark\(3n\)](#)
[sqrt\(3m\)](#)
[sqrtd64\(3m\)](#)
[sqrtq\(3m\)](#)
[srand48\(3c\)](#)
[sscanf\(3s\)](#)
[standout\(3x\)](#)
[statvfsdev\(3c\)](#)
[stdipc\(3c\)](#)
[store\(3c\)](#)
[strchr\(3c\)](#)
[strcpy\(3c\)](#)
[strerror\(3c\)](#)
[strftime\(3c\)](#)
[strncasecmp\(3c\)](#)
[strncpy\(3c\)](#)
[strptime\(3c\)](#)
[strspn\(3c\)](#)
[strtoacl_r\(3c\)](#)
[strtodec\(3c\)](#)
[strtok\(3c\)](#)
[strtold\(3c\)](#)
[strtoul\(3c\)](#)
[strtow\(3c\)](#)
[subwin\(3x\)](#)
[svc_create\(3n\)](#)

[setprtcent\(3\)](#)
[setrpcnt\(3c\)](#)
[setservent_r\(3n\)](#)
[setspwent\(3x\)](#)
[setupterm\(3x\)](#)
[setutent_r\(3c\)](#)
[setvbuf\(3s\)](#)
[shl_load\(3x\)](#)
[sigaddset\(3c\)](#)
[sigfillset\(3c\)](#)
[sigismember\(3c\)](#)
[signgam\(3m\)](#)
[significandl\(3m\)](#)
[sigpause\(3c\)](#)
[sigsetjmp\(3c\)](#)
[sincos\(3m\)](#)
[sincosdl\(3m\)](#)
[sincosf\(3m\)](#)
[sincosw\(3m\)](#)
[sind32\(3m\)](#)
[sindl\(3m\)](#)
[sinf\(3m\)](#)
[sinhcoshf\(3m\)](#)
[sinhcoshw\(3m\)](#)
[sinhd64\(3m\)](#)
[sinhq\(3m\)](#)
[sinq\(3m\)](#)
[slk_attr_off\(3x\)](#)
[slk_attroff\(3x\)](#)
[slk_clear\(3x\)](#)
[slk_label\(3x\)](#)
[slk_restore\(3x\)](#)
[slk_wset\(3x\)](#)
[slpdereg\(3n\)](#)
[slpfindattrs\(3n\)](#)
[slpfindsrvtypes\(3n\)](#)
[slpgetrefreshinterval\(3n\)](#)
[slpreg\(3n\)](#)
[smfi_addheader\(3n\)](#)
[smfi_delrcpt\(3n\)](#)
[smfi_inshheader\(3n\)](#)
[smfi_progress\(3n\)](#)
[smfi_replacebody\(3n\)](#)
[smfi_setdbg\(3n\)](#)
[smfi_setreply\(3n\)](#)
[smonitor\(3c\)](#)
[spray\(3n\)](#)
[sqrtd128\(3m\)](#)
[sqrtf\(3m\)](#)
[sqrtw\(3m\)](#)
[srand48_r\(3c\)](#)
[ssignal\(3c\)](#)
[start_color\(3x\)](#)
[statvfsdev64\(3s\)](#)
[stdscr\(3x\)](#)
[strcasecmp\(3c\)](#)
[strcmp\(3c\)](#)
[strcspn\(3c\)](#)
[strerror_r\(3c\)](#)
[string\(3c\)](#)
[strncat\(3c\)](#)
[strord\(3c\)](#)
[strrchr\(3c\)](#)
[strstr\(3c\)](#)
[strtoaclpat\(3c\)](#)
[strtof\(3c\)](#)
[strtok_r\(3c\)](#)
[strtol\(3c\)](#)
[strtoull\(3c\)](#)
[strxfrm\(3c\)](#)
[svc_auth_reg\(3n\)](#)
[svc_destroy\(3n\)](#)

svc_dg_create(3n)	svc_dg_enablecache(3n)	svc_done(3n)
svc_exit(3n)	svc_fd_create(3n)	svc_fds(3n)
svc_fdset(3n)	svc_freeargs(3n)	svc_getargs(3n)
svc_getcaller(3n)	svc_getreq(3n)	svc_getreq_common(3n)
svc_getreq_poll(3n)	svc_getreqset(3n)	svc_getrpcaller(3n)
svc_pollset(3n)	svc_raw_create(3n)	svc_reg(3n)
svc_register(3n)	svc_run(3n)	svc_sendreply(3n)
svc_tli_create(3n)	svc_tp_create(3n)	svc_unreg(3n)
svc_unregister(3n)	svc_vc_create(3n)	svcerr_auth(3n)
svcerr_decode(3n)	svcerr_noproc(3n)	svcerr_noprog(3n)
svcerr_progvers(3n)	svcerr_systemerr(3n)	svcerr_weakauth(3n)
svcfcd_create(3n)	svccraw_create(3n)	svctcp_create(3n)
svcupd_bufcreate(3n)	svcupd_create(3n)	swab(3c)
swprintf(3c)	swscanf(3c)	syncok(3x)
sys_errlist(3c)	sys_nerr(3c)	syslog(3c)
system(3s)		
t_accept(3)	t_alloc(3)	t_bind(3)
t_close(3)	t_connect(3)	t_error(3)
t_free(3)	t_getinfo(3)	t_getprotaddr(3)
t_getstate(3)	t_listen(3)	t_look(3)
t_open(3)	t_optmgmt(3)	t_rcv(3)
t_rcvconnect(3)	t_rcvdis(3)	t_rcvrel(3)
t_rcvudata(3)	t_rcvuderr(3)	t_snd(3)
t_snddis(3)	t_sndrel(3)	t_sndudata(3)
t_strerror(3)	t_sync(3)	t_unbind(3)
taddr2uaddr(3n)	tan(3m)	tand(3m)
tand128(3m)	tand32(3m)	tand64(3m)
tandf(3m)	tandl(3m)	tandq(3m)
tandw(3m)	tanf(3m)	tanh(3m)
tanhd128(3m)	tanhd32(3m)	tanhd64(3m)
tanhf(3m)	tanhf(3m)	tanhq(3m)
tanhw(3m)	tanl(3m)	tanq(3m)
tanw(3m)	tattribute(3c)	tccontrol(3c)
tcdrain(3c)	tcf_flow(3c)	tcflush(3c)
tcgetattr(3c)	tcgetpgrp(3c)	tcgetsid(3c)
tcsendbreak(3c)	tcsetattr(3c)	tcsetpgrp(3c)
tdelete(3c)	telldir(3c)	tempnam(3s)
term_attrs(3x)	termattrs(3x)	termcap(3x)
termname(3x)	tfind(3c)	tgamma(3m)
tgammad128(3m)	tgammad32(3m)	tgammad64(3m)
tgammaf(3m)	tgamma(3m)	tgammaq(3m)
tgamma(3m)	tgetent(3x)	tgetflag(3x)
tgetnum(3x)	tgetstr(3x)	tgoto(3x)
tgetflag(3x)	tgetnum(3x)	tgetstr(3x)
timeout(3x)	timezone(3c)	tmpfile(3s)
tmpfile64(3s)	tmpnam(3s)	toascii(3c)
tolower(3c)	touchline(3x)	touchwin(3x)
toupper(3c)	towctrans(3c)	tolower(3c)
towupper(3c)	tparm(3x)	tputs(3x)
trunc(3m)	truncd128(3m)	truncd32(3m)
truncd64(3m)	truncf(3m)	trunc(3m)
truncq(3m)	truncw(3m)	tsearch(3c)
ttyname(3c)	ttyname_r(3c)	ttyslot(3c)
twalk(3c)	typeahead(3x)	tzname(3c)
tzset(3c)		
u_stack_trace(3x)	uaddr2taddr(3n)	uc_access(3)
ug_display_width(3c)	ulckpwwdf(3c)	ultoa(3c)
ultoa_r(3c)	ultostr(3c)	ultostr_r(3c)
unctrl(3x)	undial(3c)	unget_wch(3x)
ungetc(3s)	ungetc_unlo(3s)	ungetch(3x)
ungetwc(3c)	ungetwc_unl(3c)	unlockpt(3c)
unsetenv(3c)	untouchwin(3x)	updatebwdb(3c)
use_env(3x)	user2netname(3n)	userdb_delete(3)
userdb_read(3)	userdb_write(3)	utf16char(3c)
utmpname(3c)	utmpname_r(3c)	uwx(3x)
uwx_add_to_bsp(3x)	uwx_find_source_info(3x)	uwx_find_symbol(3x)
uwx_free(3x)	uwx_get_abi_context_code(3x)	uwx_get_funcstart(3x)
uwx_get_module_info(3x)	uwx_get_nat(3x)	uwx_get_reg(3x)
uwx_get_source_info(3x)	uwx_get_sym_info(3x)	uwx_init(3x)
uwx_init_context(3x)	uwx_register_alloc_cb(3x)	uwx_register_callbacks(3x)
uwx_release_symbol_cache(3x)	uwx_self_do_context_frame(3x)	uwx_self_free_info(3x)
uwx_self_init_context(3x)	uwx_self_init_info(3x)	uwx_self_init_state_cache(3x)

uwx_set_nofr(3x)	uwx_set_remote(3x)	uwx_step(3x)
uwx_step_inline(3x)		
valloc(3c)	vfprintf(3s)	vfscanf(3s)
vfwprintf(3c)	vfwscanf(3s)	vid_attr(3x)
vid_puts(3x)	vidattr(3x)	vidputs(3x)
vline(3x)	vline_set(3x)	vpfmt(3c)
vprintf(3s)	vscanf(3s)	vsnprintf(3s)
vsprintf(3s)	vsscanf(3s)	vswprintf(3c)
vswscanf(3s)	vw_printw(3x)	vw_scanw(3x)
vwprintf(3c)	vwprintf(3x)	vwscanf(3s)
vwscanw(3x)		
wadd_wch(3x)	wadd_wchnstr(3x)	wadd_wchstr(3x)
waddch(3x)	waddchnstr(3x)	waddchstr(3x)
waddnstr(3x)	waddnwstr(3x)	waddstr(3x)
waddwstr(3x)	wattr_get(3x)	wattr_off(3x)
wattr_on(3x)	wattr_set(3x)	wattroff(3x)
wattron(3x)	wattrset(3x)	wbkgd(3x)
wbkgdset(3x)	wbkgd(3x)	wbkgdset(3x)
wborder(3x)	wborder_set(3x)	wchgat(3x)
wclear(3x)	wclrtoeb(3x)	wclrtoeol(3x)
wcolor_set(3x)	wconv(3c)	wrtomb(3c)
wcscat(3c)	wcschr(3c)	wscmp(3c)
wcscoll(3c)	wcscpy(3c)	wcscspn(3c)
wcsftime(3c)	wcslen(3c)	wscncat(3c)
wcscmp(3c)	wcscpy(3c)	wcsprbrk(3c)
wcsrchr(3c)	wscrtombs(3c)	wcspn(3c)
wcsstr(3c)	wcstod(3c)	wcstof(3c)
wcstoi64(3c)	wcstok(3c)	wcstok_r(3c)
wcstol(3c)	wcstold(3c)	wcstoll(3c)
wcstombs(3c)	wcstoul(3c)	wcstoull(3c)
wcstou64(3c)	wcstring(3c)	wswcs(3c)
wcswidth(3c)	wcsxfrm(3c)	wctob(3c)
wctomb(3c)	wctrans(3c)	wctype(3c)
wcursyncup(3x)	wcwidth(3c)	wdelch(3x)
wdelete(3x)	wecho_wchar(3x)	wechochar(3x)
werase(3x)	wget_wch(3x)	wget_wstr(3x)
wgetbkgrnd(3x)	wgetch(3x)	wgetn_wstr(3x)
wgetnstr(3x)	wgetstr(3x)	whline(3x)
whline_set(3x)	win_wch(3x)	win_wchnstr(3x)
win_wchstr(3x)	winch(3x)	winchnstr(3x)
winchstr(3x)	winnstr(3x)	winnwstr(3x)
wins_nwstr(3x)	wins_wch(3x)	wins_wstr(3x)
winsch(3x)	winsdelln(3x)	winsertln(3x)
winsnstr(3x)	winsstr(3x)	winstr(3x)
winwstr(3x)	wmemchr(3c)	wmemcmp(3c)
wmemcpy(3c)	wmemmove(3c)	wmemory(3c)
wmemset(3c)	wmove(3x)	wnoutrefresh(3x)
wordexp(3c)	wordfree(3c)	wprintf(3c)
wprintw(3x)	wredrawln(3x)	wrefresh(3x)
wscanf(3c)	wscanw(3x)	wscr(3x)
wsetscreg(3x)	wstandend(3x)	wstandout(3x)
wsyncdown(3x)	wsyncup(3x)	wtimeout(3x)
wtouchln(3x)	wunctrl(3x)	wvline(3x)
wvline_set(3x)		
xdr(3n)	xdr_accepted_reply(3n)	xdr_admin(3n)
xdr_array(3n)	xdr_authsys_parms(3n)	xdr_authunix_parms(3n)
xdr_bool(3n)	xdr_bytes(3n)	xdr_callhdr(3n)
xdr_callmsg(3n)	xdr_char(3n)	xdr_complex(3n)
xdr_control(3n)	xdr_create(3n)	xdr_destroy(3n)
xdr_double(3n)	xdr_enum(3n)	xdr_float(3n)
xdr_free(3n)	xdr_getpos(3n)	xdr_hyper(3n)
xdr_inline(3n)	xdr_int(3n)	xdr_long(3n)
xdr_longlong_t(3n)	xdr_opaque(3n)	xdr_opaque_auth(3n)
xdr_pointer(3n)	xdr_quadruple(3n)	xdr_reference(3n)
xdr_rejected_reply(3n)	xdr_replymsg(3n)	xdr_setpos(3n)
xdr_short(3n)	xdr_simple(3n)	xdr_sizeof(3n)
xdr_string(3n)	xdr_u_char(3n)	xdr_u_hyper(3n)
xdr_u_int(3n)	xdr_u_long(3n)	xdr_u_longlong_t(3n)
xdr_u_short(3n)	xdr_union(3n)	xdr_vector(3n)
xdr_void(3n)	xdr_wrapstring(3n)	xdrmem_create(3n)
xdrrec_create(3n)	xdrrec_endofrecord(3n)	xdrrec_eof(3n)
xdrrec_readbytes(3n)	xdrrec_skiprecord(3n)	xdrstdio_create(3n)

xprt_register(3n)	xprt_unregister(3n)	
y0l(3m)	y0f(3m)	y0l(3m)
y0q(3m)	y0w(3m)	y1(3m)
y1f(3m)	y1l(3m)	y1q(3m)
y1w(3m)	yn(3m)	ynf(3m)
ynl(3m)	ynq(3m)	ynw(3m)
yp_all(3c)	yp_bind(3c)	yp_first(3c)
yp_get_defa(3c)	yp_master(3c)	yp_match(3c)
yp_next(3c)	yp_order(3c)	yp_unbind(3c)
ypclnt(3c)	yperr_strin(3c)	yppasswd(3n)
ypprot_err(3c)	ypupdate(3c)	

Section 4 Manpages

[return to top](#)

Index(4): [_](#) [P](#) [T](#) [a](#) [b](#) [c](#) [d](#) [e](#) [f](#) [g](#) [h](#) [i](#) [k](#) [l](#) [m](#) [n](#) [p](#) [q](#) [r](#) [s](#) [t](#) [u](#) [w](#) [x](#) [y](#)

.netrc(4)	.rhosts(4)	
PPP.AUTH(4)	PPP.DEVICES(4)	PPP.DIALERS(4)
PPP.FILTER(4)	PPP.KEYS(4)	PPP.SYSTEMS(4)
TERM(4)		
a.out(4)	acct(4)	acps.conf(4)
ar(4)	audeventsta(4)	audit(4)
audit.conf(4)	audit_dpms_filter(4)	audit_site.conf(4)
authcap(4)	autofs(4)	
bootconf(4)	btmpt(4)	btmpt(4)
cdnode(4)	cdrom(4)	charmmap(4)
compartments(4)	core(4)	cpio(4)
d_passwd(4)	default(4)	devassign(4)
dfstab(4)	dialups(4)	dir(4)
disktab(4)	dlpi(4)	dlpi.h(4)
dlpi_drv(4)	dlpi_drv.h(4)	dlpi_ext(4)
dlpi_ext.h(4)	dosif(4)	dp(4)
efi(4)	evfs.conf(4)	evfstab(4)
evm.auth(4)	evmchannel.conf(4)	evmdaemon.conf(4)
evmfilterfile(4)	evmlogger.conf(4)	evmtemplate(4)
exports(4)		
filter.conf(4)	fspec(4)	fstab(4)
fstypes(4)	ftpaccess(4)	ftpconversions(4)
ftpgroups(4)	ftphosts(4)	ftpservers(4)
ftpusers(4)		
gated.conf(4)	gated.config(4)	gettydefs(4)
group(4)		
hosts(4)	hosts.equiv(4)	
inetd.conf(4)	inetd.sec(4)	inetsvcs.conf(4)
info(4)	inittab(4)	intro(4)
ioconfig(4)	issue(4)	
key_filter(4)	krb5.conf(4)	
ldapclientd.conf(4)	libgss(4)	lif(4)
localedef(4)	loggingroup(4)	lvmpvg(4)
magic(4)	mech(4)	mnttab(4)
model(4)		
named.conf(4)	netconfig(4)	netgroup(4)
netrc(4)	nettlgen.co(4)	nettlgen.conf(4)
networks(4)	nfs(4)	nfslog.conf(4)
nfssec.conf(4)	nlist(4)	nlist_ia(4)
nlist_pa(4)	nlspath(4)	nsswitch.conf(4)
packingrules(4)	pam.conf(4)	pam_user.conf(4)
passwd(4)	pcf(4)	ppp.Auth(4)
ppp.auth(4)	ppp.Devices(4)	ppp.devices(4)
ppp.Dialers(4)	ppp.dialers(4)	ppp.Filter(4)
ppp.filter(4)	ppp.Keys(4)	ppp.keys(4)
ppp.Systems(4)	ppp.systems(4)	pppoe.conf(4)
pppoerd.conf(4)	pppoesd.conf(4)	privgrp(4)
profile(4)	proto(4)	protocols(4)
prpwd(4)	publickey(4)	
qop(4)	queuedefs(4)	
ramd.conf(4)	rbac.conf(4)	rc.config(4)
rc.config.d(4)	rcsfile(4)	resolv.conf(4)
resolver(4)	rhosts(4)	rmtab(4)

rndc.conf(4)	rpc(4)	rtradvd.conf(4)
sccsfile(4)	sd(4)	securenets(4)
security(4)	services(4)	services.window(4)
shadow(4)	sharetab(4)	shells(4)
slp.conf(4)	slp.reg(4)	sm(4)
sm.bak(4)	snmpd.conf(4)	softkeys(4)
state(4)	switch(4)	swpackage(4)
symlink(4)	sysinfo(4)	system(4)
tar(4)	tcpd.conf(4)	term(4)
term.h(4)	term_c(4)	terminfo(4)
ttys(4)	ttytype(4)	tztabs(4)
ups_conf(4)	userdb(4)	usermod(4)
utmp(4)	utmps(4)	utmpx(4)
uuencode(4)		
wlicert.conf(4)	wlisys.conf(4)	wlisyspolicy.conf(4)
wtmp(4)	wtmps(4)	
xtab(4)		
ypfiles(4)		

Section 5 Manpages

[return to top](#)

Index(5): [A](#) [E](#) [N](#) [S](#) [a](#) [b](#) [c](#) [d](#) [e](#) [f](#) [g](#) [h](#) [i](#) [k](#) [l](#) [m](#) [n](#) [o](#) [p](#) [q](#) [r](#) [s](#) [t](#) [u](#) [v](#) [w](#) [x](#)

Aries(5)	Audio(5)	
EVM(5)	EvmCallback(5)	EvmConnection(5)
EvmEvent(5)	EvmFilter(5)	
NSTREVENT(5)	NSTRPUSH(5)	NSTRSCHED(5)
STRCTL SZ(5)	STRMSGSZ(5)	
acctresume(5)	acctsuspend(5)	acl(5)
aclv(5)	aio(5)	aio_iosize_max(5)
aio_listio_max(5)	aio_max_ops(5)	aio_monitor_run_sec(5)
aio_physmem_pct(5)	aio_prio_delta_max(5)	aio_proc_max(5)
aio_proc_thread_pct(5)	aio_proc_threads(5)	aio_req_per_thread(5)
aliases(5)	allocate_fs_swapmap(5)	alwaysdump(5)
aries(5)	ascii(5)	audio(5)
audit(5)	audit_dpms(5)	audit_hpux_portable(5)
audit_hpux_raw(5)	audit_hpux_xml(5)	audit_memory_usage(5)
audit_track_paths(5)		
base_pagesize(5)	bufcache_max_pct(5)	bufpages(5)
chanq_hash_locks(5)	cmpt_allow_local(5)	compartment_login(5)
compartments(5)	complex(5)	copy_on_write(5)
core_addshmem_read(5)	core_addshmem_write(5)	create_fastlinks(5)
curses(5)		
dbc_max_pct(5)	dbc_min_pct(5)	default_disk_ir(5)
desfree_pct(5)	dirent(5)	diskaudit_flush_interval(5)
dld.sl(5)	dld.so(5)	dlpi_max_clones(5)
dlpi_max_ub_promisc(5)	dma32_pool_size(5)	dnlc_hash_locks(5)
dontdump(5)	dst(5)	dump_compress_on(5)
dump_concurrent_on(5)		
enable_idds(5)	environ(5)	eqmem_limit(5)
eqmemsize(5)	evfs(5)	evm(5)
evmcallback(5)	evmconnection(5)	evmevent(5)
evmfilter(5)	executable_stack(5)	expanded_node_host_names(5)
fadvise(5)	fadvise.h(5)	fcache_async_cache_invalidate(5)
fcache_fb_policy(5)	fcache_seqlimit_file(5)	fcache_seqlimit_scope(5)
fcache_seqlimit_system(5)	fcache_vhand_ctl(5)	fcntl(5)
fenv(5)	filecache_max(5)	filecache_min(5)
fs_async(5)	fs_symlinks(5)	fs_wrapper(5)
gssapi(5)	gvid_no_claim_dev(5)	
hdlpreg_hash_locks(5)	hfs_revra_per_disk(5)	hier(5)
hires_timeout_enable(5)	hostname(5)	hosts_access(5)
hosts_options(5)		
intr_strobe_ics_pct(5)	intro(5)	inttypes(5)
ioctl(5)	ipmi_watchdog_action(5)	
kconfig(5)	kerberos(5)	kmem_aggressive_caching(5)
krs(5)	ksi_alloc_max(5)	ksi_send_max(5)
lang(5)	langinfo(5)	lcpu_attr(5)
ldapux(5)	libcrash(5)	libcres.a(5)
limits(5)	livedump(5)	lotsfree_pct(5)

man(5)	manuals(5)	math(5)
max_acct_file_size(5)	max_async_ports(5)	max_mem_window(5)
max_thread_proc(5)	maxdsiz(5)	maxdsiz_64bit(5)
maxfiles(5)	maxfiles_lim(5)	maxrsessiz(5)
maxrsessiz_64bit(5)	maxssiz(5)	maxssiz_64bit(5)
maxtsiz(5)	maxtsiz_64bit(5)	maxuprc(5)
maxvgs(5)	mca_recovery_on(5)	memfs_metamax(5)
memfs_swapmax_pct(5)	mesg(5)	mknod(5)
mknod.h(5)	mm(5)	mman(5)
mpas_readonly_text(5)	mprotect_reduce_protid_on(5)	msgmap(5)
msgmax(5)	msgmbs(5)	msgmnb(5)
msgmni(5)	msgseg(5)	msgssz(5)
msgttl(5)		
nbuf(5)	ncdnode(5)	nclist(5)
ncsize(5)	nfile(5)	nflocks(5)
nfs_portmon(5)	nfs2_max_threads(5)	nfs2_nra(5)
nfs3_bsize(5)	nfs3_do_readdirplus(5)	nfs3_jukebox_delay(5)
nfs3_max_threads(5)	nfs3_max_transfer_size(5)	nfs3_max_transfer_size_cots(5)
nfs3_nra(5)	nfs4_bsize(5)	nfs4_max_threads(5)
nfs4_max_transfer_size(5)	nfs4_max_transfer_size_cots(5)	nfs4_nra(5)
nfssec(5)	ngroups_max(5)	ninode(5)
nkthread(5)	nodehostnamesize(5)	norewind_close_disabled(5)
nproc(5)	npty(5)	nstrevent(5)
nstrpty(5)	nstrpush(5)	nstrsched(5)
nstrtel(5)	nswapdev(5)	nswapfs(5)
nsysmap(5)	nsysmap64(5)	numa_mode(5)
numa_policy(5)	numa_sched_launch(5)	
orientation(5)	override_umask(5)	
pa_maxssiz(5)	pa_maxssiz_32bit(5)	pa_maxssiz_64bit(5)
pagezero_daemon_enabled(5)	pam_authz(5)	pam_hpsec(5)
pam_ldap(5)	pam_unix(5)	pam_updbe(5)
parspec(5)	partition(5)	partition2(5)
patch_active_text(5)	pci_eh_enable(5)	pci_error_tolerance_time(5)
pfdat_hash_locks(5)	physical_io_buffers(5)	portal(5)
privgrp(5)	privileges(5)	privsh(5)
process_id_max(5)	process_id_min(5)	pthread_scope_options(5)
pthread_stubs(5)	pwr_idle_ctl(5)	
quota(5)		
rbac(5)	rcsintro(5)	regexp(5)
region_hash_locks(5)	remote_nfs_swap(5)	resourcepath(5)
rtsched_numpri(5)	rusage_hires_enable(5)	
sched_thread_affinity(5)	scroll_lines(5)	scsi_max_qdepth(5)
scsi_maxphys(5)	sd(5)	secure_sid_scripts(5)
sema(5)	semaem(5)	semmni(5)
semmns(5)	semmnu(5)	semmsl(5)
semume(5)	semvmx(5)	sendfile_max(5)
shlib_debug_enable(5)	shmем(5)	shmmax(5)
shmmni(5)	shmseg(5)	signal(5)
sis(5)	st_ats_enable(5)	st_ats_enabled(5)
st_san_safe(5)	standards(5)	stat(5)
stdarg(5)	stdint(5)	stdsyms(5)
strctlsz(5)	streampipes(5)	strmsgsz(5)
suffix(5)	swapmem_on(5)	swchunk(5)
sys_attrs_kevm(5)	sysv_hash_locks(5)	
tcphashsz(5)	term(5)	thread_safety(5)
timeslice(5)	timezone(5)	types(5)
uname_eoverflow(5)	unctrl(5)	unistd(5)
unlockable_mem(5)	unwind(5)	usergroupname(5)
values(5)	varargs(5)	vparresources(5)
vparresources2(5)	vpartition(5)	vpartition2(5)
vpmon(5)	vps_ceiling(5)	vps_chatr_ceiling(5)
vps_pagesize(5)		
wli(5)		
xferlog(5)		

Section 7 Manpages

[return to top](#)

Index(7): [I](#) [N](#) [T](#) [U](#) [V](#) [a](#) [b](#) [c](#) [d](#) [e](#) [f](#) [g](#) [h](#) [i](#) [k](#) [l](#) [m](#) [n](#) [p](#) [r](#) [s](#) [t](#) [u](#) [v](#) [x](#) [z](#)

IP(7p)	IP6(7p)	IPv6(7p)
NDP(7p)		
TCP(7p)		
UDP(7p)		
VLAN(7)		
apa(7)	arp(7p)	autochanger(7)
blmode(7)		
cent(7)	clone(7)	console(7)
ddfa(7)	diag0(7)	diag1(7)
diag2(7)	disk(7)	dlpi(7)
eschgr(7)		
framebuf(7)		
gang_sched(7)		
hil(7)	hilkbd(7)	
inet(7f)	intro(7)	iomap(7)
ip(7p)	ip6(7p)	ipv6(7p)
kmem(7)		
lan(7)	ldterm(7)	lora(7)
lp(7)	lvm(7)	
mem(7)	modem(7)	mt(7)
ndp(7p)	nfs(7)	null(7)
pckt(7)	poll(7)	ps2(7)
ps2kbd(7)	ps2mouse(7)	ptem(7)
ptm(7)	pts(7)	pty(7)
random(7)	rng(7)	route(7p)
routing(7)		
sad(7)	schgr(7)	scsi(7)
scsi_ctl(7)	scsi_disk(7)	scsi_tape(7)
scsimgr_eschgr(7)	scsimgr_esdisk(7)	scsimgr_estape(7)
sioc_io(7)	slp_syntax(7)	socket(7)
streamio(7)	strlog(7)	stty(7)
sttyV6(7)	sttyv6(7)	syscon(7)
systty(7)		
tcp(7p)	telm(7)	tels(7)
termio(7)	termios(7)	termiox(7)
timod(7)	tirdwr(7)	tty(7)
udp(7p)	unix(7p)	urandom(7)
vlan(7)		
xopen_networking(7)		
zero(7)		

Section 9 Manpages

[return to top](#)

Index(9): [I](#) [g](#) [i](#)

Introduction(9)	
glossary(9)	
intro(9)	introduction(9)