

EXHIBIT 7
INSTRUCTION MANUAL

INTERTEK TESTING SERVICES

7.0 Instruction Manual

Attached is a preliminary copy of the Instruction Manual.

Please note that the required FCC Information to the User can be found on Page A1 of this manual.

This manual will be provided to the end-user with each unit sold/leased in the United States.

Cobra®

CP-9135

Cobra Electronics Corporation
6500 West Cortland Street
Chicago, IL 60707

Operating Instructions
for your Cobra CP-9135

If You Think You Need Service

For technical assistance, please call our Automated Help Desk which can assist you by answering the most frequently asked questions about Cobra products.
(773) 889-3087

24 hours a day, 7 days a week.

A Consumer Service Representative can be reached through this same number 8:00 am - 8:00 pm, Monday through Friday, CST.

Technical assistance is also available on-line in the Frequently Asked Questions (FAQ) section at www.cobraelec.com or by e-mail to productinfo@cobraelec.com

If you think you need service call 1.773.889.3087


"If your product should require factory service please call Cobra first before sending your unit in. This will ensure the fastest turn-around time on your repair."

You may be asked to send your unit to the Cobra factory. It will be necessary to furnish the following in order to have the product serviced and returned.

1. For Warranty Repair include some form of proof-of-purchase, such as a mechanical reproduction or carbon or a sales receipt. If you send the original receipt it cannot be returned.
2. Send the entire product.
3. Enclose a description of what is happening with the unit. Include a typed or clearly print name and address of where the unit is to be returned.
4. Pack unit securely to prevent damage in transit. If possible, use the original packing material.
5. Ship prepaid and insured by way of a traceable carrier such as United Parcel Service (UPS) or First Class Mail to avoid loss in transit to: Cobra Factory Service, Cobra Electronics Corporation, 6500 W. Cortland St., Chicago, IL 60707.
6. If the unit is in warranty, upon receipt of your unit it will either be repaired or exchanged depending on the model. Please allow approximately 3 to 4 weeks before contacting us for status. If the unit is out of warranty a letter will automatically be sent informing you of the repair charge or replacement charge. If you have any questions, please call 1.773.889.3087 for assistance.

Cobra Electronics Corp. © 1998
Printed in China
Part No. 480-283-P-001

Private Call® 900 900 MHz Two Line Cordless Telephone



"Ingenious Products for Easier Communication."

FCC Information Included Accessories

Registered with The FCC

Please note: This cordless phone operates under part 15 and part 68 of FCC rules. Operation is subject to two conditions:

- 1. It may not interfere with radio communications, and 2. It must accept any interference received, including that which may cause undesirable operation. See the Operational Features section of this manual for ways to reduce interference.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. The limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.


Your telephone company is required by the Federal Communications Commission to allow you to connect FCC registered telephones to their lines.

The FCC requires you to provide information, if requested by the local telephone company, about the location of an FCC registered telephone to their lines. They may ask you for the FCC registration number and higher equivalence number (REN), both of which are on the bottom of the base. They may also ask for the Universal Service Order Code (USOC) number which is RU-11C. It is illegal to use this phone on a party line or to connect it to a coin-operated telephone.

The REN is used to determine the quantity of devices you may connect to the telephone line. Excessive RENs on the telephone line may result in the devices not ringing in response to an incoming call. In most areas the sum of RENs should not exceed 5.0. To be sure, contact the local telephone company.

If your equipment causes harm to the telephone network, the telephone company will notify you in advance (if possible) of a temporary discontinuance of service. Also, you will be advised of your right to file a complaint with the FCC.

The telephone company may make changes in its facilities, equipment or procedures that could affect the operation of your equipment. The telephone company will provide advance notice to help you maintain uninterrupted service.



What's Included with Your CP-9135

- 1. Headset
- 2. AC/DC Power Adapter
- 3. Memory Label
- 4. Line Cords (6" and 6')
- 5. Belt Clip
- 6. Belt Clip Slot Cover
- 7. Wall Mount Bracket
- 8. Handset Battery




Controls and Indicators

Base:

1. Line 2 Jack
2. Line 1 and 2 Jack
3. Power Input
4. Line 2 Ringer On/Off Switch
5. Line 1 Ringer On/Off Switch
6. Tone/Pulse Switch
7. Mute Button And Mute Indicator
8. Line 1 Button And In Use Indicator
9. Line 2 Button And In Use Indicator

10. Conference Call Button
11. Charge Indicator
12. Intercom Indicator
13. In Use Indicator
14. Power On/Off Indicator
15. Redial/Pause Button
16. Memory Button
17. Flash Button
18. Hold Button
19. Intercom Page/Find Button
20. Speakerphone Button



Handset:

21. Headset Jack
22. Line 1 In Use Indicator
23. Low Battery Indicator
24. Line 2 In Use Indicator
25. Volume Up/Down Buttons
26. Line 1 Button
27. Intercom Button
28. Conference Call Button
29. Line 2 Button
30. Talk Button
31. Flash Button
32. Redial/Pause Button
33. Channel Button
34. Memory Button
35. Hold Button

Thank you for purchasing the Cobra CP-9135 cordless phone. Properly used, this Cobra product will give you many years of reliable service.


Customer Support

Should you encounter any problems with the product or not understand its many features, please refer to this owner's manual. If, after referring to the manual, you still need help, call Cobra Customer Service at 773.889.3087.

Cobra Customer Service
 Live operators are available
 M-F 8:00 am - 8:00 pm CST at:
 773.889.3087. Automated
 Technical Assistance available
 by phone 24 hours a day, seven
 days a week.

E-mail questions to:
productinfo@cobraelec.com

Cobra on the World Wide Web:
 Frequently Asked Questions
 (FAQ) can be found on-line at:
www.cobraelec.com




How to Use Your Cobra CP-9135 900 MHz Cordless Telephone

Contents	1
Features	A1
FCC Information/Included Accessories.....	A2
Controls & Indicators.....	A3
Our Thanks to You.....	2
Customer Support.....	4
Important Safety Instructions.....	8
Installation.....	10
Quick Set-Up Guide.....	12
Wall Mounting Instructions.....	14
Operating Your CP-9135	16
Real Time Line Status/Base & Handset.....	17
Answering Calls From The Handset.....	18
Answering Calls From The Base.....	19
Placing Calls From The Handset.....	19
Placing Calls From The Base.....	20
Channel Selection.....	20
Flash.....	21
Secur-Loc™.....	21
4 Level Volume Control.....	22
Hearing Aid Compatibility.....	23
Mute.....	23
Last Number Instant Redial.....	24
Last Number Delay Redial.....	24
Memory Number Storage.....	26
Memory Number Dialing.....	27
To Find The Handset.....	28
Intercom Mode From The Handset.....	29
Intercom Mode From The Base.....	31
Hold Button.....	32
Conference Calling From The Handset And Base.....	34
Ringer Switch.....	34
Tone/Pulse.....	35
Handset Battery Recharging.....	36
Private Call® Scrambling.....	37
Battery Saver.....	38
Replacing Handset Battery.....	39
Disposal of The Battery.....	40
Headset Operation/Belt Clip/Slot Cover.....	41
Cleaning The Charging Contacts.....	42
Troubleshooting	43
Frequently Asked Questions.....	47
Limited One-Year Warranty.....	48
Accessories and Order Form.....	Back Cover
If You Think You Need Service.....	Back Cover

Features of This Product

- Private Call® Voice Scrambling - Base and Handset
- Headset for Hands Free Operation
- 900 MHz Extended Range
- Detachable Belt Clip
- 30 Channel Autoscan
- Clear Call® PLUS Componder
- Ten (10) Number Memory
- Handset Volume Control
- Page/Find
- Mute Button
- Fourteen (14) Day Stand-By
- Wall Mountable
- Last Number Redial
- Hearing Aid Compatible
- Auto Answer
- Auto Stand-By
- Audible Battery Low Indicator
- Replaceable Handset Battery
- Tone/Pulse Switch on Base and Handset
- Secur-Loc™ 65,000 Security Codes
- Base Speaker Phone
- Base Keypad
- Intercom
- Hold on Base and Handset
- Two Line Operation with Conferencing
- Distinct Ring for Each Line
- Real Time Line Status/ Base and Handset



Important Safety Instructions

Important Safety Instructions

When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

1. Read and understand all instructions.
2. Follow all warnings and instructions marked on the product.
3. Unplug this product from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning.
4. Do not locate base unit near water for example, near a bath tub, wash bowl, kitchen sink, or laundry tub, in a wet basement or near a swimming pool.
5. Do not place this product on an unstable cart, stand or table. The product may fall, causing serious damage to the product.
6. Slots and openings in the cabinet and the bottom or back are provided for ventilation, to protect it from overheating; these openings must not be blocked or covered. The openings should never be blocked by placing the product in the bed, sofa, rug or other similar surface. This product should never be placed near or over a radiator or heat register. This product should not be placed in a built-in installation unless proper ventilation is provided.
7. This product should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply to your home, consult your dealer or local power company.
8. Do not allow anything to rest on the power cord. Do not locate this product where the cord will be abused by persons walking on it.
9. Do not overload outlets and extension cords as this can result in the risk of fire or electric shock.
10. Never push objects of any kind into this product through cabinet slots as they may touch dangerous voltage points or short out parts that could result in a risk of fire or electric shock. Never spill liquid of any kind on the product.
11. To reduce the risk of electric shock, do not disassemble this product, but take it to a qualified serviceman when service or repair work is required. Opening or removing covers may expose you to dangerous voltages or other risks. Incorrect reassembly can cause electric shock when the appliance is subsequently used.
12. Avoid using telephones (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
13. Do not use the telephone to report a gas leak in the vicinity of the leak.
14. Unplug this product from the outlet and refer servicing to qualified service personnel under the following conditions:
 - A. When the power supply cord or plug is damaged or frayed.
 - B. If liquid has been spilled into the product.
 - C. If the product has been exposed to rain or water.
 - D. If the product does not operate normally by following the operating instructions. Adjust only those controls that are covered by the operating instructions because improper adjustment of other controls may result in damage and will often require extensive work by a qualified technician to restore the product to normal operation.

- E. If the product has been dropped or the cabinet has been damaged.
 - F. If the product exhibits a distinct change in performance.
15. Never install telephone wiring during a lightning storm.
 16. Never install telephone jacks in wet locations unless jack is specifically designed for wet locations.
 17. Never touch uninsulated telephone wires or terminals unless the telephone line has been disconnected at the network interface.

CAUTION:

- To reduce the risk of fire or injury to persons, read and follow these instructions:
- A. Use only the battery pack supplied with the unit or identical replacement.
 - B. Do not dispose of battery pack in a fire. The cells may explode. Check with local codes for possible disposal instruction.
 - C. Since released electrolyte is corrosive and may cause damage to eyes or skin and may be toxic if swallowed:
 - C1. Do not open or mutilate battery pack.
 - C2. Always replace the entire battery pack rather than reusing one or more cells.
 - C3. Do not expose batteries to heat or flame.
 - D. Exercise care in handling the battery pack in order not to "short" the battery contacts with conducting materials such as rings, bracelets, and keys. The battery or conductor may overheat and cause burns.
 - E. Charge the battery provided with or identified for use with this product only in accordance with the instructions and limitations specified in this manual.
 - F. Observe proper polarity orientation between the battery and battery charge.

Save These Instructions

WARNING TO PREVENT FIRE OR ELECTRICAL SHOCK, DO NOT OPEN THIS PRODUCT TO REPAIR OR MAINTENANCE.

CAUTION
DO NOT OPEN THIS PRODUCT TO REPAIR OR MAINTENANCE.

DO NOT OPEN OR REPAIR THIS PRODUCT. IT IS NOT DESIGNED TO BE REPAIRED BY THE USER. REPAIRS SHOULD BE PERFORMED BY A QUALIFIED SERVICE PERSONNEL.

DO NOT OPEN OR REPAIR THIS PRODUCT.

SEE INSTRUCTIONS ON THE BACK OF THE PRODUCT FOR THE LOCATION OF THE BATTERY PACK. THE BATTERY PACK IS NOT TO BE RECHARGED OR REUSED IN ANY OTHER PRODUCT. THE BATTERY PACK IS NOT TO BE RECHARGED OR REUSED IN ANY OTHER PRODUCT.



Installation

Quick Set-Up Guide



Note

The battery must be charged at least 12 hours before use.

Replacement batteries are available direct from Cobra. See Accessories section on page 48.

! Use only with Class 2 Power Source 12 VDC 500mA


Quick Set-Up Guide




1 Install Ni-Cad battery in the handset.

To remove the battery door, press and slide downward.


Observe connection orientation, connect the battery and replace the door. The **Low-Batt** indicator will blink until the handset is placed in the base and power is applied to the base.



2 Connect power adapter in outlet.



3 Connect round connector into power jack on base. **In Use** indicator on base will flash rapidly.



4 Place handset on base so **Charge** indicator lights. **In Use** indicator will stop flashing.

5 Raise antenna to vertical position.


continued

Installation


Installation

Quick Set - Up Guide

Quick Set-Up Guide continued



5 Plug 6' phone cord into two line wall jack.




6 Plug phone cord into Line 1-2.

Note


Charge batteries for 12 hours before first use.

Note

If your home has separate Line 1 and Line 2 wall jacks, you will need to either use an additional line cord or two line splitter.



7 Turn on RINGER switches for Lines 1 and Line 2.



8 Switch TONE/PULSE on base for proper operation.

For tone dialing - switch TONE/PULSE on base to TONE.

For pulse dialing - switch TONE/PULSE on base to PULSE.




Installation

Installation


Wall Mounting Instructions

Wall Mounting Instructions




1 Plug 6" phone cord into Line 1-2 jack on rear of base.


Note
If you do not have a wall mount, contact your local phone company for installation of phone line and wall mount.



3 Thread cord through slot in wall mount bracket.



2 Slide wall mount bracket onto base.



4 Plug phone cord into two line wall jack.

5 Slide base down on wall plate.

6 Raise antenna to vertical position.





Operation



Operation

Real Time Line Status/ Base & Handset

Your Cobra CP-9135 has Real Time Line Status between the base and the handset. More simply put, this means that at either location - handset and base - you can easily see the status of your 2 Line phone system.



- 1 When observing either the handset or the base unit you will instantly know whether Line 1 or Line 2 (or possibly both lines) are in use, or



- 2 Line 1 or Line 2 will flash if there is a line on hold, or
- 3 If another branch phone is being used Line 1 or Line 2 will blink twice repeatedly.

Communication between the base and the handset is virtually instantaneous.



Operation

Operation

Answering Calls From The Handset

Note

When answering a call, the Line 1 or Line 2 LED will illuminate. It will be displayed on both the handset and the base during the duration of the call.


Note

If both lines are flashing, you have the option to choose either line. Select line to answer. To answer other line, put first line on HOLD; push and release other line. Talk.

Answering Calls From The Handset

Each line on the CP-9135 has a distinctive "ring" and the Line 1 or Line 2 LED will illuminate.

To answer a call while handset is away from the base:




PUSH & RELEASE LINE 1 OR LINE 2

2 Push and release illuminated line button.

3 Talk.

When call is completed:



Return handset to base or push and release the Talk button.

Phone automatically disconnects.


To answer a call while handset is in base:

1 Pick up handset.

A Phone will automatically answer incoming call, or

B If both lines are ringing, auto answer will answer Line 1.

When call is completed:




Return handset to base or push and release the Talk button.

Phone automatically disconnects.

Operation


Answering Calls From The Base

To answer a call on either line from the base use the Speakerphone feature:



Note
When answering a call, the Line 1 or Line 2 LED will illuminate. It will be displayed on both the handset and the base during the duration of the call.


1 Line 1 or Line 2 will flash.



2 Push and release line button.
3 Talk.

Note
If both lines are flashing, you have the option to choose either line. Select line to answer. To answer other line, put first line on HOLD; push and release other line. Talk

When call is completed:



4 Push and release Speakerphone button.

Note
You can only end the call from the base by pushing and releasing the Speakerphone button.

Phone will automatically disconnect.

Operation


Placing Calls From The Handset

Note

If you have pulse phone service, use the button to change from pulse to tone dialing.


Placing Calls From The Handset

- 1 Pick up handset:



PUSH & RELEASE LINE 1 OR LINE 2

- 2 Push and release or to select line, or



PUSH & RELEASE


- 3 Push and release button to automatically select Line 1 or the unused line.

- 4 Wait for dial tone and then place your call.

Operation


Placing Calls From The Base

Placing Calls From The Base



PUSH & RELEASE LINE 1 OR LINE 2

- 1 Push and release or to select line, or




PUSH & RELEASE

Speakerphone

- 2 Push and release button to automatically select Line 1 or the unused line.

- 3 Wait for dial tone and place your call from the base keypad.





Channel Selection


Note


Please also refer to questions 3, 5 and 6 in the Frequently Asked Questions section on page 46 for more information about interference.

Channel Selection
Should you experience interference:




Push and release  button.

The CP-9135 will scan for and advance to a clearer channel when you push and release the  button.

- Two double beeps will indicate a successful channel change.
- If three beeps are heard the channel change was not successful. Move closer to base and press and release  button again.

Flash

handset or base



Push and release FLASH button to interrupt the phone line to access features such as:

- Call Waiting
 - Three Way Calling
- that might be offered by your phone company.


Secur - Loc™

An exclusive security measure to protect your phone from being accessed by another cordless phone. Secur-Loc™ activates automatically every time your handset is placed in the base.

Operation

Operation

4 Level Volume Control



PUSH & RELEASE

Your CP-9135 has a four level volume control on the side of the handset.

To raise or lower the volume, push the UP arrow for higher volume; push the DOWN arrow for lower volume.


Hearing Aid Compatibility

Hearing Aid Compatibility



The CP-9135 handset is compatible with inductively coupled hearing aids (HAC).

Mute

Your CP-9135 features a MUTE button on the base. While in a conversation:




PUSH & RELEASE

1 Push and release the  button, which shuts off the base microphone. The  will illuminate on the base. You will still be able to hear your caller but they will not be able to hear you or a conversation you might be having.


2 Push and release the  button again to rejoin the conversation. The  will go off on the base.

Last Number Instant Redial

Each time you dial a number, that number is stored in the REDIAL memory. Up to 32 digits can be stored. To recall the number after receiving a busy signal:




- 1 Push and release FLASH button.
- 2 Listen for dial tone.



- 3 Push and release REDIAL/PAUSE button.
- 4 The number will be redialed.

Last Number Delayed Redial

If steps 1, 2 and 3 from the "Last Number Instant Redial" still result in a busy signal, hang up. If you would like to try again in a few minutes, push and release TALK button for dial tone, then:



- 3 Push and release REDIAL/PAUSE button.
- 4 The number will be redialed.




Operation

Operation


Memory Number Storage

The CP-9135 will store up to 10 frequently called numbers.




PUSH & RELEASE

1 Push and release button once.




PUSH & RELEASE

2 Enter digits of number to be stored (up to 16).



PUSH & RELEASE

3 Push and release button again. There will be 2 double beeps.



PUSH & RELEASE

4 Assign memory position by entering keypad number from 0 to 9. There will be 2 double beeps to confirm number storage. Repeat for additional numbers to be stored in memory.

Note

To store numbers from the base follow the same procedure used for the handset.

Note

- 1. You may also use the button in memory to temporarily change from pulse to tone dialing.
- 2. The REDIAL/PAUSE button in memory enters a 3 second delay.

Note

Enter name beside MEMORY number on the memory label provided with the unit.

Operation


Memory Number Dialing


Note

Memory dialing from base uses same procedure as handset.


Memory Number Dialing

- 1 Access a line.



- 2 Push and release  button once.


PUSH & RELEASE




- 3 Push and release keypad number, (0-9), you assigned for that phone number. The phone will dial that number automatically.

To Find The Handset


The handset can be located when it's away from the base. To locate the handset:






- 1 Push and release  button.

The handset will beep for 30 seconds, allowing time to locate the handset.

PUSH & RELEASE



- 2 If you wish to stop beep tones push and release  or  buttons, wait 2 seconds, push and release again or, push and release  button on base.

Operation


Intercom Mode From The Handset

Note

Intercom may be initiated from either the handset or the base.


Intercom Mode From The Handset

Your CP-9135 can serve as an intercom between the base and the handset. To utilize this feature:



PUSH & RELEASE

- 1 Push and release button. The LED will illuminate.



- 2 The and LED will light on the base. Four beeps will emit from the base.
- 3 Begin talking.

Intercom Mode From The Base

Note


To initiate INTERCOM while on a call, push and release button. Then push and release button.

Proceed following INTERCOM instructions.

Note


Only the handset can end INTERCOM mode. Push and release button to end.

Intercom Mode From The Base



PUSH & RELEASE

- 1 Push and release button. The LED will flash on the base.




- 2 The LED on handset will flash and handset will beep.

Operation

Operation


Hold Button On The Handset and Base

Hold Button On The Handset and Base



PUSH & RELEASE

- 3 The person using the handset should push and release the ^{Intercom} button.
- 4 Begin talking.



PUSH & RELEASE

- 1 Push and release HOLD button to put a party on hold to answer other line or to prevent other party from hearing you. The line LED on base and handset will blink.
- 2 To release HOLD push and release the line button that is illuminated on the base or pick up a branch phone on the same line.

Note

When parties are on hold, both Line 1 and/or Line 2 LEDs will be flashing. The IN USE LED will be illuminated on the base.

Operation

Conference Calling From Handset And Base


Note

Conference calls can be initiated from both the handset and the base.


Conference Calling Using Both Lines

Your CP-9135 makes conference calls easy and convenient.

- 1 Access a line. When the party is reached:




- 2 Push and release HOLD button.



- 3 Push and release other line.

Operation



- 4 Dial other party. When party answers push and release CONF button.



All parties can now carry on a 3-way conversation.

4-way conferencing can be accomplished by using the handset and the base. To end a 4-way conference, handset and base must end the call.

Note

To conference an incoming call while on a call, place current call on Hold and answer other call. Push and release CONF button on handset or base.

Note

To drop one party from the conference call, push and release the line button for the party you wish to keep. To end both conversations, push and release the  button of .





Operation

Operation


Ringer Switches

Note

When ringer switches are off you can detect an incoming call by the flashing Line 1 or Line 2 LEDs.

Ringer Switches

RINGER ON/OFF switches are located on the base. One switch is for Line 1, the other is for Line 2.




When ON, each switch provides a distinct ring for each line. When set to OFF, no ring will sound from the base or handset.

Tone/Pulse


Tone/Pulse

The CP-9135 can be used either as tone or pulse, depending upon your phone service.



Handset Battery Recharging

When the handset battery needs recharging:



Low BATT on handset will flash and 2 beeps will be heard every 30 seconds for 2 minutes. Return to base for recharging. Handset will shut off at the end of the 2 minute period, terminating a conversation if the handset is in TALK mode.

Note

Replacement batteries are available from Cobria. See Accessories section on page 48.

Operation

Private Call® Voice Scrambling

Private Call® Voice Scrambling
Private Call® prevents other cordless phones or scanners from understanding your conversations.

Battery Saver
Handset may, in OFF position, remain away from base for up to 14 days.

Duration of battery charge depends upon actual use of phone.

Battery Saver

Operation


Replacing Handset Batteries

Note

Replacement batteries are available direct from Cobra. See Accessories section on page 48.

Replacing Handset Batteries

The rechargeable NiCad battery in your cordless phone may need to be replaced if the handset will not function when the TALK button is pressed after recharging for 12 hours.



- 1 To remove the battery door, press and slide downward.
- 2 Carefully disconnect the battery pack and dispose of it properly. See Battery Disposal below.
- 3 To replace, observe connection orientation and connect the new battery and replace the door. Return the handset to the base and charge the battery overnight (at least 12 hours).

Operation

Handset Battery Disposal

Handset Battery Disposal

The rechargeable nickel cadmium (NiCad) battery in this product must be recycled or disposed of properly in compliance with all applicable laws. It may not be thrown in the trash. Certain states or municipalities require recycling and have established collection programs. Please contact your local waste removal authority for instructions, or return to Cobra for recycling. Wrap batteries carefully and mail postage prepaid to: Cobra Electronics Corporation, 6500 W. Cortland Street, Chicago, Illinois 60707, Attn: Battery Recycling.


Or contact the Rechargeable Battery Recycling Corporation (RBRC) at 1-800-8BATTERY for a local recycling center near you. For more information about battery recycling, the RBRC has a web site at: <http://www.RBRC.com>

DO NOT PUT BATTERIES INTO FIRE OR EXPOSE TO HIGH HEAT. THEY MAY EXPLODE.


Operation

Headset Operation

To Remove The Belt Clip And Install The Slot Cover




1. Push the belt clip lock tab up as shown.
2. Pull the belt clip up and out of the handset.




3. Put the slot cover in the slot and press down.

Headset Operation


- 1 The headset jack allows use of a headset with an ear speaker and boom microphone.



- 1 Position the headset comfortably on your head and adjust the microphone so it is located near, but not touching, your mouth.



- 2 Plug the headset into the CP-9135 handset.




- 3 Use the belt clip for convenience.

Operation

Cleaning The Charging Contacts


Cleaning The Charging Contacts

Clean the two metal charging contacts on both base and handset with a soft dry cloth on a regular basis.



CLEAN CONTACTS

- 1 Clean base contacts.



CLEAN CONTACTS

- 2 Clean handset contacts.

Note
Isopropyl alcohol may be used for more thorough cleaning.



Troubleshooting

Frequently Asked Questions

Phone is dead

Are power adapter and phone cord connected?

Handset beeps during call or away from base

Batteries need recharging; return handset to base.

Handset disconnects, loses performance and beeps three times when in use away from base

Out of range or batteries need recharging. Move closer to base or recharge batteries.

Unable to make call because of interference

Move closer to the base, access the line, select a new channel, and try moving back to your previous location.

Handset won't work after power outage or disconnecting from AC power & reconnecting

Return handset to base for thirty seconds to automatically match security coding.

Handset seems "dead"

Battery power has run out; return handset to base and charge for at least 12 hours. If handset still seems dead, unplug handset battery for 15 seconds and plug back in. Then place handset back on base for at least 5 minutes.

Memory dialing not working

Batteries need recharging; return handset to base. Re-enter memory numbers.

1. How long should the handset battery be charged?

Typically leaving the handset on the base overnight will charge the battery sufficiently.

2. How long can a battery last after a twelve hour charge?

After a twelve hour charge, the handset has typically 8 hours of continuous talk time, or 14 days in standby mode (when the phone is out of the base but not in use).

3. What is the range of my cordless phone?

There is no way to easily answer this question as many factors affect the range of a cordless phone. In an open field, under ideal conditions, a 900 MHz cordless phone can have an effective range of about 1200 feet.

Unfortunately, most cordless phones are used under conditions that are anything but ideal. The effective range of a cordless phone varies because of environmental and other conditions. Cordless phones and other 900 MHz devices may cause interference which may limit the effective range of your cordless phone. Changing the channel may help.

Aluminum siding can also have a dramatic effect on range. Try using your cordless phone in many locations in and around your home. Each situation presents different conditions under which the phone must work.

Cobra Customer Service
Live operators are available
M-F 8:00 am - 8:00 pm CST at:
773.889.3087. Automated
Technical Assistance available
by phone 24 hours a day, seven
days a week.

E-mail questions to:
productinfo@cobraelec.com

Cobra on the World Wide Web:
Frequently Asked Questions
(FAQ) can be found on-line at:
www.cobraelec.com

Frequently Asked Questions

4. Why do I sometimes have difficulty making a connection even though I'm close to the base?
There are several possible causes for this condition. Please try the following solutions to see where your problem lies.

First, make sure the base unit power adapter is connected to a working AC outlet. Make sure that you are within range of the base unit when pressing the TALK button. If this works, then you were trying to access the base from too great a distance. Other cordless phones in your house could be causing interference. Two or more cordless phones may interfere with each other's security codes. If you have two or more cordless phones in your house please disconnect all but the phone which is giving you the Out of Range signal. You can then reset the security codes by using the following procedure.

To reset the security code, remove the handset from the base. Remove the power cord from the base for 30 seconds. Replace the power cord to the base and replace the handset, making sure the charge light comes on. Wait another 30 seconds and the security code should be reset. Try the phone after resetting the security code—it should work fine. Your other cordless phones can still be used but they should be moved further apart or you may experience this problem again.

Frequently Asked Questions

5. Why do I have static on my cordless phone?
Your cordless phone works as a miniature radio transmitter and receiver. As such, it will pick up stray signals caused by other nearby appliances which emit radio signals and thus become a source of interference.

Some sources in a home that may cause noise and interference on a cordless phone are:

- other cordless phones
- fluorescent fixtures
- home appliances such as televisions, refrigerators, microwave ovens, home computers and baby monitors

In order to eliminate some of this interference it may be necessary to relocate the base unit of the cordless phone to a different location in your house. This solves two problems. First, you are further from the source of interference and secondly the power adapter for the cordless phone will be plugged into an outlet, which most likely is on a different line than the appliance which is causing the interference.

If the noise persists after relocating the base, move closer to the base unit when talking on the phone. If the noise disappears, then it is most likely local interference being generated by a source outside your home, or a source inside your home strong enough to blanket your entire house such as a baby monitor. If you find that the noise and interference are equally strong throughout your house, your cordless phone may require service.

Cobra Customer Service

Live operators are available
M-F 8:00 am - 8:00 pm CST at:
773.889.3087. Automated
Technical Assistance available
by phone 24 hours a day, seven
days a week.

E-mail questions to:
productinfo@cobraelec.com

Cobra on the World Wide Web:
Frequently Asked Questions
(FAQ) can be found on-line at:
www.cobraelec.com

Frequently Asked Questions

6. Will more than one cordless phone work in the house?

Whether or not you are able to use two or more cordless phones in your house varies, depending on how many cordless phones you have in your house and how close the cordless phones are to each other. Problems you could experience include:

- intermittent ringing
- cross talk
- interference
- inability of the handset to access the base

Changing the channel on one phone may help. Relocating one of the bases may also help.

7. How can I find a replacement battery?

Batteries are typically available locally at Radio Shack, Walmart, K-Mart or anywhere cordless phone accessories are sold. You must match the voltage, milliamp hours (mAh) and the connector of your current battery exactly to the new one to ensure proper operation of your cordless phone. You should take the original battery with you to the store to match these features. Or order the battery from Cobra.

Limited One Year Warranty

Cobra warrants that its cordless telephone products, and the component parts thereof, will be free from defects in workmanship and materials for a period of one (1) year from the date of first consumer purchase. This warranty may be enforced by the first consumer purchaser, provided that the product is utilized within the U.S.A.

Cobra, without charge, will repair, or replace, at its option, defective cordless telephone products or component parts upon delivery to Cobra factory Service Department, accompanied by proof of the date of first consumer purchase, such as a duplicated copy of a sales receipt.

You must pay any initial shipping charges required to ship the product for warranty service. The return charges will be at Cobra's expense if the product is repaired or replaced under warranty.

Exclusions: This limited warranty does not apply 1) to any product damaged by accident, improper line voltage or weather related circumstances; 2) in the event of misuse or abuse of the product or as a result of unauthorized alterations or repairs; 3) to non-defective original equipment Nickel Cadmium rechargeable batteries; 4) if the serial number has been altered, defaced or removed; or 5) if the owner of the product resides outside of the U.S.A.

All implied warranties, including warranties of merchantability and fitness for a particular purpose, are limited in duration to the length of this warranty.

Cobra shall not be liable for any incidental, consequential or other damages, including, without limitation, damages resulting from loss of use or cost of installation.

Some states do not allow limitations on how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you.

This limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Cobra Electronics Corporation
6500 West Cortland Street
Chicago, Illinois 60707

Accessory Order Form

Accessories

Nickel-Cadmium Battery Pack Assembly with Connector

For use with model CP-9135
213-021-N-001 \$15.00

AC Power Adapter

For use with model CP-9135
768-032-N-001 \$15.00

Charge Cradle

For use with model CP-9135
CR-900 \$10.00

Headset

For use with model CP-9135
H-900 \$25.00

Part #	Description	Cost Ea.	Qty.	Amount
213021N001	Nickel-Cadmium Battery Pack w/Connector	\$15.00		
768032N001	AC Power Adapter	\$15.00		
CR-900	Charge Cradle	\$10.00		
H-900	Headset	\$25.00		
Prices subject to change without notice.				Amount
Tax Table				(Tax if applicable)
Illinois residents add 7%				Shipping/handling
Cook Co. residents add 7.5% (7.25% retail)				Total
Chicago residents add 1% (0.75% total)				\$4.00
Indiana residents add 5%				
Michigan residents add 4%				
Minnesota residents add 6%				
Ohio residents add 6%				
Wisconsin residents add 5%				

For credit card orders fill out order form and fax to: 1.773.622.2269 or call 1.773.889.3087 (Press 1 from the main menu) 8:00 am - 8:00 pm, M-F, CST.

Make check or money order (no stamps) payable to: Cobria Accessories Dept. 6500 West Cortland St. Chicago, IL 60707

Please print clearly

Name _____
 Address (No P.O. Box) _____
 City _____ State _____
 Zip _____
 Telephone (____) _____
 Credit Card No. _____ Exp. Date _____
 Customer Signature _____
 Circle One: Visa MasterCard Discover

Allow 4 to 6 weeks for delivery Offer valid in Continental U.S. only