

CN3 Compliance Insert

For Users in the United States and Canada

For Users Outside of the United States or Canada



Caution: This marking indicates that the user should read all included documentation before use.

This product conforms to the following approvals. The users of this product are cautioned to use accessories and peripherals approved by Intermec Technologies Corporation. The use of accessories other than those recommended, or changes to this product that are not approved by Intermec Technologies Corporation, may void the compliance of this product and may result in the loss of the user's authority to operate the equipment.

Class B Compliant Products

FCC Digital Emissions Compliance

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the radio or television receiving antenna.
- Increase the separation between the computer equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the radio or television receiver is connected.
- Consult the dealer or an experienced radio television technician for help.

Canadian Digital Apparatus Compliance

This Class B digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations.



Caution: The battery pack used in this device may ignite, create a chemical burn hazard, explode, or release toxic materials if mistreated. Do not incinerate, disassemble, or heat above 100°C (212°F). Charge only with Intermec Models AC14, AD10, AD11, AD12 or AV6. Do not short circuit; may cause burns. Keep away from children.

Use only Intermec battery pack Model AB8 or AB9. Use of incorrect battery pack may present a risk of fire or explosion. Promptly dispose of used battery pack according to the instructions.

Battery Recycling Information



This product contains or uses a lithium ion (Li-ion) main battery. When the battery reaches the end of its useful life, the spent battery should be disposed of by a qualified recycler or hazardous materials handler. Do not mix this battery with the solid waste stream. Contact your Intermec Technologies Service Center for recycling or disposal information.

Note: In the U.S.A., the EPA does not consider spent Li-ion batteries as hazardous waste.



Caution: For Power Supply use Intermec Model (*list model number(s) here*). No user-serviceable parts.

Specific Absorption Rate (SAR)

Radio Wave Exposure and Specific Absorption Rate (SAR) Information for Model CN3 Configurations with 802.11g Radio

The FCC permits a maximum SAR value of 1.6 W/kg. For body worn operation, the highest SAR value for the Model CN3, as tested by BABT, is 0.087 W/kg.

The FCC permits a maximum SAR value of 1.6 W/kg. For head worn operation, the highest SAR value for the Model CN3, as tested by BABT, is 1.031 W/kg.

This product has been tested and meets the FCC RF exposure guidelines when used with the Intermec accessories supplied or designated for this product. Use of other accessories may not ensure compliance with FCC RF exposure guidelines.

Radio Wave Exposure and Specific Absorption Rate (SAR) Information for Model CN3 Configurations with GSM/GPRS Radio

For residents of Canada and the United States and other countries/regions that have adopted the SAR limit recommended by Industry Canada RSS-102 and Federal Communications Commission Office of Engineering and Technology (OET) Bulletin 65, the maximum allowed SAR value is 1.6W/kg over 1g of tissue. For use at the ear, the highest SAR value for the Model CN3, as tested by BABT, is 0.528 W/kg. For body worn operation, the highest SAR value for the Model CN3, as tested by BABT, is 0.543 W/kg.

This product has been tested and meets the FCC RF exposure guidelines when used with the Intermec accessories supplied or designated for this product. Use of other accessories may not ensure compliance with FCC RF exposure guidelines.

Radio Wave Exposure and Specific Absorption Rate (SAR) Information for Model CN3 Configurations with GSM/GPRS Radio

For residents of the European Union and other countries/regions that have adopted the International Commission on Non-Ionizing Radiation Protection (ICNIRP) SAR limit, the maximum allowed SAR value is 2.0W/kg over 10g of tissue. For use at the ear, the highest SAR value for the Model CN3, as tested by BABT, is 0.369 W/kg. For body worn operation, the highest SAR value for the Model CN3, as tested by BABT, is 0.292 W/kg.

This product has been tested and meets the FCC RF exposure guidelines when used with the Intermec accessories supplied or designated for this product. Use of other accessories may not ensure compliance with FCC RF exposure guidelines.

Laser and Imager Compliance and Precaution (Rest of World)

This product complies with the following standards for LED safety:

IEC 60825-1 / EN 60825-1 - Class 1 LED Product

Important Radio Information

For Users in the United States and Canada

Place this supplement in your manual.

This device complies with Part 15 of the FCC rules and with RSS-210 of Industry Canada. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that can cause undesired operation.



Caution: Changes or modifications not expressly approved by Intermec could void the user's authority to operate this equipment

For Users Outside the United States and Canada

Intermec Technologies Corporation declares that this module is in compliance with the essential requirements and other relevant provisions of R&TTE Directive (1999/5/EC).

The transmitter module's output power is 646 mW. The products using this module are intended for business and industrial environments. They should not be used in residential environments and by children.



This product is marked with this logo and uses radio frequency bands that are not harmonized throughout the European Community.

The following table indicates the areas of intended use of the equipment and any known restrictions.

Country of Intended Use	Yes	No	License Required	Restrictions	Details
Austria	X				
Belgium	X				
Cyprus	X				
Czech Republic	X				
Denmark	X				
Estonia	X				
Finland	X				
France	X			X	Outdoor frequency operation restricted to 2446.5 MHz to 2483.5 MHz
Germany	X				
Greece	X				
Hungary	X				
Ireland	X				
Italy	X				
Lithuania	X				
Latvia	X				
Luxembourg	X				
Malta	X				
The Netherlands	X				
Poland	X				
Portugal	X				
Slovakia	X				
Slovenia	X				
Spain	X				
Sweden	X				
United Kingdom	X				

Country of Intended Use	Yes	No	License Required	Restrictions	Details
Other non-EU:					
Iceland	X				
Liechtenstein	X				
Norway	X				
Switzerland	X				