CN70 RFID, CN70e RFID Mobile Computer Compliance Insert

Models 1000CP01F9, 1000CP02F9













Caution: This marking indicates that the user should read all included documentation before use. Retain this supplement for future reference.

Users of this product are cautioned to use accessories and peripherals approved by Intermec Technologies Corporation. The use of accessories other than those recommended, or changes to the product that is not approved by Intermec Technologies Corporation, may void the compliance of this product and may result in the loss of the user's authority to operate the equipment.



Caution: For use with Intermec battery pack Model(s) 1000AB01 and 1000AB02 only. See battery instructions. For Power Supply use Intermec Model 9001AE02 or Model 9002AX02. No user-serviceable parts. Charge only with bases 1002UU01, 1002UU03, 1002UU04 or 1002UU05 using 1002UC01 or 1002UD01 adapters. Use of incorrect charger may present a risk of fire or explosion.

Battery Recycling Information





This product contains or uses a lithium ion (Li-ion) main battery. When the battery reaches the end of its useful life, the spent battery should be disposed of by a qualified recycler or hazardous materials handler. Do not mix this battery with the solid waste stream. Contact your Intermec Technologies Service Center for recycling or disposal information.

802.11 Radio Precaution Statement



Caution: Users are responsible for configuring the channels of operation that comply with their country regulatory standards. A Wireless Network Administrator should review the operating restrictions detailed within the Access Point installation manual.

Radiation Exposure Statement



Warning: This equipment complies with International Commission on Nonlonizing Radiation Protection (ICNIRP), IEEE C95.1, Federal Communications Commission Office of Engineering and Technology (OET) Bulletin 65, Canada RSS-102, and European Committee for Electrotechnical Standardization (CENELEC) limits for exposure to radio frequency (RF) radiation.

If a body worn accessory is not purchased from Intermec, the accessory must contain no metal and provide a 1.2 cm (0.5 in.) space between the device and the body.

To find RF exposure information, go to www.intermec.com > Products > Computers (e.g.) > Handheld Computers (e.g.) > CN70 (e.g.) > Manuals tab and scroll down to Regulatory Information.

Laser Compliance and Precaution

The 1000CP01F9 and 1000CP02F9 are registered with the CDRH as a Class 2 LASER Product (21 CFR Subchapter J, Part 1040). This product has a maximum output of 1 mW at 630-670 nm.



Caution: There are no user serviceable parts inside the 1000CP01F9 and 1000CP02F9. Use of controls or adjustments, or performance of procedures other than those specified herein, may result in hazardous laser light exposure of up to 1 mW at 630-670 nm.

Note: There are no controls or adjustments provided for routine operation or maintenance of the 1000CP01F9 and 1000CP02F9.

*Insert English LASER label here * Contact the product graphics department for label content.

U.S.A. Digital Emissions Compliance

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- 1. Reorient or relocate the radio or television receiving antenna.
- 2. Increase the separation between the computer equipment and receiver.
- 3. Connect the equipment into an outlet on a circuit different from that to which the radio or television receiver is connected.
- 4. Consult the dealer or an experienced radio television technician for help.

Canadian Compliance

This device complies with Industry Canada license-exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAN ICES-3 (B)/NMB-3 (B)

802.11a Radio Precaution Statement

- 802.11a wireless LAN 5150 to 5250 MHz (5.15 to 5.25 GHz) (5 GHz radio channels 34 48) is restricted to indoor operations to reduce harmful interference to co-channel Mobile Satellite System (MSS) operations.
- The maximum antenna gain permitted for devices in the bands 5250-5350 MHz and 5470-5725 MHz shall comply with the e.i.r.p. limit.
- The maximum antenna gain permitted for devices in the band 5725-5825 MHz shall comply with the e.i.r.p. limits specified for point-to-point and non point-to-point operation as appropriate.
- Be advised that high-power radars are allocated as primary users (i.e. priority users) of the bands 5250-5350 MHz and 5650-5850 MHz and that these radars could cause interference and/or damage to LE-LAN devices.

For Users in Canada (fr)(Translate to French)



Caution: This marking indicates that the user should read all included documentation before use. Retain this supplement for future reference.

Users of this product are cautioned to use accessories and peripherals approved by Intermec Technologies Corporation. The use of accessories other than those recommended, or changes to the product that is not approved by Intermec Technologies Corporation, may void the compliance of this product and may result in the loss of the user's authority to operate the equipment.



Caution: For use with Intermec battery pack Model(s) 1000AB01 and 1000AB02 only. See battery instructions. For Power Supply use Intermec Model 9001AE02 or Model 9002AX02. No user-serviceable parts. Charge only with bases 1002UU01, 1002UU03, 1002UU04 or 1002UU05 using 1002UC01 or 1002UD01 adapters. Use of incorrect charger may present a risk of fire or explosion.

Battery Recycling Information



This product contains or uses a lithium ion (Li-ion) main battery. When the battery reaches the end of its useful life, the spent battery should be disposed of by a qualified recycler or hazardous materials handler. Do not mix this battery with the solid waste stream. Contact your Intermec Technologies Service Center for recycling or disposal information.

802.11 Radio Precaution Statement



Caution: Users are responsible for configuring the channels of operation that comply with their country regulatory standards. A Wireless Network Administrator should review the operating restrictions detailed within the Access Point installation manual.

Radiation Exposure Statement



Warning: This equipment complies with International Commission on Nonlonizing Radiation Protection (ICNIRP), IEEE C95.1, Federal Communications Commission Office of Engineering and Technology (OET) Bulletin 65, Canada RSS-102, and European Committee for Electrotechnical Standardization (CENELEC) limits for exposure to radio frequency (RF) radiation.

If a body worn accessory is not purchased from Intermec, the accessory must contain no metal and provide a 1.2 cm (0.5 in.) space between the device and the body.

Tech Com will assign the appropriate path):

To find RF exposure information, go to www.intermec.com > Products > Computers (e.g.) > Handheld Computers (e.g.) > CN70 (e.g.) > Manuals tab and scroll down to Regulatory Information.

Laser Compliance and Precaution

The 1000CP01F9 and 1000CP02F9 are registered with the CDRH as a Class 2 LASER Product (21 CFR Subchapter J, Part 1040). This product has a maximum output of 1 mW at 630-670 nm.



Caution: There are no user serviceable parts inside the 1000CP01F9 and 1000CP02F9. Use of controls or adjustments, or performance of procedures other than those specified herein, may result in hazardous laser light exposure of up to 1 mW at 630-670 nm.

Note: There are no controls or adjustments provided for routine operation or maintenance of the 1000CP01F9 and 1000CP02F9.

Digital Emissions Compliance

This device complies with Industry Canada license-exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAN ICES-3 (B)/NMB-3 (B)

802.11a Radio Precaution Statement

- 802.11a wireless LAN 5150 to 5250 MHz (5.15 to 5.25 GHz) (5 GHz radio channels 34 48) is restricted to indoor operations to reduce harmful interference to co-channel Mobile Satellite System (MSS) operations.
- The maximum antenna gain permitted for devices in the bands 5250-5350 MHz and 5470-5725 MHz shall comply with the e.i.r.p. limit.
- The maximum antenna gain permitted for devices in the band 5725-5825 MHz shall comply with the e.i.r.p. limits specified for point-to-point and non point-to-point operation as appropriate.
- Be advised that high-power radars are allocated as primary users (i.e. priority users) of the bands 5250-5350 MHz and 5650-5850 MHz and that these radars could cause interference and/or damage to LE-LAN devices.