



Excellence in Compliance Testing

Certification Exhibit

FCC ID: SK9C1A-3B

IC: 864G-C1A3B

FCC Rule Part: 15.247

IC Radio Standards Specification: RSS-247

ACS Project Number: 15-0533

Manufacturer: Itron Electricity Metering, Inc.

Model: C1A3B

Manual

CENTRON C1A3B
Meter Module
Technical Reference Guide
Effective Date: February 2016

DRAFT

Revision History

The following table describes the changes to this document for each revision of the C1A3B meter module:

Revision	Date	Description of Change
A	February 2016	Initial Release

DRAFT

Labeling

The following requirements will be applied to any products that use this module:

The end product or host label will include the following text:

- ***Contains:**
- **FCC ID: SK9C1A-3B**
- **IC: 864G-C1A3B, Model: C1A3B**

*NOTE: Since the module ID numbers are visible from outside the end product the word “CONTAINS” may be omitted.

The user’s manual for any product that contains this module will contain the following text. If the device is large enough, then this will also be placed on the label.

“This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.”

Regulatory Compliance

The user’s manual for any product that contains this module will contain the following text:

FCC Part 15, Class B

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



Changes or modifications to this device not expressly approved by Itron, Inc. could void the user’s authority to operate the equipment.

Industry Canada

This Class B digital apparatus meets all requirements of the Canadian Interference Causing Equipment Regulations. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Cet appareillage numérique de la classe B répond à la norme Canadienne sur le matériel brouilleur. L’opération est sujette aux deux conditions suivantes: (1) ce dispositif ne peut pas causer d’interférence nocive, et (2) ce dispositif doit
C1A3B Meter Module

accepter n'importe quelle interférence reçue, y compris les interférences pouvant entraîner un fonctionnement indésirable.

Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum (or lesser) gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotropically radiated power (e.i.r.p.) is not more than that necessary for successful communication.

Conformément à la réglementation d'Industrie Canada, le présent émetteur radio peut fonctionner avec une antenne d'un type et d'un gain maximal (ou inférieur) approuvé pour l'émetteur par Industrie Canada. Dans le but de réduire les risques de brouillage radioélectrique à l'intention des autres utilisateurs, il faut choisir le type d'antenne et son gain de sorte que la puissance isotrope rayonnée équivalente (p.i.r.e.) ne dépasse pas l'intensité nécessaire à l'établissement d'une communication satisfaisante.

RF Exposure (FCC/Industry Canada)

“This equipment complies with radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.”

“Cet équipement est conforme aux limites d'exposition aux radiations dans un environnement non contrôlé. Cet équipement doit être installé et utilisé à distance minimum de 20 cm entre le radiateur et votre corps. Cet émetteur ne doit pas être co-localisées ou opérant en conjonction avec tout autre antenne ou transmetteur.”

Miscellaneous

The user's manual for any product that contains this module will contain the following text:

Professional Installation

This module is intended for professional installation by the integrator. The OEM integrator is still responsible for the FCC compliance requirement of the end product, which integrates this module.

Modification and Repairs

To ensure FCC compliance and system performance, this device, antenna and/or coaxial assembly shall not be changed or modified without the express written approval of Itron. Any unauthorized modification will void the user's authority to operate the equipment. **WARNING!** This device contains no user serviceable parts. Attempts to repair this device by unauthorized personnel may subject the person to shock hazard if removal of protective covers is attempted. Unauthorized repair will void the warranty and/or maintenance contract with your company.

General Description

The Itron C1A3B is an electricity metering module which includes a 909.6 MHz to 921.8 MHz transmitter. The module operates on AC as well as DC voltage which is supplied by a host device.

Recycling Information

The product you have purchased contains circuit boards. At the end of the modules useful life, under various state and local laws, it may be illegal to dispose of certain components into the municipal waste system. Check with your local solid waste officials for details about recycling options or proper disposal.

About this Manual

This technical reference guide describes the installation of the C1A3B for the Itron CENTRON meter.

Installation

The C1A3B module will be installed in the Itron CENTRON electric meter.

Shown are the meter base with metrology board, the board to board connector the C1A3B module and the inner and outer cover.



Install the C1A3B module on to base by clipping module into base brackets.



Connect the metrology and C1A3B module using the board to board connector.



C1A3B Meter Module

Attached the inner and outer cover to complete the assembly.

