# INDEX

nformation to the User	2
Sefore You Start	3
Setting to Know Your MT6000	4
Bluetooth Operation	5-6
Streaming Music	7
UX Input	8
JSB Input	9
Remote Control	10
Setting Started	11
nstallation	12
roubleshooting	13
Vire Diagram / Specifications	14

# 25" ATV / UTV SOUND BAR

ATURES BUILT-IN CLASS A/B AMPLIFIER A MULTICOLOR ILLUMINATION OPTIONS

User Guide

These instructions cover the following part number:

MT6000

Thank you for purchasing MT6000 ATV/UTV Sound Bar.

Please read through these instructions carefully so you will know how to operate your model properly.

After you have finished reading the instructions, keep this document in a safe place for future reference.

# THIS PACKAGE CONTAINS:



The Bluetooth Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks is under license. Other trademarks and trade names are those of their respective owners.

BEFORE YOU START

# IMPORTANT SAFETY PRECAUTIONS

- Do not operate mobile equipment while driving a motorized vehicle. Safe driving and safety consideration of others should always be your highest priority.
   In the event you should notice smoke, strange noises or odor from this product, or any other abnormal signs, immediately turn off the power. Using this product in this condition may result in permanent damage to the system.
   Set your volume control at a low setting, then solve jin increase the sound until you can hear it comfortably without distortion or ear discomfort.

## BE SURE TO OBSERVE THE FOLLOWING GUIDELINES:

- Do not turn up the volume too loud that you can't hear what's around you.
   Use caution or temporarily discontinue use in potentially hazardous situations.

# INSTALLATION PRECAUTIONS

- Servicing of this product by persons without professional training and experience in electronic equipment and motorized vehicle accessories may be dangerous and could expose you to the risk of electric shock, injury or other heazerds.


  Without the province of the residual control of the residual control of the province of the residual control of the province of the residual control of the province of the residual control of the resid

## VERY IMPORTANT

- DON'T clean in hot sun or on very hot days.
   DON'T use abrasive or highly alkaline cleaners on the main body.
   DON'T scrape the main body with razor blades, or other sharp instruments.
   DON'T ever use, gasoline, acetone or carbon tetrachloride.


A CAUTION: Using other mounting methods may void this warranty.

## GETTING TO KNOW YOUR MT6000



- (1) RGB Remote
- ② 3.5mm AUX-INPUT
- 3 Led Power Indicator
- Cigarette Power Cable Adaptor
- ⑤ USB Jack
- 6 Control Panel

**BLUETOOTH OPERATION** 



## PAIRING & DISCOVERING A NEW BLUETOOTH CONNECTION

- Power on the *MT6000* by plugging in the male cigarette lighter adaptor into ② a female cigarette lighter receptacle.
   Press the ③ button. The *MT6000* will automatically go in to pairing mode.


- ANDROID users:
  a. Go into the Settlings Menu of your device
  b. Enter the Bluetooth Menu
  c. TURN ON Bluetooth and press SCAN
  d. SOUND BAR will now be displayed under AVAILABLE DEVICES
  e. If prompted, enter passcode: 0000

- IOS users:
  a. Go into the Settings Menu of your device
  b. Enter the Bluetooth Menu
  c. TURN ON Bluetooth and press SCAN
  d. SOUND BAR will now be displayed
  e. If prompted, enter passcode: 0000

NOTE: You have 2 minutes before you must restart this procedure over again.

- 3) If  ${\it SOUND\,BAR}$  is not seen, repeat the above steps to refresh the  ${\it Device\,List}$
- When the connection is successful, you are now ready to stream music from your favorite media player to the MT6000.

## **BLUETOOTH OPERATION**




## RECONNECTION

- 1. Power on the MT6000 and your last paired Bluetooth device.
- If your device was previously paired with the *MT6000*, but it wasn't the last paired device:
- a. Ensure no other devices are currently paired b. Enter the on your device being paired c. SOUND BAR will display under AVAILABLE DEVICES d. Choose the SOUND BAR to reconnect
- 4. If the device is out of range from the MT6000, it will disconnect automatically:
- a. The MT6000 will automatically reconnect to the device once back in range.



TIPS: To avoid battery exhaustion, be sure to occasionally run the vehicle's engine while using this product. Using this product without running the engine can drain the battery.

# STREAMING MUSIC



# MULTIFUNCTION CONTROLLER BLUETOOTH OPERATION

- Press the (B) PLAY/PAUSE once to start playing music or press the PLAY button from your device's touchscreen.
- 2. To skip songs or advance, press the ① NEXT TRACK button.
- 3. To select the previous song, press the 6 PREVIOUS TRACK button.


## VOLUME CONTROL

- 7. To raise the volume, press the **(iii) VOLUME UP** button or use your device's controls.
- 8. To lower the volume, press the 7 VOLUME DOWN button or use your device's controls.



TIPS: For maximum audio performance, ensure your device Bluetooth volume is set to a minimum 75% level before stowing.

## **AUX INPUT**




## AUX-IN OPERATION

- Power on the MT6000 by plugging in the male cigarette lighter adaptor into
   a female cigarette lighter receptacle.
   Press the button (9). The MT6000 will automatically go in to AUX mode.
- 3. Connect the integrated 3.5mm AUX-IN cable ① to your device's headphone jack.
- 4) Route the wire back to MT6000, and secure your device.

### VOLUME CONTROL

- 7. To raise the volume, press the ① VOLUME UP button or use your device's controls.
- 2. To lower the volume, press the (\*) **VOLUME UP** button or use your devire. So To lower the volume, press the (\*) **VOLUME DOWN** button or use your device's controls.

**USB INPUT** 



## USB IN OPERATION

- Power on the *MT6000* by plugging in the male cigarette lighter adaptor into
   a female cigarette lighter receptacle.
- 2. Press the button ③. The MT6000 will automatically go in to arbitrary pattem.
- 3. Insert the USB Flash drive on ⑤ and play the music automatically.
- 4. Press the ③ PLAY/PAUSE once to start playing music or pause.

  5. To skip songs or advance, press the ① NEXT TRACK button.

- 6. To select the previous song, press the 

  PREVIOUS TRACK button,
  7. To raise the volume, press the 

  VOLUME UP button or use your device's controls,
  8. To lower the volume, press the 

  VOLUME DOWN button or use your device's controls,
  and the previous controls.



TIPS: USB can play music formats MP3 and WMA. USB can provide 1A current.

# REMOTE CONTROL



REMOTE CONTROL OPERATION

1) Remote control






10

# **GETTING STARTED**

GETTING TO KNOW YOUR MT6000 RGB REMOTE



- ① RGB Remote
- ② Power On / Off (3) Mode Up
- 4 Auto Demo
- ⑤ Speed Up
- 6 Brightness Up Brightness Down
- Mode Down
- Color Down
- (10) Color Up (1) Speed Down
- RF controller range: Up to 25ft (LoS)
   Do not obstruct the RF remote with metal
   Always keep away from small children
   Do not store in direct sunlight



11

## INSTALLATION

- Use the supplied adjustable bracket to secure to rails.
   Always recheck bracket before every ride.




## **GETTING STARTED**

TROUBLE	CAUSE	SOLUTION
Unit will not turn on	The fuse is blown	Check / replace the fuse
	Main acc switch not engaged	Turn switch to on position
No sound is heard	Device volume is low / muted	Turn the volume level up
	Device is paused or muted	Check your devices playing / volume status
Cannot pair Bluetooth	The Bluetooth function of the device is not enabled	Refer to the user manual of the device for how to enable the Bluetooth function
The audio quality is poor after connection with a Bluetooth enabled device	The Bluetooth reception is poor	Move the device closer to the audio system or remove any obstacle between the device
Unit has become unresponsive	Power glitch or interference	Disconnect power for 10 seconds to reset


## DIMENSIONS

13



12

INSTALLATION



## SPECIFICATIONS

BLUETOOTH Version: 5.0w/ EDR A2DP Range: 33ft (10m)

GENERAL

Operational power: 129/DC (10-16V allowable)
MAX Current Draw: 5A

Replacement Fuse: 10A AGC TYPE

Color Black
Weight: Ibal Kg

Dimensions mm WxHxD: 25 04 x 4 96 x 3 94

Dimensions Inches WxHxD: 25 04 x 4 96 x 3 94

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Your complete satisfaction is our number one goal. Your satisfaction is why we're in business. If for any reason your experience with our product was anything less than satisfactory, please reach out to us. We'd love to have the opportunity to provide the product experience and service you deserve.

Votre entière satisfaction constitue notre objectif principal.

Nous sommes en affaires pour assurer votre satisfaction. Si jamais, pour quelque raison que ce soit, votre expérience avec un de nos produits ne s'avère pas entièrement satisfaisante, n'héstilez pas à communiquer avec nous. Nous ne demandons pas mieux que d'avoir l'occasion de vous procurer l'expérience et le service auxquels vous avez droit.

Su completa satisfacción es nuestra meta número uno. Su satisfacción es la razón por la que estamos en el negocio, si por alguna razón su experiencia con nuestro producton fo les estisfactoria, comuniquese con nosotros, nos encantaria tener la oportunidad de brindarle la experiencia y el servicio que usetad se merceo.

14

This devices compoles with Part 15 of the PCC Rolles. Oberation is subject to the following two conditions: (1) this device may not an independent control of the device may not accept the property of the pr