For Home Use

SYNCA

USER MANUAL

KAGRA

Massage Chair MC-J6900



Thank you for purchasing the MC-16900 massage chair, Please read this manual thoroughly before using the unit. Be certain to read the school on "IMPORTANT SAFETY INSTRUCTIONS" to ensure correct methods of usage. Repet this manual on hand for easy reference.

http://www.synca-wellness.com

IMPORTANT SAFETY INSTRUCTIONS

When using the unit, basic precautions should always be followed, including the following: Read at instructions before using this massage chair

NDANGER — To reduce the risk of electric shock:

1. Always upply a the unit immediately after use

Always unplug the unit before deaning.
 Never use pins or other metallic fasteners with this appliance.

Follow the instructions 4. Carefully examine the covering of the heating pads before each use. 5. Keep Dry – Do not operate in a wet or most condition.

WARNING — To reduce the risk of burns, fire, electric shock, or injury to persons:

- 1. The unit should never be left unattended when plugged in. Always unplug from outlet when not in use, and before putting
- on a taking off parts.

 2. The unit should not be used on top of healing appliances, such as electric carpets, etc. Do not operate the unit under blanket or pillow. Excessive heating can occur and cause fire, electric shock, or injury to persons.
- Close and confinuous supervision is necessary when this appliance is used by, on or near invalids, or disabled persons
- 4. This until is not intended for use by children. Keep children away from the unit. When the unit is not in use, always turn off the power and unplug the unit.

 5. Only use the unit for the purpose described in this manual. Never use any accessories other than those recommended by
- the manufacturer. 6. Never operate the unit if it has a damaged power cord or plua. Return the unit to the authorized service center if it is not

- a never a popular for our line. A country ago, you caud a page recommend in which a country and a co or insert any objects into any opening of the unit.
- 9. Do not use this unit in bathrooms or any other damp or humid locations as this may cause electric shock or lead the unit to
- nothing to be in a in the interview of which gives a contract of the interview of the inter
- 12. Always lift the back pad to check that the fabric of the unit itself has not been ripped. No matter how small the rip is, if you 12. Average in the books pool to obsect that the extract to the attribute on the middle of the control that the overall that the first one, immediately stop using the until, unplug the provise cord, and have the built reported of an authoritied service center, the of the unit with hipped dotter may cause electric shock or injury.

 13. If unit off all control workload the before unplugging the unit from the power outlet. A transformer should not be used as this mar cause electric shock or lead the unit to malfunction.
- 14. Do not stand on or in appliance. Use only while seated.
- Connect the unit to a property grounded outlet only. Please use Grounding Instructions.
 Do not attempt to expen a disassemble only parts of the unit to avoid lecture shocks or injury to persons.
 Emperatures sufficiently high to cause burn may occur regardless of the cartillad stiffing. Do not use on an intant or invalid or on a deeping or unconscious person. Do not use on insentitive skin or on a person with poor bid or including the healted area of the appliance frequently to reduce the risk of bistering.
- 18. Do Not Crish Avoid sham folds
- 18. Durn will result from Improper use. Read the Instruction before using. Do not well, Do not use pins, Neverremove, 20. The appliance has healed surfaces, Pesons Insensitive to head must be accredit when using the appliance. 21. Keep children away from extended foot support (or other similar parts).
- 22. Risk of electrical shock and moving parts. Disconnect from power supply before removing enclosures, cleaning or
- 23. The appliance has not user service oble parts inside
- 2.1 the opportune is any time service. Use an issue:

 2.1 the opportune is not to be used by children or persons with reduced physical, sensory or mental capabilities, or lack of experience and introduced, unless they have been given us, specifision or instruction.

 2.5 Children shot be supervised to extrain that they do not play with the opplance.
- 26, Press the red marked emergency stop button on the remote controller if you experience any problems or discomfort
- during use. All operation will be immediately stopped.

 27. The assembly/fratalation must be done by the dealer or its service agent or a similarly qualified person, in order to hazard.

SAVE THESE INSTRUCTIONS

⚠ WARNING

- . Persons with any of the conditions listed below or who are undergoing medical treatment should consult with their physicians before using this unit:

 1) People who have a pacemaker or other medical devices that are prone to electromagnetic interference.

 - 2) People suffering from heart diseases.
 - 3) Pregnant women, people who are ill, or in poor physical shape.
 - A) People who are prohibited from receiving massage by a physician due to thrombosis or aneurism, acute varicosity, dermaltifs or skin infections (including inflammations of subcutaneous tissue).
 - 5) People suffering from osteoporosis, spinal fracture, acute (irritation) diseases.

 - People suffering from perceptual disturbance caused by severe peripheral blood circulatory disturbance
 People suffering from perceptual disturbance caused by severe peripheral blood circulatory disturbance such as Diabetes.
- Never put your hands or feet between the knead balls as this may cause discomfort or injury. Never put your Rever pur your mass of rear between the backers and the seat the backers and the agreement. The seat and the cover under the agreement the backers and the seat base, the backers and the back cover and the backers and the back cover and the backers. side of the footrest to avoid injury.
- Do not use the unit against bare skin, as exposing the skin directly to the unit may cause irritation. Do not use the
 unit wearing hair accessories or anything hard on your head. While massaging the back of the neck, attention should be paid to the knead balls movements. Excessively strong massage should be avoided on the back of the
- Be sure to start on the gentle massage program if using the unit for the first time. The unit should not be used for more than a total of 15 minutes each session. Avoid massaging the same spot of your body for more than 5 minutes at a time. Excessive massage can over-stimulate the muscles and nerves and result in an adverse effect or injury. The recommended duration of use is under 3 minutes a day. Stop using the unit immediately should you experience any discomfort, and consult the physician.
- Do not fall asleen while using the unit, or use the unit after drinking alcohol.
- Do not sit on the backrest, footrest, shoulder, armrest, or stand on the seat to avoid accident or injury caused by
- 8. If the unit can't be operated or functions abnormally, please immediately turn off the power, unplug the unit and
- contact an authorized service center for inspection and repair.

 9. Never aftermpt to repair or disassemble the unit by yourself.

 10. Made sure there are no obtaineds behind the unit before retelning it. If the back his a wall or pillar, the unit may
- malfunction. Be sure to have sufficient space behind the unit.
- When the unit is not in use, turn off the power and unplug the unit. Or, it may result in accident or injury due to child's mischief. 12. When body sensing is performed, always make sure that the shoulder position is in the correct position. If it is not
- properly aligned, use UP / DOWN button to adjust the shoulder position, or stop the massage and perform the body sensing again. 13. Sit on the unit after confirming there is no foreign object between the parts of the unit. Check the knead balls
- position for the sake of safety before lean on the unit slowly. Do not attempt to sit down or stand up with the to a resident of the state of safety before teaching across the safety of the safety o
- arms, Remove any hard object in your trousers pockets before massaging the thighs and hips, Remove any earnings, necklace as scarf before massage to avoid injury.

 15. In case that the backrest cover cloth is slightly broken, with holes because of wear, stop using the unit
- immediately. Do not attempt to take down, tear and cut the cloth. Never use the unit with damaged backrest cover cloth, as alothing or hair may be caught inside and cause injury When HEAT function is used, avoid long time contact on the same spot of the body as low-temperature burn may
- 17. Do not gull on the footrest rotation lock release lever while sitting in the chair with the leas on the footrest.
- Accident or injury may occur,

 18. The unit should not be carried or moved during installation. Do not move the unit using the casters over wooden
- floors, carpets or any other surface prone to scratches to avoid damage to the surface
- 19. Do not hold on the footbest / sole massage spone as activative and administrative with a state of the footbest / sole massage section when moving the unit as the section may side as you move the unit and accident or injury may account.
 20. Do not damage the power cord. Do not altermpt to damage, bend, pull, twist or lightly bundle the power cord.
- No heavy object should be placed on the power cord; in particular, ensure that the cord is free of obstacles when moving the unit as damaged power cord may result in fire or electric shock.

 21. Do not unplug the unit or turn off the power supply when the unit is in use.
- 22. Do not use the unit if the plug or the outlet becomes loose to avoid the risk of electric shock or short circuit,
- 23. Do not use the unit on other than the designated voltage to avoid the risk of fire, electric shock or malfunction.

OPERATING PRECAUTIONS — To avoid damaging the uni

1. Use the unit only when it is placed on an even, flat surface, Failure to observe this may result in upset.

- 2. Make sure that the control switches and timer function are working properly prior to operating the unit.
- 3. Prior to operating the unit when it has not been used for a long period of time, read this manual carefully and make sure that the unit is still in good condition to avoid accident or injury.
- 4. Handle or move the unit with care to prevent from scratching the floor.
- 5. Only connect the power cord to a properly grounded outlet. The grounding plug should not be bent or disconnected; or, electric shock may occur during electricity leakage or malfunction.
- 6. Do not stand, sit or place any objects on the backrest, armrest or footrest,
- Never use the unit against wet skin to avoid electricity leakage or electric shock.
- 8. At the time of power outage, immediately turn off the power switch and unplug the power cord from the outlet to avoid accident in case the power is restored.
- 9. During maintenance, the power cord should be disconnected from the outlet. Do not plug / unplug the power cord with wet hands to avoid electric shock or injury.
- 10. Unplug the power cord by holding the plug but not pulling the cord to avoid electric shock or short circuit causing sparks.
- 11. When the unit is not in use, always unplug the unit from the outlet to avoid the risk of electricity leakage or fire caused by insulation aging due to dust or humidity.
- 12. Do not use the unit in a swimming pool area, in the bathroom or places where humidity is high.
- 13. Do not place the unit in areas exposed to direct sunlight, or near heaters, hot air blowers or any other heating devices to avoid discoloration or deterioration on the surface of the holster.
- 14. Do not use the unit near heaters or other places with a high temperature. Do not use the unit while smoking, or on electric blanket or other heating devices, to avoid causing a fire.
- 15. Do not move the unit with any person or object on it to avoid malfunction or injury.
- 16. Only one person should be seated in the unit at one time to avoid malfunction or injury.
- 17. When the unit is inoperative, repairs should only be carried out by qualified technicians, Never attempt to disassemble or repair the unit by yourself.
- 18. Any repair or service should only be performed by an authorized service center.
- 19. While use by placing heater pad behind the back, pay attention to avoid putting heater pad in center of the backrest where mech unit moving up and down, in order not to damage heat device.

GROUNDING INSTRUCTIONS

The unit must be properly grounded. If it should malfunction or break down, grounding will provide a path of least resistance for the electric current to reduce the risk of electric shock. The unit is equipped with an insulated cord and a grounding plug. The grounding plug must be plugged into an appropriate outlet which has been properly installed in accordance with local regulations and standards

⚠ DANGER




Improper grounding may lead to electric shock. Check with an authorized service center if you are in doubt as to whether the unit is properly grounded. In case the supplied plug does not match the outlet, do not attempt to modify the plug. Please contact a qualified electrician to have a proper outlet installed. This unit has a grounding plug. Make sure that the unit is connected to a power outlet with the same configuration as the plug. Do not use an adaptor with this unit.

Before Use

Setting up the massage chair

- Ensure adequate space around the unit and place it on a flat surface. Avoid placing the unit exposed to direct surlight or near any heating device or in other locations with a high temperature to avoid discolaration or deterioration on the surface of the holster or back pad.
- detenoration on the surface of the hoster or back pod.

 It is recommended to place a carpet or soft mot
 underneath the unit to avoid damaging the floor.
 The size of such carpet or mot should be large enough to
 cover the surface where the unit and the footrest may
 come in contact with the floor (minimum 120 cm X 70 cm).
- With the backrest reclined backward, the footrest goes up.
 To avoid collision with any surrounding objects, a clearance of all least 45 cm at the front and at least 50 cm at the back should be reserved around the unit.





Take out the main unit and all of the accessories from the box for installation


As the unit is very heavy (approximately 96 kg), please handle with care to avoid injury. (This unit must be carried by two or more persons.)



Accessories









- When massaging, remove the large pillow and adjust the small pillow to an appropriate position.
 If you feel the massaging strength is less strong, remove the back pad to enhance contact of the knead balls with
- your back.


 When the unit is not used for massaging purpose, it can be used as a leisure chair with the back pad and pillows installed.



⚠ WARNING

Before use, lift up the back pad to make sure that there is no tear on the backrest cover doth as well as on the other parts, (Should there be any tear, no matter how small it is, immediately unplug the power cord and contact the service center for repair,)

Connect the power cord to the unit. Make sure to completely insert the connector into the appliance inlet.




4 After installation is completed, insert the power plug into the power outlet. Turn on the power switch and press ON/OFF button on the remote controller to start select the massage functions.



Moving the massage chair

1 Move the chair with the casters

Push down the upper part of the backrest, tilt up the front side of the chair and put it forward.



Tilt up the front side of the chair and use the casters to move the chair forward.

A CAUTION



- Do not move the chair with a person or any object seated on it to avoid upset.
 Do not move the chair with its casters or drag the chair on floor surfaces prone to scratching. Do not move the chair.

 Fistow he instructions

 Do not hold the seat, the footrest and the shoulder unit to move the chair.

 Salance the weight with care while lifting up the front side of the chair.

2 Handling by 2 persons

When the unit is being handled by 2 persons, recline the backrest and move the chair by one person holding the back and the other person holding onto the side of the footrest.


A CAUTION


The power cord should be properly arranged and placed on the seat to avoid any damage during moving.

Move and place the chair down slowly with care to avoid damage to the internal parts.



- Do not move the chair with its casters on the uneven surface.
 Do not move the chair with its casters on the wooden floor or other slippery surface to prevent scratches. If necessary, the chair should be carried by two more persons.





Before Starting Massage

Power On

- 1 Connect the power cord plug with the receptacle.
- Check if the power cord, remote controller cord or power plug is damaged and check whether there is any hair or dust on the plug.
- 2 Turn on the power switch.
- The power switch is located at the lower right side of
- Confirm that the switch is in the I (ON) position (When the power is on, the power indicator lights up).



3 Make sure to check the surrounding conditions.

Make sure that there is no person, pet or object behind the chair, in front of and below the footrest.

- 4 Check the condition of the massage chair.
- Hold up the back pad and check for any tear in the backrest cover cloth as well as in any other parts.
 Should there be any tear, no matter how small it is, stop using the unit immediately, unplug the power cord and have the unit repaired.
- Check whether the power cord, remote controller cord or any other object is pinched in the main body.
- Objects is placed and the chair, make sure where the kneed balls are stored.

 The kneed balls are usually located at the stored position (in the innermost at the lower part of the bookerss!).

 When the kneed balls are not located at the stored position, press the ON/OFF button, they go back to the stored position, press the
- ONOFF button, they go bock to the stored position.

 Before seated on the chair, makes with of the footnets is at the stored position.

 See the property of the

- 5 Adjust the position of the small pillow.
- Adjust its position by using the Velcro on the small pillow.
- Adjust height of the small pillow so that the lower edge of the pillow is at the upper edge of your ears.
- If the position of the pillow is too low, the pillow may get in the way while performing neck massage.
 When the reading neck depleted, the pillow position of the pillow position, and the reading neck massage.
 When the reading negle is adjusted, the pillow position work plane, in such case, please re-adjust is position.
 When the unit is used as a letsure chief this work. personal needs.

How to Adjust the Chair

When you want to adjust the reclining angle and / or footrest

- 1 Press to turn on the power.
- When the unit has been idling for over 3 minutes without operation, the remote controller display will automatically shut down.
- 2 Press or to adjust the angle.
 - Hold on the button to keep the backrest or footrest move until a "beep-beep-beep" sound is heard.
- The armrest will move accordance with the reclining of the backrest.





How to Use the Auto Mode Course

1 Press to turn on the power.

When the unit has been idling for over 3 minutes without operation, the remote controller display will

automatically shut down.

*Press "ON/OFF" and select a desired course, the backrest and the footrest will be automatically set to the standby

position.

*The kneed bolds and the chair will first return to the stored position if they are not in the stored position if they are not in the stored position when "ON/OFF" is pressed. The backrest and the footrest will be automatically set to the standby position when a desired course is selected.

2 Press one of the buttons to select the desired course.



• SWEDISH

Gentle relaxation course based on Swedish and rolling actions.

MUSIC Different speed of tapping is applied in sync with your favorite music.

■ SHIATSU

STRETCH

This is a course to ease points of muscle stiffness, from neck to lower back, mainly by shiatsu movement.

*STRECH
This course helps to stretch and twist the body through the
movements of the air bags.
Stretching course in which five stretching actions are
applied.
During the course." LEG STRECH cannot be disabled and
the angles of the backest and the footiest cannot be

NECK & SHOULDER
 This is a course to relax the muscles around the neck and shoulders.

LOWER BACK & HIP
 This is a course to retax the muscles around the lower to middle back..

ZG Massage
 This is a course to relieve faligue from shoulder to lower back by simulating sitting position of zero gravity through various massage movements.

Oulcx
 This 10-minute course gives quick relaxation, from neck to lower back, refeve faligue through various massage movements.

TARGET STRETCH (16 minutes)

TARGET STRETCH (1 minutes)
select preferend massage region to enjoy stretch movement.
Orly LES can be selected simultaneously with other stretch.
Orly LES can be selected simultaneously with other stretch enders the selected simultaneously with other stretch is preferred during massage, please press NECK once lightland glights off which means NECK stretch is canceled, life the press CHEST (button [glipts up). Other stretch button cannot be selected simultaneously except for LES stretch.

CHEST
 Stretch massage around chest.

HIP
 Stretch massage around hip.

● LEGS Stretch massage ground leas.

● LOWER BACK Stretch massage around lower back.

Extend massage time
Press and hold your selected auto course
button for 1.5 seconds to increase the
massage time in increments of 5 minutes. The
defoult working time is 10/16/19 minutes. The
maximum working time is 30 minutes.

3 Users whose height is less than 140 cm or more than 185 cm are recommended to use the unit in the manner described below when the shoulder position can not be properly adjusted.



Height is around 185 cm or more



4 Body sensing will start ("sensing" flashes) after a desired course is selected.

5 After the body sensing, the knead balls will slowly move down to the shoulder position, and a light tapping ("adjust" flashes) action begins to determine your shoulder position. If the user does not make any adjustment within 10 seconds, the shoulder position will be automatically determined and the course starts.

6 To adjust the shoulder position during the tapping action.

 If the shoulder position is incorrect, press the UP/DOWN button while the light tapping is in progress (approx. 10 sec) to move the kneed balls up or down and then press OK. After adjusting the shoulder position, confirmation will automatically be made if OK is not pressed within 3 seconds.



knead balls (where the tapping action should be felf)

7 Body sensing is completed when the tapping finishes.

- $\bullet \ \, \text{If OK is pressed while the tapping action is still in progress, the body sensing will be ended and the massage } \,$ If on a pressed write the tapping action is similir progress, the dody sensing will be ended and the massage will start.
 If the shoulder position is off drastically, turn off the power, Adjust the shoulders firmly pressed against the
- backrest and repeat from Step 1 in this section.

16

Customized Massage



1 Adjusting the reclining angle and the footrest angle for a comfortable massage.



to adjust the reclining angle and the footrest angle.

To adjust the slide of the sale massage section: Use your feet to push out the second section of the footrest and lift your feet sightly to retract the second section of the footrest.

See page 14 for description on how to adjust the chair.

2 Setting the Off/On of the gir massage

Press the AIR MASSAGE buttons on the left side of the remote controller to disable / enable air massage. Off/On for the air massage can be confirmed on the display.
(Lit: On; Off: Off)



3 To turn On/Off the HEAT function Press HEAT to turn On/Off the HEAT



on the display

Lit: HEAT function enabled

Off: HEAT function disabled

Temperature cannot be adjusted.

SHOULDER

HAND/ARM

WAIST

The sensed temperature varies depending on the body shape, massaged area, massage movement, clothing and ambient temperature.

See page 20 for more details on how to use the

PAD Lit: HEAT function for the heater pad enabled Off: HEAT function for the heater pad disabled LEG Lit: HEAT function for the leg enabled Off: HEAT function for the leg disabled

4 To turn Off/On the leg stretch function

Press LEG STRETCH to turn Off/On the leg stretch function.



5 To activate/deactivate DEEP SPOT function during the course.

6 Changing the air massage strength While performing the air massage on shoulder, hand/arm, lower back or leg/foot, the massage

strength can be adjusted by pressing

See page 17 for description on the use and operation of the air massage.

7 Fine-adjustment of the position



8 To adjust the massage strength Massage strength can be adjusted



- Current position being massaged can be checked on the display.
 There are 5 levels of the massage strength in the auto mode course.
 When the strength reaches the maximum or the minimum, keep pressing the button will not further change the strength.

»Caution:

Strength might increase drastically when the

Strength might increase drostically, when the strength is increased in multiple steps. The strength should be adjusted one step at a time based on the user's completing the It is massage strength is still unsaffactory even when the maximum or the minimum has reached: (When it is not strong enough even the massage strength in the outor mode course has been set to the maximum). You can increase the strength by reaching the You can increase the strength by reaching the

You can increase the strength by reclining the backers and making used you body weight. [When it is still too strong even the massage strength in the outor made course has been set to You can place a a bith or a blanket between the backers and your body to reduce the pressure of the knead balls. *Note: You may not feel the difference in intensity for massage even if the massage strength or air strength button's present.

operation has changed.

The feeling is different depending on the individual or the position.

9 To disable/enable tapping during the

To turn Off/On tapping by pressing this button. The TAP button will not light when there is no tapping movement during the auto course.


Registration in the Memory

Auto mode courses

You can register your preferred settings set during the course, and have it reproduced next time you are massaging.

After the auto course has finished, or when the massage is completed by pressing ON/OFF during the course.

Your preferred settings are displayed and the MEMORY buttons will flash.



- Selected button will light. (e.g. Example: When using SWEDISH co
- You have set AIR MASSAGE "SHOULDER" and "LEG/FOOT" to "On".

 (The air strength was set to "Level 1" at this
- HEAT function was set to "Off" and massage
- HEAI trunction was set to "Oth" and massage strength was set to level 3.
 "TAP" was set to "On".
 These settings were registered to MEMORY A after the massage completed.

The registered settings (as described in 10 and 10) are restored if MEMORY A is pressed when "SWEDISH" course is used.

3 When the registration is completed.

- Pressed button will turn off, and the power will be turned off automatically within 2 seconds.
- Please note that settings will not be saved when
 the power switch is turned off or the power cord is disconnected during the massage

Contents that can be registered.

- Settings for air strength and massage strength
 On/Off setting for HEAT function
 On/Off setting for AIR MASSAGE
 On/Off setting for TAP enable/disable function
- On/Off setting for STRETCH Settings set at the time the auto course is
- completed will be registered.

 Manual selection and massage movements. If there is another setting already
- registered, the memory button will flash auickly.
- To update to the new settings, press the same button again.

 If no action taken within 5 seconds of the quick
- flashing, no new setting will be updated.

 If you do not want to delete the setting already registered, press the other MEMORY button.
- To start the registered course Press to turn on the power.
- When the unit has been idling for over 3 minutes without operation, the remote controller display will automatically shut down.



- Select the MEMORY button that is registered.
 Button A will light if A were registered.
 If a button with no saved data is pressed, such as button B or C, it will beep to indicate that button B
- button is or C. I mill beep to indicate that button is or C has not been registered.

 Select and press one of the auto courses that is registered. (Example: SWEDISH). Massage with registered setting will start after the body sensing.



- 4 To delete the registered settings.
- Press to delete: The registered settings.

 Press to turn on the power. Press the button for the setting you wish to delete.

 Press again and hold for 3 seconds until the button

- Press again and nept and a seconds until the bottom changes to flashing.
 Press again during the button flashes, Delete is completed once the flashing stops.

 If no action taken within 5 seconds after the button starts to flash, no setting will be deleted.

To Turn On/Off the HEAT Function

- 1 Press (b) to turn on the power.
- * When the unit has been idling for over 3 minutes without operation, the remote controller display will automatically shut down.
- 2 Press an auto mode course button to start the massage.
- 3 Press "HEAT" to turn On/Off the HEAT function for the heater pad or the leg.



Temperature cannot be adjusted.

3 -

- I emperature cannot be adjusted.
 The sensed temperature vories depending on the body shape, massaged area, massage movement, clothing and ambient temperature.
 The maximum HEAT duration is 60 minutes. If HEAT function is enabled during a course, the function is constituted.
- If HEAT function is enabled during a course, the function will confine to be enabled until the province may be a considered on the province of the function is still enabled). After the course ends, press \$\int_0\$ to the off HEAT function and the until flyou do not want to use HEAT function. HEAT function can be enabled if using the unit as a top-class

PAD Lit: HEAT function for the heater pad enabled Off; HEAT function for the heater pad disabled LEG Lit: HEAT function for the leg enabled Off: HEAT function for the leg disabled

- 4 To disable HEAT function:
- Press to disable HEAT function.

 When HEAT function for both PAD and LEG are disabled.

How to Use the Heater Pad

1 Use by placing behind the back



While use by placing heater pad behind the back, pay attention to avoid putting heater pad in center of the backrest where mech unit moving up and down, in order not to damage heat device.

2 Use by placing over the front

-

SWEDISH MUSIC SHATSU



The thoughtful packet design allows hands to be placed into the packets at the back of the heater pad.

How to Select a Preferred Massage Position and Massage Movement



Manual operation

- 1 Press to turn on the power.
- When the unit has been idling for over 3 minutes without operation, the remote controller display will automatically shut down.
- 2 Select the preferred position to be massaged.

Choose from: POINT, NECK, UPPER BACK, MIDDLE BACK, or FULL

List of the massage movements that can be





- The indicator for the currently selected massage movement flashes.
 The massage movement can be changed by repeatedly pressing the button selected in step 2.
 Sty using the control of the co
- 4 Press to start the movement.

- The icon of the selected movement will be lit while the others are off.

 The knead balls will move to selected position automatically to start the massage after body sensing is completed. See page 16 for description
- on body sensing.

 See page 17 to setting the massage in accordance with personal preferences

Body sensing for manual operatio

- FULL BACK / NECK / SHOULDER: normal body sensing
 BACK / LOWER BACK: simple body sensing (the knead balls will not move up to the shoulder position.)
 POINT: no need for body sensing

To change a movement in the middle of a massage

- Select your preferred massage movement again in
- steps 2-4.
 If no action taken within 5 seconds after reselecting a movement in step 2, the reselection will be carried out automatically.

1 Adjusting the reclining angle and the footrest angle for a comfortable massage.

To adjust the reclining angle and the footrest angle by pressing button.

 To adjust the slide of the sole massage section: Use your feet to push out the second section of the footrest and lift your feet slightly to retract the second section of the footrest. See page 14 for description on how

to adjust the chair.

2 Using air massage together:

Press the AIR MASSAGE buttons on the left side of the remote controller to disable / enable air massage. Off/On for the air massage can be

confirmed on the display. (Lit: On; Off: Off) × LEG STRETCH On/Off button is valid only when both LOWER BACK and LEG/FOOT air massage are set to "On".

3 Turning On/Off the HEAT function:

- Press to turn on the power. When the unit has been idling for over 3 minutes
 without operation, the remote controller display will automatically shut down.
- Press the auto mode course button to start the
- massage.

 The state of the text of the text function for the state of the text function for the text function function function for the text function for the text function functin

on the display Lit: HEAT function enabled Off: HEAT function disabled

 Temperature cannot be adjusted. • The sensed temperature varies depending on the body shape, massaged area, massage movement, clothing and ambient temperature. PAD Lit: HEAT function for the heater pad enabled

Off: HEAT function for the heater pad disabled LEG Lif: HEAT function for the leg enabled Off: HEAT function for the leg disabled

4 Changing the air massage strength



Strength is displayed in 3 levels.

5 Fine-adjustment of the position

It can be adjusted by pressing

Press and hold the button and the position will move continuously until the button is released.

6 To adjust the massage strength

Massage strength can be adjusted

by pressing

 Massage strength for the manual operation is displayed in 5 levels. Massage strength for the manual

Coution: Strength might increase drastically when the strength is increased in multiple steps. The strength should be adjusted one step at a time based on the user's comfort.

How to Perform Air Massage in Manual Operation

Manual selection of air massage position

- 1 Press (b) to turn on the power
- When the unit has been idling for over 3 minutes without operation, the remote controller display will automatically shut down.
- ${\bf 2} \ \ {\hbox{Press the AIR MASSAGE buttons on the left side of the remote controller to enable} \ / \\$ disable air massage.

Off/On for the air massage can be confirmed on the display. (Lit: On; Off: Off)

See page 17 for details on air massage.

To adjust air massage strength

When performing the air massage, adjust by pressing



• Strength is displayed in 3 levels.

Effective method for using the LEG/FOOT air massage.

Adjust the footrest so that your sole fits on it completely. For a user with a small figure:

Raise the footrest and it is easier to fit your sole on



For a user with a large figure:

If the slide of the sole massage section is adjusted, your knees will not be lifted as much.



Use your feet to push out the second section of the footrest and lift your feet slightly to retract the second section of the footrest.

• Knees will not be lifted as much also by lowering the footrest.




To massage your leg completely by laying the sole massage section flat.

 Shiatsu plates are embedded at the sole and the back of the calf positions to facilitate the massage movement.



Use of Shortcut Keys

- 1 Press (b) to turn on the power.
- When the unit has been idling for over 3 minutes without operation, the remote controller display will outomatically shut down.
- 2 The auto mode course buttons will flash. Use the button at the right armrest to select the auto course. Each press will make an auto course button flash in turn.




- 3 Press the shortcut key to select your preferred course and then press to confirm the course. The selected auto course button will light.
- 4 During massaging, if the sore spot is reached, you can press to keep the massage movement on the spot for 30 seconds.
- 5 Adjust the backrest angle and the footrest angle by pressing on the shortcut panel.
- Linked adjustment of the backrest and the footrest.
- Adjust oir strength and massage strength by using the shortcut keys.
 The strength level is shown in the display.





Connecting to the Music Source



- Turn on the Bluetooth function of music player.
- 2 Look for the MCJ6900_**** that has been paired with the Bluetooth. (****: are random 4 characters for each chair, these characters used including the combinations of 0 – 9 & A – F.)
- 3 Enter the password [8888] to link with the device.
- 4 Choose the songs you like while enjoying massage.



There are pockets next to the both thigh airbags for placing music players, smart phones and PAD.

After Completing the Massage

Timer function

- The massage will complete automatically in approximately 10/16/19 minutes after the start of operations.
- The knead balls will automatically move to the
- In exhecal balls will automatically move to the stored position.
 The backrest and the footrest will not rise automatically in order to continue the selection of the next course.

When is pressed once, the backrest and the footrest will move to their stored positions.



Note:
Sole massage section will not retract all the way when the second section of the footrest is extended out, since the sole massage section will the floor, in such case, lift your feet slightly to retract the second section of the footrest all the way.

2 To interrupting the massage

Press 🕛 to move the knead balls, the backrest



- 3 If you experience any problems during
- Press button.

Returning to normal chair position

Put the large pillow back on.



- If necessary, place the small pillow under the large pillow for comfort.
- 2 Rotate and store the footrest and use it as the legrest.
- While pulling the footrest rotation lock release lever in the direction of the arrow.
- Rotate from top.
- Rotate until it stops rotating.
- Check that the footrest does not rotate.



Disconnecting the power

1 Make sure the power switch is in the "O" (Off) position.



All operations will be immediately stopped.
 Get off the unit carefully to prevent the unit tipping

Maintenance and Storage

To keep the appliance working and looking its best, please follow these cleaning guidelines once a week.

For cleaning, wipe the unit with a dry cloth moistened in diluted neutral detergent and thoroughly wrung out, and then use a dry cloth to wipe the unit again. Thereafter, allow the unit to dry naturally. (Excessive use of detergent may harm the synthetic leather surface).

Keep the unit clean and place it in a location with appropriate temperature and avoid moisture and dust.

- * Prior to the maintenance work, make sure to disconnect the power cord. Be careful that hands must not be wet to prevent electric shock or injury.
- Do not use benzene, thinner or alcohol to clean the chair, nor spray any liquid containing any chemical agents to prevent the risk of electric shock or catching fire.

Main body

Use a dry cloth moistened with diluted neutral detergent and thoroughly wrung out to clean the plastics or the pipes, and then wipe with a dry cloth to completely remove the residual detergent.

- * Wipe the coated surface with a dry cloth.
- * Do not use benzene, thinner, alcohol, solvents or abrasives to avoid scratch, discoloration or cracks on the surface.

Use a dry cloth to clean the remote controller.

» Never use a wet cloth for cleaning to avoid malfunction.

Wipe the parts with a dry doth moistened in diluted neutral detergent and thoroughly wrung out, and then use a dry doth to wipe the parts again. Thereafter, allow the parts to dry naturally.

- * Do not iron to prevent damage to the fabric.
- Do not use benzene, thinner, or alcohol for cleaning, nor spray any liquid containing any chemical agents to prevent damage to the fabric.

After cleaning, keep the unit away from humidity, When the unit is not being used for a long period of time, place a cover over the unit to protect it from dust.

*Do not place the unit in areas exposed to direct sunlight, or near heaters, hot air blowers or any other heating devices to avoid discoloration or deterioration on the surface of the holster.

!\ ATTENTION

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate equipment.



Follow the instructions

FCC BF Radiation Spoure Statement Provided in a few services of the statement of the control of

Troubleshooting

You may experience the following noises or feeling when in massage, as being due to the mechanical design, they will not have any effect on the operation of the unit and the product life.

- product life.

 A "clatler" noise accurs when the knead balls go up and down.

 A "crack" noise of the gear and the motor occurs while in massage.

 A rictian roise occurs when the tread balls tub the over clath.

 A criting noise accurs while in the "flag" or "Knead and rop" massage movements (particularly when the

 A criting noise accurs while in the "flag" or "Knead and rop" massage movements (particularly when the

 In the "Knead", "Tap"," or "Knead and Tap" massage movements, massaging speed may vary with the knead balls strength changed.

 A tractactor in the control of the motor occurs when load is given to the chair.

 A "cuckoo" noise occurs while in the outor mode course, the knead balls are automatically adjusted to the

 A "cuckoo" noise occurs while in the outor mode course, the knead balls are automatically adjusted to the

 The compressor's noise and the ori exhaustine noise in the load" to body shape.

- back-ana-forth position to have the chair titting in with it The compressor's noise and the all exhausting noise occur white in air-mossage.

 A noise occurs when the air bag is inflated.

 A noise occurs while in massage of the shoulders.

 A grinding noise occurs when the backrest is reclined.

 There is a humming sound from the pump.

WARNING

Absolutely do not modify, disassemble or repair by yourself. Negligence may cause from the control of the chair which may result in hazard on the body.

Problems	Check points	Troubleshooting	
The unit does not start up.	Check whether the switch has been turned on.	Turn on the switch.	
	Check whether the button on the remote controller has been pressed.	Press the button on the remote controller.	
	No massage function has been selected.	Select a massage function.	
	Check whether there is poor connection between the power plug and the receptocle.	Ensure good connection between the power plug and the receptacle.	
Different height of the left and right knead balls.	A mechanism is used to allow two knead balls tapping alternatively.	This is normal and does not come from the trouble of the chair.	
Sudden noise rises during operation.	Check whether the unit has been in operation for too long.	Turn off the power and stop the operation. Restart the unit after 30-min break.	
Sudden cease of operation.	The rated operating time has elapsed.	Turn off the power and stop the operation, Restart the unit after 30-min break.	
The reclined backrest fails to return its stored position when by is pressed.	Excessive use of the unit.	Turn off the power and stop the operation. Restart the unit after 30-min break.	
	The rated operating time has elapsed.		
The power indicator fails to light up after the power switch is turned on.	Check whether there is poor connection between the power plug and the receptacle.	Ensure good connection between the power plug and the receptacle.	
	Whether the circuit breaker is tripped off.	Restore the circuit breaker. If the problem re-occurs after the circuit breaker is restored, please contact our service center.	

ATTENTION



- After checking, if the problem is caused by none of the above, switch off the power, unplug the
- Aniet checking, if the problem is closed by forter to me cooker, swinct on the power, onlying the power corp, and contact your declar or our service center for repairs.
 Prior to operating the unit when it has not been used for a long period of time, read this manual corefully and make sure that the unit is still in good condition to avoid accident or injury.

Contents of the error will be displayed in the remaining time display area when an error occurs during the operation.



Error code display

Error Code	Contents	Handling
B0 B1 B2 B3 B7 B8	Operation is terminated because of overload has occurred.	[1] Press STOP button. [2] Turn off the power switch, then restart the unit.
C1 C2 C3	HEAT function abnormal	Disable the HEAT function and contact our service center. © Other massage functions are still good for use.
C8	Bluetooth function abnormal. Audio may not work.	(1) Turn off the power switch, then restart the unit. (2) Reconnect your music player with the unit. If the error code appears again after restarting the unit, contact our service center. (a) Other massage functions are still good for use.
E0 E1 E2 E4 E5	Operation is terminated because there is a problem with internal communication.	Please contact our service center. **Other massage functions are still good for use.**

% Please contact your dealer or our service center if the problem still persists after checking in accordance with page 29. Service and maintenance will be carried out smoother if the error code is communicated when contacting.

Warranty and After-Sales Service

Consult your local store or dealer for details on warranty and after-sales service.

Warranty Period
Please refer to the enclosed warranty cord and verify the contents and the company/dealer's seal and carefully read the cornelnsts. Keep the warranty card in a safe place and present it for maintenance.

Authorized Service

If any abnormal condition persists after checking in accordance with page 28, stop using the unit, switch off the power, unplug the power cord, and then consult your local store or deder.

- of the warronty period has expired, consult your local store or dealer for details an authorized service. If appropriate service can be provided to maintain functions of this product, repair will be performed at the user's cost.

 If you have any questions, before consult you focal store or dealer for details on authorized service. If appropriate service can be provided to maintain functions of this product, repair will be performed at the user's cost.

 If you have any questions, before consult your focal store or dealer.

Specifications

Product name		KAGRA Massage Chair	
Model No.		MC-J6900	
Generic name		Electric massage chair for home use	
Rating	Power supply (50 / 60Hz)	100-120Vac	
	Rated Time	30 minutes	
Mechanical (knead balls) massage speed	Knead (cycles/min)	approx. 6 ~ 40 cycles / min	
	Tap (cycles/min)	approx. 200 ~ 853 cycles / min	
	Shiatsu (cycles/min)	Approx. 6 ~ 12 cycles / min	
	Up-and-Down	<60 mm/sec	
Air pressure for air-massage		Approx. 30 ~ 32 kPa	
Massage strength		5-level adjustment	
Air strength		3-level adjustment	
Auto-timer		Approx. 15 minutes	
Reclining angle	Backrest	Approx. 115° – 160°	
	Footrest	Approx. 15° – 95 °	
Dimensions (Approx.)	Backrest not realined	890 mm (width) x 1350 mm (depth) x 1230 mm (height) (with footrest in stored position)	
	Backrest reclined	890 mm (width) x 1870 mm (depth) x 930 mm (height) (with footrest raised in highest position)	
Weight		Approx. 96 kg	
Cover cloth		PU synthetic leather	
Country of origin	China		

* Use only on the designated voltage
* If you need the user monucal in an alternative language, please contact your authorized local dealer or service provider for further information.

29