APPENDIX H

: USER'S MANUAL

SOYO

OWNER'S MANUAL

MT-SYKIT32E1AB

Please read this manual carefully before operating your set. Retain it for future reference.

WARNING / CAUTION





TO REDUCE THE RISK OF ELECTRIC SHOCK DO NOT REMOVE COVER (OR BACK). NO USER SERVICEABLE PARTS INSIDE. REFER TO QUALIFIED SERVICE PERSONNEL.



The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

WARNING/CAUTION

TO REDUCE THE RISK OF FIRE AND ELECTRIC SHOCK, DO NOT EXPOSE THIS PRODUCT TO RAIN OR MOISTURE.

NOTE TO CABLE/TV INSTALLER

This reminder is provided to call the CATV system installer's attention to Article 820-40 of the National Electric Code (U.S.A.). The code provides guidelines for proper grounding and, in particular, specifies that the cable ground shall be connected to the grounding system of the building, as close to the point of the cable entry as practical.

CAUTION

Do not attempt to modify this product in any way without written authorization from the dealer. Unauthorized modification could void the user's authority to operate this product.

WARNING / CAUTION

To prevent fire or shock hazards, do not expose this product to rain or moisture.

FCC NOTICE

Class B digital device

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution

Changes or modification not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

On Disposal

- a. The fluorescent lamp used in this product contains a small amount of mercury.
- b. Do not dispose of this product with general household waste.
- c. Disposal of this product must be carried out in accordance to the regulations of your local authority.

Important Safety Instructions

- Read these instructions.
- 2. Keep these instructions.
- 3. Heed all warnings.
- 4. Follow all instructions.
- 5. Do not use this apparatus near water.
- 6. Clean only with dry cloth.
- 7. Do not block any ventilation openings.
 Install in accordance with the manufacturer's instructions.
- 8. Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- 9. Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- 10. Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- 11. Only use attachments/accessories specified by the manufacturer.
- 12. Use only with the cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.



- 13. Unplug this apparatus during lightning storms or when unused for long periods of time.
- 14. Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.
- 15.Do not expose this apparatus to dripping or splashing and ensure that no objects filled with liquids, such as vases, are placed on the apparatus.

Important Safety Instructions

- 16.To completely disconnect this apparatus from the AC Mains, disconnect the mains plug from the AC receptacle.
- 17. The mains plug of the power supply cord shall remain readily operable.
- 18. This apparatus shall be connected to a Mains socket outlet with a protective earthing connection.

NOTE -----

Prolonged use of headphones at a high volume may cause health damage on your ears.



The lightning flash with arrowhead symbol within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage " within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the product.

WARNING: To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture.

Contents

WARNING / CAUTION	3-4
Important Safety Instructions	5-6
Contents	7-8
Accessories Supplied Accessories Installing Batteries	9 9 9
Controls And Connectors Front Panel Rear Panel Remote Control	10-13 10 11 12-13
Installation Stand Installation Wall mount Installation Desktop Pedestal Installation	14-15 14 15 15
Connections Antenna Connection VCR Connection DVD Connection HDSTB Connection External A/V Source Digital Audio Out PC Connection Resolution	16-25 16 17-18 19-20 21-22 23 23 24 25
Basic Operation Turning On or Off Channel Selection Volume Adjustment Sound Mute Quick View Input Selection Language Selection	26-27 26 26 26 26 26 27 27
On Screen Menus	28
Setting up TV Channel Auto Scan Add/Delete Channel EPG(Electronic Program Guide)	29-31 29 30 31
Picture Controls Auto Picture Controls Manual Picture Controls Color Temperature	32-34 32 33 34
Advanced Video Dynamic Noise Reduce Black Level Extender White Peak Limiter	35-40 35 36 37

Contents

CTI(Color Transient Intensity) Flesh Tone Adaptive Luma Control	38 39 40
Sound Controls	41-44
Auto Sound Controls	41-44
Manual Sound Controls	42
Digital Output	43
Auto Volume Control	44
Stereo/SAP Broadcast Setup	44
Time Setting	45-49
Time Zone Setting	45
Auto Time Setting	46
Manual Time Setting	47
Auto On/Off Time Setting	48
Sleep Timer	49
Captions	50-52
Closed Caption-Analog	50
Closed Caption-Digital	51
Closed Caption Options	52
Reset	53
Reset Default	53
Parental Control	54-62
Enter your password	54
Set Password	54
Rating Enable/Disable	55
TV Ratings for USA	56-57
Movie Ratings	58
TV Rating English for Canada	59
TV Rating French for Canada	60
Downloadable Rating Clean All	61 62
Setting the PC Mode Auto Picture Controls	63-67 63
Manual Picture Controls	64
Color Temperature	65
Auto Adjustment	66
Manual Adjustment	67
Special Functions	68
Picture Format	68
Specification	69
Troubleshooting	70
Warranty Card	72
Registration Card	73-74

Accessories

Supplied Accessories


Ensure that the following accessories are included with your product.

If an accessory is missing, please contact our support department at (866) 280-1998 or contact us through our website located at www.soyo.com/content/Product_Support/147

User must use shielded signal interface cables with ferrite cores to maintain standard compliance for the product.


- 1. Remote
- 2. Batteries
- 3. Power Cord
- 4. Owner's Manual
- 5. 6-bolts for stand assembly

Installing Batteries



(- with -). Don't mix old batteries with new batteries.

Front Panel



1. VOL + / VOL -

Adjusts menu setting. Adjusts sound level.

2. CH + / CH -

Select a channel.

3. TV/AV

Selects the TV, AV, S-Video, YPbPr, VGA or HDMI mode.

4. MENU

Display on screen menus.

5. POWER

Switches the set on or off.

6. Power Indicator

Illuminates in bright blue when the TV is in standby mode. Illuminates in dark blue when the TV is switched on.


Remote control sensor

Accepts the IR signal of remote controller.

NOTE

Here shown may be somewhat different from your set.

Rear Panel



1. HDMI/DVI IN

Connect to the HDMI jack for device with HDMI output. (This input can also be used as a DVI connection with an HDMI to DVI adaptor and separate analog audio inputs.)

2. RGB IN (PC)

Connect to the video output jack on your PC.

3. COMPONENT IN

Video/Audio inputs for Component.

4. S-VIDEO IN

Connect the output of an S-VIDEO device to the S-VIDEO input.

5. AV IN

Connect RCA cable to an appropriate external A/V device such as VCR, DVD or Camcorder.

6. AUDIO IN (RGB/DVI)

Connect to the audio output jack on your PC.

7. ANTENNA/CABLE IN

Connect to your antenna or cable box for TV signal.

8. DIGITAL AUDIO OUT(COAXIAL)


Connect digital audio to various types of equipment.

9. AC IN

This TV operates on an AC power.

Remote Control

- All the functions can be controlled with the remote control handset.
- Some functions can also be adjusted with the buttons on the side panel of the set.
- Before using remote control handset, please install the batteries.



1. POWER

Switches the set on or off.

2. SOURCE

Selects the TV, AV, S-Video, YPbPr, VGA or HDMI mode.

3. NUMBER BUTTONS

Selects channel numbers.

4. Hyphen(—)

Press to select DTV channels. For example, to select channel '10-1', press '10' then press '—' and '1'.

5. \Leftrightarrow

Switch to the previous channel number.

6. VOL+/VOL-

Adjusts sound level.

7. CH+ / CH-


Select a channel.

8. EXIT

Clear all on-screen menus and return to TV viewing from any menu.

9. Navigational Controls

Adjusts menu settings. Selects menu item. Accepts your selection.



10. MENU

Display on screen menus.

11. MUTE

Switches the sound on or off.

12. →|P|←

Recalls your preferred picture setting.

13. →ISI←

Recalls your preferred sound setting.

14. SLEEP

Sets the sleep timer.

15. **ZOOM**

Selects your desired picture format.

16. CC

Select the Caption menu directly.

17. MTS

Select MTS sound : Mono, Stereo and SAP in Analog Channel.

Change the audio language in DTV Channel.

18. EPG

Displays the program guide.


19. DISPLAY

Shows the present screen information.


Installation

Stand Installation


1. Carefully place the product screen side down on a cushioned surface that will product and screen from damage.



2. Assemble the product stand with the product as shown.




3. Install the 5 bolts securely, in the back of the product in the holes provided.



Installation

Wall mount Installation







The set can be installed on a wall as shown above.

For proper ventilation, allow a clearance of 4 inches on all four sides from the wall. Detailed instructions are available from your dealer, refer to the optional Wall Mounting Bracket Installation and Setup Guide. (Wall Mount Sold Separately)

Desktop Pedestal Installation








The set can be mounted on a desk as shown above.

For proper ventilation, allow a clearance of 4 inches on each side from the wall.


Detailed instructions are available from your dealer, refer to the optional Desktop Stand Installation and Setup Guide.

Antenna Connection



NOTE -----


- To improve the picture quality in a poor signal area, please purchase a signal amplifier and install properly.
- If the antenna is not installed properly, contact your dealer for assistance.



VCR Connection

- To avoid picture noise (interface), leaves an adequate distance between the TV and the VCR.


■ When connecting with an antenna



Back panel of the set

- 1. Connect the Antenna out socket of the VCR to the Antenna input socket on the TV.
- Press the **Power** button on the VCR and match the appropriate input selection between the TV and VCR for viewing.


■ When connecting with a RCA cable



Back panel of the set

- Connect the AUDIO/VIDEO jacks between TV and VCR. Match the jack colors (Video = yellow, Audio Left = white, and Audio Right = red)
- 2. Insert a video tape into the VCR and press **PLAY** on the VCR.
- 3. Select the **AV** input source with using the **SOURCE** button on the remote control.
- 4. Refer to the VCR manual for operating instructions.

■ When connecting with a S-Video cable




Back panel of the set

- Connect the S-VIDEO output of the VCR to the S-VIDEO input on the set. The picture quality is improved; compared to normal composite (RCA cable) input.
- 2. Connect the audio outputs of the VCR to the **AV AUDIO L, R** input jacks on the set.
- 3. Insert a video tape into the VCR and press **PLAY** on the VCR.
- 4. Select the **S-Video** input source with using the **SOURCE** button on the remote control.
- 5. Refer to the VCR manual for operating instructions.

DVD Connection


■ When connecting with a S-Video cable



Back panel of the set


- Connect the S-VIDEO output of the DVD to the S-VIDEO input on the set.
- 2. Connect the audio outputs of the DVD to the **AV AUDIO L, R** input jacks on the set.
- 3. Turn on the DVD player, insert a DVD.
- 4. Select **S-Video** input source with using the **SOURCE** button on the remote control.
- 5. Refer to the DVD player's manual for operating instructions.

■ When connecting with a Component cable



- Connect the video outputs (Y, PB, PR) of the DVD to the COMPONENT VIDEO(Y, Pb, Pr) jacks on the set.
- 2. Connect the audio outputs of the DVD to the **COMPONENT AUDIO L**, **R** jacks on the set.
- 3. Turn on the DVD player, insert a DVD.
- 4. Select **YPbPr** source with using the **SOURCE** button on the remote control.
- 5. Refer to the DVD player's manual for operating instructions.

■ When connecting with a HDMI cable




Back panel of the set

- 1. Connect the **HDMI** output of the DVD to the **HDMI/DVI IN** jack on the set.
- 2. Select **HDMI** input source with using the **SOURCE** button on the remote control.
- 3. Refer to the DVD player's manual for operating instructions.

HDSTB Connection

- This TV can receive Digital Over-the-air/Cable signals without an external digital set-top box. However, if you do receive Digital signals from a digital set-top box or other digital external device, refer to the figure as shown below.


■ When connecting with a D-Sub 15 pin cable



Back panel of the set

- 1. Connect the **RGB** output of the digital set-top box to the **RGB IN (PC)** jack on the set.
- 2. Connect the audio outputs of the set-top box to the **AUDIO IN (RGB/DVI)** jack on the set.
- 3. Turn on the digital set-top box.
- Select VGA input source with using the SOURCE button on the remote control.
- 5. Refer to the digital set-top box manual for operating instructions.


■ When connecting with a HDMI cable



Back panel of the set


- 1. Connect the **HDMI** output of the digital set-top box to the **HDMI/DVI IN** jack on the set.
- 2. Turn on the digital set-top box.
- 3. Select **HDMI** input source with using the **SOURCE** button on the remote control.
- 4. Refer to the digital set-top box manual for operating instructions.

■ When connecting with a Component cable



- Connect the video outputs (Y, PB, PR) of the digital set-top box to the COMPONENT VIDEO(Y, Pb, Pr) jacks on the set.
- Connect the audio outputs of the digital set-top box to the COMPONENT AUDIO L, R jacks on the set.
- 3. Turn on the digital set-top box.
- 4. Select **YPbPr** source with using the **SOURCE** button on the remote control.
- 5. Refer to the digital set-top box manual for operating instructions.


■ When connecting with a HDMI to DVI cable



Back panel of the set

- 1. Connect the DVI output of the digital set-top box to the **HDMI/DVI IN** jack on the set.
- 2. Connect the audio outputs of the set-top box to the **AUDIO IN (RGB/DVI)** jack on the set.
- 3. Turn on the digital set-top box.
- 4. Select **HDMI** input source with using the **SOURCE** button on the remote control.
- 5. Refer to the digital set-top box manual for operating instructions.


External A/V Source



Back panel of the set

- Connect the AUDIO/VIDEO jacks between TV and external equipment. Match the jack colors (Video = yellow, Audio Left = white, and Audio Right = red)
- 2. Select the **AV** input source with using the **SOURCE** button on the remote control.
- 3. Operate the corresponding external equipment.
- 4. Refer to the external equipment manual for operating instructions.

Digital Audio Out




Back panel of the set

- 1. Connect one end of the coaxial cable to the TV's DIGITAL AUDIO OUT(COAXIAL) port.
- 2. Connect the other end of the coaxial cable to the digital audio input on the audio equipment.
- 3. Refer to the external audio equipment manual for operation.

PC Connection


■ When connecting with a D-Sub 15 pin cable



Back panel of the set

- Connect the RGB output of the PC to the RGB IN(PC) jack on the set.
- 2. Connect the PC audio outputs to the **AUDIO IN** (**RGB/DVI**) jack on the set.
- 3. Turn on the PC and the set.
- 4. Select **VGA** input source with using the **SOURCE** button on the remote control.

■ When connecting with a HDMI to DVI cable



Back panel of the set

- 1. Connect the DVI output of the PC to the **HDMI/DVI IN** jack on the set.
- 2. Connect the PC audio outputs to the **AUDIO IN** (**RGB/DVI**) jack on the set.
- 3. Turn on the PC and the set.
- 4. Select **HDMI** input source with using the **SOURCE** button on the remote control.

Resolution

Resolution	Horizontal Frequency (kHz)	Vertical Frequency (Hz)
640 x 480	31.47	59.94
800 x 600	35.16	56.25
	37.88	60.32
1024 x 768	48.36	60.00

STOM

a. The synchronization input form is separate.

b. If the resolution is not supported, 'Not Support!' message will be displayed.

Basic Operation

Turning On or Off

Standby Setup: The AC power cord must be connected to have the TV in standby mode and ready to be turned on. Press the **ON/OFF** button on the side panel of the TV to go into standby mode.

- If the TV is in standby mode, press the POWER button on the remote or the TV itself to turn the TV on
- 2. Press the POWER button again on the remote controller or the TV itself to turn the TV off.

Channel Selection

You can select a channel number with the CH+ / CH- button or NUMBER buttons.

Volume Adjustment

Press the VOL+ / VOL- button to adjust the sound level.

Sound Mute

Press the **MUTE** button. The sound is switched off and the mute display appears. To cancel mute mode, press the **MUTE** or **VOL+** / **VOL-** button again.


Quick View

Press the \to button to view the last channel you were watching.

Basic Operation

Input Selection

- 1. Press the **SOURCE** button to change the input mode.
- 2. Press the **Down** or **Up** button to select your desired mode.
- 3. Press the **OK** button to change your selected mode.



Language Selection


- Press the MENU button and then press the Down or Up button to select the Setup.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **OSD Language**.
- 3. Press the **Left** or **Right** button to select your desired language.
- 4. The on screen menu will then appear in the selected language.



On Screen Menus

Your TV's OSD(On Screen Display) may differ slightly from what is shown in this manual.

- 1. Press the **MENU** button and then use **Down** or **Up** button to select each menu.
- 2. Press the OK button and then Down, Up, Left and Right buttons to navigate to the available menus.



Setting up TV Channel

Auto Scan

Automatically finds all channels available through the Antenna or Cable and stores them in memory on the channel list.

- Press the MENU button and then press the Down or Up button to select the TV.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Tuner Mode**.
- 3. Press the **Left** or **Right** button to select **Antenna** or **Cable**.
- 4. Press the **Down** or **Up** button to select **Channel Scan**.
- Press the **OK** button to start auto search.
 The TV will begin memorizing all of the available channels.
- Press the **MENU** button at any time to interrupt the memorization process.



Setting up TV Channel

Add/Delete Channel

You can manually store or remove channels in whatever order you desire.

- Press the MENU button and then press the Down or Up button to select the TV.
- Press the **OK** button and then press the **Down** or **Up** button to select **Channel Skip**.
- Press the **OK** button and then press the **Down** or **Up** button to select channel you want to add or delete
 - If you want to skip the selected channel, press the \mathbf{OK} button.
- 4. Save the other channels in the same method.
- 5. Press the **MENU** button to return to the previous menu.



Setting up TV Channel

EPG(Electronic Program Guide)

Displays Broadcasting guide of received channel.

- 1. Press the **EPG** button to display the Electronic Program Guide.
- 2. Press the **Left** or **Right** button to change channel and display the broadcasting guide at the bottom of the screen.




Picture Controls

Auto Picture Controls

Picture Mode adjusts the set for the best picture appearance. Select the preset value in the Picture Mode menu.

- Press the MENU button and then press the Down or Up button to select the Video.
- Press the **OK** button and then press the **Down** or **Up** button to select **Picture Mode**.
- 3. Press the **Left** or **Right** button to select **Soft**, **Standard**, **Vivid** or **User**.
- Press the **MENU** button to return to the previous menu.



Soft

Select this option to display with a soft image.

Standard

The most general and natural screen display status.

Vivid

Select this option to display with a sharp image.

User

Select this option to use the user-defined setting.

NOTE -----


- If you want to select **Picture Mode** directly, press the →IPI← button.
- Every time you press the button, it will switch between Soft, Standard, Vivid or User.
- When you adjust **Brightness**, **Contrast**, **Saturation**, **HUE** or **Sharpness**, **Picture Mode** changes to **User**

Picture Controls

Manual Picture Controls

You can adjust picture Brightness, Contrast, Saturation, HUE and Sharpness to the levels you prefer.

- Press the MENU button and then press the Down or Up button to select the Video.
- Press the OK button and then press the Down or Up button to select desired picture option. (Brightness, Contrast, Saturation, HUE, Sharpness)
- Press the **OK** button and then press the **Left** or **Right** button to make appropriate adjustments.
- 4. Press the **MENU** button to return to the previous menu.



Brightness

Increases or decreases amount of white in the your picture.

Contrast

Adjusts the difference between the light and dark levels in the picture.

Saturation

Adjusts intensity of all colors.

HUE

Adjusts the balance between red and green levels.

Sharpness

Adjusts the level of sharpness in the edges between the light and dark areas of the picture. The lower the level, the softer the image.


Picture Controls

Color Temperature

You can adjust to color temperature you prefer.

- Press the MENU button and then press the Down or Up button to select the Video.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Color Temperature**.
- Press the OK button and then press the Left or Right button to select Cool, Standard, Warm or User.
- 4. Press the **Down** or **Up** button to select desired color item.
- 5. Press the **OK** button and then press the **Left** or **Right** button to make appropriate adjustments.
- Press the **MENU** button to return to the previous menu.







NOTE -----


- To you adjust **R Gain**, **G Gain**, **B Gain**, or **Color Temperature** change to **Picture Mode** to **User**.


Advanced Video

Dynamic Noise Reduce

Use this feature to reduce picture artifacts caused by the digitizing of image motion content that may be present in the picture.

- Press the MENU button and then press the Down or Up button to select the Video.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Advanced Video**.
- 3. Press the **OK** button and then press the **Down** or **Up** button to select **DNR**.
- 4. Press the **Left** or **Right** button to select **Off**, **Low**, **Medium**, **Strong** or **Auto**.
- 5. Press the **MENU** button to return to the previous menu.





Off

Turns the screen noise reduction function off.

Low

Reduces screen noise at a low level.

Medium

Reduces screen noise at a medium level.

Strong

Reduces screen noise at a high level.

Auto


Adjusts automatically screen noise according to received signal.


Advanced Video

Black Level Extender

Use this feature to increase the picture reproduction performance in the dark areas of the picture.

- Press the MENU button and then press the Down or Up button to select the Video.
- Press the **OK** button and then press the **Down** or **Up** button to select **Advanced Video**.
- Press the OK button and then press the Down or Up button to select Black Level Extender.
- 4. Press the Left or Right button to select On or Off.
- Press the **MENU** button to return to the previous menu.






White Peak Limiter

Use this feature to limit excessive amounts of white in bright areas of the picture, this is caused by a lower sync level from a channel being received from the antenna or cable.

- Press the MENU button and then press the Down or Up button to select the Video.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Advanced Video**.
- 3. Press the **OK** button and then press the **Down** or **Up** button to select **White Peak Limiter**.
- 4. Press the Left or Right button to select On or Off.
- Press the **MENU** button to return to the previous menu.







CTI(Color Transient Intensity)

This feature can be used to reduce the time taken to transition from one color to another. The effect will be seen as sharpening the border between colors.

- Press the MENU button and then press the Down or Up button to select the Video.
- Press the **OK** button and then press the **Down** or **Up** button to select **Advanced Video**.
- Press the **OK** button and then press the **Down** or **Up** button to select **CTI**.
- 4. Press the **Left** or **Right** button to select **Off**, **Low**, **Medium** or **Strong**.
- Press the **MENU** button to return to the previous menu.






Flesh Tone

In some cases, activation of this feature can result in a more pleasing production of sky and flesh color.

- Press the MENU button and then press the Down or Up button to select the Video.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Advanced Video**.
- 3. Press the **OK** button and then press the **Down** or **Up** button to select **Flesh Tone**.
- 4. Press the Left or Right button to select On or Off.
- Press the **MENU** button to return to the previous menu.



NOTE

- Flesh Tone can not be adjusted in PC mode.

39

Adaptive Luma Control

Large areas of darkness in a picture will result in a lower Average Picture Level (APL) and the overall picture will look too dark; activation of this feature will raise the APL to counteract this effect.

- Press the MENU button and then press the Down or Up button to select the Video.
- Press the **OK** button and then press the **Down** or **Up** button to select **Advanced Video**.
- 3. Press the **OK** button and then press the **Down** or **Up** button to select **Adaptive Luma Control**.
- 4. Press the Left or Right button to select On or Off.
- Press the **MENU** button to return to the previous menu.






Auto Sound Controls

This Sound Mode automatically adjusts the sound controls to the recommended settings.

- Press the MENU button and then press the Down or Up button to select the Audio.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Sound Mode**.
- 3. Press the **Left** or **Right** button to select **Voice**, **Concert**, **Jazz** or **User**.
- 4. Press the **MENU** button to return to the previous menu.



Voice

Select this option while watching a show that is mostly dialog.

Concert

Select this option to when listening to music to enjoy the original sound.

Jazz

This option highlights bass and also emphasizes instruments such as piano and guitar.

User

Select this option to manually adjust the audio settings.

note

- If you want to change the **Sound Mode** without entering the menus, press the →ISI+ button.
- Each time you press the button, it will switch between Voice, Concert, Jazz and User.
- When you manually adjust the Bass or Treble, the Sound Mode will change to User.

Manual Sound Controls

This function allows you to manually adjust the audio settings to your preferred levels.

- Press the MENU button and then press the Down or Up button to select the Audio.
- Press the **OK** button and then press the **Down** or **Up** button to select desired picture option. (**Bass**, **Treble**, **Balance**)
- 3. Press the **OK** button and then press the **Left** or **Right** button to make appropriate adjustments.
- 4. Press the **MENU** button to return to the previous menu.



Bass

This adjusts the range of the low pitch sound.

Treble

This adjusts the range of the high pitch sound.

Balance

Adjusts the left to right sound balance between the built-in speakers.

Digital Output

This option activates Digital Audio Output. This is recommended for use with other devices capable of receiving digital audio signals. (This mode is set to Off by default)

- Press the MENU button and then press the Down or Up button to select the Audio.
- Press the **OK** button and then press the **Down** or **Up** button to select **Digital Output**.
- Press the Left or Right button to select Off, Dolby Digital or PCM.
- 4. Press the **MENU** button to return to the previous menu.



Off

Television will only output an Analog audio signal. (This mode is set to Off by default)

Dolby Digital

Television will output a digital audio signal.

PCM (Pulse-code modulation)

This mode creates a digital representation of an analog siginal and is only used with an audio CD signal.

<Dolby Digital>

DIGITAL

This product is under license of Dolby Laboratories. The "Dolby" or D symbol is a trademark of Dolby Laboratories.

43

Auto Volume Control

This function automatically stabilizes the volume level while changing to channels with different audio levels.

- Press the MENU button and then press the Down or Up button to select the Audio.
- Press the OK button and then press the Down or Up button to select Auto Volume Control.
- 3. Press the Left or Right button to select On or Off.
- Press the **MENU** button to return to the previous menu.



Stereo/SAP Broadcast Setup

This TV can receive MTS stereo programs and any SAP (Secondary Audio Program) that the station may transmit.


The television will automically switch to Mono sound if the broadcasted channel is transmitted in Mono. Also, you can manually select Mono if you want to listen to a stereo or SAP broadcasted channel in Mono.

- 1. Use the **MTS** button to select your desired MTS mode in analog signal. Each time you press the **MTS** button, Mono, Stereo, or SAP appear in turn. If other languages available on the digital signal, select them with the **MTS** button.
- 2. Press **EXIT** button to save and return to TV viewing.

Time Zone Setting

You can set the Time Zone for your local area. This is operated from the Auto Synchronization.

- Press the MENU button and then press the Down or Up button to select the Setup.
- Press the **OK** button and then press the **Down** or **Up** button to select **Time Setup**.
- 3. Press the **OK** button and then press the **Down** or **Up** button to select **Time Zone**.
- Press the Left or Right button to select your viewing area time zone.
 (Eastern Time, Indiana, Central Time, Mountain Time, Arizona, Pacific Time, Alaska, Hawaii)
- 5. Press the **MENU** button to return to the previous menu.





Auto Time Setting


The time is set automatically from a digital channel signal.

The digital channel signal includes information for the current time provided by the broadcasting station. Set the time manually if the current time is set incorrectly by the Auto Synchronization function.

- Press the MENU button and then press the Down or Up button to select the Setup.
- Press the **OK** button and then press the **Down** or **Up** button to select **Time Setup**.
- Press the **OK** button and then press the **Down** or **Up** button to select **Time**.
- Press the OK button and then press the Down or Up button to select Auto Synchronization.
- 5. Press the **Left** or **Right** button to select **On**.
- Press the **MENU** button to return to the previous menu.







NOTE

- If Auto Synchronization is selected to On, Date and Time menus are cannot be adjusted.

Manual Time Setting

If the current time setting is wrong, this function allows you to set the clock manually.

- Press the MENU button and then press the Down or Up button to select the Setup.
- Press the **OK** button and then press the **Down** or **Up** button to select **Time Setup**.
- 3. Press the **OK** button and then press the **Down** or **Up** button to select **Time**.
- 4. Press the **OK** button and then press the **Down** or **Up** button to select **Auto Synchronization**.
- 5. Press the Left or Right button to select Off.
- Press the **Down** or **Up** button to select **Date** or **Time**.
- Press the Left or Right button to move the position and use number buttons to set present date or time.
- 8. Press the **MENU** button to return to the previous









Auto On/Off Time Setting

The timer function operates only if the current time has been set. The TV turns on/off automatically with the Power On/Off Timer function.

- Press the MENU button and then press the Down or Up button to select the Setup.
- Press the OK button and then press the Down or Up button to select Time Setup.
- Press the **OK** button and then press the **Down** or **Up** button to select **Time**.
- 4. Press the **OK** button and then press the **Down** or **Up** button to select **Timer**.
- Press the Left or Right button to select On.
 If Timer is selected to Off, Power On Timer and Power Off Timer menu are cannot be adjusted.
- 6. Press the **Down** or **Up** button to select **Power On Timer** or **Power Off Timer**.
- Press the **Left** or **Right** button to move the position and use number buttons to set TV on or off time.
- Press the **MENU** button to return to the previous menu.







Sleep Timer

The sleep timer automatically switches the set to standby after the preset time elapses.

- Press the MENU button and then press the Down or Up button to select the Setup.
- Press the **OK** button and then press the **Down** or **Up** button to select **Time Setup**.
- Press the **OK** button and then press the **Down** or **Up** button to select **Sleep Timer**.
- 4. Press the **Left** or **Right** button to select desired sleep time.

The timer begins to count down from the number of minutes selected.

Press the **MENU** button to return to the previous menu.





NOTE

- If you want to select **Sleep Timer** directly, press the **SLEEP** button.
- Every time you press the button, it will switch between Off, 5, 10, 15, 30, 45, 60, 90, 120, 180 and 240.

Captions

Closed Caption-Analog

The Analog Caption function operates when watching regular analog channels.

Analog caption displays information at any position on the screen and is usually the program's dialog.

- Press the MENU button and then press the Down or Up button to select the Setup.
- Press the OK button and then press the Down or Up button to select Caption.
- Press the OK button and then press the Down or Up button to select Analog Closed Caption.
- Press the Left or Right button repeatedly to select Off, CC1, CC2, CC3, CC4, TEXT1, TEXT2, TEXT3 or TEXT4.
- 5. Press the **MENU** button to return to the previous menu.


Caption

The term for the words that scroll across the bottom of the TV screen; usually the audio portion of the program provided for the hearing impaired.

TEXT

The term for the words that appear in a large black frame and almost cover the entire screen; usually messages provided by the broadcaster.





note

- If you want to select **Caption** directly, press the **CC** button.


Captions

Closed Caption-Digital

The Digital Caption function only operates on digital channels. Choose the language you want the DTV captions to appear in.

- Press the MENU button and then press the Down or Up button to select the Setup.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Caption**.
- 3. Press the **OK** button and then press the **Down** or **Up** button to select **Digital Closed Caption**.
- 4. Press the **Left** or **Right** button repeatedly to select **Off**, **SERVICE1**, **SERVICE2**, **SERVICE3**, **SERVICE4**, **SERVICE5** or **SERVICE6**.
- 5. Press the **MENU** button to return to the previous menu.





Captions


Closed Caption Options


Customize the DTV captions that appear on your screen.

- Press the MENU button and then press the Down or Up button to select the Setup.
- Press the **OK** button and then press the **Down** or **Up** button to select **Caption**.
- 3. Press the **OK** button and then press the **Down** or **Up** button to select **Digital Caption Style**.
- Press the OK button and then press the Down or Up button to select Caption Style.
- 5. Press the **Left** or **Right** button to select **Custom**.
- 6. Press the **Down** or **Up** button to select desired caption option.

(Font Size, Font Color, Font Opacity, Background Color, Background Opacity, Window Color, Window Opacity)

- 7. Press the **Left** or **Right** button to customize your preference.
- 8. Press the **MENU** button to return to the previous menu.





Font Size

Set the size the words will appear in.

Font Color

Choose a color for the text.

Font Opacity

Specify the opacity for the text color.

Background Color

Select a background color.

Background Opacity

Select the opacity for the background color.

Window Color

Select a color for the edges.

Window Opacity

Select the opacity for the edges.

STOM

- If Caption Style is selected to As Broadcaster, Caption Options are cannot be adjusted.

Reset

Reset Default

Use to quickly reset all the menu options to their original factory preset values. This function deletes all TV channels.

- Press the MENU button and then press the Down or Up button to select the Setup.
- Press the **OK** button and then press the **Down** or **Up** button to select **Reset Default**.
- Press the **OK** button and then press the **Left** or **Right** button to select **OK**.
- 4. Press the **OK** button to reset.
- 5. Reset the menu options to original values.
- 6. Press the **MENU** button to return to the previous menu.



Enter your password

Parental Control can be used to block specific channels, ratings and other viewing sources. Set up blocking schemes to block specific channels, ratings, and external viewing sources. A password is required to gain access to this menu.

- Press the MENU button and then press the Down or Up button to select the Parental.
- 2. Press the **OK** button and then enter password as requested.
- 3. The TV is set up with the initial password "0-0-0-0".



Set Password

Change the password by inputting a new password twice.

- After inputting the password, press the **Down** or **Up** button to select **Change Password**.
- Press the **OK** button and then select any 4 digits for your new password and enter the them on the **New Password**.
- 3. As soon as the 4 digits are entered, re-enter the same 4 digits on the **Confirm Password**.
- 4. Then your changed password has been memorized.
- Press the **MENU** button to return to the previous menu.






Rating Enable/Disable

Enables or disables the blocking scheme you set up previously.

- After inputting the password, press the **Down** or **Up** button to choose **Program Block**.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Rating Enable**.
- Press the Left or Right button to select On or Off. When you select On, the Program Block menus are enable.
- 4. Press the **MENU** button to return to the previous menu.




◆/♦ Select MENU Back

TV Ratings for USA

Prevents children from watching certain TV programs, according to the rating limits set. The children rating will not apply to TV programs until you select the ratings you want to be blocked.

- After inputting the password, press the **Down** or **Up** button to choose **Program Block**.
- Press the **OK** button and then press the **Down** or **Up** button to select **U.S. TV Ratings**.
- 3. Press the **OK** button.
- Press the **Down** or **Up** or **Left** or **Right** buttons to choose and **OK** button to set up the menu options for U.S. TV Ratings.
- Press the **MENU** button to return to the previous menu.





ENTER Enter ◆/◆ Select MENU Back

TV (FCC) Age Categories

TV-MA

Mature audiences only.

This program may contain mature themes, profane language, graphic violence and explicit sexual content.

TV-14

Parents strongly cautioned.

This program may contain sophisticated themes, sexual content, strong language and more intense violence.

TV-PG

Parental guidance suggested.

The program may contain infrequent coarse language, limited violence, some suggestive sexual dialog and situations.

TV (FCC) Content Sub-Categories:

D: Dialog...sexual innuendo.

L: Offensive language.

S: Sexual Situation

V: Violence.

FV: Fantasy or cartoon violence.

TV-G

General audience.

This contains little or no violence, no strong language, and little or no sexual dialog or situations.

TV-Y7

Directed for older children.

Themes and elements in this program may include mild physical or comedic violence, or may frighten children under the age of seven.

TV-Y


All children.


The themes and elements in this program are specifically designed for a very young audience, including children from ages two – six.

Movie Ratings

Blocks movies according to the movie ratings limits specified so children cannot view certain movies. Applies to movies broadcasted on TV and allows you to select which ratings you want blocked.

- After inputting the password, press the **Down** or **Up** button to choose **Program Block**.
- Press the OK button and then press the Down or Up button to select U.S. Movie Ratings.
- 3. Press the **OK** button.
- Press the **Down** or **Up** buttons to choose and **OK** button to set up the menu options for U.S. Movie Ratings.
- Press the **MENU** button to return to the previous menu.







ENTER Enter ◆/◆ Select MENU Back

NOTE


- If you set PG-13: G and PG movies will be available, PG-13, R, NC-17 and X will be blocked.


if you set i a io . a and i a movies will be available, i a io, ii, ivo ii and x will be blocked.

TV Rating English for Canada

Selecting canadian english language rating system.

- After inputting the password, press the **Down** or **Up** button to choose **Program Block**.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Canadian English Ratings**.
- 3. Press the **OK** button.
- Press the **Down** or **Up** buttons to choose and **OK** button to set up the menu options for Canadian English Ratings.
- 5. Press the **MENU** button to return to the previous menu.





TV Rating French for Canada

Selecting canadian french language rating system.

- After inputting the password, press the **Down** or **Up** button to choose **Program Block**.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Canadian French Ratings**.
- 3. Press the **OK** button.
- Press the **Down** or **Up** buttons to choose and **OK** button to set up the menu options for Canadian French Ratings.
- 5. Press the **MENU** button to return to the previous menu.





Downloadable Rating

Your TV's OSD (On Screen Display) may differ slightly from what is shown in this manual.

- After inputting the password, press the **Down** or **Up** button to choose **Program Block**.
- Press the **OK** button and then press the **Down** or **Up** button to select **Open V-Chip**.
- 3. Press the **OK** button twice.
- 4. Press the **Down** or **Up** buttons to choose the menu options for Open V-Chip.
- 5. Press the **OK** button.
- Press the **MENU** button to return to the previous menu.




MOTE

- This function may become available in the future and will be available only for digital channel signal.
- This function operates only when TV has received Region5 Rating data.

Clean All

Use to quickly clean the Program Block menu options.

- After inputting the password, press the **Down** or **Up** button to choose **Clean All**.
- 2. Press the **OK** button and then press the **Left** or **Right** button to select **OK**.
- 3. Press the **OK** button to clean the Program Block menu options.
- 4. Press the **MENU** button to return to the previous menu.






Auto Picture Controls

Picture Mode adjusts the set for the best picture appearance. Select the preset value in the Picture Mode menu.

- Press the MENU button and then press the Down or Up button to select the Video.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Picture Mode**.
- 3. Press the **Left** or **Right** button to select **Soft**, **Standard**, **Vivid** or **User**.
- 4. Press the **MENU** button to return to the previous menu.



Soft

Select this option to display with a soft image.

Standard

The most general and natural screen display status.

Vivid

Select this option to display with a sharp image.

User

Select this option to use the user-defined setting.


note

- Select the VGA mode by pressing SOURCE button.
- If you want to select **Picture Mode** directly, press the →IPI← button.
- Every time you press the button, it will switch between Soft, Standard, Vivid or User.
- When you adjust Brightness, Contrast, HUE, Picture Mode changes to User.

Manual Picture Controls

You can adjust picture Brightness, Contrast and HUE to the levels you prefer.

- Press the MENU button and then press the Down or Up button to select the Video.
- Press the **OK** button and then press the **Down** or **Up** button to select desired picture option. (**Brightness**, **Contrast**, **HUE**)
- Press the **OK** button and then press the **Left** or **Right** button again to make appropriate adjustments
- Press the **MENU** button to return to the previous menu.



Brightness

Increases or decreases amount of white in the your picture.

Contrast

Adjusts the difference between the light and dark levels in the picture.

HIIE

Adjusts the balance between red and green levels.


- Select the VGA mode by pressing SOURCE button.

Color Temperature

Adjusts the display to your desired color temperature.

- Press the MENU button and then press the Down or Up button to select the Video.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **Color Temperature**.
- Press the OK button and then press the Left or Right button to select Cool, Standard, Warm or User.
- Press the **Down** or **Up** button to select desired color item.
- Press the **OK** button and then press the **Left** or **Right** button to make appropriate adjustments.
- 6. Press the **MENU** button to return to the previous menu.







NOTE -----

- When you adjust R Gain, G Gain, B Gain or Color Temperature change Picture Mode to User.

Auto Adjustment

This function is for the automatic adjustment of the screen position, clock, phase and scale in pc mode. The displayed image will disappear for a few seconds while the auto configuration is in progress. Although the image is still not correct, your set is functioning properly but needs further adjustment.

- Press the MENU button and then press the Down or Up button to select the Video.
- Press the **OK** button and then press the **Down** or **Up** button to select **VGA**.
- Press the OK button and then press the Down or Up button to select Auto Adjust.
- 4. Press the **OK** button to start auto adjust.
- 5. If picture needs to be adjusted more after Auto Adjust, you can adjust manually.

For more information on Manual Adjust, refer to the next page.






Manual Adjustment

If the picture isn't clear after auto adjustment and especially if characters are still trembling, adjust the picture phase manually.

To correct the screen size, adjust Clock.

- Press the MENU button and then press the Down or Up button to select the Video.
- 2. Press the **OK** button and then press the **Down** or **Up** button to select **VGA**.
- 3. Press the **OK** button and then press the **Down** or **Up** button to select **H.Position** or **V.Position**.
- 4. Press the **OK** button and then press the **Left** or **Right** button to make appropriate adjustments.
- Press the **Down** or **Up** button to select **Phase** or **Clock**.
- Press the **OK** button and then press the **Left** or **Right** button to make appropriate adjustments.
- 7. Press the **MENU** button to return to the previous menu.





H.Position

This function is to adjust horizontal position of screen.

V.Position

This function is to adjust vertical position of screen.

Phase

This function allows you to remove any horizontal noise and clear or sharpen the image of characters.

Clock

This function is to minimize any vertical bars or stripes visible on the screen background. And the horizontal screen size will also change.

Special Functions

Picture Format

You can watch the screen in various picture formats; 4:3, ZOOM, Auto, Full.

If a fixed image is displayed on the screen for a long time, that fixed image may become imprinted on the screen and remain visible.

Repeatedly press the **ZOOM** button to select your desired picture format.

4:3

Following selection will lead you to view a picture with an original 4:3 aspect ratio, with gray bars appearing at both the left and right sides.

■ ZOOM

When your set receives the wide screen signal, when selected it will adjust the picture horizontally, in nonlinear proportion, to fill the entire screen.

Auto

When your set receives the wide screen signal, it will change automatically the picture format that has been sent.

■ Full

You can enjoy the cinema or general TV program through the 16:9 mode.

The screen 16:9 is viewed just like that but the screen 4:3 is magnified to the left and right so that the screen 16:9 is full.

NOTE -----

- You can only select 4:3, Zoom, Auto and Full below 480p.
- You can only select 4:3 and Full above 720p.
- You can only select 4:3 and Full in VGA mode.

Specification

Мо	del	MT-SYKIT32E1AB		
Dimension	Horizontal	796.0 mm		
	Height	583.0 mm		
	Thickness	233.0 mm		
Weight		14.3 kg		
Contrast Ratio		1,000:1 typical		
Brightness		500 cd/m² typical		
Panel Resolution		1366 (H) x 768 (V)		
Display Color		16.7M colors		
Audio Output		2.5W + 2.5W		
Consumption		135W		
External Port		• HDMI / DVI IN	AUDIO IN (RGB / DVI)	
		• RGB IN(PC)	ANTENNA / CABLE IN	
		COMPONENT IN	DIGITAL AUDIO OUT	
		• S-VIDEO IN	(COAXIAL)	
		• AV IN	• AC IN	

Troubleshooting

Problem	Check Point
No picture on screen.	 Check whether the set is turned on. Power cord inserted into wall outlet? Test if there is power coming from the wall outlet by plugging in another product into the wall outlet where the set's power cord was plugged in.
The remote control doesn't work.	 Check to see if there is any object between the set and the remote control causing obstruction. Check to see if the batteries are installed with the correct polarities. Install new batteries.
Picture appears slowly, after switching on.	This is normal as the image is muted during the start up process of the set. Please contact your service center, if the picture has not appeared after five minutes.
No or Poor color	Select color in the Picture menu and press the Left or Right button.
Horizontal/Vertical bars or picture shaking	Check for local interference such as a nearby electrical appliance or power tool.
Unusual sound from inside the set.	A change in ambient humidity or temperature may result in an unusual noise at the time of switching off or on of the set and does not indicate a fault with the set.

MEMO



SOYO End-User One Year Limited Warranty

SOYO, Inc. warrants all SOYO brand products you have purchased from SOYO or from a SOYO authorized reseller / retailer to be free from defects in materials and workmanship under normal use during the warranty period and subject to the terms and conditions set forth below, in the continental United State, Hawaii, Alaska and Canada. If the Product becomes defective during the warranty period SOYO will, at its option, repair or replace the product. SOYO may use new or reconditioned components or parts to repair the Product, or replace the Product with new or reconditioned Product of the same or functionally equivalent model.

SOYO FPD (Flat Panel Display) TV Standard Limited Warranty: Subject to the exclusions set forth below:

One year from the purchase date by the original retail purchaser (the "Customer") (expect for refurbished or Demo Products which have a separate warranty policy) parts and labor only.

Return Merchandise Authorization Shipping: The customer will pay shipping to SOYO and SOYO will pay shipping to the customer during the standard warranty period.

Dead on Arrival (DOA): Customer must contact SOYO within fifteen (15) days of purchase of any Product which is DOA. SOYO will issue a Return Merchandise Authorization (RMA) number to process the replacement. SOYO will replace the DOA unit with a brand new replacement, once the DOA unit has been received at SOYO. SOYO will cover the shipping cost both ways.

Shipping Damages: All shipping damages must be reported to SOYO within five (5) business days upon receipt of the Products. SOYO is not responsible for any shipping damages reported after such period.

Repaired or Replaced Products: All repaired or replaced parts or Products shall be warranted only for the remainder of the original warranty period.

Obtaining Warranty Service:

If you purchased a SOYO Product in the continental United States, Hawaii, Alaska or Canada, you are entitled to warranty service during the warranty period, subject to the terms and conditions set forth within.

Service is available for all SOYO Products purchased and located in the continental United States, Hawaii, Alaska or Canada.

You must contact SOYO Technical Support Department at (909) 292-2545

A SOYO Technician will attempt to resolve the issue over the telephone. If the issue cannot be resolved over the telephone, a Return Merchandise Authorization (RMA) number will be issued for the return of the Product. The RMA number will only be valid for a period of thirty (30) days from date of issue.

When you return your product, you must prepay any shipping charges, export taxes, customs duties, and taxes or any other charges associated with the return of the product to SOYO. Additionally you may want to purchase insurance to cover the replacement value of the Product being shipped should in become lost or stolen. When Shipping a Product for service we recommend selecting a service which you can track the delivery of the Product

All returned Products must be accompanied by the following items: (i) the original shipping and packaging materials, (ii) a brief description of the problem, and (iii) proof of purchase including a copy of the invoice or receipt which shows the date of purchase, model number of the SOYO product and name and address of reseller or retailer.

SOYO reserves the right to refuse and return, freight collect, Product(s) that are not covered by SOYO warranty; or products delivered to SOYO with an expired RMA number.

SOYO will use its best efforts to service Products within thirty (30) days after receipt of the RMA. Once the service is completed, SOYO at its expense will ship via ground carrier and will retain all risk of loss until delivery to the customer's location as evidenced by signature collected by carrier. The customer may designate only one location within the continental United States, Hawaii, Alaska or Canada for return shipment. SOYO is not responsible for shipping or other delays beyond their control.

EXCLUSIONS TO WARRANTY – This limited warranty does not extend to any product not purchased from SOYO or SOYO authorized resellers. This limited warranty also does not extend to any Product that has been damaged or rendered defective (1) due to normal wear and tear; (2) as a result of use of the Product other than for normal intended use, or other misuse, abuse or negligence to the Product; (3) by the use of parts not manufactured or sold by SOYO; (4) by modification of the Product; (5) as a result of service by anyone other than SOYO or a SOYO authorized service provider; (6) improper transportation or packaging when shipping the product (7) improper installation of third-party products; (8) improper operating environment (including improper temperature and humidity); (9) unusual physical or electrical stress or interference, failure or fluctuation of electrical power, lightning, static electricity, fire, or acts of god.

Other Limitations

EXCEPT FOR THE WARRANTIES SET FORTH HEREIN, SOYO DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED OR STATUTORY, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ANY IMPLIED WARRANTIES THAT MAY BE IMPOSED BY APPLICABLE LAW ARE LIMITED TO THE TERMS OF THIS LIMITED WARRANTY. IN NO EVENT SHALL SOYO BE LIABLE FOR ANY INDIRECT, INCIDENTAIL, SPECIAL OR CONSEQUENTIAL DAMAGESOF ANY KIND, INCLUDING BUT NOT LIMITED TO LOSS OF BUSINESS, REVENUE, PROFITS, INFORMATION, DATA OR USE, WHETHER IN AN ACTION IN CONTRACT OR TORT OR BASED ON A WARRANTY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE PRODUCT, EVEN IF SOYO HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. YOU AGREE THAT REPAIR OR REPLACEMENT, AS APPLICABLE, UNDER THE WARRANTY SERVICE DESCRIBED HEREIN IS YOUR SOLE AND EXCLUSIVE REMEDY WITH RESPECT TO ANY BREACH OF THE SOYO LIMITED WARRANTY SET FORTH HEREIN. IF, DESPITE THE FORGOING LIMITATIONS, FOR ANY REASON SOYO BECOMES LIABLE TO YOU FOR DAMAGES INCURED BY YOU IN CONNECTION WITH THIS AGREEMENT, THEN THE LIABILITY OF SOYO WILL BE LIMITED TO THE AMOUNT EQUAL TO THE INVOICE AMOUNT PAID BY YOU TO SOYO OR AN AUTHORIZED SOYO RESELLER FOR

The terms and conditions are subject to change without notice. Some states or provinces / jurisdictions do not allow the exclusion or limitation of incidental or consequential damages for consumer Products, and some states or provinces / jurisdictions do not allow limitations on how long an implied warranty last. In such states or provinces / jurisdictions, the exclusions or limitations of this limited warranty may not apply. This limited warranty gives you specific legal rights. You may also have other rights that vary from state to state provinces / jurisdictions. You are advised to consult applicable state and provincial laws for a determination of your rights.

For more detail information and tips please check http://www.soyo.com/content/Warranty_Policy/42

For information regarding purchasing an Extended Warranty, visit http://www.soyo.com/content/Extended_Warranty_Order_Form/44



PRODUCT REGISTRATION

IMPORTANT! Please fill out and return within the next 10 days.

This is your SOYO Product Registration Card. Proper registration can serve as proof of purchase in the event your original receipt becomes misplaced or lost. Returning this card will not affect warranty coverage, but may expedite the processing of warranty claims. The additional information will also help us to develop new products that best meet your needs and desires.

☐ MR. ☐ MRS. ☐ MS. ☐ MISS FIRST NAME: INITIAL: LAST NAME: STREET: APT NO.: CITY: STATE: ZIP CODE: EMAIL ADDRESS:	
STREET: CITY: STATE: ZIP CODE: EMAIL ADDRESS:	
CITY: STATE: ZIP CODE: EMAIL ADDRESS:	
EMAIL ADDRESS:	
Part2	
Part2	
DATE OF PURCHASE (MM/DD/YYYY): / /	
MODEL NUMBER: SERIAL NUMBER (on back of unit):	
DID YOU PURCHASE AN EXTENDED SERVICE PLAN FOR THIS PRODUCT? YES NO	
WHERE DID YOU PURCHASE THIS PRODUCT?	
Part3	
WHERE DID YOU FIRST LEARN ABOUT THIS SOYO PRODUCT? (CHECK ONE ONLY)	
□ Salesperson □ Friend/Relative □ Magazine Article / Review	
☐ SOYO Website ☐ Magazine Advertisement ☐ Newspaper Advertisement	
☐ In-Store Display ☐ Sunday Insert ☐ Product Carton	
Online Product Review Online Advertisement Other	
WHAT WERE THE TWO MOST IMPORTANT FACTORS THAT INFLUENCED YOUR SELECTION OF THIS PRODUCT? (TWO ONLY)	
SOYO Reputation Screen Size Recommended by a Salesperson Prior Experience with SOYO Warranty Picture Quality	
Style / Appearance Durability Other	
☐ Slimness ☐ Portability	
☐ Price / Value ☐ Recommended by Friend/Relative	
PLEASE CHECK THE LOCATION WHERE THIS UNIT WILL BE USED	
☐ Living Room ☐ Family / Recreation Room ☐ Home Office	
☐ Adult's Bedroom ☐ Kitchen ☐ Mobile Home/Trailer ☐ Child's Bedroom ☐ Basement ☐ Other	
WHERE WILL THE TELEVISION BE INSTALLED? Wall	
Vali	
WHAT OTHER BRANDS OF TVS DID YOU SERIOUSLY CONSIDER BEFORE SELECTING THIS SOYO PRODUCT?	
What Office Brands Considered Shape Serious To Serious To Serious To Shape	
RCA Panasonic Philips	
☐ LG ☐ Samsung ☐ Syntax	
☐ Sony ☐ Toshiba ☐ Other	
Part4	
TO HELP US UNDERSTAND OUR CUSTOMERS' LIFESTYLES, PLEASE CHECK THE THREE (3) MOST IMPORTANT INTERESTS AND ACTIVITIES IN	N WHICH
YOU OR YOUR SPOUSE ENJOYS PARTICIPATING ON A REGULAR BASIS.	
☐ Bicycling ☐ Flower Gardening ☐ Fashion Clothing ☐ Science Fiction ☐ Wildlife Fault Insurance ☐ Wildlife	
☐ Golf ☐ Vegetable Gardening ☐ Foreign Travel ☐ Wildlife/Env'l Issues ☐ Physical Fitness/Exercise ☐ Crafts ☐ Cruise Ship Vacations ☐ Dieting/Weight Cont	
Running/Jogging Buying Prerecorded Videos Travel in USA Science/New Techn	
☐ Tennis ☐ Automotive Work ☐ Gourmet Cooking/Fine Foods ☐ Self Improvement	3 ,
Camping/Hiking Electronics Wines Walking for Health	
Fishing Home Workshop/Do-It-Yourself Stamp/Coin Collecting Watching Sports on Hunting/Shooting Recreation Vehicles (RV's) Collectibles Home Video Record	
☐ Hunting/Shooting ☐ Recreation Vehicles (RV's) ☐ Collectibles ☐ Home Video Record ☐ Power Boating ☐ Listen to Records/Tapes/CDs ☐ Our Nation's Heritage ☐ Moneymaking Oppo	
Sailing Avid Book Reading Real Estate Investments	
Grandchildren Bible/Devotional Reading Stocks/Bond Investments	
□ Needlework/Knitting □ Photography □ Contests/Sweepstakes	
Sewing Cultural/Arts Events Casino Gambling	

Thanks for taking the time to fill out this questionnaire. Your answers will be used for market research studies and reports. They will also allow you to receive important mailings and special offers from a number of fine companies whose products and services relate directly to the specific interests, hobbies, and other information indicated above. Through this selective program, you will be able to obtain more information about activities in which you are involved and less about those in which you are not. Please check here if, for some reason, you would prefer not to participate in this opportunity. Failure to return this card will not diminish your warranty rights.

PRODUCT REGISTRATION DEPARTMENT: Please do not send any products or other correspondence to this address. If you have comments or suggestions about our product, please write to: SOYO, Inc., 1420 S. Vintage Avenue, Ontario, California, 91761 | Visit our website at http://www.soyo.com

Copyright © 2008. All rights reserved.

Please seal with tape. Do not staple.

If you have comments or suggestions about our product, please write to:

\$SOYO, INC.

MARKETING DEPARTMENT 1420 S. VINTAGE AVE. ONTARIO, CALIFORNIA 91761 USA

Visit our website at http://www.soyo.com

First-Class
Postage
Required.
Post Office will
not deliver
without proper
postage.



PRODUCT REGISTRATION DEPARTMENT 1420 S. VINTAGE AVE. ONTARIO, CA 91761-3646



DIGITAL T



1420 South Vintage Ave.
Ontario, CA 91761
United States
www.soyo.com
A Publicly Traded Company: SOYO

Copyright © 2008 SOYO Group, Inc. All other trademarks and logos are property of their respective owners. All specifications are subject to change without notice.

P/NO: 3350GDKM0054A GPN08MA033A