



USER MANUAL Version1.1

Preface

Thank you for choosing our smart watch. You can fully understand the equipment by reading this manual. Use to appreciate the practical functions and simple operation methods. The company reserves the right to modify the contents of this manual without an prior notice, Subject to notice.

- Product configuration
 Smart watch X1
 Packing box X1
 Instruction X1
 Charging stand X1

Key operation instructions

The TEXT DESCRIPTION OF THE ATTENDANCE OF THE AT

5 seconds.

SPORT KEY: When the standby screen is off, press briefly to light up the screen first. If the timer function is running, short press no function. If the chronograph function is not running, press briefly to go directly to the sports mode

TP Touch Gesture Function Description

When the standby dial screen: Left swipe for menu, right swipe for today's data, health check, phone, weather, camera control, music control, breathing swercise in that order. Downward swipe is the shortest but Ju yaing for endifications. Either After entering each function, swipe right to aux tape by step. Data sixthening is the standby screen, persa and held the secree, the dial selection will appear, select the dail you want by suplaing left and right and citied to confirm. Too can change the dial and see a custom dial on the APP.











0

8

0

Watch to phone connection

onecoun function of your phone. not support multiple languages, the factory language is English. e APP language is automatically synchronised when connected to a APP.

inguages are: Android and JOS: Chinese, Traditional Chines , Spanish, Japanese, French, Russian, Arabic, Ukrainian, the QR code below to download and install the client APP,



+

+

In the watch settings menu - About screen, the watch MAC address will be displayed, you can identify your device by the MAC address of the device list kind; the watch will automatically synchronise the time after successful binding.

In future, every time you open the client, the watch will automatically connect to the phone and the data page of the client will drop glown You can synchronize that the phone will be considered to the mobile phone at the Blustooth name: RVT 5/22 in the The watch is Connected to the mobile phone at the Blustooth name will be watch this beam considered function. After the watch this beam considered function to the APP if it also meressary to connected to the APP in the adds from Blustooth name SVP-Call, through which you can play made and make calls from put modile phone on the wealth. The watch is connected to the APP in the some connected to the APP in the some connected to the APP in t

Watch charging and activation

The watch needs to be charged and activated before it can be used for the first time. Use the supplied magnetic charger to attach to the metal contacts on the back of th watch and connect the other end of the charger to the The other end of the charger can be connected to a USB charging head or to a USB port on your computer.



Main features

Heart rate
The watch can record and display 24H heart rate valus
throughout the day. Click on the heart rate screen to
Current heart rate value can be measured. You can
only see the 24H data for the day, the bracelet data
The bracelet data is cleared in the early hours of the d

Exercise

8 Sports modes to choose from including: walking, running, cycling, basketball, football, badminton, jumping rope and swimming. More detailed analysis and data Records can be viewed in the cleint. Pedometer is cleared in the early hours of the morning.



20000



Weather information
The weather page displays the current weather, air
quality information, and tomorrow's conditions for
tomorrow. The weather information is only available
if you are connected to the client. If you are disconne
for a long time, the weather information will not be
undated.











Drinking Reminder
The watch will alert you when it's time to drink at the scheduled drink time. Drinking water The reminder function can be set in the client.

Frequently asked questions and answers

Why do blood pressure values deviate from the blood pressure monitor? The deviation between the watch and the sphrypmonamenter in due to a number of actors. The sphrypmonamenter measures in the farchal art ray and the watch for actors. The sphrypmonamenter measures in the farchal art ray and the watch between the sphrypmonamenter and the sphrypmonamenter of the sphrypmonamenter and the sphrypmonamenter of the sphrypmonamenter and the sphrypmonamenter of the

and platform components Hardy Hardware Platform RTL8762DT+BK Extended FLASH(ROM) 64Mb 192KB TFT 1.32inch 360*360 Display size TP touch model Full Touch 816S+COF Heart rate model True Heart Rate TENECORE 3600 Silan Micro SC7A20 3-Axis Four keys (START: switch on/off key E XIT: exit key) TIME:Timer function key SPORT:Sport mode key) Pushbuttons Magnetic suction Charging current 0.5C approx. 110MA
Polymer battery with lithium protection 220MAH Rechargeable Battery Android/IOS Bluetooth 3.0 S02-Call for calling and playing music etc. Bluetooth 5.0 KW-S02 for connecting to mobile app for health and sports data transfer

Common Troubleshooting

LTH watch cannot be turned on: Press the on button for foo short a time, more than 3 seconds; the battery power is too low, please Use the haging; cable to charge.

2. The watch cannot be charge is offen the battery is too low, the charging contact is normal and the charge is when the battery is too low, the charging interface, will be displayed only when the battery is too low, the charging interface, will be displayed only when the battery is too low, the charging interface will be displayed only when the battery is too low.

Warranty Description

This product in normal use, if the product quality problems caused by manifacturing, materials, design and other reasons, from the date of purchase, the motherbeard within one year free warranty, battery, charges warranty for six months. which was the product of the state of the product of the state of the set follows: (1) Unauthorised disassembly, modification of the watch, etc. causing injury.

injury. [2] Injuries caused by inadvertent dropping during use. [3] All human damage or third party fault, misuse (e.g. water in the main unit, external shocks, scratch damage to peripheral components, etc.) is not covered by the warranty.

When requesting a free warranty, please provide a warranty card with the date of purchase and the stamp of the place of purchase. Warranty card.











FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Information

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.