

EUT:USB MOUSE

FCC ID:FSUGMZFU

KYE SYSTEMS CORP.

USER'S MANUAL

## U801 Mouse Installation Guide

### Introduction

This mouse device with its innovative shape will give you better comfort, quality, and control over a long period of time. It has plug and play features and is very easy to install.

### Installing USB mouse driver for Windows 95 OSR2

1. Insert the mouse driver diskette in to Drive A (or B).
2. Click on the **Start** button in the Windows 95 task bar, the select **Run**
3. Type A:\SETUP (or B:\SETUP) and click on OK  
the USB supplement will automatic installation.
4. Follow on the on-screen messages to finish the installation procedures then the Windows will restart.
5. The system will detect the USB mouse when you plug in the mouse to PC system  
and display a dialog box on screen. Please input "A:\" in the box then mouse can work property after installing driver.

### Cleaning Your Mouse

You can protect your mouse by keeping your work area clean and free from dust.

*Note: Make sure the system is off before you attempt to clean it*

1. Remove the ball by turning the ball retainer counter-clockwise until it becomes loose.
2. Use a soft or non-abrasive cleaner to clean the ball and rollers. You can also use a cotton swab to clean the ball container.
3. Reinstall the ball and the ball retainer.

**FEDERAL COMMUNICATIONS COMMISSION**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**NOTE**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
  - Increase the separation between the equipment and receiver.
  - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
  - Consult the dealer or an experienced radio/TV technician for help.
- Shielded interface cables must be used in order to comply with emission limits. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.