

蓝牙 LED 电源 LED (Bluetooth LED, Power LED)



遥控器生成感应区域 (Induction area of generating remote)



点击 APP“Discover”,点击“BlueTooth Settings”,点击“Click to search”, 点击“Pair”, 默认密码 KEYDIY, 手机 APP 与生成器匹配完成。

Click APP “Discover”—— click “Bluetooth Setting” —— “Click to search”—— click “Pair”,

Default password is “KEYDIY”, Finish matching the mobile phone with device.

输入电压 Input Voltage: 6V

输入频率 Input frequency: 200-500Mhz

输入功率 Input power: 0.9W

输入电流 Input current: 150Ma

输出电流 Output current: 100MA

输出电压 Output voltage: 3.3V

Product description

Users will choose the specified car remote option by Mobile phone APP, APP will find the relative data from the database and send the data to the Bluetooth module of the generating device by Bluetooth technology, after the device chip MCU has received the data from Bluetooth module, it will test and dispose the data, then transmit it to the nearby NFC Contactless tag module by NFC Contactless card reader module, after the remote control ASIC MCU has received the data from NFC Contactless tag module, it will test and dispose the data, then save the data in the memory module and finish downloading the remote data. After succeeding in completing all these processes, the users will only need to operate the key module, the remote control ASIC MCU will use RF transmitter module to send all kinds of control instruction to the specified cars.

Remote includes: Remote control ASIC MCU、RF transmitter module、memory module、Contactless card reader module、KEY

MOUDLE.

Generating Device: Device chip MCU 、 Bluetooth Communication module、 Contactless card reader module

Mobile phone APP: Bluetooth Communication Technology、 Database Storage technology、 UI Interface

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.