

### Kaba Mas List Price Book #21

November 1, 2013

### **Table of Contents**



| LIMITED WARRANTY   | 4              |
|--|----------------|
| TERMS AND CONDITIONS   |                |
| GITCON™ SERIES   | 7              |
| Gitcon G50 - Mechanical Lock Ordering Information                      | 8              |
| UNICON™ CL SERIES  |                |
| Unicon™ Models CL10/CL20/DL20 Ordering Information                     | 10-11          |
| Accessories  | 12             |
| AUDITCON® 2 SERIES   | 13             |
| 52/T52 Ordering Information  | 14-15          |
| 252/552 Ordering Information   | 16-17          |
| Accessories  | 18             |
| Parts  | 19-20          |
| CENCON®  | 2 <sup>.</sup> |
| Cencon Cash-In-Transit ATM Locking System Ordering Information         |                |
| Software/Accessories/Keys  | 24             |
| Parts  | 25-26          |
| X-10™ HIGH SECURITY LOCKS/CDX-10™ HIGH SECURITY PEDESTRIAN EXIT DEVICE | 27             |
| X-10 Ordering Information  |                |
| CDX-10   | 29             |
| X-10 Parts   |                |
| X-09 Parts   |                |
| CDX-10/CDX-09 Strikes/Mounting Plates                                  |                |
| TECHNICAL TRAINING   | 36             |
| PRODUCT WEIGHTS & MEASURES   | 37             |

### **Limited Warranty**



Kaba Mas LLC ("Kaba Mas") warrants to the original purchaser that the product(s) shall be free of defects in material and workmanship for a period of one (1) year from the date of manufacture by Kaba Mas (complete locks), and sixty (60) days (parts). This warranty applies provided there is compliance with all installation/operating instructions supplied by Kaba Mas and, provided further, that the product has been subject to normal use without any misuse, negligence, modification, or the occurrence of any accidental damage.

Kaba Mas MAKES NO OTHER WARRANTY WITH RESPECT TO THE PRODUCT, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY AS TO SUITABILITY OF THE PRODUCT FOR ANY PARTICULAR PURPOSE OR USE OR THE MERCHANTABILITY THEREOF AND SHALL NOT BE LIABLE FOR ANY LOSS OR DAMAGE SUSTAINED THROUGH BURGLARY, THEFT, ROBBERY, FIRE OR OTHER HAZARD. THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS EXPRESSED OR IMPLIED BY LAW AND/OR CUSTOM.

In the event of a defect in materials or workmanship covered by this warranty, the purchaser shall return, at purchaser's expense, the product to Kaba Mas for repair or replacement. Repair or replacement shall be at the election of Kaba Mas. The purchaser's sole remedy shall be the repair or replacement of the product and under no circumstances shall Kaba Mas be liable to the purchaser or any other person for any consequential, incidental, economic, direct, indirect, general or special damages arising out of any breach of warranty. In no event shall Kaba Mas's liability exceed the original cost of the product.

This warranty and remedies set forth above are exclusive and in lieu of all others, oral or written, expressed or implied. No dealer, distributor, agent or employee is authorized to make any modification or addition to this warranty.

Kaba Mas EXPRESSLY DISCLAIMS ANY WARRANTY OF NON-INFRINGEMENT PROVIDED UNDER KRS 355.2.312, UCC §2-312, OR SIMILAR LAW. KABA MAS SHALL NOT INDEMNIFY NOR BE RESPONSIBLE FOR ANY DAMAGES ARISING OUT OF A CLAIM THAT THIS PRODUCT INFRINGES ANY PATENT.

Some states do not allow the exclusion or limitation of implied warranties or limitation of liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you.

#### NOTICE

Installation of the product with any unapproved accessorial item or product may invalidate the Kaba Mas, LLC Limited Product Warranty.

#### **Terms & Conditions of Sale**



#### Terms and Conditions

All sales will be subject to the terms and conditions set forth herein, and any terms and conditions contained in any orders contrary to these terms and conditions will be null and void. Kaba Mas reserves the right to immediately and without further notice discontinue the selling of products to any customer that does not fully comply with these terms and conditions. Customer may not assign any rights or obligations without prior written consent of Kaba Mas.

#### **Products and Prices**

All prices of the products are set forth in the List Price Book. Kaba Mas reserves the right to amend such prices from time to time, and to discontinue the production of any product, or to change the design, function and finish thereof, without prior notice to the customer.

#### Credit Issues

Kaba Mas retains a purchase money security interest in all goods and materials which have been or are hereafter acquired by customer with credit granted by Kaba Mas ("Collateral"). Upon any default by customer, Kaba Mas shall have the rights of a secured party under the Uniform Commercial Code as adopted by the Commonwealth of Kentucky, as amended upon any default by customer. Kaba Mas may require customer to assemble the Collateral at a place designated by Kaba Mas. Customer shall reimburse Kaba Mas for all costs (including reasonable attorney's fees) incurred in collecting any amounts due to Kaba Mas or executing its interest hereunder. In addition to any other right or remedy hereunder, Kaba Mas shall have at all times the right to offset any obligation of customer to Kaba Mas against any obligation of Kaba Mas to customer. If in Kaba Mas's sole judgement any doubt arises at any time as to the ability of the customer to pay for the products, or if the customer at any time is past due in payment of any amount owing to Kaba Mas, Kaba Mas may (without liability and without prejudice to any remedies, and regardless of any schedule of shipment or payment to the contrary), delay production, postpone any shipment or stop any product in transit until Kaba Mas shall have received payment in full of all amounts, whether or not then due, owing to it by the customer. In case of any such postponement, the price of the products affected shall be the price in effect on the date of final shipment. Payment terms are Net 30 days unless otherwise specified. Any action or proceeding brought by customer of Kaba Mas arising out of these terms shall be brought solely in a court of competent jurisdiction located in Fayette County, Kentucky.

#### Warranty

Customer shall forever indemnify, defend and hold harmless Manufacturer from and against any and all losses, damages, costs (including, without limitation, attorney fees and court costs), expenses, claims, liabilities, obligations and judgements related to the product or the sale or use thereof to the extent not covered by Kaba Mas's warranty, including without limitation, by reason of any unauthorized warranties or representations with respect thereto. Customers shall promptly notify Kaba Mas of all charges, complaints or claims concerning the product, whether or not covered by Kaba Mas's warranty, and shall fully cooperate with Kaba Mas in investigating and resolving the same. The customer shall not repair, replace, modify or tamper with any product for warranty purposes unless the written consent of Kaba Mas is first obtained.

#### Taxes

Any taxes, duties, levies or other charges now hereafter imposed directly or indirectly on Kaba Mas or required to be collected directly or indirectly by Kaba Mas by any taxing authority in connection with the sale, delivery, use or consumption of the products, including, without limitation, any sales, documentary, use, excise, purchase, turnover and import taxes, consular fees and customs duties shall be for the account of the customer, and the customer shall on demand forthwith pay to Kaba Mas any such tax, levy or charge.

# **Terms & Conditions of Sale**Continued



#### **Promotion of Products**

The customer shall sell and promote the products in a manner which will enhance the image and good will of Kaba Mas, its customer and the products. The use of Kaba Mas's trademarks and name is strictly prohibited without prior written consent of Kaba Mas.

#### **Minimum Orders**

Minimum order amount per shipment is \$100.00 net.

#### Order Acknowledgements

All Kaba Mas orders will be acknowledged in writing within three (3) business days after receipt of all information pertinent to the order. It is the responsibility of the customer to check all acknowledgements in order to ascertain that they conform to their purchase order. All estimates of dates of delivery are made by Kaba Mas in good faith, and are not guaranteed.

#### Cancellations/Changes

Requests for cancellations or changes must be received by Kaba Mas within 5 business days of order acknowledgement date. Kaba Mas reserves the right to impose a re-stocking fee, as a percentage of the value of the merchandise, should a cancellation or change be made after production has begun.

#### Claims

Claims for shortages or errors in packaging must be made to Kaba Mas in writing within ten (10) business days after receipt of shipment.

#### **Returned Merchandise**

Returns will not be accepted without prior written approval by Kaba Mas and without a Returned Goods Authorization Number issued by Kaba Mas's Customer Service Department. All returns are subject to a re-stocking charge. Purchaser must provide invoice number and information regarding original date of shipment with all returned goods. Electronic components sold under the Parts Program are not returnable under any circumstances.

#### **Shipments**

All products shall be shipped F.O.B. factory and shall be deemed the property of the customer when accepted by the carrier. Unless otherwise agreed in writing, the choice of carrier shall be at Kaba Mas's sole discretion. A service fee of \$25.00 (net) will be applied to all orders drop shipped at the request of the customer.

#### Force Majeure

Kaba Mas shall be excused for any delay in performance hereunder and shall not be responsible for any loss or damage caused by acts of God; accident or casualty; war or warlike activities; insurrection or civil commotion: supply, labor, engineering, or transportation difficulties; acts of any government (with or without valid jurisdiction); strikes; blockades; boycotts, lockouts or any other causes, whether or not similar in nature to those specified herein, beyond Kaba Mas's control. The provision as regards strikes, blockades, boycotts and lockouts shall apply irrespective of whether Kaba Mas itself is the subject or instigator of such a measure. Performance by Kaba Mas hereunder shall be suspended during the continuance of any such measure.



### Gitcon<sup>TM</sup> Series

Goods-In-Transit Locks

### Model G50 — Mechanical



| Handle  X Swing door XXXXXXXXXXXXXXXXXX Sta R Roll-up Door Whiting Premium XXXXRXXXXXXXXXXXX add \$ T Roll-up Door Whiting General Purpose (Todco) XXXXTXXXXXXXXXX add \$  Core Kit ICX Interchangeable Core Cylinder Housing XXXXICXXXXXXX sta  Keying  KD Keyed different XXXXXXXXKDXXXXX sta XC Less Core XXXXXXXXXXXX deduct  Door Thickness A 3/4" Door XXXXXXXXXXXXXXX sta G 11/2" Door XXXXXXXXXXXXXXX sta G 11/2" Door XXXXXXXXXXXXXXXX sta G 11/2" Door XXXXXXXXXXXXXXX sta G 11/2" Door XXXXXXXXXXXXXXXX sta G 11/2" Door XXXXXXXXXXXXXXXX sta G 11/2" Door XXXXXXXXXXXXXXXXX sta G 11/2" Door XXXXXXXXXXXXXXXXX sta G 11/2" Door XXXXXXXXXXXXXXXXXXX sta G 11/2" Door XXXXXXXXXXXXXXXXXX sta G 11/2" Door XXXXXXXXXXXXXXXXXXXXXXX sta G 11/2" Door XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | Model/Power    | Description                           | LIN (Lock Identification Number) | List Price    |
|--|----------------|---------------------------------------|----------------------------------|---------------|
| X Swing door XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  | 050M           | Model G50 - Mechanical                | O50Mxxxxxxxxxxx                  | \$416.00      |
| X Swing door XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  | Handle         |                                       |                                  | Add to List   |
| R Roll-up Door Whiting Premium xxxxRxxxxxxxxx add \$ T Roll-up Door Whiting General Purpose (Todco) xxxxTxxxxxxxxx add \$  Core Kit  ICX Interchangeable Core Cylinder Housing xxxxxICXxxxxxxx sta  Keying  KD Keyed different xxxxxxxxKDxxxxx sta XC Less Core xxxxxxxXCxxxxx deduct  Door Thickness  A 3/4" Door xxxxxxxxxxxxxxxx sta G 11/2" Door xxxxxxxxxxxxxxxx sta G 11/2" Door xxxxxxxxxxxxxxxxx sta  Mounting Plate  Z No Selection Required xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx   |                | Swing door                            | xxxx <b>X</b> xxxxxxxxx          | standard      |
| T Roll-up Door Whiting General Purpose (Todco) xxxxTxxxxxxxxx add \$  Core Kit  ICX Interchangeable Core Cylinder Housing xxxxxICXxxxxxxx sta  Keying  KD Keyed different xxxxxxxxKDxxxxx deduct  XC Less Core xxxxxxxxXCxxxxx deduct  Door Thickness  A 3/4" Door xxxxxxxxxxxxxxxxxx sta  G 11/2" Door xxxxxxxxxxxxxxxxxx r  Country Code  E United States xxxxxxxxxxxxxxxxxxx sta  Mounting Plate  Z No Selection Required xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx  |                |                                       |                                  | add \$68.00   |
| ICX     Interchangeable Core Cylinder Housing     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX   |                | <u> </u>                              |                                  | add \$68.00   |
| ICX     Interchangeable Core Cylinder Housing     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX   | Core Kit       |                                       |                                  |               |
| KD Keyed different XXXXXXXXKDXXXXX Sta XC Less Core XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX   |                | Interchangeable Core Cylinder Housing | xxxxxICXxxxxxxx                  | standard      |
| KD Keyed different XXXXXXXXKDXXXXX Sta XC Less Core XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX   | Kevina         |                                       |                                  |               |
| Door Thickness  A 3/4" Door  |                | Keyed different                       | xxxxxxxKDxxxxx                   | standard      |
| A 3/4" Door XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX   | XC             | Less Core                             | xxxxxxxXCxxxxx                   | deduct \$5.00 |
| G 11/2" Door XXXXXXXXXGXXXX r  Country Code  E United States XXXXXXXXXEXXX sta  Mounting Plate  Z No Selection Required XXXXXXXXXXXXXXXX  Install  1 G50 Install Group, English XXXXXXXXXXXXXXX sta  | Door Thickness |                                       |                                  |               |
| Country Code  E United States  | A              | 3/4" Door                             | xxxxxxxxxAxxxx                   | standard      |
| E     United States     XXXXXXXXXXEXXX     State       Mounting Plate     Z     No Selection Required     XXXXXXXXXXXXXXXX       Install     1     G50 Install Group, English     XXXXXXXXXXXXXXXXX     state  | G              | 11/2" Door                            | xxxxxxxxxGxxxx                   | no add        |
| Mounting Plate  Z No Selection Required xxxxxxxxxxxZxx  Install  1 G50 Install Group, English xxxxxxxxxxx1x sta  | Country Code   |                                       |                                  |               |
| Z No Selection Required xxxxxxxxxxxZxx  Install  1 G50 Install Group, English xxxxxxxxxxx1x sta  | •              | United States                         | xxxxxxxxxxExxx                   | standard      |
| Z No Selection Required xxxxxxxxxxxZxx  Install  1 G50 Install Group, English xxxxxxxxxxx1x sta  | Mounting Plate |                                       |                                  |               |
| 1 G50 Install Group, English xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx  | -              | No Selection Required                 | xxxxxxxxxxXZxx                   |               |
| · ·  | Install        |                                       |                                  |               |
| · ·  | 1              | G50 Install Group, English            | xxxxxxxxxxxxx1x                  | standard      |
|  | 2              | · · ·                                 | xxxxxxxxxxxxx2x                  | no add        |
| Packaging  | Packaging      |                                       |                                  |               |
| A Distributor (Individual) xxxxxxxxxxxxA sta   | Α              | Distributor (Individual)              | Axxxxxxxxxxx                     | standard      |





### Unicon<sup>TM</sup> Series

Multi-Use Cabinet Locks

# **Unicon Series**Models CL10/CL20/DL20



| Model          | Description                                 | LIN (Lock Identification Number) | List Price  |
|----------------|---|----------------------------------|-------------|
| CL10           | Cabinet Lock Model 10                       | CL10xxxxxxxxxxx                  | \$260.00    |
| CL20           | Cabinet Lock Model 20                       | CL20xxxxxxxxxxx                  | \$296.50    |
| DL20           | Door Lock Model 20                          | DL20xxxxxxxxxx                   | \$348.50    |
| Power Source   |   |                                  | Add to List |
| S              | Battery Powered                             | xxxxSxxxxxxxx                    | standard    |
|                | (Supplied less battery)                     |                                  |             |
| Keypad         |   |                                  |             |
| MK             | Universal Keypad, for all lock orientations | xxxxxMKxxxxxxxx                  | standard    |
| Door Thickness |   |                                  |             |
| (Material)     |   |                                  |             |
| 1              | 14-20 Gauge Sheet Metal                     | xxxxxxx <b>1</b> xxxxxxx         | no add      |
| 2              | 1/8" (4mm) Sheet Metal                      | xxxxxxx2xxxxxxx                  | no add      |
| 3              | 3/16" (5mm) Sheet Metal                     | xxxxxx3xxxxxxx                   | no add      |
| 4              | 1/4" ( 6mm) Sheet Metal                     | xxxxxxx4xxxxxxx                  | no add      |
| 5              | 1/2" (13mm) to 7/8" (23mm) Wood             | xxxxxxx5xxxxxxx                  | no add      |
| 6              | Metal Display Stand                         | xxxxxxx6xxxxxxx                  | no add      |
| 7              | 1 3/8" - 1 3/4" Wood or Metal Door          | xxxxxxx <b>7</b> xxxxxxx         | no add      |
|                | (for Model DL20 only)                       |                                  |             |
| Bolt           |   | LIN#                             | Add to List |
| CAM            | Cam Latch                                   | xxxxxxxCAMxxxx                   | \$15.50     |
|                | for door thickness 1, 2, 3 or 4 (metal)     |                                  |             |
| CAW            | Cam Latch                                   | xxxxxxxCAWxxxx                   | \$15.50     |
|                | for door thickness 5 (wood)                 |                                  |             |
| DEM            | Dead Bolt, End Throw,                       | xxxxxxxxDEMxxxx                  | no add      |
|                | for door thickness 1, 2, 3 or 4 (metal)     |                                  |             |
| DEW            | Dead Bolt, End Throw,                       | xxxxxxxDEWxxxx                   | no add      |
|                | for door thickness 5 (wood)                 |                                  |             |
| DCM            | Dead Bolt, Cross Throw,                     | xxxxxxxxDCMxxxx                  | no add      |
|                | for door thickness 1, 2, 3 or 4 (metal)     |                                  |             |
| DCW            | Dead Bolt, Cross Throw,                     | xxxxxxxxDCWxxxx                  | no add      |
|                | for door thickness 5 (wood)                 |                                  |             |
| DMM            | Dead Bolt, End Throw, w/ Cross Throw Parts  | xxxxxxxxDMMxxxx                  | \$8.25      |
|                | for door thickness 1, 2, 3 or 4 (metal)     |                                  |             |
|                |   |                                  |             |



# **Unicon Series**Models CL10/CL20/DL20



| Bolt (continue       | ed)   | LIN #            | Add to List         |
|----------------------|---|------------------|---------------------|
| DMW                  | Dead Bolt, End Throw, w/ Cross Throw Parts      | xxxxxxxxDMWxxxx  | \$8.25              |
|                      | for door thickness 5 (wood)                     |                  |                     |
| SEM                  | Spring Latch Bolt, End Throw                    | xxxxxxxxSEMxxxx  | no add              |
|                      | for door thickness 1, 2, 3 or 4 (metal)         |                  |                     |
| SEW                  | Spring Latch Bolt, End Throw                    | xxxxxxxxSEWxxxx  | no add              |
|                      | for door thickness 5 (wood)                     |                  |                     |
| SCM                  | Spring Latch Bolt, Cross Throw                  | xxxxxxxxSCMxxxx  | no add              |
|                      | for door thickness 1, 2, 3 or 4 (metal)         |                  |                     |
| SCW                  | Spring Latch Bolt, Cross Throw                  | xxxxxxxxSCWxxxx  | no add              |
|                      | for door thickness 5 (wood)                     |                  |                     |
| SDI                  | Spring Bolt, Door, Inswing                      | xxxxxxxxSDIxxxx  | no add              |
|                      | for door thickness 7 (wood or metal)            |                  |                     |
| SDO                  | Spring Bolt, Door, Outswing                     | xxxxxxxxSDOxxxx  | no add              |
|                      | for door thickness 7 (wood or metal)            |                  |                     |
|                      |   |                  |                     |
| <b>Control Shaft</b> | Length  |                  | Add to List         |
| Α                    | 1.75" (44.5mm) for Dead Bolts & Cam Latches:    | xxxxxxxxxxAxxx   | no add              |
|                      | DEM, DEW, DCM, DCW, DMM, DMW, CAM, CAW          |                  |                     |
| В                    | 1.75" (44.5mm) for Spring Latch Bolts:          | xxxxxxxxxxBxxx   | no add              |
|                      | SEM, SEW, SCM, SCW                              |                  |                     |
| С                    | 1.915" (48.64mm) for Dead Bolts:                | xxxxxxxxxxCxxx   | no add              |
|                      | DEM, DCM, DMM (cart applications)               |                  |                     |
| D                    | 1.25" (31.75mm) for Spring Bolt Door            | xxxxxxxxxxDxxx   | no add              |
|                      | asm No Key Override: SDI, SDO (door application | ns)              |                     |
| E                    | 1.25" 31.75mm) for Spring Bolt Door             | xxxxxxxxxxExxx   | \$130.00            |
|                      | asm w/ Key Override: SDI, SDO (door application | ns)              |                     |
| Country Code         |   |                  | Add to List         |
| E                    | United States                                   | xxxxxxxxxxxExx   | standard            |
| _                    | Office States                                   | ^^^^^^^          | Standard            |
| Install              |   |                  |                     |
| 1                    | Standard Screws                                 | xxxxxxxxxxxxxx1x | standard            |
|                      |   |                  |                     |
| Packaging<br>^       | Distributor (Individual)                        | VVVVVVVVVVVVVVVV |                     |
| A                    | Distributor (Individual)                        | AXXXXXXXXXXXXX   | standard<br>\$31.25 |
| M                    | Metal Display, mounted                          | xxxxxxxxxxxxM    |                     |
| W                    | Wood Display, mounted                           | xxxxxxxxxxxW     | \$46.75             |



#### **Unicon Series**

#### Accessories



| Part # | Package Qty. | Description  | Package Price |
|--------|--------------|--|---------------|
| 321100 | 1            | Unicon™ Series Software Implementation Package*                        | \$831.00      |
| 321109 | 1            | Unicon™ Series Software Upgrade Package**                              | \$753.00      |
|        |              | (for previous Unicon Series software users requiring operating system+ | upgrade)      |
| 327031 | 1            | Reporting Key Fob (red) for downloading data from lock                 | \$52.00       |
| 327030 | 1            | Programming Key Fob (teal) for uploading data to lock                  | \$57.25       |
| 203286 | 1            | USB Adapter for Unicon Data Cable                                      | \$57.25       |
| 202124 | 1            | Serial Adapter for Unicon Data Cable                                   | \$57.25       |
| 322007 | 1            | Unicon Data Cable  | \$20.75       |
| 321102 | 1            | Key Override Sensor Kit*** (keyed different cylinder)                  | \$46.75       |
| 321103 | 1            | Key Override Sensor Kit**** (keyed alike cylinder)                     | \$46.75       |
| 321106 | 50           | Unicon Lock Covers (for front housing & knob)                          | \$114.50      |
| 321107 | 8            | Duracell CR-2 Batteries  | \$79.00       |

<sup>\*</sup>Includes Software Install CD, Reporting key fob, Programming key fob, USB adapter and key fob data cable.

†Consult Technical Support for currently supported operating systems.

NOTE: Minimum order amount per shipment is \$100.00 net.

Unicon CL Series locks packed (10) per master carton.

<sup>\*\*</sup>Includes Software Install CD only.

<sup>\*\*\*</sup>Includes Cylinder, 2 keys, sensor switch adapter assembly and cam. For use with spring loaded latch bolt only.

<sup>\*\*\*\*</sup>For customer reorders, 4-digit key code must be specified for keyed alike cylinders. Includes Cylinder, 2 keys, sensor switch adapter assembly and cam. For use with spring loaded latch bolt only.



Commercial Safe Locks

### **Auditcon 2 Series** Models 52/T52





| Model/Power | Description                   | LIN (Lock Identification Number) Li | ist Price |
|-------------|-------------------------------|-------------------------------------|-----------|
| 052S*       | 52 Self-Powered               | 052Sxxxxxxxxxxx                     | \$295.25  |
| 05WS*       | 52 Self-Powered Swing Bolt    | 05WSxxxxxxxxxx                      | \$295.25  |
| T52S        | T52 Self-Powered              | T52Sxxxxxxxxxxx                     | \$331.75  |
| T5WS        | T52 Self-Powered Swing Bolt   | T5WSxxxxxxxxxx                      | \$331.75  |
| T52A        | T52 Battery Assist            | T52Axxxxxxxxxx                      | \$343.25  |
| T5WA        | T52 Battery Assist Swing Bolt | T5WAxxxxxxxxxx                      | \$343.25  |

<sup>\*</sup> available with "Housing/Display" RN or VN only

| Housing/Display |   | Add to List              |             |
|-----------------|---|--------------------------|-------------|
| RN              | Round                                   | xxxx <b>RN</b> xxxxxxxx  | standard    |
| RY*             | Round, Time Delay Display Compatible    | xxxx <b>RY</b> xxxxxxxx  | add \$16.75 |
| VN              | Vertical                                | xxxx <b>VN</b> xxxxxxxxx | standard    |
| VY*             | Vertical, Time Delay Display Compatible | xxxx <b>VY</b> xxxxxxxxx | add \$16.75 |

<sup>\*</sup> Refer to page 16 for Remote Time Delay Display Unit

| Bolt |  |                 | Add to List         |
|------|--|-----------------|---------------------|
| 10N  | Dead Bolt, Non-Sensor                                | xxxxxx10Nxxxxxx | standard dead bolt  |
| 10Y  | Dead Bolt, Sensor                                    | xxxxxx10Yxxxxxx | add \$28.50         |
| 20N  | Dead Bolt, Non-Sensor, 10-32.5 (2X) Tapped Holes     | xxxxxx20Nxxxxxx | add \$7.25          |
| 23N  | Dead Bolt, Non-Sensor, M4-7 x 15mm (2X) Tapped Holes | xxxxxx23Nxxxxxx | add \$7.25          |
| 70N* | Slide Bolt, Non-Sensor                               | xxxxxx70Nxxxxxx | standard slide bolt |
| 75N  | Swing Bolt, Non-Sensor                               | xxxxxx75Nxxxxxx | standard swing bolt |

<sup>\*</sup>Not VdS Certified if manufactured after 12/31/09

| Relocker/Case Cover |   | Add to List                             |          |
|---------------------|---|---|----------|
| 1                   | Slide Bolt, No Relocker Plate           | xxxxxxxxx <b>1</b> xxxxx                | standard |
| 2                   | Slide Bolt, Y Plate                     | xxxxxxxxx2xxxxx                         | no add   |
| 3                   | Slide Bolt, Y Plate and Universal Plate | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx | no add   |
| 4                   | Dead Bolt, No Relocker Plate            | xxxxxxxxx4xxxxx                         | no add   |
| 5                   | Dead Bolt, Universal Relocker Plate     | xxxxxxxxx5xxxxx                         | no add   |
| 8                   | Swing Bolt, No Relocker Plate           | xxxxxxxxx8xxxxx                         | no add   |
| 9                   | Swing Bolt, Universal Relocker Plate    | xxxxxxxxx9xxxxx                         | no add   |



### Models 52/T52 Continued





|   | (Spindled) - Door Thickness  |                          |   |     |  |
|---|--|--------------------------|---|-----|--|
| A   | Up to 1" (25.4 mm) Door  |                          | xxxxxxxxxAxxxx  |     | no add   |
| В   | Up to 3.5" (88.9 mm) Door  |                          | xxxxxxxxxxBxxxx   |     | standard   |
| C   | Up to 9" (228.6 mm) Door   |                          | xxxxxxxxxxCxxxx   |     | no ado   |
| D   | Up to 5" (127 mm) Door   |                          | xxxxxxxxxxDxxxx   |     | no ado   |
| E .   | Up to 15" (381 mm) Door  |                          | xxxxxxxxxxExxxx   |     | no ado   |
| F   | Up to 7" (177.8 mm) Door   |                          | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx                       |     | no add   |
| Clida Dalt (  | Non Chindled) Cable Langth   |                          |   |     |  |
| siide boit (  | (Non-Spindled) Cable Length<br>12" (304.8 mm)  |                          | xxxxxxxxxxLxxxx   |     | no ado   |
| <u> </u>  |  |                          | XXXXXXXXXXMXXXX   |     | standard   |
|   | 18" (457.2 mm)   |                          |   |     |  |
| <u>N</u>  | 30" (762 mm)   |                          | XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX                       |     | add \$13.50  |
| P   | 48" (1219.2 mm)  |                          | xxxxxxxxxxPxxxx   |     | add \$15.50  |
| Q   | 24" (609.6 mm)   |                          | xxxxxxxxxQxxxx  |     | no ado   |
| R   | 36" (914.4 mm)   |                          | xxxxxxxxxxRxxxx   |     | add \$15.50  |
| Country C   |  |                          |   |     | Add to List  |
| E   | †United States (UL/VdS/DN)   |                          | xxxxxxxxxxExxx  |     | standard   |
| S*  | †Spanish (UL/VdS/DNV/EN  | 1300)                    | xxxxxxxxxxxx  |     | no ado   |
| <b> </b> *  | †Italian (UL/VdS/DNV/EN 13   | 00)                      | xxxxxxxxxxxIxxx   |     | no add   |
| G*  | †German (UL/VdS/DNV/EN   | 1300)                    | xxxxxxxxxxxGxxx   |     | no ado   |
| F*  | †France (UL/VdS/DNV/EN 13  | 300)                     | xxxxxxxxxxFxxx  |     | no ado   |
| U*  | †United Kingdom (UL/VdS/[  | NV/EN 1300)              | xxxxxxxxxxXUxxx   |     | no ado   |
|   | I Come de la COLO ANDIO ADMINISTRA A   |                          |   |     |  |
|   | †Sweden (UL/VdS/DNV/EN 1 t "Dial Label" D  | [300]                    | xxxxxxxxxxDxxx  |     | no add   |
| * Must selec<br>† No VdS cer  |  |                          | xxxxxxxxxxDxxx  |     |  |
|   | t "Dial Label" D   |                          | xxxxxxxxxx <b>D</b> xxx                                       |     | Add to List  |
| * Must selec<br>† No VdS cer<br>Dial Label  | t "Dial Label" D<br>rtification for 70 N Slide Bolt if manufactured  |                          |   |     | <b>Add to List</b><br>standard   |
| * Must selec<br>† No VdS cer<br>Dial Label<br>A   | t "Dial Label" D<br>rtification for 70 N Slide Bolt if manufactured<br>Black   |                          | xxxxxxxxxx <b>A</b> xx  |     | <b>Add to List</b><br>standard<br>no add   |
| * Must selec<br>† No VdS cer<br>Dial Label<br>A   | t "Dial Label" D<br>rtification for 70 N Slide Bolt if manufactured<br>Black<br>Black, No Logo   |                          | xxxxxxxxxxx <b>A</b> xx<br>xxxxxxxxxx <b>B</b> xx             |     | Add to List<br>standard<br>no add<br>no add  |
| * Must selec:<br>† No VdS cer<br>Dial Label<br>A<br>B<br>C                              | t "Dial Label" D<br>rtification for 70 N Slide Bolt if manufactured<br>Black<br>Black, No Logo<br>No Label   | 1 after 12/31/09         | xxxxxxxxxxxx <b>A</b> xx<br>xxxxxxxxxxxxBxx<br>xxxxxxxxxxxCxx |     | Add to List<br>standard<br>no add<br>no add  |
| * Must select † No VdS cer  Dial Label  A  B  C  D                                      | t "Dial Label" D rtification for 70 N Slide Bolt if manufactured  Black Black, No Logo No Label †Tamper Evident  all Country Codes, except "E" at no addition  | 1 after 12/31/09         | xxxxxxxxxxxx <b>A</b> xx<br>xxxxxxxxxxxxBxx<br>xxxxxxxxxxxCxx |     | Add to List standard no add no add add \$7.25  |
| * Must select<br>† No VdS cer<br>Dial Label<br>A<br>B<br>C                              | t "Dial Label" D<br>rtification for 70 N Slide Bolt if manufactured<br>Black<br>Black, No Logo<br>No Label<br>†Tamper Evident  | 1 after 12/31/09         | xxxxxxxxxxxx <b>A</b> xx<br>xxxxxxxxxxxxBxx<br>xxxxxxxxxxxCxx |     | Add to List standard no add no add add \$7.25  |
| * Must select † No VdS cer  Dial Label A B C D  | t "Dial Label" D rtification for 70 N Slide Bolt if manufactured  Black Black, No Logo No Label †Tamper Evident  all Country Codes, except "E" at no addition  | 1 after 12/31/09         | xxxxxxxxxxxxAxx<br>xxxxxxxxxxxxBxx<br>xxxxxxxx                |     | Add to List standard no add no add add \$7.25  |
| * Must select † No VdS cer  Dial Label A B C D † shipped on  Install 1                  | t "Dial Label" D rtification for 70 N Slide Bolt if manufactured  Black Black, No Logo No Label †Tamper Evident  all Country Codes, except "E" at no addition  Standard Screws Metric Screws   | 1 after 12/31/09         | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx                        |     | Add to List standard no add no add add \$7.25  |
| * Must select † No VdS cer  Dial Label A B C D † shipped on Install 1 2 Packaging       | t "Dial Label" D rtification for 70 N Slide Bolt if manufactured  Black Black, No Logo No Label †Tamper Evident  all Country Codes, except "E" at no addition  Standard Screws Metric Screws   | 1 after 12/31/09         | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx                        |     | Add to List standard no add add \$7.25  Add to List standard no add                              |
| * Must select † No VdS cer  Dial Label A B C D † shipped on  Install                    | t "Dial Label" D rtification for 70 N Slide Bolt if manufactured  Black Black, No Logo No Label †Tamper Evident  all Country Codes, except "E" at no addition  Standard Screws Metric Screws   | 1 after 12/31/09         | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx                        |     | Add to List standard no add no add add \$7.25  |
| * Must select † No VdS cer  Dial Label A B C D † shipped on Install 1 2  Packaging A    | t "Dial Label" D rtification for 70 N Slide Bolt if manufactured  Black Black, No Logo No Label †Tamper Evident  all Country Codes, except "E" at no addition  Standard Screws Metric Screws  Distributor (Individual)  OEM (Bulk)             | a after 12/31/09         | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx                        |     | Add to List standard no add add \$7.25  Add to List standard no add  Add to List standard        |
| * Must select † No VdS cer  Dial Label A B C D † shipped on Install 1 2  Packaging A    | t "Dial Label" D rtification for 70 N Slide Bolt if manufactured  Black Black, No Logo No Label †Tamper Evident  all Country Codes, except "E" at no addition  Standard Screws Metric Screws  Distributor (Individual) OEM (Bulk)  Auditcon® 2 | a after 12/31/09         | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx                        |     | Add to List standard no add add \$7.25  Add to List standard no add  Add to List standard        |
| * Must select † No VdS cer  Dial Label A B C D † shipped on  Install 1 2  Packaging A B | t "Dial Label" D rtification for 70 N Slide Bolt if manufactured  Black Black, No Logo No Label †Tamper Evident  all Country Codes, except "E" at no addition  Standard Screws Metric Screws  Distributor (Individual) OEM (Bulk)  Auditcon® 2 | a after 12/31/09         | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx                        | A 1 | Add to List standard no add add \$7.25  Add to List standard no add  Add to List standard        |
| * Must select † No VdS cer  Dial Label A B C D † shipped on Install 1 2  Packaging A B  | Black Black, No Logo No Label †Tamper Evident  Standard Screws Metric Screws  Distributor (Individual) OEM (Bulk)  Auditcon® 2   | al cost  Series locks pa | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx                        |     | Add to List standard no add add \$7.25  Add to List standard no add  Add to List standard no add |

### **Auditcon 2 Series** Models 252/552





| Model/Power | Description                   | LIN (Lock Identification Number) | List Price |
|-------------|-------------------------------|----------------------------------|------------|
| 252S        | 252 Self-Powered              | 252Sxxxxxxxxxx                   | \$349.50   |
| 25WS        | 252 Self-Powered Swing Bolt   | 25WSxxxxxxxxxx                   | \$349.50   |
| 252A        | 252 Battery Assist            | 252Axxxxxxxxxx                   | \$349.50   |
| 25WA        | 252 Battery Assist Swing Bolt | 25WAxxxxxxxxxx                   | \$349.50   |
| 552A        | 552 Battery Assist            | 552Axxxxxxxxxx                   | \$735.25   |
| 55WA        | 552 Battery Assist Swing Bolt | 55WAxxxxxxxxxx                   | \$735.25   |

| Housing/Display |   | Add to List             |             |
|-----------------|---|-------------------------|-------------|
| RN              | Round                                   | xxxx <b>RN</b> xxxxxxxx | standard    |
| RY*             | Round, Time Delay Display Compatible    | xxxx <b>RY</b> xxxxxxxx | add \$16.75 |
| VN              | Vertical                                | xxxx <b>VN</b> xxxxxxxx | standard    |
| VY*             | Vertical, Time Delay Display Compatible | xxxx <b>VY</b> xxxxxxx  | add \$16.75 |

#### \* Refer to page 16 for Remote Time Delay Display Unit

| Bolt |  |                 | Add to List         |
|------|--|-----------------|---------------------|
| 10N  | Dead Bolt, Non-Sensor                                | xxxxxx10Nxxxxxx | standard dead bolt  |
| 10Y  | Dead Bolt, Sensor                                    | xxxxxx10Yxxxxxx | add \$28.50         |
| 20N  | Dead Bolt, Non-Sensor, 10-32.5 (2X) Tapped Holes     | xxxxxx20Nxxxxxx | add \$7.25          |
| 23N  | Dead Bolt, Non-Sensor, M4-7 x 15mm (2X) Tapped Holes | xxxxxx23Nxxxxxx | add \$7.25          |
| 70N* | Slide Bolt, Non-Sensor                               | xxxxxx70Nxxxxxx | standard slide bolt |
| 75N  | Swing Bolt, Non-Sensor                               | xxxxxx75Nxxxxxx | standard swing bolt |

<sup>\*</sup>Not VdS Certified if manufactured after 12/31/09

| Relocke | Relocker/Case Cover                     |                          |          |
|---------|---|--------------------------|----------|
| 1       | Slide Bolt, No Relocker Plate           | xxxxxxxxx <b>1</b> xxxxx | standard |
| 2       | Slide Bolt, Y Plate                     | xxxxxxxxx2xxxxx          | no add   |
| 3       | Slide Bolt, Y Plate and Universal Plate | xxxxxxxxx3xxxxx          | no add   |
| 4       | Dead Bolt, No Relocker Plate            | xxxxxxxxx4xxxxx          | no add   |
| 5       | Dead Bolt, Universal Relocker Plate     | xxxxxxxxx <b>5</b> xxxxx | no add   |
| 8       | Swing Bolt, No Relocker Plate           | xxxxxxxxx8               | no add   |
| 9       | Swing Bolt, Universal Relocker Plate    | xxxxxxxxx <b>9</b> xxxxx | no add   |
|         |   |                          |          |



### Models 252/552 Continued



| A<br>B  |  |  |   |
|---|--|--|---|
|   | (spindled) - door thickness<br>Up to 1" (25.4 mm) Door   | xxxxxxxxxAxxxx                                 | no add  |
| _   | Up to 3.5" (88.9 mm) Door  | xxxxxxxxxxBxxxx                                | no add  |
| <u> </u>  | Up to 9" (228.6 mm) Door   | xxxxxxxxxCxxxx                                 | no add  |
| )   | Up to 5" (127 mm) Door   | xxxxxxxxxDxxxx                                 | no add  |
| <u>.                                    </u>        | Up to 15" (381 mm) Door  | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx        | no add  |
| <u>-</u><br>F                                       | Up to 7" (177.8 mm) Door   | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx        | no add  |
|   | υρ το τ (111.8 Hilli) σσοί   | XXXXXXXXXXFXXXX                                | no aut  |
| Slide or Sv   | wing Bolt (non-spindled) cable length  |  |   |
| _   | 12" (304.8 mm)   | xxxxxxxxxxLxxxx                                | no ado  |
| М   | 18" (457.2 mm)   | xxxxxxxxx <b>M</b> xxxx                        | standard  |
| N   | 30" (762 mm)   | xxxxxxxxx <b>N</b> xxxx                        | add \$13.50   |
| )   | 48" (1219.2 mm)  | xxxxxxxxxPxxxx                                 | add \$15.50   |
| Q   | 24" (609.6 mm)   | $xxxxxxxxxx$ $\mathbf{Q}xxxx$                  | no ado  |
| R   | 36" (914.4 mm)   | xxxxxxxxxxRxxxx                                | add \$15.50   |
| Country C   | ode  |  | Add to Lis  |
| <u> </u>  | †United States (UL/VdS/DNV/EN 1300)  | xxxxxxxxxxExxx                                 | standard  |
| <br>5*  | †Spanish (UL/VdS/DNV/EN 1300)  | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx        | no ado  |
| *   | †Italian (UL/VdS/DNV/EN 1300)  | xxxxxxxxxxIxxx                                 | no add  |
|   | †German (UL/VdS/DNV/EN 1300)   | xxxxxxxxxxXGxxx                                | no ado  |
|   | †France (UL/VdS/DNV/EN 1300)   | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx        | no add  |
| U*  | †United Kingdom (UL/VdS/DNV/EN 1300)   | xxxxxxxxxxUxxx                                 | no add  |
| D*  | †Sweden (UL/VdS/DNV/EN 1300)   | xxxxxxxxxxDxxx                                 | no add  |
|   | "Dial Label" D   |  |   |
| tNo VdS cert  | tification for 70 N Slide Bolt if manufactured after 12/31/09  | νννννννννν Δνν                                 | standarr  |
| tNo VdS cert<br>Dial Label<br>A                     | tification for 70 N Slide Bolt if manufactured after 12/31/09  Black   | xxxxxxxxxxx <b>A</b> xx                        | standaro<br>no ade  |
| t No VdS cert<br>Dial Label<br>A<br>B               | tification for 70 N Slide Bolt if manufactured after 12/31/09  Black Black, No Logo  | xxxxxxxxxxxBxx                                 | no ado  |
| tNo VdS cert  | tification for 70 N Slide Bolt if manufactured after 12/31/09  Black   |  |   |
| PNo VdS cert  Dial Label  A  B  C                   | tification for 70 N Slide Bolt if manufactured after 12/31/09  Black Black, No Logo No Label   | xxxxxxxxxxxxBxx<br>xxxxxxxxxxxCxx              | no ado<br>no ado  |
| HNO VdS cert  Dial Label  A  B  C  C  TShipped on a | Black Black No Logo No Label †Tamper Evident   | xxxxxxxxxxxxBxx<br>xxxxxxxxxxxCxx              | no ado<br>no ado  |
| t No VdS cert  Dial Label  A  B  C                  | Black Black No Logo No Label †Tamper Evident   | xxxxxxxxxxxxBxx<br>xxxxxxxxxxxCxx              | no add<br>no add<br>add \$7.25  |
| t No VdS cert  Dial Label  A  B  C  D               | Black Black, No Logo No Label †Tamper Evident  all country codes except "E" at no additional cost  | xxxxxxxxxxxxBxx<br>xxxxxxxxxxxCxx<br>xxxxxxxxx | no add<br>no add<br>add \$7.25<br><b>Add to Lis</b> t                     |
| PNo VdS cert  Dial Label  A  B  C  PShipped on a    | Black Black, No Logo No Label †Tamper Evident  all country codes except "E" at no additional cost  Standard Screws Metric Screws   | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx         | no add<br>no add<br>add \$7.25<br><b>Add to Lis</b><br>standard           |
| tNo VdS cert  Dial Label  A  B  C  D  tShipped on a | Black Black, No Logo No Label †Tamper Evident  all country codes except "E" at no additional cost  Standard Screws Metric Screws   | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx         | no add<br>no add<br>add \$7.25<br><b>Add to Lis</b> t<br>standard         |
| Packaging   | Black Black, No Logo No Label †Tamper Evident  all country codes except "E" at no additional cost  Standard Screws Metric Screws   | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx         | no add<br>no add<br>add \$7.25<br><b>Add to Lis</b><br>standard<br>no add |
| Packaging   | Black Black, No Logo No Label †Tamper Evident  all country codes except "E" at no additional cost  Standard Screws Metric Screws  Distributor (Individual)   | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx         | no add<br>no add<br>add \$7.25<br>Add to Lis<br>standard<br>no add        |
| Packaging   | Black Black, No Logo No Label †Tamper Evident  all country codes except "E" at no additional cost  Standard Screws Metric Screws  Distributor (Individual) OEM (Bulk)  Auditcon® 2 Series locks pace | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx         | no add<br>no add<br>add \$7.25<br>Add to Lis<br>standard<br>no add        |
| Packaging   | Black Black, No Logo No Label †Tamper Evident  all country codes except "E" at no additional cost  Standard Screws Metric Screws  Distributor (Individual) OEM (Bulk)  Auditcon® 2 Series locks pace | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx         | no add<br>no add<br>add \$7.25<br>Add to Lis<br>standard<br>no add        |



### Accessories

| Part # | Package Qty. | Description   | Package Price |
|--------|--------------|---|---------------|
| 307025 | 1            | Remote Time Delay Display Unit                                  | \$216.75      |
| 301040 | 1            | Duress Alarm Interface Kit                                      | \$103.00      |
| 301101 | 1            | Auditcon 2 Series Software Implementation Package*              | \$265.25      |
| 301102 | 1            | Auditcon 2 Series Software Upgrade Package**                    | \$139.00      |
|        |              | (for previous Audit Only software users or operating system† up | grade)        |
| 202021 | 1            | SA Key (red) for data upload/download                           | \$46.00       |
| 302170 | 1            | B Key (green/teal) for uploading date/time into Model 552       | \$46.00       |
| 202124 | 1            | Serial Adapter for 2-port Key Reader                            | \$57.25       |
| 212009 | 1            | Key Reader, 2-port  | \$78.00       |
| 203286 | 1            | USB Adapter for 2-port Key Reader                               | \$57.25       |
| 305301 | 20           | Universal Relocker Plate  | \$78.00       |
| 365037 | 20           | Relocker Adapter for Slide Bolts                                | \$78.00       |
| 315063 | 1            | Lock Mounting Plate   | \$18.75       |
| 104035 | 1            | Auditcon Series Display Stand (Round)                           | \$87.25       |
| 314006 | 1            | Auditcon Series Display Stand (Vertical)                        | \$87.25       |

<sup>\*</sup> Includes Software Install CD, SA key, key reader, and USB key reader adapter.

†Consult Technical Support for currently supported operating systems.

NOTE: Minimum order amount per shipment is \$100.00 net.

<sup>\*\*</sup>Includes Software Install CD and USB key reader adapter.



| Parts |
|-------|
| Parts |

| Part #       | Package Qty.          | Description   | Package Price |
|--------------|-----------------------|---|---------------|
| Dial labels  |                       |   |               |
| 311200       | 20                    | Dial Label, Vertical, Kaba Logo   | \$47.75       |
| 311201       | 20                    | Dial Label, Vertical, Tamper-Evident  | \$71.75       |
| 301200       | 20                    | Dial Label, Round, Kaba Logo  | \$47.75       |
| 301201       | 20                    | Dial Label, Round, Tamper-Evident   | \$71.75       |
| Front housi  | ng, vertical          |   |               |
| 311202       | 1                     | Mounting Plate/Keypad/Generator Assembly, TDD Compatible                        | \$240.75      |
| 311207       | 5                     | Front Cover, 52/T52   | \$67.50       |
| 311203       | 5                     | Front Cover, 252/552  | \$67.50       |
| 311204       | 10                    | Dial and Label  | \$85.25       |
| 311101       | 50                    | Retainer Clip   | \$37.50       |
| Front housi  | ng, round             |   |               |
| 301202       | 1                     | Mounting Plate/Dial/Generator Assembly, Label, TDD Compatible                   | \$229.25      |
| 301203       | 1                     | Keypad and Label  | \$85.25       |
| Installation | kits, dead bolt       |   |               |
| 311205       | 10                    | Install Kit, Vertical (10 Standard Screws, Tape, Lube, Cable Shields, Clip)     | \$78.00       |
| 311206       | 10                    | Install Kit, Vertical (10 Metric Screws, Tape, Lube, Cable Shields, Clip)       | \$95.25       |
| 301216       | 10                    | Install Kit, Round (7 Standard Screws, Tape, Cable Shields)                     | \$69.75       |
| 301217       | 10                    | Install Kit, Round (7 Metric Screws, Tape, Cable Shields)                       | \$87.25       |
| Installation | kits, slide bolt or s | wing bolt   |               |
| 361206       | 10                    | Install Kit, Vertical (9 Standard Screws, Lube, Spacers, Cable Shields, Spindle | e) \$66.50    |
| 361207       | 10                    | Install Kit, Vertical (9 Metric Screws, Lube, Spacers, Cable Shields, Spindle)  | \$82.75       |
| 361204       | 10                    | Install Kit, Round (5 Standard Screws, Cable Shields)                           | \$54.00       |
| 361205       | 10                    | Install Kit, Round (5 Metric Screws, Cable Shields)                             | \$74.25       |
| Lock case, o | lead bolt, standard   | (10N)   |               |
| 301204*      | 1                     | 52  | \$168.50      |
| 301205*      | 1                     | T52   | \$205.50      |
| 301206*      | 1                     | 252   | \$385.75      |
| 301207**     | 1                     | 552   | \$481.50      |

<sup>\*</sup>Non-battery assist \*\*Battery assist

# **Auditcon 2 Series**Parts Continued



| Lock case, de | ad bolt, met | Package Price |          |
|---------------|--------------|---------------|----------|
| 301208*       | 1            | 52            | \$174.75 |
| 301209*       | 1            | T52           | \$211.00 |
| 301210*       | 1            | 252           | \$391.00 |
| 301211**      | 1            | 552           | \$486.75 |

<sup>\*</sup>Non-battery assist

<sup>\*\*</sup>Battery assist

| Lock case, slide bolt, | standard (70N) (Not | : VdS Certified if manuf | actured after 12/31/09) |
|------------------------|---------------------|--------------------------|-------------------------|
|                        |                     |                          |                         |

| 361200*  | 1 | 52  | \$168.50 |
|----------|---|-----|----------|
| 361201*  | 1 | T52 | \$200.25 |
| 361202*  | 1 | 252 | \$385.75 |
| 361203** | 1 | 552 | \$481.50 |

<sup>\*</sup>Non-battery assist

#### Lock case, swing bolt, standard (75N)

| 351100*  | 1 | 52  | \$168.50 |
|----------|---|-----|----------|
| 351101*  | 1 | T52 | \$200.25 |
| 351102*  | 1 | 252 | \$385.75 |
| 351103** | 1 | 552 | \$481.50 |

<sup>\*</sup>Non-battery assist

#### Cable

| 301214 | 10 | Dead Bolt Cable, 3.5" (88.9 mm) Door    | \$85.25  |
|--------|----|---|----------|
| 301215 | 10 | Dead Bolt Cable, 9.0" (228.6 mm) Door   | \$96.25  |
| 301218 | 10 | Dead Bolt Cable, 15.0" (381 mm) Door    | \$109.25 |
| 361208 | 10 | Slide Bolt Cable, 18.0" (457.2 mm) Door | \$96.25  |
| 361209 | 10 | Slide Bolt Cable, 30.0" (762 mm) Door   | \$126.25 |

#### Spindle/Tube, dead bolt

| 301212 | 10 | Dead Bolt Spindle, 9.0" (228.6 mm) Door | \$109.25 |
|--------|----|---|----------|
| 301213 | 10 | Dead Bolt Tube, 9.0" (228.6 mm) Door    | \$24.00  |
| 301219 | 10 | Dead Bolt Spindle, 15.0" (381 mm) Door  | \$144.50 |
| 301220 | 10 | Dead Bolt Tube, 15.0" (381 mm) Door     | \$37.50  |

<sup>\*\*</sup>Battery assist

<sup>\*\*</sup>Battery assist



BEYOND SECURITY



### Cencon®

Cash-In-Transit/ATM Locking System

# **Cencon**Cash-In-Transit/ ATM Locking System

Keypad Inverted - KI















| Model/Power | Description                      | LIN (Lock Identification Number) | List Price |
|-------------|----------------------------------|----------------------------------|------------|
| CSD2        | Non-Shunt, Gen2 Self-Powered     | CSD2xxxxxxxxxx                   | \$935.00   |
| CSS2        | Alarm Shunt, Gen2 Self-Powered   | CSS2xxxxxxxxxx                   | \$1035.00  |
| SWING BOLT  |                                  |                                  |            |
| *CSLW       | Cencon Standard Lock, Swing Bolt | CSLWxxxxxxxxxx                   | \$835.00   |

#### \*Interconnect Box REQUIRED. See Following Page for Options.

| xxxxKUxxxxxxxxx          | standard   |
|--------------------------|--|
|                          | Stallualu  |
| xxxxKIxxxxxxxxx          | add \$49.00  |
| xxxxKDxxxxxxxxx          | no add   |
|                          |  |
| xxxx <b>VY</b> xxxxxxxx  | no add   |
|                          | Add to List  |
| xxxxxx005xxxxxx          | no add   |
| xxxxxx006xxxxxx          | standard   |
| xxxxxx007xxxxxx          | add \$29.00  |
|                          |  |
| xxxxxx75Yxxxxxx          | no add   |
|                          | Add to List  |
| xxxxxxxxx <b>7</b> xxxxx | standard   |
|                          |  |
| xxxxxxxxx2xxxxx          | standard   |
|                          | Add to List  |
| xxxxxxxxxCxxxx           | \$5.00   |
| xxxxxxxxxDxxxx           | \$5.00   |
| xxxxxxxxxExxxx           | \$5.00   |
| xxxxxxxxxGxxxx           | standard   |
| xxxxxxxxxXHxxxx          | standard   |
| xxxxxxxxxXJxxxx          | \$5.00   |
| xxxxxxxxxLxxxx           | \$30.00d   |
| xxxxxxxxxMxxxx           | \$50.00  |
| xxxxxxxxxXNxxxx          | add \$100.00   |
| xxxxxxxxxPxxxx           | add \$270.00   |
|                          |  |
| xxxxxxxxxAxxxx           | no add   |
|                          | xxxxKDxxxxxxxxx  xxxxxVYxxxxxxxx  xxxxxx005xxxxx  xxxxxx006xxxxx  xxxxxx007xxxxx  xxxxxxxxxx |



#### Cencon

### Cash-In-Transit/



### **ATM Locking System Continued**

|                                       |  | Add to List  |
|---------------------------------------|--|--|
| United States (UL/ULC)                | xxxxxxxxxxExxx   | standard   |
| Universal (UL/ULC/VdS/DNV/EN 1300/CE) | xxxxxxxxxxXUxxx  | add \$12.00  |
|                                       |  |  |
| Universal (UL/ULC/VdS/DNV/EN1300/CE   | xxxxxxxxxxXUxxx  | standard   |
|                                       |  |  |
|                                       |  |  |
| Silver (Gen2)                         | xxxxxxxxxxxBxx   | standard   |
|                                       |  |  |
| Tamper Evident                        | xxxxxxxxxxxAxx   | standard   |
|                                       |  |  |
|                                       |  |  |
| Standard & Metric Screws              | xxxxxxxxxxxxxx1x   | add \$6.75   |
| Standard Screws                       | xxxxxxxxxxxxxx2x   | standard   |
| Metric Screws                         | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx   | no add   |
| Standard, KI for Factory              | xxxxxxxxxxxxx4x  | no add   |
| Standard, KI for Field, Saw           | xxxxxxxxxxxxx5x  | add \$13.50  |
|                                       |  |  |
| Metric Screws                         | xxxxxxxxxxxxxx1x   | no add   |
| Standard Screws                       | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx   | no add   |
|                                       |  |  |
|                                       |  |  |
| Distributor (Individual)              | xxxxxxxxxxxx   | standard   |
|                                       |  |  |
| Distributor                           | xxxxxxxxxxxx   | standard   |
|                                       | Universal (UL/ULC/VdS/DNV/EN 1300/CE)  Universal (UL/ULC/VdS/DNV/EN1300/CE)  Silver (Gen2)  Tamper Evident  Standard & Metric Screws Standard Screws Metric Screws Standard, KI for Factory Standard, KI for Field, Saw  Metric Screws Standard Screws  Distributor (Individual) | Universal (UL/ULC/VdS/DNV/EN1300/CE)  VXXXXXXXXXXVUXXX  Universal (UL/ULC/VdS/DNV/EN1300/CE  XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX |

#### Cencon locks packed (10) per master carton.

#### Cencon O<sub>2</sub>

| Swing Bolt Interconnect Box Options (must be ordered with Swing Bolt Lock) |   |        |          |  |
|--|---|--------|----------|--|
| Non-Shunt  | Interconnect Box, <b>No USB Connection</b> , Duress,<br>Bolt Switch, Door Contact, 12" Cables           | 237029 | \$100.00 |  |
| Non-Shunt  | Interconnect Box, <b>USB Connection</b> , Duress,<br>Bolt Switch, Door Contact, 12" Cables              | 237013 | \$335.00 |  |
| Shunt  | Interconnect Box, <b>No USB Connection</b> , Duress, Alarm Shunt, Bolt Switch, Door Contact, 12" Cables | 237014 | \$200.00 |  |
| Shunt  | Interconnect Box, <b>USB Connection</b> , Duress, Alarm Shunt,<br>Bolt Switch, Door Contact, 12" Cables | 237012 | \$435.00 |  |

#### USB is for Connection to ATM PC



#### Cencon

### Software/Accessories/Keys



#### Software Components (See Note)

| Part # | Description   | NET Price |
|--------|---|-----------|
|        | Cencon Single Server Software and License (Choose one or more of the modes below) | \$595.00  |
|        | Bank Mode License with Two Green/Teal B Keys                                      | \$295.00  |
|        | • FLM Mode License with Two Blue F Keys   | \$995.00  |
|        | Route Mode License with Two Yellow R Keys   | \$1595.00 |
|        | Install Key, Orange Hourglass (Flat) Shape, Customer-Coded (ships separately)     | \$45.00   |
|        | Dispatch Pack (USB Key Box & USB Cable), Customer-Coded                           | \$595.00  |
|        | Dispatch Pack for Servers (USB Card with Bracket & USB Cable), Customer-Coded     |           |
|        | CenTran 5, Single Server Software License   | \$3995.00 |

#### Cencon O<sub>2</sub>

For Use with CenTran 5 & Cencon Interconnect Box. Enables Remote Connectivity. To Be Installed on the ATM PC.

| CenTran Agent (.Net 3.5 Software), compatible with XP Service Pack 2                       | \$595.00 |
|--|----------|
| OR   |          |
| CenTran Agent (.Net 4.0 Software), compatible with XP Service Pack 3, Windows 7, 32/64 bit | \$595.00 |
| PLUS   |          |
| Cencon Keybox Agent Software, use with USB Keybox* (For Remote Key Management)             | \$295.00 |
| * Deguiros ConTron ConTron Agent   |          |

<sup>\*</sup> Requires CenTran, CenTran Agent

NOTE: The parts listed above can only be ordered via the online Cencon Software Order Form due to special programming and security requirements during shipping.

#### Keys

| Part # | Descrip | otion                            | Category      | Color        | Shape            | List Price |
|--------|---------|----------------------------------|---------------|--------------|------------------|------------|
| 202020 | F Key   | First Line Maintenance Personnel | Lock User     | (blue)       | Teardrop (Bent)  | \$46.00    |
| 202022 | R Key   | Route Mode Personnel             | Lock User     | (yellow)     | Teardrop (Bent)  | \$46.00    |
| 202270 | B Key   | Bank Mode Personnel              | Lock User     | (green/teal) | Teardrop (Bent)  | \$46.00    |
| 202024 | L Key   | Logon to Cencon (Ex: D, S, SS)   | Software User | (black)      | Teardrop (Bent)  | \$46.00    |
| 212030 | A Key   | Additional Logon to KMU          | Software User | (orange)     | Teardrop (Bent)  | \$46.00    |
| 202021 | SA Key  | Supervisor Audit                 | Data Transfer | (red)        | Teardrop (Bent)  | \$46.00    |
| 202226 | CS Key  | Clock Set (Gen2 Lock + Cencon 4) | Data Transfer | (white)      | Hourglass (Flat) | \$75.00    |
| 202224 | RS Key  | Re-Sync (Gen2 Lock + Cencon 4)   | Data Transfer | (dark grey)  | Hourglass (Flat) | \$46.00    |

#### **Software Accessories**

| Part # | Description   | List Price |
|--------|---|------------|
| 205475 | Cable Lock for Physically Securing USB Key Box                          | \$58.25    |
| 203325 | Replacement USB Cable, 2 Meter Length                                   | \$52.00    |
| 201186 | Interface Kit for Programming/Auditing Gen2 Lock from Cencon 4 Software | \$291.00   |

### Cencon



### **Parts**

#### Cencon Gen2

| Part # | Package Qty. | Description   | Package List Price |
|--------|--------------|---|--------------------|
| 201183 | 1            | Installed Gen2 Lock (CSD2KU0067QEB2A) on Light Grey Display Stand | \$970.00           |
| 205518 | 1            | Thin Plastic Stand with Light Grey Sticker for Displaying Lock    | \$42.00            |
| 104035 | 1            | Heavy Black Plastic Stand for Displaying Lock                     | \$87.25            |
| 201175 | 1            | Back Cover, Gen2, w/ Electronics Card, Non-Shunted, Screws        | \$562.00           |
| 201176 | 1            | Back Cover, Gen2, w/ Electronics Card, Shunt Alarm, Screws        | \$661.00           |
| 105061 | 1            | Dial Nameplate Decal for Gen1 (Black)                             | \$2.75             |
| 205498 | 1            | Dial Nameplate Decal for Gen2 (Silver)                            | \$2.75             |
| 201180 | 1            | Gen2 Cables, 4-wire, for Door Contact & Remote Disable Signals    | \$12.00            |
| 201185 | 1            | Handheld Test Device for Gen2 Lock's Multiple Connectors          | \$26.00            |

#### Items Used for Both Gen1 and Gen2 Cencon Lock

| Part # | Package Qty. | Description  | Package List Price |
|--------|--------------|--|--------------------|
| 204210 | 1            | Dial Replacement Kit with Spindle for 130mm (5.12") Door Thickness | \$39.00            |
| 201290 | 1            | Dial Replacement Kit with No Spindle                               | \$25.00            |
| 201160 | 10           | Spindle w/Screw, 44.3 mm (1.74") Door Thickness                    | \$75.00            |
| 201161 | 10           | Spindle w/Screw, 55 mm (2.17") Door Thickness                      | \$85.00            |
| 201162 | 10           | Spindle w/Screw, 113 mm (4.45") Door Thickness                     | \$105.00           |
| 201163 | 10           | Spindle w/Screw, 130 mm (5.12") Door Thickness                     | \$125.00           |
| 201164 | 10           | Spindle w/Screw, 250 mm (9.84") Door Thickness                     | \$155.00           |
| 201139 | 1            | Front Housing Assembly, with Keypad Up (KU) Standard               | \$322.00           |
| 201140 | 1            | Front Housing Assembly, with Keypad Inverted (KI)                  | \$371.00           |
| 201136 | 1            | Front Housing Assembly, with Keypad Down (KD)                      | \$322.00           |
| 201152 | 1            | Cable Replacement Kit, 55 mm (2.17") Door Thickness                | \$45.00            |
| 201153 | 1            | Cable Replacement Kit, 130 mm (5.12") Door Thickness               | \$60.00            |
| 201154 | 1            | Cable Replacement Kit, 250 mm (9.84") Door Thickness               | \$110.00           |
| 201155 | 1            | Mounting Plate   | \$44.00            |

NOTE: Minimum order amount per shipment is \$100.00 net.

# **Cencon**Parts Continued



Items Used for Both Gen1 and Gen2 Cencon Lock (continued)

| Part # | Package Qty. | Description   | Package List Price |
|--------|--------------|---|--------------------|
| 201165 | 10           | Cable-Protecting Tube, 55 mm (2.17") Door                         | \$1800             |
| 201166 | 10           | Cable-Protecting Tube, 130 mm (5.12") Door                        | \$28.00            |
| 201167 | 10           | Cable-Protecting Tube, 250 mm (9.84") Door                        | \$68.00            |
| 201173 | 1            | Cable, Spindle & Tube Kit for up to 400mm (15.75") Door Thickness | \$360.00           |
| 201174 | 1            | Tube & Spindle for up to 55 mm (2.17") Door Thickness             | \$18.00            |
| 201143 | 1            | Lock Case w/ Cable, 55 mm Door (No Back Cover) 006 Bolt           | \$323.00           |
| 201144 | 1            | Lock Case w/ Cable, 55 mm Door (No Back Cover) 005 Bolt (Metric)  | \$323.00           |
| 201145 | 1            | Lock Case w/ Cable, 130 mm Door (No Back Cover) 007 Bolt          | \$368.00           |
| 201146 | 1            | Lock Case w/ Cable, 130 mm Door (No Back Cover) 006 Bolt          | \$368.00           |
| 201147 | 1            | Lock Case w/ Cable, 130 mm Door (No Back Cover) 005 Bolt (Metric) | \$368.00           |
| 201148 | 1            | Lock Case w/ Cable, 250 mm Door (No Back Cover) 006 Bolt          | \$448.00           |
| 201149 | 1            | Lock Case w/ Cable, 250 mm Door (No Back Cover) 005 Bolt (Metric) | \$448.00           |
| 201150 | 1            | Lock Case, (No Back Cover and No Cable) 006 Bolt                  | \$288.00           |
| 201151 | 1            | Lock Case, (No Back Cover and No Cable) 005 bolt (Metric)         | \$288.00           |
| 201156 | 10           | Drive Cam   | \$115.00           |
| 204004 | 1            | Install Kit (24 Standard/Metric Screws, etc., Dial Clip/Washer)   | \$15.00            |
| 204247 | 1            | Install Kit (16 Standard Screws, etc., Dial Clip/Washer)          | \$12.00            |
| 204248 | 1            | Install Kit (12 Metric Screws, etc., Dial Clip/Washer)            | \$12.00            |
| 201158 | 50           | Dial Clip, Triangular   | \$73.00            |
| 201159 | 50           | Dial Spacer/Washer  | \$109.00           |
| 201157 | 50           | Zebra Connector + Housing   | \$325.00           |
| 204016 | 1            | Spare Parts Kit w/Keypad Up (55 mm Spindle, Cam, Dial Parts)      | \$363.00           |
| 107061 | 1            | Change Key  | \$12.50            |
| 201168 | 1            | Alarm Cable, Rainbow-colored, w/ 9-pin Connector, 48.5" long      | \$18.00            |
|        |              |   |                    |

NOTE: Minimum order amount per shipment is \$100.00 net.



 $X\text{-}10^{^{\mathrm{TM}}}$ 

High Security Government Locks



| Model/Power           | Description                             | LIN (Lock Identification Number)        | List Price  |
|-----------------------|---|---|-------------|
| X10X                  | Standard OEM, Distributor, Self-Powered | X10Xxxxxxxxxx                           | \$1,753.00  |
| Housing/Displa        |   |   | Add to Lice |
| Housing/Displa        | Round                                   | xxxxRDxxxxxxxx                          | Add to List |
| RD                    | Round                                   | XXXXRDXXXXXXXX                          | no ado      |
| Bolt                  |   |   |             |
| XXT                   | Dead Bolt, 10-32.5 (2X) Tapped Holes    | xxxxxxXXTxxxxxx                         | standard    |
| Relocker/Case (       | Cover                                   |   |             |
| Z                     | Standard                                | xxxxxxxZxxxxx                           | no ado      |
| Daar Maaayyaa         |   |   |             |
| Door Measurem<br>A    | .92" (23.37 mm) Door                    | xxxxxxxxAxxx                            | no ado      |
| В                     | 1.06" (26.92 mm) Door                   | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx | no ado      |
| <br>C                 | 1.13" (28.7 mm) Door                    | xxxxxxxxxCxxxx                          | no ado      |
| D                     | 1.17" (29.72 mm) Door                   | xxxxxxxxxDxxxx                          | no ado      |
| <br>E                 | 1.25" (31.75 mm) Door                   | xxxxxxxxxExxxx                          | no ado      |
| <br>F                 | 1.38" (35.05 mm) Door                   | xxxxxxxxxFxxxx                          | no ado      |
| G                     | 1.61" (40.89 mm) Door                   | xxxxxxxxx <b>G</b> xxxx                 | no ado      |
| H                     | 2.06" (52.32 mm) Door                   | xxxxxxxxxHxxxx                          | no ado      |
| <br>J                 | 2.16" (54.86 mm) Door                   | xxxxxxxxxxJxxxx                         | no ado      |
| K                     | 2.25" (57.15 mm) Door                   | xxxxxxxxxKxxxx                          | no ado      |
| L                     | 2.81" (71.45 mm) Door                   | xxxxxxxxxxLxxxx                         | no ado      |
| M                     | 4.50" (114.3 mm) Door                   | xxxxxxxxx <b>M</b> xxxx                 | standard    |
| N                     | 10.0" (254 mm) Door                     | xxxxxxxxxNxxxx                          | no ado      |
|                       |   |   |             |
| Country Code          |   |   | Add to List |
| <u>E</u>              | United States                           | xxxxxxxxxxExxx                          | no ado      |
| Dial Label            |   |   |             |
| Z                     | Standard                                | xxxxxxxxxxZxx                           | no ado      |
| Install               |   |   |             |
| 1                     | Distributor/Government (Individual)     | xxxxxxxxxxxxx1x                         | no ado      |
| Daekaging             |   |   |             |
| <b>Packaging</b><br>A | Distributor/Government (Individual)     | xxxxxxxxxxxxA                           | no ado      |
| 7.                    | Distributory Government (marviadal)     | ^^^^^^^^^                               | 110 duc     |



### **CDX-10**



CDX-10™



#### CDX-10

| NOTE: to order the CDX-10 please specify a hard plate and strike using the information below |   |            |  |
|--|---|------------|--|
| Part #   | Description   | List Price |  |
| For mounting with non dr   | rill-resistant mounting plate specify (includes plate and strik | e):        |  |
| 521025/521030  | Strike Type 1   | \$2,270.00 |  |
| 521025/521031  | Strike Type 2   | \$2,270.00 |  |
| 521025/521032  | Strike Type 3   | \$2,270.00 |  |
| 521025/521033  | Strike Type 9   | \$2,270.00 |  |
| For mounting with drill-re   | esistant hard plate (includes plate and strike):                |            |  |
| 521025/521020  | Strike Type 1   | \$2,815.00 |  |
| 521025/521021  | Strike Type 2   | \$2,815.00 |  |
| 521025/521022  | Strike Type 3   | \$2,815.00 |  |
| 521025/521023  | Strike Type 9   | \$2,815.00 |  |

#### NOTE: Refer to page 34 when ordering strikes or plates only.

#### Replacement CDX-10 for use with CDX Assembly (Long Bolt)

| Part # | Description  | List Price |
|--------|--|------------|
| 521025 | Lock and Dial (X-10 for CD Applications)               | \$1,783.00 |
| 521035 | Replacement Lock with Cable (X-10 for CD Applications) | \$1,338.00 |

November 1, 2013 CDX-10 Kaba Mas List Price Book #21

### BEYOND SECURITY

### **Parts**

| Accessories | Display Stand                                      | List \$ Per |
|-------------|--|-------------|
| 104035      | Display Stand for X-10                             | \$89.00     |
| 527075      | X-10 Mounted on Display Stand                      | \$1892.00   |
| Part #      | X-10 LCD Assembly (IC)                             | List \$ Per |
| 507081      | Contents: LCD Endcap Assembly, Type 2 (1)          | \$162.00    |
|             |  | *.5=.53     |
| Part #      | X-10 Cable Assembly for up to 4.5" Door (UA)       | List \$ Per |
| 527100      | Contents: Cable Assembly, Flex Wall thk. 4.5 (1)   | \$98.00     |
|             | Ground Contact (1)                                 |             |
|             | Tube Retainer (1)                                  |             |
|             | Screw - FH 2 - 56 X .188, TORX, UC (1)             |             |
| Part #      | X-10 Cable Assembly for up to 2.25" Door (UA)      | List \$ Per |
| 521011      | Contents: Cable Assembly, Flex Wall thk. 2.813 (1) | \$94.00     |
| 321011      | Ground Contact (1)                                 | \$71.00     |
|             | Tube Retainer (1)                                  |             |
|             | Screw - FH 2 - 56 X.188, TORX, UC (1)              |             |
|             | Screw 1112 30 A.100, TORA, OC (1)                  |             |
| Part #      | X-10 Instruction Pack                              | List \$ Per |
| 527002      | Contents: Change Key (1)                           | \$32.50     |
|             | Mounting Template (1)                              |             |
|             | X-10 Operating Instructions (1)                    |             |
|             | X-10 Installation Instructions (1)                 |             |
|             | X-10 Quick Reference Guide (1)                     |             |
| Part #      | X-10 Change Key                                    | List \$ Per |
| 107061      | A 10 change recy                                   | \$12.50     |
| 107001      |  | ŲIL.30      |
| Part #      | X-10 Lock Mounting Kit                             | List \$ Per |
| 524002      | Contents:  | \$51.00     |
|             | Saw Blade 52 teeth/inch (1)                        | ·           |
|             | Saw Handle (1)                                     |             |
|             | Hexkey, 5/64 Long (1)                              |             |
|             | Tube Deburr Stone (1)                              |             |
|             | Vise Clamp (1)                                     |             |
|             | Hub Gauge (1)                                      |             |
|             | Lubricant, Tube Lubriplate Grease (1)              |             |
|             | Screw - PH 8/32 X 5/16 (4)                         |             |
|             | Screw - Case 1/4 - 20 X .38 (4)                    |             |
|             | Screw - Case 1/4 - 20 X .31 (4)                    |             |
|             | Insulator, Tape M85-89 (1)                         |             |
|             | Zebra Connector Housing (1)                        |             |
|             | Zebra Connector, SPL (1)                           |             |
|             | Cable Retainer (3)                                 |             |
|             | Spindle Screw - PH 6.32 X .395 (1)                 |             |



### **Parts Continued**

| Part #  | X-10 Hub Assembly (GC)   | List \$ Per |
|---------|--|-------------|
| 504067  | Contents: Hub Assembly (1)   | \$13.50     |
| Part #  | X-10 Dial-Retaining Rings (C-Clips)  | List \$ Per |
| 504085  | Replacement Clips used w/ Hub (50)   | \$99.00     |
| 30 .000 | Transfer and the same and the s | Ψ,,,,,,     |
| Part #  | X-10 Dial (HC)   | List \$ Per |
| 504068  | Contents: X-10 Dial (1)  | \$25.00     |
| Part #  | X-10 4.5" Spindle Assembly with Mounting Screw (EC)  | List \$ Per |
| 524004  | Contents: Spindle Assembly, W-THK 4.5 (1)  | \$27.50     |
|         |  |             |
| Part #  | Lubricant  | List \$ Per |
| 9810004 | Contents: Lubricant (1)  | \$1.60      |
| Part #  | X-10 Tube Kit (MA)   | List \$ Per |
| 104017  | Contents: Inner Tube 4.5 (1)   | \$57.00     |
|         | Outer Tube 4.5 (1)   | ******      |
|         |  |             |
| Part #  | X-10 Sealed Lock Case Assembly, Bolt, Tapped (AC)  | List \$ Per |
| 521017  | Contents: Lock Case Assembly (1)   | \$1,308.00  |
| Part #  | X-10 Generator   | List \$ Per |
| 507084  | Contents: Generator (1)  | \$108.50    |
| Part #  | X-10 Dial Ring Assembly (no LCD) (DC)  | List \$ Per |
| 504075  | Contents: Dial Ring (1)  | \$45.50     |
|         | Spindle Tube Retainer (1)  | ·           |
|         | Spindle Tube Holder (1)  |             |
|         | Screw - BH, 4-40 X .156, Comb. Drive (2)   |             |
|         | Washer, SPL. flat, .185 ID X .360 OD (2)   |             |
| Part #  | X-10 Dial Ring Cover Assembly (CC)   | List \$ Per |
| 507085  | Contents: Generator Clutch Assembly, PCB (1)   | \$168.00    |
|         | Dial Ring Cover Assembly (1)   |             |
|         | Screw - PH 8/32 X 5/16 (2)   |             |
|         | Gear Plate Assembly (1)  |             |
|         | Screw - SEMS, 6/32 X .313, Plain (3)   |             |
|         | Gear Drive, 94ET/48P, 15IT/30P (1)   |             |
|         | Gear, Comb, 14/53T, 48P (1)  |             |
|         | Screw - PH 4/40 X 5/32 (2)   |             |
|         | Screw - PH, 4/40 X .375, CRBH, Type 1 (2)  |             |
|         |  |             |

NOTE: Minimum order amount per shipment is \$100.00 net.

### Parts



| Accessories | Display Stand   | List \$ Per  |
|-------------|---|--|
| 104035      | Display Stand for X-09  | \$89.00  |
| Part #      | X-09 LCD Assembly (IC)  | List \$ Per  |
| 507081      | Contents: LCD Endcap Assembly, Type 2 (1)   | \$162.00   |
| 307001      | Contents. Lob Endedp Assembly, 1996 2 (1)   | Ψ10 <u>Σ.</u> 00                                   |
| Part #      | X-09 Cable Assembly for up to 4.5" Door (UA)  | List \$ Per  |
| 507071      | Contents: Cable Assembly, Flex Wall thk. 4.5 (1)  | \$98.00  |
|             | Ground Contact (1)  |  |
|             | Tube Retainer (1)   |  |
|             | Screw - FH 2 - 56 X .188, TORX, UC (1)  |  |
| Part #      | X-09 Cable Assembly for up to 2.25" Door (UA)   | List \$ Per  |
| 501100      | Contents: Cable Assembly, Flex Wall thk. 2.25 (1)   | \$94.00  |
| 301100      | Ground Contact (1)  | <del>, , , , , , , , , , , , , , , , , , , </del>  |
|             | Tube Retainer (1)   |  |
|             | Screw - FH 2 - 56 X.188, TORX, UC (1)   |  |
|             |   |  |
| Part #      | X-09 Instruction Pack   | List \$ Per  |
| 504054      | Contents: Change Key (1)  | \$32.50  |
|             | Mounting Template (1)   |  |
|             | X-09 Operating Instructions (1)   |  |
|             | X-09 Installation Instructions (1)  |  |
|             | X-09 Quick Reference Guide (1)  |  |
|             | X-09 Small Spindle Hole Installation Procedure (1)  |  |
|             | X-09 Attention Sheet (1)  |  |
| Part #      | X-09 Change Key   | List \$ Per  |
| 107061      |   | \$12.50  |
|             |   | <del>*</del> • • • • • • • • • • • • • • • • • • • |
| Part #      | X-09 Lock Mounting Kit  | List \$ Per  |
| 504063      | Contents:   | \$51.00  |
|             | Saw Blade 52 teeth/inch (1)   |  |
|             | Saw Handle (1)  |  |
|             | Hexkey, 5/64 Long (1)   |  |
|             | Tube Deburr Stone (1)   |  |
|             | Vise Clamp (1)  |  |
|             | Hub Gauge (1)   |  |
|             | Cover Lock Pin (1)  |  |
|             | Retaining Ring, E-Type, 5/32 dia. Shaft (1)   |  |
|             | Special Compression Spring (1)  |  |
|             |   |  |
|             | Lubricant, Tube Lubriplate Grease (1)   |  |
|             | Lubricant, Tube Lubriplate Grease (1) Screw - PH 8/32 X 5/16 (4)  |  |
|             | · · · · · · · · · · · · · · · · · · ·   |  |
|             | Screw - PH 8/32 X 5/16 (4)  |  |
|             | Screw - PH 8/32 X 5/16 (4)<br>Screw - Case 1/4 - 20 X .38 (4)   |  |
|             | Screw - PH 8/32 X 5/16 (4)<br>Screw - Case 1/4 - 20 X .38 (4)<br>Screw - Case 1/4 - 20 X .31 (4)                      |  |
|             | Screw - PH 8/32 X 5/16 (4) Screw - Case 1/4 - 20 X .38 (4) Screw - Case 1/4 - 20 X .31 (4) Insulator, Tape M85-89 (1) |  |

### **Parts Continued**





| Part #  | X-09 Hub Assembly (GC)                              | List \$ Per |
|---------|---|-------------|
| 504067  | Contents: Hub Assembly (1)                          | \$13.50     |
| Part #  | X-09 Dial-Retaining Rings (C-Clips)                 | List \$ Per |
| 504085  | Replacement Clips used w/ Hub (50)                  | \$99.00     |
|         | · p · · · · · · p · · · · · · · · · · ·             |             |
| Part #  | X-09 Dial (HC)                                      | List \$ Per |
| 504068  | Contents: X-09 Dial (1)                             | \$25.00     |
|         |   | =           |
| Part #  | X-09 4.5" Spindle Assembly (EC)                     | List \$ Per |
| 504069  | Contents: Spindle Assembly, W-THK 4.5 (1)           | \$27.50     |
| Part #  | X-09 Drive Cam Assembly                             | List \$ Per |
| 504074  | Contents: X-09 Drive Cam Assembly (1)               | \$45.50     |
|         | ,   | ·           |
| Part #  | Lubricant   | List \$ Per |
| 9810004 | Contents: Lubricant (1)                             | \$1.60      |
|         |   |             |
| Part #  | X-09 Tube Kit (MA)                                  | List \$ Per |
| 104017  | Contents: Inner Tube 4.5 (1)                        | \$57.00     |
|         | Outer Tube 4.5 (1)                                  |             |
| Part #  | X-09 Lock Case Assembly, Std. Bolt no cover         | List \$ Per |
| 507082  | Contents: Cam Assembly (1)                          | \$484.00    |
|         | Case Sub Assembly (1)                               |             |
|         | Rack SPL 3T, 32P (1)                                |             |
|         | Screw - PH, 1/62 X .188 (1)                         |             |
|         | Slide Retainer (1)                                  |             |
|         | Gear SPL, 11T (18T), 32P Rack Drive (1)             |             |
|         | Gear SPL, 16T , 32P Slide Drive (1)                 |             |
|         | Roller, .146 OD X .063 ID X .064 (1)                |             |
|         | Extension Spring (2)                                |             |
|         | Slide Assembly (1)                                  |             |
|         | Bolt Detent Ball (2)                                |             |
|         | Bolt Detent Spring, SPL (1)                         |             |
|         | Screw - Bolt, FH 8 - 32 X .375 Hex SOC. (1)         |             |
|         | Standard Bolt (1)                                   |             |
|         | Flush Bolt, loose (1)                               |             |
|         | Motor/Gear Plate Assembly (1)  Motor/Gear Fence (1) |             |
|         | Gear Guard Bracket (1)                              |             |
|         | Screw - PH 2 -56 X .25 (1)                          |             |
|         | Torsion Spring (1)                                  |             |
|         | Screw - 2 - 56 Shoulder Special (1)                 |             |
|         | Ground Contact (1)                                  |             |
|         | Tube Retainer (1)                                   |             |
|         | Screw - FH 2-56 X .188 TORX, UC (1)                 |             |
|         | / / ,   |             |

NOTE: Minimum order amount per shipment is \$100.00 net.

### **X-09 Parts Continued**



| Part # | X-09 Back Cover Assembly (BC)                  | List \$ Per |
|--------|--|-------------|
| 501227 | Contents: Cover Assembly, X-09 (1)             | \$824.50    |
|        | Cover Lock Pin (2)                             |             |
|        | Retainer Ring, E-Type, 5/32 dia. Shaft (1)     |             |
|        | Special Compression Spring (1)                 |             |
|        | Screw - PH 6/32 X 5/16 (1)                     |             |
| Part # | X-09 Motor Kit                                 | List \$ Per |
| 507101 | Contents: Gear/Motor Plate Assembly (1)        | \$243.00    |
|        | Motor/Gear Fence (1)                           |             |
|        | Gear Guard Bracket (1)                         |             |
|        | Screw - 2/56 Shoulder, Special (Gear Stop) (1) |             |
|        | Torsion Spring (1)                             |             |
|        | Screw - PH 2/56 X .25 (1)                      |             |
| Part # | X-09 Generator                                 | List \$ Per |
| 507084 | Contents: Generator (1)                        | \$108.50    |
|        |  |             |
| Part # | X-09 Dial Ring Assembly (no LCD) (DC)          | List \$ Per |
| 504075 | Contents: Dial Ring (1)                        | \$45.50     |
|        | Spindle Tube Retainer (1)                      |             |
|        | Spindle Tube Holder (1)                        |             |
|        | Screw - BH, 4-40 X .156, Comb. Drive (2)       |             |
|        | Washer, SPL. flat, .185 ID X .360 OD (2)       |             |
| Part # | X-09 Dial Ring Cover Assembly (CC)             | List \$ Per |
| 507085 | Contents: Generator Clutch Assembly, PCB (1)   | \$168.00    |
|        | Dial Ring Cover Assembly (1)                   |             |
|        | Screw - PH 8/32 X 5/16 (2)                     |             |
|        | Gear Plate Assembly (1)                        |             |
|        | Screw - SEMS, 6/32 X .313, Plain (3)           |             |
|        | Gear Drive, 94ET/48P, 15IT/30P (1)             |             |
|        | Gear, Comb, 14/53T, 48P (1)                    |             |
|        | Screw - PH 4/40 X 5/32 (2)                     |             |
|        | Screw - PH, 4/40 X .375, CRBH, Type 1 (2)      |             |
| Part # | X-09 Flush Dead Bolt (KC)                      | List \$ Per |
| 505212 | Contents: Flush Dead Bolt (1)                  | \$25.00     |
| Part # | X-09 Standard +35 mm Dead Bolt                 | List \$ Per |
| 505213 | Contents: X-09 Standard + 35 mm Dead Bolt (1)  | \$107.50    |
| 303213 | Contents. A OF Standard + 33 min Dead Boit (1) | \$107.50    |
| Part # | X-09 Extended Dead Bolt (JC)                   | List \$ Per |
| 505214 | Contents: 4" Extended Dead Bolt (1)            | \$25.00     |
|        |  |             |
| Part # | X-09 Pin, ring, spring (LOBC Kit)              | List \$ Per |


# **CDX-10/CDX-09** Strikes/Plates





#### CDX-10 AND CDX-09 (FF-L-2890A) APPLICATIONS


| Part # | CDX Strike type 1                                | List \$ Per |
|--------|--|-------------|
| 114003 | Contents: Strike Type 1 (1)                      | \$21.00     |
| Part # | CDX Strike type 2                                | List \$ Per |
| 114004 | Contents: Strike Type 2 (1)                      | \$45.50     |
| Part # | CDX Strike type 3                                | List \$ Per |
| 114005 | Contents: Strike Type 3 (1)                      | \$40.00     |
| Part # | CDX Strike type 9                                | List \$ Per |
| 114006 | Contents: Strike Type 9 (1)                      | \$67.50     |
| Part # | Drill Resistant Plate                            | List \$ Per |
| 114014 | Contents: Drill-Resistant Hard Plate (1)         | \$579.50    |
| Part # | Non Drill-Resistant Mounting Plate               | List \$ Per |
| 114024 | Contents: Non drill-Resistant Mounting Plate (1) | \$104.50    |
| Part # | Base Plate                                       | List \$ Per |
| 115034 | Contents: Base Plate (Inside Container Door) (1) | \$84.50     |

#### NOTE: Minimum order amount per shipment is \$100.00 net.









### **Technical Training**



| Part #     | Course Description                        | Duration | Class Fee    | Minimum Class Size |
|------------|---|----------|--------------|--------------------|
| CEN-0500   | Cencon (at Kaba Mas)                      | 2 day    | \$850/day    | 4                  |
| CEN-0501   | Cencon (Off-site)*                        | 2 day    | \$850/day    | 4                  |
| X0910-0900 | X-10 Installation/Operation (at Kaba Mas) | 1 day    | \$275/person | 6                  |
| X0910-0900 | X-10 Installation/Operation (Off-site)    | 1 day    | \$275/person | 6                  |

<sup>\*</sup> Course fee plus expenses

#### ALL CLASS FEES ARE NET PRICE EITHER PER DAY OR PERSON

X-10 off-site training must be prearranged by Kaba Mas distributor.

Note: Expenses are defined as instructor's travel (airfare/mileage), lodging, meals, transportation, and shipping training materials.

Please visit www.kaba-mas.com for the most current schedule of technical training courses, and an application.

### Product Weights & Measures BEYOND SECURITY KASA®





| GITCON            |                     |                                   |
|-------------------|---------------------|-----------------------------------|
| Model G50         | 8 lbs. (Swing)      | 13" x 5 1/2" x 3 1/4"             |
| Model G50         | 15 lbs. (Roll-up)   | 15" x 12 1/2" x 5"                |
| UNICON            |                     |                                   |
| Single box        | 1.028 lbs.          | 10" x 7" x 2 1/2"                 |
| 10-pack box       | 10.2 lbs.           | 20" x 13" x 8"                    |
| AUDITCON 2 Series |                     |                                   |
| Single box        | 2.6 lbs. (Round)    | 10" x 7" x 2 1/2"                 |
|                   | 2.2 lbs. (Vertical) | 10" x 7" x 2 1/2"                 |
| 10-pack box       | 26 lbs. (Round)     | 20" x 13" x 8"                    |
|                   | 22 lbs. (Vertical)  | 20" x 13" x 8"                    |
| CENCON            |                     |                                   |
| Single box        | 3 lbs.              | 10" x 7 1/4" x 4 1/4"             |
| 10-Pack box       | 25-27 lbs.          | 22" x 15" x 11"                   |
| X-10              |                     |                                   |
| Single box        | 4 lbs.              | 10" x 7 1/4" x 4 1/4"             |
| 10-Pack box       | 40 lbs.             | 22" x 15" x 11"                   |
| 6-Pack box        | 24 lbs.             | 12 1/2" x 12 1/2" x 12 1/2" (OEM) |
| CDX-10            |                     |                                   |
| Single box        | 9 lbs.              | 12" x 9 1/4" x 6"                 |
| 5-Pack box        | 45 lbs. or 63 lbs.  | 19" x 16" x 12 1/2" (Gov't)       |



The Kaba Safe Lock Division relies on product innovation to meet our markets' ever-changing needs for loss prevention and access control solutions.

The Kaba and LA GARD brands are synonymous worldwide with security, control and accountability.

Kaba AG | Kaba Mas | Kaba Mauer GmbH

#### Kaba Mas LLC

749 W. Short St. Lexington, KY 40508

phone 859-253-4744

toll-free 877-KabaMas (522-2627)

fax 859-255-2655 web www.kaba-mas.com