

# Bluetooth Speaker

**MODEL NO.: KTS-38**

## Specification

Item No. : KTS-38

Product Size: 112\*74\*62MM

Impedance: 4ohm

Audio Power: 6W(3W+3W)

Bluetooth Parameter :

Operation Frequency: 2402-2480MHz

Operation Range: Up to 10M

Battery Parameter

Capacity : 600mah,

Charging voltage : DC5V/1A

Charging Time : 2-3hours

Accessory :

USB charging cable , 1 piece;

3.5MM audio cable, 1 piece;

User manual : 1 piece

## Operation guide

### A: Connect to Bluetooth device

1. Turn on unit firstly, KTS-38 will have the indicate tune, the

Indicate LIGHT is "BLUE".

Turn on the Bluetooth function on your mobile or other device and search for the speaker, model name "KTS-38". Then Pair the device.

4. Once device is paired Bluetooth will automatically connect when unit is turned on subsequently.

### B: "▶▶I"

- 1、 USB or Micro SD mode: Next track
- 2、 Aux in Mode : No function
- 3、 Bluetooth mode : change to next track

### C: "I◀◀"

- I、 USB or Micro SD mode: Last track
- II、 Aux in Mode : No function
- III、 Bluetooth mode : change to last track

### D: " V+ "

- I、 USB or Micro SD mode : Increase the volume
- II、 Aux in mode: Increase the volume
- III、 Bluetooth mode : Increase the volume

### E: " V- "

- I、 USB or Micro SD mode : Decrease the volume
- II、 Aux in mode: Decrease the volume
- III、 Bluetooth mode : Decrease the volume

**F: “ ▶||/↶ ”**

Short press

I、USB or Micro SD mode: Play or Pause.

II、Bluetooth mode : Play or Pause or answer/hand up the call

Long press

I、USB or Micro SD mode: Change the mode

II、Aux in mode : Change the mode

III、Bluetooth mode: Change the mode



---

---

## **Function:**

### **USB or Micro SD Card Slot.**

Insert the U flash memory or Micro SD card into the USB port and Micro SD socket ., it will read the MP3 format music automatically. Press the "▶||/↶" to Play/Pause, short time press the "◀◀ " and the"▶▶" to Prev. and Next, press the" V- "and "V+"button to decrease and increase the Volume.

### **AUX-IN**

Change to the Aux in mode, and Using the audio cable connect to the unit Aux in Jack, Long time press the"◀◀ " and "▶▶" button to decrease and increase the Volume.

### **Charging**

Plug the USB cable into speaker MICRO USB port and connect to power source.

Red LED will on when charging.

When charging is complete, the red LED will be off.

## **Federal Communications Commission (FCC) Statement**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**Warning:** Changes or modifications made to this device not expressly approved by **Shenzhen KingBoard Technology Co.,LTD** may void the FCC authorization to operate this device.

**Note:** The manufacturer is not responsible for any radio or tv interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.