
Manual

2013.01.10 Ver:1.0


1. Booting

1. Download verification OS, and check logo for verification OS.



2. Setting (1/7)

1. Run by selecting the "Settings" icon on the Home screen.



2. Setting (2/7)

2. Select 'WiFi (1)', and move button from OFF to ON (2).

٥٩	設定		スキャン ネットワークを追加
	無線とネットワーク マ Wi-Fi ・ E用 ・ # ・ # ・ ディスプレイ ■ ストレージ	Wi-Fi	
	 	利用可能なネットワークを表示するにはWi-FiをON	
	 言語と入力 ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	利用可能なキクトシークと必小するには利用するの	
	 ① 日付と時刻 {) 開発者向けオブション ① タブレット情報 		

2. Setting (3/7)

 When the scan is completed, the screen will appear briefly scanned AP list. Select the AP you want to connect to. The number of terminal per AP limit as 20.

設定		スキャン ネットワークを追加
無線とネットワーク	Wi-Fi	
📚 Wi-Fi	TEST_ART	କ୍
() データ使用	WEPで保護 (いれているネットワークが利用可能)	
その他	ARTNCORE WPA/WPA2で・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	,
端末	Artview SW 1	,
	WPA/WPA2で保護したしているネットワークが利用可能)	· · · · · · · · · · · · · · · · · · ·
● ディスプレイ	ARTNCORE_5GHz WPA/WPA2で保護(保護されているネットワークが利用可能)	,
■ ストレージ	JYL WPA/WPA2で保護(保護されているネットワークが利用可能)	<i>s</i>
🖄 アプリ	artvie 1f	
ユーザー設定	WPA2で保護(保護されているネットワークが利用可能)	R
≙ セキュリティ	AXLER-AP WPAで保護	.
A. 言語と入力	U+zone	
	802.1xで保護	
システム	AXLER-AP	÷
① 日付と時刻	myLGNet	
{ } 開発者向けオプション	WEPで保護	
① タブレット情報		

2. Setting (4/7)

4. When the AP connection password settings screen, enter the password (1), and press 'Access'(2) button.

設定		スキャンネットワークを追加
無線とネットワーク		
💝 Wi-Fi	TEST_ART	ę,
() データ使用	電波強度 非常に強い	କ୍ତ
その他	セキュリティ WEP	
端末		© s
♥ ¹ ■ ① ディスプレイ	□ 詳細オブションをま	ŝ
 マージ 	□ 詳細オブションを表 キャンセル 1	ଜ
<u> </u> アブリ		
ユーザー設定	Gartvie 1f WPA2で保護(保護されているネットワークが利用可能	
▲ セキュリティ	U+Net856C	
Tab q W	ertyu)i	o p 🛥
?123 a s	d f g h j l	< I ←
ণ্ড z x	c v b n m	· · ·
≠ :-) /	@ English (US)	•

2. Setting (5/7)

5. Screen of the AP connecting.

		スキャン ネットワークを追
無線とネットワーク		
🗢 Wi-Fi 🗾 ON	TEST_ART	
() データ使用	保存済み、WEPで保護	<u>ş</u>
その他	Artview SW Team WPA/WPA2で保護(保護されているネットワークが利用可能)	Ş
端末	JYL	କ୍ଟ
● 音	WPA/WPA2で保護(保護されているネットワークが利用可能) 	
● ディスプレイ	ARTNCORE_5GHz WPA/WPA2で保護 (保護されているネットワークが利用可能)	ଟ୍ଟ
■ ストレージ	ARTNCORE WPA/WPA2で保護(保護されているネットワークが利用可能)	ŝ
🛃 アブリ	artvie If wpa2で保護	₹.
コーザー設定		
▲ セキュリティ	U+Net856C WPA2で保護	a
A 言語と入力	U+zone 802.1×で保護	.
① バックアップとリセット		
システム	AXLER-AP WPAで保護	
① 日付と時刻		
{} 開発者向けオプション		
 タブレット情報 	myLGNet WEPで保護	ି

2. Setting (6/7)

6. Screen of the AP connection complete.

学 。設定		スキャン ネットワークを追加
無線とネットワーク		
🗢 Wi-Fi 🗾 ON	TEST ART	
() データ使用		R
その他	Artview SW Team WPA/WPA2で保護(保護されているネットワークが利用可能)	s i
端末	ARTNCORE	ŝ
- ● 音	WPA/WPA2で保護(保護されているネットワークが利用可能)	**
● ディスプレイ	JYL WPA/WPA2で保護 (保護されているネットワークが利用可能)	Ş
■ ストレージ	ARTNCORE_5GHz WPA/WPA2で保護(保護されているネットワークが利用可能)	s
🙇 アプリ	artvie 1f	₹.
ユーザー設定	WPA2で保護 (保護されているネットワークが利用可能) 	
▲ セキュリティ	U+Net856C WPA2で保護	T i
▲ 言語と入力	AXLER-AP	F 1
・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	WPAで保護	
システム	U+zone 802.1xで保護	.
① 日付と時刻	myLGNet	
{} 開発者向けオプション	WEPで保護	
() タブレット情報		


2. Setting (7/7)

7. When the connection is completed, press the "HOME" button, and go to the main screen, .



3. Wi-Fi (1/5)

8. Run by selecting the "Browser" icon on the Home screen.



3. Wi-Fi (2/5)


9. Click your web browser address bar (1), and enter "smart.kbs.co.kr/live".



Tab	q	w	e	r t	y	/	u	i	ο	р	€ X
?123	а	s	d	f	g	h	j	k	1		←
¢	;	z x	с	v	b	n	m	,		?	¢
耳		.com			English (US)			/	-	-	

3. Wi-Fi (3/5)

10. Once connected the test web page, select "KBS24". The number of terminal per broadcast limit as 20.



3. Wi-Fi (4/5)

11. When information pop-up appeared, select "OK" button.

KBS LIVE $ imes$ $+$						
\leftarrow \rightarrow C $<$ http://smart.kbs.co.kr/live/						습 🤇 🛛
квс						
τv	Radio	Ne	NS.	파신표	1	더보기(中)
	キャンセル			ок		
		≣वांधहाली	8FM ³			
		1Radiබ	нари			
		3Radio®	한민족방송			
		rs (i)	비츠샵			
PC버전 I	로그인			시청자상담실		About KBS
			Later American)			

3. Wi-Fi (5/5)

12. Check that broadcasting is normal during 12 hours.



- This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.
- This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
- - Reorient or relocate the receiving antenna.
- - Increase the separation between the equipment and receiver.
- - Connect the equipment into an outlet on a circuit different from that to which the receiver
- is connected.
- - Consult the dealer or an experienced radio/TV technician for help.
- CAUTION : Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- FCC RF Radiation Exposure Statement:
- This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.
- This device is restricted to indoor use when operated in the 5.15 to 5.25 GHz frequency range.