

Product Manual

Technical Parameters

Product Type: LEPOW-HI Smart Pack

Bluetooth Version: 3.0

Transmission Radius: 10m

Standby Time: 160h

Features: Multi-point connection

Bluetooth Chip: CSR BC6145

Bluetooth Protocol: HSP, HFP, A2DP

Please note:

Before trying the new product, please fully charge the bag, pair it with selected Bluetooth device and set up the Smart Node.

1. About the product

A. Receive/End a call/Turn on/off button (MFB)

B. LED indicators

C. Loss-prevention vibration Smart Node

2. Turning on and off the Smart Node

Hold the MFB for 2 seconds and a blue light will flash to indicate it is on or awake.

Hold the MFB for 4-5 seconds and a blue light will flash intermittently to indicate it is paring.

Hold the MFB for 3 seconds and the blue light will flash with a continuous vibration before shutting down.

3. Pairing the Smart Node to the phone

a. First time

Turn on the Smart Node. When LED indicator is blue and flashing continuously, it enters automatically the pairing mode. Search on your phone for the Bluetooth connection named: LePow-303 and connect. If failed, please pair it again.

b. Subsequent pairing

Turn on the Smart Node. Hold the MFB for 2 seconds until the indicator will flash. The headset will return to the connection to the phone.

4. The Smart Node function

Answering a call: Press the MFB less than 1 second on the Smart Node to answer a call.

Ending a call: Press the MFB again to end the call.

Decline call: Hold the MFB for 1–3 seconds to decline in-coming call.

Voice dial: Press the MFB to start voice dial. To ensure the better effect, we suggest the user wear a headset to record the last voice dial.

Double press the MFB and it will automatically dial the last call number.

5. Multiple device connection

The bag supports the function of multi-use, which means that the user can connect to two smart devices in use (or other Bluetooth devices).

When the Smart Node connects to one device, turn off Bluetooth of the first device and turn on another device to pair with the Smart Node.

Then turn on the first device again to return to the connection. Thus, we get 1-to-2 connection.

6. Find my phone

Besides the function of hand-free calling and Bluetooth music player, the bag also can help find the lost phones. It will alert the user with vibration if the phone is 5–10 meters away from the bag.

FCC STATEMENT :

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B

digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

RF warning statement:

The device has been evaluated to meet general RF exposure requirement.

The device can be used in portable exposure condition without restriction.