

# LSD SCIENCE & TECHNOLOGY CO., LTD.

---

## DLP® Interactive Projector Communication Dongle User Manual

**Product Name: DLP® Interactive Projector Communication Dongle**

**P/N: DLP1S001/DLP2C001**

**Version: V1.0**

### ***Installing the Dongle:***

To install the dongle, plug the dongle into the 10 pin socket of DLP® Interactive Projector. Please see the

projector operation manual for details.

**Enclosure design drawing:**

-Horizontal version:



-Vertical version:



**Synchronizing the Dongle with Interactivity Devices:**

Please see the projector operation manual for details.



**LED Status Signals Defination:**

<b>LED Behavior</b>	<b>Status</b>
Blinks blue every 1.5 seconds	Wireless channel search <b>OR</b> Dongle is synchronizing with interactivity device(s)
Blinks blue every 3 seconds	Wireless channel selected to use for synchronization with interactivity device(s)
Blinks blue every 6 seconds	Dongle successfully synchronized with interactivity device(s)
Blinks blue every 10 seconds	Wireless channel selected to use for synchronization with interactivity device(s) is noisy

## Federal Communications Commission (FCC) Interference Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Note: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.