



# Adams Rite 2018 Pricelist

Effective February 1, 2018



ASSA ABLOY, the global leader  
in door opening solutions



# 2018 Price List

## Adams Rite

### Architectural Hardware

Table of Contents	3 – 4
-------------------	-------

## Products

### DEADLOCKS

RT1050 RITE Touch® Digital Glass Door Lock	5
1830 Bottom Rail Deadlock (Swingbolt)	5
MS1837 Series MS® Two-Point Deadlock	5
MS1847 Series MS® Deadlock/Deadlatch	6
MS1850S, MS1850S-X5X Series MS® Deadlock	6
1850S-X2X Series Short Throw Deadlock	7
MS1850SN, MS1850SN-45X Series MS® Deadlock (ANSI Size)	7
MS1861 Series MS® Bottom Rail Deadlock	7
1875 Two-Point Deadlock	8
MS+1890 Series MS® Deadlock/Deadlatch	8
MS1950, MS1950-X5X Series MS® Deadlock	9
2190, 2290 Dual Force® Interconnected Deadbolt/Deadlatch for Aluminum Stile Doors (2190); for Wood or Hollow Metal (2290)	10
2331 Heavy Duty Deadbolt	11
4070 Series Short Throw Deadbolt (Projection Style)	11
5017 Wood Door Deadlock/Deadlatch	11
5055 Wood Door Deadlock for Sliding Doors	12
4189, 4190 Flush Locksets (Including Deadlock)	moved to Flushlock section
4430, 4431 Flush Locksets (Including Deadlock)	moved to Flushlock section

### DEADLATCHES

4300 Steel Hawk® Electrified Deadlatch	12
4300 RITE Pack®	13
4510 Standard Duty Deadlatch	13
4530 Standard Duty Deadlatch	14
4781 Two-Point Deadlatch with Paddle	14
4900 Heavy Duty Deadlatch	15
4920AN Heavy Duty Deadlatch (ANSI Size)	15

### FLUSHLOCKS

1870 Cylinder-Operated Flushbolt	16
1870HM Cylinder-Operated Flushbolt	16
1877 Cylinder-Operated Flushbolt	17
MS1880, MS1881 Two-Point Flushlocks	17
MS2180 Auto-Release Two-Point Flushbolt	17
4189, 4190 Flush Locksets (Including Deadlock)	18
4430, 4431 Flush Locksets (Including Deadlock)	19
B1921, B1923 Reinforcing Pivots	moved to Cylinders and Accessories section

### EXIT DEVICES

8099 Dummy Pushbar	19
3100, 8100 Surface Vertical Rod Exit Device	20
8200 Narrow Stile Surface Vertical Rod Exit Device	20
3300, 8300 Mortise Exit Device	21
8400 Narrow Stile Mortise Exit Device	22
3600, 8500 Metal Door Concealed Vertical Rod Exit Device	23
8600 Narrow Stile Concealed Vertical Rod Exit Device	23
3700, 8700 Rim Exit Device	24
8800 Narrow Stile Rim Exit Device	24
3900, 8900 Wood Door Concealed Vertical Rod Exit Device	25
Accessories for 3000/8000 Series Exit Devices	25
Kitted Options for 3000/8000 Series Exit Devices	25
Modification Options for 3000/8000 Series Exit Devices	26

### NEW EX SERIES

EX80 Dummy Push Bar	26
EX88 Interlocking Rim Exit Device	26
EX89 Pullman Rim Exit Device	26
EX76 Concealed Vertical Rod Exit Device	26
Accessories for EX Series Exit Devices	26

### ELECTRIC STRIKES

7100, 7101 Electric Strikes	27
7110, 7111 Electric Strikes	27
7130, 7131 Electric Strikes	27
7140 Electric Strike	28
7160 Electric Strike	28
7170 Electric Strike	28
7100 Series Electric Strikes Components	29
7240 Fire-Rated Electric Strike	30
7270 Fire-Rated Electric Strike	30
7400, 7401 Ultraline® Electric Strikes	30
7410, 7411 Ultraline® Electric Strikes	31
7430, 7431 Ultraline® Electric Strikes	31
7440 Ultraline® Electric Strikes	31
74R1 Ultraline® Electric Strikes	32
74R2 Ultraline® Electric Strikes	32
7400 Series Electric Strikes Components	33

## TRIM

1000 Series Turns	34
3000 Fixed Pull	34
3080 Series Entry Trim	35
3090, 3090P/C eForce® Keyless Entry	36
A100-3090H Keyless Entry and Aperio® Hub Wholesale Kit	36
4060 Turn	37
4550 MS® Deadlock Lever	37
4560, 4565 Series Deadlatch Handles	38
4568, 4569 Eurostyle Deadlatch Handles	39
4590 Deadlatch Paddle	40
4591 Deadlatch Paddle	41
4600 Heavy Duty Designer Deadlatch Handles	42

## CYLINDERS AND ACCESSORIES

4024, 4025, 4029 Cylinder Pulls	43
4036 Mortise Cylinder	43
MS4043 Cylinder Guard	44
4066 Thumbturn	44
4580 Cam Disc	44
4581 Universal Cam Disc	45
8650 Cylinder Escutcheon Kit	45
8736 Rim Cylinder	45
4014 Two-Point Conversion Kit	45
4015 Threshold Bolt	45
4016 Header Bolt	46
4085 Header Bolt (Pairs of Doors Only)	46
4089 Exit Indicator	46
4104 Mounting Bridges	47
91-0965 Universal Mounting Tab Kits for Installing MS® Locks & Latches	47
B1921, B1923 Reinforcing Pivots	47

## STRIKES

2190 Dual Force® Interconnected Deadbolt/Deadlatch Strikes	47
2290 Dual Force® Interconnected Deadbolt/Deadlatch Strikes	47
4000 Series MS® Deadlock Strikes	48
4800, MS 4804 Series Strikes	48
4901, 4902 Deadlatch Strikes	49
4304 Deadlatch Strike	49

## THICK DOOR KITS

2190, 2290 Dual Force® Interconnected Deadbolt/Deadlatch Thick Door Kit	50
4568, 4569 Eurostyle Deadlatch Handles Thick Door Kits	50

## FACEPLATES

MS1850S Deadlocks Faceplates	50
MS1850S, MS1950 Deadlock (Standard Bolt) Faceplates	50
MS1850S, MS1950 Deadlock (Hookbolt and Short Bolt) Faceplates	51
MS1850SN Deadlock (Standard Bolt) Faceplates	51
MS1850SN Deadlock (Hookbolt) Faceplates	51
1870 Flushbolt Faceplates	51
MS+1890 Deadlock Faceplates	52
2190 Dual Force® Interconnected Deadbolt/Deadlatch Faceplates	52
2331 Heavy Duty Deadbolt Faceplates	52
3300 Fire-Rated Mortise Exit Device Faceplates	52
4070 Short Throw Deadbolt Faceplates	52
4500 Standard Duty Deadlatch Faceplates	52
4530 Standard Duty Deadlatch Faceplates	53
4900 Heavy Duty Deadlatch Faceplates	53
4900 Heavy Duty Deadlatch Special Faceplates	53
4920, 8300 Faceplates	53
7100, 7160 Electric Strikes Faceplates	53
7101 Electric Strike Faceplates	53
7110 Electric Strike Faceplates	53
7111 Electric Strike Faceplates	53
7130 Electric Strike Faceplates	54
7131 Electric Strike Faceplates	54
7140, 7170 Electric Strike Faceplates	54

## POWER

PS-1 Power Supply	55
PS-LR Power Supply	55
PS-SE Power Supply	55
4612 Power Transfer Device	55
4603, 4605, 4606 Accessories for Power	55

## DEMO MOUNTS

## DEADLOCKS &amp; DEADLATCHES

RT1050 RITE Touch® Digital Glass Door Lock	56
2190 Dual Force® Interconnected Deadbolt/Deadlatch	56
4300 Steel Hawk® Electrified Deadlatch (eLatch)	56

## ELECTRIC STRIKES

7400 Ultraline® Electric Strikes	56
----------------------------------	----

## EXIT DEVICES

8400 Narrow Stile Mortise Exit Device	56
---------------------------------------	----

## TRIM


3090, 3090P/C eForce® Keyless Entry	57
A100-3090H Keyless Entry and Aperio® Hub Wholesale Kit	57
4600 Heavy Duty Designer Deadlatch Handles	57

## General Information

Adams Rite Limited Warranty/Terms and Conditions	58
Canadian Terms & Conditions	58



RT1050




RITE Touch® Digital Glass Door Lock

MODELS	
<b>RT1050D</b> Digital glass door lock with thumbturn, for single doors, or pairs of doors with one inactive leaf	\$630
<b>RT1050L</b> Digital glass door lock with lever, for single doors, or pairs of doors with one inactive leaf	\$630
<b>RT-5C-1050</b> Extra cards (package of 5 cards)	\$60

HOW TO ORDER Specify quantity and the following information. Order related products separately.		
RITE TOUCH	MODEL	TRIM
RT	1050	D
	1050 For glass doors	D Thumbturn
		L Accessibility lever

1830




Bottom Rail Deadlock (Swingbolt)

MODEL & FINISHES	313, 628
<b>1830</b> Deadlock with 31/32", or 1-1/8" cylinder height	\$139

HOW TO ORDER Specify quantity and the following information. Order related products separately.		
PRODUCT NO.	DASH NO. (SPECIFY FOR CYLINDER HEIGHT AND LOCK DEPTH)	FINISH
1830	-02	-628
	02 Cylinder Height 31/32" Dim. "A" 1-5/8"	628 Clear Anodized
	03 Cylinder Height 1-1/8" Dim. "A" 1-25/32"	313 Dark Bronze Anodized

MS1837



Series MS® Two-Point Deadlock

MODELS & FINISHES	313, 335, 628	605, 626
MS1837 Deadlock includes 4001-011 strike, 36" cylinder height	\$245	\$330
MS1837 Deadlock includes 4001-011 strike, contact factory for cylinder height other than 36" up to maximum cylinder height 65"	\$300	\$385


HOW TO ORDER Specify quantity and the following information. Order related products separately.		
PRODUCT NO.	FINISH	
MS1837	-313	
	313 Dark Bronze Anodized	626 Satin Chrome
	335 Black Anodized	628 Clear Anodized
	605 Bright Brass	

If cylinder height other than 36" is required, specify exact height from bottom of door to cylinder center. Maximum cylinder height 65".

## MS1847

## Series MS® Deadlock/Deadlatch

MODEL & FINISH	630
MS1847 Deadlock/deadlatch, stainless steel	\$61




HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACE SHAPE, HUB ANGLE, LOCK OR LATCH	FINISH
MS1847	-02	-630
		630 Satin Stainless
	<p>(Blank)</p> <p>-02</p> <p>-06</p> <p>-09</p> <p>-10</p> <p>-11</p> <p>-13</p>	

MS1850S,  
MS1850S-X5X

## Series MS® Deadlock



MODELS & BACKSETS	7/8"	31/32", 1-1/8", OR 1-1/2"
MS1850S Flat faceplate, 313, 335, or 628 finish, without strike plate	\$82	\$70
MS1851S Radius faceplate, 313, 335, or 628 finish, without strike plate	\$82	\$70
MS1851SW Radius faceplate with weatherstrip, 313, 335, or 628 finish, without strike plate	\$87	\$75
MS1852S Bevel faceplate, any handing, 313, 335, or 628 finish, without strike plate	\$82	\$70
SPECIAL MODEL	7/8"	31/32", 1-1/8", OR 1-1/2"
MS1853S-XXX-IB Without faceplate, without strike plate	\$74	\$62


Schoolhouse function for above deadlocks add\$36. Please contact factory for more information.

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	BOLT SHAPE	HANDING	FINISH
MS185	0S	-2	1	0	-628
	0S Flat	1 7/8"	1 Straight bolt	0 Non-Handed*	313 Dark Bronze Anodized
	1S Radius	2 31/32"	5 Hookbolt	5 LH or RHR	335 Black Anodized
	1SW Radius with weatherstrip	3 1-1/8"		6 RH or LHR	628 Clear Anodized
	2S Bevel	4 1-1/2"			
	3 Without faceplate, without strike plate				

\*Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only.

### 1850S-X2X




### Series Short Throw Deadlock

MODELS & FINISHES		313, 335, 628
<b>1850S</b> Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate		<b>\$70</b>
<b>1851S</b> Radius faceplate, 313, 335, or 628 finish, without strike plate		<b>\$70</b>
<b>1852S</b> Bevel faceplate, any handing, 313, 335, or 628 finish, without strike plate		<b>\$70</b>
SPECIAL MODEL		
<b>1853S-X20-IB</b> Without faceplate, without strike plate		<b>\$62</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO.	FACEPLATE	BACKSET	BOLT SHAPE	HANDING	FINISH
185	OS	2	-2	0	-628
	<b>0S</b> Flat	<b>2</b> 31/32"	<b>2</b> Short Throw	<b>0</b> Non-Handed*	<b>313</b> Dark Bronze Anodized
	<b>1S</b> Radius	<b>3</b> 1-1/8"		<b>5</b> LH or RHR	<b>628</b> Clear Anodized
	<b>2S</b> Bevel	<b>4</b> 1-1/2"		<b>6</b> RH or LHR	
	<b>3</b> Without faceplate, without strike plate				

\*Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only.

### MS1850SN, MS1850SN-45X




### Series MS® Deadlock (ANSI Size)

MODELS		313, 335, 628
<b>MS1850SN</b> Flat faceplate, 1-1/2" backset, without strike plate		<b>\$99</b>
<b>MS1851SN</b> Radius faceplate, 1-1/2" backset, without strike plate		<b>\$99</b>
<b>MS1852SN</b> Bevel faceplate, any handing, 1-1/2" backset, without strike plate		<b>\$99</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO.	FACEPLATE	ANSI SIZE	BOLT SHAPE	HANDING	FINISH
MS185	0	SN	-41	0	-628
	<b>0</b> Flat		<b>41</b> Straight bolt	<b>0</b> Non-Handed*	<b>313</b> Dark Bronze Anodized
	<b>1</b> Radius		<b>45</b> Hookbolt	<b>5</b> LH or RHR	<b>335</b> Black Anodized
	<b>2</b> Bevel			<b>6</b> RH or LHR	<b>628</b> Clear Anodized

\*Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only.

### MS1861




### Series MS® Bottom Rail Deadlock

MODELS & FINISH		603
<b>MS1861-01</b> One-point deadlock, vertical bolt operation only		<b>\$145</b>
<b>MS1861-02</b> Two-point deadlock, horizontal and vertical operation		<b>\$180</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.	BOLT OPERATION	FINISH	PACKAGING
MS1861	-01	-603	-IB
	<b>01</b> Vertical Bolt Only	<b>603</b> Zinc plated steel	<b>IB</b> Individually Boxed
	<b>02</b> Vertical and Horizontal Bolts		

If tube spacers are required, please specify quantity and length.

## 1875




## Two Point Deadlock

MODEL & FINISH	603
<b>1875</b> Two-point deadlock for roll-up doors	<b>\$180</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	PACKAGING
1875	-IB
	IB Individually Boxed

## MS+1890



## Series MS® Deadlock/Deadlatch

MODELS & FINISHES	313, 335, 628
<b>MS+1890</b> Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset	<b>\$243</b>
<b>MS+1891</b> Radius faceplate, 31/32", 1-1/8", or 1-1/2" backset	<b>\$243</b>
<b>MS+1891W</b> Radius faceplate with weatherstrip, 31/32", 1-1/8", or 1-1/2" backset	<b>\$253</b>
<b>MS+1892</b> Bevel faceplate, any handing, 31/32", 1-1/8", or 1-1/2" backset	<b>\$243</b>
SPECIAL MODELS	
<b>MS+1890</b> Flat, radius, or bevel faceplate, complete with flat / center hung 4" or 4-1/2" strike plate	<b>\$255</b>
<b>MS+1893-XX-IB</b> Without faceplate, without strike plate	<b>\$187</b>


HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	STRIKE SHAPE/LIP LENGTH	HANDING	FINISH
MS+189	1	-3	02	6	-628
	<b>0</b> Flat	<b>2</b> 31/32"	<b>01</b> Flat/Standard Jamb	<b>5</b> LH or RHR	<b>313</b> Dark Bronze Anodized
	<b>1</b> Radius	<b>3</b> 1-1/8"	<b>02</b> Radius/Standard Stile	<b>6</b> RH or LHR	<b>335</b> Black Anodized
	<b>1W</b> Radius with weatherstrip	<b>4</b> 1-1/2"	<b>17</b> Flat/Center Hung 4" Jamb		<b>628</b> Clear Anodized
	<b>2</b> Bevel		<b>21</b> Flat/Center Hung 4-1/2" Jamb		
	<b>3</b> Without faceplate, without strike plate				

For door thickness other than 1-3/4", please contact factory.



MS1950,  
MS1950-X5X



Series MS® Deadlock

MODELS		313, 335, 628
<b>MS1950</b>	Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	<b>\$128</b>
<b>MS1951</b>	Radius faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	<b>\$128</b>
<b>MS1951W</b>	Radius faceplate with weatherstrip, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	<b>\$133</b>
<b>MS1952</b>	Bevel faceplate, any handing, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	<b>\$128</b>
SPECIAL MODEL		
<b>MS1953S-XXX-IB</b>	Without faceplate, without strike plate	<b>\$120</b>


Schoolhouse function for above deadlocks add\$36. Please contact factory for more information.

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO.	FACEPLATE	BACKSET	BOLT SHAPE	HANDING	FINISH
MS195	0	-2	1	0	-628
	<b>0</b> Flat	<b>2</b> 31/32"	<b>1</b> Straight bolt	<b>0</b> Non-Handed*	<b>313</b> Dark Bronze Anodized
	<b>1</b> Radius	<b>3</b> 1-1/8"	<b>5</b> Hookbolt	<b>5</b> LH or RHR	<b>335</b> Black Anodized
	<b>1W</b> Radius with weatherstrip	<b>4</b> 1-1/2"		<b>6</b> RH or LHR	<b>628</b> Clear Anodized
	<b>2</b> Bevel				
	<b>3</b> Without faceplate, without strike plate				

\*Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only.

2190, 2290

Dual Force® Interconnected Deadbolt/Deadlatch for Aluminum Doors (2190); for Wood or Hollow Metal (2290)



	MODELS & TRIM SETS	STANDARD TRIM SET		ELECTRIFIED TRIM SET		LOW PROFILE TRIM	
		10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32
STANDARD LEVER	<b>2190, 2290</b> Deadbolt/Deadlatch with standard lever (01, 02, 03), complete with strike plate	\$615	\$695	\$775	\$855	\$540	\$620
	<b>2190</b> Deadbolt/Deadlatch with standard lever (01, 02, 03), complete with flat/center hung 4" or 4-1/2" strike plate	\$630	\$710	\$790	\$870	\$555	\$635
	<b>2190, 2290</b> Deadbolt/Deadlatch with standard lever (01, 02, 03), without strike plate	\$590	\$670	\$750	\$830	\$515	\$595
DESIGNER LEVER	<b>2190, 2290</b> Deadbolt/Deadlatch with designer lever series (MD through MW), complete with strike plate	\$660	\$740	\$820	\$900	\$585	\$665
	<b>2190</b> Deadbolt/Deadlatch with with designer lever series (MD through MW), complete with flat/center hung 4" or 4-1/2" strike plate	\$675	\$755	\$835	\$915	\$600	\$680
	<b>2190, 2290</b> Deadbolt/Deadlatch with designer lever series (MD through MW), without strike plate	\$635	\$715	\$795	\$875	\$560	\$640
MODELS & FINISHES						313, 335, 628	N/A
<b>2190, 2290</b> Boxed Lock Less lever trim, with adjustable faceplate and choice of standard or radius strike						\$290	
<b>EK-2190</b> Electrification Kit for 2190, 2290; 12/24 VAC/VDC (not compatible with low profile trim)							\$169

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	BACKSET	STRIKE	FACEPLATE FINISH	TRIM*	HANDLE DESIGNATION	TRIM AND HANDLE FINISH
2190	-3	1	1	-1	01	32D
	3 1-1/8"	0 None	1 Clear Anodized 628	0 None	00 No Handle	03 Bright Brass (US3)
	4 1-1/2"	1 Standard Flat	2 Dark Bronze Anodized 313	1 With Trim Set*	<b>STANDARD SERIES:</b>	04 Satin Brass (US4)
		2 Radius Strike	3 Black Anodized 335	2 With Electrified Trim Set*	01 Curve	10B Dark Bronze
		3 Flat/Center Hung 4"		3 Low Profile Trim	02 Round	32 Bright Stainless (US32)
		4 Flat/Center Hung 4-1/2"			03 Square	32D Satin Stainless (US32D)
					<b>DESIGNER SERIES:</b>	
					MD MG MJ MV (Handed)	
					ME MI MN (Handed) MW	


\*Trim options 1 and 2 are suitable for outswing doors only.

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	BACKSET	STRIKE	FACEPLATE FINISH	TRIM*	HANDLE DESIGNATION	TRIM AND HANDLE FINISH
2290	-3	1	1	-1	01	32D
	3 1-1/8"	0 None	0 US to match trim finish	0 None	00 No Handle	03 Bright Brass (US3)
	4 1-1/2"	1 Standard Flat	1 Clear Anodized 628	1 With Trim Set*	<b>STANDARD SERIES:</b>	04 Satin Brass (US4)
			2 Dark Bronze Anodized 313	2 With Electrified Trim Set*	01 Curve	10B Dark Bronze
			3 Black Anodized 335	3 Low Profile Trim	02 Round	32 Bright Stainless (US32)
					03 Square	32D Satin Stainless (US32D)
					<b>DESIGNER SERIES:</b>	
					MD MG MJ MV (Handed)	
					ME MI MN (Handed) MW	

\*Trim options 1 and 2 are suitable for outswing doors only.

2331




Heavy Duty Deadbolt

MODEL & FINISHES	121, 626	605, 625
2331 Deadbolt, 1-3/4" backset, complete with strike	\$306	\$336

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FINISH
2331	-626
	121 To Match 313 Dark Bronze Anodized
	605 Bright Brass
	625 Bright Chrome
	626 Satin Chrome

4070



Series Short Throw Deadbolt (Projection Style)


MODELS & FINISHES	313, 335, 628
4070 Flat faceplate, 7/8", 31/32", or 1-1/8" backset, without strike plate	\$169
4071 Radius faceplate, 7/8", 31/32", or 1-1/8" backset, without strike plate	\$169
4072 Bevel faceplate, any handing, 7/8", 31/32", or 1-1/8" backset, without strike plate	\$169
SPECIAL MODEL	
4073-XX-IB Without faceplate, without strike plate	\$159

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE	BACKSET	HANDING	FINISH
407	2	-2	6	-628
	0 Flat	1 7/8"	0 Non-Handed*	313 Dark Bronze Anodized
	1 Radius	2 31/32"	5 LH or RHR	335 Black Anodized
	2 Bevel	3 1-1/8"	6 RH or LHR	628 Clear Anodized
	3 Without faceplate, without strike plate			

\*Any flat or radius faceplate. Select handing for bevel faceplate only.

5017




Wood Door Deadlock/Deadlatch

MODELS & FINISH	630
5017-00 Standard stainless steel deadlock	\$61
5017-02 Self-latching deadlock/deadlatch	\$61

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LATCH CONFIGURATION
5017	-00
	00 Standard
	02 Self Latching

5500




## Wood Door Deadlock for Sliding Doors

MODELS		119, 626
5500-20 Lockset, strike, and trim included for 1-1/4", sliding wood doors		\$130
HOW TO ORDER Specify quantity and the following information. Order related products separately.		
PRODUCT NO.	DOOR THICKNESS	FINISH
5500	-20	-626
	20 1-1/4" Thick	626 Satin Chrome
		119 to Match 335 Black Anodized

## DEADLATCHES

4300



## Steel Hawk® Electrified Deadlatch (eLatch)

MODELS & FINISHES		313, 335, 628			
4300 Electrified deadlatch 31/32", 1-1/8", or 1-1/2" backset		\$423			
4300M Monitored option, 31/32", 1-1/8", or 1-1/2" backset		\$483			
SPECIAL MODELS		313, 335, 628			
4300 Electrified deadlatch complete with flat / center hung 4" or 4-1/2" strike plate		\$443			
4300M Electrified deadlatch with monitored option, complete with flat / center hung 4" or 4-1/2" strike plate		\$503			
HOW TO ORDER Specify quantity and the following information. Order related products separately					
PRODUCT NO.	BACKSET	MONITORING	STRIKE	STIRKE SHAPE/LIP LENGTH	FACEPLATE FINISH
4300	-3	M	-2	01	-628
	2 31/32"	0 None	1 Surface Mount (4304)	01 Flat/Standard Jamb	313 Dark Bronze Anodized
	3 1-1/8"	M Monitored	2 Mortised (4901) 4-5/8"	02 Radius/Standard Stiles**	335 Black Anodized
	4 1-1/2"			17 Flat/Center Hung 4" Jamb**	628 Clear Anodized
				21 Flat/Center Hung 4-1/2" Jamb**	

\*\* See ACCESSORIES for available 4901 strike options.

4300


RITE Pack®

MODELS					313, 628
4300-20	31/32" backset, flat and radius, 313 and 628 finish faceplates, surface mount or mortise strike				\$433
4300-30	1-1/8" backset, flat and radius, 313 and 628 finish faceplates, surface mount or mortise strike				\$433

HOW TO ORDER Specify quantity and the following information. Order related products separately.				
PRODUCT NO.	BACKSET	MONITORING	STRIKE	RITE PACK
4300	-3	0	-1	RP
	2 31/32"	0 None	1 Surface Mount (4304)	
	3 1-1/8"		2 Mortised (4901) 4-5/8"	

4510



Standard Duty Deadlatch

MODELS & FINISHES		313, 335, 628
4510	Flat faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$83
4511	Radius faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$83
4511W	Radius faceplate with weatherstrip, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$88
4512	Bevel faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$83


  

SPECIAL MODELS		
4510	Flat, radius or bevel faceplate complete with flat / center hung 4" or 4-1/2" strike plate	\$103
4511W	Radius faceplate with weatherstrip complete with flat / center hung 4" or 4-1/2" strike plate	\$108
4510	With faceplate, without strike plate	\$67
4511W	Radius faceplate with weatherstrip, without strike plate	\$72
4513-XX-IB	Without faceplate, without strike plate	\$59

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH
451	1	-3	6	-2	01	-628
	0 Flat	1 7/8"	5 LH or RHR	1 Mortised (4901) 4-5/8"	01 Flat/Standard Jamb	313 Dark Bronze Anodized
	1 Radius	2 31/32"	6 RH or LHR	2 Mortised (4902) 2-5/8"	02 Radius/Standard Stiles	335 Black Anodized
	1W Radius with weatherstrip	3 1-1/8"			17 Flat/Center Hung 4" Jamb	628 Clear Anodized
	2 Bevel	4 1-1/2"			21 Flat/Center Hung 4-1/2" Jamb	
	3 Without faceplate, without strike plate					

## 4530

## Standard Duty Deadlatch



MODELS & FINISHES						313, 335, 628
4530 Flat faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate						\$101
4531 Radius faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate						\$101
4532 Bevel faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate						\$101
SPECIAL MODELS						
4530 Flat, radius or bevel faceplate complete with flat / center hung 4" or 4-1/2" strike plate						\$121
4530 With faceplate without strike plate						\$85
4533-XX-IB Without faceplate, without strike plate						\$77
HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH
453	1	-3	6	-1	01	-628
	0 Flat	1 7/8"	5 LH or RHR	1 Mortised (4901) 4-5/8"	01 Flat/Standard Jamb	313 Dark Bronze Anodized
	1 Radius	2 31/32"	6 RH or LHR	2 Mortised (4902) 2-5/8"	02 Radius/Standard Stiles	335 Black Anodized
	2 Bevel	3 1-1/8"			17 Flat/Center Hung 4" Jamb	628 Clear Anodized
	3 Without faceplate, without strike plate				21 Flat/Center Hung 4-1/2" Jamb	

## 4781


## Two-Point Deadlatch with Paddle



MODEL & FINISHES		313, 335, 628	US26D
4781 Paddle includes dogging feature		\$322	\$432
4781T Paddle with top rod only (less bottom rod)		\$292	\$402
HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.		OPERATION	PADDLE FINISH
4781	T	-021	-628
	T Top rod only	021 Push to LEFT	313 Dark Bronze Anodized
	- Standard rod	041 Push to RIGHT	335 Black Anodized
			628 Clear Anodized
			US26D Satin Chrome



4900




Heavy Duty Deadlatch

MODELS & FINISHES	313, 335, 628
<b>4900</b> Flat and radius faceplates, 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	<b>\$113</b>
<b>4911W</b> Radius with weatherseal faceplate, 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	<b>\$118</b>
SPECIAL MODELS	
<b>4900</b> Flat and radius faceplates complete with flat / center hung 4" or 4-1/2" strike plate	<b>\$133</b>
<b>4911W</b> Radius with weatherstrip faceplate complete with flat / center hung 4" or 4-1/2" strike plate	<b>\$138</b>
<b>4900</b> Flat and radius faceplate, without strike plate	<b>\$97</b>
<b>4911W</b> Radius with weatherstrip faceplate, without strike plate	<b>\$102</b>
<b>4913-XX-IB</b> Without faceplate, without strike plate	<b>\$89</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH
49	00	-3	5	-2	01	-628
	<b>00</b> Standard	<b>2</b> 31/32"	<b>5</b> LH or RHR	<b>1</b> Mortised (4901) 4-5/8"	<b>01</b> Flat/Standard Jamb	<b>313</b> Dark Bronze Anodized
	<b>11W</b> Radius with Weatherstrip	<b>3</b> 1-1/8"	<b>6</b> RH or LHR	<b>2</b> Mortised (4902) 2-5/8"	<b>02</b> Radius/Standard Stile	<b>335</b> Black Anodized
	<b>13</b> Without faceplate, without strike plate	<b>4</b> 1-1/2"			<b>17</b> Flat/Center Hung 4" Jamb	<b>628</b> Clear Anodized
					<b>21</b> Flat/Center Hung 4-1/2" Jamb	

4920AN




Heavy Duty Deadlatch (ANSI Size)

MODELS & FINISHES	313, 335, 628
<b>4920AN</b> Flat faceplate, 1-1/2" or 2-3/4" backset, complete with 4506 strike plate	<b>\$138</b>
SPECIAL MODELS	
<b>4920AN</b> Flat faceplate, without strike plate	<b>\$102</b>
<b>4923AN-XX-IB</b> Without faceplate, without strike plate	<b>\$80</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE	FACEPLATE FINISH
4920AN	OAN	4	6	-602	-313
	<b>OAN</b> Flat	<b>4</b> 1-1/2"	<b>5</b> LH or RHR	<b>000</b> Less Strike	<b>313</b> Dark Bronze Anodized
	<b>3AN</b> Without faceplate, without strike plate	<b>5</b> 2-3/4"	<b>6</b> RH or LHR	<b>602</b> 4506 Strike	<b>335</b> Black Anodized
					<b>628</b> Clear Anodized

## 1870



## Cylinder-Operated Flushbolt

MODELS & CYLINDER HEIGHT	STANDARD 12" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 12" (SPECIFY)
<b>1870</b> Flat faceplate, 313, 335, or 628 finish	\$117	\$167
<b>1871</b> Radius faceplate, 313, 335, or 628 finish	\$117	\$167
<b>1871W</b> Radius faceplate with weatherstrip, 313, 335, or 628 finish	\$122	\$172
<b>1872</b> Bevel faceplate, 313, 335, or 628 finish	\$117	\$167


For cylinder height greater than 12" up to maximum cylinder height 65" please contact factory.

**HOW TO ORDER** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE SHAPE	BACKSET	HANDING*	FINISH
187	0	-2	0	-628
	<b>0</b> Flat	<b>2</b> 31/32"	<b>0</b> Non-Handed*	<b>313</b> Dark Bronze Anodized
	<b>1</b> Radius	<b>3</b> 1-1/8"	<b>5</b> LH or RHR	<b>335</b> Black Anodized
	<b>1W</b> Radius with weatherstrip		<b>6</b> RH or LHR	<b>628</b> Clear Anodized
	<b>2</b> Bevel			

\*Any flat or radius faceplate. Select handing for bevel faceplate only.

## 1870HM



## Cylinder-Operated Flushbolt


MODEL & CYLINDER HEIGHT	STANDARD 13-1/2" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 13-1/2" (SPECIFY)
<b>1870HM</b> For hollow metal, 313, 335, or 628 finish, 1-1/4" backset	\$157	\$207

For cylinder height greater than 13-1/2" up to maximum cylinder height 65" please contact factory.

**HOW TO ORDER** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE SHAPE	FINISH
187	OHM	-628
	<b>OHM</b> Flat	<b>313</b> Dark Bronze Anodized
		<b>335</b> Black Anodized
		<b>628</b> Clear Anodized

## 1877



## Cylinder-Operated Flushbolt


MODEL & CYLINDER HEIGHT	STANDARD 13-1/2" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 13-1/2" (SPECIFY)
<b>1877</b> For wood, 313 or 628 finish, 1-1/4" backset	\$195	\$245
<b>1877</b> For wood, 605 or 626 finish, 1-1/4" backset	\$275	\$325

For cylinder height greater than 13-1/2" up to maximum cylinder height 57-1/2" please contact factory.

**HOW TO ORDER** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FINISH
1877	-628
	<b>313</b> Dark Bronze Anodized
	<b>605</b> Bright Brass
	<b>626</b> Satin Chrome
	<b>628</b> Clear Anodized

## MS1880, MS1881 Two-Point Flushbolts



MODELS & FINISHES		119, 121, 682	
<b>MS1880</b>	Flushbolt with hourglass shaped turn		<b>\$149</b>
<b>MS1881</b>	Flushbolt with teardrop shaped turn		<b>\$149</b>
<b>KITTED OPTION</b>			
MODEL			
<b>TDK-1880</b>	Tall door kit for doors over 84", up to 144" maximum		<b>\$28</b>
HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.	TURN SHAPE	CYLINDER HEIGHT*	FINISH
<b>MS188</b>	<b>0</b>	<b>-01</b>	<b>-682</b>
<b>MS188</b>	<b>0</b> Hourglass	<b>01</b> 31" to 35"	<b>119</b> to Match 335 Black Anodized
	<b>1</b> Teardrop	<b>02</b> 35-1/16" to 39"	<b>121</b> to Match 313 Dark Bronze Anodized
		<b>03</b> 39-1/16" 43"	<b>682</b> Satin Chrome
		<b>04</b> 43-1/16" to 47"	
		<b>05</b> 47-1/16" to 51"	

\*Distance from floor to cylinder centerline.


## MS2180



## Auto-Release Two-Point Flushbolt

MODELS & FINISHES		119, 121, 130	
<b>MS2180</b>	Hourglass shaped turn, 7', 8', 9', 10' door height		<b>\$224</b>
<b>MS2181</b>	Teardrop shaped turn, 7', 8', 9', 10' door height		<b>\$224</b>
<b>MS2182</b>	Flush operator, 7', 8', 9', 10' door height		<b>\$224</b>
HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.	TURN SHAPE	DOOR HEIGHT (FROM FLOOR TO TOP OF DOOR)	FINISH TO MATCH
<b>MS218</b>	<b>0</b>	<b>-07</b>	<b>-130</b>
	<b>0</b> Hourglass	<b>07</b> Up to 7' Door	<b>119</b> to Match 335 Black Anodized
	<b>1</b> Teardrop	<b>08</b> Up to 8' Door	<b>121</b> to Match 313 Dark Bronze Anodized
	<b>2</b> Flush Operator	<b>09</b> Up to 9' Door	<b>130</b> to Match 628 Clear Anodized
		<b>10</b> Up to 10' Door	

4189, 4190



## Flush Locksets (Including Deadlock)


MODELS & FINISHES	STANDARD LOCK FACE	STAINLESS STEEL LOCK FACE
<b>4189-IB</b> Flush lockset, 119, 121, or 130 finish, individually boxed	\$98	\$108
<b>4190-IB</b> Flush lockset, 119, 121, or 130 finish, individually boxed with cylinder	\$128	\$138
<b>4195-IB</b> Dummy flushset, 119, 121, or 130 finish, individually boxed	\$68	\$78
SPECIAL MODEL		
<b>4189-00</b> Flush operator without lock	\$78	
<b>4190-00</b> Flush operator without lock	\$108	
KITTED OPTIONS		
MODELS	GRAY	
<b>4413-01, 4413-02</b> Grip pull for use with 4189, 4190	\$23	

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LOCKSET EXTERIOR	LOCK FACE	STILE THICKNESS	FINISH	KEYING OPTIONS*	PACKAGING
41	90	-09	-01	-130	-01	IB
	<b>89</b> Without Cylinder	<b>00</b> Without Lock	<b>01</b> 1" to 1-3/8"	<b>119</b> To match 335 Black Anodized	<b>00</b> Without Cylinder	<b>IB</b> Individually Boxed
	<b>90</b> With Cylinder	<b>09</b> Radius	<b>02</b> 1-7/16" to 1-5/8"	<b>121</b> To match 313 Dark Bronze Anodized	<b>01</b> Keyed Different	
	<b>95</b> Dummy	<b>09S</b> Radius Stainless Steel	<b>03</b> 1-11/16" to 2"	<b>130</b> To match 628 Clear Anodized	<b>02</b> Keyed alike in pairs	
		<b>10</b> Square				
		<b>10S</b> Square Stainless Steel				

\*Keyed alike 50 are available by special order in quantity of 50 locksets only. Please contact factory for ordering information.

4430, 4431



Flush Locksets (Including Deadlock)

MODELS & FINISH	STANDARD LOCK FACE	STAINLESS STEEL LOCK FACE
4430-IB ABS flush lockset, individually boxed	\$68	\$78
4431-IB ABS flush lockset with cylinder, individually boxed	\$103	\$113
4432-IB ABS dummy flushset, individually boxed	\$33	\$43
SPECIAL MODEL		
4430-00 ABS operator without lock	\$48	
4431-00 ABS operator without lock	\$83	
KITTED OPTIONS		
MODELS & FINISHES	335	
4453-02-335-IB Grip pull for use with 4430, 4431	\$36	

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LOCKSET EXTERIOR	LOCK FACE	STILE THICKNESS	KEYING OPTIONS*	PACKAGING
44	31	-09	-05	-01	-IB
	30 Without Cylinder	00 Without Lock	00 1" to 1-5/16"	00 Without Cylinder	IB Individually Boxed
	31 With Cylinder	09 Radius	05 1-3/8" to 1-5/8"	01 Keyed Different	
	32 Dummy	09S Radius Stainless Steel	08 1-3/4" to 2"	02 Keyed alike in pairs	
		10 Square			
		10S Square Stainless Steel			

\*Keyed alike 50 are available by special order in quantity of 50 locksets only. Please contact factory for ordering information.

EXIT DEVICES

Alarm option cannot be combined with any other Device Option or Monitoring Option. Split finishes (faceplate/pushbar) are not available. Matching end cap option available for US finishes only. Please contact factory for specific ordering questions.

8099

Dummy Pushbar



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8099-00 Dummy pushbar without mechanism, for doors NOT requiring an exit device.	\$230	\$485	\$545
8099-M0 Active dummy bar without latching mechanism, without monitoring switches.	\$300		
8099-M1 Active dummy bar with monitoring switch but without latching mechanism. May be wired normally open or normally closed to operate maglock, alarm or similar.	\$355	\$610	\$670
8099-M2 Active dummy bar with two monitoring switches but without latching mechanism. May be wired normally open or normally closed to operate maglock, alarm or similar.	\$415	\$670	\$730

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	MONITOR	DOOR TYPE	PUSHBAR FINISH	WIDTH	US FINISH
8099	-M1	-3	0	36	-US32
	00 Inactive Dummy Bar	3 Aluminum	0 US Finish	30 30 inches	US3 Bright Brass
	M0 Active Dummy Bar, no monitoring switches	4 Wood or hollow metal	1 Clear Anodized 628	36 36 inches	US4 Satin Brass
	M1 Active Dummy Bar, one monitoring switch		2 Dark Bronze Anodized 313	42 42 inches	US32 Bright Stainless
	M2 Active Dummy Bar, two monitoring switches		3 Black Anodized 335	48 48 inches	US32D Satin Stainless

USA


800.872.3267 | orders.adamsrite@assaabloy.com

adamsrite.com



## 3100, 8100

## Surface Vertical Rod Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>8100</b> Surface vertical rod exit device for wood and hollow metal	\$910	\$1,210	\$1,370
<b>8100T</b> Top rod only (less bottom rod) SVR exit device	\$835	\$1,135	\$1,295
<b>3100</b> Fire-rated surface vertical rod exit device for wood and hollow metal	\$1,160	\$1,460	\$1,620
<b>3100T</b> Fire-rated top rod only (less bottom rod) for metal doors	\$1,085	\$1,385	\$1,545
<b>3100W</b> Fire-rated top rod only (less bottom rod) for wood doors	\$1,085	\$1,385	\$1,545
<b>KITTED OPTIONS</b>			
MODELS & FINISHES	313, 335, 628	US32D	US32
<b>3055</b> Tall door kit for doors up to 10' tall, for use with 3100	\$130	\$165	\$195


## HOW TO ORDER Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH
81	00	-	SE	M2	-30	-US32D	MEC
<b>31</b> Fire Rated	<b>00</b> US Finish	<b>T</b> Top Rod only	<b>LR</b> Electric Latch Retraction	<b>M</b> Single Switch	<b>30</b> 30 inches	<b>US3</b> Bright Brass	<b>MEC</b> Matching End Caps
<b>81</b> Life-Safety	<b>11</b> Clear Anodized 628	<b>W</b> Top Rod only - Wood doors	<b>SE</b> Silent Electrification Latch Retraction	<b>M2</b> Dual Switch	<b>36</b> 36 inches	<b>US4</b> Satin Brass	
	<b>22</b> Dark Bronze Anodized 313	- Standard rod	<b>C</b> Cylinder Dogging (non-fire rated devices ONLY)	<b>(BLANK)</b> No Monitor	<b>42</b> 42 inches	<b>US32</b> Bright Stainless	
	<b>33</b> Black Anodized 335		<b>ED</b> Electric Dogging		<b>48</b> 48 inches	<b>US32D</b> Satin Stainless	
			<b>(BLANK)</b> No Option		<b>AXXB</b> Alarmed Exit Device where XX is door opening width		

\* Please note that 30" exit devices cannot accommodate monitoring options, except when ordered in conjunction with the SE option.

## 8200

## Narrow Stile Surface Vertical Rod Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>8200</b> Narrow stile surface vertical rod exit device	\$855	\$1,155	\$1,315
<b>8200T</b> Top rod only (less bottom rod) SVR exit device	\$780	\$1,080	\$1,240
SPECIAL MODELS	313, 335, 628	US4, US32D	US3, US32
<b>8200-99</b> SVR exit device, less rods	\$765	\$1,065	\$1,225
<b>KITTED OPTIONS</b>			
MODELS & FINISHES	313, 335, 628	US32D	US32
<b>8055-01</b> Tall door kit for doors up to 10' tall, for use with 8100, 8200	\$120	\$155	\$185


## HOW TO ORDER Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH
82	00	-	ED	M2	-36	-US3	MEC
<b>82</b> Life-Safety	<b>00</b> US Finish	<b>T</b> Top Rod only	<b>LR</b> Electric Latch Retraction	<b>M</b> Single Switch	<b>30</b> 30 inches	<b>US3</b> Bright Brass	<b>MEC</b> Matching End Caps
	<b>11</b> Clear Anodized 628	- Standard rod	<b>SE</b> Silent Electrification Latch Retraction	<b>M2</b> Dual Switch	<b>36</b> 36 inches	<b>US4</b> Satin Brass	
	<b>22</b> Dark Bronze Anodized 313		<b>C</b> Cylinder Dogging	<b>(BLANK)</b> No Option	<b>42</b> 42 inches	<b>US32</b> Bright Stainless	
	<b>33</b> Black Anodized 335		<b>ED</b> Electric Dogging		<b>48</b> 48 inches	<b>US32D</b> Satin Stainless	
			<b>(BLANK)</b> No Option		<b>AXXB</b> Alarmed Exit Device where XX is door opening width		



# 3300, 8300

## Mortise Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>8300</b> Mortise exit device for wood and hollow metal	<b>\$705</b>	<b>\$1,005</b>	<b>\$1,105</b>
<b>3300</b> Fire-rated mortise exit device for wood and hollow metal	<b>\$1,005</b>	<b>\$1,305</b>	<b>\$1,405</b>

### KITTED OPTIONS

MODELS & FINISH	US32D
<b>4009-01</b> Open back strike for 1-3/4" thick doors	<b>\$135</b>

For complete list of kitted options for mortise exit devices, please refer to 8400 Narrow Stile Mortise Exit Devices on next page.


### HOW TO ORDER Specify quantity and the following information. Order related products separately.

MODEL	FACEPLATE FINISH	FACE SHAPE	DEVICE OPTIONS	MONITORING OPTION	DOOR HANDING	PUSHBAR FINISH	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH
83	3	0	ED	M	-7	3	A36B		
<b>33</b> Fire Rated	<b>0</b> US Finish	<b>0</b> Flat (3300 only)	<b>LR</b> Electric Latch Retraction	<b>M</b> Single Switch	<b>7</b> RHR	<b>0</b> US Finish	<b>30</b> 30 inches	<b>US3</b> Bright Brass	<b>MEC</b> Matching End Caps
<b>83</b> Life-Safety	<b>1</b> Clear Anodized 628	<b>2</b> Bevel (8300 only)	<b>SE</b> Silent Electrification Latch Retraction	<b>M2</b> Dual Switch	<b>8</b> LHR	<b>1</b> Clear Anodized 628	<b>36</b> 36 inches	<b>US4</b> Satin Brass	
	<b>2</b> Dark Bronze Anodized 313		<b>C</b> Cylinder Dogging (non-fire rated devices ONLY)	<b>(BLANK)</b> No Monitor		<b>2</b> Dark Bronze Anodized 313	<b>42</b> 42 inches	<b>US32</b> Bright Stainless	
	<b>3</b> Black Anodized 335		<b>ED</b> Electric Dogging			<b>3</b> Black Anodized 335	<b>48</b> 48 inches	<b>US32D</b> Satin Stainless	
			- Without Options				<b>AXXB</b> Alarmed Exit Device where XX is door opening width		

\*Please note that 30" exit devices cannot accommodate monitoring options, except when ordered in conjunction with the SE option.

8400

## Narrow Stile Mortise Exit Device



MODEL & FINISHES	313, 335, 628	US4, US32D	US3, US32
8400 Narrow stile mortise exit device	\$630	\$930	\$1,030

Please contact factory for information on the 8475 Midpanel Mortise Exit Device. Pricing is standard pricing plus unique door cutting charge for custom cut length.

## KITTED OPTIONS

MODELS	US32D
8455-01 Long face strike for covering MS strike prep	\$98
8460-17-630 Long lip strike for jambs that project outward 2-1/4" beyond the centerline of door	\$75
91-0995-02-IP 2" thick door kit for use with 8300, 8400	\$17
91-0995-03-IP 2-1/4" thick door kit for use with 8300, 8400	\$17
91-0995-04-IP 2-1/2" thick door kit for use with 8300, 8400	\$20
91-0995-05-IP 2-3/4" thick door kit for use with 8300, 8400	\$25
91-0995-06-IP 3" thick door kit for use with 8300, 8400	\$25
91-0325-01 Thermal door kit, 1/4" cladding, for use with 8400	\$80
91-0325-02 Thermal door kit, 1/2" cladding, for use with 8400	\$145


## HOW TO ORDER Specify quantity and the following information. Order related products separately.

MODEL	FACEPLATE FINISH	FACE SHAPE	DEVICE OPTIONS	MONITORING OPTION	BACKSET	DOOR HANDING	PUSHBAR FINISH	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH
84	1	4	SE	M2	-4	7	1	42		
84 Life-Safety	0 US Finish	0 Flat, Radius, Bevel	LR Electric Latch Retraction	M Switch	2 31/32"	7 RHR	0 US Finish	30 30 inches	US3 Bright Brass	MEC Matching End Caps
	1 Clear Anodized 628	4 Radius w/ Weatherstrip*	SE Silent Electrification Latch Retraction	M2 Dual Switch	3 1-1/8"	8 LHR	1 Clear Anodized 628	36 36 inches	US4 Satin Brass	
	2 Dark Bronze Anodized 313		C Cylinder Dogging	(BLANK) No Monitor	4 1-1/2"		2 Dark Bronze Anodized 313	42 42 inches	US32 Bright Stainless	
	3 Black Anodized 335		ED Electric Dogging				3 Black Anodized 335	48 48 inches	US32D Satin Stainless	
			- Without Options					AXXB Alarmed Exit Device where XX is door opening width		

\*Radius with weatherstrip faceplate is not available in US finishes.

3600, 8500

Metal Door Concealed Vertical Rod Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8500 Concealed vertical rod exit device for hollow metal	\$665	\$965	\$1,065
8500T Top rod only (less bottom rod) CVR exit device	\$590	\$890	\$990
3600 Fire-rated concealed vertical rod exit device for hollow metal	\$1,085	\$1,385	\$1,485
3600T Fire-rated top rod only (less bottom rod) CVR exit device	\$1,010	\$1,310	\$1,410
<b>KITTED OPTIONS</b>			
<b>MODEL</b>			
3655 Tall door kit for doors taller than 66" above bar height, up to 10'			\$58


HOW TO ORDER Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH
85	00	T	ED	M	-36	-US32D	
36 Fire Rated	00 US Finish	T Top Rod only	LR Electric Latch Retraction	M Single Switch	30 30 inches	US3 Bright Brass	MEC Matching End Caps
85 Life-Safety	11 Clear Anodized 628	- Standard rod	SE Silent Electrification Latch Retraction	M2 Dual Switch	36 36 inches	US4 Satin Brass	
	22 Dark Bronze Anodized 313		C Cylinder Dogging (non-fire rated devices only)	(BLANK) No Monitor	42 42 inches	US32 Bright Stainless	
	33 Black Anodized 335		ED Electric Dogging		48 48 inches	US32D Satin Stainless	
			(BLANK) No Option		AXXB Alarmed Exit Device where XX is door opening width		

\*Please note that 30" exit devices cannot accommodate monitoring options, except when ordered in conjunction with the SE option.

8600

Narrow Stile Concealed Vertical Rod Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8600 Narrow stile concealed vertical rod exit device	\$620	\$920	\$1,020
8600T Top rod only (less bottom rod) CVR exit device	\$545	\$845	\$945
<b>SPECIAL MODELS</b>			
8600-99 CVR exit device, less rods	\$535	\$835	\$935

Please contact factory for information on the 8675 Midpanel CVR Exit Device. Pricing is standard pricing plus unique door cutting charge for custom cut length.

**KITTED OPTIONS**

<b>MODEL</b>			
8655 Tall door kit for doors up to 10' for use with 8500, 8600			\$53

HOW TO ORDER Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH
86	22	T	SE	M2	-36		
86 Life-Safety	00 US Finish	T Top Rod only	LR Electric Latch Retraction	M Single Switch	30 30 inches	US3 Bright Brass	MEC Matching End Caps
	11 Clear Anodized 628	- Standard rod	SE Silent Electrification Latch Retraction	M2 Dual Switch	36 36 inches	US4 Satin Brass	
	22 Dark Bronze Anodized 313		C Cylinder Dogging	(BLANK) No Monitor	42 42 inches	US32 Bright Stainless	
	33 Black Anodized 335		ED Electric Dogging		48 48 inches	US32D Satin Stainless	
			(BLANK) No Option		AXXB Alarmed Exit Device where XX is door opening width		

USA

800.872.3267 | orders.adamsrite@assaabloy.com

adamsrite.com



## 3700, 8700

## Rim Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8700 Rim exit device for wood and hollow metal	\$455	\$735	\$815
3700 Fire-rated rim exit device for wood and hollow metal	\$755	\$1,015	\$1,075

## KITTED OPTIONS

MODELS	N/A
3889-08 Mullion for doors up to 8' for use with 8700, 3700	\$525

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH	VOLTAGE (For EL Option Only)
37	00	EL	M1	-36	-US3	MEC	-12
37 Fire Rated	00 US Finish	EL Electric Latch Retraction (indicate 12V/24V)	M Single Switch	30 30 inches	US3 Bright Brass	MEC Matching End Caps	12 Volts
87 Life-Safety	01 Clear Anodized 628	SE Silent Electrification Latch Retraction	M2 Dual Switch	36 36 inches	US4 Satin Brass		24 Volts
	02 Dark Bronze Anodized 313	C Cylinder Dogging	(BLANK) No Monitor	42 42 inches	US32 Bright Stainless		
	03 Black Anodized 335	ED Electric Dogging		48 48 inches	US32D Satin Stainless		
		- Without Options		AXXB Alarmed Exit Device where XX is door opening width			

\*Please note that 30" exit devices cannot accommodate monitoring options, except when ordered in conjunction with the SE option.

## 8800

## Narrow Stile Rim Exit Device



MODEL & FINISHES	313, 335, 628	US4, US32D	US3, US32
8800 Narrow stile rim exit device	\$435	\$715	\$795

## KITTED OPTIONS


MODELS	313, 628
3890-08 Aluminum mullion for doors up to 8' for use with 8800	\$575
3890-10 Aluminum mullion for doors up to 10' for use with 8800	\$600

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH	VOLTAGE (For EL Option Only)
88	01	C	M2	-36			-12
88 Life-Safety	00 US Finish	EL Electric Latch Retraction (indicate 12V/24V)	M Single Switch	30 30 inches	US3 Bright Brass	MEC Matching End Caps	12 Volts
	01 Clear Anodized 628	SE Silent Electrification Latch Retraction	M2 Dual Switch	36 36 inches	US4 Satin Brass		24 Volts
	02 Dark Bronze Anodized 313	C Cylinder Dogging	(BLANK) No Monitor	42 42 inches	US32 Bright Stainless		
	03 Black Anodized 335	ED Electric Dogging		48 48 inches	US32D Satin Stainless		
		- Without Options		AXXB Alarmed Exit Device where XX is door opening width			

3900, 8900

### Wood Door Surface Concealed Vertical Rod Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>8900</b> Surface concealed vertical rod exit device for wood	\$735	\$1,035	\$1,135
<b>3900</b> Fire-rated surface concealed vertical rod for wood	\$1,155	\$1,455	\$1,555
<b>KITTED OPTIONS</b>			
<b>MODEL</b>			
<b>8955-01</b> Tall door kit for doors up to 10' for use with 8900			\$55
<b>3955-01</b> Tall door kit for doors up to 10' for use with 3900			\$55

**HOW TO ORDER** Specify quantity and the following information. Order related products separately.

MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH
89	00	LR	M2	-36	-US32	
<b>39</b> Fire Rated	<b>00</b> US Finish	<b>LR</b> Electric Latch Retraction	<b>M</b> Single Switch	<b>30</b> 30 inches	<b>US3</b> Bright Brass	<b>MEC</b> Matching End Caps
<b>89</b> Life-Safety	<b>11</b> Clear Anodized 628	<b>SE</b> Silent Electrification Latch Retraction	<b>M2</b> Dual Switch	<b>36</b> 36 inches	<b>US4</b> Satin Brass	
	<b>22</b> Dark Bronze Anodized 313	<b>C</b> Cylinder Dogging (non-fire rated devices only)	<b>(BLANK)</b> No Monitor	<b>42</b> 42 inches	<b>US32</b> Bright Stainless	
	<b>33</b> Black Anodized 335	<b>ED</b> Electric Dogging		<b>48</b> 48 inches	<b>US32D</b> Satin Stainless	
		<b>(BLANK)</b> No Option		<b>AXXB</b> Alarmed Exit Device where XX is door opening width		

\*Please note that 30" exit devices cannot accommodate monitoring options, except when ordered in conjunction with the SE option.

### Accessories for 3000/8000 Series Exit Devices

OPTIONS & FINISHES	N/A	US4, US32D	US3, US32
<b>ALARM</b> Battery-operated alarmed exit device. Alarm option cannot be combined with any other device option or monitoring options.	\$465		
<b>C</b> Cylinder dogging	\$50		
<b>ED</b> Electric dogging	\$410		
<b>EL</b> Electric latch retraction for use with 3700, 8700, 8800 rim exit devices only	\$355		
<b>ELD</b> Electric latch retraction with mechanical dogging for rim exit devices only	\$405		
<b>LR</b> Electric latch retraction for use with CVR, Mortise and SVR exit devices.	\$605		
<b>MEC</b> Matching end caps. For US finishes only, not applicable to anodized finishes		\$80	\$105
<b>M1</b> Monitor/single signal switch	\$125		
<b>M2</b> Monitor/dual signal switch	\$185		
<b>SE</b> Silent electrification motorized latch retraction	\$650		

### KITTED options for 3000/8000 Series Exit Devices





MODELS & FINISHES	N/A	313, 335, 628	US4, US32D	US3, US32	119, 121, 652
<b>ALARM EXIT KIT</b> Kit for retrofitting an alarm function to an existing Adams Rite exit device. Includes new pushbar, end caps and installati		\$590	\$815	\$875	
<b>91-0897-01</b> Single signal switch kit, retrofits to 3000/8000	\$115				
<b>91-0897-02</b> Dual signal switch kit, retrofits to 3000/8000	\$175				
<b>26-0584-XXX-MP</b> Sex bolts, 2 per bag, 2 kits required per exit device					\$26

## MODIFICATION OPTIONS for 3000/8000 Series exit devices Please contact factory for all product modifications.

MODELS	ADD
<b>THICK DOOR</b> For doors thicker than 1-3/4" and/or door skins plus reinforcement thicker than those specified in the Adams Rite Master Reinforcement Sheet template, for CVR and Mortise Exit Devices	<b>\$65</b>
<b>UNIQUE DOOR</b> Cutting charges for non-standard custom cut lengths between 30" and 48"	<b>\$85</b>

Please note that thick door modification options are available for 8300, 8400, and 8600 series exit devices only.

## NEW EX SERIES EXIT DEVICES

<b>EX88</b> 	<b>Interlocking Rim Exit Device</b>	
	<b>MODEL &amp; FINISHES</b> <b>EX88</b> Interlocking rim exit device for aluminum, hollow metal or wood applications.	313, 335, 628
<b>EX89</b> 	<b>Pullman Rim Exit Device</b>	
	<b>MODEL &amp; FINISHES</b> <b>EX89</b> Pullman rim exit device for aluminum, hollow metal or wood applications.	313, 335, 628
<b>EX76</b> 	<b>Concealed Vertical Rod Exit Device</b>	
	<b>MODEL &amp; FINISHES</b> <b>EX76</b> CVR exit device for aluminum and hollow metal applications	313, 335, 628
<b>EX80</b> 	<b>Dummy Push Bar</b>	
	<b>MODEL &amp; FINISHES</b> <b>EX80</b> Dummy push bar for aluminum, hollow metal or wood applications. Includes two monitoring switches. Field selectable for active or inactive configuration	313, 335, 628

## EX Series

OPTIONS	ADD
<b>MONITOR</b> Dual Signal Switch	<b>\$185</b>
<b>ALARM</b> Alarmed exit device with field selectable power source: battery operated or hard-wired	<b>\$465</b>


### HOW TO ORDER Specify quantity and the following information. Order related products separately.

MODEL	LENGTH	FINISHES	DEVICE OPTIONS*
<b>EX89</b>	<b>-R</b>	<b>628</b>	
<b>EX88</b> Interlocking Rim Exit Device	<b>R</b> Regular (36")	<b>313</b> Dark Bronze Anodized	<b>A</b> Alarmed
<b>EX89</b> Pullman Rim Exit Device)	<b>M</b> Mid-Length (42")	<b>335</b> Black Anodized	<b>M</b> Monitoring
<b>EX76</b> CVR Exit Device	<b>L</b> Long (48")	<b>628</b> Clear Anodized	<b>(BLANK)</b> standard, no options
<b>EX80</b> Dummy Push Bar			

\*Device options not applicable to Dummy Push Bar. Dummy Push Bar comes standard with dual monitoring switches.



7100, 7101



Electric Strikes


MODELS & FINISHES	313, 335, 628	626
7100 For aluminum jambs	\$184	\$209
7101 For radius aluminum stiles	\$184	
7100-XX7, 7100-XX9 Monitoring signal switches	\$284	\$309

Lip Extensions up to 3" for center-hung or non-flush doors add\$34.

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	FACEPLATE SHAPE	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH**	LIP EXTENSIONS (DIM. A)** (Door Centerline to Jamb Edge)	
710	0	-3	1	0	-628	-00	
	0 Flat	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	1 Radius	4 16 Volt	4 AC Intermittent	5 Fail-Safe	335 Black Anodized	01 1-1/2"	07 2-1/4"
		5 24 Volt		7 Monitored/ Fail-Safe	626 Satin Chrome	02 1-5/8"	09 2-1/2"
				9 Monitored/ Fail-Secure	628 Clear Anodized	03 1-3/4"	12 2-7/8"

\*Fail-secure can be converted to fail-safe and vice versa. \*\*7101 available in 313, 335, 628 only. \*\*\*Lip extensions not available on 7107.

7110, 7111



Electric Strikes


MODELS & FINISHES	652
7110 For wood jambs	\$219
7111 For wood jambs, long faceplate	\$219
7110-XX7, 7110-XX9 Monitoring signal switches	\$319

Lip Extensions up to 3" for center-hung or non-flush doors add\$34.

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	FACEPLATE LENGTH	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) (Door Centerline to Jamb Edge)	
711	0	-3	1	0	-652	-00	
	0 7-15/16"	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure	652 Satin Chrome	00 1-1/16" or less	05 2"
	1 10-1/4"	4 16 Volt	4 AC Intermittent	5 Fail-Safe		01 1-1/2"	07 2-1/4"
		5 24 Volt		7 Monitored/ Fail-Safe		02 1-5/8"	09 2-1/2"
				9 Monitored/ Fail-Secure		03 1-3/4"	12 2-7/8"

\*Fail-secure can be field converted to fail-safe or vice-versa.

7130, 7131



Electric Strikes


MODELS & FINISHES	313, 335, 628
7130 For aluminum jambs, pre-cut for MS lock strike plate	\$189
7131 For radius aluminum stiles, pre-cut for MS lock strike plate	\$189

Lip Extensions up to 3" for center-hung or non-flush doors add\$34.

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	FACEPLATE SHAPE	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A)** (Door Centerline to Jamb Edge)	
713	0	-3	1	0	-313	-00	
	0 Flat	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/ Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	1 Radius	4 16 Volt	4 AC Intermittent	5 Fail-Safe	335 Black Anodized	01 1-1/2"	07 2-1/4"
		5 24 Volt			628 Clear Anodized	02 1-5/8"	09 2-1/2"
						03 1-3/4"	12 2-7/8"

\*Fail-secure can be field converted to fail-safe or vice-versa. \*\*Lip extensions not available on 7107.

## 7140



## Electric Strike

MODEL & FINISHES	313, 335, 628	626
<b>7140</b> ANSI size for hollow metal and wood jambs	<b>\$184</b>	<b>\$209</b>


Lip Extensions up to 3" for center-hung or non-flush doors add\$34.

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) (Door Centerline to Jamb Edge)	
<b>7140</b>	<b>-3</b>	<b>1</b>	<b>0</b>	<b>-628</b>	<b>-00</b>	
	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/ Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	4 16 Volt	4 AC Intermittent	5 Fail-Safe	335 Black Anodized	50 1-3/8"	07 2-1/4"
	5 24 Volt			626 Satin Chrome	01 1-1/2"	09 2-1/2"
				628 Clear Anodized	02 1-5/8"	12 2-7/8"
					03 1-3/4"	

\*Fail-secure can be field converted to fail-safe or vice-versa.

## 7160



## Electric Strike

MODELS & FINISHES	313, 335, 628	626
<b>7160</b> For aluminum jambs	<b>\$231</b>	<b>\$256</b>
<b>7160-XX7, 7160-XX9</b> Monitoring signal switches	<b>\$331</b>	<b>\$356</b>


Lip Extensions up to 3" for center-hung or non-flush doors add\$34.

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) (Door Centerline to Jamb Edge)	
<b>7160</b>	<b>-3</b>	<b>1</b>	<b>0</b>	<b>-628</b>	<b>-00</b>	
	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/ Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	4 16 Volt	4 AC Intermittent	5 Fail-Safe	335 Black Anodized	01 1-1/2"	07 2-1/4"
	5 24 Volt			626 Satin Chrome	02 1-5/8"	09 2-1/2"
				9 Monitor/Fail-Secure	628 Clear Anodized	03 1-3/4"

\*Fail-secure can be field converted to fail-safe or vice-versa.

## 7170



## Electric Strike

MODELS & FINISHES	313, 335, 628	626
<b>7170</b> For hollow metal and wood jambs	<b>\$231</b>	<b>\$256</b>
<b>7170-XX7, 7170-XX9</b> Monitoring signal switches	<b>\$331</b>	<b>\$356</b>

Lip Extensions up to 3" for center-hung or non-flush doors add\$34.


## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) Door Centerline to Jamb Edge		
<b>7170</b>	<b>-3</b>	<b>1</b>	<b>0</b>	<b>-628</b>	<b>-00</b>		
	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"	
	4 16 Volt	4 AC Intermittent	5 Fail-Safe	335 Black Anodized	50 1-3/8"	07 2-1/4"	
	5 24 Volt			626 Satin Chrome	01 1-1/2"	09 2-1/2"	
				9 Monitor/Fail-Secure	628 Clear Anodized	02 1-5/8"	12 2-7/8"
						03 1-3/4"	

\*Fail-secure can be field converted to fail-safe or vice-versa.

Modular Packaging Program – Match strike body with faceplate kit for complete electric strike.

## 7100 Series



## Electric Strike Components

STRIKE BODY KITS		
<b>7103A</b>	For use in aluminum applications	<b>\$154</b>
<b>7173A</b>	For use in hollow metal or wood jambs only	<b>\$199</b>

One strike body kit matched with one faceplate kit makes a complete electric strike assembly.

FACEPLATE KITS & FINISHES	313,335, 628	626	605
<b>FPK00</b> For use with body kits: 7103A	<b>\$30</b>	<b>\$55</b>	<b>\$60</b>
<b>FPK01</b> For use with body kit: 7103A	<b>\$30</b>		
FACEPLATE KITS & FINISHES		652	632
<b>FPK10</b> For use with body kit: 7103A		<b>\$65</b>	<b>\$90</b>
<b>FPK11</b> For use with body kits: 7103A, 7173A		<b>\$65</b>	<b>\$90</b>
FACEPLATE KITS & FINISHES	313,335, 628	626	605
<b>FPK30</b> For use with body kit: 7103A	<b>\$35</b>		
<b>FPK31</b> For use with body kits: 7103A	<b>\$35</b>		
<b>FPK40</b> For use with body kit: 7173A	<b>\$30</b>	<b>\$55</b>	<b>\$60</b>
<b>FPK45</b> For use with body kit: 7103A, for installing electric strike in previous prep, 4901, 4501 strike cover.	<b>\$35</b>		


Faceplate kits contain all hardware to mount electric strike.

KITTED OPTIONS		
<b>91-0171-01-IP THROUGH -13-IP</b>	Lip extension kits for use with 7100 through 7140	<b>\$34</b>
<b>91-0171-50-IP</b>	Lip extension kits for use with 7100 through 7140 interior framing systems	<b>\$34</b>
<b>91-0172-01-IP THROUGH -13-IP</b>	Lip extension kits for use with 7160 and 7170	<b>\$34</b>
<b>91-0172-50-IP</b>	Lip extension kits for use with 7160 and 7170 interior framing systems	<b>\$34</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*
<b>7103A</b>	<b>3</b>	<b>1</b>	<b>0</b>
<b>7103A</b> for use in aluminum	<b>3</b> 12 Volt	<b>1</b> DC Continuous or Intermittent	<b>0</b> Standard/Fail-Secure
<b>7173A</b> for use in hollow metal or wood	<b>4</b> 16 Volt	<b>4</b> AC Intermittent	<b>5</b> Fail-Safe
	<b>5</b> 24 Volt		

\*Fail-secure can be field converted to fail-safe or vice-versa.

## 7240 Series



## Fire-Rated Electric Strikes


MODELS & FINISH		630
<b>7240</b>	Fire-rated, for cylindrical latches	<b>\$347</b>
<b>7240-50</b>	Lip extension for interior frame systems	<b>\$386</b>
<b>7240-XX9</b>	Monitoring signal switches	<b>\$447</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) Door Centerline to Jam Edge for Interior Frames
<b>7240</b>	<b>-3</b>	<b>1</b>	<b>0</b>	<b>-630</b>	<b>-50</b>
	<b>3</b> 12 Volt	<b>1</b> DC Continuous or Intermittent	<b>0</b> Fail-Secure	<b>630</b> Satin Stainless	<b>00</b> 1-1/16" or less
	<b>5</b> 24 Volt	<b>4</b> AC Intermittent	<b>9</b> Monitor/Fail-Secure		<b>50</b> 1-3/8"

\*Not available fail-safe.

## 7270 Series



## Fire-Rated Electric Strikes


MODELS & FINISH		630
<b>7270</b>	Fire-rated, for mortise latches	<b>\$402</b>
<b>7270-50</b>	Lip extension for interior frame systems	<b>\$441</b>
<b>7270-XX9</b>	Monitoring signal switches	<b>\$502</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) Door Centerline to Jam Edge for Interior Frames
<b>7270</b>	<b>-3</b>	<b>1</b>	<b>0</b>	<b>-630</b>	<b>-50</b>
	<b>3</b> 12 Volt	<b>1</b> DC Continuous or Intermittent	<b>0</b> Fail-Secure	<b>630</b> Satin Stainless	<b>00</b> 1-1/16" or less
	<b>5</b> 24 Volt	<b>4</b> AC Intermittent	<b>9</b> Monitor/Fail-Secure		<b>50</b> 1-3/8"

\*Not available fail-safe.

## 7400, 7401



## Ultraline® Electric Strikes


MODELS & FINISHES	313, 335, 628	630	605, 606, 629	119, 121, 130
<b>7400</b> For radius jambs	<b>\$254</b>	<b>\$279</b>	<b>\$289</b>	
<b>7400M</b> Monitoring signal switches	<b>\$354</b>	<b>\$379</b>	<b>\$389</b>	
<b>7401</b> For radius aluminum stiles				<b>\$254</b>
<b>7401M</b> Monitoring signal switches				<b>\$354</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE SHAPE	FEATURES	FINISH		
<b>740</b>	<b>0</b>	<b>M</b>	<b>628</b>		
	<b>0</b> Flat	<b>-</b> None	<b>7400 ONLY</b>		<b>7401 ONLY</b>
	<b>1</b> Radius	<b>M</b> Monitored	<b>313</b> Dark Bronze Anodized	<b>628</b> Clear Anodized	<b>119</b> To match 335 Black Anodized
		<b>A</b> Modular Pack - Body Kit	<b>335</b> Black Anodized	<b>629</b> Bright Stainless	<b>121</b> To match 313 Dark Bronze Anodized
			<b>605</b> Bright Brass	<b>630</b> Satin Stainless	<b>130</b> To match 628 Clear Anodized
			<b>606</b> Satin Brass		

Fail-secure can be field converted to fail-safe or vice-versa.

## 7410, 7411



## Ultraline® Electric Strikes


MODELS & FINISHES		313, 335, 628	630
7410	For wood jambs, 7-15/16" faceplate	\$284	\$309
7410M	Monitoring signal switches	\$384	\$409
7411	For wood jambs, 10-1/4" faceplate, not available in 335 Finish	\$284	\$309
7411M	Monitoring signal switches		\$409

**HOW TO ORDER** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE LENGTH	FEATURES	FINISH	
741	0	-	628	
	0 7-15/16"	- None	313 Dark Bronze Anodized	628 Clear Anodized
	1 10-1/4"	M Monitored	335 Black Anodized	630 Satin Stainless

Fail-secure can be field converted to fail-safe or vice-versa.

## 7430, 7431



## Ultraline® Electric Strikes


MODELS & FINISHES		313, 335, 628	119, 121, 130
7430	For aluminum jambs, flat faceplate	\$259	
7430M	Monitoring signal switches	\$359	
7431	For aluminum stiles, radius faceplate		\$259
7431M	Monitoring signal switches, not available in 119 finish.		\$359

**HOW TO ORDER** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FACEPLATE SHAPE	FEATURES	FINISH	
743	0	M	628	
	0 Flat	- None	313 Dark Bronze Anodized	119 To match 335 Black Anodized
	1 Radius	M Monitored	335 Black Anodized	121 To match 313 Dark Bronze Anodized
			628 Clear Anodized	130 To match 628 Clear Anodized

Fail-secure can be field converted to fail-safe or vice-versa.

## 7440



## Ultraline® Electric Strikes

MODELS & FINISHES		313, 335, 628	630	605, 606, 629
7440	For steel and wood, jambs and doors	\$254	\$279	\$289
7440M	Monitoring signal switches	\$354	\$379	\$389

**HOW TO ORDER** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FEATURES	FINISH		
7440	M	628		
	- None	313 Dark Bronze Anodized	606 Satin Brass	629 Bright Stainless
	M Monitored	335 Black Anodized	628 Clear Anodized	630 Satin Stainless
		605 Bright Brass		

Fail-secure can be field converted to fail-safe or vice-versa.

USA

800.872.3267 | orders.adamsrite@assaabloy.com

adamsrite.com



Adams Rite  
ASSA ABLOY

## 74R1



## Ultraline® Electric Strikes


MODELS & FINISHES	119, 121, 130
<b>74R1</b> For use with rim exit devices with 3/4" latchbolt	<b>\$344</b>
<b>74R1M</b> Monitoring signal switches	<b>\$444</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FEATURES	FINISH
74R1	M	-130
	- None	<b>119</b> To match 335 Black Anodized
	<b>M</b> Monitored	<b>121</b> To match 313 Dark Bronze Anodized
		<b>130</b> To match 628 Clear Anodized

Fail-secure can be field converted to fail-safe or vice-versa.

## 74R2



## Ultraline® Electric Strike

MODELS & FINISHES	119, 121, 130
<b>74R2</b> For use with narrow stile rim exit devices with 1/2" latchbolt	<b>\$344</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	FINISH
74R2	-130
	<b>119</b> To match 335 Black Anodized
	<b>121</b> To match 313 Dark Bronze Anodized
	<b>130</b> To match 628 Clear Anodized

Fail-secure can be field converted to fail-safe or vice-versa.



Modular Packing Program - match strike body kit with faceplate kit for complete electric strike.  
Select 7400A for standard jambs and 7401A for radius stile mounting. No finish designation required for strike body kits.

## 7400 Series

## Electric Strike Components

## STRIKE BODY KITS

<b>7400A</b> Standard body, for use in single door applications	<b>\$229</b>
<b>7401A</b> Radius body, for use in applications with pairs of doors	<b>\$229</b>

Match one strike body kit with one faceplate kit to make a complete electric strike assembly.

FACEPLATE KITS & FINISHES	313, 335, 628	630	605, 606, 629	119, 121,130
<b>FPK7400</b> For use with body kit: 7400A	<b>\$25</b>	<b>\$50</b>	<b>\$60</b>	
<b>FPK7401</b> For use with body kit: 7401A				<b>\$25</b>
<b>FPK7410</b> For use with body kit: 7400A	<b>\$55</b>	<b>\$80</b>		
<b>FPK7411</b> For use with body kit: 7400A, not available in 335 finish	<b>\$60</b>	<b>\$85</b>		
<b>FPK7430</b> For use with body kit: 7400A	<b>\$30</b>			
<b>FPK7431</b> For use with body kit: 7401A				<b>\$30</b>
<b>FPK7440</b> For use with body kit: 7400A	<b>\$25</b>	<b>\$50</b>	<b>\$60</b>	
<b>FPK7445</b> For use with body kit: 7400A, not available in 335 finish. For installing electric strike in previous prep 4901, 4501, strike cover	<b>\$35</b>			

Faceplate kits contain all hardware to mount electric strike.


## KITTED OPTIONS

<b>LEK7400</b> Lip extension kits for use with 7400 series electric strikes, for flat faceplates only	<b>\$44</b>
<b>VA7400-12</b> 12 VDC adapter cable for 7400 electric strikes	<b>\$12</b>
<b>VA7400-16VDC</b> 16 VDC adapter kit for 7400 electric strikes	<b>\$19</b>
<b>VA7400-24</b> 24 VDC adapter cable for 7400 electric strikes	<b>\$12</b>
<b>WDC7400</b> Wood door cover plate for use when mounting 7400 in the inactive leaf of a wood door pair (to simplify the mortising operation)	<b>\$13</b>
<b>ELX</b> ElectroLynx™ Adapter to connect Adams Rite products to the ElectroLynx system	<b>\$31</b>

**HOW TO ORDER** Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LIP EXTENSIONS (distance from vertical centerline of the door in the closed position to the edge of the jamb)							
LEK7400-	-00							
	<b>01</b> 1-1/2"	<b>03</b> 1-3/4"	<b>05</b> 2"	<b>07</b> 2-1/4"	<b>09</b> 2-1/2"	<b>11</b> 2-3/4"	<b>13</b> 3"	
	<b>02</b> 1-5/8"	<b>04</b> 1-7/8"	<b>06</b> 2-1/8"	<b>08</b> 2-3/8"	<b>10</b> 2-5/8"	<b>12</b> 2-7/8"	<b>50</b> 1-3/8"	

## 1000




## Series Turns

MODELS & FINISHES	119, 121, 130
<b>1000-01, 1000-02</b> Turn for use with MS1847 deadlock	<b>\$27</b>
<b>1000-11, 1000-21</b> Turn and escutcheon for use with MS1847 deadlock	<b>\$32</b>
<b>1000S-11, 1000S-21</b> Stainless steel turn and escutcheon for use with MS1847 deadlock	<b>\$37</b>
<b>1004</b> Turn for use with 5015, 5017 deadlock	<b>\$32</b>
<b>1015</b> Turn for use with 5015, 5017 deadlock	<b>\$32</b>
<b>1016</b> Outside escutcheon	<b>\$27</b>

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	TURN TYPE	SPINDLE LENGTH	FINISH																																																																						
1000	-21	-14	-130																																																																						
	<b>TURN WITHOUT ESCUTCHEON</b> Furnished Unassembled	<b>DASH CHART</b>																																																																							
		<table border="1"> <thead> <tr> <th>NO.</th> <th>"L"</th> <th>MM</th> <th>NO.</th> <th>"L"</th> <th>MM</th> </tr> </thead> <tbody> <tr><td>-11</td><td>17/32</td><td>13</td><td>-22</td><td>1-15/64</td><td>31</td></tr> <tr><td>-12</td><td>39/64</td><td>15</td><td>-23</td><td>1-19/64</td><td>33</td></tr> <tr><td>-13</td><td>43/64</td><td>17</td><td>-24</td><td>1-23/64</td><td>35</td></tr> <tr><td>-14</td><td>47/64</td><td>19</td><td>-25</td><td>1-27/64</td><td>36</td></tr> <tr><td>-15</td><td>51/64</td><td>20</td><td>-26</td><td>1-31/64</td><td>38</td></tr> <tr><td>-16</td><td>55/64</td><td>22</td><td>-27</td><td>1-33/64</td><td>39</td></tr> <tr><td>-17</td><td>59/64</td><td>23</td><td>-28</td><td>1-39/64</td><td>41</td></tr> <tr><td>-18</td><td>63/64</td><td>25</td><td>-29</td><td>1-43/64</td><td>42</td></tr> <tr><td>-19</td><td>1-3/64</td><td>26</td><td>-30</td><td>1-47/64</td><td>44</td></tr> <tr><td>-20</td><td>1-7/64</td><td>28</td><td>-31</td><td>1-51/64</td><td>46</td></tr> <tr><td>-21</td><td>1-11/64</td><td>30</td><td>-32</td><td>1-55/64</td><td>47</td></tr> </tbody> </table>	NO.	"L"	MM	NO.	"L"	MM	-11	17/32	13	-22	1-15/64	31	-12	39/64	15	-23	1-19/64	33	-13	43/64	17	-24	1-23/64	35	-14	47/64	19	-25	1-27/64	36	-15	51/64	20	-26	1-31/64	38	-16	55/64	22	-27	1-33/64	39	-17	59/64	23	-28	1-39/64	41	-18	63/64	25	-29	1-43/64	42	-19	1-3/64	26	-30	1-47/64	44	-20	1-7/64	28	-31	1-51/64	46	-21	1-11/64	30	-32	1-55/64
NO.	"L"	MM	NO.	"L"	MM																																																																				
-11	17/32	13	-22	1-15/64	31																																																																				
-12	39/64	15	-23	1-19/64	33																																																																				
-13	43/64	17	-24	1-23/64	35																																																																				
-14	47/64	19	-25	1-27/64	36																																																																				
-15	51/64	20	-26	1-31/64	38																																																																				
-16	55/64	22	-27	1-33/64	39																																																																				
-17	59/64	23	-28	1-39/64	41																																																																				
-18	63/64	25	-29	1-43/64	42																																																																				
-19	1-3/64	26	-30	1-47/64	44																																																																				
-20	1-7/64	28	-31	1-51/64	46																																																																				
-21	1-11/64	30	-32	1-55/64	47																																																																				
	<b>TURN WITH ESCUTCHEON</b> Furnished Assembled																																																																								
	<table border="1"> <tbody> <tr> <td></td> <td><b>-01</b> Parallel Drive</td> <td></td> <td><b>-02</b> Perpendicular Drive</td> </tr> <tr> <td></td> <td><b>-11</b> Parallel Drive</td> <td></td> <td><b>-21</b> Perpendicular Drive</td> </tr> </tbody> </table>		<b>-01</b> Parallel Drive		<b>-02</b> Perpendicular Drive		<b>-11</b> Parallel Drive		<b>-21</b> Perpendicular Drive																																																																
	<b>-01</b> Parallel Drive		<b>-02</b> Perpendicular Drive																																																																						
	<b>-11</b> Parallel Drive		<b>-21</b> Perpendicular Drive																																																																						

## 3000



## Fixed Pull

MODELS & FINISH	US32D
<b>3001</b> Tubular fixed pull for hollow metal or wood doors	<b>\$197</b>
<b>3002</b> Flat fixed pull for hollow metal or wood doors	<b>\$215</b>


## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	HANDLE	CYLINDER HOLE	EXIT DEVICE	FINISH
300	1	-1	1	-US32D
	1 Round	1 Without Hole	1 Mortise, Rim	<b>US32D</b> Satin Stainless
	2 Flat	2 With Hole	2 CVR	
			3 SVR	

Not for use with the following narrow stile exit devices: 8200 SVR, 8400 Mortise, 8600 CVR, 8800 Rim exit devices.

3080

Series Entry Trim



MODELS & FINISHES		STANDARD TRIM		ELECTRIFIED TRIM	
		US4, US32D, 10B	US3, US32	US4, US32D, 10B	UUS3, US32
STANDARD LEVER	<b>3080</b> Entry trim with standard lever (01, 02, 03)	\$347	\$382	\$672	\$707
	<b>3080-M</b> Entry trim with standard lever (01, 02, 03) with matching trim cover finish	\$437	\$472	\$762	\$797
	<b>3080-U</b> Entry trim with standard lever (01, 02, 03) with universal trim kit includes tailpieces and trimplates for use with all Adams Rite exit devices	\$372	\$407	\$697	\$732
	<b>3080-U, M</b> Entry trim with standard lever (01, 02, 03), matching trim cover and universal trim kit	\$462	\$497	\$787	\$822
DESIGNER LEVER	<b>3080-MX</b> Entry trim with designer lever series (MD through MW)	\$392	\$427	\$717	\$752
	<b>3080-MX, M</b> Entry trim with designer lever series (MD through MW) with matching trim cover	\$482	\$517	\$807	\$842
	<b>3080-MX, U</b> Entry trim with designer lever series (MD through MW) with universal trim kit	\$417	\$452	\$742	\$777
	<b>3080-MX, U, M</b> Entry trim with designer lever series (MD through MW), universal trim kit and matching trim cover	\$507	\$542	\$832	\$867

Tactile strip now available as a Kitted Option (below) for standard levers 01 and 03.


KITTED OPTIONS			
<b>91-0686</b>	Adaptor kit for 3080 trim and G86 exit device		\$29
<b>91-0118</b>	Tactile strip for 3080 standard levers 01, 03		\$36

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	ELECTRIFIED	HANDLE	HANDING	CYLINDER HOLE	EXIT DEVICE	VOLTAGE	FEATURES	TRIM COVER FINISH	FINISH
3080	E	-01	-0	-3	7	-3	0	M	US32D
(BLANK) Standard		STANDARD HANDLES	0 No Handing	3 With Hole	1 SVR	Electrified Trim Only	Electrified Trim Only	- Standard (Black)	US3 Bright Brass
E Electrified Trim		01 Curve	7 Left Hand*	9 Without Hole	3 Mortise	3 12 Volt DC	0 Fail-Secure	M Matching Finish	US4 Satin Brass
		02 Round	8 Right Hand*		4 SCVR	5 24 Volt DC	5 Fail-Safe		10B Dark Bronze
		03 Square			6 CVR				US32 Bright Stainless
		DESIGNER SERIES			7 Rim				US32D Satin Stainless
		MD MJ			U Universal Kit				
		ME MN* (Handed)							
		MG MV* (Handed)							
		MI MW							

\*Handing must be specified for MN and MV Designer Levers.

## 3090, 3090P/C eForce® Keyless Entry



	FOR DEADLATCHES AND EXITS	FOR DEADLOCKS
<b>MODELS &amp; FINISHES</b>	626, 121	626, 121
<b>3090-01, 3090-02</b> eForce keyless entry with keypad	3090-01 \$677	3090-02 \$697
<b>3090P-01, 3090P-02</b> eForce hardwired keyless entry with Prox reader	3090P-01 \$922	3090P-02 \$942
<b>3090C-01, 3090C-02</b> eForce hardwired keyless entry with iCLASS reader	3090C-01 \$962	3090C-02 \$982

## KITTED OPTIONS


MODELS	
<b>RSK-3090</b> Remote switch input connector	\$16
<b>3090-CABLE</b> 15 ft cable extension (ElectroLynx™ x pigtail) for 3090P/C	\$32
<b>3090-CABLE-EL</b> 15 ft cable extension (ElectroLynx™ x ElectroLynx™) for 3090P/C	\$38

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	CREDENTIAL	COMPATIBLE PRODUCTS	FINISH
3090	P	-01	-626
	(BLANK) Keypad	01 Adams Rite latches or 8000 Series Exit Devices, Yale 7200 series, Corbin Russwin ED4000 series exit devices only	121 To match 313 Dark Bronze Anodized
	P 125 kHz HID® Prox		
	C 13.56 MHz HID iCLASS	02 Adams Rite MS® deadlocks	626 Satin Chrome

## A100-3090H

## Keyless Entry and Aperio® Hub Wholesale Kit



	FOR DEADLATCHES & EXITS	FOR DEADLOCKS
<b>MODELS &amp; FINISHES</b>	121, 626	121, 626
<b>A100-3090HC</b> Keyless entry paired with hub, iCLASS reader	\$1,760	\$1,780
<b>A100-3090HP</b> Keyless entry paired with hub, PROX reader	\$1,760	\$1,780

Special pricing program discounts apply to Aperio products. Please contact your sales representative for pricing information.

## KITTED OPTIONS


MODELS	
<b>DPS-C-38G</b> A100 Door Position Switch	\$35

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	CREDENTIAL	COMPATIBLE PRODUCTS	FINISH
A100-3090H	C	-1	-626
	P 125 kHz HID® Prox	1 Adams Rite latches or 8000 Series Exit Devices, Yale 7200 series, Corbin Russwin ED4000 series exit devices only (select REX enabled version).	121 To match 313 Dark Bronze Anodized
	C 13.56 MHz HID iCLASS	2 Adams Rite MS® deadlocks	626 Satin Chrome

**Note:** The Adams Rite A100 narrow stile trim is available as either a pre-paired lock and hub kit (no certification required) or as a field configurable component (requires Aperio® Certified Integrator certification). Pre-paired kits support limited features, field configured devices are required in order to support all options. Visit [www.IntelligentOpenings.com](http://www.IntelligentOpenings.com) to learn more.

4060



Turn

MODEL & FINISH	130
4060 Turn for 1875 deadlock, 1-1/2", 1-3/4", or 2" door thickness	\$60

HOW TO ORDER Specify quantity and the following information. Order related products separately.		
PRODUCT NO.	DOOR THICKNESS	FINISH
4060	-05	-130
	05 1-1/2"	130 To match 628 Clear Anodized
	06 1-3/4"	
	07 2"	

Please contact factory regarding mounting spacers, bolts, guides and strikes for particular door designs.

4550




MS® Deadlock Lever

MODEL & FINISHES	119, 121, 130
4550, 01 Deadlock lever, 1-3/4" to 2" door thickness	\$198
4550, 02 Deadlock lever, 2-1/8" to 2-3/8" door thickness	\$238

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.	DOOR HAND	DOOR THICKNESS	RITECOAT FINISH
4550	R	-01	-130
	R RH or RHR	01 1-3/4" to 2"	119 To match 335 Black Anodized
	L LH or LHR	02 2-1/8" to 2-3/8"	121 To match 313 Dark Bronze Anodized
			130 To match 628 Clear Anodized

## 4560, 4565



## Series Deadlatch Handles for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	119, 121, 130
<b>4560-X01</b> For door thickness (01) 1-3/4" to 2"	<b>\$52</b>
<b>4560-X02</b> For door thickness (02) 2-1/4" to 2-1/2"	<b>\$72</b>
<b>4560-X03</b> For door thickness (03) 2-3/4" to 3"	<b>\$72</b>
<b>4560-X04</b> For door thickness (04) 3-1/4"	<b>\$72</b>
<b>4565-X01</b> For door thickness (01) 1-3/4" to 2"	<b>\$52</b>
<b>4565-X02</b> For door thickness (02) 2-1/4" to 2-1/2"	<b>\$72</b>
<b>4565-X03</b> For door thickness (03) 2-3/4" to 3"	<b>\$72</b>
<b>4565-X04</b> For door thickness (04) 3-1/4"	<b>\$72</b>

## Series Deadlatch Handles for MS+1890 Deadlock/Deadlatch


MODELS & FINISHES	119, 121, 130
<b>4560-011</b> For door thickness (11) 1-3/4"	<b>\$39</b>
<b>4560-012</b> For door thickness (12) 1-3/4" to 2-1/4"	<b>\$49</b>
<b>4560-013</b> For door thickness (13) 2-15/16" to 2-3/4"	<b>\$49</b>
<b>4565-011</b> For door thickness (11) 1-3/4"	<b>\$39</b>
<b>4565-012</b> For door thickness (12) 1-3/4" to 2-1/4"	<b>\$49</b>

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	HANDLE TYPE	HANDING	DOOR THICKNESS		FINISH	
456	0	-5	01		-130	
	<b>0</b> Lever	<b>0</b> Using MS+1890	<b>FOR 4300, 4500, 4900 SERIES DEADLATCHES</b>	<b>FOR MS+1890</b>	<b>119</b> To match 335 Black Anodized	
	<b>5</b> Turn	<b>5</b> LH or LHR	<b>01</b> 1-3/4" to 2"	<b>11</b> 1-3/4"	<b>121</b> To match 313 Dark Bronze Anodized	
			<b>6</b> RH or RHR	<b>02</b> 2-1/4" to 2-1/2"	<b>12</b> 1-3/4" to 2-1/4"	<b>130</b> To match 628 Clear Anodized
				<b>03</b> 2-3/4" to 3"	<b>13</b> 2-5/16" to 2-3/4"	
				<b>04</b> 3-1/4"		

4568, 4569

Eurostyle Deadlatch Handles for 4300, 4500, 4900 Deadlatches




MODELS & FINISHES	119, 121, 130
4568-X01 For door thickness (01) 1-3/4" to 2"	\$63
4568-X02 For door thickness (02) 2-1/4" to 2-1/2"	\$78
4568-X03 For door thickness (03) 2-3/4" to 3"	\$78
4568-X04 For door thickness (04) 3-1/4"	\$78
4569-X01 For door thickness (01) 1-3/4" to 2"	\$71
4569-X02 For door thickness (02) 2-1/4" to 2-1/2"	\$86
4569-X03 For door thickness (03) 2-3/4" to 3"	\$86
4569-X04 For door thickness (04) 3-1/4"	\$86

Eurostyle Deadlatch Handles for MS+1890 Deadlock/Deadlatch

MODELS & FINISHES	119, 121, 130
4568-011 For door thickness (11) 1-3/4" to 1-15/16"	\$51
4568-012 For door thickness (12) 2" to 2-1/4"	\$61
4568-013 For door thickness (13) 2-15/16" to 2-3/4"	\$61
4568-014 For door thickness (14) 3"	\$61
4569-011 For door thickness (11) 1-3/4" to 1-15/16"	\$56
4569-012 For door thickness (12) 2" to 2-1/4"	\$66
4569-013 For door thickness (13) 2-15/16" to 2-3/4"	\$66
4569-014 For door thickness (14) 3"	\$66

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO.	LEVER TYPE	HANDING	DOOR THICKNESS		FINISH
456	8	-5	01		-130
	8 Straight	0 Using MS+1890	FOR 4300, 4500, 4900 SERIES DEADLATCHES	FOR MS+1890	119 To match 335 Black Anodized
	9 Return End	5 LH or LHR	01 1-3/4" to 2"	11 1-3/4" to 1-15/16"	121 To match 313 Dark Bronze Anodized
		6 RH or RHR	02 2-1/4" to 2-1/2"	12 2" to 2-1/4"	130 To match 628 Clear Anodized
			03 2-3/4" to 3"	13 2-5/16" to 2-3/4"	
			04 3-1/4"	14 3"	

4590



## Deadlatch Paddle for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	313, 335, 628
4590-0X-00 For door thickness (00) 1-3/4"	\$103
4590-0X-01 For door thickness (01) 1-13/16" to 2"	\$123
4590-0X-02 For door thickness (02) 2-1/4" to 2-1/2"	\$123
4590-0X-03 For door thickness (03) 2-3/4" to 3"	\$123
4590-0X-04 For door thickness (04) 3-1/4"	\$123

## Deadlatch Paddle for MS+1890, 2190 Deadlocks

MODELS & FINISHES	313, 335, 628
4590-1X-00 For door thickness (00) 1-3/4"	\$87
4590-1X-01 For door thickness (01) 1-3/4" to 2-1/4"	\$107
4590-1X-02 For door thickness (02) 2-5/16" to 2-1/2"	\$107
4590-1X-03 For door thickness (03) 2-9/16" to 2-3/4"	\$107


HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	OPERATION		DOOR THICKNESS		FINISH*				
4590	02		-00		-313				
	FIRST DASH FOR LATCH SERIES	OPERATION	USE	FOR 4300, 4500, 4900 SERIES DEADLATCHES	FOR MS+1890, 2190	313 Dark Bronze Anodized			
	-01 4300/4500/4900	PULL TO LEFT	Outside of left hand reverse door or inside of right hand	00 1-3/4"	00 1-3/4"	335 Black Anodized			
	-11 MS+1890/2190			01 1-13/16" to 2"	01 1-3/4" to 2-1/4"	628 Clear Anodized			
	-02 4300/4500/4900	PUSH TO LEFT	Outside of left hand door or inside of right hand reverse	02 2-1/4" to 2-1/2"	02 2-5/16" to 2-1/2"				
	-12 MS+1890/2190			03 2-3/4" to 3"	03 2-9/16" to 2-3/4"				
	-03 4300/4500/4900	PULL TO RIGHT	Outside of right hand reverse door or inside or left hand	04 3-1/4"					
	-13 MS+1890/2190								
	-04 4300/4500/4900	PUSH TO RIGHT	Outside of right hand door or inside of left hand reverse						
	-14 MS+1890/2190								
	LH -03 OR -13 -02 OR -12	RH -01 OR -11 -04 OR -14							
	LHR -04 OR -14 -01 OR -11	RHR -02 OR -12 -03 OR -13							

\*Finish applied to paddle assembly only, not escutcheon.



4591



Deadlatch Paddle for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	313, 335, 628	US3, US26D
4591-0X-00 For door thickness (00) 1-3/4"	\$123	\$230
4591-0X-01 For door thickness (01) 1-13/16" to 2"	\$143	\$250
4591-0X-02 For door thickness (02) 2-1/4" to 2-1/2"	\$143	\$250
4591-0X-03 For door thickness (03) 2-3/4" to 3"	\$143	\$250
4591-0X-04 For door thickness (04) 3-1/4"	\$143	\$250

Deadlatch Paddle for MS+1890, 2190 Deadlocks

MODELS & FINISHES	313, 335, 628	US3, US26D
4591-1X-00 For door thickness (00) 1-3/4"	\$106	\$213
4591-1X-01 For door thickness (01) 1-3/4" to 2-1/4"	\$126	\$233
4591-1X-02 For door thickness (02) 2-5/16" to 2-1/2"	\$126	\$233
4591-1X-03 For door thickness (03) 2-9/16" to 2-3/4"	\$126	\$233
OPTIONS		
4591MA Active paddle, latch activator with monitor switch	Add \$116	
4591M Paddle with switch, no latch activator	Add \$100	
91-0914 Monitor switch kit for 4591, field installation	\$116	

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	OPTIONS*	OPERATION		DOOR THICKNESS	FINISH**		
4591	M	02		-00	-313		
	- Standard Paddle	FIRST DASH FOR LATCH SERIES	OPERATION	USE	FOR 4300, 4500, 4900 SERIES DEADLATCHES	FOR MS+1890, 2190	313 Dark Bronze Anodized
	M Paddle w/ switch only	-01 4300/4500/4900	PULL TO LEFT	Outside of left hand reverse door or inside of right hand	00 1-3/4"	00 1-3/4"	335 Black Anodized
	MA Active paddle w/ switch	-11 MS+1890/2190			01 1-13/16" to 2"	01 1-3/4" to 2-1/4"	628 Clear Anodized
		-02 4300/4500/4900	PUSH TO LEFT	Outside of left hand door or inside of right hand reverse	02 2-1/4" to 2-1/2"	02 2-5/16" to 2-1/2"	US3 Bright Brass
		-12 MS+1890/2190			03 2-3/4" to 3"	03 2-9/16" to 2-3/4"	US26D Satin Chrome
		-03 4300/4500/4900	PULL TO RIGHT	Outside of right hand reverse door or inside or left hand	04 3-1/4"		
		-13 MS+1890/2190					
		-04 4300/4500/4900	PUSH TO RIGHT	Outside of right hand door or inside of left hand reverse			
		-14 MS+1890/2190					

\*M and MA options available on push paddles only, not pull paddles. \*\*Finish applied to paddle assembly only, not escutcheon.

USA


800.872.3267 | orders.adamsrite@assaabloy.com

adamsrite.com



## 4600

## Heavy Duty Designer Deadlatch Handles



MODELS & FINISHES	LEVER OPERATOR FOR 4300, 4500, 4900 SERIES DEADLATCHES		LEVER OPERATOR FOR 2190, 2290 INTERCONNECTED DEADBOLT/DEADLATCH	
	10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32
<b>STANDARD LEVER</b>				
<b>4600</b> Trim with standard lever (01, 02, 03)	\$135	\$170	\$120	\$155
<b>4600-M</b> Trim with standard lever (01, 02, 03) with form 'C' switch option to indicate when lever is actuated	\$185	\$220	\$170	\$205
<b>4600-THICK DOOR</b> Trim with standard lever (01, 02, 03) for door thickness greater than 1-7/8"	\$155	\$190	\$140	\$175
<b>DESIGNER LEVER</b>				
<b>4600-MX</b> Trim with designer lever series (MD through MW)	\$180	\$215	\$165	\$200
<b>4600-MX, M</b> Trim with designer lever series (MD through MW) with form 'C' switch option	\$230	\$265	\$215	\$250
<b>4600-MX, THICK DOOR</b> Trim with designer lever series (MD through MW) for door thickness greater than 1-7/8"	\$200	\$235	\$185	\$220

## KITTED OPTIONS

<b>REX-4600</b> Request to exit kit	\$38
<b>DTK-4600</b> Fixed lever (dummy) kit	\$12
<b>TDK-4600-XX</b> Thick door kit. Specify door thickness.*	\$25
<b>TBK-4600-XX</b> Through-bolt mounting kit for back-to-back mounting on wood doors. Specify door thickness.*	\$27


\*For door thickness (01) 1-3/4", (02) 2", (03) 2-1/4", (04) 2-1/2" and (05) 2-3/4".

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	REX	HANDLE	HANDING**	DOOR THICKNESS	COMPATIBLE PRODUCTS	FINISH
4600	M	-01	-5	1	1	-32D
	(BLANK) Standard	STANDARD HANDLES	5 LH or LHR	1 1-3/4" to 1-7/8"	1 2190, 2290 Interconnected Deadbolt/Deadlatch	US3 Bright Brass
	M Switch Option	01 Curve	6 RH or RHR	2 2" to 2-1/8"	2 4300, 4500, 4900 Series Deadlatches	US4 Satin Brass
		02 Round		3 2-1/4" to 2-3/8"		10B Dark Bronze
		03 Square		4 2-1/2" to 2-5/8"		US32 Bright Stainless
		DESIGNER SERIES		5 2-3/4" to 2-7/8"		US32D Satin Stainless
		MD MJ				
		ME MN* (Handed)				
		MG MV* (Handed)				
		MI MW				

\*Handing must be specified for MN and MV Designer Levers. \*\*Handing - assuming lever on interior of door.

### 4024, 4025, 4026 Cylinder Pulls




MODELS & FINISHES	119, 121, 130
4024-00-01, 02 Cylinder pull, Schlage keyway	\$59
4024-06-01, -02 Cylinder pull, Weiser keyway	\$59
4025-00-01, 02 Cylinder pull, Schlage keyway	\$64
4025-06-01, 02 Standard cylinder pull, Weiser keyway	\$64
4025-100-02, CYL X CYL Cylinder both sides pullset, Schlage keyway	\$128
4025-106-02, CYL X CYL Cylinder both sides pullset, Weiser keyway	\$128
4026-00-01, 02 Cylinder pull for use with 5015, 5017 Wood Door Deadlock, Schlage keyway	\$67
4026-06-01, 02 Cylinder pull for use with 5015, 5017 Wood Door Deadlock, Weiser keyway	\$67

Please contact factory for special cylinder requirements.

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PULL TYPE	PULL NO./CYLINDER INCLUDED	KEYING	FINISH
4024	-00	-01	-130
4024 Trim Plate Mounted	00 Schlage "C" Keyway	01 Keyed Different	119 To match 335 Black Anodized
4025 Stile Mounted with through - screws	06 Weiser Keyway	02 Keyed Alike in Pairs	121 To match 313 Dark Bronze Anodized
4026 For Wood Applications			130 To match 628 Clear Anodized

### 4036

### Mortise Cylinder




MODEL & FINISHES	313, 335, 628
4036 Five pin cylinder. 2 keys and 1/4" ring, KD, KA2 only	\$42
For 3300, 3600, 8300, 8400, 8500, 8600, or entry trim. Can be installed directly in latch case of 8400, 8300, or 3300.	

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.	LOCK TYPE	KEY OPTIONS*	FINISH
4036	-01	-01	-628
	01 For MS Locks, Deadlatches, 2190	01 Keyed different	313 Dark Bronze Anodized
	02 For 4070 Deadlock	02 Keyed alike in pairs	335 Black Anodized
	03 For 2331 Deadlock		628 Clear Anodized

\* Keyed alike 50 (KA50) are available by special order in quantity of 50 cylinders only. Please contact factory for ordering information.

## MS4043




## Cylinder Guard

MODELS & FINISHES	119, 121, 130
<b>MS4043-00</b> Cylinder guard, 1/8" stile wall, 5 or 6 pin cylinder	<b>\$36</b>
<b>MS4043-01</b> Cylinder guard, 1/4" stile wall, 5 or 6 pin cylinder	<b>\$41</b>
<b>MS4043-02</b> Cylinder guard, 1/8" stile wall, 1-5/16" to 1-7/16" long cylinder	<b>\$56</b>

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	STILE WALL & CYLINDER	FINISH
MS4043	-01	-130
	<b>STILE WALL</b>	<b>CYLINDER</b>
	<b>00</b> 1/8"	5 or 6 pin
	<b>01</b> 1/4"	5 or 6 pin
	<b>02</b> 1/8"	1-5/16" to 1-7/16" long
		<b>119</b> To match 335 Black Anodized
		<b>121</b> To match 313 Dark Bronze Anodized
		<b>130</b> To match 628 Clear Anodized

## 4066




## Thumbturn

MODEL & FINISHES	130, 313, 335
<b>4066</b> Thumbturn cylinder with 1/4" ring	<b>\$42</b>

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	LOCK TYPE	FINISH
4066	-01	-130
	<b>01</b> For MS Locks, Deadlatches	<b>130</b> To match 628 Clear Anodized
	<b>02</b> For 4070 Deadlock	<b>313</b> Dark Bronze Anodized
	<b>03</b> For 2331 Deadlock	<b>335</b> Black Anodized

## 4580




## Cam Disc

MODELS	
<b>4580-X00, 4580-X01</b> Included with lever handles, door thickness 2" or less	<b>\$17</b>
<b>4580-X02, 4580-X03</b> Included with lever handles, door thickness greater than 2"	<b>\$25</b>

## HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	HANDING	DOOR THICKNESS
4580	-5	00
	<b>5</b> LH	<b>00</b> 1-3/4"
	<b>6</b> RH	<b>01</b> 2"
		<b>02</b> 2-1/4"
		<b>03</b> 2-3/4"

4581



Universal Cam Plug

MODELS	
4581-01-IP	Universal cam disc, non-handed, for 1-3/4" door thickness (included in 4600) <span style="float: right;">\$24</span>
4581-02-IP	Universal cam disc, non-handed, for 2" door thickness <span style="float: right;">\$32</span>
4581-03-IP	Universal cam disc, non-handed, for 2-1/4" door thickness <span style="float: right;">\$32</span>

HOW TO ORDER Specify quantity and the following information. Order related products separately.	
PRODUCT NO.	DOOR THICKNESS
4581	01
	01 1-3/4"
	02 2"
	03 2-1/4"

8650




Cylinder Escutcheon Kit

MODELS & FINISHES	119, 121, 130	313, 335, 628	US4, US32D	US3, US32
8650 Cylinder escutcheon kit for 3600, 8500, 8600 exit devices	\$35	\$60	\$68	\$78
8650 For wall thickness over 1/8" *	\$65	\$90	\$98	\$108

\*Please contact factory for wall thickness greater than 1/8"

8736



Rim Cylinder


MODEL & FINISHES	313, 335, 628
8736 Five-pin Rim cylinder for use with 3100, 3700, 8100, 8200, 8700, 8800 exit devices.	\$45

4014

Two-Point Conversion Kit

MODEL	
4014-01	Two-point conversion kit for MS1861 Bottom Rail Deadlock <span style="float: right;">\$36</span>

4015




Threshold Bolt

MODEL & FINISHES	603
4015-18-IB	Two-point converter, threshold bolt, standard cylinder height. <span style="float: right;">\$43</span>
4015-XX-IB	Two-point converter, threshold bolt, specify cylinder height greater than 53", 60" maximum. <span style="float: right;">\$65</span>

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.	ADD DASH NUMBER FOR "UNIVERSAL SIZE"	PACKAGING	
4015	-18	-IB	
		IB Individually Boxed	

Please specify cylinder height if ordering in volume quantity for a specific cylinder height.

4016




Header Bolt

MODEL		
<b>4016</b>	Three-point converter, provides upper bolt for MS1850/1870 Deadlocks	<b>\$55</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.		
PRODUCT NO.	LOCK BACKSET	DOOR HEIGHT
4016	-30	-01
	10 1-1/2"	01 7' Door
	20 31/32"	02 10' Door
	30 1-1/8"	

4085



Header Bolt (Pairs of Doors Only)


MODELS & FINISHES	
<b>4085-01-IB</b>	Positioner bolt and header strike, specify cylinder height for 7' door height <b>\$83</b>
<b>4085-02-IB, 4085-03-IB, 4085-04-IB</b>	Positioner bolt and header strike, specify cylinder height for door height greater than 7', door height 10' maximum. <b>\$103</b>

Contact factory for door height greater than 7'.

HOW TO ORDER Specify quantity and the following information. Order related products separately.											
PRODUCT NO.	DIMENSION 'A'	PACKAGING	EXAMPLE								
4085	-02	-IB	<table border="1"> <thead> <tr> <th>Door Height</th> <th>Cylinder Height</th> <th>=</th> <th>A</th> </tr> </thead> <tbody> <tr> <td>96"</td> <td>- 40"</td> <td>=</td> <td>56"</td> </tr> </tbody> </table>	Door Height	Cylinder Height	=	A	96"	- 40"	=	56"
Door Height	Cylinder Height	=	A								
96"	- 40"	=	56"								
	01 30" - 52"	IB Individually Boxed									
	02 52" - 67"										
	03 67" - 79"										
	04 79" - 92"										

**REFERENCE:**  
 7' Door is 84"  
 8' Door is 96"  
 9' Door is 108"  
 10' Door is 120"

4089



Exit Indicator


MODELS & FINISHES		119, 121, 130
<b>4089-00, 4089-01</b>	Indicator for 1-3/4" door, includes both UBC and IBC signs	<b>\$53</b>
<b>4089-20</b>	Indicator for 2" to 2-1/2" door, includes both UBC and IBC signs	<b>\$88</b>

ACCESSORIES	
<b>91-0912</b>	Adapter plate for converting MS1850/4089 installation to deadlatch and lever handle or paddle. Select 121 or 130 finish. <b>\$32</b>
<b>20-0255-IP</b>	Header sign "...During Business Hours" <b>\$7</b>
<b>20-0256-IP</b>	IBC header sign "...Building is Occupied" <b>\$7</b>

HOW TO ORDER Specify quantity and the following information. Order related products separately.		
PRODUCT NO.	OPTIONS	FINISH
4089	-01	-130
	00 Standard 1-3/4" Door	119 To match 335 Black Anodized
	01 For Inverted Lock	121 To match 313 Dark Bronze Anodized
	20 For Doors up to 2-1/2"	130 To match 628 Clear Anodized


4104



Mounting Bridges

MODELS		
4104-01	Radius mounting bridge	\$10
4104-02	Flat mounting bridge	\$10
4104-03	Left hand bevel mounting bridge	\$10
4104-04	Right hand bevel mounting bridge	\$10


91-0965



Universal Mounting Tab Kits for Installing MS® Locks & Latches

MODELS		
91-0965	Mounting tab kits for flat/radius stiles	\$15
91-0966	Mounting tab kits for beveled stiles, includes tabs for right hand and left hand bevel doors and mounting screws for clear and dark bronze.	\$15

B1921, B1923



Reinforcing Pivots

MODELS & FINISH		
B1921	1/2" offset to match pivot point of 4" wide butt hinge	\$84
B1923	3/4" offset to match pivot point of 4-1/2" wide butt hinge	\$74

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	MODEL
B192	1
	1 4"
	3 4-1/2"

Strikes

2190

Dual Force® Interconnected Deadbolt/Deadlatch Strikes

MODELS & FINISHES	630	119, 121
2101-01 Standard flat strike with dust box	\$25	\$31
2101-02 Standard radius strike with dust box	\$25	\$31
MODELS & FINISHES	630	121
2101-XX Strike with extended lip, 4.5" only, flat strike.	\$40	\$46
2102-01 Retrofit strike extended height 7-5/8" with dust box.	\$37	\$43


2290

Dual Force® Interconnected Deadbolt/Deadlatch Strikes

MODELS & FINISHES	630	119, 121
2206-01 Standard flat strike with dust box	\$25	\$31

## 4000 Series

## Series MS® Deadlock Strikes




MODELS & FINISHES	630	313, 335, 628	US3, US26D	119, 121
4000 Trim Strike		\$26		
4001 Box Strike, includes dust box		\$26	\$46	
MS4002 Armored Strike		\$54	\$74	
4003 ANSI strike, available in 121 or US26D only			\$66	\$66
4005 Strike for 4015 Threshold Bolt	\$19			
4006 Strike for 1830 Bottom Rail Deadlock, also available in 130 finish	\$42			\$48
4009-01 Open back strike for 3300, 8300 Series Mortise Exit Device	\$135			
4170 Trim strike for 4070 Short Throw Deadbolt, not available in 335 finish		\$26		
4505-01 Flat armored box strike for MS+1890 Deadlock/Deadlatch	\$46			\$52
4505-02 Radius armored box strike for MS+1890 Deadlock/Deadlatch	\$46			\$52
4505-17, 4505-21 Flat long lip armored box strike	\$58			\$64

HOW TO ORDER Specify quantity and the following information. Order related products separately.

STRIKE MODEL	TRIM PLATE SHAPE	COMPATIBLE DEADLOCK	TRIM PLATE CORNERS	FINISH
4001	-0	1	1	-313
4000 Trim Strike	0 Flat	1 All Standard MS® locks with 1-3/8" Bolt Throw	1 Square	313 Dark Bronze Anodized
4001 Box Strike	1 Radius	2 1850A-020 with 3/4" Bolt Throw Only	2 Round	335 Black Anodized
MS4002 Armored Strike		3 All MS-050 Hookbolt locks		628 Clear Anodized

## 4800, MS4804

## Series Strikes




MODELS & FINISHES	603	630
MS4804-10-630 Reinforcing strike and screws, two-part with reinforcement for strengthening metal jamb		\$19
4801 Metal strike, specify dash number indicating shim quantity	\$15	\$22
4802 Wood strike, specify dash number indicating shim quantity	\$15	\$22
4810-01, 4810-02 Box strike for 5017 Wood Door Deadlock/Deadlatch	\$15	

HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	TYPE OF JAMB	DIMENSION 'A'	FINISH
480	1	-02	-630
	1 Metal	01 3/32"	603 Zinc Plated Steel
	2 Wood	02 3/16"	630 Satin Stainless
		03 9/32"	



4901, 4902




Deadlatch Strikes

MODELS & FINISHES	630	119, 121
4901-01 Flush mount flat strike, mortised with dust box	\$16	\$22
4901-02 Flush mount radius strike, mortised with dust box	\$16	\$22
4901-XX Extended lip strike, specify lip dim 'A', 2.5" maximum*	\$36	\$42
4902-01 Short box strike, flat with dust box, mounting plate	\$16	\$22
4902-02 Short type box strike, radius with dust box, mounting plate	\$16	\$22
4902-XX Extended lip strike, specify lip dim 'A', 2.5" maximum*	\$36	\$42
4506 Strike for use with 4920AN, not available in 119 finish	\$36	\$42

\*See dim. 'A' dash chart table below.

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO.	STRIKE TYPE	FACEPLATE SHAPE			FINISH
490	1	-02			630
		STANDARD LIP			
	1 Long	01 Flat			119 To match 335 Black Anodized
	2 Short	02 Radius			121 To match 313 Dark Bronze Anodized
					630 Satin Stainless Steel
		LONG LIP FOR CENTER HUNG DOOR	DIM. 'A'	LONG LIP FOR CENTER HUNG DOOR	DIM. 'A'
		03 2-1/4" Wide Jamb	1-1/8	13 3-1/2" Wide Jamb	1-3/4
		05 2-1/2" Wide Jamb	1-1/4	15 3-3/4" Wide Jamb	1-7/8
		07 2-3/4" Wide Jamb	1-3/8	17 4" Wide Jamb	2
		09 3" Wide Jamb	1-1/2	19 4-1/4" Wide Jamb	2-1/8
		11 3-1/4" Wide Jamb	1-5/8	21 4-1/2" Wide Jamb	2-1/4

4304



Deadlatch Strike

MODEL & FINISHES	630	119, 121
4304 Surface mount strike for 4300 Electrified Deadlatch	\$20	\$26

## Thick Door Kits

2190, 2290

## Dual Force® Interconnected Deadbolt/Deadlatch Thick Door Kit

## MODELS

<b>2190-TDK-XX</b> Thick door kit for 2190, 2290 standard exterior trim set. Specify door thickness.*	<b>\$61</b>
<b>2190-TDK-CL1, -CL2</b> Thick door kit for 2190, 2290 clad doors. CL-1 for a standard 1-3/4" thick door with 1/4" cladding. CL-2 for a standard 1-3/4" thick door with 1/2" cladding.	<b>\$61</b>
<b>TDK-4600-XX</b> Thick door kit for 2190, 2290 low profile trim set. Specify door thickness.*	<b>\$25</b>

\*For door thickness (01) 1-3/4", (02) 2", (03) 2-1/4", (04) 2-1/2", (05) 2-3/4", (06) 3", (07) 3-1/4".

4568, 4569

## Eurostyle Deadlatch Handle Thick Door Kits

## MODELS

<b>91-0128-02, 91-0128-03, 91-0128-04</b> Thick door kits for 4568, 4569	<b>\$18</b>
<b>26-0203-01, 26-0203-02, 26-0203-03</b> Thick door kits for 4568-11, 4569-11	<b>\$18</b>

## Faceplates

MS1850S

## Deadlock Faceplates

## MODELS &amp; FINISHES

313, 628

<b>BFK-MS1850-10</b> Blank faceplate kit, flat, 1" x 6-7/8"	<b>\$22</b>
<b>BFK-MS1850-11</b> Blank faceplate kit, radius, 1" x 6-7/8"	<b>\$22</b>

MS1850S,  
MS1950

## Deadlock (Standard Bolt) Faceplates

## MODELS &amp; FINISHES

313, 335, 628

US4, US26D

US3, US26

<b>24-0384-010</b> Flat faceplate	<b>\$8</b>	<b>\$29</b>	<b>\$33</b>
<b>24-0384-110</b> Radius faceplate	<b>\$8</b>	<b>\$29</b>	<b>\$33</b>
<b>24-0384-210</b> Left hand bevel faceplate	<b>\$8</b>	<b>\$29</b>	<b>\$33</b>
<b>24-0384-310</b> Right hand bevel faceplate	<b>\$8</b>	<b>\$29</b>	<b>\$33</b>
<b>24-0384-410</b> Radius with weatherstrip	<b>\$11</b>		

## SPECIAL MODELS

313, 628

<b>24-0384-110-313-B100, 24-0384-110-628-B100</b> Radius faceplates, bulk package of 100 units	<b>\$640</b>		
<b>24-0384-210-313-B100, 24-0384-210-628-B100</b> Left hand bevel faceplates, bulk package of 100 units	<b>\$640</b>		
<b>24-0384-310-313-B100, 24-0384-310-628-B100</b> Right hand bevel faceplates, bulk package of 100 units	<b>\$640</b>		
<b>24-0384-410-313-B100, 24-0384-410-628-B100</b> Radius with weatherstrip faceplates, bulk package of 100 units	<b>\$880</b>		

Please note that all 100 faceplates in the bulk package are of the same finish.

MS1850S,  
MS1950

## Deadlock (Hookbolt and Short Bolt) Faceplates

MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
24-0384-020 Flat faceplate	\$8	\$29	\$33
24-0384-120 Radius faceplate	\$8	\$29	\$33
24-0384-220 Left hand bevel faceplate	\$8	\$29	\$33
24-0384-320 Right hand bevel faceplate	\$8	\$29	\$33
24-0384-420 Radius with weatherstrip	\$11		
SPECIAL MODELS	313, 628		
24-0384-020-313-B100, 24-0384-020-628-B100 Flat faceplates, bulk package of 100 units	\$640		
24-0384-120-313-B100, 24-0384-120-628-B100 Radius faceplates, bulk package of 100 units	\$640		
24-0384-220-313-B100, 24-0384-220-628-B100 Left hand bevel faceplates, bulk package of 100 units	\$640		
24-0384-320-313-B100, 24-0384-320-628-B100 Right hand bevel faceplates, bulk package of 100 units	\$640		
24-0384-420-313-B100, 24-0384-420-628-B100 Radius with weatherstrip faceplates, bulk package of 100 units	\$880		

Please note that all 100 faceplates in the bulk package are of the same finish.

## MS1850SN

## Deadlock (Standard Bolt) Faceplates

MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
24-0226-010 Flat faceplate	\$10	\$31	\$35
24-0226-110 Radius faceplate	\$10	\$31	\$35
24-0226-210 Left hand bevel faceplate	\$10	\$31	\$35
24-0226-310 Right hand bevel faceplate	\$10	\$31	\$35

## MS1850SN-45X

## Deadlock (Hookbolt) Faceplates

MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
24-0226-020 Flat faceplate	\$10	\$31	\$35
24-0226-120 Radius faceplate	\$10	\$31	\$35
24-0226-220 Left hand bevel faceplate	\$10	\$31	\$35
24-0226-320 Right hand bevel faceplate	\$10	\$31	\$35

## 1870

## Flushbolt Faceplates

MODELS & FINISHES	313, 335, 628
24-0168-00 Flat faceplate	\$15
24-0168-01 Radius faceplate	\$15
24-0168-02 Left hand bevel faceplate	\$15
24-0168-03 Right hand bevel faceplate	\$15
24-0168-04 Radius with weatherstrip	\$18

## MS+1890

## Deadlock Faceplates

MODELS & FINISHES	313, 335, 628
24-0270-020 Flat faceplate	\$10
24-0270-120 Radius faceplate	\$10
24-0270-220 Left hand bevel faceplate	\$10
24-0270-320 Right hand bevel faceplate	\$10
24-0270-420 Radius with weatherstrip	\$13

## 2190

## Dual Force® Interconnected Deadbolt/Deadlatch Faceplates

MODELS & FINISHES	313, 628
91-0266-01-313-IP, 91-0266-01-628-IP Flat faceplate and radius faceplate kit for aluminum (2190)	\$37
91-0266-04-313-IP, 91-0266-04-628-IP Flat faceplate and radius faceplate kit for wood or hollow metal (2290)	\$37

## 2331

## Heavy Duty Deadbolt Faceplates

MODELS & FINISHES	121	US26D	US3
22-0170 Flat faceplate	\$37	\$37	\$41
22-0032 Strike plate	\$37	\$37	\$41

## 3300

## Fire-Rated Mortise Exit Device Faceplates

MODEL & FINISHES	335, 628
24-0015-020 Flat faceplate	\$10

## 4070

## Short Throw Deadbolt Faceplates

MODELS & FINISHES	313, 335, 628
24-0136-00 Flat faceplate	\$10
24-0136-10 Radius faceplate	\$10
24-0136-20 Left hand bevel faceplate	\$10
24-0136-30 Right hand bevel faceplate	\$10

## 4500

## Standard Duty Deadlatch Faceplates

MODELS & FINISHES	313, 335, 628
24-0017-0220 Flat faceplate	\$8
24-0017-1220 Radius faceplate	\$8
24-0017-2220 Left hand bevel faceplate	\$8
24-0017-3220 Right Hand bevel faceplate	\$8
24-0017-4220 Radius with weatherstrip	\$11
SPECIAL MODELS	628
24-0017-1220-628B100 Radius faceplates, bulk package of 100 units	\$640

Please note that all 100 faceplates in the bulk package are of the same finish.

4530

## Standard Duty Deadlatch Faceplates

MODELS & FINISHES	313, 335, 628
24-0016-020 Flat faceplate	\$13
24-0016-120 Radius faceplate	\$13
24-0016-220 Left hand bevel faceplate	\$13
24-0016-320 Right hand bevel faceplate	\$13

4900

## Heavy Duty Deadlatch Faceplates

MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
24-0137-01 Flat or bevel faceplate	\$8	\$29	\$33
24-0137-02 Radius faceplate	\$8	\$29	\$33
24-0137-03 Radius with weatherstrip	\$11		

4900

## Heavy Duty Deadlatch Special Faceplates

MODELS & FINISHES	313, 628
24-0140 Radius with weatherstrip seal (1-1/8" x 6-7/8")	\$16
24-0144-01 Flat or beveled doors (1-1/8" x 7-1/4")	\$13

4920, 8300

## Faceplates

MODEL & FINISHES	313, 335, 628
24-0138-01 Flat or bevel faceplate	\$22

7100, 7160

## Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0685-01 Round corner faceplate (1-1/4" x 4-7/8")	\$20

7101

## Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0685-02 Radius faceplate (1-1/4" x 4-7/8")	\$20

7110

## Electric Strike Faceplates

MODEL & FINISH	652
22-0558 Round corner faceplate (1-7/16" x 7-15/16")	\$20

7111

## Electric Strike Faceplates

MODEL & FINISH	652
22-0557 Round corner faceplate (1-7/16" x 10-1/4")	\$20

7130

## Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0686-01 Round corner faceplate (1-1/4" x 6-7/8")	\$25

7131

## Electric Strike Faceplates


MODEL & FINISHES	313, 335, 628
24-0686-02 Radius faceplate (1-1/4" x 6-7/8")	\$25

7140, 7170

## Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0687-01 Radius faceplate (1-1/4" x 4-7/8")	\$20


PS-1



Power Supply

MODEL	
PS-1 Power supply, 12/24 VDC boxed P/S 1 Amp	\$300

PS-LR




Power Supply

MODEL	
PS-LR Power supply for exit devices with LR latch retraction option	\$760

KITTED OPTION

MODEL	
BBK-LR Add-on board to the PS-LR, must be supplied with 2 each 12V - 7AH batteries (by others)	\$210

PS-SE




Power Supply

MODEL	
PS-SE Power supply for exit devices with SE latch retraction option	\$615

KITTED OPTION

MODEL	
BBK-SE Add-on board to the PS-SE, must be supplied with 2 each 12V - 7AH batteries (by others)	\$210


4612



Power Transfer Device

MODELS	
4612-1 Wire transfer, 105° swing	\$163
4612-2 Wire transfer, 180° swing	\$210
4612-1SC Wire transfer, swing clear 90° swing	\$280
4612EL-1 Wire transfer, 105° swing with ElectroLynx(TM) Adapter	\$189
4612EL-1SC Wire transfer, 90° swing with ElectroLynx(TM) Adapter	\$306

4603, 4605, 4606



Accessories for Power

MODELS	
4603 Rectifier	\$15
4605 Transformer, 115 VAC to 12/24 VAC	\$53
4606 Plug-in transformer, 115 VAC to 24 VAC only	\$87
29-0218 Piezo electric horn	\$20
ELX ElectroLynx™ Adapter to connect Adams Rite products to the ElectroLynx system	\$31

## Deadlocks &amp; Deadlatches

RT1050

## RITE Touch® Digital Glass Door Lock

## MODEL &amp; FINISH

**RT1050D-DEMO** RITE Touch digital glass door lock with thumbturn, for all-glass doors**\$750****RT1050L-DEMO** RITE Touch digital glass door lock with lever, for full-glass doors**\$750**

2190

## Dual Force® Interconnected Deadbolt/Deadlatch

## MODELS &amp; FINISH

US32D

**2190-MOUNT** Dual Force® 2190 Interconnected Deadbolt/Deadlatch mounted complete with electrified trim set**\$1,000**

4300

## Steel Hawk® Electrified Deadlatch (eLatch)

## MODELS &amp; FINISH

US32D

**4300-MOUNT** Steel Hawk® 4300 Electrified Deadlatch mounted complete with 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer lever**\$850**

## Exit Devices

8400

## Narrow Stile Mortise Exit Device

## MODELS &amp; FINISH

628

**8400SE-MOUNT** 8400 Series Narrow Stile Mortise Exit Device featuring SE Silent Electrification option**\$1,600**

## Electric Strikes

7400

## Ultraline® Electric Strikes

## MODELS &amp; FINISH

**7440-MOUNT** UltraLine 7440 Electric Strike mounted complete with 4-7/8" faceplate, 628 finish**\$750****74R1-MOUNT** UltraLine 74R1 Electric Strike for rim exit devices with 3/4" Pullman latches mounted complete, 130 finish**\$750****74R2-MOUNT** UltraLine 74R2 Electric Strike for rim exit devices with 1/2" Pullman latches mounted complete, 130 finish**\$750**



Trim

A100-3090H

Keyless Entry and Aperio® Hub Wholesale Kit

MODELS & FINISH		626
<b>A100-3090C-MOUNT</b>	Aperio® A100 Keyless Entry Control and Aperio Hub with HID* iClass credentials, mounted complete with 4900 Heavy Duty Deadlatch, 4600 Heavy Duty Designer Deadlatch Lever Trim	<b>\$2,150</b>
<b>A100-3090CK-MOUNT</b>	Aperio® A100 Keyless Entry Control and Aperio Hub with keypad and HID* iClass credentials, mounted complete with 4900 Heavy Duty Deadlatch, 4600 Heavy Duty Designer Deadlatch Lever Trim	<b>\$2,150</b>

3090

eForce® Keyless Entry

MODELS & FINISH		626
<b>3090-MOUNT</b>	eForce®3090-150 Keyless Entry Trim mounted complete with 4900 Heavy Duty Deadlatch	<b>\$1,200</b>
<b>3090C-MOUNT</b>	eForce®3090P Keyless Entry Trim with HID* iClass credentials mounted complete with 4900 Heavy Duty Deadlatch	<b>\$1,450</b>
<b>3090P-MOUNT</b>	eForce®3090P Keyless Entry Trim with HID* Prox credentials mounted complete with 4900 Heavy Duty Deadlatch	<b>\$1,450</b>

4600

Heavy Duty Designer Deadlatch Handles

MODELS & FINISH		US32D
<b>4600-MOUNT</b>	4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer levers, mounted complete with Dual Force® 2190 Deadbolt/Deadlatch (lock)	<b>\$1,000</b>

## Limited Warranty

Products sold under the Adams Rite brand in the United States of America are warranted free from defects in workmanship and materials under normal use and service.

This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, corrosion, erosion, ordinary wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized non-Adams Rite products or parts.

This warranty is void if any modification is made to the product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk of the party making the modification.

Should any defect of manufacture (in material or workmanship) occur in its products, Adams Rite, upon prompt notification and proof to its satisfaction that the product was defective in manufacture for the use intended by Adams Rite, will at its option, exchange the product, repair the product, or refund the price charged by Adams Rite, FOB factory within the stated time frame listed below.

- All mechanical products for five (5) years from date of manufacture
- Ultraline® 7400 Electric Strikes for five (5) years from date of manufacture
- All electrical products for three (3) years from date of manufacture, with the exception of the exit devices with the SE option
- Exit devices with the SE option for one (1) year from date of manufacture. Adams Rite recommends that for optimal performance all exit devices with the SE option are installed and powered using PS-SE power supplies. Installing SE exit devices with PS-SE power supplies extends the warranty to five (5) years from date of manufacture.

## General RMA Procedure

Product repair or replacement, or associated charges, will not be accepted under this warranty unless prior authorization from Adams Rite has been given. Upon receipt of products returned for repair or replacement, Adams Rite will determine whether products qualify for repair or replacement under this warranty. Adams Rite has no liability to pay any costs of repair performed by anyone other than qualified personnel authorized by Adams Rite prior to the work being done.

Written notice of a product or component part believed to be defective as covered by this warranty should be sent to Adams Rite, 10027 S. 51st Street, Suite 102, Phoenix, Arizona 85044 or [customer.care@assaabloy.com](mailto:customer.care@assaabloy.com) and should include your name and address, an identification of the product or component part and a brief description of the defect. Notice of a product or component part believed to be defective as covered by this warranty may also be accepted over the telephone by Adams Rite, 800.872.3267.

Upon receipt of such notice, if the customer has an account with Adams Rite or a valid credit card, an advance replacement product may be ordered whereby Adams Rite will ship a replacement product to the customer free of charge. If Adams Rite does not receive the original defective product from the customer within 60 days, Adams Rite will charge the customer's account or credit card for the price of the advanced replacement product plus freight costs. Upon inspection of the returned product by Adams Rite, a decision will be made whether or not to charge the customer for the advanced replacement Adams Rite product. This decision will be made solely by Adams Rite in accordance with the provisions of these Terms. Obsolete products will not be accepted for return. Return Material Authorizations (RMAs) will be closed if the goods are not received within 60 days of issuance.

If Adams Rite receives original defective product from the customer within 60 days of RMA issuance, and if the customer is requesting credit for the defective material, the customer must reference the valid Adams Rite Purchase Order number upon which the product was originally ordered. If the original Purchase Order number is not available, at Adams Rite's option a credit may be issued at the customer's current cost. This decision will be made solely by Adams Rite in accordance with the provisions of these Terms.

Transportation charges and insurance on all returned materials must be prepaid by the purchaser when merchandise is ordered in error. On goods returned for customer convenience, when the purchaser returns materials in compliance

with these Terms which are accepted by Adams Rite, the purchaser may be issued a credit for 65% of the purchase price, with 35% charged by Adams Rite for handling and reprocessing. All refunds will be in the form of a credit.

Scrap in field may be allowed on select products for customers who have prior agreement with Adams Rite. In this case the original defective product will not have to be returned to Adams Rite. Items allowed under this program are subject to the discretion of Adams Rite and may change at any time. Only authorized product is allowed to be scrapped in the field. Unauthorized product scrapped in the field will be considered 'not returned' and the customer will be charged for the replacement or credit will be denied.

## Cancellation

As an industry leader, Adams Rite is committed to maintaining the highest standard of quality and ensuring strict compliance to industry codes. Adams Rite's proud history of customer service and manufacturing agility allow quick response times to customer's changing needs, which may include special orders or product modifications. Please be advised that all product modifications require special authorization to ensure the order fully meets customer's expectations. Customers are asked to allow for an extended lead time on all special orders. Please note that at Adams Rite's option, product modifications and other special orders cannot be changed, cancelled, or returned once a ship date has been provided on an order acknowledgement by Adams Rite.

Adams Rite prides itself on introducing new, industry-relevant, feature-rich products. Since new solutions will surpass the capabilities of older product lines, historical products may be subsequently discontinued. Every effort will be made to announce new product introductions as well as product discontinuations in a manner that allows customers advanced notice of these events. Once a product line is discontinued orders will be fulfilled in order of receipt, although Adams Rite cannot guarantee all orders can be filled. Repair services and spare parts for discontinued product lines will be available for some reasonable time period. Adams Rite reserves the right to replace discontinued product with an equivalent product as deemed by Adams Rite.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES. TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES ARE LIMITED TO THE DURATION OF THIS WARRANTY. ADAMS RITE IS A DIVISION OF HANCHETT ENTRY SYSTEMS, INC. HANCHETT ENTRY SYSTEMS, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

## Contact Information

Customer Support: 1.800.872.3267

Website: [adamsrite.com](http://adamsrite.com)

Email: [customer.care@assaabloy.com](mailto:customer.care@assaabloy.com); [phx.support@assaabloy.com](mailto:phx.support@assaabloy.com); [orders.adamsrite@assaabloy.com](mailto:orders.adamsrite@assaabloy.com)

Customers purchasing from Door Security Solutions Canada can find Canadian terms and conditions at [www.assaabloydss.ca/terms](http://www.assaabloydss.ca/terms).






## USA

 800.872.3267

 800.232.7329

 [adamsrite.com](http://adamsrite.com)

[customerservice.adamsrite@assaabloy.com](mailto:customerservice.adamsrite@assaabloy.com)

[techsupport.adamsrite@assaabloy.com](mailto:techsupport.adamsrite@assaabloy.com)

[orders.adamsrite@assaabloy.com](mailto:orders.adamsrite@assaabloy.com)

## Canada

 800.461.3007


 [assaabloydss.ca](http://assaabloydss.ca)

Customer Support in Canada:


[cavau-sales@assaabloy.com](mailto:cavau-sales@assaabloy.com)

Copyright © 2018, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience

 Follow us on Twitter at [@AdamsRite](https://twitter.com/AdamsRite)

 Like us on Facebook at [Adams Rite](https://www.facebook.com/AdamsRite)

 Subscribe to our YouTube Channel at [AdamsRiteMfg](https://www.youtube.com/AdamsRiteMfg)

 Connect with us on LinkedIn at [Adams Rite](https://www.linkedin.com/company/AdamsRite)



**ASSA ABLOY**