

www.acclock.com

C


# • CAM LOCKS • DRAW LOCK

# 23000 SERIES MULTI-FUNCTION CAM LOCKS SINGLE BITTED 5 AND 6 TUMBLERS

Specifically designed to accommodate other manufactures' key blanks, enabling locksmiths to furnish customers with additional cam locks keyed into existing key systems. 54G keyway.

Stainless Steel Finish

Code	Length	Price
FLMFW23038	3/8"	7.79
FLMFW23058	5/8"	7.79
FLMFW23078	7/8"	7.79
FLMFW23118	1 1/8"	7.79
FLMFW23138	1 3/8"	7.79
FLMFW23168	1 3/4"	10.96



Available KD, KA217, KA221, KA224, KA237, KA238 25/box

**Brass Finish** 


Code	Length	Price
FLMFW23038B	3/8"	8.47
FLMFW23058B	5/8"	8.47
FLMFW23078B	7/8"	8.47
FLMFW23118B	1 1/8"	8.47
FLMFW23138B	1 3/8"	8.47
FLMFW23168B	1 3/4"	11.61

# 24000 SERIES MULTI-FUNCTION CAM LOCKS SINGLE BITTED 5 AND 6 TUMBLERS

Specifically designed to accommodate other manufactures' key blanks, enabling locksmiths to furnish customers with additional cam locks keyed into existing key systems. 00V keyway.

Stainless Steel Finish

Code	Length	Price
FLMFW24038	3/8"	Call
FLMFW24058	5/8"	Call
FLMFW24078	7/8"	Call
FLMFW24118	1 1/8"	Call
FLMFW24138	1 3/8"	Call
FLMFW24168	1 3/4"	Call



Available KD, CAT15, CAT30, CAT45, CAT60 25/box

**Brass Finish** 


Code	Length	Price
FLMFW24038B	3/8"	Call
FLMFW24058B	5/8"	Call
FLMFW24078B	7/8"	Call
FLMFW24118B	1 1/8"	Call
FLMFW24138B	1 3/8"	Call
FLMFW24168B	1 3/4"	Call

#### 23000 SERIES WOOD DRAWER LOCK

Comes with both deadbolt and springlatch. Two finishes - brass or stainless steel cap. Universal keyway - keys into all reverse "S" keyways. 90° key rotation (key removable). Specify brass or stainless steel finish. 54G keyway

Stainless Steel Finish

Code	Length	Price
FLMFW23006	3/4"	13.13
FLMFW23007	7/8"	13.77
FLMFW23008	1 1/8"	13.77



Available KD, KA217, KA221, KA224, KA237, KA238 10/box

Brass Finish


Code	Length	Price
FLMFW23006B	3/4"	13.61
FLMFW23007B	7/8"	14.52
FLMFW23008B	1 1/8"	14.52

#### 24000 SERIES WOOD DRAWER LOCK

Comes with both deadbolt and springlatch. Two finishes - brass or stainless steel cap. Universal keyway - keys into all reverse "S" keyways.  $90^{\circ}$  key rotation (key removable). Specify brass or stainless steel finish. OOV keyway

Stainless Steel Finish

Otalilioss Otoci i illisii		
Code	Length	Price
FLMFW24006	3/4"	Call
FLMFW24007	7/8"	Call
FLMFW24008	1 1/8"	Call



Available KD, CAT15, CAT30, CAT45, CAT60 10/box

Brass Finish

Code	Length	Price
FLMFW24006B	3/4"	Call
FLMFW24007B	7/8"	Call
FLMFW24008B	1 1/8"	Call



C

#### Accredited Lock Supply

5/16"

Bolt 2

Bolt 1

www.acclock.com

#### METAL DRAWER LOCK

- 2 Bolt Throw Heights
- Bolt Notched for Assembled Installation
- 90° Key Turn to Open
- · Key Removable Locked or Unlocked
- Removable Cylinder for Rekeying

FLMFW23010 Stainless Steel Finish 11.24 Call

Available KD, KA217, KA221, KA224, KA237, KA238 20/box

#### **METAL DRAWER LOCK - SPRING LATCH**

- Slam Latch Action
- 90° Key Turn to Open
- Key Removable at 12:00 & 3:00
- Removable Cylinder for Rekeying
- 21/32" barrel

FLD23011 Stainless Steel Finish Call


Available KD, KA217, KA221, KA224, KA237, KA238 20/box

#### SLIDING DOOR LOCK

- Plunger Action, Wood Door Lock
- 23000 Series Keyway
- 15/32" Barrel
- Key Pull at 12:00 Only in Unlocked Position

FLSD990 Nickel Finish 14.48

Available KD, KA217, KA221, KA224, KA237, KA238 20/box



#### SHOWCASE LOCK - WOOD/GLASS

5/32"

-21/32"+

ı<del>-</del>-3/16"

23000 - Single bit

For glass sliding by-pass doors up to ¼" thick, key removable in locked position only, supplied with two keys and felt pad to be applied to back of lock body. Wood locking bar sold separately.

FLMFWSG23000 14.87

Nickel Finish

Available KD, KA217, KA221, KA224, KA237, KA238 20/box

#### **SWITCH LOCK**

- 23000 Series Keyway
- 1 1/8" Barrel
- Lead Lengths 10"
- 7 amps 110VAC (Resistive Load)


Nickel Finish - 10/box

FLSW2-3118AD Maintaining Contact 16.37 FLSW20-3118MC Momentary Contact 24.20

Available KD, KA217, KA221, KA224, KA237, KA238

#### THREADED SHAFT LOCK


• Universal Keyway - 23000 Series A = 8", B = 7/8" Stainless Steel Finish




**FLTS23078BD** 2 Key Pulls **Call FLTS23078U** 4 Key Pulls **Call** 

Available KD, KA217, KA221, KA224, KA237, KA238 10/box

#### CAM LOCKS





Available KD, KA D3012, D3045, D3059, D3085, D3165

# Comp FORT

#### Accredited Lock Supply

www.acclock.com

C

# 29000 SERIES WOOD/GLASS SHOWCASE LOCK FLMFWSG-29000

**25<sup>31</sup>**ea

Packed 10/box. Nickel Plated

29000 - double bit

For glass sliding by-pass doors up to ¼" thick, key removable in locked position only, supplied with two keys and felt pad to be applied to back of lock body. Wood locking bar sold separately.

Available KD, KA D3012, D3045, D3059, D3085, D3165



#### **VENDING MACHINE LOCK**

#### INNER CYLINDER


Inner cylinder for POP-OUT T Handles Meets NAMA Standards 'A' Dimension = 59/64"

FLYPT1010 Nickel Finish 21.44

Available KD, KA27379, KA27380, KA27381, KA27382, KA27383 10/box

#### **TRAILER & GATE LOCK**

- 5000 Series Double Bitted, 6 Tumbler
- Key Retaining, Solid Die Cast Construction
- Key Blank 750
- 90° Key Rotation
- Key Retained in Unlocked Position



FLTL-37

Available KD, KA1339, KA1006, KA1022

20/box

#### **MINIATURE 'T' LOCKS - MULTIFUNCTION**

- Miniature Lock for Glass & Plastic Doors
- 'A' Dimension = 11/16"
- Straight and 1/16" Offset Cams
- Mounting Hole 15/32" dia x 27/64" DD Flats
- 90° Key Rotation
- Key Removable at 12:00 and 3:00

FL1T-058 10.97 25/box

Available KD, KAK001, K002, K024



59.35

#### THUMB TURN CAM LOCK


Packed with a straight cam, offset cam, wonder washer and hex nut.

**FLMFWTT058** 5/8" **7.54** 

**FLMFWTT078** 7/8" **7.54** 

25/box

43.88



#### **REKEYING KITS**

FLRKK-190



 FLRKK-110
 1000 Series GEM Pin Kit
 59.35

 FLRKK-130
 Universal Wafer Kit for 23000, 24000 Series
 60.98

 FLRKK-130M
 23000 Series Master Wafer Kit
 76.61

Universal Wafer Kit for 29000 Series

#### DUST SHUTTER CAM LOCK


Stainless steel finish. Corrosion resistant - stainless steel cap with X33 finish (RoHS compliant).

Nut mounted cam.

FLMFWDS23058 5/8" **9.24** 

FLMFWDS32078 7/8" **9.24** 

Available KD, KA217, KA221, KA224





www.acclock.com

#### LOCKING THUMB TURN CAM LOCK


Packed with a straight cam, offset cam, wonder washer and hex nut.

'A' dimension = 7/8"

**FLMFWLT078** 16.04

25/box

Available KD, KA K055, K078, K026



#### **AK-100 CAM LOCK ACCESSORY KIT**

Our accessory kit contains 18 separate items, conveniently packed in a heavy duty plastic case. The kit is designed to provide the most commonly used parts, along with many hard to find items. Our kit provides most parts needed for any field changes. The kit contains 5 each of the following:

CLI Clips API Anchor Plate 3 Point Locking Cam CAI Cam Adaptor BF1418 Bent Cam SF1200 Straight Cam **Ball & Spring Detent** CI Collar AWI Spur Washer 201 Hook Cam SF4000 Straight Cam CF2408 Offset Cam

DC-I Dust Cap Plug Removal Tool S4 4-40 Screw BFI 814 Bent Cam **Doubled Ended Cam** OF2414 Offset Cam


FLAK100



#### **CAM LOCKS - GEM 1000 SERIES**

Nickel Plated


Code	' A' Length	Price
FLMFW1038	1/2"	19.52
FLMFW1058	23/32"	19.52
FLMFW1078	15/16"	20.13
FLMFW1118	1 5/32"	20.13
FLMFW1148	1 1/2"	20.13



#### **SWITCH LOCK - MOMENTARY** & MAINTAINING

- Rekeyable Switch Lock UL Rated
- Maintaining & Momentary ContactSingle Pole, Double Throw Switch
- 125/250 VAC, 7A Resistive Load
- Lead Length 10"
- 'A' Dimension = 1 3/8"

Parts provided for different functions




**FLMFSW3-1138** Nickel Plated 49.25 Available KD, KA27379, KA27380, KA27381, KA27382, KA27383 Available KD, KA27379, KA27380, KA27381, KA27382, KA27383 25/box 10/box

#### **SWITCH LOCK - MAINTAINING**

- Maintains Contact at 3:00
- · Single Pole, Single Throw Switch
- 110/120 VAC, 7A Resistive Load
- Key Removable at 12:00 & 3:00
- 'A' Dimension = 1 3/8"
- Lead Length = 10"

Nickle Plated



FLSW2-1138AD


10/box

Available KD, KA27379, KA27380, KA27381, KA27382, KA27383

#### **SWITCH LOCK - MOMENTARY**

- Momentary Contact
- Single Pole, Single Throw Switch
- 110/120 VAC, 7A Resistive Load
- Key Removable at 12:00
- 'A' Dimension = 1 3/8"
- Lead Length = 10"

Nickle Plated



#### FLSW20-1138MC

10/box

Available KD, KA27379, KA27380, KA27381, KA27382, KA27383




www.acclock.com

#### **WOOD DRAWER LOCK**

- 3/8" Bolt Throw
- Key Pulls at 12:00 & 6:00
- 180° Key Turn to Open
- 'A' Dimension 7/8"

FLDR1008 Chrome Finish 30.16

Available KD, KA27379, KA27380, KA27381 25/box



FLSD1990

Chrome Finish 28.07

Available KD, KA27379, KA27380, KA27381 25/box


• 90° Key Turn - Plunger Slides Out to Lock

• Key Pull at 12:00 Only in Unlocked Position (3:00)

# A CONTRACTOR OF THE CONTRACTOR

#### PLAIN SHAFT LOCK w/BAYONETTE LOCKING

- 'A' Dimension = 8"
- 'B' Dimension = 5/8"
- 'C' Dimension = 11/2"
- 90° Key Turn
- Key Pulls at 12:00 & 3:00



FLPS1058AD Nickle Finish Call

Available KD, KA27379, KA27380, KA27381, KA27382, KA27383

#### THREADED SHAFT LOCK

**SLIDING DOOR LOCK** 

• 15/32" Bolt Throw

• Plunger Action Wood Door Lock

- 'A' Dimension = 8"
- 'B' Dimension = 5/8"
- 'C' Dimension = 1 1/2"

Nickle Finish, 10/box


FLTS1058BD 2 Key Pulls 28.45

FLTS1058U 4 Key Pulls 28.45

Available KD, KA27379, KA27380, KA27381, KA27382, KA27383

#### **PARTS & ACCESSORY HARDWARE**

Illustration	Number	Description
		All part numbers in black on this page are NON-STOCK.
	AP1	ANCHOR PLATE, .630 FLATS
\$ 12 <i>(((</i> ()) /67)/	AP2	ANCHOR PLATE, .685 FLATS
	AW1	ANCHOR WASHER WOOD, .630 FLATS, ID .750
Anchor Washers	AW2	ANCHOR WASHER WOOD, .685 FLATS, ID .750
AW1 AW3 WW1 AW2	AW3	ANCHOR WASHER METAL, .650 FLATS, ID .750
	WW1	WONDER WASHER, .630635 FLATS (FOR METAL & WOOD)
	C1	COLLAR, 3/32" HEIGHT, 1-1/32" O.D.
	C2	COLLAR, 3/16" HEIGHT, 1-1/16" O.D.
Metal Dust Cover	DC1	METAL DUST COVER
DC1	FC1	SPACER COLLAR, 1/16"THICKNESS
	FC2	SPACER COLLAR, 3/32"THICKNESS
	FC3	SPACER COLLAR, 1/8"THICKNESS
((()))	FC4	SPACER COLLAR, 5/32"THICKNESS
(1/1)	FC5	SPACER COLLAR, 3/16"THICKNESS
	FC6	SPACER COLLAR, 7/32"THICKNESS
Collar Anchor Plate	FC7	SPACER COLLAR, 1/4"THICKNESS
C2 AP1	FC8	SPACER COLLAR, 9/32"THICKNESS
	FC9	SPACER COLLAR, 5/16" THICKNESS



FC10	SPACER COLLAR, 3/8" THICKNESS
FC11	SPACER COLLAR, 7/16" THICKNESS
FC12	SPACER COLLAR, 1/2*THICKNESS
N1	HEX NUT, 3/4" X 24 TPI
N5	HEX NUT, 9/32" X 28 TPI
N6	HEX NUT, 5/16" X 24 TPI
PC1	PROTECTIVE COLLAR, 13/32" HEIGHT A .094 B .400 C 1.250
PC2	PROTECTIVE COLLAR, 1/4" HEIGHT A .062 B .250 C 1.187
PC4	PROTECTIVE COLLAR,17/32" HEIGHT A .342 B .532 C 1.250
PC5	PROTECTIVE COLLAR, 5/8" HEIGHT 1-3/8" O.D. A .050 B .6250 C 1.3
S8	SEMS SCREW, 1/4X20TPI
SPW1	STAR LOCK WASHER INTERNAL, 3/4" HOLE
SPW2	STAR LOCK WASHER INTERNAL, 5/16" HOLE
SPW3	STAR LOCK WASHER INTERNAL, 9/32" HOLE
SPW4	STAR LOCK WASHER EXTERNAL, 5/16" HOLE
SPW5	STAR LOCK WASHER INTERNAL, 1/4" HOLE
W2	WASHER, 3/32"THICKNESS, 1-1/16" O.D.
W3	WASHER, 1/16"THICKNESS, 1" O.D.
W15	WASHER, 2" O.D. 7/8" I.D. (EXT. SLEEVE COMPONENT)
W16	WASHER .640 FLATS (EXT. SLEEVE COMPONENT)



www.acclock.com

