



C

Accredited Lock Supply

www.acclock.com

•FIRE RESISTANT SAFES

ELECTRONIC LOCK OPTION FOR GARDALL SAFES

Option for new safe or easy retrofit on all Gardall Safes that are handle-activated.

Features

- Quick and Easy Access
- One Million Possible Combinations.
- Different Factory Override Number in every lock.
- Easy Combination Change From the Keypad.

When Ordered With Safe

225⁰⁰

S & G 6120



U.L. 2-HOUR INSULATED HOME & BUSINESS SAFES

Statistics show that if a company's records are lost in a fire, 17% can no longer furnish a financial statement, 14% suffer a reduction in credit rating and 43% go out of business completely. No home or business is safe from fire. Your vital records and possessions are only as safe as the quality of protection you provide for them. With Gardall fire resistive safes, you can be confident your records will survive.

STANDARD FEATURES

- Thick 4 1/4" door with recessed anti-pry design. Safe walls are 2 1/2" thick.
- Five active bolts that lock in 3 directions, massive 1" diameter round bolts that extend deep into safes body (models 1812-3018).
- Center bolt down hole with hardware included for easy installation.
- Bolt detent, allowing all bolts to remain retracted until closed, preventing bolt scars on body as well as damage to the boltwork (models 1812-3018).
- Plush carpeted quality interior to protect jewelry and valuables (models 1812-3018).
- UL Residential Security Burglary Label (Models 1812-3018)
- UL listed Group II high security lock, mechanical or electronic available.
- UL 2-hour fire label, furnace tested to 1850°, safe's interior temperature was less than 350°.
- Solid chrome plated handle with shear point to prevent the safe from being forced open by handle attack.
- Independent re-locker and hardplate to prevent drilling attack on locking mechanism.

OPTIONS

- Key locking dial

COLORS

- Gray or Sandstone



DIMENSIONS AND PRICES

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs.)	Standard Interior	Price
	H	W	D	H	W	D				
GA1612/2	23"	17 1/4"	19 3/4"	16"	12"	12"	2304	298	1 Shelf	985.00
GA1812/2	25"	17 1/4"	19 3/4"	18"	12"	12"	2592	310	One Shelf	1165.00
GA1818/2	25"	17 1/4"	25 3/4"	18"	12"	18"	3888	392	One Shelf	1255.00
GA171718/2	25"	23 1/4"	25 3/4"	18"	18"	18"	5832	490	Two Shelves	1795.00
GA2218/2	29"	23 1/4"	25 3/4"	22"	18"	18"	7120	525	Two Shelves	2010.00
GA3018/2	37 1/4"	23 1/4"	25 3/4"	30"	18"	18"	9720	620	Three Shelves	2445.00



**•RECORD SAFES
•DEPOSITORY SAFES**

LARGE RECORD SAFES

Designed and tested to withstand severe fire and outside temperatures up to 1750°F, a comfortable margin of protection for all your valuables. Temperature inside the safes is guaranteed not to exceed 350°F within two hours, while the charring temperature of paper is 405°F. As an added benefit, these safes also have class "B" factory-installed, burglary resistive features built right in. Any way you look at it, you can't go wrong. These safes will protect all your valuable "proof of loss" records required in insurance claims. Specify your choice of standard color: *tan or gray.*

Special Features

- Manufacturers' 2 hour Fire Label
- Independent relocking device deters forced entry
- Adjustable interior shelving
- Full locking bar on the hinged side of the door to deter entry by removal of hinges.
- Plated interlocking door bolts extend into the safe wall to prevent entry if hinges are removed.
- Hard plate between the lock and the dial ring.

Independent relocking mechanism to deter forced entry



4820 4220 3620

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Standard Interior	Price
	H	W	D	H	W	D				
GA3620	44 3/4"	25 3/4"	28 1/4"	36 1/4"	20 1/2"	20"	14865	917	Three Shelves	2995.00
GA4220	50 3/4"	25 3/4"	28 1/4"	42 1/4"	20 1/2"	20"	17325	995	Three Shelves	3225.00
GA4820	57 1/2"	25 3/4"	28 1/4"	48 1/4"	20 1/2"	20"	19785	1120	Four Shelves	3615.00

DEPOSITORY SAFES

Available with S & G Electronic Lock - 225.00

Rotary and Front Loading


Designed to protect money collected where immediate deposit is required. The deposit can be made into the safe while its door locked. Exclusive baffle design protects contents from being removed through the entry opening. A hopper rotor is built into the body of the safe and cannot be removed to gain access into it. The front deposit area is staked securely into each side of the safe and the top is 1/2" thick. Standard color: *gray.*

Special Features-

- Anchoring holes in base
- Class B insurance Rating 1/2" steel door with punch resistant bolt and relocking device to deter forceable entry.
- 1/4" Steel Body Construction.
- Rotary Hopper Capacity - 2 1/2" x 10" x 5". designed to accommodate most money bags and envelopes.
- Front Load Capacity: Designed to fit most large money bages (9" x 11" maximum)
- Available with Electronic, Combination or Dual Key Lock
- Relocking Device. If the back cover is knocked off the lock, this independent mechanism is activated preventing bolt withdrawal.



Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx. Weight (Lbs)	Lock	Price
	H	W	D	H	W	D				
GAFL1218C	18 1/4"	11 1/2"	13"	11"	10 3/4"	10 3/4"	1213	103	Combination	985.00
GAFL1218K	18 1/4"	11 1/2"	13"	11"	10 3/4"	10 3/4"	1213	103	Dual Key	955.00
GAFL1328C	25"	14 1/2"	13"	15"	13 1/2"	11 1/2"	2329	165	Combination	1335.00
GAFL1328K	25"	14 1/2"	13"	15"	13 1/2"	11 1/2"	2329	165	Dual Key	1255.00
GABL1328C	25"	14 1/2"	13"	15"	13 1/2"	11 1/2"	2329	150	Combination	1325.00
GABL1328K	25"	14 1/2"	13"	15"	13 1/2"	11 1/2"	2329	150	Dual Key	1290.00
GABL1337SDT-C	36 1/2"	14 1/2"	13"	24 1/2"	13 1/2"	10 3/4"	3556	200	Combination	1835.00
GABL1337SDT-E	36 1/2"	14 1/2"	13"	24 1/2"	13 1/2"	10 3/4"	3556	200	Electronic	2060.00



C

www.acclock.com

CASH REGISTER TRAY SAFE

- Recessed Door to Help Deter Pry Attacks
- Hard Plate Around the Lock, with Independent Relocker
- Available with Rotary or Front Loading Depository
- Interiors - 2 Adjustable Shelves or 5 Fixed Shelves
- Anchoring Holes in Bottom to Bolt Safe Down
- 3-1 1/4" Round Bolts and Full Length Dead Bolt



Model	Outside Dim.'s			Interior			Approx Weight (Lbs)	Price	
	H	W	D	H	W	D			
G AFL2522/2	34"	22"	17 1/4"	Drop compartment w/cam lock, 2 adj. shelves			200	1955.00	
G AFL2522/5	34"	22"	17 1/4"	Drop compartment w/cam lock, 5 shelves			210	1955.00	
G ADS3020	30"	20"	20"	Inside	12 1/4"	19 1/2"	17 1/8"	233	1880.00
				Comp.	7"	19 1/2"	16"		
G AGWB3522	35"	22"	18"	Drop compartment w/2 shelves "B" rated			290	2460.00	

BURGLARY AND FIRE PROTECTION SAFES

Gardall's BF models provide both burglary and fire protection for your home or office.

Standard Features:

Body: 1/8" plate steel with 2 1/2" of insulation and a metal inner shell.

Anti-Burglary Components:

- Hard plate to deter drilling
- Independent relocking device
- Solid steel handle designed to shear off under attack
- 1 " round chrome plated locking bolts
- Full length locking bar on hinge side of safe deterring prying attacks.
- One anchoring hole in base for added security.
- UL Residential Security Burglary Label (RSC)

Locks: Group II combination locks or optional electronic lock.

Manufacturer's 350° 1 Hour Fire Label

The BF safes were tested by the manufacturer along side a U.L. listed 1 hour fire safe in an independent fire testing furnace. The BF safe actually out performed the U.L. fire safe by 15°. The exterior of the safe was heated to 1700° for one hour and during that time the interior temperature of the safe was less than 270°. A letter of certification is available upon request. The BF safes carry Gardall's Lifetime Replacement Guarantee.



Model	Outside Dim.'s			Inside Dimensions			Approx (Lbs)	Weight Price
	H	W	D	H	W	D		
G ABF1713	21 1/4"	18 1/4"	20 1/4"	16 1/2"	13 1/4"	13 1/2"	353	1825.00
G ABF2016	25"	22"	22"	20"	16 1/2"	15 1/2"	496	2045.00
G ABF3318	38 1/4"	23"	26 1/4"	33"	17 3/4"	18 1/2"	796	2650.00



Accredited Lock Supply

www.acclock.com

- DEPOSITORY SAFES
- PISTOL SAFE

DOUBLE DOOR DEPOSITORY SAFES

"B" rated double-door depository, with top compartment designed for drop area. The bottom area is used for storage of valuables and quantities of change. Door thickness: 1/2" Standard color: gray.

- E LaGard 33E Electronic Pushbutton Lock
- C Both doors with Group 2 combination locks
- K Both doors with dual key lock
- KC Top door - dual key lock
Bottom door - Group 2 combination lock
- CK Top door - Group 2 combination lock
Bottom door - dual key lock



RC1237K

PORTABLE PISTOL SAFE w/HANDLE

Excellent storage for a pistol or small items. It can be anchored down using two bolt down holes.

- 4-6 digit personal code
- No tone key pad, back lit
- Handle on safe for carrying
- Bolt down holes for anchoring with hardware
- Gas spring assisted door
- Mechanical override key
- Foam line interior



GAPS96-G-B-E

Exterior: 3 5/16" x 12 1/8" x 10 1/4"
Interior: 2 5/8" x 9 1/2" x 6 1/2"
Weight: 16 lbs.

239⁰⁰

Model	Outside Dimensions				Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Lock	Price
	H	W	D		H	W	D				
ROTARY											
GARC1237C	36 3/4"	14 1/2"	13"	T	14 3/4"	13 3/4"	10 3/4"	2180	220	C	1945.00
				B	14 3/4"	13 3/4"	10 3/4"	2180			
GARC1237K	36 3/4"	14 1/2"	13"	T	14 3/4"	13 3/4"	10 3/4"	2180	220	K	1895.00
				B	14 3/4"	13 3/4"	10 3/4"	2180			
GARC1237KC	36 3/4"	14 1/2"	13"	T	14 3/4"	13 3/4"	10 3/4"	2180	220	KC	1920.00
				B	14 3/4"	13 3/4"	10 3/4"	2180			
GARC1237CK	36 3/4"	14 1/2"	13"	T	14 3/4"	13 3/4"	10 3/4"	2180	220	CK	1920.00
				B	14 3/4"	13 3/4"	10 3/4"	2180			

UNDER COUNTER DEPOSITORY SAFES



DS-86-C DS-1210-C TS-1206-C DS-1210-K DS-86-K

For mounting under store counters and placement inside delivery trucks or taxis. Ideal for church collections. Owners and managers maintain control as deposits can be made while door remains locked. Exclusive baffle design prevents contents from being removed through the opening. With independent relocking system. "B" rated, 1/2" door, 1/4" steel body. UL listed locks. Available with dual key, combination, or electronic. Standard Color: gray

Model	Outside Dimensions			Inside Dimensions			Approx Weight (Lbs)	Lock	Price
	H	W	D	H	W	D			
GATC1206C	12"	6 1/2"	6"	9 1/2"	6"	5"	35	C	465.00
GATC1206K	12"	6 1/2"	6"	9 1/2"	6"	5"	35	K	385.00
GADS-86-K	8"	6"	12"	7 1/2"	5 1/2"	11"	34	K	385.00
GADS-86-C	8"	6"	12"	7 1/2"	5 1/2"	11"	34	C	415.00
GADS1210-K	12"	8"	10"	10 1/4"	7 1/2"	9"	47	K	440.00
GADS1210-C	12"	8"	10"	10 1/4"	7 1/2"	9"	47	C	525.00

GS2522MT PISTOL SAFE w/SHELF

UL approved Group II lock

Features-

- Steel recessed pry resistant door.
- Three active chrome plated round bolts with a 1 1/4" throw behind a 1/4" thick door jamb.
- Hard plate in front of lock (case-hardened- 1/8)
- Shear point handle will break off flush if forced.
- Full length locking bar on hinged side prevents forced entry.
- Reinforced door jambs with 1/4" steel collar.
- Four anchoring holes in the safe's base to bolt it to the floor.

Standard colors: tan or gray

GAGS2522MT

1350⁰⁰



Outside Dim.'s			Inside Dim.'s			Interior
H	W	D	H	W	D	
25"	22"	16 3/4"	24 1/2"	21 1/2"	13"	Empty

Approx. Wt. 182 lbs.



C

www.acclock.com

•GUN SAFES

PREMIUM QUALITY FIRELINED GUN SAFES

Fire Tested to 1400° F for 35 Minutes. Standard color: black powder coat paint.

GF5517 Features-

- 3-way locking bolts - (5 active 1" bolts)
- 3-wheel lock with spyproof dial
- Burglary proof handle
- 4 anchoring holes
- Fire tested at 1100° F for 25 minutes
- 11 gun capacity
- Black powder coated paint
- Safe fits in standard closet



GF5517

Model	Lock	Gun Cap.	Outside Dimensions			Inside Dimensions			Approx. Weight (Lbs)	Price
			H	W	D	H	W	D		
GAGF5517-B-C	Combination	11	55 1/4"	17 3/4"	16"	53"	16"	11 1/2"	265	1065.00
GAGF5517-B-ZE	Electronic	11	55 1/4"	17 3/4"	16"	53"	16"	11 1/2"	265	1255.00

GAC5517AP-G-2 All Purpose Interior for GF5517 Safe - 3 shelves **45.00**

GF6024/6030/6040 Features-

- 3-way locking bolts - (7 active 1 1/2" bolts 6024/6030; 9 active 1 1/2" bolts 6040)
- U.L. Group II lock with spyproof dial
- 2 layers 1/2" U.L. rated fire board insulation
- 4 anchoring holes
- Fire tested at 1400° F for 60 minutes
- Black powder coated paint w/gold or silver trim, specify which one you want
- U.L. approved Intumescent door seal expands to 7X original size
- 5 spoke handle



BGF6024

Model	Lock	Gun Cap.	Outside Dimensions			Inside Dimensions			Approx. Weight (Lbs)	Price
			H	W	D	H	W	D		
GABGF6024-B-C	Combination	16	55 1/4"	17 3/4"	16"	53"	16"	11 1/2"	520	2095.00
GABGF6024-B-ZE	Electronic	16	55 1/4"	17 3/4"	16"	53"	16"	11 1/2"	520	2290.00
GABGF6030-B-C	Combination	22	59 1/8"	30"	26"	55"	26 3/4"	20"	650	2495.00
GABGF6030-B-ZE	Electronic	22	59 1/8"	30"	26"	55"	26 3/4"	20"	650	2690.00
GABGF6040-B-C	Combination	39	59 1/8"	40"	26"	55"	37 1/4"	20"	805	2995.00
GABGF6040-B-ZE	Electronic	39	59 1/8"	40"	26"	55"	37 1/4"	20"	805	2995.00

GAC6024AP-G All Purpose Interior for GF6024 Safe - 3 shelves **60.00**

GAC6030AP-G All Purpose Interior for GF6030 Safe - 3 shelves **80.00**

GAC6040AP-G All Purpose Interior for GF6040 Safe - 3 Shelves **120.00**



BGF6030



BGF6040





Accredited Lock Supply

www.acclock.com

- **MONEY CHEST**
- **WALL SAFE**

- **UTILITY SAFE**
- **FLOOR SAFES**

MONEY CHEST

Robbery protection: for storage of cash register drawers. "B" rated 1/2" doors, steel body. Independent relock system and hard plate. U.L. approved Group 2 lock. Hinge side of the door locks in behind the hinge to prevent prying. Color: *gray*.


Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx. Weight (Lbs)	Price
	H	W	D	H	W	D			
GAB2815	28 5/8"	23 3/8"	18"	27 7/8"	22"	13 3/4"	8277	283	2085.00

CONCEALED WALL SAFE

Designed to be recessed into a wall, and then concealed by a picture or a mirror. Fits perfectly within 16" center-on-center wall studs. Standard color: gray

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Price
	H	W	D	L	W	D			
GASL4000/F	12 1/2"	14 3/8"	4"	12"	14"	2 3/4"	462	41	470.00
GASL6000/F	12 1/2"	14 3/8"	6"	12"	14"	4 3/8"	735	47	535.00

SL4000/F illustrated



/F denotes with 1" flange flush with the front of the safe.

COMPACT UTILITY SECURITY SAFE

The ideal choice for many uses, almost anywhere: in walls, basements, car trunks, RV's and more. 1/4" solid plate wall. 1/2" thick solid steel plate door with an insurance Class "B" burglary rating. Comes with a U.L. listed Group 2 combination lock. Standard Color gray

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Price
	H	W	D	H	W	D			
GAH2	10 1/4"	11 1/2"	13"	9 3/4"	10 3/4"	10 3/4"	1126	60	705.00



MEDIA SAFES

With the growing number of homes and offices using computers, the protection of magnetic media has become critical. The loss of personal as well as business records can be costly and devastating. The average fire safe is not suited to protect your electronic records. Gardall's media safes are designed to meet the additional requirements of protecting magnetic media. For your convenience we offer two sizes to choose from.

Protect Your Electronic Media

- Computer Back-Ups
- Digital Pictures
- Music CDs, DVDs & Video Tapes
- One-hour fire protection for media products

Model	Outside Dimensions			Inside Dimensions			Shelves	Approx Weight (Lbs)	Price
	H	W	D	H	W	D			
GAEDS-1210-G-EK	21 1/2"	19 1/2"	18 1/2"	11"	9"	7 3/4"	1	244	1355.00
GAEDS-2214-G-EK	31 1/2"	23 1/4"	20"	20 3/4"	12 1/2"	8"	2	393	1895.00



EDS-2214-GEK



C

www.acclock.com

FLOOR SAFES

Now larger and improved, with an angled body—wider at the base—making it more difficult to tamper with, and provide users with quality construction at a lower cost. Door size: 12" x 12" Standard color: *gray*

Features-

- Group 2 Listed combination or electronic lock.
- Hard plate between the lock and the dial.
- Full length locking bar on the hinge side of the door.
- Independent relocking device to deter forced entry
- Door frame is reinforced on the bolt side.
- Coil spring assist on all doors for easy opening and closing.
- "B" rated burglary construction.
- Dust cover included.

Drop slot available, add \$175.00 retail.



G500 G700 B1307 B1311 G3600

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Price
	H	W	D	H	W	D			
GAB1307	14 3/4"	12 7/8"	11 1/4"	13 3/4"	12 1/2"	8 1/4"	1418	82	850.00
GAB1311	14 3/4"	12 7/8"	16 1/4"	13 3/4"	12 1/2"	13 1/4"	2277	98	920.00
GAG3600	23 12"	12 1/2"	17 1/2"	23"	12"	13"	3588	169	1335.00
GAG500	8"	8"	11 1/4"	7 5/8"	7 5/8"	8"	464	36	495.00
GAG700	8"	8"	15 1/4"	7 5/8"	7 5/8"	12"	696	42	565.00

ECONOMICAL DEPOSITORY SAFES

- 1/2" Thick Door
- 1/4" Thick Body
- External Re-locker
- Anti-fish Sawtooth Baffle



Model	Outside Dimensions			Inside Dimensions			Approx Weight (Lbs)	Price
	H	W	D	H	W	D		
GADS-1914-G-C	19"	13 1/2"	15"	12"	12 3/4"	12"	128	965.00
GADS-1914-G-E	19"	13 1/2"	15"	12"	13"	12"	128	1190.00
GADS-3315-G-CC	32 1/4"	15 3/4"	15 3/4"	10 1/4"	12 1/2"	14 1/2"	237	1665.00
GADS-3315-G-EE	32 1/4"	15 3/4"	15 3/4"	10 1/4"	12 1/2"	14 1/2"	237	2115.00
GADS-3920-G-CC	39"	20 1/4"	22"	12 1/2"	19 1/2"	19 1/4"	374	2420.00
GADS-3920-G-EE	39"	20 1/4"	22"	12 1/2"	19 1/2"	19 1/4"	374	2870.00

Jewelry Safe

This safe is designed for the customer who wants a more secure & organized location for their jewelry. With 10 wooden compartments for necklaces, earrings, rings, watches and any other jewelry it is the perfect beautiful and secure storage place for your valuable collection.



Standard Features:

- Group II Combination lock
- Group I Electronic Lock (available at additional charge)
- 3 active 1" locking bolts
- 5/16" solid steel plate door
- Motion sensed LED light
- 4 anchoring holes (2 in back, 2 in bottom)
- Independent re-locker
- 10 drawers for necklaces, earrings, watches, etc.
- Beautiful white or black painted finish

Outside

17 1/2" H x 18 1/8" W x 13 3/4" D

Inside

12 1/2" H x 13 3/4" W

Weight: 124 lbs.

GAJS1718-W-C	Combination	White	1350.00
GAJS1718-W-E	Electronic	White	1575.00
GAJS1718-BS-C	Combination	Black	1350.00
GAJS1718-BS-E	Electronic	Black	1575.00



- SAFE WITHIN A SAFE
- SAFE/CHEST COMBINATION

SAFE WITHIN A SAFE

Complete protection against double trouble: "B" rated burglary safe inside a fire-resistive safe. Interior Safe 1/2" steel door, 1/4" steel body construction. Interior Door Boltwork: Dual boltwork with independent relock device and hard plate. Exterior Safe: insulated to withstand 1700°F for one hour. Exterior Door Boltwork: Interlocking bolts extend into the safe walls; full length locking bar on the hinge side of the door to deter forceable entry by removal of hinges.

Finest Quality Key-changing Combination Locks, capable of one million possible changes. U.L. approved Group 2, with built in relocking device. Relocking Mechanism: If the back cover is knocked off the lock, this independent device is activated, preventing bolt withdrawal. Specify choice of standard color: *tan or gray* Hard plate available on both interior and exterior door. "C" rated interior door available as an extra-cost option.

**Z1812****Z2218****Z3018****Z4220**

Model	Outside Dimensions				Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Price
	H	W	D		H	W	D			
GAZ-1812/2	25"	17 1/4"	19 3/4"	MS	9 3/4"	11"	8"	858	365	1699.00
				SS	7 3/4"	12"	10 3/4"	1000		
GAZ-1818/2	25 3/4"	17 1/4"	25 3/4"	MS	9 3/4"	11"	14"	1502	455	1899.00
				SS	8"	12"	16 3/4"	1608		
GAZ-2218/2	29 1/4"	23 1/4"	25 3/4"	MS	12 1/2"	17 1/4"	14"	3019	645	2699.00
				SS	9"	18"	16 3/4"	2714		
GAZ-3018/2	37 1/4"	23 1/4"	25 3/4"	MS	12 1/2"	17 3/4"	14"	3019	740	3325.00
				SS	17 1/8"	18"	16 3/4"	5162		
GAZ-3620	43 1/2"	25 3/4"	26 3/4"	MS	12 1/2"	19 1/2"	15 1/4"	3717	940	3995.00
				SS	23 1/4"	20 1/2"	18 3/4"	8937		
GAZ-4220	49 1/2"	25 3/4"	26 3/4"	MS	12 1/2"	19 1/2"	15"	3717	1010	4275.00
				SS	29 1/4"	20 1/2"	18 3/4"	11243		
GAZ-4820	55 1/2"	25 3/4"	26 3/4"	MS	12 1/2"	19 1/2"	15"	3717	1110	4585.00
				SS	35 3/8"	20 1/2"	18 3/4"	13595		

YMS Money Safe

YSS Shelf Safe

SAFE/CHEST COMBINATIONS

Precision construction, designed for both burglary and fire protection.

Top Unit: TL-15 U.L. listed. For storage of money and valuables.

Bottom Unit: Fire resistive, exceeds the requirements of 350°F for one hour. For storage of records.

Standard Lock: Group II combination (electronic and key-op also available).

Specify choice of standard color: *tan or gray*

Model	Outside Dimensions					Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Price
	H	W	D	T		H	W	D			
GASC-1230	55 3/4"	25 3/4"	26 3/4"	T	9"	12"	11"	1188	1695	5775.00	
				B	30 1/2"	20 1/2"	20"	12505			





C

Go To Table of Contents

Accredited Lock Supply

www.acclock.com

IMPORTED SAFES

COMPACT 'MICROWAVE' FIRE SAFE



MS912-G-E

MS129-G-E

MS912-G-CK

MS911-G-E

MS119-G-E

MS911-G-CK

ES1612-G-E

SS1612-G-CK

- Fire resistant 1 hour label
 - Center bolt down
 - Dual security key and combination
 - Powder coating paint for increased durability
- Grey*

Outside	Inside	Wt.
20" x 16 1/4" x 17 1/2"	14 1/2" x 12 1/4" x 12 1/2"	143
GASS1612-G-CK	Comb./Key	498.00
GAES1612-G-E	Electronic	575.00

Outside	Inside	Wt.
11 1/2" x 15 1/4" x 12 1/2"	8 1/2" x 12" x 8 1/2"	61
GAMS911-G-CK	Combination	315.00
GAMS911-G-E	Electronic	395.00

Outside	Inside	Wt.
13 1/2" x 16 3/4" x 15 1/4"	9 1/2" x 12 3/4" x 10 1/4"	85
GAMS912-G-CK	Combination	355.00
GAMS912-G-E	Electronic	445.00

Outside	Inside	Wt.
15 1/4" x 11 1/2" x 12 1/2"	12" x 8 1/2" x 8 1/2"	61
GAMS119-G-CK	Combination	315.00
GAMS119-G-E	Electronic	395.00

Outside	Inside	Wt.
16 3/4" x 13 1/2" x 15 1/4"	12 3/4" x 9 1/2" x 10 1/4"	85
GAMS129-G-CK	Combination	355.00
GAMS129-G-E	Electronic	445.00

FIRE BURGLARY SAFES



- Heavy duty construction: 2" thick door, 3" thick body
- Composite construction door & body
- External glass re-locker
- 3 spoke chrome plated handle
- 2 hour fire label (KIS Standard)
- Center bolt down for ease of installation
- 1 1/4" chrome plated locking bolts
- Attractive two tone powder coated paint for increased durability
- U.L. Group II combination lock

P/N	Opening Method	Outside	Inside	Wt.	Price
GAFB1212-G-C	Combination	17 3/4" x 17 3/4" x 20 1/2"	12" x 12" x 12 3/4"	205	1135.00
GAFB1212-G-ZE	Electronic	17 3/4" x 17 3/4" x 20 1/2"	12" x 12" x 12 3/4"	205	1360.00
GAFB2013-G-C	Combination	27" x 20" x 20 1/2"	20 1/2" x 13 3/4" x 12 5/8"	313	1595.00
GAFB2013-G-ZE	Electronic	27" x 20" x 20 1/2"	20 1/2" x 13 3/4" x 12 5/8"	313	1820.00
GAFB2714-G-C	Combination	33 1/2" x 20" x 22 3/4"	27 1/2" x 14 3/4" x 14 3/4"	412	1935.00
GAFB2714-G-ZE	Electronic	33 1/2" x 20" x 22 3/4"	27 1/2" x 14 3/4" x 14 3/4"	412	2160.00

WALL SAFE

This line of Wall Safes comes standard with:

- 1" flange for easy installation
- Powder coat paint
- 3/16" body and door
- 3 each 3/4" round bolts
- Carpeted inside shelf
- Locking mechanism Key only, Key w/electronic lock

P/N	Opening Method	Outside	Inside	Wt.	Price
GAWS1314-T-K	Key	13 3/4" x 14 1/2" x 4"	12" x 14" x 2 1/2"	27	335.00
GAWS1314-T-EK	Electronic/Key	13 3/4" x 14 1/2" x 4"	12" x 14" x 2 1/2"	27	390.00
GAWS1317-T-K	Key	13 3/4" x 14 1/2" x 5 1/2"	12" x 14" x 3 1/2"	30	355.00
GAWS1317-T-EK	Electronic/Key	13 3/4" x 14 1/2" x 5 1/2"	12" x 14" x 3 1/2"	30	415.00



WS1317-T-EK



WS1317-T-K



Accredited Lock Supply

COMMERCIAL LIGHT DUTY BURGLARY SAFE PRODUCT LINE

Door Features

- 1/2" steel plate, 1" locking bolts with auto detent, hardplate to deter drilling attacks
- Full length locking bar on hing side of door, independent relocker

Body Features

- 11 gauge prime steel, powder coated paint, 4 anchoring holes

Lock Options

Standard combination: Sargent & Greenleaf Group II
 Push button electronic: Sargent & Greenleaf 6120, \$225 option
 Models LCR/LCF 2014, LCF 3214 also available with Dual Key Lock, no charge.

DEPOSITORIES: FRONT/TOP LOADING; SINGLE & DOUBLE DOOR



P/N	Opening Method	Outside	Door Size	Weight(lbs)	Price
GALCF2014-G-C	Combination	20" x 14" x 14"	10 1/2" x 11"	80	640.00
GALCR2014-G-C	Combination	20" x 14" x 14"	10 1/2" x 11"	87	680.00
GALCF3214-G-CC	Combination	32" x 14" x 14"	10 1/2" x 11"	174	1075.00

UNDER COUNTER UTILITY SAFE

LC1414

LCS1414



P/N	Opening Method	Outside	Door Size	Weight(lbs)	Price
GALC1414-G-C	Combination	14" x 14" x 14"	10 1/2" x 10 3/4"	61	480.00
GALCS1414-G-C	Combination	14" x 14" x 14"	10 1/2" x 10 3/4"	61	545.00

LCF2820

LCF3020



P/N	Opening Method	Outside	Door Size	Weight(lbs)	Price
GALCF2820-G-CC	Combination	28" x 20" x 16"	8 5/8" x 16 3/4"	174	1195.00
GALCF3020-G-C	Combination	30" x 20" x 20"	20" x 17"	201	1190.00

IN ROOM/HOMEOWNER THEFT PROTECTION

GH5



P/N	GAGH5-G-E
Opening Method	Electronic
Outside	9 5/8" x 16 1/2" x 15"
Inside	7" x 14" x 14"
Door Size	7 1/4" x 14 3/4"
Weight(lbs)	32
Price	310.00