

STOREFRONT HARDWARE

Ilco® Mortise Locks with Deadbolt, Hookbolt and Deadlatch feature a steel case with corrosion resistant plating. Each style accepts a standard 1 5/32" (29.4mm) diameter mortise cylinder and can be purchased with one, two or without faceplate.

For narrow jambs and sliding glass doors, the shorter, hook style bolt is used to secure the door.

Deadbolt - 185 Series

360° turn of the key or thumbturn retracts the bolt. The bolt provides maximum security on single leaf doors.

- Steel case, corrosion resistant plating
- Available in straight or hook bolt
- Five ply bolt with hardened steel pin, stainless steel bolt optional
- Accepts standard diameter mortise cylinder or thumbturn
- Aluminum faceplate (flat, left or right bevel, radius, radius w/weather strip)
- Cycle testing exceeds ANSI Grade 1 standards



Sets come with two faceplates. Non-handed.

HB185

185

Deadbolt

P/N	Backset	Finish	List
IL185-F-2NH-628/313	31/32"	Aluminum/Dark Bronze	23.38
IL185-F-3NH-628/313	1 1/8"	Aluminum/Dark Bronze	23.38
IL185-F-4NH-628/313	1 1/2"	Aluminum/Dark Bronze	23.38

Hookbolt

P/N	Backset	Finish	List
ILHB185-F-2NH-628/313	31/32"	Aluminum/Dark Bronze	23.38
ILHB185-F-3NH-628/313	1 1/8"	Aluminum/Dark Bronze	23.38
ILHB185-F-4NH-628/313	1 1/2"	Aluminum/Dark Bronze	23.38

Push/Pull Paddle – 459 Series

Push or pull in the direction of the door swing to unlatch.

- Corrosion resistant extruded aluminum construction
- Escutcheon is zinc alloy with black hard coat finish
- Enhanced double spring construction for durability
- Binder post insures secure attachment of the push/pull handle to the door
- Self-adhesive Push / Pull decals included
- Field reversible handing using cam plug and Push/Pull feature
- Cycle testing exceeds ANSI Grade 1 standards



Door Thickness = 1 3/4"

P/N	Finish	Function	List
IL459-01-00-313	Dark Bronze	Pull to left	44.80
IL459-01-00-628	Aluminum	Pull to left	44.80
IL459-02-00-313	Dark Bronze	Push to left	44.80
IL459-02-00-628	Aluminum	Push to left	44.80
IL459-03-00-313	Dark Bronze	Pull to right	44.80
IL459-03-00-628	Aluminum	Pull to right	44.80
IL459-04-00-313	Dark Bronze	Push to right	44.80
IL459-04-00-628	Aluminum	Push to right	44.80

Deadlatch - 451 Series

Offers flexibility of traffic control for buildings that require free entrance during specific times and exit only at other times. A reverse turn of the key, while the bolt is retracted, retains the bolt for two-way traffic.

Interchangeable with the 185 Series Deadbolts.

Strikes Not Included

- Steel case, corrosion resistant plating
- Zinc latch with Delrin insert for quiet operation
- Auxiliary metal latch bolt feature prevents "loiding" or jimmying
- Accepts standard diameter mortise cylinder
- Field reversible handing
- Aluminum faceplate (flat, left or right bevel, radius, radius with weather strip)
- Cycle testing exceeds ANSI Grade 1 standards



451

Left Hand

P/N	Backset	Finish	List
IL451-F-2LH-628/313	31/32"	Aluminum/Dark Bronze	35.00
IL451-F-3LH-628/313	1 1/8"	Aluminum/Dark Bronze	35.00
IL451-F-4LH-628/313	1 1/2"	Aluminum/Dark Bronze	35.00

Right Hand

P/N	Backset	Finish	List
IL451-F-2RH-628/313	31/32"	Aluminum/Dark Bronze	35.00
IL451-F-3RH-628/313	1 1/8"	Aluminum/Dark Bronze	35.00
IL451-F-4RH-628/313	1 1/2"	Aluminum/Dark Bronze	35.00

NEW! HEAVY DUTY DEADLATCH 452 SERIES

Easily Re-handed in the Field • Depth Adjusting Tube Spacers
IL452-F-3RH-628/313 1 1/8" Aluminum/Dark Bronze **38.08**

Lever Handles – 456 Series


This series of lever handles are available in straight and euro return styles.

Downward movement retracts latch.

- Left or Right handing, reversible using the cam plug
- Cast aluminum construction
- Escutcheon assembly includes heat treated spindle
- Cam plug is secured to handle escutcheon with hardened steel pins

Door Thickness = 1 3/4"

P/N	Finish	List
IL456RE-LH-01-DU	Dark Bronze	23.24
IL456RE-LH-01-AL	Aluminum	23.24
IL456RE-RH-01-DU	Dark Bronze	23.24
IL456RE-RH-01-AL	Aluminum	23.24
IL456S-LH-01-DU	Dark Bronze	21.84
IL456S-LH-01-AL	Aluminum	21.84
IL456S-RH-01-DU	Dark Bronze	21.84
IL456S-RH-01-AL	Aluminum	21.84



NEW! Speed 04X Series Performance HD Series

- Warranty:** Two Years
- Design:** Open concept for ease of cleaning
- Cutter:** One style (040, 044, 045) - Stock 1, Service 3 - TiN (Titanium Nitride) coated
- Tracer:** One standard for all edge cut keys
- Brush:** 3" (76.2 mm) Nylon, 3/8" (9.525 mm) wide, 5/8" (15.87 mm) bristles, shielded for safety
- Clamps:** 4-sided, nickel plated with slotted surface to accommodate tip stop bars
- Spacing Between Clamps:** 3 1/2", to accommodate large bow and long blade keys
- Shoulder Gauge:** Spring loaded metal rod with quick adjustable tabs for shoulder gauging
- Cutter Shield:** Large shield, storage solution for accessories
- Swarf "Chip" Tray:** Large tray under carriage
- Calibration:** Micro-dial type adjustment for precise calibration Increments of .00098" (0.025mm)
- Power Switch:** Sealed safety switch; manually re-set the switch after a power interruption
- Mounting Bracket:** Included



Speed 04X Series Mounting Bracket

Cutter Motor: 120V-60Hz, single phase and speed
Tool Speed: 1,404 rpm

SPEED 040 AUTOMATIC/MANUAL



ILSPEED040-110
2,530⁰⁰

18.9"W x 18.5"D x 11.8"H
44 lbs.

SPEED 044 SEMI-AUTOMATIC DUPLICATOR



ILSPEED044-110
2,320⁰⁰
110VAC

22.8"W x 18.1"D x 9.8"H
31 lbs.

BRAVO III w/EZ-Jaw™

High quality, semi-automatic professional duplicating machine with four-way jaws which enable quick and easy duplication of all types of residential, commercial, padlock and automotive keys without adapter.

Comes with the versatile CU50A cutter and a corresponding cutter guide. The durable cobalt steel cutter ensures a smooth, clean, accurate cut every time.

- New EZ-Jaw™ vise mechanism allows the machine operator to switch from one vise station to another faster, and with minimal effort.
- EZ-Jaw™ makes it possible to rotate the vise jaw without having to lift it up... simply grasp the vise jaw and twist it to access the vise position desired.
- Features a "soft-touch" deburring nylon brush.



Dimensions: 10"H x 15"W x 20"D
Weight: 47 Lbs.
Volts: 110/60 Hz, 1/4 HP capacitor sta

ILBRAVOIII-USA
4,786⁰⁰

SPEED 045 MANUAL DUPLICATOR
Economical Operation



ILSPEED045-110
1,870⁰⁰

18.1"W x 18.1"D x 10.2"H
31 lbs.

Same features as above.
Duplicates flat steel and bit keys.

ILSPEED046-110
1,880⁰⁰

SILCA FLASH 008 KEY MACHINE
Manual Duplicator for Edge Cut Keys



ILFLASH008-110
1,050⁰⁰

- Large ergonomic jaw (clamp) knobs for ease of clamping with a minimum of force.
- Four sided, nickel plated jaws with tip gauge slots for ease of gauging and clamping virtually all edge cut keys presently on the market.
- 3½" spacing between clamps allows clamping of keys with large bows (heads), long blades and flip style automotive keys.
- Smooth rotation of jaws by simply loosening the knob and twisting into position.
- Carriage handle and rotating knob ensure precise horizontal movements (the carriage can also be easily moved manually)
- Teflon® coated carriage shaft bushings guarantee a smoother, quieter movement.
- Depth tracer with micro adjustment system for fast, precise calibration
- AlTiN coated cutter for longer life (almost double that of the 008B) and oxidation resistance.
- Motor is within the housing making the cutting operation quieter.
- Increased motor power and longer life.
- Key gauge is more rigid and accurate.
- Rigid carriage to reduce vibration during the key cutting process.
- Electro-magnetic safety switch (machine must be manually re-started after a power interruption) with easy switch access.
- Mounting bracket included for securing the machine to a work bench.
- Two year warranty vs. one year on the 008B model.

UNIVERSAL II CODE CUTTING MACHINE



Voltage: 110VAC/3.5 amps
Motor: 1/4 hp (capacitor start type)
Weight: 37.5 lbs.
Dimensions: 12" W x 14" D x 10" H


ILUNIVERSALII
4,402⁰⁰

Features:

- Utilizes code cards, allowing the operator to change the machine setup quickly and add new applications at minimal cost
- Easy view code card design enhances accuracy and speed
- Superior dial depth adjustment system provides quicker, more precise calibration
- "Flapper Style" key blank alignment gauge ensures accurate, level key placement
- Titanium nitride coating provides extra long cutter life
- Quick rate depth and spacing drive shafts speed up the key cutting process
- Up-to-date card selection covers current key applications
- Tilting cutter head for making angled cuts on Medeco® keys & similar types
- Capacitor start motor enables use with 12 volt DC power inverters
- Durable powder coat finish

120 CODE CARDS • T14MC & TCW-1011 CUTTERS INCL • STD & U SHAPED TIP-STOPS

031 DETENTION KEY DUPLICATOR




IL031-110
3,375⁰⁰

A cost-effective method of cutting virtually any detention key. Utilizes the principle of parallel operating key vises for greater cutting accuracy. A four-way key guide provides the flexibility to make four cut widths in keys. Special vise jaws are precision engineered to hold keys tight with a minimum of effort. Cuts Folger-Adam, Adtec and Southern Steel keys. Cuts Folger-Adam Mogul keys by using the optional "V"-Cutter Kit.


Shipping Weight: 32lbs.
Cutter: CU30-88 Slotter.
Dimensions: 13" (W) x 16" (D) x 10" (H).

Features:

- Special vise jaws featuring ratchet type handles
- Spring loaded key guide
- Angles base for easy operation
- Safety light and cutter shroud



TUBULAR KEY MACHINE



IL009B-110
1,330⁰⁰
110VAC

The 009B is an economical solution for duplicating standard tubular keys. It is easy to set up, simple to operate and provides accurate duplicates in just seconds.

The 009B is simple to operate. It features a unique key positioning device to assure quick, accurate gauging of the key blank.

- Designed to duplicate "mid size" 7 and 8 cut* tubular keys
- Transparent cover offers clear visibility and protection during the cutting process
- Simple to operate and provides accurate duplicating results
- Durable high torque motor
- Solidly constructed for lasting performance

Motor: 110VAC
Weight: 8 lbs.
Cutter: 16TW End Mill

*Not intended for cutting steel keys

14"W x 4.25"D x 4.25"H

THE MATRIX II

The Matrix II is a new and improved re-design of the Matrix S machine that has been offered by Ilco since 1994. Just as with the previous generation, the Matrix II combines rugged construction, precision and features that have made it the professional's choice in laser style key duplication.

The Matrix II will offer the following new improvements from the previous model for your customers interested in a premium duplicator for laser keys.

- Electromechanical calibration with alarm to indicate when properly calibrated
- Micrometer calibrating dial (tracer side, placed out of the working area, above the protective shield)
- LED lighting of work area with manual on-off switch above the cutting area
- Wider transparent safety shield minimizes exposure to moving parts and chips during operation.
- Convenient built-in storage tray on hood of machine for key blanks or tools
- Cutter motor does not start until the Z-axis lever is lowered and stops when it is raised for additional safety
- Quiet cutting cycle
- HSS cutters and tracers with a new alloy composition to improve cutter life
- Colored plastic collars (red on cutters and black on tracers) have cutter and tracer numbers on collars for easy identification
- Larger tool and accessory pull out storage drawer



ILMATRIX II

5892.00

EZ[®]-CODE II

Kaba Ilco Corp. is pleased to introduce the second generation Ilco EZ[®]-Code. The Ilco EZ[®]-Code II looks the same as the first generation. The difference is in the many hardware and firmware changes made to accommodate the OEM Keys from Asia. The more noticeable improvements found in the Ilco EZ[®]-Code II are the elimination of backlash and minimization of stepper motor slippage to ensure synchronized movements of components when cutting



keys made of harder materials. These changes also yield a more accurate measurement when calibrating the machine and when using the duplication feature. In addition to hardware and firmware updates, the entire database has been revised to ensure accuracy of the biting information. Rather than relying on an electrical contact to determine the reference point to begin cutting a key, the Ilco EZ[®]-Code II uses a hard fixed datum for reference, resulting in more accurately cut keys.

New Duplication Feature – the Ilco EZ[®]-Code II will have the capability to duplicate a key back to factory specifications or duplicate as measured. Once the pattern key is measured it allows the user to select the option of (1) USE CARD DEPTHS which would cut the key to OEM specifications or (2) USE MEASURED DEPTHS which would duplicate the key based on the actual measurements of the pattern key.

The **Kreate-A-Key™ Software Program** is the easiest way to make keys by code. Forget the hassels with using codebooks and cards... Ilco just made your life easier.

ILKCREATE-A-KEY

1,714.28

ILEZ[®]-CODE II
10,200⁰⁰

TWISTER II AUTOMOTIVE HI-SECURITY KEYS DUPLICATOR

Kaba Ilco Corp. is pleased to introduce the Twister II, an economical manual key cutting machine for duplicating a wide range of "laser" (sidewinder), flat cut dimple and Fichet[®] type keys. Optional accessories expand the capability of the Twister II to duplicate tubular and Ford[®] Tibbe[®] keys.

The Twister II will offer the following benefits for your customers interested in a manual duplicator:

- Spring loaded tracer point for duplication of dimple keys with flat cuts.
- Standard accessories include a HSS 2.5mm cutter and tracer for laser keys and a second HSS .65mm cutter and tracer used for a wide variety of dimple keys with flat cuts
- Optional cutters, tracers, and accessories expand the range of keys that can be duplicated
- Small footprint (9.8" W x 14.6" D x 14.6" H - 250mm W x 370mm D x 370mm H)
- LED lighting of work area
- Wide transparent safety shield minimizes exposure to moving parts and chips during operation
- Master Safety Switch with separate cutter motor switch.
- Quiet cutting cycle
- Replaceable jaw surface plates provide an economical repair solution for normal vise jaw wear.
- Lockable carriage for cutting dimple keys and to prevent movement during transport



ILTWISTER II

Hi-Security Key Duplicator

3402.00

SILCA TRI-CODE H/S

Electronic Code Cutting of Automotive High Security Keys

The Triax H/S cuts laser type high security automotive keys by code, biting # or duplication. It is simple to operate and eliminates the guess work and effort involved with cutting laser type automotive keys. The keys being duplicated are automatically decoded for depth of cut and spacing. If wear is detected, the machine converts back to original factory specifications. The Triax H/S comes with a full 3 year factory warranty from date of purchase.



- Fast, easy to operate
- Automatic compensation for worn cuts
- Electronically controlled operation
- Internal database contains key codes and cut specifications for almost any automotive "Laser Key" application
- Automatic "hands free" calibration

ILTRI-CODE-H.S.-110V With H101 Cobalt Tool
Steel Cutter

17,590.00

FUTURA PRO- THE ULTIMATE ELECTRONIC KEY MACHINE

The original Futura electronic key cutting machine was the first machine on the market to combine two cutting stations in one user-friendly device. Now, the Futura Pro delivers even more including **faster** cutting cycles and a **new tablet** with upgraded electronics and software for faster response times on the new tablet.

Futura Pro is a powerful machine for the professional key cutters yet also ideal for the less experienced users with step-by-step prompts throughout the cutting processes.

Ultramodern in design and engineered to the highest quality standards; you can be assured of the most accurate, precise cutting of a variety of key styles on one innovative, amazing machine.

Work Efficiencies

- Faster cutting cycles with a motor that delivers up to three times more power and cutters that reach speeds of 1,585 rpm for edge cut keys and 12,100 rpm for laser and dimple keys
- The tablet together with upgraded electronics delivers quick start up, faster response times and an all-round improvement in the machine performance.
- Two USB ports; one for charging the tablet and a second port is used to tether the tablet. The tethering connection allows the Futura Pro and tablet to remain connected and operational even when the Wifi connection is unstable or lost. The second port may also be used to connect the USB flash drive (supplied) to import code tables or for machine software updates.
- New tip stop tool for the edge cut clamp station to be used in position 4
- Kreate-A-Key/Instacode Interface is included
- Interchangeable jaws on the Laser/Dimple clamp station saves time and reduces cost.
- LED color changing lights indicate the status of the cutting process (white=ready, yellow, cutting in process, green=cutting complete).
- Carbide laser cutter for longer life cycle.
- Stainless steel exposed screws resist wear.
- Ergonomic clamp handle design offers a comfort grip and holds keys securely on the edge cut side.
- Built-in hood accessory tray for easy access to tools and/or keys
- Multi-language support

One Machine with Two Cutters and Two Clamps...

Two cutting stations: one for edge cut and cruciform style keys, and one for laser and dimple keys. The wide range of optional accessories will further increase capabilities to duplicate tubular, Tibbe® style keys, and more.

Edge Cut and Cruciform Station

- Decode via optical reader to OEM specifications
- Copy by original function via optical reader for an exact duplicate of the original
- Guided calibration of the cutting station.
- Durable, long lasting HSS (High Speed Steel) milling cutter
- Four position, quick rotating jaw (clamp) accommodates a wide variety of keys
- Ergonomic clamp handle to easily tighten the key securely in place.
- Automotive keys and most residential keys cut in one smooth pass.

Laser and Dimple station

- Decode and copy by electrical contact to OEM specifications
- Automatic Calibration
- Interchangeable clamp jaws
- 01J, 02J and 19J jaws included will accommodate all North American laser style keys with the exception of BMW and Mercede (requires optional 04J jaw)
- Durable carbide laser cutter
- Expand capabilities to include Tibbe®, tubular and other keys with optional accessories.



ILFUTURAPRO
16,800⁰⁰

UNOCODE 199 ELECTRONIC KEY DUPLICATING MACHINE

The UC199 performs high quality key duplication from the original key, copies with adjustments (Stand Alone Mode) or by code and decoding (PC Mode) with Ilco Kreate-A-Key™ program



It combines precision and ease of use and offers high quality results due to its innovative functions and laser technology.

- Precise duplication with the electronic optical reader
- Compact and ergonomic shape
- High quality carbide cutter (standard)
- Two types of uses: Stand-Alone and PC driven
- Fast key cutting cycle
- Semi-automatic gauging function for both standard and automatic clamp
- Communication with Ilco Kreate-A-Key™ and other software programs in the industry
- Web updates available for Kreate-A-Key™

ILUNOCODE
16,200⁰⁰

ELECTRONIC KEYS

Order No.	Description	Price	Order No.	Description	Price	Order No.	Description	Price
EH3	Electronic Key Head (Uses blades with **)	53.00	EH3LB	Electronic Key Head less battery	53.00	EH3P	Electronic Key head (Uses blades with †)	53.00
GTH	Electronic Key head (Uses all blades)	58.00	ILGTI	GT1 Multi Transponder	53.00			
EB3-A-Y160*†			EB3-B-H72*			EB3-C-H73*		
EB3-D-H84*			EB3-E-TOY43*			EB3-F-TOY48*†		
EB3-G-TOY40*†			EB3-H-NI02*†			EB3-J-MAZ24*		
EB3-K-MIT8*			EB3-L-MIT9*†					
EB3-M-MIT14*†			EB3-N-SUB1*			EB3-P-SUB4*		
EB3-R-B111†			EB3-S-HOO3†			EB3-T-Y170†		
EB3-U-HD111†			EB3-V-HU100†			EB3-W-B114R†		
EB3-X-GM45†			EB3-Z-HU64†					
H003-GTS			MAZ24R-GTS			TOY43-GTS		
H72-GTS			H84-GTS			NI02-GTS		
B111-GTS			Y160-GTS			FO21-GTS		
SIP22-GTS			TOY40B-GTS			KW16-GTS		
SZ17R-GTS			KIA3R-GTS			HU101-GTS		
HYN6-GTS			HYN14R-GTS			VA2-GTS		
ILEB3-A-Y160	Chrysler Electronic Key Blade	7.90	ILEB3-R-B111	GM Electronic Key Blade	7.90	B111-GTS	GM Look Alike® Shell	5.90
ILEB3-B-H72	Ford Electronic Key Blade	7.90	ILEB3-S-HOO3	Honda Electronic Key Blade	7.90	Y160-GTS	Chrysler Look Alike® Shell	5.90
ILEB3-C-H73	Ford Electronic Key Blade	7.90	ILEB3-T-Y170	Chrysler Electronic Key Blade	7.90	FO21-GTS	Ford/Jaguar Look Alike® Shell	5.90
ILEB3-D-H84	Ford Electronic Key Blade	7.90	ILEB3-U-HD111	Acura Electronic Key Blade	7.90	SIP22-GTS	Fiat Look Alike® Shell	5.90
ILEB3-E-TOY43	Toyota Electronic Key Blade	7.90	ILEB3-V-HU100	GM Electronic Key Blade	7.90	TOY40B-GTS	Lexus Look Alike® Shell	5.90
ILEB3-F-TOY48	Toyota Electronic Key Blade	7.90	ILEB3-W-B114R	Saturn Electronic Key Blade	7.90	KW16-GTS	Kawasaki Look Alike® Shell	5.90
ILEB3-G-TOY40	Toyota Electronic Key Blade	7.90	ILEB3-X-GM45	Pontiac Electronic Key Blade	7.90	SZ17R-GTS	Suzuki Look Alike® Shell	5.90
ILEB3-H-NI02	Nissan Electronic Key Blade	7.90	ILEB3-Z-HU64	Sprinter Electronic Key Blade	7.90	KIA3R-GTS	Kia/Hyundai Look Alike® Shell	5.90
ILEB3-J-MAZ24	Mazda Electronic Key Blade	7.90	H003-GTS	Honda Look Alike® Shell	5.90	HU101-GTS	Ford/Land Rover Look Alike® Shell	5.90
ILEB3-K-MIT8	Mitsubishi Electronic Key Blade	7.90	MAZ24R-GTS	Mazda Look Alike® Shell	5.90	HYN6-GTS	Hyundai/Kia Look Alike® Shell	5.90
ILEB3-L-MIT9	Mitsubishi Electronic Key Blade	7.90	TOY43-GTS	Toyota Look Alike® Shell	5.90	HYN14R-GTS	Hyundai/Kia Look Alike® Shell	5.90
ILEB3-M-MIT14	Mitsubishi Electronic Key Blade	7.90	H72-GTS	Ford Look Alike® Shell	5.90	VA2-GTS	Smart Fortwo Look Alike® Shell	5.90
ILEB3-N-SUB1	Subaru Electronic Key Blade	7.90	H84-GTS	Ford Look Alike® Shell	5.90			
ILEB3-P-SUB4	Subaru Electronic Key Blade	7.90	NI02-GTS	Nissan Look Alike® Shell	5.90			

RW4-PLUS w/SNOOP

Designed for professional use, the RW4 PLUS lets you take control of Texas Instruments (TI) and Philips encrypted code and fixed code transponder keys. When the RW4 PLUS is utilized in conjunction with Ilco® electronic keys, you can eliminate the two master (original) key requirements for "on-board" programming. It is a stand-alone device with no PC, internet connection or additional software required.

- Includes Snoop (for Philips Cloning); Captures the communications between the vehicle and the keys
- Clones TI and Philips encrypted code and fixed code (T2, T5) transponder keys
- Software updated are based on new vehicle information & technology
- Identifies presence of a transponder and indicates chip type
- Code generation capable
- Archiving function
- Easy to read LCD screen
- Free updates for one year from purchase
- Multiple language support
- Built in "Soft Touch" keypad
- 12V DC power adapter included
- USB and Serial Port

15 VDC Power Supply

Specifications:

Dimensions: 6.5"D x 9.5"W x 3.25"H (16.5cm x 24.1cm x 8.26cm)

Weight: .61 lbs. (.27kg)



ILRW4-PLUS

5,000⁰⁰

PLUS Box

Update Your RW4 to Clone Philips Encrypted Keys

Clone Philips Encrypted transponder keys. By combining the Plus-Box with the RW4 and adding Ilco Electronic Keys, you can eliminate the need for 2 master (original) keys that are required for "on-board" programming, or a lengthy programming cycle.



- Easily attaches to the bottom of existing RW4
- No loose cables or modules to be damaged or lost

Includes:

- SNOOP
- Serial Cable
- Power Supply
- Transponder Program Software

ILRW4-PLUSBOX

2,781⁰⁰

Specifications:

Dimensions: 6.25"D x 9.625"W x 1.5"H (15.88cm x 24.45cm x 3.81cm)

Weight: 1 lbs. (.45kg)

ID48 COMPLETE CLONING SOLUTION

The Ilco ID48 Complete Cloning Solution adds the capability to clone Megamos® Encrypted (ID48) transponder keys increasing the Ilco cloning system's capability up to 95% of the vehicles on the road today.

The Ilco ID48 Complete Cloning Solution consists of the M-Box, which is added to the existing Ilco/Silca brand Cloning system* and a simple software upgrade. The kit includes the new M-Snoop, which is the only device on the market today that can read original key data without the need for cutting a new key.

A PC or fixed Internet connection is not required to clone. Cloning can be done via a smartphone or tablet's hotspot function.

The new T48 glass transponder, which fits original keys and remotes as well as Ilco replacement vehicle keys, is then used to complete the cloning process.

* RW4 Plus, Ilco EZ®-Clone Plus, RW4 with Plus Box, Ilco EZ®-Clone with Plus Box

ILMBOXSNOOP

1,498⁰⁰

ILT48

Transponder Chip

35⁰⁰



We Stock the Entire Line of Ilco Transponder Equipment & Keys

Modernize Your Automotive Capabilities With Accredited Lock Supply and Ilco

TCode Pro

The T-Code Pro is the leading vehicle key and remote programmer for most vehicle makes and models worldwide. Designed and engineered in the UK by Advanced Diagnostics, the pioneering and trustworthy manufacturer for aftermarket key programming tools, the T-Code Pro is ideal for auto technicians and locksmiths providing high quality key and remote programming services. All new software developed in the future must be purchased from your local distributor.



- Read and clear fault codes
- Clear key memory
- Program keys, proximity keys, smart keys, flip keys, remotes
- Program aftermarket and OEM keys and fobs
- Read immobilizer pin codes
- Read pre-code data
- Display live data
- Component actuation
- ECU identification
- Simple user interface

Some of the functions above are make/model dependent

ILTCODEPRO
Pro Master Kit
17,990⁰⁰

MVP Pro

If you are new to the industry or simply looking for a cost effective way to offer a key programming service to your customers, then the MVP Pro is the solution. Designed and engineered in the UK by Advanced Diagnostics, the pioneering and trustworthy manufacturer for after-market key programming tools, the MVP Pro is ideal for auto technicians and locksmiths providing high quality key and remote programming services on a 'pay as you go' basis. All new software is free. Additional "tokens" can be purchased from your local distributor. In general, it only takes one token per job.



- Read and clear fault codes
- Clear key memory
- Program keys, proximity keys, smart keys, flip keys, remotes
- Program aftermarket and OEM keys and fobs
- Read immobilizer pin codes
- Read pre-code data
- Display live data
- Component actuation
- ECU identification
- Simple user interface

Some of the functions above are make/model dependent

ILMVPPRO
Pro Machine w/10 tokens

7,695⁰⁰

SMART DONGLE

The innovative Smart Dongle designed by Advanced Diagnostics has many features and benefits for the automotive locksmith providing a unique solution that replaces the current range of dongles with one automatic configurable dongle. Smart Dongle is suitable for use with the T-Code Pro and the MVP Pro.



- Automatically configures programmer for car key / remote programming
- Replaces current range of dongles (except Dongle B)
- Can be used on all makes of cars worldwide
- User-friendly and portable
- Integrated smartcard / calculator security
- Integrated Nissan® and Hyundai® / Kia® PIN Code Dongles**
- Expansion port for additional hardware:
- Smart EEPROM Reader*
- Smart Aerial for transponder reading and pre-coding*

* Optional modules - additional costs apply.
** Existing ADC198 and ADC190 customers will have this functionality added free.

ILADC-240
Smart Dongle
1,398⁰⁰

TOKEN PACKAGES

Tokens, for use on the MVP programmer.



(No, they're not really something you can hold in your hand.)

ILMVP-TK10	Ten Tokens	800.00
ILMVP-TK25	Twenty-five Tokens	1650.00
ILMVO-TK50	Fifty Tokens	2700.00
ILMVP-TK250	Two hundred and fifty Tokens	6500.00



Accredited Lock Supply

www.acclock.com

WE STOCK ILCO TRANSPONDER KEYS



B111-PT H72-PT HD106-PT5 NI04T Y160-PT HY021-PT MIT14-PT TOY57-PT Y165-PT

GM		LIST	HYUNDAI		LIST
ILB103-PT		18.90	ILHY20-PT	Azera	21.20
ILB103-PT5		18.90	ILHY021-PT		24.98
ILB111-PT	Circle +	14.14	ILHY022-PT		24.98
ILB112-PT	PK+	25.50			
ILB119-PT		27.20	MAZDA		
ILB120-PT		15.40	ILMAZ24RT5		18.64
ILB97-PT GM Master		11.90	MITSUBISHI		
ILB97-PT5	GM Master	11.90	ILMIT12-PT		21.20
ILB99-PT GM Master		12.32	ILMIT13-PT		21.20
ILB99-PT5	GM Master	12.32	ILMIT14-PT		23.76
ILPT04-PT/B107-PT	04 Grand Prix	16.88	ILMIT17A-PT		21.20
ILPT04-PT5/B107-PT5	04 Grand Prix	16.34	ILMIT8-PT	Diamante/M	21.20
			ILMIT9-PT	Galant/ECL	19.30
DAEWOO			NISSAN		
ILDW04RT5	Daewoo Nubia	26.60	ILNI01T		18.76
ILDW05RT5	Daewoo Lanos	26.60	ILNI02T		14.00
ILDW05T5	Daewoo Leganza	26.60	ILNI04T		20.38
FORD			ILNI05T	Emergency Key	38.48
ILH72-PT		9.10	ILNI06P	Chipless Emergency Key	20.12
ILH72-PT-CLEAR		10.40	ILNSN11T2	Nissan Eur w/Trans-SI	22.28
ILH73-PT		16.20	TOYOTA		
ILH74-PT		14.58	ILTOY40BT4	Lexus	24.30
ILH82-PT Lincoln Valet		17.50	ILTOY43AT4		18.64
ILH84-PT		21.00	ILTOY44D-PT		32.00
ILH86-PT Focus, Escape, Tribute		14.58	ILTOY44G-PT	"G" Transponder Key	32.00
HONDA			ILTOY48BT4	Lexus	29.70
ILHD106-PT		14.84	ILTOY50-PT	Lexus	30.50
ILHD106-PT5		14.84	ILTOY57-PT		21.74
ILH001-PT		18.90	CHRYSLER		
ILH001-PT5		18.64	ILY160-PT		16.20
ILH003-PT		20.12	ILY164-PT		15.94
ILH005-PT	2013-2016	27.00	ILY165-PT		23.00
EUROPEAN			ILY170-PT	Emergency Pod Key	25.78
ILHU46T2	Opel	33.60	ILY171-P	Emergency "J" Key	18.90
ILHU66AT6	Audi	29.70			
ILHU66T24	VW	49.00			

**More Transponder Keys in Stock -
Call For Your Requirements**

www.acclock.com

- CUTTERS
- KEY MACHINES
- CODE CUTTER
- Milling
- Manual

EK3 DISASSEMBLY TOOL

Reduce potential damage to the components of electronic two-part keys while trying to disassemble. The handy EK3 Disassembly Tool is a compact, affordable tool that will separate the two-piece keys in seconds.



- Affordable, compact design
- Quickly disassembles two-piece electronic keys
- No damage to key components
- Accommodates the most popular two-piece electronic key designs with "snap tabs"
- The only electronic key disassembly tool on the market
- Made in the USA
- Makes battery replacement easy

ILEK3RT
108²⁰

Specifications:

Dimensions: 2.25"L x 2.75"W x 3.25"H (5.7cm x 7cm x 8.3cm)
Weight: 1 lbs. (.45kg)

ENGRAVE-IT PRO

Capable of using either a "diamond drag" or rotary cutter engraving process, the Engrave-It PRO lets the operator select the style best suited to the items they need to mark. Using its powerful engraving software (and customer supplied PC) an operator can quickly pick from a range of common tasks (engrave keys, cylinders, etc.) or create their own custom settings for additional item types. Durable and versatile, the Engrave-It PRO delivers professional results.



- Capable of marking keys, typical lock cylinders (including IC), padlocks, I.D. plates/tags, laminates, and other commonly marked items
- Excellent marking quality; suitable for virtually any application
- Capable of fine quality engraving of presentation plaques, etc.
- Provides various fonts and marking styles
- Engraves using either "diamond drag" or rotary cutter process
- Various clamping options provided to secure items being engraved
- Powerful engraving software: simplifies common tasks and provides versatility for more advanced projects


ILENGRAVE-IT-PRO

18,729³⁸

TITANIUM NITRIDE COATED MILLING CUTTERS
The Toughest Cutters at an Affordable Price



The best value in key machine cutters, the titanium nitride coating provides a smoother, sharper cutting edge. With a useful life 3 times longer than high speed steel, these cutters will get the job done with precision and economy.



Advantages of Titanium Nitride Coated Cutters

- Last up to 3 times longer than regular cutters
- Provides a smoother, better cutting edge
- Cut downtime
- Affordable value

Code	Dia.	Thick/mm.	Hole Dia.	Price	Use
ILP-19MC	2 7/8"	7.14	1/2"	197.00	ILCO 2183DM, 218HM, 010-006; KIEL 1, 1 1/2 10
ILP-34MC	2 1/4"	6.35	1/2"	190.72	ILCO 2585DU, H2584CV, 2184CD; KIEL 4 1/2, 12 1/2, 13 1/2, 15
ILP-9MC	2 7/8"	5.23	1/2"	232.00	ILCO 016, 017, 018
ILP-X23MC	2 1/4"	6.35	1/2"	186.78	ILCO 2184CD, H2584CV, 2585DU, 008, 190, DL 145,145M, 147M, 149M; HPC 9100, 9110; TAYLOR KD1, KD5, KD20; KIEL 4 1/2, 12 1/2, 13 1/2; CURTIS 2000
ILP-45SMS	2 3/8"	.045	1/2"	242.58	ILCO 2584SMS, H2585SMS, 2184CD, 2584CV; HPC 9110, KEIL12S, 12 1/2S, 15S 15 1/2S

•CUTTERS
•Milling •Side Milling •Slotter

CUTTERS

ILCO® brand cutters are Number One among locksmiths because they are scientifically engineered and carefully crafted from the finest materials. Each cutter passes rigorous quality control inspections before leaving the plant and delivers accuracy, speed and value in key cutting operations.

SILCA CUTTERS

Code	Price	Use
SLD700875ZB	245.70	Bravo USA, Rekord 2000, Poker Plus, Rekord Plus
SLCU50A	308.00	Bravo II, Bravo III
SLD911868ZR	226.28	Delta, Delta Plus
SLD401866ZZ	153.90	Scout
SLD706766ZB	271.42	Cadet
SLD716549ZB	324.42	Ultracode, EZ®-Code
SLD705933ZB	1120.00	Unocode (carbide)

MILLING CUTTERS
High Speed Steel

Code	Dia.	Thick/mm.	Hole Dia.	Price	Use
IL10MC	2 3/4"	7.11	7/8"	280.42	DL 125A, 130AM, 132AM, 150AM, 128AM, 128SM
IL11MC	2 1/4"	7.36	1/2"	248.14	DL 144M, 144MA, ILCO 024; TAYLOR 144MT-A
IL14MC	2 3/8"	9.52	3/8"	263.86	ILCO 2178U, 2178UA, 2178UC, 178U; HPC 1200CM
IL19MC	2 7/8"	7.14	1/2"	148.86	ILCO 2183DM, 2183HM, 010-006; KIEL 1, 1 1/2, 10
ILX23MC	2 3/8"	2.36	1/2"	143.58	DL 143M, 145M; TAYLOR 145MT-A;
IL34MC	2 1/4"	6.35	1/2"	115.00	ILCO 2585DU, H2584CV, 2184CD; KIEL 4 1/2, 12 1/2, 13 1/2, 15
IL37MC	2 1/4"	5.08	1/2"	301.72	ILCO 2184CD, 2585DU; HPC 9100, 9110; DL 135, 135M 145, 145M; TAYLOR KD5

Tungsten Steel

Code	Dia.	Thick/mm.	Hole Dia.	Price	Use
IL9MC	2 7/8"	5.23	1/2"	191.00	ILCO 016, 017, 018

FINE MILLING CUTTER (ROTARY FILE)
Tungsten Steel

Code	Dia	Thick/mm.	Hole Dia.	Price	Use
IL23RF	2 1/4"	6.35	1/2"	83.70	ILCO 2184CD, H2584CV, 2585DU, 008, 190, DL145, 145M, 147M, 149M; HPC 9100, 9110; TAYLOR KD1, KD5, KD20; KIEL 4 1/2, 12 1/2, 13 1/2; CURTIS 2000
IL5RF	2 3/8"	4.75	3/8"	71.50	ILCO 2177-ID, 2175-IA

SIDE MILLING SLOTTER CUTTER
High Speed Steel

Code	Dia.	Thick/mm.	Hole Dia.	Price	Use
IL30SMS	2 3/8"	.76	1/2"	109.14	ILCO H258SMS, 2184CD, 2584CV, HPC 9110; KEIL 12S, 12 1/2S, 15S, 15 1/2S
IL45SMS	2 3/8"	.045	1/2"	156.72	ILCO 2584SMS, H2585SMS, 2184CD, 2584CV; HPC 9110; KEIL 12S, 12 1/2S, 15S, 15 1/2S

SLOTTER CUTTER
High Speed Steel

Code	Dia	Thick/mm.	Hole Dia.	Price	Use
IL27	2 1/4"	1.14	1/2"	75.28	ILCO 2184CD, H258CV; DL 146 146M, HPC 9100, 9110; TAYLOR KD1; KIEL 4 1/2, 12 1/2
IL3FS-HS	2 1/2"	1.40	3/8"	69.42	ILCO 2177-ID, 2179-IM, 2175-IA, 178U

- ILFJ-DDGA44-BLACK
- ILFJ-DDGA44-BLUE
- ILFJ-DDGA44-PINK
- ILFJ-DDGA55-BLACK
- ILFJ-DDGA55-BLUE
- ILFJ-DDGA55-PINK
- ILFJ-DDGA66-BLACK
- ILFJ-DDGA66-BLUE
- ILFJ-DDGA66-PINK
- ILFJ-FRDB13-BLACK
- ILFJ-FRDB13-BLUE
- ILFJ-FRDB13-PINK
- ILFJ-FRDB24-BLACK
- ILFJ-FRDB24-BLUE
- ILFJ-FRDB24-PINK
- ILFJ-FRDB34-BLACK
- ILFJ-FRDB34-BLUE
- ILFJ-FRDB34-PINK
- ILFJ-GMC13-BLACK
- ILFJ-GMC13-BLUE
- ILFJ-GMC13-PINK
- ILFJ-GMC24-BLACK
- ILFJ-GMC24-BLUE
- ILFJ-GMC24-PINK
- ILFJ-GMC34-BLACK
- ILFJ-GMC34-BLUE
- ILFJ-GMC34-PINK
- ILFJ-GMC55-BLACK
- ILFJ-GMC55-BLUE
- ILFJ-GMC55-PINK
- ILFJ-HNDAD33-BLACK
- ILFJ-HNDAD33-BLUE
- ILFJ-HNDAD33-PINK
- ILFJ-HNDAD44-BLACK
- ILFJ-HNDAD44-BLUE
- ILFJ-HNDAD44-PINK
- ILFJ-HYKIK23-BLACK
- ILFJ-HYKIK23-BLUE
- ILFJ-HYKIK23-PINK
- ILFJ-LXUSI23-BLACK
- ILFJ-LXUSI23-BLUE
- ILFJ-LXUSI23-PINK
- ILFJ-NSSNF13-BLACK
- ILFJ-NSSNF13-BLUE
- ILFJ-NSSNF13-PINK
- ILFJ-NSSNF24-BLACK
- ILFJ-NSSNF24-BLUE
- ILFJ-NSSNF24-PINK
- ILFJ-NSSNF44-BLACK
- ILFJ-NSSNF44-BLUE
- ILFJ-NSSNF44-PINK
- ILFJ-TOYTAG12-BLACK
- ILFJ-TOYTAG12-BLUE
- ILFJ-TOYTAG12-PINK
- ILFJ-TOYTAG23-BLACK
- ILFJ-TOYTAG23-BLUE
- ILFJ-TOYTAG23-PINK
- ILFJ-TOYTAG64-BLACK
- ILFJ-TOYTAG64-BLUE
- ILFJ-TOYTAG64-PINK

- JACKET,CHRYSLER 4 BUTTON IRKE
- JACKET,CHRYSLER 4 BUTTON IRKE
- JACKET,CHRYSLER 4 BUTTON IRKE
- JACKET,CHRYSLER 3 BUTTON IRKE
- JACKET,CHRYSLER 3 BUTTON IRKE
- JACKET,CHRYSLER 3 BUTTON IRKE
- JACKET,CHRYSLR 4-7 BUTTON IRKE
- JACKET,CHRYSLR 4-7 BUTTON IRKE
- JACKET,CHRYSLR 4-7 BUTTON IRKE
- JACKET,FORD 3 BUTTON IRKE
- JACKET,FORD 3 BUTTON IRKE
- JACKET,FORD 3 BUTTON IRKE
- JACKET,FORD 4 BUTTON RKE
- JACKET,FORD 4 BUTTON RKE
- JACKET,FORD 4 BUTTON RKE
- JACKET,FORD 4 BUTTON IRKE
- JACKET,FORD 4 BUTTON IRKE
- JACKET,FORD 4 BUTTON IRKE
- JACKET,GM 3 BUTTON RKE
- JACKET,GM 3 BUTTON RKE
- JACKET,GM 4 BUTTON RKE
- JACKET,GM 4 BUTTON RKE
- JACKET,GM 4 BUTTON RKE
- JACKET,GM 4 BUTTON RKE
- JACKET,GM 4 BUTTON RKE
- JACKET,GM 4 BUTTON RKE
- JACKET,GM 5 BUTTON RKE
- JACKET,GM 5 BUTTON RKE
- JACKET,GM 5 BUTTON RKE
- JACKET,HONDA 3 BUTTON IRKE
- JACKET,HONDA 3 BUTTON IRKE
- JACKET,HONDA 3 BUTTON IRKE
- JACKET,HONDA 4 BUTTON IRKE
- JACKET,HONDA 4 BUTTON IRKE
- JACKET,HONDA 4 BUTTON IRKE
- JACKET,HYNDAL/KIA 3 BUTTON RKE
- JACKET,HYNDAL/KIA 3 BUTTON RKE
- JACKET,HYNDAL/KIA 3 BUTTON RKE
- JACKET,LEXUS 3 BUTTON IRKE
- JACKET,LEXUS 3 BUTTON IRKE
- JACKET,LEXUS 3 BUTTON IRKE
- JACKET,NISSAN 3 BUTTON RKE
- JACKET,NISSAN 3 BUTTON RKE
- JACKET,NISSAN 3 BUTTON RKE
- JACKET,NISSAN 4 BUTTON RKE
- JACKET,NISSAN 4 BUTTON RKE
- JACKET,NISSAN 4 BUTTON RKE
- JACKET,NISSAN 4 BUTTON RKE
- JACKET,NISSAN 4 BUTTON PROX
- JACKET,NISSAN 4 BUTTON PROX
- JACKET,NISSAN 4 BUTTON PROX
- JACKET,TOYOTA 2 BUTTON RKE
- JACKET,TOYOTA 2 BUTTON RKE
- JACKET,TOYOTA 2 BUTTON RKE
- JACKET,TOYOTA 3 BUTTON RKE
- JACKET,TOYOTA 3 BUTTON RKE
- JACKET,TOYOTA 3 BUTTON RKE
- JACKET,TOYOTA 4 BUTTON IRKE
- JACKET,TOYOTA 4 BUTTON IRKE
- JACKET,TOYOTA 4 BUTTON IRKE

THE JACKET AUTO REMOTE COVER™



Automotive fobs are expensive to replace! Protect them with stylish remote fob jackets. Constructed of Silicone rubber, The Jacket Auto Remote Cover™ provides a custom fit for a variety of factory remotes. The affordable price point makes this a perfect choice for consumer impulse purchase.

The Jacket Auto Remote Cover™ provides protection for expensive automotive remote FOBS from wear, scratches and breaks. Jackets are made of lightweight silicone, much like the protective cell phone covers that are popular with consumers. Unlike competitive products that are limited to a few generic styles, The Jacket has been designed to provide a “snug”, custom fit for FOBS.

20 different styles are available, each in 3 popular colors (Black, Blue, Pink). The Jacket Auto Remote Cover™ may be purchased individually, in a box containing 6 pieces (same style and color), or choose from three assortments.

10⁹⁰ ea

DOUBLE CYLINDER JIMMYPROOF LOCK

Bronze Lacquer finish. Angle strike. Double cylinder; operates by key on both sides. Comes with one-way screws. Packed in boxes; 5 per carton.



IL535-53-51
21⁰⁰

SINGLE CYLINDER JIMMYPROOF LOCK

Bronze Lacquer finish. Anglestrike. Single cylinder; operates by key outside. Turn knob inside. Visual Pack; 5 per carton.



IL530-53-51
17⁰⁰

NIGHT LATCH

Handsome Rose Gold finish. Economical night latch, operates by key outside, turn knob inside. Bolt may be held back by turning knob inside. Box-packed 5 per carton.



IL220-53-51 **13.00**

RIM DEADLOCK


Bronze Lacquer finish. Single cylinder; operates by key outside, turn knob inside. Bolt extends 3/4". Two strikes furnished for door opening in or out. Visual Pack; 5 per carton.



IL545-53-51 **13.00**

BIT KEY MORTISE LOCKSET

Black Enamel with Satin Brass Knobs. Universal replacement lock which includes two knobs (No. 209-54). #20 thread spindles (No. 751) lock body, two trim plates, strike, screws and two keys. Trim plates: 7" x 2 1/4" Strike: 4" x 1" 1/16" Visual Pack; 5 per carton




IL215-04-51 Keyblank: IL2B
23⁹⁹

605 SERIES ZINC DIE CAST RIM CYLINDER

Satin Brass finish

Versatile, 5 pin tumbler die cast cylinder. The tailpiece adapts for horizontal or vertical application and the cylinder is rekeyable by traditional means. Fits doors 1 1/4" - 2 1/4" thick.




IL605KW-04-41
IL605SC-04-41
5²⁵

Packed with two break off screws, one universal backplate, one cylinder ring and two keys. Individually boxed; 10 per carton.


COLONIAL KNOBS
Bright Brass finish. Sold in pairs; 5 pairs per carton.

IL197-03-51
12⁸⁶ /pair



GLASS KNOBS
Clear, brass hardware. Sold in pairs; 5 pairs per carton.

ILAG30A
11⁶⁶ /pair



RIM LOCKSETS
Black Enamel with Satin Brass Knobs. Packed 5 per carton

IL590-04-51 Vertical style
IL591-04-51 Horizontal style



22⁰⁰

590 591

MAILBOX LOCKS

STANDARD TYPE MAIL BOX LOCK
Flat tumbler type replacement lock.

IL1600-04-11
8¹⁹

MAIL BOX LOCK
1/2" bolt flat tumbler lock.


IL1625-04-11
8⁹⁸

MAIL BOX LOCK
Flat tumbler replacement mailbox lock for Couch.

IL1675-04-11
16³⁸

MAIL BOX LOCK
Long ear flat tumbler replacement mailbox lock.

IL1650-04-11
8⁹⁸



Keyblank for all: IL1270D



A Member of the Kaba Group

Go To Table of Contents

Accredited Lock Supply

www.acclock.com

- REPLACEMENT CYLINDERS
- COLLARS
- Rim
- Dummy
- Thumbturn
- CAMS

KEYWAYS TABLE

Arrow K5,K6,L6A	AA	Lori 80	UE
Composite	NA	Medeco	ME
Composite	NB	Russwin 981R	RA
Corbin 60	CA	Russwin D1	RB
Corbin 67	CB	Russwin	RC
Corbin 77	CC	Sargent LA	GA
Corbin	CD	Sargent (LA-LC)	GB
Corbin/Russwin	CE	Sargent (RA-RC)	GC
Dexter	XE	Schlage C	SC
Dominion 1054F	DA	Schlage C-K	SX
Dominion 1054F	DB	Schlage E	SE
Ilco X1054K	UA	Schlage F	SF
Kwikset 1176	KS	Segal 9	FA
Lockwood 1004	LA	Weiser E/Falcon	WA
Lori L100	UB	Yale 8	YA
Lori 90	UD	Yale GA	YG



REPLACEMENT RIM CYLINDERS IN THE BEST SELLING KEYWAYS

Now With Screw Cap!

Precision engineered solid bar brass cylinders. Tailpiece can be converted from horizontal to vertical position. Cylinders come with Ilco Look Alike blanks and are packed with break-off screws, back plate and cylinder ring.



Drilled for 6 pins, Pinned 5.
IL7075 13.50

Specify Satin Chrome (25) or Polished Brass(03) finish when ordering



Rim Turnknob
IL7011 25.65



Dummy Rim
IL7010 10.20

REPLACEMENT MORTISE CYLINDERS IN THE BEST SELLING KEYWAYS

Precision engineered solid bar brass cylinders. Cylinders have standard diameter and thread and come with Ilco Look Alike blanks.



Drilled For 6 Pins, Pinned 5
IL7185 1 1/8" 12.65

Drilled For 7 Pins, Pinned 5
IL7205 1 1/4" 12.75

Specify Satin Chrome(25), Duranodic(46) or Polished Brass(03) finish when ordering.

Drilled For 5 Pins, Pinned 5
IL7165 1" 12.55

Specify Satin Chrome (25) or Duranodic (46) finish when ordering.

- IL7245 1 1/2"** Drilled for 7 pins, Pinned 5 **24.35**
- IL7305 1 7/8"** Drilled for 6 pins, Pinned 5 **53.85**
- IL7325 2"** Drilled for 6 pins, Pinned 5 **60.00**

DUMMY MORTISE CYLINDERS



The secure way to seal existing mortise cylinder openings. Manufactured from precision engineered bar brass.

Code	Length	Finish	Price/Ea.
IL7160	1"	25 Satin Chrome	7.60
		46 Duranodic	
IL7180	1-1/8"	25 Satin Chrome	7.60
		46 Duranodic	
IL7200	1-1/4"	25 Satin Chrome	7.60
		03 Polished Brass	

ADJUSTABLE COLLARS



Available in two solid finishes, (03) Bright Brass, (25)Satin Chrome

Code	Length	Finish	Price/Ea.
IL861A-03-10		Bright Brass	6.45
IL861A-26D-10		Satin Chrome	6.45
IL861V-03-10		Brass Plate	3.35
IL861V-26-10		Chrome Plate	3.35

ALUMINUM SPACING COLLARS FOR MORTISE CYLINDERS



A complete range of size for every situation. Available in (03)Bright Brass, (28) Aluminum, (46)Duranodic

IL861C-10	3/32"	2.25
IL861D-10	1/8"	2.25
IL861E-10	5/32"	2.25
IL861K-10	3/16"	2.25
IL861L-10	7/32"	2.25
IL861F-10	1/4"	2.25
IL861M-10	9/32"	2.35
IL861N-10	5/16"	2.35
IL861P-10	11/32"	2.35
IL861Q-10	3/8"	2.65
IL861R-10	1/2"	2.65
IL861T-10	5/8"	2.65

IL869-00-10
Cash Box Nut-Fits Thread on Std.Mortise Cylinder **3⁷⁰**

THUMBTURN MORTISE CYLINDERS



Code	Length	Finish	Price/Ea.
IL7161	1"	25 Satin Chrome	12.45
		46 Duranodic	
IL7181	1 1/8"	03 Polished Brass	12.45
		46 Duranodic	
IL7201	1 1/4"	03 Polished Brass	12.45
		46 Duranodic	




ADA Turnknob

Code	Length	Finish	Price/Ea.
ILADA7161TK2	1"	25 Satin Chrome	16.80
ILADA7181TK1	1 1/8"	25 Satin Chrome	16.80

CAMS

PART NO.	DESCRIPTION
IL863	Yale
IL863A	Adams Rite
IL863D	Standard/Ockwood
IL863E	Narrow
IL863F	Marks
IL863G	Standard
IL863M	Schlage L
IL863N	Sargent/Yale
IL863P	Segal/Emhart
IL863R	Lori Deadbolt
IL863S	Corbin/Russwin Best Cloverleaf
IL863T	Adams Rite 4070 Cam
IL863U	Sargent Offset Cam
IL863H	Dominion 14PR-RM
IL863J	Dominion 22PR-A-RM
IL863K	Dominion 22PR-E-RM

1.40



KNOB/DEADBOLT CYLINDERS

For Schlage and Arrow Locks

Compatible and convertible replacement 6-pin cylinder for Schlage, Arrow and keyways of all the leading manufacturers. Shown here is the most complete variety of keyway sections to key other manufacturers' locks in the installation. A great time and money saver. Locksmiths should always keep a supply with them in their service vehicles.

Available in top quality Satin Chrome (US26D) and Brass (US4) finishes. A high quality product, manufactured to rigorous specifications for precise compatibility with original manufacturer's keyways. Drilled 6; pinned 5. Packed 10 per box; including tail peices.



IL15395 SC, KS, YA Stock Cylinders **ONLY** **11.45**
IL15395 For All Other Keyways **14.00**

Arrow M,H,K,S or
Schlage A,C,D,H Series

RW KEYWAY - RESTRICTED KEY CONTROL AT AN AFFORDABLE PRICE

The RW restricted keyway is the affordable restricted keyway you can use to offer your customers key control, without the expensive buy-in associated with high security key control systems.

A simple \$500 buy-in gets you a small restricted area in which you control the keyway.

The key is a neuter bowed, plain brass key. Uses regular Schlage spaces & depths.

P/N	Description	Finish	Price
IL15395RW-04-KD	K-I-K Cylinder	Satin Brass	16.40
IL15395RW-26-KD	K-I-K Cylinder	Satin Chrome	16.40
IL15995RW-04-KD	Combination Cyl.	Satin Brass	18.12
IL15995RW-26-KD	Combination Cyl.	Satin Chrome	18.12
IL7015RW8-03-KD	Rim Cylinder	Polished Brass	19.87
IL7015RW8-26D-KD	Rim Cylinder	Satin Chrome	19.87
IL7165RW2-26D-KD	1" Mortise Cylinder	Satin Chrome	15.50
IL7165RW2-46-KD	1" Mortise Cylinder	Duranodic	15.50
IL7185RW1-03-KD	1 1/8" Mortise Cylinder	Polished Brass	15.84
IL7185RW1-26D-KD	1 1/8" Mortise Cylinder	Satin Chrome	15.84
IL7205RW1-03-KD	1 1/4" Mortise Cylinder	Polished Brass	16.38
IL7205RW1-26D-KD	1 1/4" Mortise Cylinder	Satin Chrome	16.38

15995 COMBINATION CYLINDER



Operates most Grade 1 & 2 locksets and leversets plus Arrow D, E, F, K; Schlage B100, B200, B400; H series deadlocks. 5 pin, drilled 6

IL15995 SC, KS, YA Stock Cylinders **ONLY** **11.80**
IL15995 For All Other Keyways **15.50**

15695 EMTEK® REPLACEMENT CYLINDER

Will fit Emtek® single and double deadbolts. Will also fit Emtek® Key-in-Knob and Key-in-Lever applications


- Drilled 6, pinned 5
- Machined to exacting specifications
- Master Key and Grand Master Key compatible into OEM systems

Available in Arrow and SC1 keyways, 04 and 26D finishes.



IL15695
15.50

ILALRW-5
5 Pin Keyblank
94¢



ILALRW-6
6 Pin Keyblank
94¢

IC CORES AND CYLINDER HOUSINGS

Solid Brass I.C.Cores

- Solid brass plug and housing
- 6 or 7 pin cores replace Arrow, Best, Falcon, KSP
- 04 or 26D finish (*keyblanks not included*)

Available keyways:


BA: Best A	BE: Best E	BJ: Best J
BB: Best B	BF: Best F	BK: Best K
BC: Best C	BG: Best G	BL: Best L
BD: Best D	BH: Best H	BM: Best M
	BQ: Best Q	



IL28016	6 pin Uncombined	13.70
IL28017	7 pin Uncombined	14.10

Solid brass housings, with removeable cam/tailpiece. Thin head mortise can be converted to a rim cylinder in the field. Comes standard with 1/4" ring.

ILR28106-1	6 Pin Thin head mortise w/std. cam	15.10
ILR28107-1	7 Pin Thin head mortise w/std. cam	15.10
ILR28406-2	6 Pin Tapered head mortise w/AR cam	15.40
ILR28407-2	7 Pin Tapered head mortise w/AR cam	15.40
ILR28206	6 Pin Rim with tail	15.80
ILR28207	7 Pin Rim with tail	15.80



Cams: 1.40 ea
10/pack

IL862A: 1.60 ea

MORTISE CYLINDER DEADLOCKS

Single Cylinder.
Packed 10 per case.

58⁰⁰

Satin Chrome

IL4512 US26D	2" Backset
IL4513 US26D	2 3/8" Backset
IL4514 US26D	2 3/4" Backset
IL4515 US26D	2 3/8" Drive-In
IL4516 US26D	2 3/4" Drive-In

58⁰⁰

Bright Brass Permanent

IL4512 03P	2" Backset
IL4513 03P	2 3/8" Backset
IL4514 03P	2 3/4" Backset
IL4515 03P	2 3/8" Drive-In
IL4516 03P	2 3/4" Drive-In



Double Cylinder
Packed 10 per case.

67⁶⁵

Satin Chrome

IL4522 US26D	2 Backset
IL4523 US26D	2 3/8" Backset
IL4524 US26D	2 3/4" Backset
IL4525 US26D	2 3/8" Drive-In
IL4526 US26D	2 3/4" Drive-In

67⁶⁵

Bright Brass Permanent

IL4522 03P	2" Backset
IL4523 03P	2 3/8" Backset
IL4524 03P	2 3/4" Backset
IL4525 03P	2 3/8" Drive-In
IL4526 03P	2 3/4" Drive-In

KEYWAYS TABLE

Arrow K5,K6,L6A	AA	Lori 90	UD	
Composite	NA	Lori 80	UE	
Composite	NB	Medeco		ME
Corbin 60	CA	Russwin 981R		RA
Corbin 67	CB	Russwin D1		RB
Corbin 77	CC	Sargent LA		GA
Corbin	CD	Sargent (LA-LC)		GB
Corbin/Russwin	CE	Sargent (RA-RC)		GC
Dexter	XE	Schlage C		SC
Dominion 1054F	DA	Schlage C-K		SX
Dominion 1054F	DB	Schlage E		SE
Ilco X1054K	UA	Schlage F		SF
Kwikset 1176	KS	Segal 9		FA
Lockwood 1004	LA	Weiser E/Falcon		WA
Lori L100	UB	Yale 8		YA
		Yale GA		YG

SHOWCASE LOCK



Keyblank: ILN1054G

Packed 10 per box.

IL247-14-11

11¹⁸

LOW PROFILE CYLINDERS



5 pin

Available in Dexter, Kwikset, Schlage C, and Weiser keyways. US3 and US26D finishes.

57⁴⁰

IL53225	Double Cylinder
IL52225	Single Cylinder

DRAWER LOCKS

Available Keyed Alike or Keyed Different.
Packed 6 per box.



10²⁹

ea.

Keyblank: IL01014S

Code	Size	Mounting	Finish
IL1701-04-41	3/4"	Horizontal	Brass
IL1701-81-41	3/4"	Horizontal	Cadmium
IL1702-01-41	7/8"	Horizontal	Brass
IL1702-81-41	7/8"	Horizontal	Cadmium
IL1703-04-41	1 1/8"	Horizontal	Brass
IL1703-81-41	1 1/8"	Horizontal	Cadmium
IL1751-04-41	3/4"	Vertical	Brass
IL1751-81-41	3/4"	Vertical	Cadmium
IL1752-04-41	7/8"	Vertical	Brass
IL1752-81-41	7/8"	Vertical	Cadmium
IL1753-04-41	1 1/8"	Vertical	Brass
IL1753-81-41	1 1/8"	Vertical	Cadmium



A Member of the Kaba Group A

Accredited Lock Supply

www.acclock.com

Accredited Lock Supply - Your Source for All Ilco Keyblanks

<p>Transponders</p>  <p>Automotive</p> 	<p>EZ Keys</p> 	<p>Look-Alike Keys</p> 
<p>Team Keys</p> 	<p>Electronic Keys</p> 	<p>Personalized Keys</p> 
<p>Logo Keyblanks</p> 	<p>US Armed Forces Keys</p> 	<p>College Keys</p> 

EZ®-4U UNIVERSAL RESIDENTIAL REMOTE



Duplication of an existing remote is quick and simple, takes only minutes and does not require any tools. Plus, this universal remote may be programmed to operate up to four different opener units.

- 4 button control operates up to 4 different doors and/or gates from just one device
- Program within minutes thanks to the “head-to-head” add on procedure, without opening the case
- No dip switches to set or re-set while programming
- Compact size and lightweight design
- Replaceable battery (CR2032) provides long lasting, dependable service.
- Splash and dust resistant (IP64) certification
- Compatible with popular brands, including: Sears® Craftsman®, Chamberlain®, Genie®, Linear®, Liftmaster®, Overhead Door®.
- Includes visor clip and lanyard
- Clips to the vehicle’s visor or is easily added to a key ring

Trademarks and Tradenames herein are property of the respective owners.

ILEZ4U-00-51
Clamshell Pack

Includes:
EZ4U remote
Visor Clip
Lanyard

60⁰⁰

ILTAEZ4U-00-55
Display + Remotes

Includes:
5 EZ4U Remote Packs

300⁰⁰

Smart4Car™ Universal Automotive Remote System
All-in-one Solution

- A physical key available in 2 versions; Modular (1 Universal) and Flip Head (4 integrated, 1 Universal) to fit Ilco blades
- Transponder chip
- Remote keyless entry (RKE) transmitter
- New programming tool (Smart Remote Programmer) to preset the RKE portion of the product
- The Smart Remote Programmer communicates to app via USB or Bluetooth capability (Mobile Phone or PC)
- After the target vehicle has been obtained, the Smart Remote Programmer will generate (precode) the RKE (Smart4Car remote key) wirelessly via NFC
- Smart4Car remote added to the vehicle via OBP or diagnostic tool (MVP)
- Covers approximately 44 brands, 800+ vehicles globally
- North American coverage will continue to expand year after year
- APP or software program on a PC to determine the proper remote file by one or more:
 - Year/Make/Model
 - Vin Number
 - Smart match
 - Frequency + image to recognize OEM remote
- 94% of applications covered with APP or PC, 6% PC with internet connection

ILSMARTREMOTE PROGRAMMER

600⁰⁰



ILSMARTMODULARHEAD

59²⁵

ILSMARTFLIPGTI

Flip key w/GTI transponder

59²⁵

ILSMARTFLIP

Flip key w/o GTI transponder

33⁰⁰

