



Accredited Lock Supply

www.acclock.com

PROFESSIONAL PIN KITS

LAB SEMI-PRO LBLDKZ5

- .005 increments
- 102 Sizes
- Top Pins: .010-.300
- Bottom Pins: .150-.360

283⁵⁰

*An Excellent
In-Training
Pin Kit
"2" kits to
choose from
Polyethylene
Construction*



LAB SEMI-PRO LBLDKU3

- .003 increments
- 124 Sizes
- Top Pins: .010-.200
- Bottom Pins: .156-.360

283⁵⁰

LAB DUR-X SERIES Polyethylene Construction LAB DURX-5

- LBLDK 005**
- .005 Increments
 - 102 Sizes
 - Top Pins: .010-.300
 - Bottom Pins: .150-.360

LAB DUR-X 3 LBLDK 003

- .003 Increments
- 124 Sizes
- Top Pins: .10-.200
- Bottom Pins: .156-.360



383⁴⁰

ORIGINAL DESIGN PIN KITS



CORBIN/RUSSWIN LBLRCK6

459⁰⁰

- Original Manufacturer's pin design & specs
- 67 Brass-top pins
- 51 Nickel-silver bottom pins
- Spool pins (standard) J172 & J320
- Superior LAB construction
- One-level usage in LAB's original "mobile" kit design
- Heavy duty steel box with ultra-thin features
- New technical pinning chart created by Gerry Finch



164⁷⁰ KWIKSET KIT LBLPK115

- 6 Brass Bottom Pins
- 2 Brass Top Pins
- 2 Brass Anti-Pick Top Pins
- 6 Brass Master Pins
- Stainless Steel Cylinder Springs
- 2 New Anti-Pick Top Pins (.160 & .180)
- Includes LAB CRT001 Cylinder Removal Tool for Kwikset.
- Includes LAB Plug Follower for Kwikset Cylinders.
- New Layout Chart includes Bitting Information.



210⁶⁰

- ### INTERCHANGEABLE CORE LBBFK108
- IC Pinning for:
A-2 Systems
Requiring Universal
Brass Bottom Pins

**ALSO AVAILABLE
A3BFK for BEST A3/A4 System**

189⁰⁰



221⁴⁰

- ### SCHLAGE KIT LBSPK 115
- 10 Nickel Silver Bottom Pins.
 - 8 Brass Master Pins
 - 3 Brass Top Pins
 - 8 Masters
 - 3 Tops
 - Cylinder Springs
 - Cylinder Cap Pins
 - Cylinder Cap Springs

"New Wedge Design"



A

Accredited Lock Supply

www.acclock.com

THE EMERALD WEDGE™

ADVANTAGES

- Revolutionary "Wedge Shape" allows a plain view of all pins from a sitting position
- **Plastic Coated Passport™** protects your chart from being soiled or worn. It can also be written on with a non-permanent marker and then erased. Pin numbers on the chart are color-coded to match the actual color of the pins in the kit.
- **Hard Coat™** is a new metallic green paint that provides the best protective finish available
- **Dura-View™** Pin Tray is a clear heavy-duty pin tray with new larger print numbers that will never wear out.
- **Pin Tolerances** - a LAB trademark, provides the "closest tolerance" universal .005 or .003 pins manufactured.



**PRO WEDGE 3
LBEPK 003**

- .003 Increments
- 124 Sizes
- Top Pins: .010-200
- Bottom Pins: .156-.360

**PRO WEDGE 5
LBEPK 005**

- .005 Increments
- 102 Sizes
- Top Pins: .010-.300
- Bottom Pins: .150-.360

378⁰⁰

SUPER WEDGE

WITH TOOL DRAWER

COMES WITHOUT PINS TO ALLOW YOU TO:

- 1) Purchase all or only those **LAB** Pins you presently need. "great way to make this product very affordable"
- 2) Transfer from your old **LAB** Pin Kits your **LAB** Pins right into this new product

FEATURES:

- One piece solid metal construction
- Tool Drawer
- Color Passport® Pin Chart
- Dura-view® pin tray with long-life numbers printed underneath the insert
- Emerald Wedge Design and Color
- Pin Block and Vial not included



**LBEPD005
LBEPD003**

005 increments
003 increments

378⁰⁰

**LBKRP003
LBKRP005**

.003 Refill Pak
.005 Refill Pak

**198.50
170.10**

SMARTWEDGE

- 40% Smaller in width than Pro Kits 13-1/4" x 10-1/2"
- Developed by Locksmiths with Confined Workspace in Mind.
- Color Passport Pin Chart®
- Pin sizes printed the same color as the Pins
- Easy to use time saver
- Slide-Out Tool Drawer
- 3 Deep Spring Pockets
- NEW Tangle Resistant .115 Long Springs & .115 Short Springs
- NEW T-Pin Spring for Schlage "F" Series Cylinders
- Double-Sized Pin Pockets hold up to 200 pins per size
- Large Tool Pocket on Top of Tray
- Injection Molded High-Impact Tray with Pin Sizes Printed 100% Larger
- Contains 3 Sizes of Spool Pins and the "F" Series T-Pin for Schlage Cylinders
- 72 pins per pocket, 100 springs per pocket

LBSW003

378.00

- .003 Increments
- 92 Sizes
- Top Pins: .024T - .200T, .235T
- Spool Pins .160J .165J .180J
- T-Pin .170TP
- Bottom Pins: .159B - .354B (Contains the most commonly used sizes – No Dead Stock.)

LBSW005

378.00

- .005 Increments
- 86 Sizes
- Top Pins: .010T - .200T .230T .235T
- Spool Pins .160J .165J .180J
- T-Pin .170TP
- Bottom Pins: .155B - .360B



MINI DUR-X PIN KIT

FEATURES-

- Super Tuff Polyethylene
- New Platform Design Insert
- Location Chart
- Includes Springs & Pins

97²⁰

SIZE
7-1/2" x 4-1/2" x 1-1/2"



3 • N • 1 UNIVERSAL KIT

Measures 7 1/2 x 4 1/2 x 1 1/2
This unique 3 • N • 1 universal kit contains all color coded universal pins required to re-pin Kwikset, Schlage and Weiser



STOCK NO.

- LBLMD-KWK
- LBLMD-SGT
- LBLMD-YLE
- LBLMD-DXT
- LBLMD-WSR
- LBLMD-ACE
- LBLMD-MAS

MFG.

- Kwikset
- Sargent
- Yale
- Dexter
- Weiser
- Ace
- Master Padlock

- LBLMD-ARW
- LBLMD-WES
- LBLMDICC
- LBLMDSEC
- LBLMDSCH
- LBLMDOIC
- LBDBIC

- Arrow
- Weslock
- I Core (color coded brass) **98.60**
- Security
- Schlage **98.60**
- I Core Nickel Silver (exc. Best) **98.60**
- Best A2 Nickel Silver I Core **98.60**

LBLMD3N1

- 3 Top Pins
- 23 Bottom Pins
- Cylinder Springs

97²⁰



Accredited Lock Supply

www.acclock.com

INTERCHANGEABLE CORE ANNEX®

Offers the simplest method for the loading of Interchangeable Core pins, springs and caps, using only one instrument for both functions. A second time saving feature is a Slideout Code Book below the area where the core is slid in place. This allows the user to unload the core pins, springs and caps into a confined area without spilling parts in or around the work area. The Slidout Code Book is also used to decode the core to determine the biting of the control key when it is not available and also determine the top master key biting.



LBLICCB 267³⁰

PROFESSIONAL PIN KITS

351⁰⁰



- Plastic coated color passport pin chart
- Dura View Pin Tray
- Hardcoat Metallic Green

**LAB CLASSIC PRO-3
LBLPK 003**

- .003 Increments
- 124 Sizes
- Top Pins: .010-200
- Bottom Pins: .156-.360

**LAB CLASSIC PRO-5
LBLPK 005**

- .005 Increments
- 102 Sizes
- Top Pins: .010-.300
- Bottom Pins: .150-.360

LAB MINI PRO KIT

LBLMK 003

- .003 Increments
- 81 Sizes
- Masters: .024-.090
- Drivers: .093-.235
- Bottom Pins: .156-.354
- Springs: .115L
- .005 Increments
- 81 Sizes
- Masters: .010-.090
- Drivers: .095-.200
- Bottom Pins: .155-.360
- Springs: 115L
- Measure 8" x 6" x 11/16"



**LBLMK 005
156⁶⁰**

Services all major lock cylinders

PROFESSIONAL TOOLS

**DELUXE PICK SET
LBLPT013**

- Strong Black Nylon Trifold Case
- Velcro closure
- Size when closed: 4-1/2" x 6"
- Contains:**
- 7 Picks
- 4 Turning Tools
- 6 Removable Handles

**MINI PICK SET
LBLPT015**

- Durable Nylon Case
- Velcro closure
- Shirt Pocket Size: 5" x 2-1/4"
- Contains:**
- 6 Picks
- 4 Turning Tools
- 1 Removable Handle
- 11 Pieces Total



43²⁰

**FOLLOWER SET
LBLFT005**

47²⁴

Includes: Universal, Weslock, Schlage, Corbin, Small Plug.

These followers will do 90% of all cylinders.

Individual followers:
10.26 each



**CYLINDER CAP REMOVER
LBLCR005**

- For use with Schlage, Weiser, Falcon & Arrow Cylinders
- Depresses cylinder cap pin to remove cap in one easy turn

56⁷⁰



**FORMED END TWEEZERS
LBLZT001**

- Perfect Size & Weight
- Stainless Steel
- Formed end

40⁵⁰



**LAB LUBE
LBLLT001**

- Superior friction fighting agent
- Clean, white dry lubricant
- 100% Virgin Teflon® powder
- Used by major manufacturers

32⁴⁰



5-N-1 GAUGE

- For Kwikset, Schlage, Weiser, Weslock & Master

LBLKG001 13.50



PIN BLOCK

48⁶⁰



LBLPB001

- Made of Apple Wood
- 5 Plug availability
- Use with Fingers or Tweezers

**VIAL STADIUM
LBLSS001**

Holds 35
LAB Vials

59⁴⁰





A

www.acclock.com

UNIVERSAL AND ORIGINAL PINS



UNIVERSAL REPLACEMENT PINS

.005 LB005 **3⁴⁴** per pack

- Top .010 to .320
- Bottom .115 to .360
- Flat Center, Master pin seat squarely. Perfectly parallel.
- Precision machined chamfers length and nose
- Color coded
- Pieces per Pack: Top and Bottom 150



.003 LB003 **3⁴⁴** per pack

- Most accurate Universal pin made. Use with the confidence of Original pins.
- Top .024 to .141
- Bottom .126 to .360
- Flat center
- Perfectly parallel
- Radius edges that blend into flat center
- Master pins will not tip or roll
- LAB PRO STAFF CHOICE AWARD
- Color coded
- Pieces per Pack: Top & Bottom 150



ORIGINAL MANUFACTURER'S PINS

10⁸⁰ SCHLAGE

- Original design
- Nickel-silver bottom pins (792 alloy)
- Extra manufacturer's size and specifications
- Packages of 100



4⁵⁰ KWIKSET

- Original design
- Exact manufacturer's sizes and specifications
- Packages of 100



5⁵⁴ I.C. CORE A-2 SYSTEM

- .108 diameter
- For use in Falcon, Best, Arrow and Eagle
- Color coded brass pins
- Exact manufacturer's size and specifications
- Packages of 100



6⁰⁸ I.C. CORE A-3 SYSTEM

- 18 Brass Top Pins: .018, .036, .054, .072, .090, .108, .126, .144, .162, .180, .198, .216, .334
- 7 Brass Bottom Pins: .110, .128, .146, .164, .182, .200, .218



6⁰⁸ I.C. CORE A-4 SYSTEM

- 11 Brass Top Pins: .021, .042, .063, .084, .105, .126, .147, .168, .189, .210, .231
- 6 Brass Bottom Pins: .110, .131, .152, .173, .194, .215



10⁹⁴ CORBIN/RUSSWIN

- Original design
- Exact manufacturer's size and specifications
- 101 Brass Master/Top Pins Sizes M.028-M.320
- 74 Nickel Silver Bottom Pins- Sizes L.160-L.354
- Packages of 100



7⁴² YALE

- Original Design
- 7 Brass Master Pins, 2-8
- 3 Brass Driver Pins: .152, .190, .230
- 10 Brass Bottom Pins, 0-9



6⁰⁸ SHIMS LBLS25

- .0015 curved shims
- Exceeds all industry specifications
- Packages of 25



ARROW

- Original design
- Extra manufacturer's size and specifications
- Packages of 100

6⁰⁸ SARGENT

- 8 brass Master pins
- 5 brass Top pins: 10-14
- 10 brass Bottom pins: 1-10

7⁴²

REFILL PACKS



.003 PIN KIT REFILL PACK
124 packs of LAB Tumbler Pins, 50 Pins per Size
Tops: .010-.200
Bottoms: .156-.360
LBKRP003 **198.50**

.005 PIN KIT REFILL PACK
102 packs of LAB Tumbler Pins, 50 Pins per Size
Tops: .010-.300
Bottoms: .150-.360
LBKRP005 **170.10**

SCHLAGE REFILL PACK
8 Brass Master Pins - sizes 2-9
3 Brass Driver Pins - 1,2,3
10 Nickel Silver Bottom Pins - sizes 0-9
100 pins per size
LBKRPSCH **256.50**

CYLINDER SPRINGS



SPRINGS **6²⁰**
LB115S-Short
LB115L-Long
LB108B-Best I.Core Springs
LB108F-Falcon Springs

- Packages of 100

TANGLE RESISTANT LONG SPRING

LB115LT

6²⁰

IC SPRING COVERS

- Original Design
- Brass
- 25/pack
- LBFSC6** 6 pin **5.00**
- LBFSC7** 7 pin **5.00**
- 100/pack
- LBFSC6V100** 6 pin **18.64**
- LBFSC7V100** 7 pin **18.64**



IC CORE CAPS

- Machined for a Secure Fit
- Original Specifications
- Brass
- 100/pack
- LBCAPS1027** **5.40**
- 500/pack
- LBCAPS1027P5** **22.95**




Accredited Lock Supply

www.acclock.com

LAB Brand Interchangeable Core Pins
LAB BEST IC Pins for A-2,A-3,A-4 Systems - for use with all BEST Interchangeable Cores


- A-2 Master / Top Brass Pin sizes 2T-19T:
Bottom Nickel Silver Pin sizes OA-9A
- A-3 Master/Top Brass Pin sizes 1D-13D:
Bottom Nickel Silver Pin sizes OC-6C
- A-4 Master/Top Brass Pin sizes 1F-11F:
Bottom Nickel Silver Pin sizes OE-5E



6³⁴ per pack of 100

LAB ORIGINAL Interchangeable Core Pins for A-2, A-3, A4 Systems- for use with all Interchangeable Cores using Nickel Silver Keys (EXCEPT BEST)

- A-2 Master / Top Brass Pin sizes 2T-19T:
Bottom Nickel Silver Pin sizes OA-9A
- A-3 Master / Top Brass Pin sizes 1D-13D:
Bottom Nickel Silver Pin sizes OC-6C
- A-4 Master / Top Brass Pin sizes 1F-11F:
Bottom Nickel Silver Pin sizes OE-5E



6³⁴ per pack of 100

INTERCHANGEABLE CORE BEST A-2 INTERCHANGEABLE CORE

LBLIKIC

- 2B-19B Full Hard Brass - 100 pins per size
- 0A-9A Nickel Silver - 200 pins per size

337⁵⁰

- Sealtight™ Leakproof Cover
- Accurate Repinning Data
- New Large Print
- Exact Precision Designed Pins & Material Specs
- Large Print Pin Locator
- Double Latch Protection

13" x 10 1/2" with 10° angle




CORBIN/RUSSWIN SYSTEM 70 DZ&H Series Cylinders

LBLIKCR

337⁵⁰

PIN DECODER - MEDECO BIAIXIAL

- Determine length, angle, skew for Medeco Biaxial bottom pins
- Measure/Identify master and driver pin lengths
- Determine key cut depths
- Identify fore and aft key cut positions



LBLPDMED

97²⁰


Labels on device: Measure/Identify master and driver pin lengths, Determine length, angle & skew of Biaxial bottom pins, Identify fore and aft key cut positions, Determine key cut depths, PATENT PENDING Product #LPDMED

PIN/WORK MAT

LBLABMAT


48⁶⁰

- Approximate size 16" x 10"
- Pinning work mat retains hundreds of loose pins
- Molded in residential pin block area
- Great for vans or benches



I.CORE KEY GAUGE

- A2, A3 and A4 systems
- Laser machined and engraved to maintain LAB's quality standards
- Measures approximately 2.75" x 2.00" for easy storage



LBLKGIC

21⁶⁰

5-N-1 GAUGE



For Kwikset, Schlage, Weiser, Weslock, Master Lock

LBLKG001 **13.50**

2-N-1 GAUGE



For Kwikset, Schlage

LBLKGKS **9.50**

LED EAR LIGHT

- Great for picking and wafer reading in low light areas
- LED high intensity focused beam - adjustable in the vertical and horizontal
- Weighs less than 1 oz.
- Two replaceable CR-2016 lithium batteries **included**.
- Comfortable padded universal fit around the ear.



LBLED

22⁰⁰

PINNING CHART

- A2 Interchangeable core cylinders
- Use for all levels of master keying
- Exact pin usage
- Instructions included



LBLSC001

27⁰⁰

KIT PLATFORM WITH DRAWER

Retrofit your **LAB** Wedge Kit or **LAB** Professional Kits onto the **LAB** Kit Platform (with Drawer). It gives you that much needed space for all your tools right at your fingertips -

Also can be utilized under your work bench



156⁶⁰

LBEPD000

- NOTE: PIN BLOCK & VIALS ARE NOT INCLUDED