

www.acclock.com

KEYED ALIKE CODES FOR MASTER PADLOCKS

1MA 2059 2325 2653 3225 A473 0536 2803 2032 2703 0441 0851 3033 3181 A292 2065 2337 X2677 3249 0322 2002 2916 2043 3526 0455 0864 3035 3182 A326 2067 2342 2678 3252 0464 2006 2102 2066 0465 0865 3036 3184 A326 2069 X2342 2680 3252 2001 2010 3111 2124 3900 0462 0876 3061 3184 A332 2075 2344 2681 3312 2006 2041 3210 2166 0464 0866 3056 3186 A383 2081 2345 2688 3312 2010 2042 3252 2246 2480 2179 0465 0878 3066 3186 A383 2081 2346 2888
A196
A292 2065 2337 X2677 3249 0322 2002 2916 2043 3526 0455 0864 3035 3183 A310 2067 2342 2678 3252 0464 2006 3102 2069 3753 0466 0865 3036 3184 A326 2069 X242 2680 3295 2001 2010 3111 2124 3900 0462 0876 3051 3185 A343 2075 2344 2681 3303 2002 2035 3210 2126 0464 0866 0866 3056 3186 A382 2079 2345 2688 3312 2006 2041 3249 2179 0465 0878 3066 3187 A383 2081 2346 2689 3334 2010 2042 3252 2246 2KALN 0466 0800 3075 3188 A331 2085 X2355 2693 3347 2032 2053 3313 2312 2311 2441 0467 0881 3076 3188 A431 2085 X2355 2693 3354 2035 2061 3403 2326 2441 0467 0881 3076 3189 A461 2096 2358 2698 3400 2043 2063 3447 2337 2MK 0487 0911 3066 3192 A462 2096 2358 2698 3400 2043 2063 3447 2337 2MK 0487 0911 3066 3192 A462 2106 2362 2703 3402 2065 2085 3464 2402 0516 0917 3100 3194 A549 2110 2364 2716 3403 2081 3460 2374 AMI 0488 0912 3098 3193 A482 2106 2362 2703 3402 2065 2085 3464 2402 0516 0917 3100 3194 A549 2110 2364 2716 3403 2081 3460 2374 2475 2472 2473 2472 2473 2474
A310
A326 2099 X2344 2880 3295 2001 2010 3111 2124 3900 0462 0676 3051 3185 A343 2075 2344 2881 3303 2002 2035 3210 2126 A348 2079 2345 2888 3312 2006 2011 3249 2179 0465 0678 3066 3167 A383 2081 2346 2689 3334 2010 2042 3252 2246 ZKALN 0466 0880 3075 3188 A389 2083 2351 2692 3335 2016 2043 3312 2311 2441 0467 0881 3076 3189 A431 2085 X2355 2693 3347 2032 2053 3318 2325 X2907 0468 0882 3082 3190 A432 2093 2357 2696 3358 2035 2061 3403 2326 A443 2096 2358 2698 3400 2043 2063 3447 2337 2MK 0487 0911 3066 3192 A461 2096 2359 2700 3401 2053 2081 3460 2374 AM1 0488 0912 3098 3193 A482 2106 2362 2703 3402 2065 2
A343 2075 2344 2681 3303 2002 2035 3210 2126 0464 0866 3056 3186 A382 2079 2345 2688 3312 2010 2042 3252 2248 2KALN 0466 0880 3075 3188 A389 2083 2351 2682 3335 2016 2043 3312 2311 2341 0466 0880 3075 3188 A389 2083 2351 2682 3335 2016 2043 3312 2311 2441 0467 0881 3076 3189 A432 2093 2357 2696 3358 2055 2061 3403 2326 0484 0899 3082 3190 A432 2093 2357 2696 3358 2055 2061 3403 2326 0484 0489 3083 3191 A461 2096 2358 2698 3400 2043 2053 2481 3460 2374 AM1 0488 0912 3098 3193 A472 2016 2362 2703 3402 2055 2085 3464 2402 516 6917 3100 3194 A549 2120 2364 2773 3463 2081 2933 3476 2323 2484 2402 0516 6917 3100 3194 A549 2120 2364 2773 3466 2085 2085 2086 3532 2532 2413 33KA 0517 0918 3101 3195 A665 2121 2369 2723 3436 2085 2096 3532 2532 A116 0523 0944 3103 3197 A723 2122 2383 2728 3454 2120 2126 3769 2706 A166 0523 0944 3103 3197 A723 2122 2383 2728 3454 2120 2126 3769 2706 A196 0524 A1066 3104 3198 A757 2123 2387 2729 3476 2121 2130 3945 2722 A235 0530 2001 3105 3199 A1010 2124 2391 2730 3478 2126 2136 2126 2768 A383 0536 2007 3106 3199 A1010 2124 2391 2730 3478 2126 2136 2255 0460 2946 A388 0537 2943 3109 3204 A1633 2188 2401 2753 3556 2196 2365
A382 2079 2345 2688 3312 2006 2041 3249 2179 0465 0878 3066 3187
A383 2081 2346 2589 3334 2010 2042 3252 2246 2KALN 0466 0880 3075 3188 A389 2083 2351 2241 0467 0881 3076 3189 A332 2083 2351 2241 0467 0881 3076 3189 A332 2083 2357 25896 3358 2035 2053 3318 2325 X2907 0468 0882 3082 3190 A322 2093 2357 25896 3358 2035 2061 3403 2326 0484 0882 3082 3190 A342 2093 2358 2598 3400 2043 2063 3447 2337 2MK 0487 0991 3098 3193 A473 2015 2369 2700 3401 2053 2081 3460 2374 AM1 0488 0991 3098 3193 A482 2106 2362 2703 3402 2065 2085 3464 2402 0516 0991 3100 3194 A549 2120 2364 2716 3403 2081 2093 3476 X2431 3KA 0517 0918 3101 3195 A549 2120 2364 2716 3403 2081 2093 3476 X2431 3KA 0517 0918 3101 3195 A708 X2121 2376 2725 3447 2096 2121 3554 2604 A165 0523 0944 3103 3197 A723 2122 2383 2728 3454 2120 2126 3769 2706 A196 0524 A1066 3104 3198 A1010 2124 2391 2730 3476 2121 2130 3945 2722 A235 0530 2001 3105 3199 A1010 2124 2395 2750 3489 2127 2176 2136 2395 2750 3489 2126 2395 2750 3489 2126 2395 2750 3489 2127 2176 3556 2946 A386 0537 2002 3106 3200 A1384 2136 2396 2752 3554 2136 2295 0460 2396 A389 0538 2001 3105 3201 A1384 2136 2396 2752 3554 2136 2295 0460 2396 A389 0538 2003 3109 3204 A1548 2140 2402 2753 3556 2196 2205 0460 2395 A386 0537 2003 3106 3200 A1548 2140 2402 2753 3556 2241 2235 0464 2960 A389 0538 2053 3110 3205 A1901 2141 2403 2688 3753 2396 2345 2356 2355 2356 2357 2321 2356 2366 2375 2366 2375 2366 2375 2376 2376 2376 2376 2376 2376 2376 2376 2376 2376 2376 2376 2376 2376 2376 2376 2376 2376 23
A383 2081 2346 2589 3334 2010 2042 3252 2246 2KALN 0466 0880 3075 3188 A389 2083 23351 2692 3335 2016 2043 3312 2311 2441 0467 0881 3076 3189 A431 2085 X2355 2693 3347 2032 2053 3318 2325 X2907 0468 0882 3082 3190 A432 2093 2357 2696 3358 2035 2061 3403 2326 0484 0889 3083 3191 A461 2096 2358 2698 3400 2043 2063 3447 2337 2MK 0487 0911 3086 3192 A473 2015 2389 2700 3401 2053 2081 3460 2374 AM1 0488 0912 3098 3193 A482 2106 2362 2703 3402 2065 2085 3464 2402 0516 0917 3100 3194 A549 2120 2364 2716 3403 2081 2093 3476 X2431 3 X6 0517 0918 3101 3195 A565 2121 2369 2723 3436 2085 2096 3532 2532 A112 0519 0943 3102 3196 A708 X2121 2376 2725 3447 2096 2121 3554 2604 A165 0523 0944 3103 3197 A723 2122 2383 2728 3454 2120 2126 3769 2706 A196 0524 A1066 3104 3198 A1010 2124 2391 2730 3476 2121 2130 3945 2722 A235 0530 2001 3105 3199 A1010 2124 2391 2730 3478 2126 2136 2136 2725 A272 0531 2002 3106 3200 A1384 2136 2396 2752 3554 2136 2196 0356 2945 A383 0536 2007 3108 3202 A1384 2136 2396 2753 3554 2136 2196 0356 2945 A383 0536 2007 3108 3202 A1384 2136 2396 2753 3554 2136 2196 0356 2945 A383 0536 2007 3108 3202 A1980 2140 2402 2759 3623 2241 2235 0464 2960 A389 0537 2003 3110 3205 A1901 2141 2403 2668 3629 2246 2265 2466 0536 2355 A466 0541 2057 3111 3206 A1901 2141 2403 2668 3629 2246 2266 2466 0536 2355 A466 0551 2113 3111 3206 A1980 2159 2405 2776 3669 2258 2255 2126 3158 A431 0551 2009 3113 3211 2350 2465 2465 2465 2465 2465 2465 2465 2465 24
A389 2083 2351 2692 3335 2016 2043 3312 2311 2441 0467 0881 3076 3189 A431 2085 X2355 2696 3358 2035 2061 3403 2326 0484 0889 3083 3191 A461 2096 2358 2698 3400 2043 2063 3447 2337 2MK 0487 09911 3086 3192 A473 2015 2359 2700 3401 2053 2081 3460 2374 AMII 0488 0912 3098 3193 A482 2106 2362 2703 3402 2065 2085 3464 2402 0516 0917 3100 3194 A549 2120 2364 2716 3403 2081 2093 3476 X2431 3KA 0517 0918 3101 3195 A565 2121 2369 2723 3436 2085 2096 3532 2532 A112 0519 0943 3102 3196 A708 X2121 2376 2378 3477 2096 2121 3554 2604 A165 0523 0944 3102 3196 A773 2122 2383 2728 3454 2120 2126 3768 2706 A196 0524 A1066 3104 3198 A757 2123 2387 2729 3476 2121 2130 3945 2722 A235 0530 2001 3105 3199 A1384 2136 2395 2750 3489 2127 2179 1KALN 2803 A297 0532 2006 3107 3201 A1384 2136 2396 2752 3554 2166 2136 2136 2205 0460 2946 A386 0537 2043 3109 3204 A1548 2140 2402 2759 3623 2241 2235 0464 2960 A389 0538 2053 3110 3205 A1901 2141 2309 2778 3734 2256 2266 2246 2346 2356 2345 A383 0536 2007 3108 3202 A1980 2159 2440 2402 2776 3679 2258 2255 2126 3753 A421 0550 2113 3112 3210 O356 2173 2429 2776 3734 2357 2332 2128 2348 2357 2332 2128 2348 2357 2359 2348 2351 2002 3116 3213 O359 2176 2430 2788 3769 2405 2358 2333 2045 0304 0557 2179 3120 3221 O356 2179 2440 2451 2360 3769 2405 2358 2333 2045 0304 0557 2179 3120 3221 O356 2179 2440 2810 3824 2424 2357 2332 2428 2441 2440 2451 3510 3260 O357 2003 2510 2440 2810 3890 2409 2358 2333 20
A431
A422 2093 2357 2696 3358 2035 2061 3403 2326 0484 0899 3083 3191
A461 2096 2358 2698 3400 2043 2063 3447 2337 2MK 0487 0911 3086 3192
A473 2015 2359 2700 3401 2053 2081 3460 2374 AM1 0488 0912 3098 3193 A482 2106 2362 2703 3402 2065 2085 3464 2402 0516 0917 3100 3194 A549 2120 2364 2716 3403 2081 2093 3476 X2431 3KA 0517 0918 3101 3195 A565 2121 2369 2723 3436 2085 2096 3532 2532 A112 0519 0943 3102 3196 A708 X2121 2376 2725 3447 2096 2121 3554 2604 A165 0523 0944 3103 3197 A723 2122 2383 2728 3454 2120 2126 3769 2706 A196 0524 A1066 3104 3198 A757 2123 2387 2750
AA82 2106 2362 2703 3402 2265 2285 3464 2402 0.516 0.917 3100 3194 A549 2120 2364 2716 3403 2081 2093 3476 X2431 3KA 0.517 0.918 3101 3195 A565 2121 2369 2723 3436 2085 2096 3532 2532 A112 0.519 0.943 3102 3196 A708 X2121 2376 2725 3447 2096 2121 3554 2604 A165 0.523 0.944 3103 3197 A723 2122 2383 2728 3454 2120 2126 3769 2706 A196 0.524 A1066 3104 3198 A757 2123 2387 2729 3476 2121 2130 3945 2722 A325 0.530 2001 3105 3199 A1010 2124 2391 2730 3478 2126 2136 2725 A272 0.531 2002 3106 3200 A1292 2126 2395 2750 3489 2127 2179 1141 2180 2083 A297 0.532 2006 3107 3201 A1384 2136 2396 2752 3554 2136 2196 0.3566 2945 A383 0.536 2007 3108 3202 A1463 2138 2401 2733 3556 2196 2205 0.460 2.946 A386 0.537 2043 3109 3204 A1548 2140 2402 2759 3623 2241 2235 0.464 2.960 A389 0.538 2.053 3110 3205 A1992 2141 2403 2668 3629 2246 2246 0.536 3252 A406 0.541 2.057 3111 3206 A1980 2159 2405 2776 3676 2259 2265 2127 3918 A431 0.551 2009 3113 3211 0322 2170 2413 X2776 3734 2357 2332 2128 A433 0.561 2121 3114 3212 0356 2173 2429 2778 3744 X2359 2342 2241 248B A445 0.562 2126 3115 3213 0364 2194 2431 2800 3774 2404 2357 2332 2128 A433 0.561 2121 3114 3216 0364 2199 2430 2688 3753 2396 2343 2301 2004 A500 0.563 2130 3116 3216 0364 2199 2490 2788 3769 2402 2345 2321 2035 A688 0.566 2151 3117 3127 0384 2184 2431 2800 3774 2404 2357 2332 2348 2344 2359 2347 2338 2365 2359 2349 2324 2324 2325 0434 2200 2480 2815 3918 2503 2396 2337 2337 0316 0577 2192
A549 2120 2364 2716 3403 2081 2093 3476 X2431 3KA 0517 0918 3101 3195 A565 2121 2369 2723 3436 2085 2096 3532 2532 A112 0519 0943 3102 3196 A708 X2121 2376 2725 3447 2096 2121 3554 2604 A165 0523 0944 3103 3197 A723 2122 2383 2728 3454 2120 2126 3769 2706 A196 0524 A1066 3104 3198 A757 2123 2387 2729 3476 2121 2130 3945 2722 A235 0530 2001 3105 3199 A1010 2124 2391 2750 3489 2127 2179 1KALN 2802 2006 3107 3201 A134 2136 2396 2750 3489
A565 2121 2369 2723 3436 2085 2096 3532 2532 A112 0519 0943 3102 3196 A708 X2121 2376 2725 3447 2096 2121 3554 2604 A165 0523 0944 3103 3197 A723 2122 2383 2728 3454 2120 2126 3769 2706 A196 0524 A1066 3104 3198 A1010 2124 2391 2730 3478 2126 2136 2722 A235 0530 2001 3105 3199 A1922 2126 2395 2750 3498 2127 2179 1KALN 2803 A297 0532 2006 3107 3201 A1384 2136 2396 2752 3554 2136 2196 0356 2945 A383 0536 2007 3108 3202 A1463 2138 2401 2753
A708 X2121 2376 2725 3447 2096 2121 3554 2604 A165 0523 0944 3103 3197 A723 2122 2383 2728 3454 2120 2126 3769 2706 A196 0524 A1066 3104 3198 A757 2123 2387 2729 3476 2121 2130 3945 2722 A235 0530 2001 3105 3199 A1010 2124 2391 2730 3478 2126 2136 2725 A272 0531 2002 3106 3200 A1292 2126 2395 2750 3489 2127 2179 1KALN 2803 A297 0532 2006 3107 3201 A1384 2136 2396 2752 3556 2196 2205 0460 2946 A386 0537 2043 3109 3204 A1585 2140 2402 2759
A708 X2121 2376 2725 3447 2096 2121 3554 2604 A165 0523 0944 3103 3197 A723 2122 2383 2728 3454 2120 2126 3769 2706 A196 0524 A1066 3104 3198 A757 2123 2387 2729 3476 2121 2130 3945 2722 A235 0530 2001 3105 3199 A1010 2124 2391 2730 3478 2126 2136 2725 A272 0531 2002 3106 3200 A1384 2136 2395 2750 3489 2127 2179 1KALN 2803 A297 0532 2006 3107 3201 A1463 2138 2401 2753 3556 2196 2205 0460 2946 A386 0537 2043 3109 3204 A1901 2141 2402 2759
A723 2122 2383 2728 3454 2120 2126 3769 2706 A196 6524 A1066 3104 3198 A757 2123 2387 2729 3476 2121 2130 3945 2722 A235 0530 2001 3105 3199 A1010 2124 2391 2730 3478 2126 2136 2725 A272 0531 2002 3106 3200 A1292 2126 2395 2750 3489 2127 2179 1KALN 2803 A297 0532 2006 3107 3201 A1463 2138 2401 2753 3556 2196 2056 0460 2945 A383 0536 2007 3108 3202 A14548 2140 2402 2759 3623 2241 2235 0464 2960 A389 0538 2053 3110 3205 A1901 2141 2403 2668
A757 2123 2387 2729 3476 2121 2130 3945 2722 A235 0530 2001 3105 3199 A1010 2124 2391 2730 3478 2126 2136 2725 A272 0531 2002 3106 3200 A1292 2126 2395 2750 3489 2127 2179 1KALN 2803 A297 0532 2006 3107 3201 A1384 2136 2396 2752 3554 2136 2196 0356 2945 A383 0536 2007 3108 3202 A1463 2138 2401 2753 3556 2196 2205 0460 2946 A386 0537 2043 3109 3204 A1901 2141 2403 2668 3629 2246 2246 0536 3252 A406 0541 2057 3111 3205 A1922 2144 2404 2771
A1010 2124 2391 2730 3478 2126 2136 2725 A272 0531 2002 3106 3200 A1292 2126 2395 2750 3489 2127 2179 1KALN 2803 A297 0532 2006 3107 3201 A1384 2136 2396 2752 3554 2136 2196 0356 2945 A383 0536 2007 3108 3202 A1463 2138 2401 2753 3556 2196 2205 0460 2946 A386 0537 2043 3109 3204 A1548 2140 2402 2759 3623 2241 2235 0464 2960 A389 0538 2053 3110 3205 A1901 2141 2403 2668 3629 2246 2246 0536 3252 A406 0541 2057 3111 3206 A1922 2144 2404 2771 3659 2258 2255 2126 3753 A421 0550 2113 3112 3210 A1980 2159 2405 2776 3676 2259 2265 2127 3918 A431 0551 2009 3113 3211 0322 2170 2413 X2776 3734 2357 2332 2128 A433 0561 2121 3114 3212 0356 2173 2429 2778 3744 X2359 2342 2241 2KAB A445 0562 2126 3115 3213 0359 2176 2430 2688 3753 2396 2343 2301 2004 A500 0563 2130 3116 3216 0364 2179 X2430 2788 3769 2402 2345 2321 2035 A588 0566 2151 3117 3217 0384 2184 2431 2800 3774 2404 2357 2329 2043 A1066 0573 2171 3118 3218 0399 2188 2438 2803 3795 2405 2358 2333 2045 0304 0574 2178 3119 3220 0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 2349 1324 0592 2206 3126 3223 0434 2200 2480 2815 3918 2503 2396 2367 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 2349 1324 0595 2257 3128 3226 0557 2203 2501 2840 3990 2526 2402 2402 2396 0339 0595 2257 3128 3226 0557 2203 2501 2840 3990 2526 2404 2441 2557 0342 0610 2284 3129 3227 0574 2204 2503 2849 2532 2429 24
A1292 2126 2395 2750 3489 2127 2179 1KALN 2803 A297 0532 2006 3107 3201 A1384 2136 2396 2752 3554 2136 2196 0356 2945 A383 0536 2007 3108 3202 A1463 2138 2401 2753 3556 2196 2205 0460 2946 A386 0537 2043 3109 3204 A1548 2140 2402 2759 3623 2241 2235 0464 2960 A389 0538 2053 3110 3205 A1901 2141 2403 2668 3629 2246 2246 0536 3252 A406 0541 2057 3111 3206 A1922 2144 2404 2771 3659 2258 2255 2126 3753 A421 0550 2113 3112 3210 A1980 2159 2405 2776 3676 2259 2265 2127 3918 A431 0551 2009 3113 3211 0322 2170 2413 X2776 3734 2357 2332 2128 A433 0561 2121 3114 3212 0356 2173 2429 2778 3744 X2359 2342 2241 2KAB A445 0562 2126 3115 3213 0359 2176 2430 2688 3763 2396 2343 2301 2004 A500 0563 2130 3116 3216 0364 2179 X2430 2788 3769 2402 2345 2321 2035 A588 0566 2151 3117 3218 0392 2188 2438 2803 3795 2405 2358 2357 2329 2043 A1066 0573 2171 3118 3218 0392 2188 2438 2803 3795 2405 2358 2357 2329 2043 A1066 0573 2171 3118 3218 0392 2188 2438 2803 3795 2405 2358 2333 2045 0304 0574 2178 3119 3220 0393 2189 2439 2804 3809 2409 2359 2357 2337 2179 0305 0575 2179 3120 3221 0434 2200 2480 2815 3918 2503 2396 2347 2369 2349 1324 0592 2206 3126 3223 0434 2200 2480 2815 3918 2503 2396 2367 2369 2349 1324 0592 2206 3126 3223 0434 2200 2480 2815 3918 2503 2396 2367 2369 2374 0338 0593 2240 3127 3225 0536 2202 2500 2827 3945 2520 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840 3990 2526 2404 2441 2537 0342 0610 2284 3129 3227 0574 2204 2503 2849 2503 2849 2552 2429 2475 2990 0343 0636 2311 3130 3126 3228 0553 2849 2552 2429 2475 2990 0343 0636 2311 3130 3228 2328 2328 2329 2330 2441 2537 0339 0595 2257 3128 3226 0557 2203 2501 2840 3990 2526 2404 2441 2537 0342 0610 2284 3129 3227 0574 2204 2503 2849 2503 2849 2552 2429 2475 2990 0343 0636 2311 3130 3228 2328 2328 2324 2324 2324 2324 2324
A1384 2136 2396 2752 33554 2136 2196 0356 2945 A383 0536 2007 3108 3202 A1463 2138 2401 2753 3556 2196 2205 0460 2946 A386 0537 2043 3109 3204 A1548 2140 2402 2759 3623 2241 2235 0464 2960 A389 0538 2053 3110 3205 A1901 2141 2403 2668 3629 2246 2246 0536 3252 A406 0541 2057 3111 3206 A1922 2144 2404 2771 3659 2258 2255 2126 3753 A421 0550 2113 3112 3210 A1980 2159 2405 2776 3676 2259 2265 2127 3918 A431 0551 2009 3113 3211 0322 2170 2413 X2776 3734 2357 2332 2128 A433 0561 2121 3114 3212 0356 2173 2429 2778 3744 X2359 2342 2241 2241 248 A445 0562 2126 3115 3213 0359 2176 2430 2688 3753 2396 2343 2301 2004 A500 0563 2130 3116 3216 0364 2179 X2430 2788 3769 2402 2345 2321 2035 A588 0566 2151 3117 3217 0384 2184 2431 2800 3774 2404 2357 2329 2043 A1066 0573 2171 3118 3218 0392 2188 2438 2803 3795 2405 2358 2337 2379 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2357 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2357 2359 2369 2374 0338 0593 2240 2310 3211 3220 0430 2196 2444 2813 3900 2440 2369 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2369 2359 2337 2179 0305 0575 2179 3120 3221 0536 2202 2500 2827 3945 2502 2402 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840 3910 2526 2404 2441 2537 0342 0610 2284 3129 3227 0574 2204 2503 2849 2522 2429 2475 2960 0343 0636 2311 3130 3120 3228 0553
A1463 2138 2401 2753 3556 2196 2205 0460 2946 A386 0537 2043 3109 3204 A1548 2140 2402 2759 3623 2241 2235 0464 2960 A389 0538 2053 3110 3205 A1901 2141 2403 2668 3629 2246 2246 0536 3252 A406 0541 2057 3111 3206 A1922 2144 2404 2771 3659 2258 2255 2126 3753 A421 0550 2113 3112 3210 A1980 2159 2405 2776 3676 2259 2265 2127 3918 A431 0551 2009 3113 3211 0322 2170 2413 X2776 3734 2357 2332 2128 A433 0561 2121 3114 3212 0356 2173 2429 2778 3744 X2359 2342 2241 2KAB A445 0562 2126 3115 3213 0359 2176 2430 2688 3753 2396 2343 2301 2004 A500 0563 2130 3116 3216 0364 2179 X2430 2788 3769 2402 2345 2321 2035 A588 0566 2151 3117 3217 0384 2184 2431 2800 3774 2404 2357 2329 2043 A1066 0573 2171 3118 3218 0392 2188 2438 2803 3795 2405 2358 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2359 2337 2179 0305 0575 2179 3120 3221 0430 2196 2444 2813 3900 2440 2356 2359 2337 2179 0305 0575 2179 3120 3221 0431 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0434 2200 2480 2815 3918 2503 2396 2360 2374 0338 0593 2240 3127 3225 0536 2202 2500 2827 3945 2502 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840 3990 2526 2404 2441 2537 0342 0610 2284 3129 3227 0574 2204 2503 2849 2532 2429 2475 2960 0343 0636 2311 3130 3288
A1548 2140 2402 2759 3623 2241 2235 0464 2960 A389 0538 2053 3110 3205 A1901 2141 2403 2668 3629 2246 2246 0536 3252 A406 0541 2057 3111 3206 A1922 2144 2404 2771 3659 2258 2255 2126 3753 A421 0550 2113 3112 3210 A1980 2159 2405 2776 3676 2259 2265 2127 3918 A431 0551 2009 3113 3211 0322 2170 2413 X2776 3734 2357 2332 2128 A433 0561 2121 3114 3212 0356 2173 2429 2778 3734 X2359 2342 2241 2KAB A445 0562 2126 3115 3213 0359 2176 2430 2688 3753 2396 2343 2301 2004 A500 0563 2130 3116 3216 0364 2179 X2430 2788 3769 2402 2345 2321 2035 A588 0566 2151 3117 3217 0384 2184 2431 2800 3774 2404 2357 2329 2043 A1066 0573 2171 3118 3218 0392 2188 2438 2803 3795 2405 2358 2333 2045 0304 0574 2178 3119 3220 0393 2189 2439 2804 3809 2409 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2357 2339 237 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 237 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 2349 1324 0592 2206 3126 3223 0434 2200 2480 2815 3918 2503 2396 2396 2374 0338 0593 2240 3127 3225 0536 2202 2500 2827 3945 2520 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840 3990 2526 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840 3990 2526 2404 2441 2537 0342 0610 2284 3129 3227 0574 2204 2503 2849 2532 2429 2475 2960 0343 0636 2311 3130 3228
A1548 2140 2402 2759 3623 2241 2235 0464 2960 A389 0538 2053 3110 3205 A1901 2141 2403 2668 3629 2246 2246 0536 3252 A406 0541 2057 3111 3206 A1922 2144 2404 2771 3659 2258 2255 2126 3753 A421 0550 2113 3112 3210 A1980 2159 2405 2776 3676 2259 2265 2127 3918 A431 0551 2009 3113 3211 0322 2170 2413 X2776 3734 2357 2332 2128 A433 0561 2121 3114 3212 0356 2173 2429 2778 3744 X2359 2342 2241 2KAB A445 0562 2126 3115 3213 0359 2176 2430 2688 3753 2396 2343 2301 2004 A500 0563 2130
A1901 2141 2403 2668 3629 2246 2246 0536 3252 A406 0541 2057 3111 3206 A1922 2144 2404 2771 3659 2258 2255 2126 3753 A421 0550 2113 3112 3210 A1980 2159 2405 2776 3676 2259 2265 2127 3918 A431 0551 2009 3113 3211 0322 2170 2413 X2776 3734 2357 2332 2128 A433 0561 2121 3114 3212 0356 2173 2429 2778 3744 X2359 2342 2241 2KAB A445 0562 2126 3115 3213 0359 2176 2430 2688 3753 2396 2343 2301 2004 A500 0563 2130 3116 3216 0364 2179 X2430 2788
A1922 2144 2404 2771 3659 2258 2255 2126 3753 A421 0550 2113 3112 3210 A1980 2159 2405 2776 3676 2259 2265 2127 3918 A431 0551 2009 3113 3211 0322 2170 2413 X2776 3734 2357 2332 2128 A433 0561 2121 3114 3212 0356 2173 2429 2778 3744 X2359 2342 2241 2KAB A445 0562 2126 3115 3213 0359 2176 2430 2688 3753 2396 2343 2301 2004 A500 0563 2130 3116 3216 0364 2179 X2430 2788 3769 2402 2345 2321 2035 A588 0566 2151 3117 3217 0384 2184 2431 2800 3774 2404 2357 2329 2043 A1066 0573 2171
A1980 2159 2405 2776 3676 2259 2265 2127 3918 A431 0551 2009 3113 3211 0322 2170 2413 X2776 3734 2357 2332 2128 A433 0561 2121 3114 3212 0356 2173 2429 2778 3744 X2359 2342 2241 2KAB A445 0562 2126 3115 3213 0359 2176 2430 2688 3753 2396 2343 2301 2004 A500 0563 2130 3116 3216 0364 2179 X2430 2788 3769 2402 2345 2321 2035 A588 0566 2151 3117 3217 0384 2184 2431 2800 3774 2404 2357 2329 2043 A1066 0573 2171 3118 3218 0392 2188 2438 2803 3795 2405 2358 2333 2045 0304 0574 2178
0322 2170 2413 X2776 3734 2357 2332 2128 A433 0561 2121 3114 3212 0356 2173 2429 2778 3744 X2359 2342 2241 2KAB A445 0562 2126 3115 3213 0359 2176 2430 2688 3753 2396 2343 2301 2004 A500 0563 2130 3116 3216 0364 2179 X2430 2788 3769 2402 2345 2321 2035 A588 0566 2151 3117 3217 0384 2184 2431 2800 3774 2404 2357 2329 2043 A1066 0573 2171 3118 3218 0392 2188 2438 2803 3795 2405 2358 2333 2045 0304 0574 2178 3119 3220 0393 2189 2439 2804
0356 2173 2429 2778 3744 X2359 2342 2241 2KAB A445 0562 2126 3115 3213 0359 2176 2430 2688 3753 2396 2343 2301 2004 A500 0563 2130 3116 3216 0364 2179 X2430 2788 3769 2402 2345 2321 2035 A588 0566 2151 3117 3217 0384 2184 2431 2800 3774 2404 2357 2329 2043 A1066 0573 2171 3118 3218 0392 2188 2438 2803 3795 2405 2358 2333 2045 0304 0574 2178 3119 3220 0393 2189 2439 2804 3809 2409 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440
0359 2176 2430 2688 3753 2396 2343 2301 2004 A500 0563 2130 3116 3216 0364 2179 X2430 2788 3769 2402 2345 2321 2035 A588 0566 2151 3117 3217 0384 2184 2431 2800 3774 2404 2357 2329 2043 A1066 0573 2171 3118 3218 0392 2188 2438 2803 3795 2405 2358 2333 2045 0304 0574 2178 3119 3220 0393 2189 2439 2804 3809 2409 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444
0364 2179 X2430 2788 3769 2402 2345 2321 2035 A588 0566 2151 3117 3217 0384 2184 2431 2800 3774 2404 2357 2329 2043 A1066 0573 2171 3118 3218 0392 2188 2438 2803 3795 2405 2358 2333 2045 0304 0574 2178 3119 3220 0393 2189 2439 2804 3809 2409 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 2349 1324 0592 2206 3126 3223 0434 2200 2480
0384 2184 2431 2800 3774 2404 2357 2329 2043 A1066 0573 2171 3118 3218 0392 2188 2438 2803 3795 2405 2358 2333 2045 0304 0574 2178 3119 3220 0393 2189 2439 2804 3809 2409 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 2349 1324 0592 2206 3126 3223 0434 2200 2480 2815 3918 2503 2396 2374 0338 0593 2240 3127 3225 0536 2202 2500 2827
0392 2188 2438 2803 3795 2405 2358 2333 2045 0304 0574 2178 3119 3220 0393 2189 2439 2804 3809 2409 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 2349 1324 0592 2206 3126 3223 0434 2200 2480 2815 3918 2503 2396 2396 2374 0338 0593 2240 3127 3225 0536 2202 2500 2827 3945 2520 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840 3990 2526 2404 2441 2537 0342 0610
0392 2188 2438 2803 3795 2405 2358 2333 2045 0304 0574 2178 3119 3220 0393 2189 2439 2804 3809 2409 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 2349 1324 0592 2206 3126 3223 0434 2200 2480 2815 3918 2503 2396 2374 0338 0593 2240 3127 3225 0536 2202 2500 2827 3945 2520 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840
0393 2189 2439 2804 3809 2409 2359 2337 2179 0305 0575 2179 3120 3221 0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 2349 1324 0592 2206 3126 3223 0434 2200 2480 2815 3918 2503 2396 2374 0338 0593 2240 3127 3225 0536 2202 2500 2827 3945 2520 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840 3990 2526 2404 2441 2537 0342 0610 2284 3129 3227 0574 2204 2503 2849 2532 2429 2475 2960 0343 0636 2311 3130
0411 2192 2440 2810 3824 X2430 2369 2357 2337 0316 0577 2192 3121 3222 0430 2196 2444 2813 3900 2440 2376 2359 2349 1324 0592 2206 3126 3223 0434 2200 2480 2815 3918 2503 2396 2396 2374 0338 0593 2240 3127 3225 0536 2202 2500 2827 3945 2520 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840 3990 2526 2404 2441 2537 0342 0610 2284 3129 3227 0574 2204 2503 2849 2532 2429 2475 2960 0343 0636 2311 3130 3228
0430 2196 2444 2813 3900 2440 2376 2359 2349 1324 0592 2206 3126 3223 0434 2200 2480 2815 3918 2503 2396 2396 2374 0338 0593 2240 3127 3225 0536 2202 2500 2827 3945 2520 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840 3990 2526 2404 2441 2537 0342 0610 2284 3129 3227 0574 2204 2503 2849 2532 2429 2475 2960 0343 0636 2311 3130 3228
0434 2200 2480 2815 3918 2503 2396 2396 2374 0338 0593 2240 3127 3225 0536 2202 2500 2827 3945 2520 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840 3990 2526 2404 2441 2537 0342 0610 2284 3129 3227 0574 2204 2503 2849 2532 2429 2475 2960 0343 0636 2311 3130 3228
0536 2202 2500 2827 3945 2520 2402 2402 2396 0339 0595 2257 3128 3226 0537 2203 2501 2840 3990 2526 2404 2441 2537 0342 0610 2284 3129 3227 0574 2204 2503 2849 2532 2429 2475 2960 0343 0636 2311 3130 3228
0537 2203 2501 2840 3990 2526 2404 2441 2537 0342 0610 2284 3129 3227 0574 2204 2503 2849 2532 2429 2475 2960 0343 0636 2311 3130 3228
0574 2204 2503 2849 2532 2429 2475 2960 0343 0636 2311 3130 3228
0507
0595 2206 2507 2855 1MK 2537 2438 2503 3221 0344 0637 2344 3131 3235
0683 2207 2513 2882 AM1 X2592 2440 2520 3249 0345 0651 2357 3132 3237
0713 2208 2520 2894 AM2 2608 2497 2523 3282 0351 0652 2359 3133 3242
0753 2214 2522 2913 AM6 2730 2503 2528 3290 0352 0700 2392 3134 3247
0863 2224 2526 2916 AM21 2803 2508 2537 0353 0701 2396 3135 3248
0004
0500 0000 0000 0000 0000 0000 0000 0000 0000
2003 2232 2533 2946 SC869 3066 2522 2844 0357 0736 2465 3138 3252
2004 2240 2536 2959 SM1 3210 2526 3210 2KALF 0358 0738 2473 3139 3253
2005 2244 2537 2968 SM2 3253 2528 3249 2321 0383 0753 2493 3140 3257
2006 2245 2540 2992 SM4 3330 2532 3318 2337 0386 0754 2507 3141 3258
2007 2246 2556 2996 SM6 3447 2537 3461 3252 0387 0759 2526 3142 3259
2010 2253 2560 3033 SM19 3476 2543 3606 3753 0388 0760 2532 3143 3264
Omito and a second a second and
0000
OHIOO TOOL TOOL TOOL TOOL TOOL TOOL TOOL T
2023 2265 2590 3148 SM737 A381 2537 2KA 0408 0790 2725 3163 3272
2024 2271 2592 3197 A383 2608 A112 2KALJ 0410 0791 2730 3164 3273
2032 2272 X2592 3201 1MKLF A389 2700 A520 2126 0411 0798 2759 3165 3275
2035 2284 2602 3202 AM1 A473 2723 A142 2316 0418 0799 2803 3171 3276
2041 2289 2608 3206 AM2 A1384 2729 0410 X2316 0420 0802 2887 3175 3278
2042 X2289 2623 3208 SM6 0322 2730 0464 2337 0426 0818 2894 3176 3280
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
0040 0040 0400 0400 0400 0004 0000 0470 0004
100 000 000 000 000 000 000 000 000 000
2050 2319 2645 3213 A314 0640 2776 0536 2537 0431 0832 3031 3179 3285
2053 2324 2652 3220 A383 0532 X2776 2004 2553 0434 0836 3032 3180 3303



www.acclock.com

KEYED ALIKE CODES FOR MASTER PADLOCKS

3310	3542	3802	M10	3153	2020	0712	A108	A507	A1302	A418	A500	P160	P700
3311	3545	3810	SB36	3167	2035	2001	A112	A508	A1313	A421	A518	P180	P701
		3824	SB730	3201	2043	2301	A113	A516	A1319	A431		P185	P711
3318	3546								A1013		A548		F711
3319	3547	3826	SB732	3203	2126	2508	A117	A518	A1384	A432	A549	P191	P717
3330	3548	3830	SB733	3204	2206	2803	A122	A521	A1389	A440	A566	P207	P728
3336	3550	3837	SB734	3206	2311	2894	A130	A525	A1394	A445	A870	P209	P738
		3843	SB736	3210	2206	3202	A141	A529	A1447	A457		P212	P760
3340	3551	30 4 3		3210			A141		A1447		A1159		
3341	3552	3850	SB737	3212	2311	3203	A147	A532	A1452	A473	A1452	P216	P761
3345	3553	3852	SB741	3215	2314	3204	A150	A536	A1453	A475	A1463	P220	P763
3346	3554	3863	SM6	3220	2359	3212	A165	A537	A1465	A478		P225	P764
	3555	3866	SM217	3221	2396	3216	A172	A541	A1478	A482	CVA	P241	P769
3347									A1470		<u>6KA</u>	F241	F708
3348	3556	3867	SM726	3223	2402	3242	A178	A548	A1501	A500	A165	P243	P777
3353	3557	3877	SM729	3252	2508	3476	A188	A549	A1513	A566	A250	P246	P782
3354	3558	3900	SM731	3273	2516	3687	A195	A550	A1517	A614	A383	P255	P783
3357	3559	3909	SM733	3226	2592	3231	A220	A551	A1518	A673	A389	P258	P785
		0000					A220				A309		
3358	3560	3910	SM734	3358	2894	3252	A225	A562	A1543	A699	A406	P279	P803
3359	3576	3918	SM736	3359	2902	3381	A240	A565	A1548	A700	A437	P282	P805
3365	3579	3925	SM738	3369	3176	3439	A242	A566	A1979	A956	A465	P286	P806
3369	3581	3937	SM739	3381	3210	3900	A243	A568	A2001	A1159	A473	P297	P810
					2010	0000	A250		A2002			D20E	D010
3374	3582	3945	SM741	3447	3212		A250	A580	A2002	A1384	A520	P305	P812
3375	3594	3850		3573	3213	<u>4MK</u>	A252	A585	A2082	0356	A537	P308	P816
3381	3595	3961	3MKLF	3579	3217	5B730	A253	A589	A2126	0501	A791	P310	P820
3384	3596	3962	M10	3587	3223	4KAB	A255	A613	A2166	0536	A839	P316	P823
	0500	3966		3600			A272	A614	A2179				
3386	3597		20/1/11		3249	0464	M212		W7112	2730	A1520	P329	P824
3387	3600	3971	3MKLH	3606	3250	1536	A273	A619	0356	3235	A1839	P350	P825
3388	3603	3973	SM741	3687	3252	0637	A279	A622	0467	3693		P351	P826
3392	3604	3975		3704	3253	2326	A281	A631	0536		6KAB	P396	P827
3396	3606	3980	3KALF	3735	3273	2803	A289	A673	2126	<u>5KALJ</u>	A278	P405	P830
				0700			A203		0104				
3397	3621	3995	A112	3753	3303	3212	A291	A689	2184	A101	A383	P407	P838
3407	3623		A253	3757	3311	3231	A293	A690	2245	A103	A551	P408	P840
3409	3624	3KABLK	A383	3769	3318	3249	A297	A691	2357	A104	A791	P410	P843
3410	3632	0589	A473	3795	3330	3282	A309	A699	2396	A108	A859	P419	P847
		0505		2050			A210		2400				
3419	3643	0591	A1066	3850	3345	3900	A310	A700	2402	A112	A1839	P420	P848
3433	3659	0649	0310	3877	2252		A311	A707	2426	A113		P451	P850
3434	3672		0311	3900	3357	4KABLF	A322	A717	2759	A117	6KALF	P467	
3436	3674	3KAGRN	0312	3905	3378	3966	A326	A718	3225	A118	A580	P477	<u>7MK</u>
				3910		0000	A337		3247				SM70
3437	3676	0410	0313		3381	41/4 51 11	A337	A731	3247	A122	3943	P481	
3442	3679	0720	0316	3945	3410	<u>4KABLH</u>	A343	A802	3334	A130	3900	P491	SM72
3447	3688	0722	0317	3980	3434	3966	A361	A808	3381	A141		P493	SM74
3448	3679	0591	0318		3461		A372	A839	3411	A147	<u>6KALJ</u>	P495	SM77
	3687	3265	0356	3KALH	3476	4KALF	A376	A854	3447	A150	A190	P496	SM80
3461													SIVIOU
3464	3692	3900	0410	A112	3484	3031	A383	A857	3659	A152	A473	P499	SM75
3466	3693		0460	A134	3532	3212	A384	A865	3693	A165	A3900	P503	SM76
3467	3704	3KARED	0464	A383	3567	3242	A385	A868	3753	A172		P506	SM84
3472	3711	0338	0536	A1384	3579	3303	A389	A882	3864	A178	6KABLF	P508	SM179
		0359	0635	0316	3596	3381	A406	A883	0001			P511	SM178
3473	3716								F8417	A200	A421		3IVI I 90
3476	3721	0595	0713	0330	3606	3900	A418	A886	<u>5MK</u>	A240		P515	
3480	3722	0720	0813	0344	3620		A421	A897	SC862	A252	6MKB	P519	<u>7MKLF</u>
3481	3739	3030	0843	0353	3623	<u>4LALH</u>	A425	A902	SC864	A253	SC883	P521	SM69
3482	3742	3034	0944	0356	3688	0843	A432	A910	SC869	A272	SC890	P541	
									SC890				71/1/1
3484	3747	3165	2001	0434	3693	2703	A440	A954		A310	SM881	P555	7MKLJ
3485	3752	3475	2002	0464	3735	3031	A441	A1010	SC897	A337	SM900	P569	SM76
3498	3753	3911	2004	0516	3752	3242	A445	A1017	M25	A361		P579	
3499	3756		2010	0523	3753	3381	A455	A1021	SM897	A383	<u>7KA</u>	P590	7KALF
		3KAWHT	2130	0530	3757	3736	A457	A1037		A389		P592	P127
3506	3757								FW8: F		P104		
3507	3759	0400	2136	0532	3763	3753	A459	A1092	5KALF	A421	P105	P593	P150
3508	3761	0592	2226	0536	3769	3900	A473	A1150	A112	A425	P107	P600	P211
3509	3765		2332	0538	3910		A475	A1156	A113	A429	P108	P603	P216
3514	3769	3KAYLW	2359	0630	3918	<u>4MK</u>	A476	A1157	A117	A432	P109	P605	P491
3515	3780	0435	2402	0729	3945	SB730	A478	A1159	A122	A437	P113	P608	P493
3523	3782	0436	2507	0851			A482	A1163	A141	A440	P126	P609	P541
3526	3785	0593	2511	0863	<u>4KA</u>		A483	A1164	A252	A472	P127	P612	P451
3527	3788	0594	2803	0881	0464	<u>5KA</u>	A484	A1168	A253	A473	P130	P617	P609
		000 1											
3532	3790	08417	2894	2001	0532	A101	A500	A1179	A322	A475	P139	P621	P621
3541	3796	<u>3MK</u>	3110	2002	0536	A103	A501	A1206	A383	A478	P150	P622	P701
3540	3799	B10	3111	2010	0577	A104	A506	A1220	A389	A484	P156	P650	P716



www.acclock.com

KEYED ALIKE CODES FOR MASTER PADLOCKS

D740		107000	O4 VAL EWA			DOOO	101.000		4505	13G589	100500		10G030
P718	P241	10T238	21KALFW1		071/4	P209	10L262		<u>1525</u>		13G592		10G030 10G041
P757	P526	10T308	2329	<u>37KA</u>	97KA	4071/8	10L320	443KALK	V629	13G590	13G641		
P761		10T460	2402	A897	BULK	<u>187KA</u>	10L430	0705	V648	13G590	13G642	<u>6125KA</u>	10G069
P812	<u>8MK</u>	10T518	2407	0427	P265	3102	10L431	0741	V688	13G591	13G643	<u>W27</u>	10G184
P830	SM69	14T007	3212	0501	P763		10L478	3551	<u>2076BLU</u>	13G592	13G644	10L469	10G215
		15T498		2201		<u>220KA</u>	10L552	3593	V648	13G641	13G645	11L255	11G125
7KALJ	<u> 10KA</u>	15T990	<u>21KALJ</u>	2202	<u>101KA</u>	10L008	10L788			13G642	13G819		11G073
P107	L23	19T155	10L006	2203	10L101	10L011		475KA	4120KA	13G643	13G842	6125KALJ	12G076
P216		19T451	10L310	2204	10L464	10L033	312KA	A549	132	13G644	19G785	10G041	12G078
P305	<u>11KA</u>	19T454	10L471	2205	10L468	10L036	X2194	A1156		13G645		10G184	
P312	0629	19T454		2206	11L215	10L039	2702	2006	4130KA	13G819	6125KA	10G215	6127KAW17
P315	0637	19T458	21KALJW1	2207	12L937	10L045	2803	2096	243	13G918	10G010	10G230	10T321
P477	000.	19T459	0863	2209	14L156	10L220	3210	2126		19G184	10G012	10G230	10T327
P592	11KALF	19T460	2329	2210	14L158	10L320		2276	4140KA		10G041	11G004	
P597	0629	19T461	3402	2211	15L737	10L431	387KA	2325	2341	6121KA	10G184	11G304	6230KA
P599	0637	19T462		2212		10L669	0387	2402		<u>W1</u>	10G215	11G304 11G305	10G019
P600	2176	101102	21KALN	2292	<u>101KA</u>	10L680		2413	4150KA	A437	10G221	110303	10G041
P602	2170	<u> 17KALH</u>	10L320	3328	<u>W1</u>	10L771	410KA	2429	41332	0234	10G230	11G308	10G184
P603	11KALH	10T015	10L647	3331	2153	102771	BLU	2523	41002	2043	10G308	11G316	10G207
P604			102041		3753	0001/41 11	3XX0001	2020	61211/1	2179	10G509	11G682	10G215
P608	0637	10T085	22KV	3377	0100	220KALH	3XX2988	2536	6121KA 10G012	2337	10G538	11G683	10G236
P609	1EVA	10T321	22KA 280	3392	<u>105KA</u>	10L008	4XX1219	2627		2402	10G336 10G810	11G684	10G238
	15KA	10T460		3438		10L011	41111	2690	10G014	3753		11G685	10G236 10G304
P610	10N018	10T546	336	401/4	041	10L033	/10VA	F00***	10G033	0100	11G004	11G693	11G125
P611	10N035	10T809	337	<u>40KA</u>	048	10L036	410KA	<u>500KA</u>	10G040	610174	11G304	11G694	
P612	10N036	19T459	338	0313	075	10L039	<u>GRN</u>	199	10G072	6121KA	11G305	12G069	11G622 11G827
P616	10N051	19T460	001/11 =	0340	4001/4	10L045	4XX1221	201	10G101	<u>W27</u>	11G308	12G072	
P617	10N096	19T462	22KALF	0370	<u>120KA</u>	10L220		203	10G104	10L469	11G316	12G076	11G872
P618	10N161	19T809	337	0452	1A31	10L320	<u>410KA</u>	227	10G155	<u>6121KA</u>	11G333	12G077	12G069
P609	10N163			0476	1A36	10L431	<u>0RJ</u>	255	10G156	<u>LJ</u>	11G673	12G078	12G544
P701	10N164	<u>21KA</u>	<u>24KA</u>	0501	1A38	10L517	4XX1224	263	10G184	10G001	11G682	12G184	
P716	10N182	10L006	10L193			10L617		269	10G215	10G009	11G683	12G275	6230KAW17
P760	10N197	10L008	10L469	81KA	<u>130KA</u>	10L771	<u>410KA</u>	370	10G304	10G013	11G684	13G053	10T321
P761	10N214	10L101		10R33	1B008	11L522	<u>PRP</u>	394	10G305	10G020	11G685	13G273	
P812	10N450	10L193	24KAW1	10R36	1B019		4XX1225	399	10G308	10G089	11G693	13G274	6230KALHW17
P848	10N451	10L310	A443	10R37	1B032	230KA			10G509	10G155	11G694	13G275	10T327
P850	10N454	10L311	A475	15R79	1B041	10L008			10G668	10G184	12G053	13G324	
	10N464	10L468	A197	16R63	1B046	10L011	<u>410KA</u>	500KABRK	10G683	10G216	12G069	13G348	6230KA
<u>8KA</u>	10N523	10L473	2006	18R01		10L033	RED	197	10G693	10G227	12G072	13G589	<u>LH</u>
P104	10N536	10L588	2404	101101	<u>140KA</u>	10L036	4XX1227	229	10G694	10G308	12G076	13G599	10G041
P107	10N540	10L730		81KALF	1G003	10L030		267	11G004	10G727	12G077	13G590 13G591	10G047
P173	10N619	11L141	24KALJ	10R05	1G008	10L039	410KALT		11G043	11G004	12G078	130591	10G047 10G050
P185	10N680	14L588	10L193	101100	1G014		RED	<u>510KA</u>	11G117	11G040	12G184	13G592	10G184
P246	10N685	141300	10L469	81KALJ	1G022	10L220	3XX0005	F16	11G071	11G304	13G053	13G641	
P286	10N686	211/1/1/1	102403	10R05	1G028	10L262	3XX1109	F27	11G304	11G304 11G305	13G273	13G642	11G004
P310		21KAW1	25KA	13R65	1G020	10L320	07/7/1100		11G304 11G305		13G273	13G643	11G125
P491	10N699	A1267	10L100		10032	10L431	410KA	<u>517KA</u>	11G305 11G308	11G308	13G274 13G275	13G644	11G184
P581	10N704	A1980	10L100 10L200	13R66	<u>150KA</u>	10L478	TEAL	F29		11G316	13G589	13G645	11G622
P609	10N752	0863	IULZUU	13R67		10L552	4XX1228		11G316	11G682		13G819	11G693
	13N006	2043	271/1	13R68	1K056	10L788	411120	1473KA	11G682	11G683	13G590	13G843	11G992
P710	19N436	2329	27KA	15R79	1K066	11L011	4401/4	0340	11G683	11G684	13G591		12G069
P713	19N451	2699	10L310	55R41	1K069	11L036	410KA	0501	11G684	11G685	13G592	<u>6127KA</u>	12G086
P719	19N455	3212	10L469		400//5		<u>YLW</u>		11G685	11G693	13G641	10G014	12G163
P738	19N456		15L110	<u>81MK</u>	160KA	230MK	4XX1230	1480KA	11G693	11G694	13G642	10G016	12G210
P812	19N457			SM564	1Z005	ST431	400177	0340	11G694	12G069	13G643	10G035	12G266
P850	19N464	21KALF	27KAW1		1Z036		430KA	0501	11G833	12G072	13G644	10G040	12G272
1	19N485	10L101	2402	82KA	1Z048	230KALH	0430	0001	12G069	12G076	13G819	10G041	12G336
8KAB	19N536	10L193		10R55	1Z053	10L008		1710MV	12G071	12G077	16G537	10G184	12G387
P286		10L310	<u>31KA</u>			10L011	<u>443KA</u>	<u>1710MK</u>	12G072	12G078	16G538	10G215	12G388
P310	<u> 15KALH</u>	10L311	10L120	82KALJ	<u>176KA</u>	10L036	0697	SL1	12G076	12G742		11G125	12G486
P511	10N008	10L471	10L121	10R55	P177	10L033	0773	SL10	12G077	13G053	<u>6125KA</u>	12G069	12G510
P581	19N455	10L472	13L198		P801	10L036	3551	SL31	12G078	13G273	<u>W1</u>	12G921	14G612
1	19N456	10L660		90KA		10L039		SL35	12G706	13G274	A473	120021	14G622
8KALF	19N464	14L472	31KALF	P104	<u>176LHKA</u>	10L040	443KALE	474 (****	12G742	13G275	2402	6127KAW1	16G889
P241	-		10L121	P250	P177	10L045	0697	1714MK	13G053	13G589		A437	
P713	<u>17KA</u>			P302	P801	10L046	0773	SL14	13G273	13G590	<u>6125KA</u>	A T UI	6230KA
1	10T117		<u>31MK</u>	P413		10L040 10L201	3381		13G275	13G590	W17	040=	LHW1
8KALJ	10T155		ST240	P541	<u>185KA</u>	10L201	3551		13G275	13G591	10T321	6127KALH	2010
				, , , , ,		IULZZU				100001		10G014	-510



www.acclock.com


KEYED ALIKE CODES FOR MASTER PADLOCKS

6230KA	10G125		
,,,,,,,,,	10G184		
<u>LHW15</u>	10G215	6835KALTBLK	
11N275	12G069	10G250	10G001
627044	12G706	COSENA	10G019
6270KA	12G818	6835KA	10G199
<u>W6000</u>	12G819	<u>BLU</u>	10G221
10G016 10G040	13G589	10G256	10G229
10G040 10G047	13G591	COOFILA	10G232
12G322	13G592	6835KA	COLONY
12G322 12G323	13G645	LFBLU	6850KALJ
12G323 12G324	00041/811/4	10G256	10G238
120324	6321KAW1	COSENA	10G241
6270KA	2179	<u>6835KA</u> LTBLU	16G664
400K004	6325KA	10G256	70201/4
400K004 400K187	10G017	100230	7030KA
400K107 400K332	10G041	COSENV	10G810
401K002	10G215	<u>6835KA</u> GRN	17G679
401K002	11G125 11G684	10G261	7020VALE
401K005	11G684 12G069	100201	7030KALF 17G684
401K003 401K007	12G069 13G053	6835KA	170004
400K008	13G589	RED	7030KALT
402K135	13G641	10G273	17G685
402K136	13G642	100213	17 0000
402K130 402K143	13G642 13G643	6835KALF	7035KA
402K143	13G645	RED	17G680
402K144	130043	10G273	17 0000
402K552	6327KA	17G289	7040KA
404K005	10G041	170203	11G095
404K006	10G041 10G181	6835KALT	11G232
404K007	10G101	RED	110202
404K008	10G213	17G829	7040KALJ
404K009	11G125	17 0020	17G686
404K010	12G069	6835KA	17 0000
404K011	120003	ORJ	
404K012	6327KAW1	10G268	7045KA
404K013	A383	.00,200	17G682
404K014	71000	6835KA	17 0002
404K015	6327KAW15	YLW	7050KA
404K016	10N050	10G279	17G683
404K017		10G503	
404K018	6327MK		
404K019	SG418	6835KALF	
		YLW	
<u>6271KA</u>	6830KA	10G279	
400K007	10G001		
400K024	10G008	6835KALT	
400K105	10G101	YLW	
401K001	10G115	10G001	
401K002	10G122	10G279	
401K003	10G140		
401K004	10G154	<u>6840KA</u>	
401K005	11G852	10G056	
401K006		10G153	
401K008	6830KALF	10G156	
401K010	10G140	10G163	
401K011	10G154	10G169	
402K136	· ·	10G175	
402K143	6830KALT	11G127	
402K146	10G115	11G129	
402K422	10G154		
402K552		6840KALJ	
0004115	6835KA	10G156	
6321KA	BLK	10G187	
10G047	10G250	10G190	
		-	_

Master Lock / American Lock







Patented Key Control System

- Low cost compared to other key control systc....
- Keys can be duplicated on a standard key machine
- Uses standard pins from a #291 Pin Kit

Available in the following Locks Master 1, 2, 3, 4, 5, 6 Master and American Rekeyable Padlocks

4 Security Levels

- **Level 1** For locksmiths only. Any Locksmith may purchase locks, cylinders and key blanks for this series. No minimum order or contract required.
- **Level 2** For locksmiths only. Key blanks marked with your exclusive ID Number. Your customer must come back to you for key duplication. Contract and \$300 Min. order required
- **Level 3** For commercial users with an in house locksmith. Contract and minimum order required of 500 locks (4 pin), 300 lock (5 pin).
- **Level 4** For commercial users that do not have an in house locksmith. System is factory controlled. No key blanks available for this series. Sold through locksmiths and industrial distributors only. No minimum order or contract required. User name and address is required.

Contact us for more information and pricing





Guard

The Guardian Extreme Advantage:

- New Patent Pending process fuses graphics to molten plastic
- Tags and signs made from Tough Polypropylene, won't fade, peel or crack
- Not affected by over 30 harsh chemicals
- Abrasion Reisistant



MLS12402 14" x 20" 36.25



MLS15400 7" x 10" 12.75

- Endures temperatures from -50° to 220° F
- Exceeds OSHA Requirements for pull strength
- Tags are reusable. Mark with a permanent marker and remove with isopropyl alcohol
- No metal grommets or tags to corrode



MLS17901 10" x 14" 20.25



MLS25051 10" x 14" 20.25



MLS20200 10" x 14" 20.25



MLS21001 7" x 10" 12.75



MLS22352 14" x 20" 36.25



MLS23700 7" x 10" 12.75



CAUTION **FIRE DOOR KEEP CLOSED**





MLS4700 3" x 9"

5.30

MLS6551 10" x 14" **20.25**

MLS8600 7" x 10" 12.75

MLS4002 3" x 5 3/4" 16.75 (bag of 6)

Master Lock.


Accredited Lock Supply

www.acclock.com

ONE KEY SYSTEM

Minimize your stock. Stock this one universal number, and you can make any KA number for your customers, as long as you have the key.


Great for when you run out of stock, or when you are faced with a KA code you and your distributor do not normally stock.



Insert key into padlock cylinder.



'Ising the fixture, push the plug into 'he cylinder to shear the pins.



Continue pushing the plug into lock body. Padlock is now custom keyed.



ML376 Punch Tool for Universal Pin Padlocks **54.78**

1 3/4" wide laminated case. Pin Tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 5/16" diameter steel shackle. Clearances: vertical 7/8", horizontal 3/4".

ML1UP 12.19 ML1LJUP 14.29 Universal Pin Padlock 1 3/4" Steel Shackle 1 1/2" wide laminated case. Pin Tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 9/32" diameter steel shackle. Clearances: vertical 3/4", horizontal 5/8".

ML3UP 10.62 Universal Pin Padlock ML3LFUP 12.32 Universal Pin Padlock 1 1/2" Steel Shackle

2"wide laminated case. Pin Tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 3/8" diameter steel shackle. Clearances: vertical 1", horizontal 15/16".

ML5UP 15.44 Universal Pin Padlock ML5LFUP 17.14 2" Steel Shackle

Pro Series - Solid Steel





- Heavy case hardened steel body
- Hardened steel & boron alloy shackles for superior cut resistance
- Available in extended length shackles inquire

1 9/16"Wide,1/4"Dia.Shackle,25/32"Horiz.Clearance 1 1/16" Vertical Clearance

ML7030	Keyed Different	6/box	18.70
ML7030KA	Keyed Alike	6/box	19.75
ML7030LF	1 9/16" Shackle	6/box	20.95
ML7030LT	3" Shackle	6/box	21.25

1 9/16"Wide,1/4"Dia.Shackle,25/32"Horiz.Clearance 1 1/16" Vertical Clearance

ML7035	Keyed Different	6/box	35.39
ML7035KA	Keyed Alike	6/box	36.44

1 3/4" Wide,5/16" Dia.Shackle,29/32" Horiz.Clrnce 1 3/16" Vertical Clearance

1 0/10 #011104	i Olcululloc		
ML7040	Keyed Different	6/box	20.62
ML7040KA	Keyed Alike	6/box	21.67
ML7040LJ	2 1/2" Shackle	6/box	23.07

1 3/4" Wide,5/16" Dia.Shackle, 29/32" Horiz.Clrnce 1 3/16" Vertical Clearance

ML7045 Keyed Different 6/box 36.56 ML7045KA Keyed Alike 6/box 37.61

PRO SERIES PADLOCKS

Pro Series - Brass

Designed to provide extra protection against corrosion, abuse and attack. Solid brass lock bodies resist corossion. Hardened steel & boron alloy shackles resist cutting attacks, and dead-locking stainless steel ball bearings resist prying. Brass spool pin tumblers are nearly pick-proof. Ideal



for jobs requiring strong, durable performance in all weather conditions.

1 9/16"Wide,1/4"Dia.Shackle,.784 Horiz.Clearance ML6830 Keyed Different 6/box 18.64 ML6830KA Keyed Alike 6/box 19.69

1 9/16" Wide - Interchangeable Core (Core not Incl.)					
ML6831W0	6/box	19.91			
ML6831LFW0 1 1/2" Shackle	6/box	22.16			

1 3/4"Wide,5/16"E	Jiam.Shackle,	1.198 Ho	riz.CIrnco
ML6840 Ke	yed Different	6/box	22.02
ML6840KA Ke	yed Alike	6/box	23.07

2" Wide, .361	Diam. Shackle, 1.4	471 Horiz	z.Clearanco
ML6850	Keyed Different	6/box	25.06
ML6850KA	Keyed Alike	6/box	26.11

 2" Wide - Interchangeable Core (Core not Included)

 ML6851W0
 6/box
 26.46

 ML6851LJW0
 2 1/2" Shackle
 6/box
 28.91

2" Wide - Accepts Door Hardware Cylinders (Not Inc)
ML6852WO 6/box 21.18

Pro Series - Aluminum

Designed for long-lasting security. Solid Aluminum lock bodies resist corrosion. Bright colors make identification easy and OSHA compliance simple. Hardened Steel shackles resist cutting attacks, and dead-locking stainless steel ball bearings resist prying. Brass spool pin tumblers are nearly pick-proof.



No. 6835 1.5" Aluminum – Rekeyable

1 9/16"Wide,1/4"Diam.Shackle,.784 Horiz.Clrnce. ML6835GRN Green KD 6/box 13.45 ML6835KAGRN Green KA 6/box 14.50 ML68350RJ 13.45 Orange KD 6/box ML6835KAORJ Orange KA 14.50 6/box ML6835RED Red KD 6/box 13.45 ML6840KA Red KA 6/box 14.50 ML6835YLW Yellow KD 6/box 13.45 ML6835KAYLW Yellow KA 6/box 14.50 KD ML6835BLK Black 6/hox 13.45 ML6835KABLK Black 6/box 14.50 KA ML6835BLU Blue KD 6/box 13.45

Blue

ΚA

6/box

14.50

ML6835KABLU



www.acclock.com

PRO SERIES

WEATHER TOUGH™ REKEYABLE COMMERCIAL USE PADLOCKS



No.6121

Master Pro Series Weather Tough™ padlock with 21/8" wide steel case & 5-pin W6000 removable cylinder. Replaceable 5/16" dia. case-hardened BORON alloy steel shackle. Shackle clearance 1 1/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

No.	Description	List Each
ML6121	Keyed Different	24.51
ML6121KA	Keyed Alike	25.56

No. 6125



Master Pro Series Weather Tough™ padlock with 2 3/8" wide steel case & 5-pin W6000 removable cylinder. Replaceable 3/8" dia. case-hardened BORON alloy steel shacke. Shackle clearance 1 3/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

No.	Description	List Each
ML6125	Keyed Different	28.45
ML6125KA	Keyed Alike	29.50

No. 6127



Master Pro Series Weather Tough™ padlock with 25/8" wide steel case & 5-pin W6000 removable cylinder. Replaceable 7/16" dia. case-hardened BORON alloy steel shacke. Shackle clearance 1 3/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

No.	Description	List Each
ML6127	Keyed Different	33.10
ML6127KA	Keyed Alike	34.15

HIGH SECURITY REKEYABLE COMMERCIAL USE PADLOCKS



No. 6321



No. 6327

Master Pro Series High Security padlock with 2 1/8" wide steel case & 5-pin W6000 cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Repaceable 5/16" dia. case- hardened BORON alloy steel shacke. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

No.	Description	List Each
ML6321	Keyed Different	33.70
ML6321KA	Keyed Alike	34.75

No. 6325



Master Pro Series High Security padlock with 2 3/8" wide steel case & 5-pin W6000 cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Replaceable 3/8" dia. case- hardened BORON alloy steel shacke. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

No.	Description	List Each
ML6325	Keyed Different	39.88
ML6325KA	Keyed Alike	40.93

Master Pro Series High Security padlock with 2 5/8" wide steel case & 5-pin W6000 cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Repaceable 7/16" dia. case- hardened BORON alloy steel shacke. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

No.	Description	List Each
ML6327	Keyed Different	45.98
ML6327KA	Keyed Alike	46.03

No. 6230



Master Pro Series High Security padlock with 2 1/2" wide steel case & 5-pin W6000 cylinder. Massive solid steel lock body is hardened for saw and hammer resistance. Repaceable 7/16" dia. case-hardened BORON alloy steel shacke. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently.

No.	Description	List Each
ML6230	Keyed Different	31.39
ML6230KA	Keyed Alike	32.44
ML6230LH	2" Shackle	34.79

REKEYING PARTS KIT

Components include:

200 Driver Pins

200 Driver Pins - Spool Design

200 Master Pins # 1-7

200 Regular Pins # 0-7

200 Tumbler Springs

3 Cylinder Extensions

6 Cylinder Retainer Doors

20 Retaining Nuts

2 Pro Series Retaining Nuts

1 Cylinder Assembly Tool

1 Key Cut Gauge

2 Hex Wrenches



No.291

No.	Description	List Each
ML291	Rekeying Parts Kit	87.99



www.acclock.com

PRO SERIES

PRO SERIES INTERCHANGEABLE CORE AND COMMERCIAL DOOR KEY SYSTEMS

For the ultimate in security and "same key" convenience, High Security and Weather Tough® Pro Series padlocks can now be easily integrated into popular "interchangeable core" systems. Simply insert OEM 6 and 7 pin interchangeable cores into Pro Series 6400 and 6500 series lock bodies with the appropriate control key. Series 6400 and 6500 padlocks are supplied without cylinders and accept the following OEM cores: Best® PKS, Kaba® Peaks, KSP®, Lori®

Master Pro Series Weather Tough® padlock Designed to accept popular interchangeable core cylinders. Replaceable case-hardened boron alloy steel shackle. Dual hardened balls lock each shackle leg independently. Weather resistant thermoplastic lock cover and cylinder dust cover. Flow through debris channels. Padlock supplied without cylinder.

without cylinder.					
2 1/8" Wide Steel Body			RCHANGEABLE		
P/N		Shackle	Vert.Shackle	Horiz.Shackle	Retail
ML64		Diam 5/16"	Clearance 1 1/8"	Clearance 7/8"	28.05
	21W0 21LJW0	5/16"	2 3/8"	7/8"	30.50
2 5/8" Wide Steel Body		s, . c	_ 3, 4	., -	20.00
ML64	27WN	7/16"	1 3/8"	7/8"	39.15
	27LHW0		1 7/8"	7/8"	41.50
To the second se					
Market State of the State of th					
2 1/8" Wide Steel Body	041110	E /4 C"	0./4"	7/0"	40.07
ML65 2 5/8" Wide Steel Body	21WU	5/16"	3/4"	7/8"	40.07
ML65	27W0	7/16"	3/4"	7/8"	55.97
Ш					
Till.					
1 9/16" Wide Steel Body					
ML703		1/4"	1 1/16"	25/32"	20.83
	31LFW0	1/4"	1 9/16"	25/32"	23.08
	31LTWO	1/4"	3"	25/32"	23.38
1 3/4" Wide Steel Body ML704	41W0	5/16"	1 3/16"	29/32"	23.08
ML704	41LJW0	5/16"	2 1/2"	29/32"	25.53
2" Wide Steel Body ML705	51W0	3/8"	1 1/2"	29/32"	27.39
	51WU 51LJWO	3/8"	2 1/2"	29/32"	29.84
19/16" Wide Brass Body					
ML683 ML683	31WO 31LFWO	1/4" 1/4"	1 1/16" 1 9/16"	25/32" 25/32"	19.71 21.96
	31LTWO	1/4"	3"	25/32"	22.26
1 3/4" Wide Brass Body					
ML684	_	5/16"	1 3/16"	25/32"	22.36
2" Wide Brass Body	41LJW0	5/16"	2 7/16"	25/32"	24.81
ML685		3/8"	1 1/2"	29/32"	26.46
ML685 1 9/16" Wide Aluminum	51LJWO Body	3/8"	2 1/2"	29/32"	28.91
ML68		1/4"	1 1/16"	25/32"	13.46
ML68	36LFWO	1/4"	1 9/16"	25/32"	15.61
ML683	36LTWO	1/4"	3"	25/32"	15.91
260000					
1 9/16" Wide Steel Body	20112	4 /4"	4 4 4 0"	05 (00)	07.40
ML703	36WO	1/4"	1 1/16"	25/32"	37.13
1 3/4" Wide Steel Body ML704	16WO	5/16"	1 3/16"	29/32"	39.88
		3, .0	. 0, . 0	_3, 5_	55.55

COMMERCIAL DOOR KEY CYLINDERS Now you can integrate High Security and Weather Tough® Pro Series padlocks into existing door key security systems for maximun "same key" convenience. The 6600 & 6700 series High Security and Weather Tough® Pro Series locks now accept popular OEM and compatible door key cylinders. Padlocks are supplied without cylinders and require cylinder drivers (ordered separately) to install the following OEM cylinders: Schlage (Key-in-Knob Cylinders), Schlage Primus, Medeco #20W200, Lori #1539 Series (available to match 28 popular keyways).

UUI		AL DOOR					
,	hackle	Vert.Shad	-	_	z.Shackle	Retail	
_)iam	Clearanc	е		rance	05.00	
WL6621WO WL6621LJWO	5/16" 5/16"	1 1/8" 2 3/8"		7/8" 7/8"		25.30 27.75	
VILOUZ ILJ VV U	3/10	2 3/0		1/0		21.13	
ML6627W0	7/16"	1 3/8"		7/8"		36.53	
ML6627LHWO	7/16"	1 7/8"		7/8"		38.88	
ML6721WO	5/16"	3/4"		7/8"		37.31	
ML6727W0	7/16"	3/4"		7/8"		53.21	
	P/N	Sha Diai	ckle m		.Shackle irance	Horiz.Shackl Clearance	e Retai
l 3/4" Wide Ste 2" Wide Steel I	ML	7042WO	5/1	6"	1 3/16"	29/32"	18.04
. Wide Steer i		7052WO	3/8	ıı	1 1/2"	29/32"	21.13
3/4" Wide Bra	ass Body	,					
	ML	842W0	5/1	6"	1 3/16"	25/32"	17.73
2" Wide Brass		852WO	3/8		1 1/2"	29/32"	21.18
ML298-0 ML298-0 ML298-0	1627	Cylinde	r Driv	ver fo	r Lori 153 r Medeco r Schlage	20W200 1	0.26 0.26 0.26

33.25

29/32"

ML7047W0

5/16" 1 3/16"



www.acclock.com

ORDERING INFORMATION FOR INTERCHANGEABLE CORE SYSTEMS

Description	Keyway
Master Lock Y	CY
Best® Lock A	CA
Best® Lock B	CB
Best® Lock C	CC
Best® Lock D	CD
Best® Lock E	CE
Best® Lock F	CF
Best® Lock G	CG
Best® Lock H	CH
Best® Lock J	CJ
Best® Lock K	CK
Best® Lock L	CL
Best® Lock M	CM
Best® Lock Q	CQ
Arrow 1C	CW
Arrow 1D	CX

Price if ordered w/lock

18.05

ORDERING INFORMATION FOR DOOR KEY COMPATIBLE SYTEMS

Description	Keyway	Price if ordered w/lock
Arrow K5, K6, L6A	D10	12.15
Corbin 59A1-A2	D01	15.00
Corbin 60	D29	15.00
Corbin Russwin L4	D07	15.00
Dexter Master 67 (composite)	D32	12.15
Falcon 1573, 1577 (comp. E-R)	D14	15.00
Harloc SE-1 (composite)	D02	15.00
Kwikset (composite)	D12	12.15
Lockwood	D08	15.00
Lori L200	D02	15.00
Lori Locksmith 80	D80	15.00
Loricentric 90	D90	15.00
Russwin 981/852	D11	15.00
Russwin D1	D30	15.00
Sargent LA-LC (composite)	D36	15.00
Sargent RA-RC (composite)	D70	15.00
Sargent S	D02	15.00
Sargent U	D02	15.00
Sargent C	D04	12.15
Sargent E	D34	12.15
Schlage P (accepts C-L)	D28	12.15
Segal 9.265	D27	15.00
Weiser (composite)	D13	15.00
Weslock	D33	15.00
Yale 8	D03	12.15
Yale GA	D15	15.00

COVERED CORROSSION RESISTANT PADLOCKS

3/4" (20mm) Covered Padlock

3/4" wide corrosion resistant solid body padlock encased in a colorful vinyl cover. 3-pin tumbler cylinder and rugged locking lever. Steel shackle measures 5/32" in diameter. Clearances: vertical 13/32"; horizontal 11/32". Keys are nickel plated brass and also feature keyhead covers.

ML121Q Four Pack, black, carded 11.71 ML121T Twin Pack, black, carded 7.02





1 3/16" (30mm) Covered Padlock

1 3/16" wide corrosion resistant solid body padlock encased in a colorful vinyl cover. 4-pin tumbler cylinder and rugged locking lever. Case hardened steel shackle measures 3/16" in diameter. Clearances: vertical 5/8"; horizontal 9/16". Keys are nickel plated brass and also feature matching color keyhead covers.

ML131D	Single Pack, black, carded	5.73
ML132DCM	Single Pack, blue, carded	5.73
ML133DCM	Single Pack, green, carded	4.90
ML134DCM	Single Pack, red, carded	4.90

1 9/16" (40mm) Covered Brass Padlock

1 9/16" wide corrosion resistant solid body padlock encased in a colorful vinyl cover. 4-pin tumbler cylinder and rugged locking lever. Case hardened steel shackle measures 1/4" in diameter. Clearances: vertical 13/16"; horizontal 13/16". Keys are nickel plated brass and also feature matching color keyhead covers.

ML141D Single Pack, black, carded 7.51
ML141DLF Single Pack, black, carded, 1 1/2" Shackle 9.25
ML142DCM Single Pack, blue, carded 7.51
7.51

1 3/8" (35mm) Covered Brass Padlock

1 3/8" wide corrosion resistant solid brass body padlock encased in a colorful vinyl cover. 4-pin tumbler cylinder and rugged locking lever. **Brass shackle measures 3/16" in diameter.** Clearances: vertical 13/16"; horizontal 13/16". Keys are nickel plated brass and also feature matching color keyhead covers.

ML631DSPT Single Pack, black, carded Tri- Pack, KA, black, carded 14.26

Maste

Accredited Lock Supply

www.acclock.com

LAMINATED PIN TUMBLER PADLOCKS

LAMINATED 4-PIN TUMBLER PADLOCKS

Highly popular 4-pin tumbler series. Precision cylinder protection. Cadmium rustproofed steel case. Removable key-change number for added security.

Exclusive dual steel locking levers independently lock each shackle leg for increased protection. Patented taper assures smooth vertical shackle movement and precise engagement of locking levers.

No. 7 has patented guard plates to resists attempts at rapping and picking to open the locking lever.

Packed 6 per box.



13/4" wide laminated case. Pin Tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 5/16" diameter steel shackle. Clearances: vertical 7/8", horizontal 3/4". 2 brass keys, thousands of changes.

ML1KA	12.84	Keyed Alike
ML1-D	11.79	Keyed Different Carde
ML1MK	16.74	Master Keyed
ML1LF	13.49	1 1/2" Steel Shackle
ML1LJ	13.89	2 1/2" Steel Shackle
ML1LN	17.79	5 3/4" Steel Shackle
ML1DCOM	11.79	Commercial Carded



1 1/2" wide laminated case. Pin tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 9/32" diameter steel shackle. Clearance: vertical 3/4", horizontal 5/8". 2 brass keys, thousands of changes.

ML3KA	11.31	Keyed Alike
ML3-D	10.26	Keyed Different Carded
ML3MK	15.16	Master Keyed
ML3LF	11.96	1 1/2" Steel Shackle
ML3LH	13.16	2" Steel Shackle
ML3DCOM	10.26	Commercial Carded



2" wide laminated case. Pin tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 3/8" diameter steel shackle. Clearances: vertical 1". horizontal 15/16". 2 brass keys, thousands of changes.

ML5KA	16.03 Keyed Alike
ML5-D	14.98 Keyed Different Carde
ML5MK	19.93 Master Keyed
ML5LF	16.68 1 1/2" Steel Shackle
ML5LJ	17.08 2 1/2" Steel Shackle
ML5DCOM	14.98 Commercial Carded



1 1/8" wide laminated case. Pin tumbler security. Nickel-plated locking lever. Steel shackle, diameter 3/16". Clearances: vertical 9/16" horizontal 1/2". 2 brass keys, wide range of changes.

ML7KA 9.21	Keyed Alike
ML7-D 8.16	Keyed Different Carded
ML7MK 13.11	Master Keyed
ML7LF 9.86	1 1/2" Steel Shackle
ML7LJ 10.26	Steel Shackle

NO. 101 Wide Body Padlock-Rekeyable FITS DOOR LATCHES OF ALL MAJOR FREEZERS/COOLERS

- HIGH SECURITY-Precision pin-tumbler locking mechanism.
- CASE HARDENED HIGH-TECH-STEEL-More than doubles resistance to cutting compared to conventional steel shackles.
- DOUBLE LOCKED RESISTANCE AGAINST PRYING AND PULLING-dual levers indecently anchor both shackle legs.
- REKEYABLE CYLINDER for commercial installations-allows easy cylinder changing-keyed-alike and master-keyed systems.

DIMENSIONS:

Shackle: 5/16" diameter

2 1/4" horizontal clearance 3 1/8" vertical clearance

Body: 3 1/4" wide; laminated steel

ML101

ML101KA Keyed Different Keyed Alike Boxed Boxed



No. 31 PADLOCK



Great for industrial settings. Higher security padlock equipped with a 5-pin tumbler cylinder that is capable of 10,000 unique key codes. Provides added pick resistance and prevents key interchange where numerous padlocks are used. 1.5" wide laminated steel case construction. Features extra length shackles, color-coded bumpers and full keying availability.

ML31	Std. Commercial Boxed	12.97
ML31KA ML31LF	Keyed Alike 1.5" long shackle Boxed	14.02 14.67
ML31MK	Master Keyed Boxed	17.92

ULTILITY LOCKS

Guards Against Saws and Bolt Cutters

Features locking eyes that do away with the exposed loop of the shackle. Ideal for a wide variety of commercial applications, such as truck doors, shutoff valves, self-storage units and vending machines.

Case hardened steel shackle, 3/8" diameter, rotates to deter sawblades. Precision 4-pin tumbler keyway, high security locking mechanism enable thousands of key changes. Packed 6 in a box.



Code	Shackle	Body	Price
ML443	5/8"	Steel	13.40
ML443LE	7/8"	Steel	13.65
ML443LK	3 1/2"	Steel	16.40
ML444	7/8"	Brass	11.24



www.acclock.com

TRAILER LOCKS

ARMORLOCK



For guarding trailers on or off vehicles...and for use with security cables, chains and clasps. Exclusive shackle quard. extra resistant to bolt cutters and hacksaws. Precision 4 pin tumbler mechanism. Fits openings 1/2" or larger in diameter. Shackle sleeve removable to accommodate openings 9/32" in diameter. 1 1/2" wide laminated steel case: shackle clearance: vert. 15/16". hor. 7/16".

ML37-D ML37KA 6/hox

Keved Different Keyed Alike

15.24 16.24

SPARE TIRE LOCK

Security for locking non-operating spare tires on vehicles, RV's, boats and other trailers. The chrome plated zinc die cast body protects against the elements.



UNIVERSAL COUPLER LOCK

and dirt. May come in chrome finish.

Fits the following coupler styles:

ML262DAT

P/N

ML379DAT

ML379ATPY

ML379KAATPY

Spare Tire Lock

Universal coupler lock, fits 17/8", 2" and 25/16". Lami-

nated steel frame construction. Removable Python™

cylinder. Keyway cover protects lock from moisture

Straight lip; Rolled lip; UFP; Hammer blow; Surge break.

Description

SWIVEL HEAD™ RECEIVER LOCK

Retail Package

Commercial Pckge

KA Comm. Pckge

8.02

Price

29.31

34.89

38.37

UNIVERSAL COUPLER LOCK



Fits 1-7/8in (48mm), 2in (51mm) and most 2-5/16in (59mm) trailer couplers. Advance locking mechanism resists picking and prying. Easy to install and remove Resists rust and corrosion

P/N Price ML377DAT 38.33 ML377KA 39.28

Master Lock's universal coupler lock guards against trailer tow-away theft. It fits the following coupler brands: Reese, Fulton, UFP, Valley, Attwood, Putnam, Marvel, Ideal, Acme, Dutton-Lainson. Nickel plated to resist rust and corrossion.



Coupler Diameter P/N ML378DAT 2 5/16" ML378KA 2 5/16"

KING PIN LOCK



20.98

Price

51.20

51.30

- Fits most commercial and recreational Fifth Wheel/King Pin couplers
- · Solid steel lock bracket; powder coated to resist corrosion
- 5/8" Swivel head chrome plated receiver lock secures bracket
- Receiver lock can be used for towing ML2999DAT

HIGH SECURITY KING PIN LOCK

- · Secures the king pin of semi-tractor trailers
- Renders bolt cutter useless
- · High grade aluminum i s lightweight while providing high security
- · Includes an integrated No. 5 padlock with all of its security and keying flexibility



King Pin Lock 131.49 Keved Alike 132.54 IC (core not 139.25

included)



CLASS II RECEIVER HITCH LOCK

1/2" pin fits std. 1 1/4" receiver tube. Nickel plated, hardened steel pin resists corrosion & provides strong cut and shear resistance. Lock features dual locking levers and pin tumbler mechanism for pry and pick resistance. Solid brass case features protective vinvl cover. Case hardened 1/4" steel shackle resists cutting. ML372DAT 1/2" pin, 1 1/2" Covered Brass Lock 8.44

TRAILER HITCH COUPLER LOCK

- Case hardened steel shackle
- Lock design protects shackle from cutting & sawing
- Precision pin tumbler mechanism
- Solid brass

ML605DAT 1044



STANDARD RECEIVER PINS & CLIPS



The Class II and Class III/IV receiver pin and clip combinations are made of hardened steel for strong cut and shear resistance. The pins are tapered for easy installation.

ML1376DAT 5/8" & 1/2" bent pin 4.96 with stainless steel sleeve

1/2" & 5/8" chrome steel swivel head lock

Bent pin style.

ML2866DAT 15.70

Maste

Accredited Lock Supply

www.acclock.com

BARBELL™ RECEIVER & COUPLER LATCH LOCKS

Coupler Latch Lock



9/32" x 3 1/2" shackle fits surge brake and UFP brand coupler latches.

ML1471DAT Coupler Latch Lock 16.39

Receiver Lock




Fits 1/2" diameter receiver holes for customers who have one size receiver (1 1/4" square tube, Class II).

ML1472DAT Receiver Lock

Extended Length Receiver Lock

• Extended length shaft fits Toyota Tundra, Ford F-150/F-250/ F-350, GMC/Chevy 2500/3500 and Dodge trucks with heavy duty tow packages



- Push to Lock™ locking mech-
- anism push lock body onto pin firmly and remove key
- Class III/IV; 10,000lb. Load rating
- Swivel Head™ design for easy access
- Weather Tough® seal protects lock mechanism

ML1469DAT Coupler Latch Lock 24.50

Coupler Latch Lock



9/32" x 7/8" shackle fits most standard coupler latches.

ML1475DAT Coupler Latch Lock

Receiver Lock



16.39

17.24

Fits 5/8" diameter receiver holes for customers who

ML1479DAT Receiver Lock

have one size receiver (2" square tube, Class III/IV).

Receiver Lock



300 series stainless steel shackle and barbell ends offer the ultimate in corrosion resistance. With its rotating, removable stainless steel shackle sleeve, it fits both 5/8" and 1/2" diameter receiver holes.

ML1480DAT **ML1480KA**

Receiver Lock Keved Alike

22.67 23.70

GUN LOCK





Every gun owner will be interested in this exclusive. patented locking device which guards against accidental firing of handguns, rifles and shotguns. Terrific sales potential. Ideal gift item. Positive locking with adjustable ratchet mechanism-trigger cannot be pulled until lock is removed. Easy to attach and lock. Incorporates famous MASTER pin tumble locking cylinder, with brass keys. Special cushioned pads block trigger action and protect gun's finish from being scratched or marred. Permanent finish-will not chip, flake or peel. Available keyed-alike without extra cost. Colorful self-service package can be displayed on counter or hung on pegboard.

ML-90DSPT **Keyed Different** 12.89 ML-90DSPTKA Keved Alike 13.93 One on a card, six in a shelf pack.



KEYLESS RESETTABLE COMBINATION

Offers the convenience of setting your own combination. Special cushion pads protect the gun's finish. Adjustable ratchet mechanism. Fits many handguns, rifles, shotguns. 6/shelf pack

ML94DSPT

14.96

ARMORED CABLE LOCK

- Meets stringent California AB106 spec
- Deadbolt locking mechanism can only be opened and closed with key inserted and turned
- 4 pin tumbler cylinder
- 14" armored cable with brass ends

ML107DSPT 10.26 ML107KADSPT 11.33

DEAD-LOCKING CABLE GUN LOCK

- Dead-locking, anti-rap mechanism
- 4-pin tumbler security
- 14" vinyl covered cable
- · Brass cable ends prevent scratching

ML99DSPT 7.53 ML99DSPTKA 8.58



Key Safe With Receiver Lock



ML1467DAT

17.24

- 5/8" Receiver Lock with Personal Kev Safe
- Push to Lock™ locking mechanism- push lock body onto pin firmly and remove key
- Weather Tough® seal and water tight cap protects lock and safe from moisture and dirt
- · Personal safe protects keys, credit cards, and personal items
- 4-dial set-your-own combination lock

Model No. 1481DAT

5/8in (16mm) Stainless Steel Receiver Lock with Adjustable Coupler Latch Lock







www.acclock.com

KEYBLANKS

Packed 50 in a box



box of 50

Pin Tumbler

Warded Corrugation Left-Hand Right-Hand



Improved Pro Series® Cylinders



PIN TUMBLER

LIN I OMRFER		
Number	Fits Master Padlocks	
MLK1	1, 2, 3, 4, 5, 6, 11, 33, 34, 35, 36, 37, 39, 40, 300	series, 430,443,475,1317,1803,1805
MLK2	Special 1MK2K, 2MK2K, 3MK2K, 4MK2K, 5MK2K,	
MLK7	7, 8, 90,97, 716, 719, 1807	,
MLK15	15	
MLK17	17	
MLK19	19	27.00/box
MLK27	21, 24, 25, 27, 31, 101, 220, 230	
MLK81KR	81, 82, 530, 532, 533, 570, 575, 576, 751, 991, 9	92, 996, 1710, 1714
MLK81KM	Special for 81MK, 82MK, 1710MK, 1714MK (mas	ter key systems only)
MLK101	K1 key blank with black covered key head	33.00/box
MLK120	120, 121, 1820, 1825	
MLK121	K120 key blank with black covered key head	18.25/box of 25
MLK130	130, 131,132,133,134,135,136,140,141,142,143,	144,145,146,631,635,645,1830,1840
MLK150	150, 151,160,640	
MLK185	185	34.24/box
MLK600	220, 230 and all Pro Series® with AM 600A, 1000	or 5000 cyl
MLK700	97 and Pro Series® with No. 700A cylinders	28.53/box
MLK701	K7 key blank with black covered key head	34.24/box
MLK900	911, 930, 931, 937	
MLK8103	8103, 8104, 8106	13.00/box of 25
MLK8107	8107, 8183	25.25/box of 25
MLK8109	8109	26.25/box of 25
MLK8154	8154	26.25/box of 25
MLK8181	8181, 8182	25.25/box of 25
MLK8185	8108, 8184, 8185, 8189	25.25/box of 25
MLK8186	8155, 8174, 8186	38.81/box of 25
MLK8187	8187	48.25/box of 25
MLK8188	8188	25.25/box of 25
MLK175	Combination Change Key for 175, 176, 177, 178	2.60

11¹⁸

box of 50

WARDED TYPE

MLK9 9 MLK10 10,12 MLK22L 22 (left-hand corrugation) MLK22R 22(right-hand corrugation) MLK105 105, 116, 119 MLK500L 450, 500 (left-hand) MLK500R 450, 500 (right-hand)	Number	Fits Master Padlocks:
MLK22L 22 (left-hand corrugation) MLK22R 22(right-hand corrugation) MLK105 105, 116, 119 MLK500L 450, 500 (left-hand) MLK500R 450, 500 (right-hand)	MLK9	9
MLK22R 22(right-hand corrugation) MLK105 105, 116, 119 MLK500L 450, 500 (left-hand) MLK500R 450, 500 (right-hand)	MLK10	10,12
MLK105 105, 116, 119 MLK500L 450, 500 (left-hand) MLK500R 450, 500 (right-hand)	MLK22L	22 (left-hand corrugation)
MLK500L 450, 500 (left-hand) MLK500R 450, 500 (right-hand)	MLK22R	22(right-hand corrugation)
MLK500R 450, 500 (right-hand)	MLK105	
	MLK500L	
MI VE10 510 517 510	MLK500R	450, 500 (right-hand)
WILKS 10 310, 317, 316	MLK510	510, 517, 518



OUTBOARD MOTOR LOCK



Outboard motor lock: fits the majority of motors secured to transom by means of clamp screws (except certain Chrysler outboards). Exclusive case-hardened steel tube vinyl-clad against weather and water. Dependable marine brass pin-tumbler mechanism. Laminated steel lock with cadmium rustproofing; recessed in tube to shield against cutting and prying. Available keyed alike for multiple boat owners. Pair of brass keys.

One on a card, six in a shelf pack.

With brass padlock

ML430DPST 30.57 ML430KA 31.62

PRO SERIES KEYBLANKS

Packed 50 in a box

Number Fits Master Padlocks MLK6000 For W6000 cylinders 21.68 MLK7000 For W7000 cylinders 28.53


Cut	Root Depth
0	.2845"
\Box	.269"
2	.2535"
3	.238"
4	.2225"
5	.207"
6	.1915"
7	.176"



Cut	Root Depth
0	.271"
- 1	.256"
2	.240"
3	.224"
4	.209"
5	.194"
6	.178"
7	.162"

New Keys w/Notch

Old Keys w/o Notch



Never duplicate a new key onto an old blank.

Never duplicate an old key onto a new blank.



www.acclock.com

• LAMINATED REKEYABLE PADLOCKS

Steel

REKEYABLE PADLOCKS - LAMINATED STEEL

High security padlocks offering special provision for removable cylinder, making it easy for authorized persons to quickly match up to existing keyed-alike or master keyed systems, or to change the lock cylinder whenever the security of an existing key becomes doubtful due to key loss, personnel turnover and other eventualities. No.'s 21 and 27 are also available with separate shackles, allowing users the ability to install a variety of shackle lengths in lock bodies. Removing the need to stock extensive inventories (lock bodies come with shackle retainer plate unclenched. Simply add desired shackle and clench the plate to permanently anchor the shackle in the lock body.) No. 21 and 27 rekeyables; supplied without cylinder.



NO. 21 PADLOCK

MASTER high security rekeyable padlock with 1 3/4" wide case, 5 pin tumbler cylinder, and special keyway. Case-hardened steel shackle 5/16" dia. Shackle clearance: 15/16" vert., 3/4" horizontal. Dual hardened-steel levers lock each shackle leg independently. (Bodies also available without shackles installed to accept a range of optional long shackles.

ML21	Keyed Different	17.24
ML21KA	Keyed Alike	18.29
ML21W0	Lock w/o Cylinder	13.74
ML21LF	Extra Long 1 1/2" Shackle	18.94
ML21LJ	Extra Long 2 1/2" Shackle	19.34
ML21LN	Extra Long 5 3/4" Shackle	23.24
5/box	-	


NO.21 PADLOCKS WITH DIFFERENT CYLINDERS

Same 4-Pin Cylinder as Padlocks No. 1,2,3,4,5,6

ML21W1 Keyed Different 17.24

NO.27 PADLOCKS

2" (51mm) wide laminated steel body for superior strength. Commercial grade padlock features superior protection from drilling and prying. 1" (25mm) tall, 7/16" (11mm) diameter hardened boron alloy shackle for superior cut resistance. Dual locking levers provide extra pry resistance. Rekeyable, 5-pin W27 cylinder helps prevent picking



ML27	Keyed Different	23.62
ML27KA	Keyed Alike	24.67
ML27WO	Lock w/o Cylinder	19.62
ML27LH	Extra Length 2" Shackle	26.52

NO.27 PADLOCKS WITH DIFFERENT CYLINDERS

Same 4-Pin Cylinder as Padlocks No. 1,2,3,4,5,6 ML27W1 Keyed Different 23.62



No. 25 PADLOCKS

2" wide body; 3/8" case hardened steel shackle. Locks can be rekeyed if key is lost or stolen. Save money by replacing the cylinders instead of the entire lock.

ML25	Keyed Different	20.68
ML25KA	Keyed Alike	21.73
ML25W0	Lock w/o Cylinder	16.68
ML25LJ	Extra Length 2 1/2" Shackle	22.78
5/box	· ·	

NO. 25 PADLOCKS WITH DIFFERENT CYLINDERS

Same 4-pin Cylinder as Padlocks No. 1,2,3,4,5,6
ML25W1 Keyed Different 20.68

CALL US FOR YOUR KEYED-ALIKE MASTER LOCK REQUIREMENTS

REKEYABLE PADLOCKS - LAMINATED BRASS

High security brass rekeyables with an exclusive Master laminated design that is engineered to shrug off severe weather, salt air, and corrosive conditions. Rekeying feature allows updating protection easily and economically anytime security becomes doubtful due to lost keys, employee turnover and other such occurrences. Cylinders can be changed in just seconds; fully restoring protection on the spot. In addition, compatible cylinders with existing Master Lock pin tumbler systems and American 600 and 700 series pin tumbler padlocks are offered.

NO. 24 PADLOCKS

High security padlock with 1 3/4" wide brass case, removable 5 pin W27 cylinder and special keyway. Case hardened double-locking shackle (5/16" dia.)

ML24	Keyed Different	22.62
ML24KA	Keyed Alike	23.67
ML24W0	Lock w/o Cylinder	18.62
ML24LJ	Extra Long 2 1/2" Shackle	24.72



Same 4-Pin Cylinder as Padlocks No. 1,2,3,4,5,6

ML24KZW1 zero-bitted cylinder 22.62



www.acclock.com

MEDIUM SECURITY BRASS PADLOCKS



3/4" (20mm) wide corrosion-resistant solid brass case. Brass 3 pin tumbler locking mechanism. Rugged locking lever. Case-hardened steel shackle, diameter 5/32". Clearances: vertical 7/16", horizontal 3/8". Two nickel-plated brass keys.

ML120-D Keyed Different ML120KA Keyed Alike 4.56
One on a card, twelve in a shelf pack.



1 3/16" (30mm) wide corrosion-resistant solid brass case. Brass 4-pin tumbler locking mechanism. Rugged locking lever. Special limited-use keyway design for added security. Case-hardened steel shackle, diameter 3/16". Clearance: vertical 5/8", horizontal 9/16". Two nickel-plated brass keys.

ML130-D Keyed Different 5.22 ML130KA Keyed Alike 6.27 One on a card, six in a shelf pack.



1 9/16" (40mm) wide corrosion-resistant solid brass case. Brass 4 pin tumbler locking mechanism. Rugged locking lever. Special limited-use keyway design for added security. Case-hardened steel shackle, diameter 1/4". Clearance: vertical 7/8", horizontal 13/16". Two nickel-plated brass keys.

ML140-D Keyed Different 6.81
ML140KA Keyed Alike 7.86
One on a card, six in a shelf pack.



2" (50mm) wide corrosion-resistant solid brass case. Brass 5 pin tumbler locking mechanism. Rugged locking lever. Special limited-use keyway design for added security. Case-hardened steel shackle, diameter 9/32". Clearance: vertical 1", horizontal 1". Two nickel-plated brass keys.

ML150-D Keyed Different 11.03

One on a card, six in a shelf pack.




2 3/8" (60 mm) wide corrosion-resistant solid brass case. Brass 5 pin tumbler locking mechanism. Rugged locking lever. Special limited-use keyway design for added security. Case-hardened steel shackle, diameter 11/32". Clearance: vertical 1 1/8", horizontal 1 1/4". Two nickel-plated brass keys.

ML160-D Keyed Different 13.93

One on a card, six in a shelf pack.

RUST-OLEUM® CERTIFIED LAMINATED STEEL PADLOCKS

1 1/2" wide laminated steel case with bumper. Pin tumbler security. Chrome plated shackle. Lock body and shackle guaranteed not to rust. Dual steel levers lock both sides of case-hardened, 9/32" diameter steel shackle. Clearances: vertical 1 1/8", horizontal 3/5". Two brass keys, thousands of changes.





TITANIUM SERIES™ PADLOCKS

1 15/16" wide no-rust stainless steel body with integrated high impact ABS bumper. Pin tumbler, front access keyway with cover. Bolt cutter tough, shrouded, rotary, gear driven hardened steel shackle, 9/32" diameter. Shackle clearances: vertical 5/8", horizontal 5/8". Includes two keys with matching color keyheads.



2 5/16" wide no-rust stainless steel body with integrated high impact ABS bumper. Pin tumbler, front access keyway with cover. Shrouded, rotary, gear driven hardened steel shackle, 5/16" diameter. Shackle clearances: vertical 15/16", horizontal 3/4". Includes two keys with matching color keyheads.



ML185XD 15.13 ML187XD 18.17 ML185KA 15.60 ML187KA 18.72

Mastg

Accredited Lock Supply

www.acclock.com

TUMBLER LOCKS
 PADLOCKS

• Laminated • Marine • High Security


WEATHER TOUGH LAMINATED BRASS **PADLOCKS**

Commercial quality weather-tough laminated brass padlocks showcased in self-selling blister cards.

Laminated for strength; stronger than solid body locks. The brass body provides extreme resistance to salt, air, sleet, snow and corrosive conditions.

No. 8-D features a rugged nickel-plated locking lever and patented guard plate to resist picking and rapping. Two brass keys. Full 15 year padlock warranty. Display Carded 6/box.

ML2KA ML2-D ML2LF ML2LJ ML2LN	Keyed Alike Keyed Different Carded 1 1/2" 2 1/2" Steel Shackle 5 3/4" Steel Shackle	17.19 16.14 17.84 18.24 22.14
ML4KA	Keyed Alike	14.84
ML4-D	3/4" Shackle	13.79
ML4LF	1 1/2" Steel Shackle	15.49
ML4LFKA	Keyed Alike	16.54
ML4LH	2 1/2" Steel Shackle	16.69
ML4LHKA	Keyed Alike	17.74



ML6KA	Keyed Alike	21.10
ML6-D	Keyed Different Carded	20.05
ML6LF	1 1/2" Steel Shackle	21.75
ML6LJ	2 1/2" Steel Shackle	22.15
ML8KA	Keyed Alike	11.77
ML8-D	Keyed Different Carded	11.14
ML8LF	1 1/2" Steel Shackle	12.84
ML8LJ	2 1/2" Steel Shackle	13.24

SPEED DIAL COMBINATION PADLOCK



- World's first combination lock that opens on up/ down/left/right directional movements
- Anti-shim technology
- · Combination can be reset to any number of movements in any sequence
- 2" (51mm) wide metal body can be opened onehanded
- · Matching passcode indicators (letters, numbers, colors, shapes, symbols) included for added customization - simple apply over arrows
- · Hardened steel shackle



ML1500iD

13⁹³ Δ· 1/4" B: 1" C: 3/4"

4/shelf pack

HIGH SECURITY STEEL PADLOCKS

The Choice for Top Protection.



Premium protection at a popular price. Rugged 2" wide laminated steel case. Precision 5 pin tumbler mechanism. Superior double-locking system-exclusive dual steel levers independently lock each shackle leg, adding strength and guarding against shimming or rapping. Exclusive resilient bumper keeps padlock from marring or scratching. Erasable key change numbers can be removed for added security. Case-hardened alloy steel shackle, chrome plated, diameter 7/16". Clearance: vertical 1 1/8", horizontal 3/4". Cadmium rustproofing 2 brass keys, changes practically unlimited.

ML17KA ML17-DPF ML17LH	Keyed Alike Keyed Different Carded 2" Shackle Clearance	20.82 18.99 22.67
ML17DCOM 6/box	Keyed Different	19.77
U/ DUX		



Big and tough...recommended for high security uses. Powerful 2 1/2" laminated steel case, highly resistant to physical abuse. Precision 5 pin tumbler mechanism. Superior double-locking system - exclusive dual steel levers independently lock each shackle leg, adding strength and guarding against shimming or rapping. Exclusive resilient bumper keeps padlock from marring or scratching. Erasable key change numbers can be removed for added security. Case -hardened alloy steel shackle, chrome plated, diameter 7/16". Clearances: vertical 1", horizontal 1 3/16". Paracentric keyway, exclusive to no. 15 padlock only. Changes practically unlimited. Cadmium rustnroofing 2 new-style hrass keys

daumum rustproding. 2 new-style brass keys.			
ML15KA	Keyed Alike	27.77	
ML15-DPF	Keyed Different Carded	26.43	
ML15LH	2" Shackle Clearance	29.62	
ML15-DCOM	Keyed Different	26.72	
6/box	•		


LUGGAGE LOCKS

Set your own combination

- Corrosion Resistant Brass Plated Shackle
- Black Zinc Alloy

P/N

3/4" Wide 646D 646T Pair of 646D 1 1/4" Wide 647D



ML647D 9/16" 15/16" 3/16" **BACKPACK PADLOCKS**

- · Cool and colorful backpack, luggage briefcase and computer case protection
- Rugged die-cast construction
- 3-wheel resettable combination locking mechanism
- Contemporary colors provide a unique & fun look



ML1547DCM 6.98

Black case, chrome thumbpiece



www.acclock.com



4680-4687 COMBINATION LOCKS





46

- 3 dial set-your-own combination convenience
- Durable metal construction withstands abuse
- · Unique side window for easy combination viewing
- · Available in sleek black or stylish nickel
- 4687 has indicator that TSA has opened the lock

Shackle Diameter: 1/8" Shackle Vertical Clearance: 1/2" Shackle Horizontal Clearance: 3/4"

P/N	Finish	Retail
ML4680DBLK	Black	13.18
ML4680DNKL	Nickel	13.18
ML4687DNKL	Satin Nickel	13.45

Travel Sentry[™] certified luggage locks by Master Lock comply with airport security standards and are accepted by the Transportation Security Administration (TSA) screeners.

4681 KEYED LOCKS



- Solid brass body with durable plastic protective cover
- Handy twin pack is keyed alike
- Matching keyhead for added convenience
- Bright color provides easy luggage identification

Shackle Diameter: 3/32"

Shackle Vertical Clearance: 7/16" Shackle Horizontal Clearance: 9/16"

P/N	Finish	Retail
ML4681TBLK	Black	13.18
ML4681TBLR	Blue or Red	13.18

PASSWORD PLUS™ SET-YOUR-OWN COMBINATION LOCK

Best Used For:

School, Employee & Athletic Lockers, Indoor Storage Lockers and Cabinets

Product Features:

- Easy to set & reset use letters, numbers, symbols or mix them!
- Interchangeable, removable dials offer over 25 million personalized combinations
- 5 position combination allows for maximum customization
- Soft touch dials with 2 grip points for no-slip grip
- 2-1/2" (64mm) wide metal body for superior strength
- Hardened steel shackle for extra cut resistance Each package contains one lock

ML1534-D

12.51 ea lock

Set-Your-Own Combination One each of 4 dial colors per shelf pack: red, blue, black, white



Shackle Diameter: 1/4" Shackle Vertical Clearance: 1 1/8" Shackle Horizontal Clearance: 1 3/8"

SET-YOUR-OWN COMBINATION LOCK

Ideal for various applications in the home or at school, this sturdy padlock combines a punch of color with a cool design. The matte silver finish delivers a high-tech, modern look while colorful, rubberized accents provide a no-slip grip, making it a snap to secure lockers, tool chests, sheds and recreational/sports gear.


- 2" durable metal body withstands abuse
- 4 chrome-plated dials with set-your-own combination convenience.
- Modern design features a high-tech silver finish with colorful, soft-touch bottom and side grips.
- "Quick Read Combo" side window for easy viewing.
- Hardened steel shackle for extra cut resistance.



ML653D

Assortment of 4 colors per shelf pack **13.36 ea lock**

SOLID BODY LUGGAGE LOCKS



- · Solid body for style, strength & weatherabiility
- Chrome plated steel shackle for cut resistance
- Set-your-own combination convenience
- Resettable to allow for a personalized combination

643 has a 4-wheel combination

P/N	Shackle			Retail
	Horiz.Cl.	Vert.CI.	Diam	
ML620D	3/8"	7/8"	1/8"	6.59
ML630D	9/16"	1"	3/16"	7.66
ML643D	1"	7/8"	1/4"	9.72

KEYED MINI FUSION™ TSA PADLOCKS



- Allows TSA screeners to inspect and relock baggage, without damaging the lock
- 1" wide polished chrome upper body, satin metallic lower body
- Keyed alike multi packs are ideal for family travel
- · Matching Mini Fusion-style colored key head
- Bright colors simplify baggage identification

Shackle: 1/8" thick, 9/16" vert. clear., 7/16" horiz. clear.

ML4689T 2 pack of: blue, purple, pink, silver 10.40

ML4689Q4 pack of: blue, puple, pink, silver 19.44

Master Lock.

Accredited Lock Supply

www.acclock.com

PADLOCKS

Combination
 Deadbolt
 Long Shackle

COMBINATION PADLOCK

Keyless convenience. Smooth 3-number dialing. Strong double-wall construction-stainless steel outer case armors heavy wrought steel inner case. Permanently lubricated rust resistant inner working parts. Dial cannot be turned when shackle is under tension, safe-guarding



combination. Self-locking, automatically disarranging tumblers. Thousands of available combinations. Case width 1 7/8" in. Nickel-plated case-hardened steel swivel shackle; diameter 9/32" in. Clearance: vertical 3/4" in., horizontal 13/16" in. Black dial.

ML1500-D 7.24 Display Carded - 12/box **ML1500-T 13.03** 2/Card - 6 cards/box

RESETTABLE COMBINATION PADLOCKS



Instantly resettable to open at any personally programmed 4-digit combination. 10,000 possible settings! Exclusive positive action change key permits quick, easy resetting, whenever owner chooses. Once shackle is closed, automatic tamper guard of hardened steel blocks keyway - protects against tampering. Features corrosion-resistant solid brass case (except 178) and 5/16"thick plated case hardened steel shackle. Independent double locking shackle. Independent double locking shackle legs.

ML175-D 22.34 1" shackle clearance ML175LH-D 25.33 2 1/4" shackle clearance Display Carded-6/box

Key Override

 ML176
 24.74
 7/8" shackle clearance

 ML176LH
 27.64
 2 1/8" shackle clearance

Die-Cast

ML178BLK 14.39 1" Shackle clearance

Powder Coated Zinc High Security Dual Deadlocking ML878DCOM 15.83 1" Shackle clearance

Brass High Security Dual Deadlocking

ML975DCOM 24.57 1" Shackle clearance ML975DLHCOM 27.86 2" Shackle clearance

1500 SERIES WITH COLORED DIALS

ML1504D Red dial 7.24 each padlock ML1505D 7.24 each padlock Assorted: 1 Black, 1 Red, 1 Blue, 1 Purple

ML1506D Blue dial 7.24 each padlock

ML1530DCM
7.24 each padlock
Assortment of X-treme™ combination locks with
anodized aluminum covers: 1 each Metallic Red, Blue,
Green Purple

PROSERIES

Resettable Combination Locks



Enhanced resettable combination locks with greater convenience, security and weather resistance.

Greater convenience:

- 10,000 possible combinations
- Large, ergonomic dials permit operation in low light and even complete darkness
- Easily reset -no tool required

Superior security protects property:

• Dead locking octagonal boron-carbide shackle protects against cut, pry, shim and rap attacks

Extreme weather resistance for longterm, trouble-free operation:

 Shackle seal and dial dust cover protect internal components and dials from the elements

ML1174 Stainless Steel, 1 3/32" 37.10 round stainless steel shackle ML1175 Brass, 1 1/16" octagonal 26.81 boron-carbide shackle 2 1/16" Shackle 2 3/32" Stainless Steel 30.40 ML1175LH ML1175LHSS 31.07 Shackle ML1177 2 1/4" wide shrouded 30.32 brass body ML1178 Die Cast, 1 1/16" octagonal 15.25

boron-carbide shackle

4/shelf pack

HIGH SECURITY DEADBOLT PADLOCK





201

World's strongest combination padlock-based on pull, shear, twist and wedge comparison tests. No. 2001 more than doubles combination lock strength and security. Hardened boron-alloy shackle resists cutting and prying. Dual ball-bearing deadbolt locks both shackle legs. Reinforced stainless steel outer case surrounds massive die-cast zinc inner case. Fully recessed dial resists prying and knock-off. Smooth 3-number dialing. Self-locking, automatically disarranging tumblers, and dial spin-off. Combination can't be "felt out". Case width 23/16" in. Shackle diameter 5/16 in.; clearances: vertical 1 in., horizontal 15/16" in. Black dial. Lifetime warranty.

ML2002 22.76 ML2010 w/key 25.99

COMBINATION PADLOCK W/KEY BYPASS



Keyless convenience - smooth 3-number dialing. Self-locking, automatically disarranging tumblers, and dial spin-off. Stainless-steel case with double-wall construction. Nickel-plated steel shackle. Patented dialing marker.

No. 1525 has control-key mechanism-authorized person has access to all lockers. (Order Control Keys separately.) installation record maintained at factory, permitting extension of system under same key.

ML1525 Combination Padlock 9.13 MLK1525-VXXX Control Key (XXX=code) 3.99

3-LETTER COMBINATION PADLOCK

Optional color dials: Blue, Purple, Green, Gold, Red, Orange, Grev.





- Letter Lock™ Popular combination lock with easy to dial and remember 3-letter combinations
- Easy to remember phrase included with each padlock for additional convenience
- 1-7/8" wide double-reinforced stainless steel body
- 3/4" tall, hardened steel shackle for extra cut resistance

ML1573 3-Letter Combination Padlock 7.25
ML1572 Includes Combination Chart 7.25
ML1585 Key Control-incl.Comb.Chart 9.13



www.acclock.com

SOLID STEEL BODY REKEYABLE PADLOCKS LAMINATED STEEL WARDED KEY PADLOCK

HIGH SECURITY REKEYABLE PADLOCKS - DIE CAST BODY



Now-tougher round locks-from MASTER. Exclusive patented cylinder guard delivers maximum rap hammer resistance. For updating security instantly, rekeyable feature permits fast cylinder replacement whenever existing protection is compromised due to loss of keys, or turnover in personnel. Convenient replaceable shackle provision allows you to refit padlocks with extra length shackles providing 2" vertical clearance. Both cylinders and shackle can replaced quickly, easily, by using only a simple hex wrench.

MASTER tough security rekeyable round padlock with 5 pin tumbler W27 cylinder. Replaceable case-hardened shackle 7/16" diameter. Shackle clearance 1" vertical, 3/4" horizontal. Dual hardened-steel balls lock each shackle leg independently. Rust resistant. Triple plated copper-nickel-chrome finish.

ML220-DPF	Keyed Different Carded	24.88
ML220KA	Keyed Alike	25.93
ML220LH	Extra Long 2" - Shackle	27.78
2 1/2" ML230-DPF ML230KA ML230LH 6/box	Keyed Different-Carded Keyed Alike Extra Long 2" Shackle	28.85 29.90 31.75

MASTER tough security rekeyable round padlock with 2 1/2" wide case and 5 pin tumbler W27 cylinder. Replaceable case-hardened alloy-steel shackle 7/16" diameter. Shackle clearance 1" vertical, 15/16" horizontal. Dual hardened-steel balls lock each shackle leg independently. Rust resistant. Triple plated copper-nickel-chrome finish.

WARDED KEY PADLOCK - LAMINATED STEEL

One on a card; 12 per shelf pack.



MASTER's smallest laminated padlock. Warded locking mechanism 3/4" wide steel case. Cadmium rustproofing. Self-locking steel swivel shackle, nickel-plated, diameter 1/8". Clearance: vertical 5/16", horizontal 1/4". Two nickel-plated keys.

ML9-D Keyed Different Carded 2.88



1/8" wide laminated steel case. Warded locking mechanism. Patented crowned locking lever. Cadmium rustproofing. Self-locking steel swivel shackle, nickel-plated, diameter 3/16". Clearances: vertical 1/2", horizontal 1/2". Two nickel-plated steel keys, 105 changes.

ML105KA	Keyed Alike	4.73
ML105-D	Keyed Different Carded	3.83



1 3/4" wide laminated steel case. Multi-spring warded locking mechanism. Cadmium rustproofing. Self-locking steel swivel shackle, nickel-plated, diameter 9/32". Clearances: vertical 13/16", horizontal 13/16". Two nickel-plated steel keys, 60 changes.

ML500KA	Keyed Alike	5.69
MEJUUKA	Neyeu Alike	0.09
MI 500-D	Keved Different Carded	4.82



MASTER "RATCHET"

1 3/4" wide laminated steel case. Warded locking mechanism. Patented crowned locking lever. Cadmium rustproofing. Adjustable and removable 3" shackle, cadmium-plated, diameter 9/32". Clearances: vertical 5/8" to 2", horizontal 13/16". Two nickel-plated steel keys, 36 changes.

ML510KA	Keyed Alike	8.42
ML510-D	Keyed Different Carded	7.59



1" wide laminated steel case. Warded locking mechanism. Patented crowned locking lever. Cadmium rustproofing. Self-locking steel swivel shackle, nickel-plated, diameter 5/32". Clearances: vertical 7/16", horizontal 3/8". two nickel-plated steel keys, 18 changes.

ML10KA Keyed Alike 3.93 ML10-D Keyed Different Card 3.00



1 1/2" wide laminated steel case. Multi-spring warded locking mechanism. Cadmium rustproofing. Self-locking steel swivel shackle, nickel-plated, diameter 1/4". Clearances: vertical 5/8", horizontal 9/16". Two nickel-plated steel keys, 40 changes.

ML22KA
ML22-DKeyed Alike4.90ML22-DKeyed Different Carded4.00ML22TKeyed Different 2/Card-6/box7.21

Master Lock.

Accredited Lock Supply

LONG SHACKLE PADLOCKS

www.acclock.com

2" COVERED ADJUSTABLE SHACKLE

2" wide corrosion resistant solid brass body padlock encased in a vinyl cover. 4-pin tumbler cylinder and rugged locking lever. Case hardened, covered steel shackle measures 5/16" in diameter. Clearances: vertical range 2 17/32"-5 15/16"; horizontal 1/32". Keys are nickel plated brass and feature matching keyhead covers.

BRASS PADLOCK




15.15



WARDED LONG-SHACKLE PADLOCKS

Great for freezer lockers, tool cribs, gates and many other applications. 6/box

Adjustable and removable 9/32" diameter steel shackle: ratchet action provides vertical clearances from 2 3/4" to 5 3/8". Horizontal clearance 13/16". Laminated steel case 13/4" wide; cadmium rustproofing. Multispring locking mechanism. Two nickel plated steel keys; 36 changes.



LONG SHACKLE PADLOCK



Keyless convenience. Smooth, 3 number dialing. 1 7/8" wide stainless steel outer case over heavy rust resistant steel inner case. Vinyl-coated adjustable and removable steel shackle, diameter 9/32". Clearances: vertical 4 1/4" to 4 3/4" horizontal 13/16" to 1 1/16". Automatic double-acting locking latch. Practically unlimited combinations.

ML1517 12.23 6/box

CABLE LOCK

BICYCLE LOCKS

Cable lock. Precision 4-pin tumbler mechanism. 1 1/8" wide laminated steel case. Vinyl coated 7/32" diameter flexible steel cable is an integral part of the lock. Pair of brass keys included. ML719D 3ft. Cable Lock 12.21 One on a card, six in a shelf pack.

ML719KA Keyed Alike 13.26



HARDENED STEEL CHAINS

- Hardened steel chain is reinforced with boron and titanium
- Hexagonal shape increases the cross section - 30,000 lbs. cut strength
- Black nylon sleeve protects equipment



ML43DPF 5'6" 121.94



BARREL COMBINATION LOCK

Flexible steel security at a budget price. Barrel combination lock, flexible 3 ft. chrome-plated welded steel chain, deluxe, all-weather sleeve. Opened by setting wheels to "secret" 4 digit number.

ML8147DSG 4ft. Chain Lock, Red Steeve 6.55



STEEL CABLE

Flexible multi-stranded self-coiling steel cable easily stretches out to full 6 ft. length. When released, cable automatically retracts into neat, compact 3 in. coil. Coated to 1/4" diameter with protective clear vinyl to help prevent scratching or marring. Generous-sized end loops securely fastened by wedged clamps designed for over 2.500 lbs. pull strength.

ML65-D 6.81

CABLES & CHAIN

Protects bikes, lawnmowers, snowblowers, and grills.



CRIMEFIGHTER CABLES

Easy-to-coil multi-stranded steel cable clear vinyl-coated to 1/4" diameter.

ML67D 6 ft. Cable 6.50



CHAINS

3/16" lightweight welded steel chain. Case-hardened, zinc plated. Flexible vinyl protective cover.

ML73D 3 ft. Chain 7.74 12/box

Display Bagged



www.acclock.com

BICYCLE LOCKS

MASTER "SECURITY WITH STYLE" HIGH-TECH STYLED BICYCLE LOCKS

An exclusive, exciting bike security line that sells on sight. Smart contemporary lock complements today's selling bike styles. Extra long chains and cables offer the convenience bike users ask for most often. Range of price points covers the security needs of all ages.

"Security with Style" locks are compact and lightweight for easy carrying. Vinyl and rubber clad to protect bike finish. Choice of dial or barrel combination locks.

Dramatic new packaging reinforces contemporary high-tech look. Card sizes provide easy programming.

Display Carded 6/box.



Four-wheel barrel combination lock. Extra-long, extra-tough, self-coiling 4-ft. steel cable; 3/16" diameter. Vinyl coating protects bike finish

ML8143DSG 6.02



KEYED CABLE LOCK

- Integrated keyed locking mechanism
- Flexible steel cable for strong cut resistance
- Protective coating helps prevent scratching Carded, 4/shelf pack

ML8109D 5ft. 5/16" diam. 13.26

CABLE WITH LOOPS

3/8" diameter, braided steel cable with loops. Steel wires for strength and flexibility. Galvanized steel cable and protective sleeves for superior rust resistance. Vinyl coating to help prevent scratching

ML72DPF 15 ft. Cable 20.91 4/master carton ML78DPF 6 ft. Cable 10.59 4/shelf pack

ML85DPF 4 ft. Cable 9.25

4/shelf pack



8119DPF

RESETTABLE COMBINATION CABLE LOCK

3/8" diameter, 5' long, braided steel cable with resettable combination. Personalize with your easy to remember code. Vinyl coating to help prevent scratching.

ML8119DPF 16.70



- 8 1/4" wide steel lock body
- Double locking shackle withstands 3.5 tons of pull
- 7 pin tumbler for extreme pick resistance
- Carrier bracket included

ML8184D



27.38

YOUR OWN WORD COMBINATION CABLE **LOCK - 5 DIAL**

6ft (1.8m) Long x 3/8in (10mm) Diameter Set ML8220D



SET-YOUR-OWN COMBINATION LOCK

- Combination locking mechanism for convenience
- Flexible steel cable for strong cut resistance
- Protective coating helps prevent scratching

ML8114D 5ft, 5/16" Diam.



CABLE/LOCK SET



6 ft. self-coiling cable and covered solid brass padlock.

11.88

Cable: 1/4" diameter Padlock: 1/4" steel shackle

ML614DAT Cable/Padlock

Master

Accredited Lock Supply

www.acclock.com

SHROUDED PADLOCKS

- · EXtra security, EXtra strong
- Fully shrouded body for additional pry and cut resistance
- Laminated steel body for superior strength
- Hardened steel shackle on 1DEX and 3DEX
- Standard steel shackle on 7DEX
- 4-pin cylinder helps prevent picking



P/N	Description	Diameter	Shackle Vertical Cl.	Horizontal CI.	Price
ML1DEX	1 3/4" wide body	5/16"	13/16"	25/32"	12.97
ML3DEX	1 9/16" wide body	9/32"	3/4"	5/8"	12.12

DUAL FUNCTION SECURITY BAR

Use on hinged or sliding doors. When used on hinged doors, a pivoting ball joint and padded foot assure full contact with the floor without scratching. In sliding door applications, a removable pin releases the yoke end to allow firm seating between the door and the jamb. Constructed of rugged 20-gauge steel and guaranteed for life, this versatile security bar is fully adjustable to fit most standard doors.


ML265DCCSEN

2673

security bar is it most standard

HASPLOCKS

The first hasplock which provides the maximum protection of precision 4 pin tumbler security! Ideal for garage doors, tool and equipment sheds, cabins, washrooms, boat houses, trucks, warehouses, etc. Rugged 1 3/4" wide laminated steel padlock permanently attached to heavy-duty slide bolt and 4 1/2" wrought steel hasp... can't be misplaced, lost or stolen. Easy to install-works on doors opening right or left. Unique pinless hinge. Extra strong rounded staple of hardened steel. Tapered design, with rolled edges to conceal screws. Cadmium rust-proofing. Specially inked serial number, erasable for added protection. Complete with 7 cadmium - plated screws. 2 brass keys, changes practically unlimited.



Individually packaged for use on pegboards or in counter displays. Six in a shelf pack.

WARDED HASPLOCK

Warded security in a laminated steel hasp-lock. Combines sturdy 4 1/2" steel hasp, heavy slide bolt, and 1 3/4" wide laminated steel padlock-all in one handy unit. Works on doors opening either right or left. Powerful pinless hinge. Extra-strong rounded staple of hardened steel. Tapered design, with rolled edges to conceal screws. Cadmium-plated screws. 2 nickel-plated steel keys, 60 changes.

Individually packaged for use on pegboards or in counter displays. Six in a shelf pack.



ML450-D

14.22 Keyed Differently

CIRCULAR SHIELDED LOCK

Features Master's unique design which minimizes shackle exposure and decreases vulnerability to cutting and sawing. Disc-shaped 2 3/4" dia. lock body repels forced attack. Two interior anti-saw levers deter cutting. Stainless steel lock body resists corrosion. Hardenedsteel shackle withstands crowbar attacks. Features pin tumbler lock with double-locking deadbolt action.

Thickness: 1". Shackle Diameter: 3/8". Blister-carded; 6 per shelf pack.

ML40-DPF 16.23 ML40KADPF 17.30



SHACKELESS ROUND SOLID STEEL PADLOCK & HASP SYSTEM

Solid steel hasp for use with 6270 padlock.

9" x 4 1/2"

12/master carton

ML770D 27.57

- Case hardened steel body
- 6 pin W7000 cylinder
- 2 7/8" body

12/master carton

ML6270 42.41 ML6270KA 43.46 ML6270KZ 42.41

- Reinforced die cast body
- 6 pin W7000 cylinder
- 2 7/8" body

12/master carton

ML6271 33.20 ML6271KA 34.25 ML6271KZ 33.20







www.acclock.com

SAFETY LOCKOUT

BLUETOOTH PADLOCKS

SAFETY LOCKOUT

Ensure worker protection for electric, gas, water, steam, acid, pneumatic and machine systems.

Designed to comply with OSHA standard 1910.213(b5) and all ANSI safety standards.



Safety Lockouts

High-tensile steel provides extra protection against unauthorized access. Vinyl-coated and plated to resist rust. Accommodates 6 padlocks.

Color-Coded Pin Tumbler Padlocks

No. 3 Padlock. Case-hardened steel shackle. Laminated steel body. Shackle diameter: 9/32". Body width: 1 1/2". Shackle clearance: 3/4" (vertical); 5/8" (horizontal).

Lock options: keyed-differently, keyed-alike, reserved-keyway, masterkeyed and rekeyable cylinders.

Bumper colors provide easy visual identification and coding by department or work team.

Solid Brass I.D. Tags

Durable brass tags, 1 $3/4^{"}$ long, 1/2" wide, enable instant identification of the assigned padlock user. Names and numbers can be inscribed, stamped or painted on tags.

LOCKOUT STARTER KITS

420 LOCKOUT

Jaws: 1" Inside diameter. Accepts shackles up to 11/32" diameter. 12 per box.

421 LOCKOUT

Jaws: 1 1/2" inside diameter. Accepts shackles up to 11/32" diameter. 12 per box.

SMALL ASSORTMENT Features two 420 Lockouts, six padlocks (one each of all six colors, and sixtags and collars.

ML1220DSPL

ML420 ML421

₉₉ 69

75⁷⁰

LIGHTWEIGHT SAFETY LOCKOUT PADLOCKS



- Durable, lightweight, non-conductive Xenoy® lock body
- Customize on-site with permanent, write-on labels
- Compliance with OSHA "one employee, one lock, one key" directive
- High security, reserved-for-safety cylinder over 100,000 key changes
- Key retaining ensures that padlocks are not left unlocked
- Photo I.D. labels, laser engraving and key charting services available

ML410 Xenoy Safety Padlock. Short body in choice of 8 colors. 1/4" dia. shackle. 1
 1/2" high clearance. Includes labels in English, Spanish and French. Key Retaining. 14.65
 ML411 Xenoy Safety Padlock. Tall body in choice of 8 colors. 1/4" dia. shackle. 1 1/2" high clearance. Includes bilingual labels in English/Spanish and English/French. Key Retaining. 16.20

Also available in 3" high shackle

Colors available: red, yellow, green, blue, orange, black, teal, purple

BLUETOOTH® SMART PADLOCKS Your Smartphone is the Key

The Master Lock Bluetooth Padlock features a shackle made of boron alloy, offering maximum resistance to cutting and sawing. The smartphone/app interface offers speed, ease of use, & greater control with the ability to share access; with keyless convenience. The locking mechanism features anti-shim technology, offering maximum security. The 1 Year Limited Warranty provides peace of mind from a brand you can trust.

O Plastor

ML4400D

Product Features

- Use your smartphone to open your lock with the free Master Lock Vault eLocks app
- Never worry about a forgotten combination!
- · Share access with others temporary or permanent
- Share 24/7 access or limit to days or nights
- Monitor access history & receive tamper alerts
- Backup access using directional code on lock keypad
 Low battery notification & reminder on padlock and in app
- Comes with easy to replace CR2450 battery
- Battery jump allows for temporary access if battery dies while locked
- · Locker Mode setting allows for storage inside a locker

P/N	Width	Shackle			Retail
		Horiz.Cl.	Vert.CI.	Diam	
ML4400D	_	13/16"	7/8"	9/32"	70.00
ML4401DLH	2 7/32"	15/16"	2"	11/32"	89.00



ML4401DLH

Mastg

Accredited Lock Supply

www.acclock.com

SECURITY HASPS PADLOCK EYES

OUTBOARD MOTOR LOCKS

PADLOCK EYES



Simple, secure way to attach a padlock. Hard-wrought 1/8" steel, cadmium rust resistant. Width 2 1/8". Hole size 3/4" x 5/8". Recessed screw seatings. Complete with 6 screws.

ML60

One pair in a box, 12 pairs in a shelf pack.



Same as No. 60 except eye is formed at right angle. Complete with 4 unslotted bolts and nuts.

ML60-R 3.75

One pair in a box, 6 pairs in a shelf pack.

SECURITY HASPS



Rugged modern security hasps that match the superior construction of MASTER padlocks. Patented design. Heavy hard-wrought steel, ribbed for maximum strength. Tapered design, with rolled edges to conceal screws and prevent prying. Exclusive pinless hinge for added security. Cadmium rustproofing. Extra-strong rounded staple of hardened steel. Complete with 7 screws.

ML702D	1 1/2" hasp length	3.78
ML703D	3 1/2" hasp length	4.47
ML704DPF	4 1/2" hasp length	5.56
One on a card	, 12 in a shelf pack.	



HEAVY-DUTY SECURITY HASP

Powerful 6" hardened steel super security hasp, with reinforced hinge. Made especially for big padlocks, such as the Master Nos. 19 and 15. Tapered design, with rolled edges to conceal screws and prevent prying. Ribbed for maximum strength. Cadmium rust-proofing. Extra-strong rounded staple of hardened alloy steel, reinforced by hardened steel locking plate to resist tons of pull. Complete with 7 mounting screws plus reinforcing bolt for added strength when needed.

One on a card, 6 in a shelf pack. 6" hasp length

ML706D

HIGH SECURITY HASPS - SPECIAL APPLICATION

Single and double hinged designs are ideal to fit most corners and angles to secure hard-to-lock property. Recommended for use with Master Lock medium and high security padlocks.

- · Heavy gauge hardened steel protects against cutting and sawing.
- Hardened Boron Alloy staple withstands up to 8 tons (Model 721) of cutting force.
- Rolled edges protect against prying and conceal mounting screws
- Hinge pins are hidden and are virtually impossible to remove



720




722

P/N	Length	Max.Shackle	Design	Hasp Material	Staple Material	Price
		Diam.				
ML720DPF	6.75"	7/16"	Single Hinge	Hardened Steel	Hardened Boron Alloy	10.43
ML722DPF	7.75"	7/16"	Double Hinge	Hardened Steel	Hardened Boron Alloy	11.86

HEAVY DUTY HASPS

- Zinc plated hardened steel for added strength and weatherability
- Hardened steel staple resists cutting, sawing and hammering
- Hasp body conceals mounting hardware
- Mounting hardware included for easy installation
- Ideal for utility vans, trailers, gang boxes, vending machines
- Recommend use with 970 shackleless lock for maximum security







n Motorial	Ctonio Motoriol	Drico
p Material	Staple Material	Price
lened Steel	Hardened Steel	10.93

engtn	Max.Snackie	Design	Hasp Material	Stapie Materiai	Price
	Diam.				
1/4"	7/16"	Straight	Hardened Steel	Hardened Steel	10.93
.3/16"	7/16"	90º Angle Brkt	Hardened Steel	Hardened Steel	10.49
3/4"	7/16"	90º Angle Bar	Hardened Steel	Hardened Steel	12.29
	1/4" 3/16"	Diam. 1/4" 7/16" 3/16" 7/16"	Diam. 1/4" 7/16" Straight 3/16" 7/16" 90° Angle Brkt	Diam. Straight Hardened Steel 3/16" 7/16" 90° Angle Brkt Hardened Steel	Diam. 1/4" 7/16" Straight Hardened Steel Hardened Steel 3/16" 7/16" 90° Angle Brkt Hardened Steel Hardened Steel

MAGNETIC KEYCASE



- · Case fits most keys even keys with integrated fob
- Rust-free, durable plastic construction
- · Recessed magnet securely attaches and holds to any steel surface
- Improved sliding cover design with built-in stop to prevent cover from being dropped or misplaced
- New discreet design to conceal your keys
- 4 11/16"L x 2"W x 1 3/16"H

ML207-D 2.53 4 in a shelf pack.

REKEYING PARTS KIT



Ideal for installations where rekeying is an on-going program. Equips security personnel for complete repinning of MASTER rekeyable padlocks. Kit contains 3400 regular and master pins, 200 springs, plus assorted locking nuts, retainer plates, assembly tool, key gage and wrenches...all in a partitioned storage case 11 3/4" x 8" x 2", with built-in parts chart.

ML291 87.99



www.acclock.com

WEATHER PROOF PADLOCKS PADLOCK CHAINS

• LOCKER LOCKS

PADLOCK CHAINS, SHACKLE COLLARS AND IDENTIFICATION TAG

For chain attachment using collars, order components listed below.

All items supplied in polybags of 12.

CHAINS



No. ML71CS Qty. 12 Price/Pkg.21.84 Description: 9" lightweight zinc-plated steel chain with holder attached. Fits all Master shackle collars (order separately to fit specific locks; see "Collars").......

Price/Pkg. 32.09 No MI 71CH Qty.12 Description: 9" length heavy duty zinc-plated steel chain with chain holder attached. Fits all Master shackle collars EXCEPT 71SC7. (Order shackle collars separately to fit specific locks; see Collars")......

COLLARS



No.ML71SC7 Qtv.12 Price/Pkg.11.94 Description: For 7/32" dia. shackles and smaller. Fits Master padlock Nos. 7, 7LF, 7LJ, 8, 8LF, 44, 105, 105LF.....

No. ML71SC8 Qtv.12 Price/Pkg.11.94 Description: For 1/4" dia. shackles and smaller. Fits Master padlock Nos. 22, 22LF, 55, 66, 77, 77LF, 77LJ.....

Price/Pkg.11.94 No.MI 71SC9 Qty. 12 Description: For 9/32" dia. shackles and smaller. Fits Master padlock Nos. 3, 3LF, 3LH, 4, 4LF,4LH, 500, 500LF, 1500, 1500LF, 1500LH, 1525.....

Price/Pkg. 11.94 No. ML71SC10 Qty.12 Description: For 5/16" dia. shackles and smaller. Fits Master padlock Nos. 1, 1LF, 1LJ, 1LN, 2, 2LF, 2LJ, 21, 21LF, 21LJ, 21LN, 81, 81LF, 81LJ, 81LN, 82, 82LF, 82LJ......

No. ML71SC12 Qty.12 Price/Pkg. 11.94 Description: For 3/8" dia. shackles and smaller. Fits Master padlock Nos. 5, 5LF, 5LJ, 6, 6LF, 6LJ......

Price/Pkg. 11.94 No. ML71SC14 Qtv.12 Description: For 7/16" dia. shackles and smaller. Fits Master padlock Nos. 15, 17, 220, 220LH, 230, 230LH, 27, 27LH, 29LH, 29LH-W0.....

IDENTIFICATION TAG



No. ML71TAG Qty.12 Price/Pkg.18.96 Description: 1/2" x 1 3/4" brass tag for attaching to Master shackle collars (order collars separately to fit specific locks; see "Collars")....

MULTI-USER BUILT-IN LOCKER LOCKS

- · Allows a locker user to set their own temporary 3-digit combination for the duration of visit
- Designed for standard, lift handle lockers with hinges on the right
- Manual spring locking
- · Solid zinc housing provides durability for multiple uses on a daily basis
- · Secure, easy to use resettable combination lock offers up to 1,000 different combinations
- Control key for supervisory access; specify key to match existing system or factory assigned
- · Extension kit available for use on wooden doors with a thickness of 11/16" to 3/4"

No.ML3630 91.26

Description: For standard lift handle lockers with hinges on the right. Vertical lift bolt. 1/4" diameter mounting holes required. Standard 3 hole spacing.

No. ML3631 91.26

Description: For standard lift handle lockers with hinges on the left. Vertical lift bolt. 1/4" diameter mounting holes required. Standard 3 hole spacing.

No.ML3670 91.26

Description: For turn handle, lift handle and single point latch/box horizontal latch lockers with hinges on the right. Horizontal retracting bolt. 1/4" diameter mounting holes required. Standard 3 hole spacing

LOCKER LOCKS 50 locks per master carton.

Five pin tumbler mechanism-endorsed by lock experts as the safest, most dependable type of key security. Unique keyway, thousands of changes. Hard-wrought steel case and inner parts rust resistant. Can be installed on right hand or left hand doors with standard locker piercing. Two embossed brass keys, two case-hardened unslotted bolts, and two "kep" nuts with each lock. Wide range of master-keyed systems-tailored to specific requirements. Available for group-keyed installations with 4 to 7 persons having access to the same fulllength locker as well as to individual box lockers (add suffix "GK" to number). Key removable only in locked position. Available on request with key removable in both locked and unlocked positions. To order, specify with suffix "R" (example: 1710R, 1714MK-R).

BUILT-IN KEY LOCKS PIN TUMBLER SECURITY



der Lock

For steel lockers with handles and vertical locking rods; can also be used on box lockers. Solid locking bolt 3/4" x 1/4" . with 5/16" throw.

ML1710MK Master Keved 18.22 MĽ1710KA Keyed Alike 13.68

Spring Bolt Cylinder Lock

For box lockers. Locks automatically when door is closed. Solid locking bolt, 3/4" x 1/4"., with 5/16" throw.

ML1714MK Master Keyed 18.22

WEATHER COVERED PADLOCKS

1 1/2" wide laminated steel body encased in a high performance thermoplastic cover. 4 pin tumbler cylinder and dual locking steel levers for pick and pry resistance. Shackle is case hardened, measuring 1 1/8" long with a 9/32" diameter. Insert molded shackle cover provides protection against the elements.

Shackle clearances: vertical 1".horizontal 1/2". Kevs are nickel plated brass and feature colored covers that match body colors. Two keys are provided per lock except 3 packs that include a total of 3 keys. Carded, 4/shelf pack

-		-
ML311D	Black	12.11
ML311TRI	Black, 3 pack	26.65
ML312D	Blue	12.11
ML312TRI	Blue, 3 pack	26.65
ML313D	Green	10.78
ML315DLH	Yellow 2" Shackle	15.09
ML317DSPT	Camouflage	14.12



- Exciting, colorful outdoor protection
- · High-tech thermoplastic shell designed to withstand the elements
- 1 9/16" wide laminated steel body for superior strength
- · Hardened steel shackle with molded cover
- Matching colored keyhead for added convenience
- Ideal for all outdoor applications



www.acclock.com

SELECT ACCESS™

Key Storage Locks

Securely store keys to the home, car and other property, and authorize access to the select few. Each model has a large storage compartment that hold over 5 keys. The solid, reinforced zinc bodies withstand the harshest elements and physical attacks for years of dependable use. With the four dial, set-your-own combination feature, your customer can select a code that is easy to remember.

ML5400-D	Portable Key Storage Product	39.
ML5401-D	Wall Mount Key Storage Product	37.

 ML1280SHK
 Counter Display w/6 No. 5400D
 237.78

 ML1280MNT
 Counter Display w/6 No. 5401D
 222.96

Available in Counter Displays Containing 6 Locks 39.63 37.16




5401

CARABINERS

Offer your customers a great accessory - these brightly colored and durable carabiners provide a simple and convenient way to hold key rings, small tools and sporting gear.

4 vibrant, translucent colors - red, green, blue and purple. 3" long.





ML603D Carded, 1/card

2⁴³

ML1273CARSM

Display w/40 pcs asst. colors Each Caribiner is tagged w/UPC label Display comes with a plastic cover



7212

RETRACTABLE CABLE LOCKS

Light enough to carry anywhere yu go and perfect for deterring would-be snatch-and-grab thieves. Ideal for attaching a purse, briefcase, luggage, sports bag, skis, helmet or inline skates to virtually anything, keeping your belongings secured where you left them.

Available in assortments fo four translucent colors: red, blue, green and clear. 3 digit combinations.

- Set your own combination for personalization and easy recall
- Cable retraction for a tight fit around objects
- Vinyl coated cable to prevent scratching
- Push button retraction for easy cable recoiling

ML4603D 24" x 1/16" cable **12.72 ML4605D** 36" x 3/32 cable **14.61**

Both numbers come 4/pack, in 4 colors





NEW! PUSHBUTTON STORAGE

For 5422D Portable Product

5400

Shackle Diameter: 13/32" Shackle Vertical Clearance: 1 5/6" Shackle Horizontal Clearance: 1 13/32"





• Convenient push button locking mechanism in familiar alpha / numeric telephone keypad format

- Set your own combination using up to 12 letters, numbers, or both
- Large buttons for ease of use, even in low light conditions
- 3-1/8" wide durable metal construction

ML5422D Portable Key Storage Product 42.10 ML5423D Wall Mount Key Storage Product 39.47

THE TRANSLUCENT SERIES

This front keyway padlock offers convenience and security in unique styles and shapes. The Translucent Series provides strength and versatility for use both indoors and out. The ball bearing locking mechanism ensures durability and pull resistance. The shrouded hardened steel shackle deters cutting and the chrome plated zinc body prevents red rusting.

A two-position adjustable shackle on the 194D allows for added application flexibility. Matching colored key covers make identification quick and easy.



10

- Front access keyway for ease of use.
- Shrouded hardened steel shackle for protection against cutting
- Chrome plated zinc body for strength and durability
- Matching covered key heads for easy identification
- Adjustable two-position shackle on the 193 for application flexibility

192 comes in a shelf pack of 4 pcs: 1 each of red, blue, green and purple.

P/N				
	Diam.	Vert.CI.	Hor.Cl.	Price
ML192D	1/4"	5/8"	3/4"	9.84
ML194D	1/4"	5/8"-1 1/2	3/4"	12.28



441



www.acclock.com

streetsmart security™

Street Cuff® - Street Links®

- Compact and lightweight easily fit in cargo areas
- 3" cuffs fit fork legs or frames; can be secured to sign posts, parking meters or another bike
- Push button keyless locking convenience
- Heat treated patented lock core is virtually pick proof
- Pivoting action combined with 22" length provides lockdown versatility



8290DPS: Hardened chrome plated steel resists cutting or prying. Folds in half for convenient storage. **70.34**

Disc Brake Locks

2" with Reminder Cord



ML8303DPS **206**6

3" with Reminder Cord and Carrying Case



Quantum 20™ Cable Lock

- 5' braided steel cable
- High security cable is vinyl coated
- Looped (1)cable end for increased versatility
- Integrated mini-U lock for enhanced security
- 7 pin anti-drill tubular lock cylinder

ML8156DPS

61⁹⁸



Quantum 20™ Cable Lock

- Hardened steel sleeve -1 3/16" OD
- 6' vinyl coated steel braided cable
- 7 pin anti-drill tubular lock cylinder
- Vinyl coating prevents scratches

ML8218DPS

36¹⁷

STEERING WHEEL LOCKS





· Locks steering wheel to brake pedal

Mini Me U-Lock

- 9/16" U-lock shackle
- Hardened shackle
- 7 pin anti-drill tubular cylinder
- Vinyl coated

ML8118DPF

24²⁵



Set Your Own Combination Computer Lock

- Secure any laptop, netbook, monitor or projector with a built-in lock slot
- Durable metal construction for security
- Strong ultra portable self coiling cable extends from 3 inches to 6 feet
- Ergonomic dial spacing with trusted locking mechanism allows for quick, easy dial movement and easy to use configuration
- High contrast numbers/letters are easy to read with red viewing window for easy viewing & resetting
- Easy to Use Set Your Own Combination 10,000 combination possibilities for ultimate personalization

ML2120D Numeric 28.90 ML2120DWD Word 28.90



Python Adjustable Locking Cable



Python™ Adjustable Locking Cable secures anything within its grasp. It's the only locking cable that is always the right length for your application. This exclusive, patented product holds the flexible steel cable tight at any position for infinite possiblities.

- Infinite Locking Positions
- Application Flexibility
- Rekeyable Cylinder
- Cut ResistanceWeather Tough
- Scratch Resistant

Python Assemblies & Components

P/N	Desc	Price
ML8412D	12' Cable	14.91
ML8413DPF	6' Cable/Lock Assy	29.85
ML8413KA	6' Cable/Lock Assy KA	29.10

PYTHON REKEYING PARTS KIT

Rekeying Parts Kit includes: wafers, wafer springs, cylinder retaining wafers, cylinders, key gauge, cylinder change key and wafer removal tool.

ML8491

94.19



Master Lock.

Accredited Lock Supply

www.acclock.com

CASH & STORAGE BOXES

7 COMPARTMENT TRAY Comes with security

latch.

11" x 7 3/4" x 4" **ML7113D**

1481



11 13/16" x 9 1/2" x 3 9/16"

ML7111D 23⁶⁰



LOCKING DRAWER SAFE 4 COMPARTMENT TRAY

- Durable steel construction stands up to daily use
 Removable tray for
- convenience
 Includes 2 keys

6 3/4" x 6 7/8" x 2 1/4"



ML7143D

15⁸⁸

8 1/2"L x 4"W x 1 5/8"D

ightweight & Portable Protects MP3 players cell phone

- Lightweight & Portable. Protects MP3 players, cell phones, cameras, gaming devices, cash, credit cards, jewelry, keys, passports, sunglasses or other small valuables
- Lock Up & Lock Down. Lock up valuables with the cable wrapped tightly to the safe or wrapped securely around a fixed object. Cable doubles as a carrying handle
- Durable Water-Resistant Construction

5900 SERIES PORTABLE SAFE

- Set-Your-Own-Combination for locking convenience
- Ear Bud/Charging Cable Access Port
- Shock absorbing foam lines the interior storage area

 ML5900-D
 Grey
 28.69

 ML5900DWHT
 White
 28.69

 ML5900PNKHC
 Pink
 28.69

COMBINATION LOCKING CASH BOX w/6 COMPARTMENT TRAY

- Set-your-own combination locking mechanism for keyless convenience
- Durable steel construction stands up to daily use
- Spring clips securely organize bills underneath lid
- Removable tray for convenience

11 1/2" x 7 1/2" x 3 1/4"

ML7147D **35**10



HEAVY DUTY KEY CABINETS/LOCKING FILE BOX

- Heavy duty steel construciton with full length, hinged door and built-in, slotted key racks
- Durable, beige powder coated cabinet finish
- Rekeyable W1 wafer cylinder with improved pick resistance
- Key retaining security insures key cannot be removed until cabinet is locked
- 2 keys, key holders, cross reference chart and installation hardware

Code	Capacity	Dimensions	Price
ML7122D	30 Keys	12" x 8" x 2 1/2"	54.26
ML7123D	48 Keys	7 1/2" x 28 3/4" x 1 3/4"	90.36
ML7125D	60 Keys	12 1/4" x 10 3/4" x 3"	91.01
ML7126D	120 Keys	17" x 13" x 3 1/4"	147.02
ML7127D	240 Keys	20" x 16 1/2" x 5"	247.70
ML7128D	330 Keys	20" x 16 1/2" x 5"	295.97
ML7129	500 Keys	25 1/4" x 18" x 5 1/2"	470.15
ML7130	730 Keys	25 1/4" x 18" x 7"	620.46
ML7148D	Locking File Box	6" x 13 1/2" x 10 1/2"	21.93



ML7116D

6⁹⁰/bag



Plastic Key Holder

For use with 7122D-7130 20 holders/bag

ML7117D

6⁹⁰/bag











www.acclock.com

GRADE 1 SINGLE CYLINDER DEADBOLTS



- Single Cylinder Deadbolt (thumb turn inside) four way adjustable; 2-3/8in (60mm) or 2-3/4in (70mm) backset, square, or rounded corners
- ANSI Grade 1 performance
- For exterior locking applications, Entry door KA4
- We stock with KW1 and SC1 cylinders
- · All-metal chassis
- Corrosion-resistant solid brass cylinder plug

- /			Keyway	Retail
MLDSH0603KA4				39.10
MLDSH0603KA4S	Single Cyl	Polished Brass	SC1	39.10
MLDSH0615KA4			KW1	39.95
MLDSH0615KA4S	Single Cyl	Satin Nickel	SC1	39.95

PROGRAMMABLE ELECTRONIC KEYPAD DEADBOLT

- · Keyless convenience with backup keyed access
- Easy to program stores up to 20 unique user codes
- 2 factory pre-set codes
- · Programmer code protects against unauthorized programming
- · Replaces any standard deadbolt without additional door prop
- Meets ANSI Grade 2 standards
- 4 AAA batteries included

Backset: 2 3/8" - 2 3/4" Door Thickness: 1 3/8" - 1 3/4"

Edge Bore: 1" Crossbore: 2 1/8"

Strike: Full lip 2 1/4" x 1 3/4"

Throw: 1"

Interior Trim: 2 7/8"W x 5 13/16"H Exterior Trim: 2 5/8"W x 4"H **Latch Face:** 1 3/32" x 2 1/4"

NightWatch Electronic Keypad Deadbolt

P/N	Function	Finish	Price
MLDSKP0603PD	Single Cyl.	Polished Brass	146.65
MLDSKP0605D	Single Cyl.	Antique Brass	161.32
MLDSKP0615D	Single Cyl.	Satin Nickel	161.32

Grade 2 Single Cylinder Combination Deadbolt with Nightwatch™ Grade 2 Single Cylinder Deadbolt with Nightwatch™









NightWatch is also available with the Master Lock exclusive Dial Combination Deadbolts

- Operates like any dial combination lock
- Opens with combination or key
- Provides combination backup for those who prefer keyed access for daily use

NightWatch Combination Deadbolt

P/N	Function	Finish	Price
MLDSNRN1003PBOX	Single Cyl.	Polished Brass	72.70
MLDSNRN1005BOX	Single Cyl.	Antique Brass	66.94
MLDSNRN1015BOX	Single Cyl.	Satin Nickel	72.70





- · Hardened steel core throw-bolt resists cutting
- Anti-pry collar on exterior functions serves to resist prying and allows for ease of installation
- Longer tie screws to accommodate doors up to 2" thick
- Six way adjustable latch 2 3/8" to 2 3/4" backset; square, radius and drive-in latch face options
- Master Lock exclusive SilvabondTM antimicrobial finish reduces the spread of bacteria, mold and mildew

NightWatch Deadbolt

P/N	Function	Finish	Price
MLDSNRN0603PBOX	Single Cyl.	Polished Brass	42.99
MLDSNRN0605BOX	Single Cyl.	Antique Brass	39.59
MLDSNRN0615BOX	Single Cyl.	Satin Nickel	42.99



www.acclock.com

RESIDENTIAL DOOR HARDWARE

Biscuit Knob



- Six-way adjustable latch fits all doors: 2-3/8" or
- 2-3/4" backset, square, rounded corners, or drive-in
- Silvabond™ anti-microbial protective finish
- ANSI GRADE 3 performance
 For exterior locking applications
- Master carton qty 4

- /	Function	Finish	Retail
		Polished Brass	
MLBC00203KD	Storeroom	Polished Brass	21.62
MLBC00115			24.78
MLBC00215KD	Storeroom	Satin Nickel	24.78

Straight Lever



- Six-way adjustable latch fits all doors: 2-3/8" or 2-3/4" backset, square, rounded corners, or drive-in
- Silvabond™ anti-microbial protective finish
- ANSI GRADE 3 performance
- For exterior locking applications,
- Master carton qty 4

P/N	Function	Finish	Retail
	Entrance	Polished Brass	40.77
MLSLL0115	Entrance	Satin Nickel	41.64

Standard Deadbolt



- Single cylinder deadbolt (thumb turn inside)
- Deadbolt four-way adjustable; 2-3/8" or 2-3/4" backset, square, or rounded corners
- ANSI GRADE 3 performance
- Silvabond™ anti-microbial protective finish
- For exterior locking applications, Entry door
- Master carton qty 4

	Function		Retail
MLDS00603	Single Cyl	Polished Brass	19.50
MLDS00615	Single Cyl	Satin Nickel	22.66
MLDS00703	Dble.Cyl.	Polished Brass	30.13

Deadbolt w/Nightwatch™





- Single cylinder deadbolt (thumb turn inside) Includes Nightwatch™ unauthorized key lockout system
- Deadbolt four-way adjustable; 2-3/8" or 2-3/4" backset, square, or rounded corners
- ANSI GRADE 3 performance
- Silvabond™ anti-microbial protective finish
- For exterior locking applications, Entry door
- Master carton qty 4

P/N	Function		Retail
MLDSON0603	Single Cyl		
MLDSON0615	Single Cyl	Satin Nickel	28.99

Combo Packs



Biscuit Entry Knob and Standard Deadbolt KA

Retail Pack

P/N	Function		Retail
MLBCC00603	Single Cyl	Polished Brass	40.29
MLBCC00615	Single Cyl	Satin Nickel	46.49



Biscuit Entry and Nightwatch™ Deadbolt KA

Retail Pack

P/N	Function	Finish	Retail
MLBCCON0603	Single Cyl	Polished Brass	44.32
MLBCCON0615	Single Cyl	Satin Nickel	51.14



Residential Door Hardware Pin Kit 123.96 ML2201

Residential Door Key Blanks KW1 ML2245 1.05 ea 25/box

LOCK LUBRICANT

Ideal For Maintaining Lock Performance

- Dry lubricant leaves no residue to collect dust and dirt that might damage internal components
- Maintains locks to increase life of product

Code	Aerosol Can	Price/Ea.	Packaging
ML2305	5.25oz	10.57	12/case
ML2311	11oz	13.74	12/case
ML2300D	.25oz oiler	5.47	12/case









www.acclock.com

TULIP KNOB

Product Features

Six-way adjustable latch fits all doors: 2-3/8in (60mm) or 2-3/4in (70mm) backset, square, rounded corners, or drive-in

ANSI GRADE 3 performance

The Ten Year Limited Warranty provides peace of mind from a brand you can trust.



P/N	Function	Finish	Retail
MLTU00103		Polished Brass	
		Antique Brass	20.65
	Entrance	Satin Nickel	22.12
MLTU00303	Privacy	Polished Brass	16.11
		Antique Brass	17.80
MLTU00315	Privacy	Satin Nickel	19.27
MLTU00403		Polished Brass	14.22
MLTU00405	Passage	Antique Brass	15.91
MLTU00415	Passage	Satin Nickel	17.39

TULIP KNOB COMBO PACKS



Tulip Style Knob Entry Door Lock with Single Cylinder Deadbolt; Combo Pack

P/N	Function		Retail
MLTUCO0603	Single Cyl	Polished Brass	37.68
MLTUC00605	Single Cyl	Antique Brass	41.00
MLTUCO0615	Single Cyl	Satin Nickel	43.89

Tulip Style Knob Entry Door Lock with Double Cylinder Deadbolt: Combo Pack

P/N	Function	Finish	Retail
MLTUC00705	Double Cyl	Antique Brass	46.27
MLTUC00715	Double Cyl	Satin Nickel	49.56



Tulip Style Knob Entry Door Lock with Single Cylinder Nightwatch™ Deadbolt; Combo Pack



	Function		Retail
MLTUCON0603			
MLTUCON0605			45.10
MLTUCON0615	Single Cyl	Satin Nickel	48.28

WAVE LEVER

Six-way adjustable latch fits all doors: 2-3/8in (60mm) or 2-3/4in (70mm) backset, square, rounded corners, or drive-in

ANSI GRADE 3 performance



P/N	Function	Finish	Retail
MLWL00103	Entrance	Polished Brass	36.54
MLWL00105	Entrance	Antique Brass	38.36
MLWL00112	Entrance	Aged Bronze	49.47
MLWL00115	Entrance	Satin Nickel	45.80
MLWL00303	Privacy	Polished Brass	34.06
MLWL00305	Privacy	Antique Brass	35.76
MLWL00312	Privacy	Aged Bronze	43.04
MLWL00315	Privacy	Satin Nickel	39.85
MLWL00403	Passage	Polished Brass	31.89
MLWL00405	Passage	Antique Brass	33.47
MLWL00412	Passage	Aged Bronze	40.29
MLWL00415	Passage	Satin Nickel	37.30

WAVE LEVER COMBO PACKS



Wave Style Lever Entry Door Lock with Single Cylinder Deadbolt; Combo Pack

	Function		Retail
MLWLC00603			
MLWLC00605			57.07
MLWLC00612			70.92
MLWLC00615	Single Cyl	Satin Nickel	59.62

ENTRANCE HANDLESETS

Handleset with interior ball style knob and deadbolt

- Six-way adjustable latch fits all doors: 2-3/8in (60mm) or 2-3/4in (70mm) backset, square, rounded corners, or drive-in
- Deadbolt (thumb turn inside) four way adjustable; 2-3/8in (60mm) or 2-3/4in (70mm) backset, square, or rounded corners
- · Ball style interior knob

ANSI GRADE 3 performance



P/N	Function		Retail
MLHDLBA0603			
MLHDLBA0605			152.91
MLHDLBA0612	Single Cyl	Aged Bronze	152.91
MLHDLBA0615	Single Cyl	Satin Nickel	152.60