

LYTRO

USER MANUAL



In the box

- Lens cap
- Lens hood
- Camera strap
- Lens cloth
- Li-ion battery
- Wall charger
- Micro-USB 3.0 cable
- User Manual

Product requirements

- SD card (not included)
- Mac OS X 10.8.5 or higher (min: 4GB RAM, Intel Core 2 Duo or newer), or 64-bit Windows 7 or 64-bit Windows 8 (min: 4GB RAM, DirectX 10.0 and dual-processor CPU)


Quick reference guide

Camera exterior




** These features are not functional on the test unit.*

Touchscreen layout in Capture Mode



Touchscreen layout in Review Mode



Getting started

Charging the battery

Before using the camera for the first time, you need to charge the lithium-ion battery. Place the battery into the included standalone charger, and plug the charger into a standard 110 – 240 volt, 50 – 60 Hz electrical outlet. When you first receive your camera, the battery will be partially charged; a fully discharged battery may take four hours or more to charge completely.

Inserting the charged battery

The battery compartment is on the underside of the camera. Slide the thumb-latch to one side and open the door. Insert the charged battery, and close the door fully so the latch reengages.

Inserting an SD card

Open the port cover and insert a SD, SDHC, or SDXC card into the SD card slot. Close the port cover.

Powering on (and off)

Briefly press the power button to turn the camera on. To power off, press the power button for 5 seconds, then release.

Capture Mode

Each time you power on your camera, it will start up in Capture Mode. If there's a compatible SD card in place, and the card is not full, the camera will be ready to capture a Living Picture. You can compose your shot by looking at the live view displayed on the screen. Pressing the shutter button half way will activate the autofocus, and the camera will focus on the object at the center of the frame. When you're ready to capture a picture, press the shutter button all the way down and release.

To operate the camera in Capture Mode, you'll use a combination of physical controls and on-screen controls.

Physical controls




- **Power button** — turns the camera on/off
- **Lytro button*** — a half-press displays depth feedback for the object at the center of the frame; a full-press displays a live depth histogram
- **Shutter button** — a half-press engages autofocus; a full-press releases the shutter
- **Front dial** — sets shutter speed (in Shutter Priority Mode and Manual Mode only)
- **Zoom ring** — adjusts the focal length of the lens
- **Focus ring** — adjusts the focus of the lens

- **Rear dial** — sets ISO (in ISO Priority Mode and Manual Mode only)
- **AF button*** — activates and locks autofocus while held down
- **AEL button*** — activates and locks auto-exposure while held down
- **Fn1 button** — any of a range of functions can be assigned to this button
- **Fn2 button** — any of a range of functions can be assigned to this button

* This feature is not functional on the test unit.

Touchscreen layout in Capture Mode



- **Review Mode** — switches the camera from Capture Mode to Review Mode
- **Histogram** — opens the live exposure histogram
- **Settings** — opens the Settings menu (this will replace the live view; press the Shutter button to close the menu and restore the live view)
- **Virtual Horizon** — turns on level indicators
- **Continuous Shooting Mode*** — activates continuous shooting mode
- **Battery indicator** — displays the battery's remaining charge
- **ISO indicator** — displays the current ISO
- **Shutter speed indicator** — displays the current shutter speed
- **EV compensation indicator** — displays the target value in f-stops (to the left of the colon) and the compensation currently selected (to the right of the colon)
- **Shooting mode indicator** — the highlighted letter indicates the current shooting mode: P for Program, I for ISO Priority, S for Shutter Priority, M for Manual
- **Shots remaining** — displays how many additional Living Pictures the SD card can hold

* These features are not functional on the test unit.


Hiding the Features Menu and Information Bar

The Features Menu can be hidden from view by swiping it to the right. Similarly, the Information Bar can be hidden from view by swiping it down. To bring them back, swipe in the opposite directions.

Choosing a shooting mode

The camera offers four shooting modes. The first letter of the currently selected mode is highlighted in the shooting mode indicator at the bottom of the screen. To select a different mode, tap one of the other three letters.

- **P; Program Mode** — the camera sets the ISO and the shutter speed based on metered value and EV compensation value
- **I; ISO Priority Mode** — you set the ISO, and the camera sets the shutter speed based on metered value and EV compensation
- **S; Shutter Priority Mode** — you set the shutter speed, and the camera sets ISO based on metered value and EV compensation
- **M; Manual Mode** — you set both the shutter speed and the ISO



Changing the shooting mode by tapping P, I, S or M in the shooting mode indicator.

Setting the ISO

In ISO Priority Mode and Manual Mode, you set the ISO using the rear dial. Rotating the dial will cycle through all of the available ISO speeds, from 100 to 6400. As you rotate the dial, the ISO indicator at the bottom of the screen will change to display the current setting.

Setting the shutter speed

In Shutter Priority Mode and Manual Mode, you set the shutter speed using the front dial. Rotating the dial will cycle through all of the available shutter speeds, from 1 second to 1/4000th of a second. As you rotate the dial, the shutter speed indicator at the bottom of the screen will change to display the current setting.

Setting the EV compensation

Exposure value compensation is active in all shooting modes. When you view the EV compensation indicator at the bottom of the screen, the figure to the left of the colon shows the target value in f-stops; the figure to the right of the colon shows the compensation currently selected.

To change the EV compensation setting, tap on the indicator. A slider opens on screen. Lower the compensation by dragging the slider to the left; increase the compensation by dragging it to the right. The figure to the right of the colon in the EV compensation indicator will change as you go, reflecting the current setting.



Tapping the EV compensation indicator to open the slider.




Dragging the slider to set the EV Compensation.

Opening the Settings menu

You can open the Settings menu by tapping the Settings icon in the Features Menu on the right-hand side of the screen. For details on each of the available Settings, see the Settings section on page 12. To close the menu, press the Shutter button.

Using the live histogram

To open the live exposure histogram, tap the Histogram icon in the Features Menu on the right-hand side of the screen. The histogram will be displayed in the lower left-hand corner of the screen. To close the histogram, tap the icon again.



Evaluating a potential shot using the live histogram.

Using the on-screen Tap to Focus

You can focus the lens by rotating the focus ring on the lens itself. Additionally, you can also focus by tapping on the screen in the area you would like to focus.



Focusing the lens by tapping on the screen.

Using the Virtual Horizon

To turn on the level indicators, tap the Virtual Horizon icon in the Features Menu on the right-hand side of the screen. The level indicators will appear at the bottom and left-hand side of the screen. To turn off the level indicators, tap the icon again.



Leveling a potential shot using the level indicators.


Using a flash

To take pictures using a flash, mount a compatible flash unit to the hot shoe and power it on. The flash will fire automatically when taking a picture. To discontinue using the flash, power off the flash unit or disconnect the flash from the camera.

Review Mode

To enter Review Mode from Capture Mode, tap the Review Mode icon in the Features Menu on the right-hand side of the screen. A new column of icons will appear, and the last Living Picture you took will be displayed. To view an older picture, simply swipe the touchscreen from left to right. To go back to the first picture displayed, swipe from right to left.

Touchscreen layout in Review Mode



- **Process Picture** — processes the picture currently displayed, so you can refocus it by tapping the touchscreen
- **Capture Mode** — returns the camera to Capture Mode
- **Grid View** — displays a thumbnail grid of the pictures stored on the SD card
- **Delete** — deletes the picture currently displayed
- **Picture Info** — shows metadata for the picture currently displayed
- **Settings** — opens the Settings menu (this will replace the picture currently displayed; press the Shutter button to exit)

Processing a Living Picture for refocusing

A Living Picture can be refocused by simply tapping the touchscreen, but the camera has to process the picture first. When you review a picture that hasn't yet been processed, the Process Picture icon will be visible over the upper right-hand corner.



A Living Picture ready to be processed.

Tap the Process Picture icon, and it will disappear. You'll see a small progress window over the center of the picture. When the progress window disappears — usually in just a second or two — the picture is ready to be refocused by tapping the touchscreen.



The camera processing a Living Picture to allow refocusing.

You can also set the camera to automatically process each new picture the first time you review it. See the Settings section on page 12 for details.

Refocusing a Living Picture

Once a picture has been processed, you can refocus it by just tapping the touchscreen. The camera will re-center the focus as closely as possible to the spot you tap. Depending on the composition of the picture, some areas may fall outside the refocus range — essentially the original depth of field that was in effect when you took the shot.



Refocusing a Living Picture by tapping the touchscreen.

Opening the Settings menu

You can open the Settings menu by tapping the Settings icon at the upper right-hand corner of the screen. For details on each of the available Settings, see the Settings section on page 12. To close the menu, press the Shutter button.

Displaying Picture Information

To view the metadata for the picture currently displayed, tap the Picture Information icon in the column on the right-hand edge of the screen. A window will open, displaying the metadata. You can scroll up or down within the window by swiping. When you're finished viewing the metadata, tap the X in the upper right-hand corner of the window to close it, or tap anywhere outside of the window.




Viewing metadata in the Picture Info window.

Deleting a picture

To delete the picture currently displayed, tap the Delete icon in the column on the right-hand edge of the screen. A window will open with two options: **Delete** or **Cancel**. Tap **Delete** to delete the picture.

Using Grid View

To sort through the Living Pictures on the SD card more quickly, you can select Grid View. Tap the Grid View icon in the column on the right-hand edge of the screen. A thumbnail grid of 12 pictures will replace the picture you were viewing. Swipe the touchscreen from left to right to view older pictures. To get back to the first 12 displayed, swipe from right to left. If you tap on any of the thumbnails, the picture will expand to fill the screen, closing Grid View.



Reviewing pictures in Grid View.

Settings

You can open the Settings menu from either Capture or Review Mode by tapping the Settings icon at the upper right-hand corner of the screen. The Settings menu will fill the screen, replacing whatever was displayed. Swipe the touchscreen to scroll up or down through the menu. To close the menu, press the Shutter button.

Exposure Bracketing

With exposure bracketing activated, the camera will take one picture at a lower exposure compensation value and one picture at a higher exposure compensation value in addition to the picture with the current exposure compensation value.

Focus Bracketing

With focus bracketing activated, the camera will take one picture at a shallower focal length and one picture at a deeper focal length in addition to the picture with the current focal length.

Note: If both Exposure Bracketing and Focus Bracketing are turned on, the camera will take nine pictures.

Auto Generate Refocus

Before you can refocus a Living Picture by tapping the touchscreen, the camera has to process the picture (see **Processing a Living Picture for refocusing** in the Review Mode section on page 9). You can choose to have the camera automatically process each picture the first time you review it.

Show Depth Value On Tap

When activated, tapping on the screen will temporarily show a depth value for that point.

Format SD card

For best performance, you should format your SD card when first using it in the camera, and again after using it in any other device. Please note that formatting the card will erase any data stored on it. To begin, tap **Format SD card** in the Settings menu. A window will open with two options: **Format SD card** or **Cancel**. To continue with formatting, tap **Format SD card**. When formatting is complete, tap **Done** to return to the Settings menu.

Language

To change the language used on screen, tap **Language** in the Settings menu. A window will open, displaying the language options. Tap the language you prefer, the window will close, and the camera will begin using the selected language.

Screen Brightness

Use the slider to increase or decrease the brightness of the screen.

The Fine Print

Repair and Charging

The camera does not contain any user serviceable parts. Do not disassemble or attempt to repair your camera. Disassembly will void the warranty and may result in electric shock or damage to the camera.

Lytro recommends you take normal precautions when charging the camera to avoid electrical shock.

Operating Temperatures

Do not expose the camera to direct sunlight or high temperatures for extended periods of time. Prolonged exposure to direct sunlight or extreme temperatures could void the warranty and can cause permanent damage to your camera's internal components. Don't leave your camera in your car, because temperatures in parked cars in the sun can exceed this range.

Operate your Lytro camera in a place where the temperature is between 41°F to 104°F (0°C to 40°C). Note that the camera will not charge when outside the camera's normal operating range. Be sure to store your Lytro camera where the temperature is between -4°F to 158°F (-20°C to 85°C).

While in operation, the Lytro camera may get warm to the touch, which is normal.

Liquids and Solvents

Do not use organic solvents to clean the camera or expose your camera to water or other liquids; doing so may damage the camera and void the warranty. If liquid or foreign objects enter your camera, immediately disconnect all cables from the camera, turn off the camera, and contact Lytro customer service or the Lytro customer service contact in your country. Refer to lytro.com/support for a list of customer service contacts.

Safe Handling

Avoid dropping the camera or subjecting it to sudden impact; doing so may damage the camera and void your warranty. If glass parts break as a result of sudden impact, handle them with caution to avoid injury.

3D

A small percentage of people may be sensitive to viewing 3D images. If you feel ill watching 3D, immediately discontinue 3D use and consider seeking medical attention.

Radio Frequency (RF) Exposure

The Lytro camera can receive and transmit low levels of radio frequency energy (RF) through its antenna. To date, the weight of scientific evidence has not effectively linked exposure to RF energy from wireless devices with any known health problems.

The Lytro camera has been tested and found to comply with FCC RF exposure limits for portable devices and meets the FCC RF exposure guidelines. The specific absorption rate (SAR) test report for the Lytro camera can be found on the FCC website.

RF Interference

The Lytro camera could interfere with other electronic devices if they are not adequately shielded. Keep the Lytro camera at a distance of at least 6 inches (15 cm) from pacemakers and other sensitive medical devices. If you suspect interference, hold down the camera's power button until the camera is completely switched off. Certain places may prohibit the use of wi-fi enabled devices; in such locations, ensure that the camera's wi-fi connectivity is disabled.

Choking Hazard

This package may contain small parts, which may present a choking hazard to small children. Keep the camera and its accessories away from small children.

Battery and Charging

Your Lytro camera comes partially charged from the factory. The amount of battery charge will vary depending on temperature. Lytro recommends fully charging the battery prior to using. Please see the section titled **Charging the battery** for further instructions.

File Size

The Lytro camera produces an .lfp file type that is larger in size than most standard point-and-shoot cameras. We advise consumers to take that into account when utilizing Internet service providers that charge fees based on volume of transmitted data.

License Agreement

Use of the Lytro camera and the Lytro application is subject to the Lytro, Inc. Software License Agreement (lytro.com/legal/EULA).



FCC Compliance Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications to this device not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment, under FCC rules.



Federal Communication Commission (FCC) Radiation Exposure Statement

This equipment is in compliance with the Spatial-Peak Specific Absorption Rate (SAR) for general population/uncontrolled exposure limits in ANSI/IEEE C95.1-1999 and has been tested in accordance with the measurement methods and procedures specified in OET Bulletin 65 Supplement C. This equipment should be installed and operated contact with the radiator and your body.

Notice to consumers in the United States and Canada: only channels 1-11 can be operated. No other channels can be selected.

Canadian Compliance Statement

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

The device could automatically discontinue transmission in case of absence of information to transmit, or operational failure. This is not intended to prohibit transmission of control or signaling information or the use of repetitive codes where required by the technology. The band 5150-5250 MHz is only for indoor usage to reduce risk of harmful interference to co-channel mobile satellite systems. High-power radars are allocated as primary users (i.e. they have priority) of 5250-5350 MHz and 5650-5850 MHz and these radars could cause interference and/or damage to LE-LAN devices.


IC Radiation Exposure Statement

This equipment is compliance with SAR for general population/uncontrolled exposure limits in IC RSS-102 and had been tested in accordance with the measurement methods and procedures specified in IEEE 1528. This equipment should be installed and operated with minimum distance 20 cm between the radiator & your body.

CAN ICES-3 (B)/NMB-3(B)

The Country Code Selection feature is disabled for products marketed in the United States and Canada.

Singapore Wireless Certification




Taiwan Wireless Statement

Warning for wireless devices operating in the 2.4GHz zone: The frequency, transmitting power, intended use or features of this low powered radio device must not be changed without explicit consent by operating certification authority. This low power radio device must not affect air traffic safety or interfere with lawful electronic communications. If interference is detected, the user must cease operation of the device until this interference is eliminated. "Lawful electronic communication" means wireless electronic communication permitted by electronic communication laws. Low powered radio must be able to tolerate interference from lawful electronic communication (industrial, medical, scientific, etc.) or low powered radios operating within the ISM frequency spectrum.

この製品は屋内においてのみ使用可能です

Japan Compliance Statement



この製品は屋内においてのみ使用可能です

South Korea



MSIP-#####

해당 무선설비는 운용 중 전파혼신 가능성이 있음

상 호 명: Lytro, Inc.

기자재의 명칭 (모델명): Lytro camera model []

제조연월: Manufactured [] 2014

제 조 자/제 조 국 : Lytro, Inc. Made in China.

해당 무선설비는 전파혼신 가능성이 있으므로 인명 안전과 관련된 서비스는 할 수 없음

CE Compliance Statement



Lytro, Inc. hereby declares that this camera is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC and Directive 2004/108/EC. A copy of the EU Declaration of Conformity is available online at lytro.com/legal/compliance.

Manufacturer: Lytro, Inc., 1300 Terra Bella Ave., Mountain View, CA 94043, USA

Authorized representative for CE compliance purposes: Obelis S.A., Bd. Général Wahis 53, 1030 Brussels, Belgium, Tel: +32.2.732.59.54, Fax: +32.2.732.60.03; Email: mail@obelis.net.

Disposal and Recycling Information

Your Lytro camera should be disposed of properly according to applicable local laws

and regulations. Because this product contains a battery, please dispose of product separately from household waste. When your Lytro camera reaches its end of life, contact Lytro or your local authorities to learn about recycling options.

Disposal and Recycling Information (EU)



This symbol means that this product must not be disposed of with your other household waste. To dispose of your Lytro camera, take it to a designated collection point for the recycling of waste electrical and electronic equipment. The separate collection and recycling of your waste equipment at the time of disposal will help to conserve natural resources and ensure that it is recycled in a manner that protects human health and the environment. For more information about where you can drop off your waste equipment for recycling, please contact your local city office, your household waste disposal service or the retailer from whom you purchased the product.

Warranty Information

United States

Limited Warranty of Hardware

The limited warranties provided by Lytro, Inc. (“Lytro,” “we,” or “us”) apply only to new Lytro-branded cameras and related accessory products (“Accessories” and collectively with Lytro cameras, “Lytro Products”) that you purchased in the United States directly from Lytro or an authorized Lytro reseller for your own use, and not for resale.

Lytro warrants that the Lytro camera will be free from defects in workmanship and materials, under normal non-commercial use, for one (1) year from the original purchase date, and that the Accessories will be free from defects in workmanship and materials, under normal non-commercial use, for ninety (90) days from the original purchase date.

Any products purchased from Lytro that are not Lytro-branded products are covered by the warranty, if any, of the respective branded manufacturer.

Our warranties do not apply to:

- Software, including any firmware, operating system or application software delivered to you either prior to or subsequent to delivery of the Lytro Product to you;
- Any website services provided by Lytro or third parties in connection with the Lytro Product;
- Any third party products (including software) or services, included with or used with the Lytro Product, or damages to the Lytro Product caused by third party products or services;
- Damage to the surface of the Lytro Product, including cracks or scratches to the LCD display, or any other cosmetic damage;
- Damage that results from accident, abuse, misuse, neglect or any use of the Lytro Product other than for its intended use;
- Damage that results from any unauthorized attempts to open, maintain, repair or modify the Lytro Product; and
- Damage that results from the Lytro Product being subjected to abnormal physical, thermal or electrical stress, including water, dust, power fluctuations or other hazards.

As your sole and exclusive remedy and Lytro’s entire liability under this warranty, Lytro will, at its option, repair the Lytro Product or replace it with a comparable Lytro Product. Replacement Lytro Products and parts used to repair the Lytro Products may be new, refurbished or reconditioned. Repaired or replaced Lytro cameras are warranted for the unexpired portion of the original warranty period or 90 days from the date of shipment of the repaired or replacement Lytro Product, whichever is longer. Repaired or replaced Accessories are warranted for the unexpired portion of the original warranty period. All Lytro Products and parts that are replaced become the property of Lytro.

You must contact Lytro Customer Support within the warranty period and furnish a dated proof of original purchase prior to the return of any Lytro Product for warranty service. To obtain contact information, refer to Lytro's website at <http://www.lytro.com/support>. Upon validation of your warranty entitlement, Lytro will issue a Return Material Authorization (RMA) number along with return instructions. You must ship the Lytro Product to the designated location, postage pre-paid, in original or equivalent packaging within five (5) days after Lytro's issuance of an RMA number. The returned Lytro Products must not have missing or altered serial numbers or other identification marks that appear on the Lytro Products as delivered. Lytro will not be responsible for any Lytro Product damaged or lost in transit. Lytro will return the repaired or replacement Lytro Product to you, postage pre-paid, in the United States.

Lytro will not be responsible for the loss or damage of any software, data or information contained in or stored on any Lytro Product. Data recovery is not included in the warranty service. Prior to shipping the Lytro camera back to Lytro, you should download all photos and other personal information from the Lytro camera. Lytro and its agents may delete any and all such photos and other personal information without any liability.

THESE LIMITED WARRANTIES ARE IN LIEU OF, AND LYTRO EXPRESSLY DISCLAIMS, ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES AND CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT, AND ANY WARRANTIES AND CONDITIONS ARISING OUT OF COURSE OF DEALING OR USAGE OF TRADE. IN THE EVENT THAT THE DISCLAIMER OF ANY IMPLIED WARRANTIES IS PROHIBITED BY STATUTE, SUCH IMPLIED WARRANTIES ARE LIMITED TO THE DURATION OF THESE EXPRESS WARRANTIES. NO ADVICE OR INFORMATION, WHETHER ORAL OR WRITTEN, OBTAINED FROM LYTRO OR ELSEWHERE WILL CREATE ANY WARRANTY OR CONDITION NOT EXPRESSLY STATED IN THIS LIMITED WARRANTY. SOME JURISDICTIONS DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES OR LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Limitations of Liability

LYTRO, ITS AFFILIATES, AND THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, LICENSORS AND SERVICE PROVIDERS WILL NOT BE LIABLE FOR ANY (1) PERSONAL INJURY; (2) SPECIAL, INCIDENTAL, EXEMPLARY, PUNITIVE OR CONSEQUENTIAL DAMAGES (INCLUDING LOSS OF USE, DATA, BUSINESS, OR PROFITS); OR (3) COST OF PROCURING SUBSTITUTE PRODUCTS OR SERVICES, IN EACH CASE ARISING OUT OF OR RELATED TO YOUR USE OR INABILITY TO USE LYTRO.COM, THE LYTRO WEBSTORE, OR ANY PRODUCTS, SERVICES, CONTENT, MATERIALS OR INFORMATION PURCHASED FROM OR PROVIDED BY LYTRO, WHETHER SUCH LIABILITY ARISES FROM ANY CLAIM BASED UPON CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE. THESE LIMITATIONS WILL APPLY EVEN IF LYTRO HAS BEEN ADVISED OF, OR SHOULD HAVE KNOWN OF, THE POSSIBILITY OF SUCH DAMAGES. IN NO EVENT SHALL LYTRO'S TOTAL LIABILITY TO YOU FOR ALL DAMAGES (OTHER THAN AS MAY BE REQUIRED BY APPLICABLE LAW IN CASES OF PERSONAL INJURY) EXCEED THE GREATER OF (1) THE AMOUNT YOU PAID TO LYTRO FOR THE PRODUCT OR SERVICE GIVING RISE TO THE DAMAGES, OR (2) US\$25. THE LIMITATIONS IN THIS PARAGRAPH ARE A PART OF THE BARGAIN BETWEEN THE PARTIES AND APPLY EVEN IF THE LIMITED REMEDIES PROVIDED HEREIN FAIL OF THEIR ESSENTIAL PURPOSE. SOME JURISDICTIONS DO NOT ALLOW THE LIMITATION OR EXCLUSION OF LIABILITY, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU.

See the Lytro, Inc. Software License Agreement for the limitations of liability applicable to the software on and for the Lytro camera.

Australia

Limited Warranty of Hardware

The limited warranties provided by Lytro, Inc. ("Lytro," "we," or "us") apply only to new Lytro-branded cameras and related accessory products ("Accessories" and collectively with Lytro cameras, "Lytro Products") that you purchased in Australia directly from an authorized Lytro reseller for your own use, and not for resale.

Lytro warrants that the Lytro camera will be free from defects in workmanship and materials, under normal non-commercial use, for one (1) year from the original purchase date, and that the Accessories will be free from defects in workmanship and materials, under normal non-commercial use, for ninety (90) days from the original purchase date. The benefit of this warranty is in addition to other rights you have under a law in relation to the products to which Lytro's warranty relates. Lytro products come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Any products purchased from any authorized Lytro reseller that are not Lytro-branded products are covered by the warranty, if any, of the respective branded manufacturer together with any other guarantees to which you are entitled at law.

Our warranties do not, to the fullest extent permitted by law, apply to:

- Software, including any firmware, operating system or application software delivered to you either prior to or subsequent to delivery of the Lytro Product to you;
- Any website services provided by Lytro or third parties in connection with the Lytro Product;
- Any third party products (including software) or services, included with or used with the Lytro Product, or damages to the Lytro Product caused by third party products or services;
- Damage to the surface of the Lytro Product, including cracks or scratches to the LCD display, or any other cosmetic damage;
- Damage that results from accident, abuse, misuse, neglect or any use of the Lytro Product other than for its intended use;
- Damage that results from any unauthorized attempts to open, maintain, repair or modify the Lytro Product; and
- Damage that results from the Lytro Product being subjected to abnormal physical, thermal or electrical stress, including water, dust, power fluctuations or other hazards.

To the fullest extent permitted by law, your sole and exclusive remedy and Lytro's entire liability under this express warranty, Lytro will, at its option, repair the Lytro Product or replace it with a comparable Lytro Product. This is not intended to limit rights available to you otherwise at law. Replacement Lytro Products and parts used to repair the Lytro Products may be new, refurbished or reconditioned. Repaired or replaced Lytro cameras are warranted for the unexpired portion of the original warranty period or 90 days from the date of shipment of the repaired or replacement Lytro Product, whichever is longer. Repaired or replaced Accessories are warranted for the unexpired portion of the original warranty period. All Lytro Products and parts that are replaced become the property of Lytro.

To claim warranty service when required you should:

- Contact the Lytro customer service contact in your country within the warranty period. To obtain contact information, refer to Lytro's website at <http://www.lytro.com/support>.
- Furnish a dated proof of original purchase prior to the return of any Lytro Product for warranty service.
- Upon validation of your warranty entitlement, the Lytro customer service contact in your country will issue a Return Material Authorization (RMA) number along with return instructions. You must ship the Lytro Product to the designated location, in original or equivalent packaging within five (5) days after issuance of an RMA number. Postage and insurance to the designated location must be arranged by you. The returned Lytro Products must not have missing or altered serial numbers or other identification marks that appear on the Lytro Products as delivered.
- The Lytro customer service contact in your country will return the repaired or replacement Lytro Product to you, postage pre-paid, in Australia.

To the fullest extent permitted by law, Lytro will not be responsible for the loss or damage of any software, data or information contained in or stored on any Lytro Product. Data recovery is not included in the warranty service. Prior to shipping the Lytro camera back to the Lytro customer service contact in your country, you should download all photos and other personal information from the Lytro camera. Lytro and its agents may delete any and all such photos and other personal information without any liability.

Limitation of Liability

TO THE FULLEST EXTENT PERMITTED BY LAW AND SUBJECT ALWAYS TO YOUR STATUTORY RIGHTS SET OUT IN THE SECOND PARAGRAPH OF THIS GUARANTEE, LYTRO, OTHER MEMBERS OF ITS GROUP OF COMPANIES AND THEIR RESPECT OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, LICENSORS AND SERVICE PROVIDERS WILL NOT BE LIABLE UNDER OR IN RELATION TO THIS MANUFACTURER'S LIMITED WARRANTY FOR ANY:

(1) LOSS OR DAMAGE ARISING FROM A LOSS OF USE, LOSS OF DATA, LOSS OF PROFITS, LOSS OF REVENUE, LOSS OF BUSINESS OR COSTS OF OBTAINING SUBSTITUTE GOODS OR SERVICES; OR

(2) ANY OTHER INDIRECT OR CONSEQUENTIAL LOSS OR DAMAGE.

<p style="text-align: center;">Lytro, Inc. 1300 Terra Bella Avenue Mountain View, CA, 94043, USA Phone: +1-650-316-8888 Fax: +1-650-227-2251 Email: support@lytro.com</p>

Canada

Limited Warranty of Hardware

The limited warranties provided by Lytro, Inc. ("Lytro," "we," or "us") apply only to new Lytro-branded cameras and related accessory products ("Accessories" and collectively with Lytro cameras, "Lytro Products") that you purchased in Canada directly from Lytro or an authorized Lytro reseller for your own use, and not for resale.

Lytro warrants to the first purchaser of the Lytro Products that the Lytro camera will be free from defects in workmanship and materials, under normal non-commercial use, for one (1) year from the original purchase date, and that the Accessories will be free from defects in workmanship and materials, under normal non-commercial use, for ninety (90) days from the original purchase date ("Lytro Product Warranty").

Any products purchased from an authorized Lytro reseller that are not Lytro-branded products are covered by the warranty, if any, of the respective branded manufacturer, and not the Lytro Product Warranty.

The Lytro Product Warranty does not apply to:

- Software, including any firmware, operating system or application software delivered to you either prior to or subsequent to delivery of the Lytro Product to you;
- Any website services provided by Lytro or third parties in connection with the Lytro Product;
- Any third party products (including software) or services, included with or used with the Lytro Product, or damages to the Lytro Product caused by third party products or services;
- Damage to the surface of the Lytro Product, including cracks or scratches to the LCD display, or any other cosmetic damage;
- Damage that results from accident, abuse, misuse, neglect or any use of the Lytro Product other than for its intended use;
- Damage that results from any unauthorized attempts to open, maintain, repair or modify the Lytro Product;
- Lytro Products used for rental or commercial purposes; and
- Damage that results from the Lytro Product being subjected to abnormal physical, thermal or electrical stress, including water, dust, power fluctuations or other hazards.

As your sole and exclusive remedy and Lytro's entire liability under the Lytro Product Warranty, Lytro will, at its option, repair the Lytro Product or replace it with a comparable Lytro Product. Replacement Lytro Products and parts used to repair the Lytro Products may be new, refurbished or reconditioned. Repaired or replaced Lytro cameras are warranted for the unexpired portion of the original warranty period or 90 days from the date of shipment of the repaired or replacement Lytro Product, whichever is longer. Repaired or replaced Accessories are warranted for the unexpired portion of the original warranty period. All Lytro Products and parts that are replaced become the property of Lytro.

You must contact Lytro customer support within the warranty period and furnish a dated

proof of original purchase prior to the return of any Lytro Product for warranty service. To obtain customer support contact information, refer to Lytro's website at <http://www.lytro.com/support>. Upon validation of your warranty entitlement, Lytro will issue a return material authorization (RMA) number along with return instructions. You must ship the Lytro Product to the designated location, postage pre-paid, in original or equivalent packaging within five (5) days after Lytro's issuance of an RMA number. The returned Lytro Products must not have missing or altered serial numbers or other identification marks that appear on the Lytro Products as delivered. Lytro will not be responsible for any Lytro Product damaged or lost in transit. Lytro will return the repaired or replacement Lytro Product to you, postage pre-paid, in Canada.

Lytro will not be responsible for the loss or damage of any software, data or information contained in or stored on any Lytro Product. Data recovery is not included in the warranty service. Prior to shipping the Lytro camera back to Lytro, you should download all photos and other personal information from the Lytro camera. Lytro and its agents may delete any and all such photos and other personal information without any liability.

THESE LIMITED WARRANTIES ARE, EXCEPT FOR CONSUMER PURCHASERS DOMICILED IN THE PROVINCE OF QUEBEC AND EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, IN LIEU OF, AND LYTRO EXPRESSLY DISCLAIMS, ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES AND CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT, AND ANY WARRANTIES AND CONDITIONS ARISING OUT OF COURSE OF DEALING OR USAGE OF TRADE. IN THE EVENT THAT THE DISCLAIMER OF ANY IMPLIED WARRANTIES IS PROHIBITED BY LAW, SUCH IMPLIED WARRANTIES ARE LIMITED TO THE DURATION OF THESE EXPRESS WARRANTIES OR TO THE EXTENT PERMITTED BY LAW. EXCEPT FOR CONSUMER PURCHASERS DOMICILED IN THE PROVINCE OF QUEBEC NO ADVICE OR INFORMATION, WHETHER ORAL OR WRITTEN, OBTAINED FROM LYTRO OR ELSEWHERE WILL CREATE ANY WARRANTY OR CONDITION NOT EXPRESSLY STATED IN THIS LIMITED WARRANTY. SOME JURISDICTIONS DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES OR LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE DISCLAIMERS OR LIMITATIONS MAY NOT APPLY TO YOU.

Limitations of Liability (not applicable to consumer purchasers domiciled in the Province of Quebec to the extent prohibited under Quebec law):

LYTRO, ITS AFFILIATES, AND THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, LICENSORS AND SERVICE PROVIDERS WILL NOT BE LIABLE FOR ANY (1) PERSONAL INJURY; (2) SPECIAL, INCIDENTAL, EXEMPLARY, PUNITIVE OR CONSEQUENTIAL DAMAGES (INCLUDING LOSS OF USE, DATA, BUSINESS, OR PROFITS); OR (3) COST OF PROCURING SUBSTITUTE PRODUCTS OR SERVICES, IN EACH CASE ARISING OUT OF OR RELATED TO YOUR USE OR INABILITY TO USE LYTRO.COM, THE LYTRO WEBSTORE, OR ANY PRODUCTS, SERVICES, CONTENT, MATERIALS OR INFORMATION PURCHASED FROM OR PROVIDED BY LYTRO, WHETHER SUCH LIABILITY ARISES FROM ANY CLAIM BASED UPON CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE. THESE LIMITATIONS WILL APPLY EVEN IF LYTRO HAS BEEN ADVISED OF, OR SHOULD HAVE KNOWN OF, THE POSSIBILITY OF SUCH DAMAGES. IN NO EVENT SHALL LYTRO'S TOTAL LIABILITY TO YOU FOR ALL DAMAGES (OTHER THAN AS MAY BE REQUIRED BY APPLICABLE LAW IN CASES OF PERSONAL INJURY) EXCEED THE GREATER OF (1) THE AMOUNT YOU PAID TO LYTRO FOR THE PRODUCT OR SERVICE GIVING RISE TO THE DAMAGES, OR (2) US\$25. THE LIMITATIONS IN THIS PARAGRAPH ARE A PART OF THE BARGAIN BETWEEN THE PARTIES AND APPLY EVEN IF THE LIMITED REMEDIES PROVIDED HEREIN FAIL OF THEIR ESSENTIAL PURPOSE. SOME JURISDICTIONS DO NOT ALLOW THE LIMITATION OR EXCLUSION OF LIABILITY, SO THE ABOVE LIMITATIONS OR DISCLAIMERS MAY NOT APPLY TO YOU.

This limited warranty statement is, except for consumer purchasers domiciled in the Province of Quebec, governed by the laws in the Province of Canada in which the purchaser has purchased the Lytro Product.

See the Lytro, Inc. Software License Agreement for the limitations of liability applicable to the software on and for the Lytro camera.

Hong Kong, Singapore and Taiwan
Limited Warranty of Hardware

The limited warranties provided by Lytro, Inc., 1300 Terra Bella Avenue, Mountain View, California 94043, USA ("Lytro," "we," or "us") apply only to new Lytro-branded cameras and related accessory products ("Accessories" and collectively with Lytro cameras, "Lytro Products") that you purchased directly from Lytro or an authorized Lytro distributor or reseller for your own use, and not for resale.

Lytro warrants that the Lytro camera will be free from defects in workmanship and materials, under normal non-commercial use, for one (1) year from the original purchase date, and that the Accessories will be free from defects in workmanship and materials, under normal non-commercial use, for ninety (90) days from the original purchase date.

Any products purchased from the authorized Lytro reseller that are not Lytro-branded products are covered by the warranty, if any, of the respective branded manufacturer.

Our warranties do not apply to:

- Software, including any firmware, operating system or application software delivered to you either prior to or subsequent to delivery of the Lytro Product to you;
- Any website services provided by Lytro or third parties in connection with the Lytro Product;
- Any third party products (including software) or services, included with or used with the Lytro Product, or damages to the Lytro Product caused by third party products or services;
- Damage to the surface of the Lytro Product, including cracks or scratches to the LCD display, or any other cosmetic damage;
- Damage that results from accident, abuse, misuse, neglect or any use of the Lytro Product other than for its intended use;
- Damage that results from any unauthorized attempts to open, maintain, repair or modify the Lytro Product; and
- Damage that results from the Lytro Product being subjected to abnormal physical, thermal or electrical stress, including water, dust, power fluctuations or other hazards.

In so far as is permitted by applicable law, your sole and exclusive remedy and Lytro's entire liability under this warranty, the Lytro customer service contact in your country will, at its option, repair the Lytro Product or replace it with a comparable Lytro Product. Replacement Lytro Products and parts used to repair the Lytro Products may be new, refurbished or reconditioned. Repaired or replaced Lytro cameras are warranted for the unexpired portion of the original warranty period or 90 days from the date of shipment of the repaired or replacement Lytro Product, whichever is longer. Repaired or replaced Accessories are warranted for the unexpired portion of the original warranty period. All Lytro Products and parts that are replaced become the property of Lytro.

You must contact the Lytro customer service contact in your country within the warranty period and furnish a dated proof of original purchase prior to the return of any Lytro Product for warranty service. To obtain contact information, refer to Lytro's website at <http://www.lytro.com/support>. Upon validation of your warranty entitlement, Lytro will issue a Return Material Authorization (RMA) number along with return instructions. You must ship the Lytro Product to the designated location, postage pre-paid, in original or equivalent packaging within five (5) days after Lytro's issuance of an RMA number. The returned Lytro Products must not have missing or altered serial numbers or other identification marks that appear on the Lytro Products as delivered. The Lytro customer service contact in your country will not be responsible for any Lytro Product damaged or lost in transit. The Lytro customer service contact in your country will return the repaired or replacement Lytro Product to you, postage pre-paid, in your respective country.

Lytro will not be responsible for the loss or damage of any software, data or information contained in or stored on any Lytro Product. Data recovery is not included in the warranty service. Prior to shipping the Lytro camera back to Lytro, you should download all photos and other personal information from the Lytro camera. Lytro and its agents may delete any and all such photos and other personal information without any liability.

THESE LIMITED WARRANTIES ARE IN LIEU OF, AND LYTRO EXPRESSLY DISCLAIMS, ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED,

INCLUDING ANY IMPLIED WARRANTIES AND CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT, AND ANY WARRANTIES AND CONDITIONS ARISING OUT OF COURSE OF DEALING OR USAGE OF TRADE. IN THE EVENT THAT THE DISCLAIMER OF ANY IMPLIED WARRANTIES IS PROHIBITED BY STATUTE, SUCH IMPLIED WARRANTIES ARE LIMITED TO THE DURATION OF THESE EXPRESS WARRANTIES. NO ADVICE OR INFORMATION, WHETHER ORAL OR WRITTEN, OBTAINED FROM LYTRO OR ELSEWHERE WILL CREATE ANY WARRANTY OR CONDITION NOT EXPRESSLY STATED IN THIS LIMITED WARRANTY. SOME JURISDICTIONS DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES OR LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Limitations of Liability

IN SO FAR AS IS PERMITTED BY APPLICABLE LAW, LYTRO, ITS AFFILIATES, AND THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, LICENSORS AND SERVICE PROVIDERS WILL NOT BE LIABLE FOR ANY (1) PERSONAL INJURY; (2) SPECIAL, INCIDENTAL, EXEMPLARY, PUNITIVE OR CONSEQUENTIAL DAMAGES (INCLUDING LOSS OF USE, DATA, BUSINESS, OR PROFITS); OR (3) COST OF PROCURING SUBSTITUTE PRODUCTS OR SERVICES, IN EACH CASE ARISING OUT OF OR RELATED TO YOUR USE OR INABILITY TO USE LYTRO.COM, THE LYTRO WEBSTORE, OR ANY PRODUCTS, SERVICES, CONTENT, MATERIALS OR INFORMATION PURCHASED FROM OR PROVIDED BY LYTRO, WHETHER SUCH LIABILITY ARISES FROM ANY CLAIM BASED UPON CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE. THESE LIMITATIONS WILL APPLY EVEN IF LYTRO HAS BEEN ADVISED OF, OR SHOULD HAVE KNOWN OF, THE POSSIBILITY OF SUCH DAMAGES. IN NO EVENT SHALL LYTRO'S TOTAL LIABILITY TO YOU FOR ALL DAMAGES (OTHER THAN AS MAY BE REQUIRED BY APPLICABLE LAW, PARTICULARLY IN CASES OF PERSONAL INJURY) EXCEED THE GREATER OF (1) THE AMOUNT YOU PAID TO LYTRO FOR THE PRODUCT OR SERVICE GIVING RISE TO THE DAMAGES, OR (2) US\$25. THE LIMITATIONS IN THIS PARAGRAPH ARE A PART OF THE BARGAIN BETWEEN THE PARTIES AND APPLY EVEN IF THE LIMITED REMEDIES PROVIDED HEREIN FAIL OF THEIR ESSENTIAL PURPOSE. SOME JURISDICTIONS DO NOT ALLOW THE LIMITATION OR EXCLUSION OF LIABILITY, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU.

See the Lytro, Inc. Software License Agreement for the limitations of liability applicable to the software on and for the Lytro camera.

Repair Notices

During the process of repair of the Lytro camera, some or all of your stored data may be lost. Please ensure that you have saved this data elsewhere prior to repair. Lytro cameras presented for repair may be replaced by refurbished Lytro cameras of the same type rather than being repaired. Refurbished parts may be used to repair Lytro cameras.

Other Information

For further information, see the Lytro User Manual available on lytro.com/learn.

This product is covered by U.S. Patent Number 7,936,392 and by other U.S. and international patents.

© 2014 Lytro, Inc. All rights reserved. Lytro and the Lytro logo are trademarks of Lytro, Inc.