


F6 bluetooth key Tracker

User guide



1. Download&Install T-Finder APP.





2. Enable Bluetooth, location access and camera on phone.

3. Switch on the key tracker by pressing its button for 3-5 seconds until you hear it a tune beep, blue LED lights. (blue LED flashes switch off)


4. Open the T-Finder app, create an account and login in.



5. Click "Bind Devices" or "+" on the first screen and select your target device.




6. Name the key tracker and click the icon to change its image.



Two-Way Finding


1. Press the button on the Key tracker to find the phone.
2. Click "Ring" in the app to find the key tracker with your belongings; Besides, on Location page, you can also search the Location Record on Map.




Bidirectional Anti-lost Alarm


TURN ON Bidirectional Anti-loss

Both the app and the Key Finder will alert you with sound when key tracker and phone is out of range(Disconnect).




Selfie:

1. Tap the camera icon  to take photo.
2. Tap to change into front camera mode on APP, press the button on smart finder to take selfie.




Movement Alarm:



Me

User Information, Do Not Disturb, Switch Maps, FAQs, Feedback, About Us, Logout and other operations.
Warm reminding: It is very helpful to read FAQs before your operation.



< FAQs

1.How to bind the device?

After turning on your device, please open the T-Finder App, and click Bind Devices or "+" on the first screen to enter the searching screen and select your target device.

2.How to select and bind a device displayed in the device list?

The closer the distance between your mobile phone and device, the stronger the signal will be. Usually, 10 cm distance between your mobile phone and device is recommended. Please select the device with a strong signal in the device list for binding.

DECLARATION

The contents of this user guide are subject to change without prior notice for further improvement. Minew team reserves the right to explain all the terms of this user guide.

CONTACT

Manufacturer: Shenzhen Minew Technologies Co., Ltd.

Phone: +86 (755) 2103 8160

Email: info@minew.com

Address:

3rd Floor, I Building, Gangzhilong Science Park,

QingLong Road, Longhua District,

Shenzhen 518109

China

<https://www.minew.com>

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.