

WiFi Temperature and Humidity Detector User Manual

Product Description

WiFisignal


Network Setting

1. Power on the product.





2. Press the reset button for 5s, the signal icon flashes, the detector is in network setting status.




- Network setting note: · Press the button for 5s-10s, when signal icon flashes, release the button for network setting. It will last for 60s for network setting, and the signal icon keeps on flashing.If pressing for more than 10s, network setting
 - is canceled. • If succeeds, signal icon is on; If not, signal icon disappears.setting is cancelled.

Installation Instructions

Method 1: fix one screw to the wall, align the device screw hole to screw.





App Download

1. Search for "Smart Life" in APP Store or Google Play Store. Or, scan the below QR code to download the APP.



Scan to download

Smart Life APP

- 1. Power on the WiFi device;
- Make sure the network indicator flash (if not, long press reset button until indicator flashes.)
- 3.On App homepage, click "+" on top right corner; Click "Security&Sensors" on the left side of the page, and
- select the right WiFi sensor type to add device; 4. If successfully added, device will be in "My home" list.

Network Setting

Attention:

- 1. When the detecting environment changes rapidly, such as move from outdoor to indoor, then the device
- needs about 20 minutes to detect new environment. 2. If the device is handheld, human body temperature
- 3. Make sure that the air hole is not blocked.



Technical Parameters

Wireless Technology	WiFi
Working Voltage	DC 4.5V (3*AA battery)
Transmission Frequency	2.4GHz
Low power indication	Yes
Working Temperature and Humidity	-10°C ∼ +55°C 0% ∼ 100% RH
Wireless distance	70m (Open air) /Indoor 20m

64×64×28mm

Toxic or Hazardous Substances or Elements of this Product

		To	oxic or Haza	ırdous Subst	ances or Element	5
Component Name	Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent chromium (Cr (VI))	Polybrominated biphenyls (PBBs)	Polybromina diphenyl eth (PBDEs)
LED	0	0	0	0	0	0
PCB	0	0	0	0	0	0
Cover and other	0	0	0	0	0	0

exceeds that stipulated in GB/T 26572.

- This table complies with SJ/T 11364. O: indicates that the toxic or hazardous substance amount contained in all
- homogeneous materials of a component does not exceed that stipulated in GB/T 26572.

X: indicates that the toxic or hazardous substance amount contained in at least one of the homogeneous materials of a component

Warranty Certificate

Warranty policy:

- 1. If the product has quality problems within 7 days of the payment date, you can apply for a refund based on the invoice price or to
- replace with the same model or have it repaired.. 2. If the product has quality problems within 15 days of the payment date, you can apply to replace the product with he same model or
- have it repaired 3. If the product has quality problems within 12 months of the payment date, you can apply to have it repaired.

- What is not covered under this warranty: 1. The product owner has no warranty certificate or the warranty
- service has expired.
- 2. Damage caused by improper use, maintenance, or storage 3. Damage caused by disassembly and repair without Tuya's
- authorization

used

4. Damage caused by force majeure 5. Normal discoloration and depreciation after the product has been

User Form

User information (Specify real information, Tuya promises to use the information only for after-sales services.)

Name_

Phone number		
Email		
Zip code		
Address		
Product information		
Name	Model	
Color —	— Product SN _	
Service Return 🔾	Replace 🔘	Repair 🔘
Fault symptoms		
Handling date		

Maintenance personnel signature _____

Vendor Form

User information (Specify real information, Tuya promises to use the information only for after-sales services.)

Phone number		
Email		
Zip code		
Address		
Product information		
Name	Model	
Color	_ Product SN _	
Service Return 🔾	Replace 🔘	Repair 🔘
Fault symptoms		
Handling date		
Maintenance personnel	signature	
	_	

Caution:

installation

This device complies with Part 15 of the FCC rules and Industry Canada license-exempt RSS standard(s). Operation is subject

to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including

to this equipment. Such modifications or change could void the user's authority to operate the equipment. This radio transmitter (identify the device by certification number or model number if Category II) has been approved by Industry Canada to operate with the antenna types listed below with the maximum permissible gain indicated. Antenna types not included in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device.

Rules. These limits are designed to provide reasonable

protection against harmful interference in a residential

interference that may cause undesired operation.

The manufacturer is not responsible for any radio or TV

interference caused by unauthorized modifications or change

requirement. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC

frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

This equipment generates, uses and can radiate radio

- -- Reorient or relocate the receiving antenna. -- Increase the separation between the equipment and
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure

To maintain compliance with FCC's RF exposure guidelines, this equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

Caution:

This device complies with Part 15 of the FCC rules and Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications or change to this equipment. Such modifications or change could void the user's authority to operate the equipment.

This radio transmitter (identify the device by certification number or model number if Category II) has been approved by Industry Canada to operate with the antenna types listed below with the maximum permissible gain indicated. Antenna types not included in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement.

To maintain compliance with FCC's RF exposure guidelines, this equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.