



Theipar



HY737 Walkie talkie for kids


Theipar

Theipar

Shenzhen Macross Industrial Co., Ltd.



Shenzhen Macross Industrial Co., Ltd.



Shenzhen Macross Industrial Co., Ltd.

THE SECOND ELECTRICAL POWER

Install battery; open the battery cover, the battery according to the battery positive and negative polarity, into the battery slot, battery cover.

Note: Section 3 AAA1.5V 7 cell batteries. Marked by certain positive and negative battery installed.

Power: clockwise rotation switch, the boot will hear a beep and turn it clockwise to increase volume, counter-clockwise rotation of the volume is reduced or shut down. Volume usually rotate at 60% Output more appropriate.

THREE OR RECEIVING STANDBY STATE

Boot walkie-talkie in the standby mode, there will be a red indicator light flashes, the received signal of the same frequency horn will sound came open. Upon receiving the red indicator light is flashing.

FOUR INTERCOM PRESS THE CALL KEY (PTT: PUSH TO TALK) And to talk to each other, do not press the call button to release the hand, mouth to the microphone position, holding 5--8CM speech, the other receiver can receive; the other received speech when

MUST RELEASE THE PTT CALL KEY.

When you press the call button to launch walkie-talkie in the red light long bright; release the call key stop firing, lights flashing into standby state.

FIVE-PARAMETERS

Frequency 462.6125MHz; CTC CODA 118.8Hz

Transmitting	Receiving
Transmitting power: $\leq 27\text{dBm}$	Sensitivity: $\leq -119\text{dBm}$
Modulation: F3E	Audio distortion: $\leq 5\%$
Audio distortion: $\leq 5\%$	

DISTANCE CALLS; OPEN TO 3 KM; URBAN AREA ABOUT 1 KM; BUILT-UP PLACE 500 METERS COMMUNICATION DISTANCE DEPENDING ON THE ENVIRONMENT.

SIX CONSIDERATIONS

- 1 pre-use check whether the battery is installed complete, not whether the battery polarity is correct;
- 2 when unused for long periods Always remove the battery to avoid battery leakage damage walkie-talkie;
- 3 If the call sounds intermittently, shorter distance, the sound becomes small, please replace the battery;
- 4 place intercom closed when not in use, or the battery will power, affecting '
- 5 Do not walkie-talkie on the wet side also;
- 6 Press the specified place in different civilizations use.

Shenzhen Macross Industrial Co., Ltd.

FCC Statement

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. User should avoid un-intended operation of usage when it is collocated with other transmitters or antenna.

RF Exposure Warning Statements

The Two-Way radio complies with the following RF energy Exposure standards and guidelines:

United States Federal Communications Commission, code of Federal Regulations; 47CFR part 2 sub-part J.

American National Standards Institute (ANSI)/Institute of Electrical and Electrical Engineer (IEEE) C95.1-1992.

Institute of Electrical and Electronics Engineers (IEEE) C95.1-1999 Edition.

International Commission on Non-Ionizing Radiation Protection (ICNIRP) 1998.

To ensure optimal radio performance and make sure human exposure to radio frequency electromagnetic energy is within the guidelines set forth in the above standards, always adhere to the following procedures.

Antenna Care

Use only the supplied antenna. Unauthorized antennas, modifications, or Attachments could damage the radio and may violate FCC regulations. Do not hold the antenna when the radio is "IN USE." Holding the antenna affects the effective range.

Body-worn Operation

To maintain compliances with FCC RF exposure guidelines, if you wear a radio on your body when transmitting, always place the radio in a manufacturer supplied or approved clip, holder, holster, case or body harness for this product, use of non-manufacturer approved accessories may exceed FCC RF exposure limits.

FCC Licensing Information

This radio operates on General Mobile Radio Service (GMRS) frequencies and is subject to the Rules and Regulations of Federal Communication Commission (FCC). The FCC requires that all operators using GMRS frequencies obtain a radio license before operating their equipment.