

6

5

4

3


2

1


REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:



JTAG




If BT is not turned on , please confirm the internal pull down resistor should be enabled.



COMPANY: TINNO MOBILE TECHNOLOGY CO.,LTD				
TITLE:				
B11 DUO BB_MT6252A_DIGITAL				
CODE:	SIZE:	DRAWING NO:		REV:
	C	B11 DUO		
SCALE: <Scale>			SHEET: 6	6

DRAWN:	DATED:
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

<QC By>



6

5

4


3

2


1

REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:

WSON type



TSOP type





SHOLD : SI03

SWP : SI02

SOUT : SQI_SI : DQ0

SIN : SQI_SO : DQ1



For stability

D

D

C



C

B

B

A

A



COMPANY: TINNO MOBILE TECHNOLOGY CO.,LTD			
TITLE: B11 DUO MCM,TFR,IO			
CODE:	SIZE:	DRAWING NO:	REV:
	C	B11 DUO	
SCALE: <Scale>			SHEET: 3 6

DRAWN:	DATED:
CHECKED:	DATED:
QUALITY CONTROL: <QC By>	DATED:
RELEASED:	DATED:

6

5



4

3

2

1

REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:



COMPANY: TINNO MOBILE TECHNOLOGY CO.,LTD			
TITLE: B11 DUO RFP, SIM			
CODE:	SIZE: C	DRAWING NO: B11 DUO	REV:
SCALE: <Scale>		SHEET: 5 6	

DRAWN:	DATED:
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

