



PROFICIENT.
Dealer Price Book
January 2019



High Performance Sound Starts Here

When we started designing our Proficient Protege cabinet speakers, we looked at Dolby Atmos® and DTS:X® and the way homeowners want their loudspeakers to play music and movies. The result is a line built to sound great & look good in any room in their home.

Our Proficient Protege speakers have a smooth, stealthy matte black look that blends with any decor. Every model features the best combination of drivers we've ever assembled: precise, powerful graphite woofers paired with exceptionally accurate silk dome tweeters.

Give the new Proficient Protege speakers a long listen. We think they might just change your attitude about cabinet loudspeakers. They're built not just to be heard, but to be listened to and loved.

Just what you would expect from Proficient.

PROFICIENT
Protege[™]
Cabinet Loudspeakers

Table of Contents

Category	Page
Proficient Protege Cabinet Speakers	4
Proficient Signature LCR Speakers.....	8
Proficient Signature Whole-House Speakers	9
Proficient Signature & Protege Whole-House Ceiling Speakers	10
Proficient Signature & Protege LCR Speakers.....	12
Proficient Signature & Protege Inwall Speakers	14
Proficient Protege Twin-Tweeter Ceiling Speakers	15
Proficient Protege Powered Subwoofers.....	16
Proficient Protege Passive Architectural Subwoofers.....	17
180 Watt Mono Sub Amp with Built-In Crossover.....	17
Outdoor/Indoor Speakers.....	18
Outdoor/Indoor Twin-Tweeter Speakers	19
Rock Speakers.....	19
Speaker Selectors.....	20
Volume Controls	21
Infrared Kits	22
Infrared Components	23
Pre-Construction Brackets	24
Ceiling Tile Brackets.....	25
Back Boxes	25
Speaker Cover Plates.....	26
Replacement Speaker Grilles	26

PROFICIENT

Protege

Cabinet Speakers



LFS6 Dual 6" Floor Standing Speaker

ITEM	U/M	MSRP	DEALER
LFS6	Each	\$450	\$225

Our top-of-the-line floor standing speakers sound amazing with or without a subwoofer. Dual 6" graphite woofers in a carefully tuned floor standing enclosure deliver pounding bass powerful enough for rock, R&B and the most intense action movies. The smooth midrange of the ultra-light, ultra-rigid graphite cones combines with the sweet sound of a 1" silk dome tweeter to keep everything from female vocals to flutes sounding airy and natural, like they're right there in the room with you. The LFS6 has a matte black finish and removable black grille with neo-magnets. Add the LDA5 speaker to turn the LFS6 into an immersive sound system compatible with height & effect.

- Power Handling: 125 Watts
- Frequency Response: 60Hz - 20kHz
- Impedance: 6Ω
- Sensitivity: 89dB 2.83V/1m
- Cabinet Design: Rounded Corner MDF Cabinets
- Dimensions (H x W x D): 39¹/₁₆" x 8⁷/₁₆" x 9¹/₂"



LB62 6" Bookshelf Speakers

ITEM	U/M	MSRP	DEALER
LB62	Pair	\$400	\$200

Our top bookshelf speakers are perfect for smaller systems and surround sound. Features 6" graphite woofers, 1" silk dome tweeters and 100 watt power handling. The LB62 has a matte black finish and removable black grilles with neo-magnets, integrated flush mounted single-slot wall mounts and threaded brass inserts for OmniMount 15.0 Wall or 15.0 Ceiling brackets. Add the LDA5 speaker to turn the LB62 into an immersive sound system compatible with height & effect.

- Power Handling: 100 Watts
- Frequency Response: 74Hz - 20kHz
- Impedance: 6Ω
- Sensitivity: 87dB 2.83V/1m
- Cabinet Design: Rounded Corner MDF Cabinets
- Dimensions (H x W x D): 13³/₈" x 8⁷/₁₆" x 9¹/₂"

LB52 5" Bookshelf Speakers

ITEM	U/M	MSRP	DEALER
LB52	Pair	\$320	\$160

A small bookshelf speaker that delivers spectacular sound in tight spaces and works great for home theater systems, too. Features 5" graphite woofers, 1" silk dome tweeters and 80 watt power handling. The LB52 has a matte black finish and removable black grilles with neo-magnets, integrated flush mounted single-slot wall mounts and threaded brass inserts for OmniMount 15.0 Wall or 15.0 Ceiling brackets and OmniMount 10.0 Wall / Ceiling brackets.

- Power Handling: 80 Watts
- Frequency Response: 78Hz - 20kHz
- Impedance: 6Ω
- Sensitivity: 86dB 2.83V/1m
- Cabinet Design: Rounded Corner MDF Cabinets
- Dimensions (H x W x D): 11³/₄" x 7³/₁₆" x 8¹/₂"



PROFICIENT

Protege[™]

Cabinet Speakers



LSB3 3-Channel Passive Soundbar

ITEM	U/M	MSRP	DEALER
LSB3	Each	\$600	\$300

Use this three-channel passive soundbar with any A/V receiver to build a compact yet powerful home theater system. Features six 3" graphite woofers, three 1" silk dome tweeters and 60 watt (per channel) power handling. The LSB3 has a matte black finish and removable black grille with neo-magnets. Includes a Proficient-designed horizontally adjustable wall-mounting bracket.

- Power Handling: 60 Watts (per channel)
- Frequency Response: 140Hz - 20kHz
- Impedance: 6Ω
- Sensitivity: 88dB 2.83V/1m
- Cabinet Design: Rounded Corner MDF Cabinets
- Dimensions (H x W x D): 5³/₁₆" x 39¹³/₁₆" x 2³/₄"

LCRE5 Dual 5" LCR & Effect Speaker

ITEM	U/M	MSRP	DEALER
LCRE5	Each	\$280	\$140

Our best LCR & effect speaker delivers high power from its two 5" graphite woofers, a 1" silk dome tweeter and 100 watt power handling. Features a matte black finish, removable black grille with neo-magnets and two integrated flush mounted cross-slotted wall mounts. Easily mounts horizontally or vertically.

- Power Handling: 100 Watts
- Frequency Response: 74Hz - 20kHz
- Impedance: 6Ω
- Sensitivity: 87dB 2.83V/1m
- Cabinet Design: Rounded Corner MDF Cabinets
- Dimensions (H x W x D): 7³/₁₆" x 20" x 4"



LCRE4 Dual 4" LCR & Effect Speaker

ITEM	U/M	MSRP	DEALER
LCRE4	Each	\$200	\$100

A compact LCR & effect speaker that's perfect for small media rooms, dens and compact stereo systems. Features two 4" graphite woofers, a 1" silk dome tweeter and 90 watt power handling. The LCRE4 has a matte black finish, removable black grille with neo-magnets and two integrated flush mounted cross-slotted wall mounts. Easily mounts horizontally or vertically.

- Power Handling: 90 Watts
- Frequency Response: 80Hz - 20kHz
- Impedance: 6Ω
- Sensitivity: 86dB 2.83V/1m
- Cabinet Design: Rounded Corner MDF Cabinets
- Dimensions (H x W x D): 6³/₁₆" x 20" x 4"

LDA5 5" Dolby Atmos[®] Speakers

ITEM	U/M	MSRP	DEALER
LDA5	Pair	\$300	\$150

Our Dolby Atmos enabled loudspeakers reflect sound off the ceiling for immersive Dolby Atmos and DTS:X surround sound. Features a slanted speaker baffle, 5" graphite woofers, 1" silk dome tweeters and 60 watt power handling. The LDA5 features a matte black finish, removable black grilles with neo-magnets and integrated flush mounted single-slot wall mounts. Designed to sit on top of the LFS6 or LB62, or mount on the wall below the ceiling.

- Power Handling: 60 Watts
- Frequency Response: 120Hz - 20kHz
- Impedance: 6Ω
- Sensitivity: 84dB 2.83V/1m
- Cabinet Design: Rounded Corner MDF Cabinets
- Dimensions (H x W x D): 5⁷/₁₆" x 6⁷/₁₆" x 10¹/₄"



Red Hot Design. White



Knuckle Performance.

A flagship product line built for the few, not the many. Its creation is free of restrictions that favor bottom line compromise ahead of top line performance. These considerations led us to produce the Proficient Signature Class.

It's Proficient's best of everything, an all star lineup featuring nine flagship speakers from home theater to whole house audio. Each speaker represents an unmatched combination of power, precision and performance.

Proficient Signature class is all about qualities rarely seen working and playing well together in many other speaker brands. Like value and luxury. Innovation and tradition. Exuberance and poise.

The Proficient Signature Class is where sound performance you never thought possible becomes something you just can't live without. Experience the new Signature Class. Just what you would expect from Proficient.

PROFICIENT
Signature[™]

PROFICIENT

Signature™

LCR Speakers

C1075s 10" Ceiling LCR Speaker

One LCR ceiling speaker with woofer and midrange/tweeter bridge fixed at a 15° angle. 10" Kevlar™ woofer, 3" pivoting Kevlar™ midrange, 1" pivoting aluminum dome tweeter, ±3dB midrange & treble contour switches and 200 watt power handling. Required for installation, the included PCB-C1000 bracket is designed for new construction as well as retrofit applications.

- Replaces C1031 Ceiling LCR Speaker
- Power Handling: 200 Watts
- Frequency Response: 25Hz - 22kHz
- Impedance: 4Ω
- Sensitivity: 94dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 13³/₈" x 7⁷/₈"
- Ceiling Cut Out: 11⁷/₈"

ITEM	U/M	MSRP	DEALER
C1075s	Each	\$750	\$300



C875s 8" Ceiling LCR Speaker

One LCR ceiling speaker with woofer and tweeter bridge fixed at a 15° angle. 8" Kevlar™ woofer and 1" pivoting aluminum dome tweeter, ±3dB bass & treble contour switches and 175 watt power handling.

- Replaces C871 Ceiling LCR Speaker
- Power Handling: 175 Watts
- Frequency Response: 28Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 11¹/₈" x 5³/₄"
- Ceiling Cut Out: 9³/₄"

ITEM	U/M	MSRP	DEALER
C875s	Each	\$500	\$200

C675s 6½" Ceiling LCR Speaker

One LCR ceiling speaker with woofer and tweeter bridge fixed at a 15° angle. 6½" Kevlar™ woofer and 1" pivoting aluminum dome tweeter and 125 watt power handling.

- New Ceiling LCR Speaker
- Power Handling: 125 Watts
- Frequency Response: 32Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 9¹/₄" x 3¹/₁₆"
- Ceiling Cut Out: 8¹/₄"

ITEM	U/M	MSRP	DEALER
C675s	Each	\$375	\$150



IW675s 6½" Inwall LCR Speaker

One inwall LCR speaker with two 6½" Kevlar™ woofers, 1" pivoting aluminum dome tweeter, ±3dB bass & treble contour switches and 150 watt power handling. Fits horizontally between 16" on-center wall studs.

- Replaces IW655 Inwall LCR Speaker
- Power Handling: 150 Watts
- Frequency Response: 40Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Dimensions (H x W x D): 9" x 16¹/₈" x 3³/₁₆"
- Wall Cut Out (H x W): 7¹/₂" x 14¹/₂"

ITEM	U/M	MSRP	DEALER
IW675s	Each	\$600	\$240

IW575s 5¼" Inwall LCR Speaker

One inwall LCR speaker with two 5¼" Kevlar™ woofers, 1" pivoting aluminum dome tweeter, ±3dB bass & treble contour switches and 125 watt power handling.

- Replaces IW555 Inwall LCR Speaker
- Power Handling: 125 Watts
- Frequency Response: 50Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 88dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Dimensions (H x W x D): 8" x 15¹/₁₆" x 3³/₈"
- Wall Cut Out (H x W): 6³/₁₆" x 14¹/₂"

ITEM	U/M	MSRP	DEALER
IW575s	Each	\$425	\$170



Signature

Whole-House Speakers



C895s 8" Ceiling Speakers

ITEM	U/M	MSRP	DEALER
C895s	Pair	\$715	\$285

One pair of ceiling speakers with 8" Kevlar® woofers, cast magnesium woofer baskets, 1" pivoting aluminum dome tweeters, ±3dB bass & treble contour switches and 175 watt power handling.

- Replaces C851 Ceiling Speakers
- Power Handling: 175 Watts
- Frequency Response: 28Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 11¹/₈" x 4¹/₂"
- Ceiling Cut Out: 9³/₄"

C695s 6¹/₂" Ceiling Speakers

ITEM	U/M	MSRP	DEALER
C695s	Pair	\$565	\$225

One pair of ceiling speakers with 6¹/₂" Kevlar® woofers, cast magnesium woofer baskets, 1" pivoting aluminum dome tweeters, +3dB bass & treble contour switches and 150 watt power handling.

- Replaces C646 Ceiling Speakers
- Power Handling: 150 Watts
- Frequency Response: 32Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 9¹/₄" x 3¹/₁₆"
- Ceiling Cut Out: 8¹/₄"



W895s 8" Inwall Speakers

ITEM	U/M	MSRP	DEALER
W895s	Pair	\$690	\$275

One pair of inwall speakers with 8" Kevlar® woofers, cast magnesium woofer baskets, 1" pivoting aluminum dome tweeters, ±3dB bass & treble contour switches and 175 watt power handling.

- Replaces W852 Inwall Speakers
- Power Handling: 175 Watts
- Frequency Response: 28Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Dimensions (H x W x D): 14⁷/₈" x 10¹/₈" x 4¹/₈"
- Wall Cut Out (H x W): 13³/₈" x 8³/₄"

W695s 6¹/₂" Inwall Speakers

ITEM	U/M	MSRP	DEALER
W695s	Pair	\$600	\$240

One pair of inwall speakers with 6¹/₂" Kevlar® woofers, cast magnesium woofer baskets, 1" pivoting aluminum dome tweeters, +3dB bass & treble contour switches and 150 watt power handling.

- Replaces W692 Inwall Speakers
- Power Handling: 150 Watts
- Frequency Response: 32Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Dimensions (H x W x D): 12¹/₄" x 8³/₁₆" x 3³/₈"
- Wall Cut Out (H x W): 10⁷/₈" x 6³/₄"



Whole-House Ceiling Speakers

Signature C895s

ITEM	U/M	MSRP	DEALER
C895s	Pair	\$715	\$285

One pair of ceiling speakers with 8" Kevlar® woofers, cast magnesium woofer baskets, 1" pivoting aluminum dome tweeters, ±3dB bass & treble contour switches and 175 watt power handling.

- Replaces C851 Ceiling Speakers
- Power Handling: 175 Watts
- Frequency Response: 28Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 11½" x 4½"
- Ceiling Cut Out: 9¾"



Protege C801

ITEM	U/M	MSRP	DEALER
PAS11801	Pair	\$615	\$245

One pair of ceiling speakers with 8" graphite woofers, 1" pivoting aluminum dome tweeters, +3dB bass & treble contour switches and 150 watt power handling.

- Replaces C800 Ceiling Speakers
- Power Handling: 150 Watts
- Frequency Response: 28Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 11½" x 4¼"
- Ceiling Cut Out: 9¾"

Protege C791

ITEM	U/M	MSRP	DEALER
PAS11791	Pair	\$415	\$165

One pair of ceiling speakers with 8" polypropylene woofers, 1" pivoting soft dome tweeters and 125 watt power handling.

- Replaces C790 Ceiling Speakers
- Power Handling: 125 Watts
- Frequency Response: 36Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 11½" x 4¼"
- Ceiling Cut Out: 9¾"



Signature C695s

ITEM	U/M	MSRP	DEALER
C695s	Pair	\$565	\$225

One pair of ceiling speakers with 6½" Kevlar® woofers, cast magnesium woofer baskets, 1" pivoting aluminum dome tweeters, +3dB bass & treble contour switches and 150 watt power handling.

- Replaces C646 Ceiling Speakers
- Power Handling: 150 Watts
- Frequency Response: 32Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 9¼" x 3½"
- Ceiling Cut Out: 8¼"

Protege C641

ITEM	U/M	MSRP	DEALER
PAS11641	Pair	\$475	\$190

One pair of ceiling speakers with 6½" graphite woofers, 1" pivoting aluminum dome tweeters, +3dB bass & treble contour switches and 125 watt power handling.

- Replaces C640 Ceiling Speakers
- Power Handling: 125 Watts
- Frequency Response: 32Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 9¼" x 3⅝"
- Ceiling Cut Out: 8¼"



Whole-House Ceiling Speakers



Protege C626

ITEM	U/M	MSRP	DEALER
PAS11626	Pair	\$390	\$155

One pair of ceiling speakers with 6½" graphite woofers, 1" pivoting silk dome tweeters and 100 watt power handling.

- Replaces C625 Ceiling Speakers
- Power Handling: 100 Watts
- Frequency Response: 45Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 91dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 9¼" x 4"
- Ceiling Cut Out: 8¼"

Protege C635

ITEM	U/M	MSRP	DEALER
C635	Pair	\$340	\$135

One pair of ceiling speakers with 6½" aluminum woofers, 1" pivoting titanium dome tweeters and 100 watt power handling.

- New Ceiling Speakers
- Power Handling: 100 Watts
- Frequency Response: 40Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 9¼" x 3¾"
- Ceiling Cut Out: 8¼"



Protege C621

ITEM	U/M	MSRP	DEALER
PAS11621	Pair	\$325	\$130

One pair of ceiling speakers with 6½" polypropylene woofers, 1" pivoting silk dome tweeters and 100 watt power handling.

- Replaces C620 Ceiling Speakers
- Power Handling: 100 Watts
- Frequency Response: 45Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 91dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 9¼" x 3⅝"
- Ceiling Cut Out: 8¼"

Protege C612

ITEM	U/M	MSRP	DEALER
PAS11612	Pair	\$265	\$105

One pair of ceiling speakers with 6½" polypropylene woofers, 1" pivoting soft dome tweeters and 85 watt power handling.

- Replaces C610 Ceiling Speakers
- Power Handling: 85 Watts
- Frequency Response: 45Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 91dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 9¼" x 3⅝"
- Ceiling Cut Out: 8¼"



Protege C606

ITEM	U/M	MSRP	DEALER
PAS11606	Pair	\$215	\$85

One pair of ceiling speakers with 6½" polypropylene woofers, ¾" soft dome tweeters and 75 watt power handling.

- Replaces C605 Ceiling Speakers
- Power Handling: 75 Watts
- Frequency Response: 45Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 9¼" x 3⅝"
- Ceiling Cut Out: 8¼"

Protege C501

ITEM	U/M	MSRP	DEALER
PAS11501	Pair	\$240	\$95

One pair of ceiling speakers with 5½" polypropylene woofers, ½" pivoting polyamide hard dome tweeters and 75 watt power handling.

- Replaces C500 Ceiling Speakers
- Power Handling: 75 Watts
- Frequency Response: 40Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Diameter x Depth: 7¾" x 3¼"
- Ceiling Cut Out: 6⅞"



LCR Speakers

Signature C1075s

ITEM	U/M	MSRP	DEALER
C1075s	Each	\$750	\$300

One LCR ceiling speaker with woofer and midrange/tweeter bridge fixed at a 15° angle. 10" Kevlar® woofer, 3" pivoting Kevlar® midrange, 1" pivoting aluminum dome tweeter, ±3dB midrange & treble contour switches and 200 watt power handling. Required for installation, the included PCB-C1000 bracket is designed for new construction as well as retrofit applications.

- Replaces C1031 Ceiling LCR Speaker
- Power Handling: 200 Watts
- Frequency Response: 25Hz - 22kHz
- Impedance: 4Ω
- Sensitivity: 94dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 13³/₈" x 7⁷/₈"
- Ceiling Cut Out: 11⁷/₈"



Signature C875s

ITEM	U/M	MSRP	DEALER
C875s	Each	\$500	\$200

One LCR ceiling speaker with woofer and tweeter bridge fixed at a 15° angle. 8" Kevlar® woofer and 1" pivoting aluminum dome tweeter, ±3dB bass & treble contour switches and 175 watt power handling.

- Replaces C871 Ceiling LCR Speaker
- Power Handling: 175 Watts
- Frequency Response: 28Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 11¹/₈" x 5³/₄"
- Ceiling Cut Out: 9³/₄"

Protege C841

ITEM	U/M	MSRP	DEALER
PAS13841	Each	\$465	\$185

One LCR ceiling speaker with woofer and tweeter bridge fixed at a 15° angle. 8" graphite woofer and 1" pivoting silk dome tweeter, ±3dB bass & treble contour switches and 150 watt power handling.

- Replaces C840 Ceiling LCR Speaker
- Power Handling: 150 Watts
- Frequency Response: 40Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 11¹/₈" x 5⁷/₈"
- Ceiling Cut Out: 9³/₄"



Signature C675s

ITEM	U/M	MSRP	DEALER
C675s	Each	\$375	\$150

One LCR ceiling speaker with woofer and tweeter bridge fixed at a 15° angle. 6¹/₂" Kevlar® woofer and 1" pivoting aluminum dome tweeter and 125 watt power handling.

- New Ceiling LCR Speaker
- Power Handling: 125 Watts
- Frequency Response: 32Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 9¹/₄" x 3¹/₁₆"
- Ceiling Cut Out: 8¹/₄"

Protege C661

ITEM	U/M	MSRP	DEALER
PAS13661	Each	\$340	\$135

One LCR ceiling speaker with woofer and tweeter bridge fixed at a 15° angle. 6¹/₂" graphite woofer and 1" pivoting aluminum dome tweeter and 125 watt power handling.

- Replaces C660 Ceiling LCR Speaker
- Power Handling: 125 Watts
- Frequency Response: 36Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 9¹/₄" x 4⁹/₁₆"
- Ceiling Cut Out: 8¹/₄"



LCR Speakers



Protege C656

ITEM	U/M	MSRP	DEALER
PAS13656	Each	\$275	\$110

One LCR ceiling speaker with woofer and tweeter bridge fixed at a 15° angle. 6½" graphite woofer and 1" pivoting silk dome tweeter and 100 watt power handling.

- Replaces C655 Ceiling LCR Speaker
- Power Handling: 100 Watts
- Frequency Response: 45Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 91dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 9¼" x 5"
- Ceiling Cut Out: 8¼"

Protege C651

ITEM	U/M	MSRP	DEALER
PAS13651	Each	\$225	\$90

One LCR ceiling speaker with woofer and tweeter bridge fixed at a 15° angle. 6½" polypropylene woofer and 1" pivoting silk dome tweeter and 100 watt power handling.

- Replaces C650 Ceiling LCR Speaker
- Power Handling: 100 Watts
- Frequency Response: 45Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 91dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 9¼" x 4⅞"
- Ceiling Cut Out: 8¼"



Signature IW675s

ITEM	U/M	MSRP	DEALER
IW675s	Each	\$600	\$240

One inwall LCR speaker with two 6½" Kevlar® woofers, 1" pivoting aluminum dome tweeter, ±3dB bass & treble contour switches and 150 watt power handling. Fits horizontally between 16" on-center wall studs.

- Replaces IW655 Inwall LCR Speaker
- Power Handling: 150 Watts
- Frequency Response: 40Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Dimensions (H x W x D): 9" x 16⅞" x 3⅜"
- Wall Cut Out (H x W): 7½" x 14½"

Protege IW630

ITEM	U/M	MSRP	DEALER
PAS22630	Each	\$500	\$200

One inwall LCR speaker with two 6½" graphite woofers, 1" pivoting soft dome tweeter, ±3dB bass & treble contour switches and 125 watt power handling. Fits horizontally between 16" on-center wall studs.

- Replaces IW625 Inwall LCR Speaker
- Power Handling: 125 Watts
- Frequency Response: 55Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Dimensions (H x W x D): 9" x 16⅞" x 3"
- Wall Cut Out (H x W): 7½" x 14½"



Signature IW575s

ITEM	U/M	MSRP	DEALER
IW575s	Each	\$425	\$170

One inwall LCR speaker with two 5¼" Kevlar® woofers, 1" pivoting aluminum dome tweeter, ±3dB bass & treble contour switches and 125 watt power handling.

- Replaces IW555 Inwall LCR Speaker
- Power Handling: 125 Watts
- Frequency Response: 50Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 88dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Dimensions (H x W x D): 8" x 15⅝" x 3⅞"
- Wall Cut Out (H x W): 6¾" x 14½"

Protege IW530

ITEM	U/M	MSRP	DEALER
PAS22530	Each	\$350	\$140

One inwall LCR speaker with two 5¼" graphite woofers, 1" pivoting aluminum dome tweeter, ±3dB bass & treble contour switches and 100 watt power handling.

- Replaces IW525 Inwall LCR Speaker
- Power Handling: 100 Watts
- Frequency Response: 65Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 88dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Dimensions (H x W x D): 8" x 15⅝" x 3⅞"
- Wall Cut Out (H x W): 6¾" x 14½"



Whole-House Inwall Speakers

Signature W895s

One pair of inwall speakers with 8" Kevlar® woofers, cast magnesium woofer baskets, 1" pivoting aluminum dome tweeters, ±3dB bass & treble contour switches and 175 watt power handling.

- Replaces W852 Inwall Speakers
- Power Handling: 175 Watts
- Frequency Response: 28Hz - 22kHz
- Impedance: 8Ω

ITEM	U/M	MSRP	DEALER
W895s	Pair	\$690	\$275

- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Dimensions (H x W x D): 14⁷/₈" x 10¹/₈" x 4¹/₈"
- Wall Cut Out (H x W): 13³/₈" x 8³/₄"



Protege W802

One pair of inwall speakers with 8" graphite woofers, 1" pivoting aluminum dome tweeters, +3dB bass & treble contour switches and 150 watt power handling.

- Replaces W800 Inwall Speakers
- Power Handling: 150 Watts
- Frequency Response: 28Hz - 22kHz
- Impedance: 8Ω

ITEM	U/M	MSRP	DEALER
PAS21802	Pair	\$600	\$240

- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Dimensions (H x W x D): 14⁷/₈" x 10¹/₈" x 3³/₄"
- Wall Cut Out (H x W): 13³/₈" x 8³/₄"

Signature W695s

One pair of inwall speakers with 6¹/₂" Kevlar® woofers, cast magnesium woofer baskets, 1" pivoting aluminum dome tweeters, +3dB bass & treble contour switches and 150 watt power handling.

- Replaces W692 Inwall Speakers
- Power Handling: 150 Watts
- Frequency Response: 32Hz - 22kHz
- Impedance: 8Ω

ITEM	U/M	MSRP	DEALER
W695s	Pair	\$600	\$240

- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Dimensions (H x W x D): 12¹/₄" x 8³/₁₆" x 3³/₈"
- Wall Cut Out (H x W): 10⁷/₈" x 6³/₄"



Protege W682

One pair of inwall speakers with 6¹/₂" graphite woofers, 1" pivoting aluminum dome tweeters, +3dB bass & treble contour switches and 125 watt power handling.

- Replaces W680 Inwall Speakers
- Power Handling: 125 Watts
- Frequency Response: 32Hz - 22kHz
- Impedance: 8Ω

ITEM	U/M	MSRP	DEALER
PAS21682	Pair	\$500	\$200

- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Dimensions (H x W x D): 12¹/₄" x 8³/₁₆" x 3³/₁₆"
- Wall Cut Out (H x W): 10⁷/₈" x 6³/₄"

Protege W672

One pair of inwall speakers with 6¹/₂" polypropylene woofers, 1" pivoting silk dome tweeters and 100 watt power handling.

- Replaces W670 Inwall Speakers
- Power Handling: 100 Watts
- Frequency Response: 36Hz - 20kHz
- Impedance: 8Ω

ITEM	U/M	MSRP	DEALER
PAS21672	Pair	\$375	\$150

- Sensitivity: 91dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Dimensions (H x W x D): 12¹/₄" x 8³/₁₆" x 3¹/₈"
- Wall Cut Out (H x W): 10⁷/₈" x 6³/₄"



Protege W667

One pair of inwall speakers with 6¹/₂" polypropylene woofers, ¾" soft dome tweeters and 75 watt power handling.

- Replaces W665 Inwall Speakers
- Power Handling: 75 Watts
- Frequency Response: 45Hz - 20kHz
- Impedance: 8Ω

ITEM	U/M	MSRP	DEALER
PAS21667	Pair	\$240	\$95

- Sensitivity: 90dB 1W/1m
- Includes Thin-Bezel Grilles held by Neo Magnets
- Dimensions (H x W x D): 12¹/₄" x 8³/₁₆" x 3³/₁₆"
- Wall Cut Out (H x W): 10⁷/₈" x 6³/₄"

Twin-Tweeter Ceiling Speakers



Protege C825TT

One ceiling speaker with 8" dual voice coil graphite woofer, two 1" pivoting aluminum dome tweeters, +3dB bass & treble contour switches and 150 watt power handling.

- Replaces C800TT Single Stereo Ceiling Speaker
- Power Handling: 150 Watts
- Frequency Response: 28Hz - 22kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 11 $\frac{1}{8}$ " x 4 $\frac{1}{4}$ "
- Ceiling Cut Out: 9 $\frac{3}{4}$ "


ITEM	U/M	MSRP	DEALER
PAS12825	Each	\$340	\$135

Protege C625TT

One ceiling speaker with 6 $\frac{1}{2}$ " dual voice coil polypropylene woofer, two $\frac{1}{2}$ " hard dome tweeters and 75 watt power handling.

- Replaces C600TT Single Stereo Ceiling Speaker
- Power Handling: 75 Watts
- Frequency Response: 36Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 92dB 1W/1m
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 9 $\frac{1}{4}$ " x 3 $\frac{3}{8}$ "
- Ceiling Cut Out: 8 $\frac{1}{4}$ "

ITEM	U/M	MSRP	DEALER
PAS12625	Each	\$200	\$80



PROFICIENT

Protege

Powered Subwoofers

FS12 12" Floor Standing Sub

One dual-drive subwoofer with 12" front-firing polypropylene-coated fiber composite woofer, 12" down-firing passive radiator and Class D Amp with 300 watts RMS, 600 watts peak. Anti-clipping circuitry assures high output with low distortion. Black wood grain vinyl finish and dampened rubber feet.

- | | |
|--|--|
| <ul style="list-style-type: none"> • Amplifier Type: Class D Amp • Power Rating Continuous: 300 Watts RMS • Power Rating Peak: 600 Watts Peak • Frequency Response: 28Hz - 150Hz • Subwoofer Output: 106dB SPL • Inputs: Left & Right Line Level, LFE • Outputs: Line Level High-Pass | <ul style="list-style-type: none"> • Protection: Anti-Clipping Circuitry • Power On/Off: Auto Sensing • Phase Switch: 0 - 180° • Crossover: 50Hz - 150Hz; Bypass • Finish: Black Wood Grain Vinyl • Dampened Rubber Feet • Dimensions (H x W x D): 16⁵/₈" x 14¹/₂" x 15¹/₂" |
|--|--|

ITEM	U/M	MSRP	DEALER
FS12	Each	\$620	\$310



FS10 10" Floor Standing Sub

One dual-drive subwoofer with 10" front-firing polypropylene-coated fiber composite woofer, 10" down-firing passive radiator and Class D Amp with 250 watts RMS, 500 watts peak. Anti-clipping circuitry assures high output with low distortion. Black wood grain vinyl finish and dampened rubber feet.

- | | |
|--|---|
| <ul style="list-style-type: none"> • Amplifier Type: Class D Amp • Power Rating Continuous: 250 Watts RMS • Power Rating Peak: 500 Watts Peak • Frequency Response: 30Hz - 150Hz • Subwoofer Output: 103dB SPL • Inputs: Left & Right Line Level, LFE • Outputs: Line Level High-Pass | <ul style="list-style-type: none"> • Protection: Anti-Clipping Circuitry • Power On/Off: Auto Sensing • Phase Switch: 0 - 180° • Crossover: 50Hz - 150Hz; Bypass • Finish: Black Wood Grain Vinyl • Dampened Rubber Feet • Dimensions (H x W x D): 15¹/₈" x 13¹/₄" x 14" |
|--|---|

ITEM	U/M	MSRP	DEALER
FS10	Each	\$500	\$250

FS8 8" Floor Standing Sub

One dual-drive subwoofer with 8" front-firing polypropylene-coated fiber composite woofer, 8" down-firing passive radiator and Class D Amp with 200 watts RMS, 400 watts peak. Anti-clipping circuitry assures high output with low distortion. Black wood grain vinyl finish and dampened rubber feet.

- | | |
|--|--|
| <ul style="list-style-type: none"> • Amplifier Type: Class D Amp • Power Rating Continuous: 200 Watts RMS • Power Rating Peak: 400 Watts Peak • Frequency Response: 32Hz - 150Hz • Subwoofer Output: 100dB SPL • Inputs: Left & Right Line Level, LFE • Outputs: Line Level High-Pass | <ul style="list-style-type: none"> • Protection: Anti-Clipping Circuitry • Power On/Off: Auto Sensing • Phase Switch: 0 - 180° • Crossover: 50Hz - 150Hz; Bypass • Finish: Black Wood Grain Vinyl • Dampened Rubber Feet • Dimensions (H x W x D): 13⁵/₈" x 11³/₄" x 12¹/₂" |
|--|--|

ITEM	U/M	MSRP	DEALER
FS8	Each	\$390	\$190



PROFICIENT

Protege™

Passive Architectural Subwoofers



IWS105 10" Inwall Sub

Inwall passive subwoofer with a 10" long excursion treated paper cone woofer and inverted ferrite magnet structure with a power handling capacity of 250 watts. Designed to be used with the Proficient M3 Amp/Crossover. For new construction, use the optional BB-IWS10 MDF back box.

- Replaces IWS100 Inwall Sub
- Power Handling: 250 Watts
- Frequency Response: 36Hz - 150Hz
- Includes Thin-Bezel Grille held by Neo Magnets
- Dimensions (H x W x D): 13⁵/₈" x 13⁵/₈" x 3³/₄"
- Wall Cut Out (H x W): 12¹/₆" x 12¹/₆"

ITEM	U/M	MSRP	DEALER
PAS24105	Each	\$565	\$225

ICS11 10" Ceiling Sub

Ceiling passive subwoofer with a 10" long excursion graphite woofer and a power handling capacity of 175 watts. Designed to be used with the Proficient M3 Amp/Crossover.

- Replaces ICS10 Ceiling Sub
- Power Handling: 175 Watts
- Frequency Response: 30Hz - 120Hz
- Includes Thin-Bezel Grille held by Neo Magnets
- Diameter x Depth: 13³/₈" x 5⁵/₈"
- Ceiling Cut Out: 11⁷/₈"

ITEM	U/M	MSRP	DEALER
PAS13111	Each	\$425	\$170



M3 Amp/Crossover

180 watt high-current mono amp with built-in crossover network. Crossover features adjustments for subwoofer fine-tuning to individual room acoustics. Includes bolt-on rack ears.

- Use with Proficient Inwall & Ceiling Architectural Subs
- Premium Cast Aluminum Faceplate
- Power: 180 Watts Single Channel
- Variable Low Pass Crossover: 35Hz - 150Hz
- LFE Input & Pass Through Output
- Phase Switch
- Remote Power-On Switching via Signal Sensing
- Includes Bolt-On Rack Ears
- Dimensions (H x W x D): 4" x 17¹/₈" x 12⁵/₈"
- Weight: 18 lbs

ITEM	U/M	MSRP	DEALER
PAS72300	Each	\$545	\$325



BB-IWS10 Back Box

Medium Density Fiberboard (MDF) back box for the IWS105 inwall sub, designed to fit any standard 16" stud bay. Cuts down on translational energy vibration between adjacent walls. The IWS105 sub is tuned to the BB-IWS10 back box. *Not for use with ICS11.*

- Dimensions (H x W x D): 42³/₄" x 14³/₈" x 3¹/₄"

ITEM	U/M	MSRP	DEALER
PAS02100	Each	\$290	\$115



Outdoor

Outdoor / Indoor Speakers

AW830wht | blk

WHT	BLK	U/M	MSRP	DEALER
PAS42830	PAS42833	Pair	\$740	\$295

One pair of indoor/outdoor speakers with 8" polypropylene woofers, 3" graphite midrange, 1" pivoting soft dome tweeters and 175 watt power handling. Includes swivel mounting brackets.

Order in white or black.

- Power Handling: 175 Watts
- Frequency Response: 35Hz - 20kHz
- Impedance: 4Ω
- Sensitivity: 89dB 1W/1m
- Dimensions (H x W x D): 15¾" x 8¾" x 8¾"



AW650wht | blk

WHT	BLK	U/M	MSRP	DEALER
PAS41650	PAS41653	Pair	\$550	\$220

One pair of indoor/outdoor speakers with 6½" polypropylene woofers, 1" pivoting Supernil soft dome tweeters and 150 watt power handling. Includes swivel mounting brackets. **Order in white or black.**

- Power Handling: 150 Watts
- Frequency Response: 37Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 89dB 1W/1m
- Dimensions (H x W x D): 11" x 7" x 6¼"

AW525wht | blk

WHT	BLK	U/M	MSRP	DEALER
PAS41525	PAS41527	Pair	\$425	\$170

One pair of indoor/outdoor speakers with 5¼" polypropylene woofers, 1" pivoting Supernil soft dome tweeters and 125 watt power handling. Includes swivel mounting brackets. **Order in white or black.**

- Power Handling: 125 Watts
- Frequency Response: 45Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 88dB 1W/1m
- Dimensions (H x W x D): 9¾" x 6½" x 6¾"



AW400wht | blk

WHT	BLK	U/M	MSRP	DEALER
PAS41400	PAS41403	Pair	\$325	\$130

One pair of indoor/outdoor speakers with 4" polypropylene woofers, ¾" Supernil soft dome tweeters and 100 watt power handling. Includes swivel mounting brackets. **Order in white or black.**

- Power Handling: 100 Watts
- Frequency Response: 55Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 87dB 1W/1m
- Dimensions (H x W x D): 7¾" x 5½" x 5½"

PROFICIENT

Outdoor™

Outdoor / Indoor Twin-Tweeter Speakers



AW600TTwht | blk

WHT	BLK	U/M	MSRP	DEALER
PAS42600	PAS42603	Each	\$415	\$165

One indoor/outdoor speaker with 6½" dual voice coil polypropylene woofer, two 1" pivoting Supernil soft dome tweeters and 125 watt power handling. Weather-resistant ABS housing, powder coated aluminum grille. Includes swivel mounting bracket. **Order in white or black.**

- Power Handling: 125 Watts
- Frequency Response: 50Hz - 20kHz
- Impedance: 4Ω
- Sensitivity: 91dB 1W/1m
- Dimensions (H x W x D): 7" x 12" x 8"

AW500TTwht | blk

WHT	BLK	U/M	MSRP	DEALER
PAS42500	PAS42503	Each	\$315	\$125

One indoor/outdoor speaker with 5¼" dual voice coil polypropylene woofer, two 1" pivoting Supernil soft dome tweeters and 100 watt power handling. Weather-resistant ABS housing, powder coated aluminum grille. Includes swivel mounting bracket. **Order in white or black.**

- Power Handling: 100 Watts
- Frequency Response: 60Hz - 20kHz
- Impedance: 4Ω
- Sensitivity: 89dB 1W/1m
- Dimensions (H x W x D): 7" x 11" x 6¼"



Rock Speakers

R800G / R800S

G	S	U/M	MSRP	DEALER
PAS10800	PAS10801	Pair	\$550	\$220

One pair of rock speakers with 8" graphite woofers, 1" polyamide dome tweeters and 90 watt power handling. **Order in granite or sandstone.**

- Power Handling: 90 Watts
- Frequency Response: 65Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 95dB 1W/1m
- Weather-Resistant Design
- Dimensions (H x W x D): 14½" x 14½" x 11"



R650G / R650S

G	S	U/M	MSRP	DEALER
PAS10650	PAS10651	Pair	\$415	\$165

One pair of rock speakers with 6½" graphite woofers, 1" polyamide dome tweeters and 60 watt power handling. **Order in granite or sandstone.**

- Power Handling: 60 Watts
- Frequency Response: 80Hz - 20kHz
- Impedance: 8Ω
- Sensitivity: 88dB 1W/1m
- Weather-Resistant Design
- Dimensions (H x W x D): 11½" x 9½" x 8¼"

Speaker Selectors



SS4VC

ITEM	U/M	MSRP	DEALER
PAS71455	Each	\$410	\$245

Four-pair transformer-based on/off speaker selector with volume controls provides quick, convenient access for up to four stereo pairs. 60 watts power handling per channel, rear override switch for circuit protection and suction feet for stable operation.

- Power Handling: 60 Watts per Channel
- Frequency Response: 20Hz - 20kHz
- Protection: Front Mounted Switch & Rear Override
- Includes Area Labels
- Dimensions (H x W x D): 2³/₁₆" x 17" x 6¹³/₃₂"



SS8P

ITEM	U/M	MSRP	DEALER
PAS71850	Each	\$250	\$125

Eight-pair resistor-based on/off speaker selector provides quick, convenient access for up to eight stereo pairs. 125 watts power handling per channel, rear override switch for circuit protection and suction feet for stable operation.

- Power Handling: 125 Watts per Channel
- Frequency Response: 20Hz - 20kHz
- Protection: Front Mounted Switch & Rear Override
- Includes Area Labels
- Dimensions (H x W x D): 2³/₁₆" x 17" x 6¹³/₃₂"



SS4P

ITEM	U/M	MSRP	DEALER
PAS71450	Each	\$140	\$70

Four-pair resistor-based on/off speaker selector provides quick, convenient access for up to four stereo pairs. 125 watts power handling per channel, rear override switch for circuit protection and suction feet for stable operation.

- Power Handling: 125 Watts per Channel
- Frequency Response: 20Hz - 20kHz
- Protection: Front Mounted Switch & Rear Override
- Includes Area Labels
- Dimensions (H x W x D): 2³/₁₆" x 8³/₈" x 6¹³/₃₂"

Volume Controls



VC60i

60-watt impedance-balancing volume control with autoformer. Features quick & secure wire connecting system. Fits in most single-gang J-boxes and plaster rings. Includes white, bone and almond plates, inserts and knobs.

- Power Handling: 60 Watts Continuous
120 Watts Peak Music Power
- Frequency Response: 20Hz - 20kHz
- Steps: 12 (Make Before Break)
- Total Attenuation: 42dB (Max)
- Depth: 2½" Behind Plate

ITEM	U/M	MSRP	DEALER
PAS35377	Each	\$65	\$30.80

VC45i

45-watt impedance-balancing volume control with autoformer. Features removable wire block terminal for easy connection. Fits in most single-gang J-boxes and plaster rings. Includes white, bone and almond plates, inserts and knobs.

- Power Handling: 45 Watts Continuous
90 Watts Peak Music Power
- Frequency Response: 20Hz - 20kHz
- Steps: 10 (Make Before Break)
- Total Attenuation: 42dB (Max)
- Depth: 2½" Behind Plate

ITEM	U/M	MSRP	DEALER
PAS36151	Each	\$35	\$16.50



VCS60

60-watt stereo volume control with autoformer. Features quick & secure wire connecting system. Fits in most single-gang J-boxes and plaster rings. Includes white, bone and almond plates, inserts and knobs.

- Power Handling: 60 Watts Continuous
120 Watts Peak Music Power
- Frequency Response: 20Hz - 20kHz
- Steps: 12 (Make Before Break)
- Total Attenuation: 42dB (Max)
- Depth: 2½" Behind Plate

ITEM	U/M	MSRP	DEALER
PAS37371	Each	\$50	\$23.10

VC60SL

60-watt slider stereo volume control with removable screw down wire terminal design. Fits in most single-gang J-boxes and plaster rings. Includes white, bone and almond plates, inserts and sliders.

- Power Handling: 60 Watts Continuous
120 Watts Peak Music Power
- Frequency Response: 20Hz - 20kHz
- Steps: 12 (Make Before Break)
- Total Attenuation: 42dB (Max)
- Dimensions (H x W x D): 4" x 1½" x 3¼"

ITEM	U/M	MSRP	DEALER
PAS32396	Each	\$75	\$36.30



VC60AW

60-watt weather-resistant volume control sealed against dust and moisture. Fits onto ¾" conduit or can be surface mounted. Available in Gray.

- Power Handling: 60 Watts Continuous
120 Watts Peak Music Power
- Frequency Response: 20Hz - 20kHz
- Steps: 12 (Make Before Break)
- Total Attenuation: 42dB (Max)
- Dimensions (H x W x D): H 4½" x W 2¾" x D 3½"

ITEM	U/M	MSRP	DEALER
PAS34320G	Each	\$90	\$44

Infrared Kits



IR Shelf Top Kit

ITEM	U/M	MSRP	DEALER
PAS80313	Each	\$240	\$91.38

Contains all components needed for a one room system setup. Includes the following IR components:

- (1) IR Shelf Top Receiver
- (1) IR Router
- (1) IR Power Supply~250mA
- (4) IR Single Flashers



IR Plasma Kit

ITEM	U/M	MSRP	DEALER
PAS80315	Each	\$370	\$145.13

Compatible with most Plasma, LCD, LED and DLP. Contains all components needed for a one room system setup. Includes the following IR components:

- (1) IR Plasma Receiver
- (1) IR Router
- (1) IR Power Supply~250mA
- (4) IR Single Flashers



IR Mini-blk Kit

ITEM	U/M	MSRP	DEALER
PAS80312BK	Each	\$330	\$129

Contains all components needed for a one room system setup. Includes the following IR components:

- (1) IR Mini Receiver~blk
- (1) IR Router
- (1) IR Power Supply~250mA
- (4) IR Single Flashers



IR Fish Eye Kit

ITEM	U/M	MSRP	DEALER
PAS80311	Each	\$330	\$129

Compatible with most Plasma, LCD, LED and DLP. Contains all components needed for a one room system setup. Includes the following IR components:

- (1) IR Fish Eye Receiver
- (1) IR Router
- (1) IR Power Supply~250mA
- (4) IR Single Flashers

Infrared Components



IR Shelf Top Receiver

ITEM	U/M	MSRP	DEALER
PAS81300	Each	\$100	\$40

Shelf-top IR receiver features Ambient Noise Suppression and LEDs to indicate system status and IR activity. IR Terminal included for easy, no-cut connection.
 • Dimensions (L x W x D): 1 $\frac{1}{8}$ " x 3 $\frac{3}{16}$ " x 1 $\frac{1}{16}$ "

IR Plasma Receiver

ITEM	U/M	MSRP	DEALER
PAS81205	Each	\$225	\$90

Super small, surface-mount IR plasma receiver. Two-piece design separates the receiver from the "Smart Circuit" electronics package for clean looking installation. The "Smart Circuit" blocks interference from plasmas or CFLs. LEDs indicate system status and IR activity. IR Terminal included for easy, no-cut connection. Compatible with most Plasma, LCD, LED and DLP.



IR Mini Receiver-blk

ITEM	U/M	MSRP	DEALER
PAS81200BK	Each	\$190	\$75.25

Surface-mount mini IR receiver features Ambient Noise Suppression and LEDs to indicate system status and IR activity. IR Terminal included for easy, no-cut connection.
 • Dimensions (L x W x D): 2 $\frac{1}{16}$ " x 1 $\frac{7}{32}$ " x $\frac{9}{16}$ "

IR Fish Eye Receiver

ITEM	U/M	MSRP	DEALER
PAS81100	Each	\$180	\$72

Flush-mount IR receiver features Ambient Noise Suppression and LEDs to indicate system status and IR activity. Includes four flavors of bezels (white, black, almond, and bone) and two Ambient Light Restrictor (ALR) bezels for severe plasma or CFL environments. IR Terminal included for easy, no-cut connection. Compatible with most Plasma, LCD, LED and DLP.

- Dimensions (Dia x L): 1 $\frac{5}{32}$ " x 2 $\frac{7}{8}$ "
- Color Bezel (Dia x L): 4 $\frac{7}{64}$ " x $\frac{1}{8}$ "

- ALR Bezel (Dia x L): 4 $\frac{7}{64}$ " x 2 $\frac{3}{64}$ "



IR Router

ITEM	U/M	MSRP	DEALER
PAS82200	Each	\$75	\$30

Central router for all Proficient IR systems. Controls IR receivers and IR Flashers. Equipped with 3.5mm mini jacks for quick connection of IR Receivers and Flashers. Multiple IR Routers can be cascaded for additional IR Flasher output jacks.

IR Power Supply-250mA

ITEM	U/M	MSRP	DEALER
PS12-0.5	Each	\$22	\$11

12V DC, 250mA regulated power supply designed for use in small to moderate IR systems. Powers the IR Receivers, IR Router and IR Flashers.



IR Single Flasher

ITEM	U/M	MSRP	DEALER
PAS83300	Each	\$25	\$8.60

LED flashes red to indicate operation. Features docking port which allows quick installation of IR Flasher on a component, as well as easy removal of IR Flasher. Includes an 8' wire for painless hookup to IR Router.

IR Dual Flasher

ITEM	U/M	MSRP	DEALER
PAS83400	Each	\$35	\$12.90

LEDs flash red to indicate operation. Features docking ports which allow quick installation of IR Flashers on components, as well as easy removal of IR Flashers. The Dual IR Flasher splits to two 8' wires for easy hookup to IR Router.



Pre-Construction Brackets

PCB-C800

ITEM	U/M	MSRP	DEALER
PCB11800	Pair	\$50	\$20

One pair of pre-construction brackets for new construction. Fits 8" 2-way, LCR & twin-tweeter ceiling speakers.

PCB-C600

ITEM	U/M	MSRP	DEALER
PCB11600	Pair	\$50	\$20


One pair of pre-construction brackets for new construction. Fits 6½" 2-way, LCR & twin-tweeter ceiling speakers.



PCB-C500

ITEM	U/M	MSRP	DEALER
PCB11500	Pair	\$50	\$20

One pair of pre-construction brackets for new construction. Fits 5¼" ceiling speakers.



PCB-W800

ITEM	U/M	MSRP	DEALER
PCB21800	Pair	\$50	\$20

One pair of pre-construction brackets for new construction. Fits 8" inwall speakers.

PCB-W600


ITEM	U/M	MSRP	DEALER
PCB21600	Pair	\$50	\$20

One pair of pre-construction brackets for new construction. Fits 6½" inwall speakers.

PCB-IW600

ITEM	U/M	MSRP	DEALER
PCB22600	Each	\$50	\$20

One each pre-construction bracket for new construction. Fits 6½" inwall LCR speakers.



PCB-IW500

ITEM	U/M	MSRP	DEALER
PCB22500	Each	\$50	\$20

One each pre-construction bracket for new construction. Fits 5¼" inwall LCR speakers.



Ceiling Tile Brackets



CTB-C800

One each ceiling tile bracket used in drop ceiling and T-bar type ceiling applications. Fits 8" 2-way, LCR & twin-tweeter ceiling speakers.

ITEM	U/M	MSRP	DEALER
CTB11801	Each	\$40	\$16

CTB-C600

One each ceiling tile bracket used in drop ceiling and T-bar type ceiling applications. Fits 6½" 2-way, LCR & twin-tweeter ceiling speakers.

ITEM	U/M	MSRP	DEALER
CTB11601	Each	\$40	\$16

Back Boxes

BB-IWS10

Medium Density Fiberboard (MDF) back box for the IWS105 inwall sub, designed to fit any standard 16" stud bay. Cuts down on translational energy vibration between adjacent walls. The IWS105 sub is tuned to the BB-IWS10 back box. *Not for use with ICS11.*

• Dimensions (H x W x D): 42¾" x 14¾" x 3¼"

ITEM	U/M	MSRP	DEALER
PAS02100	Each	\$290	\$115



BB-C800

One metal back box for 8" 2-way, LCR & twin-tweeter ceiling speakers. **UL 263-03 1-hour fire rating.**

ITEM	U/M	MSRP	DEALER
PAS01800	Each	\$125	\$50

BB-C650


One metal back box for 6½" 2-way, LCR & twin-tweeter ceiling speakers. CMB-24 mounting bars are needed when installing in ceiling joists 24" on-center or suspended ceilings. **UL 263-03 1-hour fire rating.**

ITEM	U/M	MSRP	DEALER
PAS01603	Each	\$125	\$50

BB-W600

One metal back box for 6½" inwall speakers. **UL 263-03 1-hour fire rating.**

ITEM	U/M	MSRP	DEALER
PAS02600	Each	\$125	\$50



CMB-24

One pair of ceiling mounting bars slip into clips on BB-C650 back box. For installation in ceiling joists 24" on-center or suspended ceilings.

ITEM	U/M	MSRP	DEALER
PAS01000	Pair	\$40	\$15

Speaker Cover Plates

CPC-800 8" Ceiling Cover Plate

ITEM	U/M	MSRP	DEALER
PAS03800	Pair	\$50	\$20

One pair of white cover plates for 8" 2-way, LCR & twin-tweeter ceiling speakers.



CPC-600 6½" Ceiling Cover Plate

ITEM	U/M	MSRP	DEALER
PAS03600	Pair	\$50	\$20

One pair of white cover plates for 6½" 2-way, LCR & twin-tweeter ceiling speakers.



CPW-600 6½" Inwall Cover Plate

ITEM	U/M	MSRP	DEALER
PAS04600	Pair	\$50	\$20

One pair of white cover plates for 6½" inwall speakers.

Replacement Speaker Grilles

Thin-Bezel 10" Ceiling LCR Grille

ITEM	U/M	MSRP	DEALER
1001-131031	Each	\$45	\$18

Compatible with Proficient Signature 10" Ceiling LCR Speakers.

Thin-Bezel 8" Ceiling Grille

ITEM	U/M	MSRP	DEALER
1001-11801	Each	\$45	\$18

Compatible with Proficient Signature & Protege 8" 2-Way, LCR & Twin-Tweeter Ceiling Speakers.

Thin-Bezel 6½" Ceiling Grille

ITEM	U/M	MSRP	DEALER
1001-11602	Each	\$45	\$18

Compatible with Proficient Signature & Protege 6½" 2-Way, LCR & Twin-Tweeter Ceiling Speakers.

Thin-Bezel 5¼" Ceiling Grille


ITEM	U/M	MSRP	DEALER
1001-11501	Each	\$45	\$18

Compatible with Proficient Protege 5¼" Ceiling Speakers.

Thin-Bezel 6½" Ceiling Grille

ITEM	U/M	MSRP	DEALER
SRG-C6-SG	Each	\$45	\$18

Square Grille for 6½" ceiling speakers



Thin-Bezel 8" Inwall Grille

ITEM	U/M	MSRP	DEALER
1001-21801	Each	\$45	\$18

Compatible with Proficient Signature & Protege 8" Inwall Speakers.

Thin-Bezel 6½" Inwall Grille

ITEM	U/M	MSRP	DEALER
1001-21601	Each	\$45	\$18

Compatible with Proficient Signature & Protege 6½" Inwall Speakers.



Replacement Speaker Grilles



Thin-Bezel 6½" Inwall LCR Grille **ITEM** **U/M** **MSRP** **DEALER**
 1001-22630 Each \$45 \$18
 Compatible with Proficient Signature & Protege 6½" Inwall LCR Speakers.

Thin-Bezel 5¼" Inwall LCR Grille **ITEM** **U/M** **MSRP** **DEALER**
 1001-22530 Each \$45 \$18
 Compatible with Proficient Signature & Protege 5¼" Inwall LCR Speakers.



Thin-Bezel 10" Inwall Sub Grille **ITEM** **U/M** **MSRP** **DEALER**
 1001-24105-2 Each \$45 \$18
 Compatible with Proficient Protege IWS105 10" Inwall Subwoofer.

Thin-Bezel 10" Ceiling Sub Grille **ITEM** **U/M** **MSRP** **DEALER**
 1001-13111 Each \$45 \$18
 Compatible with Proficient Protege ICS11 10" Ceiling Subwoofer.



AW830 Grilles **WHT** **BLK** **U/M** **MSRP** **DEALER**
 1001-42830 1001-42833 Pair \$45 \$18
 Compatible with AW830 Outdoor/Indoor Speakers.



AW650 Grilles **WHT** **BLK** **U/M** **MSRP** **DEALER**
 1001-41650 1001-41653 Pair \$45 \$18
 Compatible with AW650 Outdoor/Indoor Speakers.

AW525 Grilles **WHT** **BLK** **U/M** **MSRP** **DEALER**
 1001-41525 1001-41527 Pair \$45 \$18
 Compatible with AW525 Outdoor/Indoor Speakers.

AW400 Grilles **WHT** **BLK** **U/M** **MSRP** **DEALER**
 1001-41400 1001-41403 Pair \$45 \$18
 Compatible with AW400 Outdoor/Indoor Speakers.

AW600TT Grille **WHT** **BLK** **U/M** **MSRP** **DEALER**
 1001-42600 1001-42603 Each \$45 \$18
 Compatible with AW600TT Twin-Tweeter Outdoor/Indoor Speakers.



AW500TT Grille **WHT** **BLK** **U/M** **MSRP** **DEALER**
 1001-42500 1001-42503 Each \$45 \$18
 Compatible with AW500TT Twin-Tweeter Outdoor/Indoor Speakers.



PROFICIENT[®]

5919 Sea Otter Place, Suite 100 • Carlsbad, CA 92010 • 800.472.5555 • Fax 707.283.5901 • proficientaudio.com

©2018 Nortek Security & Control, LLC. All rights reserved. Proficient[®] is a registered trademark of Nortek Security & Control, LLC.

Rev D, 11/2018

Dolby, Dolby Atmos, and the double-D symbol are registered trademarks of Dolby Laboratories.

DTS, the Symbol, DTS and the Symbol together, DTS:X, and the DTS:X logo are registered trademarks or trademarks of DTS, Inc. in the United States and/or other countries.

DuPont and Kevlar are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.