## Manual



ON/OFF: Power control key

LIGHT: Select the colot key.red or green

F: Flashing function key

T: Cancel the timing function key

2H: Time 2 hours 4H: Time 4 hours 6H: Time 6 hours 8H: Time 8 hours

Size: 85x37x16.5mm

## 1. Technical parameter of the remote control:

1.1 Working frequency: 433.92Mhz;

1.2 Transmit power:

1.3 Working voltage: 12V23A1.4 Distance: 15m(free open area);1.5 Standby current of the sender: 3uA;

## 3. Learning method:

- 3.1 Keep pressing the remote button(any of 1~8) want to learn, at the mean time, press the learn button of the receiver, the led on the receiver will flash one time, means the code has been learnt successfully. Now release the remote button to finish the learning.
- 2.2 One receiver will learn one button(any of 1~8) only, if learn more than one time, the last learning is the valid one.
- 2.3 Remote button 1~8 can learn individually with 8 different receivers, they will not affect each other.

## **FCC STATEMENT**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for comp liance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection

against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used inaccordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio ortelevision reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.