Microprogram

An Easy Versatile T&A Terminal

Quick Reference Guide

Version 1.2

Regulatory Compliance Statements

Taiwan NC Warning Statement

根據低功率電波輻射性電機管理辦法:

第十二條 經型式認證合格之低功率射頻電機,非經許

可、公司、商號或使用者均不得擅自變更頻率,加大功率

或變更原設計之特性及功能。

第十四條 低功率射頻電機之使用不得影響飛航安全及干

擾合法通信:經發現有干擾現象時,應立即停用,並改善

至無干擾時方得繼續使用。

前項合法通信,指依電信規定作業之無線電信。低功率射

頻電機須忍受合法通信或工業、科學及醫療用電波輻射性

電機設備之干擾

FCC Warning Statement

This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the installation. , May cause harmful interference to radio communication. However, there is no guarantee that interference
Will not occur in a particular installation. if this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna
-Increase the separation between the equipment and receiver
-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
-Consult the dealer or an experienced radio / TV technician for help

B. FCC Port 15.21 information for user
You are cautioned that changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.
b-1 fcc part 15.19
This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions
(1)　　This device may not cause harmful interference and
This device must accept any interference received, including interference that may cause undesired operation

A Tour of MT160-T30TAG

(MT160-T30TAG導覽)

After opening the box, ensure the following items are present:

打開包裝盒之後，請檢查盒中是否有下列物品：

|	
MT160-T30TAG Main Subject **MT160-T30TAG主體**	**MT160-T30TAG Back Pad** **MT160-T30TAG背板**
MT160-T30TAGAccessories **MT160-T30TAG配件**	

Please contact a Microprogram representative if anything is missing or appears damaged.

如果有任何物品遺失或毀損，請連絡Microprogram 代表。

Front Panel
前面板

LED Indicators
LED 指示燈

LCD Screen
LCD 螢幕

TASHI

Function Keys
功能鍵

Numeric Keypad
數字按鍵

Back Panel
後面板

JP2 Relay2
警報器

CN3
排線接口

JP3 Relay1
電磁鎖

Anti-Thief Switch
防拆除偵測開關

Using the Terminal Block

使用端子

CN3

綠 Relay2 -	○	○	紅白 Relay1 -
白 Relay2 +	○	○	橙白 **Relay1 +**
黑 GND	○	○	粉 CAN L
紫 DI 3	○	○	灰 CAN H
黑 GND	○	○	藍 485 D-
棕 DI 2	○	○	黃 485 D+
黑 GND	○	○	黑 GND
橙 DI 1	○	○	紅 Vcc 12V