





Bluetooth Power Amplifier Mini40




Features


- **Arc-shaped design**
Rounded frame, elegant and moderate, conform to modern beauty
- **Precision processing**
Processed by precision frosting technology, with oxidable surface, never rust.
- **High-quality aluminum**
Produced by high performance aluminum, impact resistant, never out of shape
- **Powerful functions**
Pushed by Bluetooth mode or line mode. Wide range for transmitting and radiating
- **Beautiful sound**
Two channel of stereo line output, 2×25W

1

Install instructions: (Please be familiar with the following parts)



A.Horizontal Installment 1.4 screws are installed in the needed place.



2

Operation Instructions



Welcome to use the public address system manufactured by DSPPA Company. For the better application of this equipment, please read the operation instruction carefully prior to use.

Guangzhou DSPPA Audio Co., Ltd.

<http://www.dsppatech.com>



Bluetooth Power Amplifier Mini40




Features


- **Arc-shaped design**
Rounded frame, elegant and moderate, conform to modern beauty
- **Precision processing**
Processed by precision frosting technology, with oxidable surface, never rust.
- **High-quality aluminum**
Produced by high performance aluminum, impact resistant, never out of shape
- **Powerful functions**
Pushed by Bluetooth mode or line mode. Wide range for transmitting and radiating
- **Beautiful sound**
Two channel of stereo line output, 2×25W

1

Install instructions: (Please be familiar with the following parts)



A.Horizontal Installment 1.4 screws are installed in the needed place.



2

Operation Instructions


Welcome to use the public address system manufactured by DSPPA Company. For the better application of this equipment, please read the operation instruction carefully prior to use.

Guangzhou DSPPA Audio Co., Ltd.

<http://www.dsppatech.com>

B.Vertical Installment

1. 4 screws are installed in the needed place.



C.Put on the ceiling

1. Connect the lines of power input and amplifier input.
2. According to the need to connect the input lines.
3. Be sure that the installment is secure or not.

Attention:

Mini40 has two pushing ways.

When the power connects and line input, the indicator flashes in red.

When the Bluetooth connects, the indicator lights in red.

3


Specification

Rated Power	2×25W
Maximum power	2×40W
Frequency Response	20Hz~20kHz
Harmonic Distortion	< 0.1%
S/N Ratio	82dB
Static power consumption	0.24W
Impedance	4-16Ω
Input Level	0dBV(0.775V)
Input Impedance	> 10kΩ
Bluetooth Distance	10m
Bluetooth Standard	BT2.1+EDR
Power	100-240V
Gross Weight	0.33kg
Net Weight	0.35kg
External Dimension (mm)	125mm×100mm×35mm
Packing Size(mm)	135mm×110mm×45mm

4

B.Vertical Installment

1. 4 screws are installed in the needed place.



C.Put on the ceiling

1. Connect the lines of power input and amplifier input.
2. According to the need to connect the input lines.
3. Be sure that the installment is secure or not.

Attention:

Mini40 has two pushing ways.

When the power connects and line input, the indicator flashes in red.

When the Bluetooth connects, the indicator lights in red.

3

Specification

Rated Power	2×25W
Maximum power	2×40W
Frequency Response	20Hz~20kHz
Harmonic Distortion	< 0.1%
S/N Ratio	82dB
Static power consumption	0.24W
Impedance	4-16Ω
Input Level	0dBV(0.775V)
Input Impedance	> 10kΩ
Bluetooth Distance	10m
Bluetooth Standard	BT2.1+EDR
Power	100-240V
Gross Weight	0.33kg
Net Weight	0.35kg
External Dimension (mm)	125mm×100mm×35mm
Packing Size(mm)	135mm×110mm×45mm

4

Warning Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.