# Calling

# Making/Receiving Calls

# Making a call

1

# From the application list screen, "Phone"

# 2 "Dial"

• Tap "Favorites" to display contacts saved to Phonebook.



# Enter the phone number

• If you enter a wrong number, tap <u>a</u> to delete the number.


### Set Caller ID notification manually

- "Menu key" "Caller ID notification"
- "Notify"/"Not notify"
- You can set to notify/not notify your number by entering "186"/"184" before entering the number.
  - \* Effective for that call only.

# Using Koe-no-Takuhaibin

"Koe-Taku"

1 C -



### NOTE

 "Menu key" > "Add wait" (;) / " Add 2-sec pause" (,) to enter a push signal (pause).

### Emergency call

Emergency call	Phone number
Police emergency	110
Fire brigade/Ambulance	119
emergency	
Maritime distress call	118

• The terminal supports "Emergency Location Report".

Calls made to emergency service organizations (e.g. by dialing 110, 119 or 118) disclose information on the caller's location to the organization receiving the call. Emergency service organizations may not identify the correct location depending on the caller's location and the receiving condition. The location information and phone number are not disclosed when, before each individual call made, "184" or another blocking prefix is dialed first. If the information is deemed necessary for the protection of life, etc., this information may be acquired by the organization being called.

Locations/timing planned for adoption of this feature vary according to the status of the preparations by the relevant emergency service organizations.

 When calling 110, 119 or 118 from the terminal, first say you are calling from a mobile phone, give your number, and state your location clearly, because the police or fire department may call you back for confirmation.

Also, do not move around when making the call. Do not turn off the power immediately after ending the call, but leave it turned on for ten minutes or so, so that you can receive a call.

• Depending on the area you are calling from, you may not be connected with the nearest police or fire department, etc.

### NOTE

- When you have locked the screen, you can make an emergency call without drawing screen unlock pattern and entering the Lock Number for each screen. On each screen, tap "Emergency call". The "Emergency Dialer" screen appears; you can make phone calls only to the emergency phone numbers.
- In Japan, the 110, 119, and 118 emergency numbers cannot be dialed when the miniUIM is not set to it, from the PIN1 code entry screen, during PIN code lock, PUK lock activated, or Encryption is set.

# Making an international call (WORLD CALL)

WORLD CALL is an international phone service that can be used from DOCOMO mobile phones. Customers who have subscribed to the FOMA service would also have automatically subscribed to "WORLD CALL" at the same time (excepting those who have declined it).

- For details on WORLD CALL, refer to DOCOMO "International Services website".
- From the application list screen, "Phone"

Dial"

# Touch and hold "0"

• A plus sign "+" appears.

# 

#### NOTE

• If the area code begins with "0", omit "0". However, "0" may be required for calling some countries or areas, such as Italy. **Receiving a call** 

### When a call is received, "Activate" ▶ "Accept"

- Turn off the ring tone and the vibrator.
- "Volume key up"/"Volume key down"
- Declining a call
- "Activate" "Reject"

# Reject call with SMS

"Activate" "Reject call with SMS"
tap a message.

• The selected message is sent to the other person as SMS.

### Putting an incoming call on hold

- ▶ "Menu key" ▶ "On hold"
- The call is connected and immediately placed on hold.

### Record message

"Menu key" "Record message"

When the call is finished, " ---- "

# NOTE

• If you decline an incoming call when Voice Mail service or Call Forwarding service are set to Activate, the call is forwarded to the Voice Mail service center or the designated forwarding number.

### **Radio Frequency (RF) Signals**

THIS MODEL PHONE MEETS THE U.S. GOVERNMENT'S REQUIREMENTS FOR EXPOSURE TO RADIO WAVES. Your wireless phone contains a radio transmitter and receiver. Your phone is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the U.S. Government. These limits are part of comprehensive guidelines and establish permitted levels of RF energy for the general population. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies.

The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate (SAR). The SAR limit set by the FCC is 1.6 W/kg.\* Tests for SAR are conducted using standard operating positions accepted by the FCC with the phone transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the phone while operating can be well below the maximum value. This is because the phone is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the output.

Before a phone model is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the limit established by the U.S. government-adopted requirement for safe exposure. The tests are performed on position and locations (for example, at the ear and worn on the body) as required by FCC for each model. The highest SAR value for this model phone as reported to the FCC when tested for use at the ear is 0.79 W/kg, and when worn on the body, is 0.75 W/kg. (Body-worn measurements differ among phone models, depending upon available accessories and FCC requirements). While there may be differences between the SAR levels of various phones and at various positions. they all meet the U.S. government requirement.

The FCC has granted an Equipment Authorization for this model phone with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this model phone is on file with the FCC and can be found under the Display Grant section at http://www.fcc.gov/oet/ea/fccid after search on FCC ID A98–FQM6833.

For body worn operation, this phone has been tested and meets the FCC RF exposure guidelines.\*\* Please use an accessory designated for this product or an accessory which contains no metal and which positions the handset a minimum of 1.5 cm from the body. Non-compliance with the above restrictions may result in violation of FCC RF Exposure guidelines.

- \* In the United States, the SAR limit for wireless mobile phones used by the public is 1.6 watts/ kg (W/kg) averaged over one gram of tissue. SAR values may vary depending upon national reporting requirements and the network band.
- \*\* For devices which include "WiFi hotspot" functionality, SAR is measured at a distance of 1.0cm for operation of data calls as required by FCC, and this product is shown to be in compliance with the FCC RF exposure guidelines.

### **FCC Regulations**

This mobile phone complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This mobile phone has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the

FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation; if this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.