



## TV backlight

NHB-S615

## Cheers!


Congratulations on purchasing Nexxt Home's Smart Wi-Fi TV backlight. Before you open the box, check out this manual so you can get the most out of your new device.

## What's in the box

- Camera
- Camera power adapter
- LED strip lights
- 10 fasteners
- User manual

If any of the listed items is broken or missing, contact us immediately. Go to [www.nexxtsolutions.com/connectivity/support/contact-us](http://www.nexxtsolutions.com/connectivity/support/contact-us) where you'll find several ways to get in touch with our support team.


## Camera: A quick view



Button / port / light	Description
1. On/off button	<p><b>a.</b> Press to turn on/off.</p> <p><b>b. Reset function:</b> To reset the camera, press this button for 5 seconds until a green light flashes. Then, it will turn solid green and the light strip will begin to flash fast in red, indicating that the device is ready to pair.</p> <p><b>Note:</b> If the LED strip flashes red slowly, repeat the procedure described in point "b".</p>
2. Indicator light	To signal the status of device
3. USB-C port	To connect an extra device, such a light bar (extra device not included)
4. Power port	To connect to a power source
5. Strip light port	To connect the LED strip light


## Installation

1. Wipe the installation surface (normally the back of the TV) to make sure it's dry and clean.




2. Position the camera exactly in the middle of the top of the TV.

Use a tape measure to determine this point. Remove the film covering the double-sided tape at the bottom of the camera. Then, stick it on the determined middle point on the TV and tighten the base with the clip located in the back.




3. Stick the strip light firmly on the back of the TV, as shown below. Please follow the direction of the arrows on the strip light.

Note: Although the graphic below shows the strip initial end was placed on the bottom left corner, you can place it on any corner of the TV, clockwise or anticlockwise. Go to the Calibration section for more details.



4. Insert the strip lights cable and then power into the port hub at the end of the camera cable, as shown below.




Once all connections are set up, you'll be ready to complete the Nexxt Home app configuration and the strip light calibration.

## Installing the Nexxt Home App

Download Nexxt Home app on Google Play or Apple App Store.




### Step 1




**Register by email.** Fill in the required fields.

### Step 2



Enter the verification code you received.

### Step 3



Create a new password and then select **Completed**.


### Step 4



The Next Home App has been successfully installed.

### Adding the strip light

#### Step 1




Before you start the pairing process, you must reset the product manually. For more details, see the section of button descriptions.

Select **Add device** and then click on the blue button. However, if the device is not recognized automatically, select the **Smart TV Backlight** icon from the list and continue to the next step.

## Step 2



## Step 3



Verify that the **Smart TV Backlight** is powered on. You must connect it to a 2.4GHz Wi-Fi network. Enter the network password.

12

Once the **Smart TV Backlight** is detected by the application, the notification Device added successfully will be displayed on the screen.

13