

# **SMART DEVICE ACCESSORIES**

The proper installation and use of the Brickstream<sup>®</sup> 3D+ Smart Device requires accessories that provide a way to mount the Smart Device and network connectivity using a Power-over-Ethernet (PoE) switch or PoE injector. The following section provides an overview of the different PoE devices and mounts that are available for use with the Brickstream<sup>®</sup> 3D+ Smart Device.



*If VPN routers are required, Brickstream recommends using Cisco Small Business RV180 with the Smart Device implementation.* 

### Powering the Brickstream<sup>®</sup> 3D+ Smart Device

Industry standard 802.3af PoE connections (with CAT5e Ethernet cable) are supported to facilitate the combined power and network connection to the Brickstream<sup>®</sup> 3D+ Smart Device.



Power output of the selected PoE switch(es) must minimally support 7 W typical power for each connected Smart Device, but must be rated for up to 12.95 W maximum per Smart Device.



When selecting from the PoE options, for each Smart Device you will connect to the PoE, allow 12.95 W in the power budget calculation as described in the PoE's documentation. The Brickstream<sup>®</sup> 3D+ Smart Device is PoE Class 3, so the PoE must support Class 3 or higher.

Ensure network lights are lit on the Ethernet port of the Brickstream<sup>®</sup> 3D+ Smart Device after connecting all cables. This ensures the physical connectivity of the network.



All connections use standard CAT5e or higher Ethernet cables. No special cables are necessary.

The following table describes how to connect the Brickstream<sup>®</sup> 3D+ Smart Device to the network/ PoE cables using one of the following methods.





### **Mounting a Smart Device**

The type of lens that is used in the Brickstream<sup>®</sup> 3D+ Smart Device or the placement of the Smart Device will determine what type of mount will be used to support your installation. Refer to *Appendix B: Smart Devices/Lens Selection Tables* on page 57 to ensure that you have the appropriate lens for each installation height and door width.

#### **Mount Guidelines**

The following is a description of the basic mounting guidelines for installing the Brickstream<sup>®</sup> 3D+ Smart Device.



It is important to work with your sales engineer to determine optimal coverage, placement, and mounting.

- Customer-provided mounting brackets should attach to the Smart Device using male ¼"-20 thread per inch bolts
- Mount at a height between 30 cm (1 ft) higher than the tallest person to be tracked, and up to 9.5 m (31.2 ft) with the appropriate lenses
- Smart Device must be within 30 cm (1 ft) radius of the specific Smart Device installation specification measurements
- Smart Device must be mounted within 5 cm of specified height range supported by the size of lenses used
- X and Y tilts must be within 1 degree of specification
- Mount in a downward-looking orientation and level in both tilt and yaw such that it is looking straight down, if possible, for optimal system performance
- Avoid including a side wall in the Smart Device's field of view, if possible
- Avoid the Smart Device's field of view looking through a glass wall or large window, if possible
- Brickstream recommends that Smart Device installed over a door should be slightly rotated 5 degrees especially if permanent mats are installed under the direct view of the Smart Device
- At installation sites where 0 degree downward-looking mounting is not possible, mounting at an angle is supported up to 10 degrees with the basic license
- Additional license key required for mounting angles greater than 10 degrees
- Mount in such a way that the area of interest is positioned at, or very close to the center of the Smart Device field of view
- Mounting bracket or mounting holes should provide adequate space to allow for one 10/ 100BaseT CAT5e cable to be run above the mounting location
- Maintenance loops of CAT5e cable at least 1 m (3 ft) should be bundled and stored in the ceiling above the mounting location when using recessed mounting brackets
- Allow clearance for hanging signs
- If you cannot see both stereoscopic lenses of the Smart Device when looking up at it from the area you want to monitor, the view is obstructed and requires adjustment to surrounding objects, adjustment to Smart Device installation height, or use of the Obstructed View Calculator (available from your Brickstream representative)
- Avoid Smart Device placement that includes swinging/glass doors in the Smart Device's field of view
- The Smart Device installed at an entrance or exit for counting applications should be mounted so that you can see the complete doorway from the lens. The coverage model should cover the

entire entryway corridor, following the rule of thumb for coverage of 20% door and 80% floor, as shown in the following figures

• It is critical that there is a clear chokepoint — a point which all traffic you wish to be measured is forced through — to ensure accurate count data



#### Figure 47: Sample Coverage Area



#### **Mount Types**

Mount types required for each Smart Device installation at a site are identified in the Site Installation Specification. The following is a description of each mount type that can be used with the Brickstream<sup>®</sup> 3D+ Smart Device.

Mount Type	Application	Examples
Surface	Used for non drop-ceiling environments, drop-ceiling environments, or environments in which you want minimal disturbance to ceilings. Use the supplied ¼-in. (6.35 mm) machine bolt to apply the Smart Device to the mount using the standardized camera mounting hole in the center of the back of the Smart Device before attaching the mount to the desired surface.	Figure 48: Surface Mount (Click to interact with drawing)
Recessed	Used for aesthetically pleasing, low-profile mounting in a drop ceiling. Available as X-axis tilt or Y-axis tilt. Requires reinforcement with lightweight backer board, such as Luan plywood.	Figure 49: Recessed Mount (Click to interact with drawing)



# **INSTALLING THE SMART DEVICE**

The following steps provide the recommended work flow for the installation process. For details pertinent to a specific circumstance, contact your Brickstream Sales Engineer or Technical Support.



To ensure accurate calibration, allow the Smart Device to acclimatize for at least one hour before installation.

- Ensure that a site survey is performed by qualified technicians to determine where cables should be dropped in consideration of lens coverage specifications. The site survey outcome provides information to build a site design with a Specification document and Bill of Materials (BOM) identifying:
  - Types of Smart Devices required to meet the coverage needs for the areas of interest
  - Size of lenses required for each area of interest, based on ceiling height, clearance, and other considerations, such as those described in *Mount Types* on page 48
  - The number of Smart Devices required to adequately cover all areas of interest
  - Installation positions, as defined by at least two measurements from permanent fixtures in the coverage area, such as walls.
  - Installation mounts that are needed
- 2. Verify that there are no obstructions preventing mounting in the desired location.
- 3. Run the CAT5e Ethernet from the PoE source to each installation position.
- 4. Unpack mounting hardware.
- 5. Carefully unpack all Smart Devices and inspect for physical damage prior to installation.

#### CAUTION

Do not press on any of the lenses as the slightest shift in orientation can compromise calibration, resulting in inaccurate tracking.

6. For each recessed mount, perform Installing a Recessed Mount on page 50.

7. For each surface mount, perform *Installing a Surface Mount* on page 50.

#### **Installing a Recessed Mount**

Follow these steps to install a Brickstream recessed mount:

- 1. Remove from the ceiling the tile that is to be used for the mount location.
- 2. If the tile material requires reinforcing, apply backer board to the tile where the recessed mount will be installed, trimming the backer board for exact fit.
- 3. Measure the distance from the edge of the tile to the center of the Smart Device location.
- 4. Use the Recessed Mount Cutting template included at the end of this document to ensure correct size and shape for cutting the tile and backer board.
- 5. Cut through tile and backer board following the line drawn from the template.
- 6. Insert the recessed mount.

TIP

- 7. Insert the Smart Device into the mount, using the screw provided to secure it in the slot.
- 8. Connect the CAT5e Ethernet cable.

#### Also connect the GPIO now if this site requires it.

- 9. Secure the mount to the tile with the provided hardware.
- **10.** Use twine or wire to secure the recessed mount to a permanent structure inside the ceiling, such as a beam.
- **11.** Make any final adjustments to the position of the mount in the tile.
- **12.** If necessary, adjust the tilt of the Smart Device in the mount using the screw and degree markings on the mount.

#### **Installing a Surface Mount**

Follow these steps to install a Brickstream surface mount:

- 1. If you are installing the surface mount on tile, remove from the ceiling the tile that is to be used for the mount location.
- 2. If the tile requires reinforcement, apply lightweight plywood (e.g., Luan in the US) as a backer board to the tile where the recessed mount will be installed, trimming the backer board for exact fit.
- **3.** If the surface mount will be applied onto solid surface, apply the surface mount directly to the solid surface.
- 4. Connect the CAT5e Ethernet cable.
- 5. Secure the mount to the surface with the hardware provided.

### **LED Boot Sequence**

The following is the normal startup (boot) sequence for a Brickstream 3D+ Smart Device.

**1.** Access the Smart Device web interface to verify that the area of interest is properly displayed.



For detailed information about calibrating and configuring the Brickstream<sup>®</sup> 3D+ Smart Device, refer to the **Brickstream<sup>®</sup> 3D+ Smart Device Basic Configuration Guide**.

# A BRICKSTREAM<sup>®</sup> 3D+ SMART DEVICE SPECIFICATIONS

The following tables provide specifications for the Brickstream<sup>®</sup> 3D+ Smart Device.

### **Network Specifications**

Bandwidth requirements for the Brickstream<sup>®</sup> 3D+ Smart Device are at their highest during and immediately following device installation.

#### NOTES

During solution delivery the initial bandwidth requirements can be greater due to the need to access the Brickstream 3D+'s browser-based user interface, as well as capturing and transmitting a period of raw video during validation to ensure configuration accuracy. An average of approximately 128 kbps per Smart Device is needed initially during configuration and validation.

For optimal network performance Brickstream recommends a high-speed DSL or T1 connection, or better. To minimize bandwidth requirements on an on-going basis, Brickstream 3D+ transmits analytics data in configurable increments, with independently configurable data capture and transmission rates to reduce network overhead. Semi-random distribution of data packets decreases spikes in network demand. On an on-going basis, each Smart Device only requires about 0.05 kbps of bandwidth for analytics.

Item	Specification
Cabling	Category 5e (CAT5e) or better
Ethernet	Single channel 10/100 Mbps Ethernet or higher
Power	IEEE 802.3af PoE Type 1, Class 3
Addressing	DHCP or Static IP
Protocols	TCP/IP, DHCP
Time Synchronization	SNTP, Daytime Protocol, Proprietary
Data Delivery	HTTP, SMTP, FTP

ltem	Specification
Secure Data Delivery	HTTPS, FTPS <sup>a</sup>
Software Upgrade	ТЕТР, НТТР

a. FTPS is different than SFTP. Brickstream does not currently support the SFTP protocol.

# **Technical Specifications**

Item	Specification
Device Dimensions	76 x 152 x 38 mm 3 x 6 x 1.5 in.
Lens Options	Ranges from 2.0 mm to 6 mm supporting heights from 2.4m to 12m (8 ft up to 39 ft)
Enclosure	White powder-coated, die-cast aluminum. Black available by special order.
Field Upgradable	Supports software upgrades over TFTP
Power	PoE (Class 3, Type 1 PD, 12 W max)
Power Consumption	7 W typical, 12 W rated maximum
Weight	1.1 pounds/0.5 kg
LEDs	2 multi-state RGB
Emissions Compliance	Complies with CE rules and Part 15 Class A of FCC Rules
Operating Temperature	0° to 45° C 32° to 113° F
Storage Temperature	-30° to 60° C -22° to 140° F
GPIO	Supports up to three inputs/outputs for pulse alert delivery and receipt
Memory	512 MB RAM 512 MB NAND Flash ROM
MicroSD Support	4 GB and 16 GB Not removable or swappable
Operating System	Linux
Physical Ports	USB 2.0, Digital I/O, RS485
Certifications	FCC Part15 Class A, cUL CE mark CE Class A UL, CB

### Lenses

Specification	Monochrome Stereo Lenses
Function	Behavior analytics
Quantity	2
Focal Length Options	2.0 mm 2.5 mm 3.0 mm 3.9 mm 5.7 mm

Specification	Monochrome Stereo Lenses
Image Sensor	752 x 480 pixels Wide VGA High Dynamic Range (HDR)
Resolution	0.4 megapixels
Pan/Tilt/Zoom <sup>a</sup>	N/A
Video Streams <sup>b</sup>	N/A
Video Compression	None
Frame Rate	N/A

a. Initial release supports pan and tilt. Zoom functionality will be provided in a future release.

b. Pan and tilt on Streams 2 and 3 can be adjusted through the ONVIF API.

### **Logical Port Specifications**

The following logical ports are the default configuration for the Brickstream<sup>®</sup> 3D+ Smart Device.

Default Port	Protocol	Direction	Default Data <sup>a</sup>
TCP 2010	HTTP	Outbound	XML data, time synchronization, diagnostics/logging
TCP 21	FTP	Outbound	Validation video
TCP 990	SFTP		
UDP 69	TFTP	Outbound & inbound	Software upgrade
TCP 80	HTTP	Inbound	Software upgrade, web-based configuration utility
TCP 443	HTTPS	Inbound	
ICMP		Inbound	Ping

a. All listed port numbers are configurable.

### **LED Functionality**

This section provides a detailed explanation of the LED light functions on the Brickstream<sup>®</sup> 3D+ Smart Device.

Status LED	Illumination	Indication
1	Blinking amber at three- second intervals	Connected with neither the time sync server nor the data server
	Blinking green at three- second intervals	Connected to time sync and/or data servers
2	Red	Operating with factory-default IP address (192.168.1.7)
	Progressive <sup>a</sup>	Indicates whether the Smart Device has reverted back to its default factory settings and is also used with the manual reset button.

a. See Resetting the Brickstream<sup>®</sup> LIVE Smart Device on page 65.

# **Shipping Weight**

This section provides shipping weight for the Brickstream<sup>®</sup> 3D+ Smart Device and its accessories.

ltem	Shipping Weight		
item	Boxed	Unboxed	
Brickstream <sup>®</sup> 3D+ Smart Device			
Surface Mount		.048 kg / 1.7 oz	
RAM Mount		10.9 oz	
Recessed Mount, 9 in.	.737 kg / 26 oz	.377 kg / 13.3 oz	

# **Part Numbers**

# **B** SMART DEVICES/LENS SELECTION TABLES

For detailed planning information, see the "*Planning the Solution Design*" chapter in the *Brickstream*<sup>®</sup> *LIVE Advanced Installation Guide*. Use the following tables to determine which lens type is appropriate for your installation.

# **ABOUT COVERAGE WIDTHS**

The coverage widths shown in the following tables include an extra meter from the coverage widths shown by default in the Excel spreadsheet. This increased coverage assumes that there are walls bordering each side of the coverage width. Having walls on each side of the coverage area allows additional coverage because an individual's center of mass can never be completely against the wall. In fact, it is typically at least half a meter from the wall.





# **BRICKSTREAM 3D+ STEREO LENS COVERAGE**

The following tables provide the coverage measurements based upon the installation height for each type of Brickstream 3D+ stereo lens:

- Brickstream 3D+ 2.0 mm Stereo Lenses
- Brickstream 3D+ Stereo 2.5 mm Lenses
- Brickstream 3D+ 3.0 mm Stereo Lenses
- Brickstream<sup>®</sup> LIVE 3.9 mm Stereo Lenses
- Brickstream 3D+ 5.7 mm Stereo Lenses

NOTES

All measurements are in meters, except for lens sizes which are in millimeters (mm).

### Brickstream 3D+ 2.0 mm Stereo Lenses

The following measurements apply for only the 2.0 mm lenses:

Long Sizo (mm)	Smart Device Installation Height (m)	Coverage Area	
		Width (m)	Height (m)
2.0	2.4	1.6	1.1
	2.5	1.8	1.3
	2.6	2.0	1.4
	2.7	2.2	1.6
	2.8	2.4	1.7
	2.9	2.6	1.9
	3	2.8	2.0
	3.1	3.0	2.2
	3.2	3.2	2.4
	3.3	3.4	2.5
	3.4	3.6	2.7
	3.5	3.8	2.8
	3.6	4.1	3.0
	3.7	4.3	3.1
	3.8	4.5	3.3
	3.9	4.7	3.4
	4	4.9	3.6
	4.1	5.1	3.8
	4.2	5.3	3.9
	4.3	5.5	4.1
	4.4	5.7	4.2

# Brickstream 3D+ Stereo 2.5 mm Lenses

The following measurements apply for only the 2.5 mm stereo lenses:

Long Sizo (mm)	Smart Device	Coverage Area	
Lens Size (mm)	Installation Height (m)	Width (m)	Height (m)
2.5	3.5	2.9	2.1
	3.6	3.0	2.2
	3.7	3.2	2.3
	3.8	3.3	2.4
	3.9	3.5	2.6
	4	3.7	2.7
	4.1	3.8	2.8
	4.2	4.0	2.9
	4.3	4.1	3.0
	4.4	4.3	3.2
	4.5	4.5	3.3
	4.6	4.6	3.4
	4.7	4.8	3.5
	4.8	4.9	3.6
	4.9	5.1	3.8
	5	5.2	3.9
	5.1	5.4	4.0
	5.2	5.6	4.1
	5.3	5.7	4.2
	5.4	5.9	4.3
	5.5	6.0	4.5

# Brickstream 3D+ 3.0 mm Stereo Lenses

The following measurements apply for only the 2.9 mm stereo lenses:

	Smart Device Installation Height (m)	Coverage Area		
Lens Size (mm)		Width (m)	Height (m)	
3.0	4	2.9	2.1	
	4.1	3.1	2.2	
	4.2	3.2	2.3	
	4.3	3.3	2.4	
	4.4	3.4	2.5	
	4.5	3.6	2.6	
	4.6	3.7	2.7	
	4.7	3.8	2.8	
	4.8	4.0	2.9	
	4.9	4.1	3.0	
	5	4.2	3.1	
	5.1	4.3	3.2	
	5.2	4.5	3.3	
	5.3	4.6	3.4	
	5.4	4.7	3.5	
	5.5	4.8	3.6	
	5.6	5.0	3.7	
	5.7	5.1	3.8	
	5.8	5.2	3.9	
	5.9	5.4	4.0	
	6	5.5	4.1	
	6.1	5.6	4.2	
	6.2	5.7	4.2	
	6.3	5.9	4.3	
	6.4	6.0	4.4	
	6.5	6.1	4.5	

# **Brickstream® LIVE 3.9 mm Stereo Lenses**

The following measurements apply for only the 3.9 mm stereo lenses:

Lens Size (mm)	Smart Device	Coverage Area		
(Sheet 1 of 2)	Height (m)	Width (m)	Height (m)	
3.9	4.7	2.9	2.1	
	4.8	3.0	2.2	
	4.9	3.1	2.3	
	5	3.2	2.3	
	5.1	3.3	2.4	
	5.2	3.4	2.5	
	5.3	3.5	2.5	
	5.4	3.6	2.6	
	5.5	3.7	2.7	
	5.6	3.8	2.8	
	5.7	3.9	2.8	
	5.8	4.0	2.9	
	5.9	4.1	3.0	
	6	4.2	3.1	
	6.1	4.3	3.1	
	6.2	4.4	3.2	
	6.3	4.5	3.3	
	6.4	4.6	3.4	
	6.5	4.7	3.4	
	6.6	4.8	3.5	
	6.7	4.9	3.6	
	6.8	5.0	3.7	
	6.9	5.1	3.7	
	7	5.2	3.8	
	7.1	5.3	3.9	
	7.2	5.3	4.0	
	7.3	5.4	4.0	
	7.4	5.5	4.1	
	7.5	5.6	4.2	
	7.6	5.7	4.2	
	7.7	5.8	4.3	
	7.8	5.9	4.4	

Lens Size (mm)	Smart Device	Coverage Area		
(Sheet 2 of 2)	Height (m)	Width (m)	Height (m)	
3.9	7.9	6.0	4.5	
	8	6.1	4.5	

# Brickstream 3D+ 5.7 mm Stereo Lenses

The following measurements apply for only the 5.7 mm stereo lenses:

Lens Size (mm)	Smart Device	Covera	ge Area
(Sheet 1 of 2)	Installation Height (m)	Width (m)	Height (m)
5.7	6	2.8	2.0
	6.1	2.8	2.1
	6.2	2.9	2.1
	6.3	3.0	2.2
	6.4	3.0	2.2
	6.5	3.1	2.3
	6.6	3.2	2.3
	6.7	3.2	2.4
	6.8	3.3	2.4
	6.9	3.4	2.5
	7	3.4	2.5
	7.1	3.5	2.6
	7.2	3.6	2.6
	7.3	3.7	2.7
	7.4	3.7	2.7
	7.5	3.8	2.8
	7.6	3.9	2.8
	7.7	3.9	2.9
	7.8	4.0	2.9
	7.9	4.1	3.0
	8	4.1	3.0
	8.1	4.2	3.1
	8.2	4.3	3.1
	8.3	4.3	3.2
	8.4	4.4	3.2
	8.5	4.5	3.3
	8.6	4.5	3.3
	8.7	4.6	3.4

Lens Size (mm)	Smart Device	Covera	overage Area	
(Sheet 2 of 2)	Height (m)	Width (m)	Height (m)	
5.7	8.8	4.7	3.4	
	8.9	4.7	3.5	
	9	4.8	3.5	
	9.1	4.9	3.6	
	9.2	4.9	3.6	
	9.3	5.0	3.7	
	9.4	5.1	3.7	
	9.5	5.1	3.8	

# C TROUBLESHOOTING BRICKSTREAM<sup>®</sup> LIVE SMART DEVICES

# **TROUBLESHOOTING FTP CONNECTIONS**

The following errors may occur when configuring the FTP delivery options.

Error	Cause
Failed to connect 36	Incorrect Server IP Address
Failed to connect 64	Incorrect Port Number
Failed to connect 530 password not accepted	Incorrect Username and/or Password

# **RESETTING THE BRICKSTREAM® LIVE SMART DEVICE**

The Brickstream<sup>®</sup> LIVE Smart Device has a small reset button just to the left of the USB port that allows you to do the following tasks:

- Reset the Smart Device network configuration by resetting the IP address of the Smart Device to 192.168.1.7.
- Reset all Smart Device parameters and the network configuration to factory defaults, deletes all zones, and resets the license code.
- Disable loading and running the current software, force-boot with the factory-installed software upgrade via TFTP.
- Reset Privacy Options.

### CAUTION

Resetting the device can cause data loss. To avoid accidental loss of data, make sure that if you have not performed a reset on a Brickstream<sup>®</sup> LIVE Smart Device before, be sure to call your Brickstream contact person to walk you through resetting the Smart Device in the safest manner.

Refer to *Figure 52* to complete the following steps to perform a reset.

#### Figure 52: Smart Device Reset Location



The following steps describe how to reset the Brickstream<sup>®</sup> LIVE Smart Device:

1. Insert a paper clip into the reset button on the Brickstream<sup>®</sup> LIVE Smart Device and depress the button until the desired color illuminates on LED 2, then release the button. Use the following chart to determine how long to hold in the reset button.



LED 2 shows a sequence of colors depending on how long you depress the Reset button. For example if you want to disable booting of the current interface by depressing the button for 8 seconds, during this time LED 2 turns green, then amber, and finally red.

Function	3 Seconds	6 Seconds	9 Seconds	12 Seconds
Reset IP address to 192.168.1.7	Х	Х	Х	Х
Restore factory default settings		Х	Х	Х
Delete configured zones		Х	Х	Х
Reset licensing		Х	Х	Х
Disable booting the current software			Х	Х
Update software via TFTP from upgrade.brickstream.local and 192.168.1.18			Х	Х
Reset all privacy options <sup>a</sup>				Х
LED color	Green	Amber	Red	Green/ Amber cadence

a. Available in future release of Brickstream® LIVE Smart Device.

2. The desired LED color illuminates and stays lit for 10 seconds, during which time you must press and release the Reset button again to confirm the action. After confirming the action, the Smart Device executes the action and reboots the Smart Device.

# TROUBLESHOOTING FIRMWARE UPGRADES WHEN USING A TFTP SERVER

If you have trouble downloading the file, complete the following steps to test the TFTP Server install.

- 1. Open a MS-DOS prompt and navigate to any directory that is in your system path (e.g. c:\window\system32).
- Issue the following command "tftp -i <PC IP Address> <Source Filename> <Destination Filename> . If the command is successful, you will see "Transfer Successful: ##### bytes in ## seconds, ###### bytes.

NOTES

*The source filename and destination filename must be different.* 

# **TROUBLESHOOTING LOW-CEILING INSTALLATIONS**

The accuracy of the Brickstream smart device can be compromised if the smart device is installed on a ceiling less than Brickstream's minimum supported mounting height of 2.4 m. The main issue with installing at a height below Brickstream's minimum supported mounting height of 2.4 m is the distance between the smart device and the objects being tracked has to be at least 30 cm. If the object being tracked is less than 30 cm away from the smart device, the accuracy can be compromised.

### **Relocation Solution**

Consider an alternative, higher camera placement that allows the same flow of traffic. Another mounting option that may provide more distance between the smart device and the objects being tracked is the recessed mount. Refer to *Mount Guidelines* on page 46 for more information.

### **Tracking Configuration Solution**

If you cannot relocate the Smart Device to a higher installation location with a view of the same flow of traffic and the Smart Device is mounted within 10% of the minimum recommended mounting height of 2.4 m, follow these steps.

- 1. Access the 3D Tracking Configuration page.
- 2. On the Basic tab decrease the Distance Filter in cm to accommodate shorter tracks.



#### Figure 53: Basic Tab of 3D Tracking Configuration Page

3. Select Height Image from the list above the right image pane.

Brickstream LIVE					0	Nov 12, 2014 1:54 P
* me	Right Lens -		Height ima	ige -		
ration		_				
er - e				÷.		
Delivery 4				n. a.	1	
705					1 . N.V.	
	100					
e 	- M -				1 2 4	
me	1 Sta		1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A			
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			憲 21 日
	- <b>1</b>					
anager	Der		P	-9 · · ·		
			5.1			1
Protection						
Protection	3D Tracking Configura	ation				_
Processo	3D Tracking Configura	ation Tereo Smar Dev	↔ Capture 60 ne Cuatty			Load Diffounts
Proctor	3D Tracking Configura Esso: Segmentation Treamy Bu Segmentation	ation Teres Smar Dev	⇒ Capure 65 to current			Lood Defaults
Proctor	3D Tracking Configura Base Segmentation Treamy Bu Segmentation Min. Reight	ation Hereo Shar Dev	★ Capure 66           me         Cuamp           Max. Height		Min, Blob Mars	Load Defaute
Privettor	3D Tracking Configura Base Segmentation Tracing St Segmentation Min. Height 70	ation tereo Smar Dev E	★ Capture BG Re Cuatty Max. Height 200	305	Min, Blob Mars 22	Los Debuts
Processo	3D Tracking Configura Base Segmentation Tracing Bu Segmentation Min. Height 70 Noise Threshold	ation teres Swatt Dev	★ Capture 56           Max. Height           20           Intensity Noise Threshold	381	Min. Blob Mass 22 Edge Noise Threshold	Lost Dietude
Procedure	3D Tracking Configura Base Segmentation Tracing Bit Segmentation Min. Height To Noise Threshold 33	ation rereo Swatt Dea D	<ul> <li>Copure 66</li> <li>Costen</li> <li>Max. Height</li> <li>220</li> <li>Instantity Noise Threshold</li> <li>16</li> </ul>	316 500	Min, Blob Mass 22 Edge Noise Threshold 13	Lost Dirouts
Provedor	3D Tracking Configura Base Segmentation Tracking Bit Segmentation Min. Height 70 Notice Threshold 32 Mar. 2 Block	ation Intero Smain Devi E	<ul> <li>Capture 66</li> <li>Casting</li> <li>Max. Heights</li> <li>200</li> <li>Intensity Noise Threshold</li> <li>16</li> <li>Max. Token Radius</li> </ul>	1916 - 1316 1316	Min. Blob Mars 22 Edge Noise Threshold 13 Motion Threshold	Lest Dévuie
Procedure	3D Tracking Configura Basic Segmentation Traceng Sta Segmentation Min. Height 70 Neise Threshold 33 Max. 2 Block 32	ation area Smar.Dev B B B B	<ul> <li>Capture 66</li> <li>Castery</li> <li>Max. Height 20</li> <li>Intensity Noise Threshold 16</li> <li>Max. Token Radius 36</li> </ul>	302 302	Min, Blob Mars 22 Edge Noise Threshold 13 Motion Threshold 33	Loss Dimute
Procedori	3D Tracking Configura Bate Segmentation Traceng Bu Segmentation Min. Height 70 Notist Threehold 33 Max. 2 Block 32 Max. 1 Bange	ation area Smar Dev Bio Bio Bio Bio Bio Bio Bio Bio Bio Bio	★ Capure 86 Max. Height 200 Intentity Noise Threshold 16 Max. Token Radius 36	302 302	Min, Blob Mass 22 Edge Noise Threshold 33 Motion Threshold 33	Loss Defines
Procedor	3D Tracking Configura Base Segmentation Tracing Base Segmentation Min. Height 70 Notise Threshold 33 Marz. 1 Block 32 Marz. 1 Bange 32	ntion ners Smarbed B B B B B B B B B B B B B B B B B B B	<ul> <li>Copure 66</li> <li>Coom</li> <li>Max. Height</li> <li>20</li> <li>Intensity Noise Threshold</li> <li>16</li> <li>Max. Token Radius</li> <li>36</li> </ul>	80 SO	Min, Blob Mass 22 Edge Noise Threshold 13 Motion Threshold 33	Los Detuis
Processor	3D Tracking Configura Base Segmentation Tracing Base Segmentation Min. Height 70 Notice Threshold 33 Max. 2 Block 32 Max. 18 Bangs 32 Fact Update	ation ners: Smarbed B B B B B B B B B B B B B B B B B B B	<ul> <li>Copure 66</li> <li>County</li> <li>Max. Height</li> <li>20</li> <li>Instantity Noise Threshold</li> <li>16</li> <li>Max. Token Radius</li> <li>36</li> <li>Noise Fährer</li> </ul>	301 301	Min, Blob Mans 22 Edge Noise Threshold 13 Motion Threshold 33 Motion Algorithm	Lost Diffuse a a a a a a a a a a a a a a a a a a a
Procedor	3D Tracking Configura Base Segmentation Treamy Bu Segmentation Min. Height 70 Noise Threshold 33 Max 2 Block 32 Max 1 Bangs 32 Fast Update 50	ation meno Smarbed (P) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	<ul> <li>Copure 66</li> <li>County</li> <li>Max. Heights</li> <li>200</li> <li>Instantity Noise Threshold</li> <li>16</li> <li>Max. Token Radius</li> <li>36</li> <li>Noise Filter</li> <li>gor</li> </ul>		Min. Blob Mars 22 Edge Noise Threshold 13 Motion Threshold 33 Motion Algorithm Sangarg	
Provedor	3D Tracking Configura Base Segmentation Tracing av Segmentation Min. Heighs 70 Noise Threshold 33 Mar. 2 Block 32 Mar. 1 Sange 32 Sas Update 60 Internity Threshold	ation areo SmanDed D D D D D D D D D	<ul> <li>Course 66</li> <li>Course</li> <li>Max. Height</li> <li>200</li> <li>Intensity Noise Threshold</li> <li>16</li> <li>Max. Token Radius</li> <li>36</li> <li>Noise Filter: ger</li> <li>Edge Threshold</li> </ul>	80 80	Min. Blob Mars 22 Edge Noise Threshold 33 Motion Threshold 33	Lost Crimula Di Di Di Di Di

Figure 54: Segmentation Tab of 3D Tracking Configuration Page

4. If light gray patches on the Height Image are observed in the area to be tracked, click the Stereo tab, reduce Surface Validation Diff. ratio to a minimum of .1 (default value is 1.0) and/ or increase Surface Validation Size up to a maximum to 500 pixels (default value is 200).

#### CAUTION

The Surface Validation settings should only be adjusted as a last resort on validation failures when the system is reporting noisy or incorrect disparity readings. Over-adjusting these values can negatively impact accuracy.

- 5. Leave the Max Disparity setting at the default of 32 pixels for a mounted height of 2.4 m.
- 6. Verify that the pink percentage on the **Calibration** page is still in an appropriate range after making the adjustments.

# **RESOLVING INOPERABLE BRICKSTREAM DEVICE ISSUES**

The following topics will help you troubleshoot problems you may experience with Brickstream devices. Please review these topics before submitting a Support ticket or RMA form to Brickstream.

### **Power Issue**

Follow these steps to troubleshoot Smart Device power issues.

1. Determine if the device will power on at all.

IF	THEN
The device will power on	Go to the Connectivity Issue topic.
The device will not power on	Try a different Power-over-Ethernet (POE) source. If it still doesn't power on, contact Brickstream Technical Support for additional assistance.

#### 2. Verify if the device ever worked.

IF	THEN
The device previously worked	Identify the changes that were made that may have caused it to stop working.
The device never worked	

### **Connectivity Issue**

Follow these steps to troubleshoot Smart Device connectivity issues.

1. Determine if you can connect to the device on the IP address that you believe it to reside on.

IF	THEN
You can connect to the device	Try to browse to the IP address. If the Brickstream LIVE web interface displays, connectivity is not the root issue. Go to <i>Firmware Issue</i> on page 74.
You cannot connect to the device	Perform a manual reset to green so the IP address resets to 192.168.1.7, as described in <i>Resetting the Brickstream® LIVE Smart Device</i> on page 65.

### CAUTION

Please ensure that you are on a 192.168.1.xx network then attempt to connect to that IP address. If not, see *Connecting a Smart Device with Default IP to a Custom Network* on page 70

- If you still cannot access the Smart Device, record the sequence and display of the lights on the Smart Device when the Smart Device is powered on after you have performed in the preceding steps.
- 3. Call Brickstream Technical Support to receive additional assistance based on these findings.

#### **Connecting a Smart Device with Default IP to a Custom Network**

Use the following steps to connect to the default IP address location of the new Brickstream<sup>®</sup> LIVE Smart Device.

- 1. Turn on your PC, if it is not already powered.
- 2. Disconnect the CAT5e Ethernet cable from your PC.
- 3. Disable any wireless connections that you may have.

NOTES

No other network connections may be active during this process.

4. Click the Start icon and select Control Panel from the desktop of your PC. The Control Panel opens.

Figure 55: Control Panel

				locusi des	84.24
90	) 💷 + Control Panel + All Contro	si Ranni Bertsi +		• 4 Sound Control Park	.p
Adju	st your computer's settings			Verilian Lagrance	
*	Action Center	Administrative Tools	AutoRay	Backup and Bestore	1
-	Broadcom Control Suite 3	Color Management	Credential Managel	Date and Time	
	Default Programs	Dell Battery Information	Dell Client System Iquilate	Settings	
0	Dell Repbuard Hotkey Settings	Cell Touchped	Desktop Gadgets	Device Manager	
-	Devices and Printers	Display	1) DW WEAN Ged Unity	G Ease of Access Center	
£	Hash Player (32 bit)	Folder Options	Tanos	FreeFall Data Protection	
9	Getting Started	NomeGroup	401 Audio Control Panel	Didexing Options	
2	Intel(R) Graphics and Media	Internet Options	1awa (32-bit)	<ul> <li>Keylosard</li> </ul>	
0	Location and Other Sensors	Mal (32-b2)	Modern Diagnostic Tool	J Mouse	
蒜	Network and Sharing Center	Notification Area loom	Performance Information and Tools	Personalization	
					-

5. Double-click Network and Sharing Center. The Network and Sharing Center opens.

Figure 56: Network and Sharing Center

			60
Control Panel +	All Control Panel Items + Network and Sharing Center	• ++ Search Control Panel	\$
Control Panel Home	View your basic network information and set up connections		
Manage wireless networks Change adapter settings Change advanced sharing	BS-SBROWN Internet (Dis compater)		
ettings	View your active networks		
	Change your networking settings		
	Set up a new connection or instanci: Set up a wireless, broadband, dial-up, ad hoc, or VPN connection; or set up a router or access point.		
	Connect to a metwork Connect or reconnect to a wireless, wired, dial-up, or VPN network connection.		
	Choose homegroup and illuming options Access files and printers located on other network computers, or change sharing settings.		
	Traubleshoot problems Diagnose and repair network problems, or get troubleshooting information.		
See also			
HomeGroup			
Internet Options			
Windows Firewall			

6. Click Change adapter settings in the left upper pane. The following window opens.

Figure 57: Change Adapter Settings Window



- 7. Click Wireless Network Connection and then click Disable this network device.
- 8. Right-click on Local Area Connection and choose Properties. The Local Area Connection Properties dialog box opens.

Figure 58: Local Area Connection Properties Dialog Box



**9.** Select Internet Protocol Version (TCP/IPv4) and click Properties. The Internet Protocol Version (TCP/IPv4) Properties dialog box opens.

Figure 59: Internet Protocol Version (TCP/IPv4) Properties Dialog Box

General	Alternate Configuration	n			
You ca support admina	n get IP settings assign ts this capability. Other strator for the appropri	ed automatic wise, you nee ate IP setting	ally if ad to s.	your r ask yo	etwork ar network
	btain on I <sup>1</sup> address au	tomatically			
Ou	se the following IP add	ress:			
174	Mrsee				
5.0	ALC: NOT THE OWNER OF THE OWNER OWNER OF THE OWNER OWNER OF THE OWNER OWNE OWNER OWNE OWNER OWNER OWNER OWNER OWNER OWNER OWNE OWNER OWNE OWNE OWNER				
Defi	ult gillernily :				
	btain DNS server addre	ess automatic	olly		
Ou	se the following DRS se	erver address	es		
Prefi	irred DNS innver				
100	nata DNS weren				
	aldate settings upon a	DNJ.			Advanced

- **10.** Take note of the current settings in this window so that you can change them back after you set the network parameters on the Brickstream<sup>®</sup> LIVE Smart Device.
- 11. Select Use the following IP address.
- 12. In the IP address field type a new IP address in the range of 192.168.1.x where x is not 7 or 10. The last digits of your PC's IP address should be different from that of the Smart Device (i.e., Brickstream<sup>®</sup> LIVE Smart Device = 192.168.1.7 and PC = 192.168.1.11). The Subnet Mask field will be automatically populated with 255.255.255.0.
- 13. Click OK. The Internet Protocol Version 4 (TCP/IPv4) Properties dialog box closes.
- 14. Click Close. The Local Area Connection Properties dialog box closes.
- **15.** Connect the Brickstream<sup>®</sup> LIVE Smart Device to your PC as shown and described in the following figure.



Figure 60: Brickstream<sup>®</sup> LIVE Smart Device Connection to Your PC

- **16.** Plug the PoE injector to a power outlet.
- **17.** Plug a CAT5e Ethernet cable from the port of the Smart Device to the **To Network** or **LAN/DC** port of the PoE injector.
- **18.** Plug a CAT5e Ethernet cable from the **Hub/Switch** or **LAN** port of the PoE injector to the Ethernet port in your PC.

#### **Firmware Issue**

Follow these steps to determine whether the root cause is a firmware issue.

- If the Smart Device has been manually reset to RED (as described in *Resetting the Brickstream® LIVE Smart Device* on page 65), follow the instructions to reload firmware to the Smart Device as described in *Installing the Brickstream® LIVE Smart Device Firmware on Factory Direct Smart Devices* on page 81.
- 2. What firmware version is currently on the device? Verify the version of firmware that the Smart Device is running by checking the Release number displayed in the footer of the Brickstream LIVE web interface. Contact Brickstream Technical Support with this information to receive additional instructions.

# **ADJUSTMENTS TO TRACKING CONFIGURATION**

This section is designed for advanced users who configure standard counting installations.

#### CAUTION

Changing any settings on the 3D Tracking Configuration page can drastically impact the accuracy and functionality of the Brickstream<sup>®</sup> LIVE Smart Device. Do not make changes on this page without the guidance of Brickstream Technical Support.

#### **Tracking Issues**

Follow these steps to troubleshoot Smart Device tracking issues.

- 1. Set the Smart Device to the default values on the **Calibration** page and recalibrate automatically to ensure there is not an issue because the settings were changed.
- **2.** Have a person stand under the device after recalibration and determine if they appear to be displayed with the correct height, within a few centimeters.
- **3.** If the height display is incorrect, manually calibrate the Smart Device as described in step 9 of *Automatically Calibrating a Setting Smart Device Height and Rotation* on page 53.
- 4. If manual calibration does not address the issue, see *Advanced Troubleshooting of Tracking Issues* on page 74.

### Advanced Troubleshooting of Tracking Issues

Before attempting this procedure, be sure you have completed all steps of *Tracking Issues* on page 74.

- 1. Record the percentage of pixels that display in pink (undefined) and in good condition.
- 2. Have a person stand under the device after recalibration and determine if they appear to be displayed in the percentage of pink pixels.
- **3.** If the Calibration page displays in pink pixels, capture a right lens image and a left lens image from the device following the instructions in step and send these images along with the Height Image data through a RMA request.

# **Troubleshooting Under-Counting Issues with Patterned Mats**

This topic provides instructions to resolve under counting issues when a Brickstream<sup>®</sup> LIVE Smart Device has trouble counting due to a patterned mat blocking the line of view.

#### **Problem**

Certain types of patterned floor mats and flooring patterns that are within the line of view of a Brickstream<sup>®</sup> LIVE Smart Device can prevent the Smart Device from capturing all tracks and therefore under-count traffic. When viewed on the **Calibration** page, the flooring may appear to float higher than floor level.

#### **Solution**

Follow these steps to prevent under counting due to patterned mats.

 Ensure the Smart Device is calibrated properly and that person heights are generally within a 160cm - 180cm range in the Height Map in the right pane of the Counting Zone Manager page. The following figure shows a desirable height map, indicated by the predominance of yellow and dark yellow.

Figure 61: Example of Good Height Map



2. If there is a horizontally repeating pattern, twist the Smart Device by 5 to 10 degrees if tracks are being dropped from the Smart Device's view due to the patterns in a floor mat. This interrupts the horizontally repeating pattern.







3. Check the Height Image on the right pane of the 3D Tracking Configuration page if it is not possible to twist the Smart Device. The floor area should be mostly black, as shown in *Figure 64*. If there are large white patches on the color as shown in *Figure 65*, the smart device is viewing the floor as being higher in the view, which will interfere while counting. If no white patches exist, skip to step 12.







4. If the tracks are being dropped in the area where white patches exist, go to the Stereo sub-tab of the 3D Tracking Configuration page and adjust the Max. Disparity according to the chart in *Figure 66*. The Max Disparity setting will help the Smart Device ignore noise created by the floor mat which it interprets as being close to the lens.





- 5. Save the changes.
- 6. Capture a new background on the Calibration page.
- **7.** If the white patches still exist on the **Height Image** and if the device is still under-counting, adjust the **Surface Validation Diff.** setting on the **Stereo** sub-tab from 1.0 to 0.5.
- 8. Click Preview.

#### **9.** Use the following table to determine your next action:

If	Then
If the white patches are no longer present	Save the settings and capture a new background.
If the white patches are still present	Adjust the setting gradually down to 0.1 and preview until white patches are removed.
If the Surface Validation Diff setting at 0.1 does not remove the white patches	Adjust the Surface Validation Size setting gradually from 200 to 500 and preview.

- 10. Save settings when white areas are no longer present.
- 11. When the Surface Validation Size and Surface Validation Diff settings are over-adjusted, measured person heights can be affected. In the Height Image on the 3D Tracking Configuration page, a person's shoulders and head should be visible in the image as light areas at the top of each person as they walk through the scene, similar to Figure 67.

Field	Description
Surface Validation Size	By increasing this value, the smart device measures a larger area around each pixel to verify and set the smoothness of the area around it.
Surface Validation Diff.	On a surface, the measurement of distance between the Smart Device and the surface is actually determined by the results of many measurements. Some of these measurements are discarded in order to address variance. By decreasing this setting, more erroneous data is removed from the measurement to arrive at a smoother surface reading.

#### Figure 67: Height Image Examples



**12.** Adjust the following settings if the white patches are not present in the **Height Image** and the Smart Device is under-counting.

Sub-Tab	Field	Description
Segmentation	Min. Blob Mass	Set this parameter to the lowest recommended setting of 16. Reducing this setting will result in the Smart Device tracking what it interprets as smaller objects within its view.
Tracking	Min Obj Mass	Set this parameter to the lowest recommended setting of 180. Reducing this setting will result in the Smart Device tracking what it interprets as smaller objects within its view.

Which settings to adjust depends on the circumstances of the problem. When these two settings are over-adjusted, the segmentation of people becomes less defined, as observed in the **Segmentation** image, selected the right pane menu. In *Figure 68*, multi-colored segments are closely grouped, which is an indication that segmentation is good. If these segments are not closely grouped and they are poorly defined, the under counting problem worsens.







- 13. Save the settings and capture a background.
- 14. If the tracks are being lost when people are walking into the scene close together, select the **Couples** setting for the **Counting Method** on the **Calibration Settings** page.
- 15. Change both the Max. Z Block and Max. I Range settings on the Segmentation sub-tab of the 3D Tracking Configuration page to 32.

Field	Description
Max Z Block	Reducing this setting increases the number of vertical parts people are broken into for analysis by the device. By reducing this setting, the device is more likely to track people who walk together closely.
Max I Range	This is a measure of pixel intensity. Increasing this setting will allow the device to group more pixels together based on their intensity and reduce the likelihood of under counting.

- **16.** Save settings and capture a background.
- 17. If the problem persists, set the Max. I Range to the recommended maximum of 64.
- 18. If accuracy issues still exist after the preceding changes have been made, adjust the **Person Radius** setting on the **Tracking** sub-tab.

Field	Description
Person Radius	The Smart Device views each person as a shape similar to a cylinder. When you lower this setting, you are instructing the Smart Device to shrink the size of the cylinder it interprets as a person. The result is that more objects are tracked as people. The opposite effect will be observed when this setting is increased.

**19.** When couples counting is enabled, the **Person Radius** setting is automatically changed from 34 to 28. If the Smart Device is over-counting (i.e., double counting), this setting can be increased back to 34. If the Smart Device continues to under-count, lower the **Person Radius** setting to 22.

20. Save settings and capture a background.

**21.** If problems still persist, attempt to manually set and visually verify calibration parameters.

# **RESOLVING HIGH UNDEFINED DISPARITY DURING** CALIBRATION

If a Brickstream<sup>®</sup> LIVE Smart Device displays in pink 80-100% (high undefined disparity) and will not calibrate, then complete the following steps to attempt to manually calibrate the Smart Device.

- **1.** Modify the Height field manually on the Calibration page of the smart device's Web application so that it is the actual mounting height of the smart device.
- 2. Capture the background.
- 3. Go to the 3D Tracking Configuration page.
- 4. Click the Quality tab.
- 5. Change the Undefined Threshold field value from 50 to 100.
- 6. Return to the **Calibration** page and check the **Show Height** checkbox to verify if people are being tracked.

#### NOTES

Typically, undefined disparity issues are caused by shiny, marble floors or reflective walls.

- **7.** Change the height of the Smart Device manually until the height of adults appear in 160-180cm, if they are being tracked.
- 8. Let the device run until several people pass through the count zone (ideally at least 50 arrivals and exits) then go to the **Counting** page and check the **Height Map** to verify if the height map looks good and colors are in the mustard yellow range.
- **9.** If the **Height Map** does not show predominantly the mustard yellow range, clear the height map and redo steps 6 through 8 if the height map is incorrect.

# CAPTURING IMAGES FOR ADVANCED TECHNICAL SUPPORT

Go to the **3D Tracking Configuration** page of the Smart Device. The initial video displays, and images are generated for the right lens view and the left lens view, both of which are available for about 10 seconds. Capture images from both the right lens and the left lens as follows:

- 1. Change the address to (http://*<ipaddress>*/rightImage.jpg) once the video displays. An image from the right lens displays.
- Right-click the image and select Save Image As or Save Picture As (depending on which browser you use) to store your image.
- 3. Open the file you just saved to verify if you can see the image.
- 4. Return to the **3D Tracking Configuration** page and click the drop down arrow list box underneath the image and select Left Lens from the list option.

- 5. Change the address to (http://*<ipaddress>*/leftImage.jpg) once the video displays. An image from the left lens displays.
- 6. Right-click the image and select **Save Image As** or **Save Picture As** (depending on which browser you use) to store your image.
- 7. Open the saved files to verify if you can see the images.
- 8. Email these images to your Brickstream representative and await further instructions.