
 retail	GROENLO - HOLLAND	DRW: CB 2013/05/29
		CHK:
DESCRIPTION:	DOC. ARTICLE NO: 5279615	
QUICK REFERENCE !D Top	REV. : B.01	
Copyright © by N.V. Nederlandsche Apparatenfabriek NEDAP. No part of this drawing may be reproduced or distributed in any form or by any means, or stored in a data base or retrieval system without the prior written permission of NEDAP.	SHEET: 45.01 OF 1	
	DRAWING: T5279-615	

drilling holes (poster recommended)

(NOT INCLUDED)






4X PLUGS S6 (RECOMMENDED)



4X SCREW 4X40 (RECOMMENDED)


ceiling



ID Top ceiling installation

ceiling


STEEL-CABLE





ADJUST HEIGHT
PRESS HERE.




top-view



INCLUDED




processing unit






- POWER FOR READER
- NETWORK IN
- USB HOST
- NETWORK OUT
- USB SERVICE PORT

power supply





POWER SUPPLY 9561811. ONE NEEDED FOR EVERY INSTALLED SYSTEM. (NOT INCLUDED)
 NOT COMPATIBLE WITH IEEE 802.3A* STANDARD
 RECOMMENDED TO PLACE IN SWITCH-ROOM



1	YELLOW	Heartbeat
2	GREEN	Disk access
3	GREEN	Firmware running

1	GREEN		Processing unit at output
2	BLUE	BLINK	No device at output
	BLUE	CONTINUOUS	Power inserter at output
3	RED		Power error


+ BUZZER
- BUZZER



LED	Blue	Orange	Red	Green	Green
		Firmware running	Error	RFID active	Power

01

installation of one !D Top




mounting power cable

NOTE:
 USE ONLY CAT5E ETHERNET CABLE OR BETTER,
 WITH ALL 8 WIRES CONNECTED.

02 installation of one !D Top


mounting ethernet cable

NOTE:
USE ONLY CAT5E ETHERNET CABLE OR BETTER,
WITH ALL 8 WIRES CONNECTED.




01 installation of two !D Tops


NOTE:
USE ONLY CAT5E ETHERNET CABLE OR BETTER,
WITH ALL 8 WIRES CONNECTED.



place cover



connect voltage supply



Note :
The start up of all the processes takes approximately 3 minutes.

Model: !D Top Region 2
FCC ID: CGDSTOREIDT IC: 1444A-STOREIDT

Model: !D Top Region 2
FCC ID: CGDSTOREIDT IC: 1444A-STOREIDT

This device complies with part 15 of the FCC Rules and to RSS210 of Industry Canada. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Cet appareil se conforme aux normes RSS 210 exemptés de license du Industry Canada.

L'opération est soumise aux deux conditions suivantes:

- (1) cet appareil ne doit causer aucune interférence, et
- (2) cet appareil doit accepter n'importe quelle interférence, y compris interférence qui peut causer une opération non voulue de cet appareil.

Les changements ou modifications n'ayant pas été expressément approuvés par la partie responsable de la conformité peuvent faire perdre à l'utilisateur l'autorisation de faire fonctionner le matériel.

FCC and IC Radiation Exposure Statement:

This equipment complies with FCC and Canadian radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 22 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Cet équipement est conforme à RSS-102 limites énoncées pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec une distance minimale de 22 cm entre le radiateur et votre corps.

This Class B digital apparatus complies with Canadian ICES-003

Cet appareil numérique de Classe B est conforme à la norme Canadienne ICES-003

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

