



Boost your existing WiFi

- Dual band WiFi up to 750Mbps
- Supports new 802.11ac & b/g/n WiFi devices
- External antennas for better performance



Overview

NETGEAR AC750 WiFi Range Extender boosts your existing network range & speed, delivering AC dual band WiFi up to 750 Mbps. It works with any standard WiFi router & is ideal for HD video streaming & gaming. Get the connectivity you need for iPads®, smartphones, laptops & more.

More WiFi Standards

Create faster access for 802.11 b/g/n & ac WiFi devices.

Two WiFi Modes

Extender mode to boost existing WiFi.
Access Point mode to create new AC WiFi access.

Gigabit Ethernet Port

Connect a wired device like Blu-ray® player, game console, smart TV or streaming player to your WiFi network.

Simultaneous Dual Band WiFi

Extend 2.4 & 5GHz WiFi up to 750Mbps & reduce interference.

External Antennas

For better WiFi coverage & more speed.


FastLane™ Technology

Use both WiFi bands to establish one super high-speed connection; ideal for HD streaming & gaming.

WiFi Range Extenders boost your existing WiFi & deliver greater wireless speed, range & connectivity you desire for iPads®, smartphones, laptops & more.

WiFi Range Extender


Boosts the range of your existing WiFi & creates a stronger signal in hard-to-reach areas.




Existing WiFi

Sometimes your router does not provide the WiFi coverage you need.

Network Connections



Smart LED indicators help find the best extender placement for optimal WiFi coverage while displaying real-time, extender network status.



Easy, secured connection at the push of a button for either WiFi Range Extender mode or Access Point mode setup.

WiFi Analytics App


How strong is your WiFi signal? Use the NETGEAR WiFi Analytics app & get advanced analytics to optimize your existing or newly extended WiFi network. Check your network status, WiFi signal strength, identify crowded WiFi channels & much more!

Here's what you can do with the WiFi Analytics App!

- Get a network status overview
- Check WiFi signal strength
- Measure WiFi channel interference
- Keep track of WiFi strength by location
- and more...



Scan to install app



PACKAGE CONTENTS

- AC750 WiFi Range Extender
- Installation guide

PHYSICAL SPECIFICATIONS

- Dimensions: 4.80 x 2.91 x 1.50 in (122 x 74 x 38 mm)
- Weight: 0.47 lb (0.213 kg)

WARRANTY

- NETGEAR 1-year limited warranty

SUPPORT

- 24/7 basic technical support free for 90 days

EASE OF USE

- CD-less setup—great for mobile devices
- Push 'N' Connect using Wi-Fi Protected Setup® (WPS)¹

SYSTEM REQUIREMENTS

- 2.4 and/or 5GHz 802.11 a/b/g/n/ac WiFi router or gateway
- Microsoft® Internet Explorer® 5.0, Firefox® 2.0 or Safari® 1.4 or Google Chrome 11.0 browsers or higher

SECURITY

- WiFi Protected Access® (WPA/WPA2—PSK) and WEP

STANDARDS

- IEEE® 802.11 b/g/n 2.4GHz
- IEEE 802.11 a/n/ac 5GHz
- One (1) 10/100/1000 Mbps Gigabit Ethernet port with auto-sensing technology



© 2013 NETGEAR, Inc. NETGEAR, and the NETGEAR logo, are trademarks and/or registered trademarks of NETGEAR, Inc. and/or subsidiaries in the United States and/or other countries. Mac and the Mac logo are trademarks of Apple Inc., registered in the U.S. and other countries. Other brand names mentioned herein are for identification purposes only and may be trademarks of their respective holder(s). Information is subject to change without notice. All rights reserved.

This product is packaged with a limited warranty, the acceptance of which is a condition of sale. Warranty valid only when purchased from a NETGEAR authorized reseller.

*24/7 basic technical support provided for 90 days from date of purchase when purchased from a NETGEAR authorized reseller.

¹Works with devices supporting Wi-Fi Protected Setup™ (WPS).

Data throughput, signal range, and wireless coverage per sq. ft. are not guaranteed and may vary due to differences in operating environments of wireless networks, including without limitation building materials and wireless interference. Specifications are subject to change without notice.

The product may not be compatible with routers or gateways with firmware that has been altered, is based on open source programs, or is non-standard or outdated.

Federal Communication Commission Interference Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

For operation within 5.15 ~ 5.25GHz / 5.47 ~5.725GHz frequency range, it is restricted to indoor environment. The band from 5600-5650MHz will be disabled by the software during the manufacturing and cannot be changed by the end user. This device meets all the other requirements specified in Part 15E, Section 15.407 of the FCC Rules.

Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Industry Canada statement:

This device complies with RSS-247 of the Industry Canada Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Ce dispositif est conforme à la norme CNR-247 d'Industrie Canada applicable aux appareils radio exempts de licence. Son fonctionnement est sujet aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

Caution :

(i) the device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;

(ii) the maximum antenna gain permitted for devices in the bands 5250-5350 MHz and 5470-5725 MHz shall be such that the equipment still complies with the e.i.r.p. limit;

(iii) the maximum antenna gain permitted for devices in the band 5725-5850 MHz shall be such that the equipment still complies with the e.i.r.p. limits specified for point-to-point and non-point-to-point operation as appropriate; and

(iv) the worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in Section 6.2.2(3) shall be clearly indicated.

(v) Users should also be advised that high-power radars are allocated as primary users (i.e. priority users) of the bands 5250-5350 MHz and 5650-5850 MHz and that these radars could cause interference and/or damage to LE-LAN devices.

Avertissement:

Le guide d'utilisation des dispositifs pour réseaux locaux doit inclure des instructions précises sur les restrictions susmentionnées, notamment :

- (i) les dispositifs fonctionnant dans la bande 5150-5250 MHz sont réservés uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;
- (ii) le gain maximal d'antenne permis pour les dispositifs utilisant les bandes de 5250 à 5 350 MHz et de 5470 à 5725 MHz doit être conforme à la limite de la p.i.r.e.;
- (iii) le gain maximal d'antenne permis (pour les dispositifs utilisant la bande de 5 725 à 5 850 MHz) doit être conforme à la limite de la p.i.r.e. spécifiée pour l'exploitation point à point et l'exploitation non point à point, selon le cas;
- (iv) les pires angles d'inclinaison nécessaires pour rester conforme à l'exigence de la p.i.r.e. applicable au masque d'élévation, et énoncée à la section 6.2.2 3), doivent être clairement indiqués.
- (v) De plus, les utilisateurs devraient aussi être avisés que les utilisateurs de radars de haute puissance sont désignés utilisateurs principaux (c.-à-d., qu'ils ont la priorité) pour les bandes 5250-5350 MHz et 5650-5850 MHz et que ces radars pourraient causer du brouillage et/ou des dommages aux dispositifs LAN-EL.

Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.