



CAT-5 BALUNS



Audio, Video & RF Baluns

- CAT-5 Connector
- Gold Plated Connectors
- Universal Mounting Holes



Audio - CAT-5 Baluns

CAT-5 Stereo Audio Balun

C5-A2

Stock Number
FG01281



Features

- CAT-5 Connector
- Gold Plated Color Coded RCA Connectors
- Universal Mounting Holes

- Bandwidth: 20 Hz – 20 kHz
- Transmission Distance: 2000' (CAT-3 UTP) 2500' (CAT-5 UTP)

Specifications

- Overall dimensions: 4.75" W x .85" H x 2" D

Warranty: Ten-year limited

Shipping weight: 1 lb.

CAT-5 Digital Audio Balun

C5-DA

Stock Number
FG01279



Features

- CAT-5 Connector
- Gold Plated Color Coded RCA Connector
- Universal Mounting Holes

- Bandwidth: 25 MHz, -1 dB
- Transmission Distance: 600' (180 m)

Specifications

- Overall dimensions: 4.75" W x .85" H x 2" D

Warranty: Ten-year limited

Shipping weight: 1 lb.

Video - CAT-5 Baluns

CAT-5 Video Balun

C5-V

Stock Number
FG01278



Features

- CAT-5 Connector
- Gold Plated Color Coded RCA Connector
- Universal Mounting Holes

- Transmission Distance: Color: 1500' (CAT-3 UTP) 2200' (CAT-5 UTP) B&W: 2000' (CAT-3 UTP) 2500' (CAT-5 UTP)

Specifications

- Overall dimensions: 4.75" W x .85" H x 2" D
- Bandwidth: Video: DC to 10 MHz

Warranty: Ten-year limited

Shipping weight: 1 lb.

CAT-5 S-Video Balun

C5-SV

Stock Number
FG01273



Features

- CAT-5 Connector
- S-Video DIN Connector
- Universal Mounting Holes

- Bandwidth: Y: DC to 6 MHz C: 1 MHz to 6 MHz
- Transmission Distance: 500' (150 m) (CAT-5 UTP)

Specifications

- Overall dimensions: 4.75" W x .85" H x 2" D

Warranty: Ten-year limited

Shipping weight: 1 lb.

CAT-5 VGA Balun

C5-VGA

Stock Number
FG01274



Features

- Shielded CAT-5 Connector
- DB-15HD Connector
- Universal Mounting Holes

- 640 x 480 pixels, 50 Hz (15 MHz): 330' (100 m)
- 800 x 600 pixels, 60 Hz (30 MHz): 330' (100 m)
- 1024 x 768 pixels, 75 Hz (60 MHz): 250' (75 m)
- 1280 x 1024 pixels, 75 Hz (100 MHz): 165' (50 m)

Specifications

- Overall dimensions: 4.75" W x .85" H x 2" D
- Bandwidth: 0 – 50 MHz, -3 dB at 165' (50 m)
- Transmission Distance: CAT-5 STP:

Warranty: Ten-year limited

Shipping weight: 1 lb.

Audio & Video - CAT-5 Baluns

CAT-5 Video & Stereo Audio Balun

C5-VA2

Stock Number
FG01280



Features

- CAT-5 Connector
- Gold Plated Color Coded RCA Connectors
- Universal Mounting Holes

Specifications

- Overall dimensions: 4.75" W x .85" H x 2" D
- Bandwidth: Video: DC to 10 MHz, Audio: 20 Hz – 20 kHz

- Transmission Distance: Color: 1500' (CAT-3 UTP) 2200' (CAT-5 UTP) B&W: 2000' (CAT-3 UTP) 2500' (CAT-5 UTP)

Warranty: Ten-year limited
Shipping weight: 1 lb.

CAT-5 S-Video & Stereo Audio Balun

C5-SVA2

Stock Number
FG01275



Features

- CAT-5 Connector
- Gold Plated Color Coded RCA Connectors
- S Video DIN Connector
- Universal Mounting Holes

Specifications

- Overall dimensions: 4.75" W x .85" H x 2" D

- Bandwidth: Y: DC to 6 MHz C: 1 MHz to 6 MHz
- Transmission Distance: S-Video: 500' (150 m) (CAT-5 UTP)

Warranty: Ten-year limited
Shipping weight: 1 lb.

CAT-5 Component Video & Digital Audio Balun

C5-HDDA

Stock Number
FG01276



Features

- CAT-5 Connector
- Gold Plated Color Coded RCA Connectors
- Universal Mounting Holes

Specifications

- Overall dimensions: 4.75" W x .85" H x 2" D
- Bandwidth: Video: 0 – 60 MHz, -3 dB Digital Audio: 25 MHz -1 dB

- Transmission Distance: Video, Color, CAT-5 UTP or STP: 480i/p:1000' (300 m) 720p: 500' (150 m) 1080i: 500' (300 m) Digital Video: 500' (150 m)

Warranty: Ten-year limited
Shipping weight: 1 lb.

RF - CAT-5 Baluns

CAT-5 Cable TV/Antenna Balun

C5-RF

Stock Number
FG01277



Features

- CAT-5 Connector
- Gold Plated RF Connector
- Universal Mounting Holes

Specifications

- Overall dimensions: 4.75" W x .85" H x 2" D
- Bandwidth: 5 MHz to 550 MHz

- Transmission Distance: Up to 330' (100 m) using CAT-5 UTP

Warranty: Ten-year limited
Shipping weight: 1 lb.