

## For your safety

This equipment is not designed to make emergency calls in the event of a power failure. Alternative arrangements should be made for access to emergency calls.

To avoid damage or malfunction:

- Do not allow the product to come into contact with liquid.

- Do not open it as you could be exposed to high voltages.

  Never use any battery type other than the one supplied.

  Do not hold the handset too close to your ear when the phone is ringing or when activating the loudspeaker as it may damage your hearing.

  Do not expose the phone to excessive heat caused by heating equipment or direct sunlight.
- Do not drop your phone or allow objects to fall on your phone.

  Do not use any cleaning agents containing alcohol, ammonia, benzene, or abrasives as these may harm the set.
- Active mobile phones in the vicinity may cause interference.

About operating and storage temperatures:

- Operate in a place where temperature is always between 0 and 35° C (32 to 95° F). Store in a place where temperature is always between -20 and 45° C (-4 to 113° F). Battery life may be shortened in low temperature conditions.

## Need Help?

For more information on troubleshooting:

Troubleshooting: page 25


Please refer to the following website for more information on Philips web support:


Online Support

www.philips.com/support









## Language

Your ID9370 can support different display languages.

#### To change the language

- I. Press \_\_\_ MENU, scroll 3 to Personal Set and press \_\_ SELECT, scroll 3 to Language and press \_\_ SELECT.
- Scroll : to your desired language and press SELECT to confirm.
   A validation tone is emitted and the screen returns to previous menu.

## Registration

The procedures described below are the procedures that you will find in your ID9370 handset. The procedures may vary according to the handset you want to register. In this case, please refer to the manufacturer of the additional handset.

Additional handsets must be registered to the base unit before you can use them. Up to 6 handsets can be registered to one base station.

The Master PIN is required before you can register or unregister handsets. The default PIN is 0000.

### Register your ID937

After charging it for a few minutes, the word WELCOME appears on a blue screen. Next, the idle screen appears. Follow these steps to register your handset:


- In idle mode, the message "Press Base page key for 3 secs. Press and hold \_\_\_\_" will be prompted on the screen. Follow the screen instructions to start registration.
- 2. Enter PIN will be displayed on your screen. Enter the default Master PIN number 0000.
- 3. Press OK to confirm your registration.


All the handset keys (except the 🗐 key) are deactivated until the above registration process is completed.













ID9370\_IFU\_EN\_US.book Page 13 Tuesday, February 13, 2007 12:48 PM








## Your ID9370

### Handset keys

Press	То
-	Enter the main menu from stand-by mode. Select the function displayed on the handset screen directly above it. Activate mute function during a call. Switch on the backlight.
-	Go to redial list from stand-by mode. Select the function displayed on the handset screen directly above it. Initiate a second call, consult phonebook, call transfer or activate/deactivate HD Sound mode during a call. Switch on the backlight.
r.ash TALK	Answer an incoming external or internal call. Insert R for operator services when on the line.
OFF	Hang up a call.  Return to stand-by mode.  Long press in stand-by mode to switch off the handset, short press to switch on the handset again.
cid	Access call log from stand-by mode.  Scroll up a menu list or go to the previous phonebook or call log record.  Increase earpiece volume during a call.  Go to the previous character in editing mode.
pbk ▼	Access phonebook from stand-by mode.  Scroll down a menu list or go to the next phonebook or call log record.  Decrease earpiece volume during a call.  Go to the next character in editing mode.
© con#	Initiate an internal call in idle mode.  Short press to initiate an internal call during a call or switch call between an internal and external call.  Long press to initiate a conference call with an external call and another internal call.
_u	Answer an incoming call in handsfree mode. Activate and deactivate the loudspeaker* during a call.
# a a	Dial # in stand-by mode.  Long press to mute the ringer in stand-by mode.  Long press to insert a pause in dialling mode.  Long press to switch between upper and lower case in editing mode.
# B FORMAT	Dial * in stand-by mode.  Long press to activate and deactivate keypad lock.  Change the display format when viewing a 7-, 10- or 11-digit call log record (with numbers starting with the digit 1).

\*WARNING Handsfree activation can suddenly increase the volume in the earpiece to a very high level. Make sure the handset is not too close to your ear.

















## Install battery

See page 9.

## Charge battery

- Place the handset on the charging cradle of the base station. A beep tone is emitted if the handset is placed correctly.
- 2. A charging animation on the handset indicates that the battery is charging.





4. The handset is fully charged when the charging animation stops and  $\P$  is displayed.

The handset must be charged for at least 24 hours before using it for the first time.


### Low battery warning

The battery level is shown at the top left of the handset screen. When the battery level becomes low, an empty battery icon is displayed on the screen.

If the battery level becomes exceedingly low, the phone automatically switches off and any function in progress will not be saved.

### Out of range warning

The indoor and outdoor range of the phone is up to 50 metres and 300 metres respectively. When the handset moves beyond operation range, the antenna icon will blink.







### Intercom

This feature is only available when there are at least 2 registered handsets. It allows you to make free internal calls, transfer external calls from one handset to another and use the conference option.

#### Intercom another handset

To be able to use intercommunication feature, you must have at least 2 handsets registered to your base station (see page 10 "Registration").

- I. Press key in stand-by mode.
- 2. Intercom is established immediately if there are only 2 registered handsets. If there are more than 2 registered handsets, the handset numbers which are available for intercom will be displayed. Scroll (\*) to All Handsets and press SELECT to call all the handsets or scroll to the specific handset you want to call and press SELECT.

If the handset does not belong to ID9370 range, this function may not be available.

#### Transfer an external call to another handset

- I. During the call, make a long press on 🖃 key to put the external call on hold (the caller can no longer hear you).
- 2. Intercom is established immediately if there are only 2 registered handsets. If there are more than 2 registered handsets, the handset numbers which are available for intercom will be displayed. Scroll 3 to All Handsets and press SELECT to call all the handsets or scroll to the specific handset you want to call and press SELECT. The called handset rines.

If there is no answer from the called handset, press we key to resume the external call.

- Press key on the called handset to answer the internal call, where both internal callers can talk.
- 4. Press 🗯 key on the first handset to transfer the external call to the called handset.

#### Switch between an internal and external call

1. Press we key once to switch between an internal call and external call.





## Three-party conference call

- The conference call feature allows one external call to be shared with two handsets (in intercom). The three parties can share the conversation and no network subscription is required.


  1. Press and hold to to put the external call on hold and start the intercom procedure (the caller can no longer hear you).


  2. Long press to display the handset numbers which are available for intercom. Scroll to All Handsets and press FELECT to call all the handsets or scroll to the specific handset you want to call and press FELECT.

  The called handset rings.
- Press key on the called handset to answer the internal call, where both internal callers can talk.
- Press and hold for 2 seconds on the first handset to start the three-party conference, whereby Conference is displayed on the screen.

TIP If Conference mode is activated, a three-party conference call is automatically established if the second handset takes the line when there is already an external call in progress.







Handset Tones Wallpaper Contrast Handset Name Language Babysit Mode Backlight Time

## Theme Colour Handset Tones

#### Ring Volume

There are 5 ringer volume options (Silence, Low, Medium, High and Progressive). The default level is Medium.

- Press MENU, scroll : to Personal Set and press SELECT, press SELECT to enter Handset Tones and press SELECT again to enter Ring Volume.

  Scroll : to your desired volume level and press SELECT to confirm.

  A validation tone is emitted and the screen returns to previous menu.

When Silence is activated, the icon  $\swarrow$  is displayed on the screen.

**WARNING** When the handset rings during an incoming call, please do not hold the handset too close to your ear as the volume of the ringing tone may damage your hearing.

### Ring Melody

There are 16 ring melodies available on your handset.

#### To set Ring Melody

- Press MENU, scroll : to Personal Set and press SELECT, press SELECT to enter Handset Tones, scroll : to Ring Melody and press SELECT.
- Scroll 🕏 to your desired melody to play the melody.
- Press \_\_ SELECT to set the ring melody.
   A validation tone is emitted and the screen returns to previous menu.













## Personal Settings

#### Group Melody

To benefit from this feature, you must subscribe to the Caller Line Identification service.

This menu enables you to select and set the melodies to be played when there is an external incoming call from a contact whose name is stored in your phonebook and is part of a group. You can associate I ring melody to each group.

There are three phonebook groups (Group A, B,  $\rm C$ ) available for you to organise your contacts. Each group can be assigned a unique melody.

#### To set Group Melody

- I. Press \_\_MENU, scroll : to Personal Set and press \_\_SELECT, press \_\_SELECT to enter Handset Tones, scroll : to Group Melody and press \_\_SELECT.
- 2. Scroll 🕏 to the group for which you wish to set melody and press 🗖 SELECT.
- 3. Scroll 🕏 to the desired melody to play the melody.
- Press SELECT to set the group melody.
   A validation tone is emitted and the screen returns to previous menu.

#### Key Beep

A single beep is emitted when a key is pressed. You can enable or disable the key beep. By default, the key beep is On.


### To set key beep On/Off

- I. Press \_\_ MENU, scroll (\*) to Personal Set and press \_\_ SELECT, press \_\_ SELECT to enter Handset Tones, scroll (\*) to Key Beep and press \_\_ SELECT.
- 2. Scroll (a) to On or Off and press SELECT to confirm.

  A validation tone is emitted and the screen returns to previous menu.






















## Personal Settings

ΕN



This feature allows you to select the wallpaper to be displayed in stand-by mode. There are 6 wallpapers pre-installed on your handset. The 6th wallpaper is a blank wallpaper















- I. Press \_\_\_\_MENU, scroll (\*) to Personal Set and press \_\_\_\_SELECT, scroll (\*) to Wallpaper and press \_\_\_\_SELECT.
- Scroll (a) to your desired wallpaper and press \_\_ SELECT to confirm. A validation tone is emitted and the screen returns to previous menu.

## Contrast level



### To set contrast level

- Scroll : to your desired contrast level (Level 1, Level 2 or Level 3) and press SE-LECT to confirm. A validation tone is emitted and the screen returns to previous menu.


## Handset Name

You can name the handset and display the handset name in stand-by mode. The default handset name of your handset is PHILIPS.













ID9370\_IFU\_EN\_US.book Page 20 Tuesday, February 13, 2007 12:48 PM







## Personal Settings

#### To rename the handset

- I. Press MENU, scroll : to Personal Set and press SELECT, scroll : to Handset Name and press SELECT.
- Edit the handset name and press OK to confirm.
   A validation tone is emitted and the screen returns to previous menu.

Maximum length of the handset name is 14 characters and the default handset name is PHILIPS.

## Language

See page 10.

## Babysit mode

You must have at least 2 handsets registered to your base station to be able to use this feature (see page 10 "Registration").

This feature allows you to monitor, e.g. the baby's room. Place the handset in the room to be monitored. If the sound level around the microphone of the handset exceeds a certain threshold, the handset can automatically call another handset registered on the same base station.

To use the Babysit feature you need to activate it (e.g. on handset I) and enter the number of the handset to be called (e.g. handset 2) in the event that there are noises in the monitored room. Place the handset which is in Babysit mode (e.g. handset I) in the room to be monitored. If this handset detects a sound level greater than a certain threshold, it will automatically initiate an internal call to the selected handset (e.g. handset 2).

#### To activate Babysit mode

I. Press — MENU, scroll : to Personal Set and press — SELECT, scroll : to Babysit mode and press — SELECT.

In Babysit mode, all keys are deactivated except for  $\fill \fill \fill$ 

Scroll through the list of handsets available and press - SELECT to select the handset to be called.

You can still perform all normal operations (making an outgoing call, receiving an incoming call, intercom another handset, paging, etc.) on the selected handset.
























## Registration


See page 10.


## Unregistration



- To unregister a handset

  1. Press MENU, scroll (2) to Advanced Set and press SELECT, scroll (3) to Unregistration and press SELECT.
- Enter the Master PIN when prompted and press OK to confirm.
- Select in the list of handsets displayed, the handset that you wish to unregister. A validation tone is emitted to indicate successful unregistration and the screen shows Unregistered.





## Puzzle

This is a picture game where you have to move around small pieces of jumbled up pictures and put them together in order to form a complete picture.

#### To start the game

- I. Press MENU, scroll 🕏 to Games and press SELECT, scroll 🕏 to Puzzle and press SELECT.
- An instruction screen is displayed.

4. To exit from the game, press —.

Press  $\ \overline{\underline{\mathbf{s}}}\ /\ \overline{\mathbf{s}}\ /\ \overline{\underline{\mathbf{s}}}\ /\ \overline{\underline{\mathbf{s}}}\ /\ \overline{\underline{\mathbf{s}}}$  keys to move up / move left / move right / move down respectively.

- 3. Press SELECT to start the game.
- 4. To exit from the game, press —.





### **Tetris**

You can rotate each shaped block as they fall such that they fit neatly into horizontal blocks. The more blocks you can gather within the same level, the more you will score.

#### To start the game

- I. Press \_\_MENU, scroll : to Games and press \_\_SELECT, scroll : to Tetris and press \_\_SELECT.
- An instruction screen is displayed.


- 3. Press **SELECT** to start the game.
- 4. To exit from the game, press —.


















## Troubleshooting

ΕN



Please refer to the following website for more information on Philips web support: www.philips.com/support

Problem	Causes	Solution
The icon is not blinking when the handset is placed on the base	Bad battery contact     Dirty contact     Battery is full	Move the handset slightly     Clean the battery contact with a cloth moistened with alcohol     No need to charge
No dialling tone	No power      Batteries are empty     You are too far from the base station     Wrong line cable     Line adaptor (when needed) is not connected to the line cord	Check the connections. Reset the phone: unplug and plug back in the mains Charge the batteries for at least 24 hours Move closer to the base station  Use the line cable provided Connect the line adaptor (when needed) to the line cord
Poor audio quality	You are too far from the base station     The base station is too close to electrical appliances, reinforced concrete walls or metal doorframes	Move closer to the base station     Move the base station at least one metre away from any electrical appliances
The icon is blinking	Handset is not registered to the base station You are too far from the base station	Register the handset to the base station     Move closer to the base station




















# Troubleshooting

Problem	Causes	Solution
The handset displays "not available"	The procedure to add a handset has failed	Try again by disconnecting and connecting the base station power supply and follow the procedure to register a handset (see page 10) Remove and place back the handset batteries
When attempting to add another handset to the base station     When using a handset	Maximum number of handsets has been reached     Base station is already busy with another	<ul> <li>Unregister a handset so as to register the new handset</li> <li>Wait until it is available</li> </ul>
	handset	
Noise interference on your radio or television	Your base station or mains power pack are too close to electrical appliances	Move the power pack or base station as far away as possible
Caller Line Identification (CLI) service does not work	The service is not activated	Check your subscription with your network operator
No ring tone	The ring tone is deactivated	Increase the volume
A phonebook entry cannot be stored	The phonebook is full	Delete an entry to free memory





















### Information

ΕN



- Philips Royal Electronics manufactures and sells many consumer oriented products which usually, as with any electronic apparatus, have the ability to emit and receive electronic apparatus. magnetic signals.
- One of Philips' leading Business Principles is to take all necessary health and safety precautions for our products, to comply with all applicable legal requirements and to stay well within the EMF standards applicable at the time of producing the products.
- Philips is committed to develop, produce and market products that cause no adverse health effects.
- Philips confirms that if its products are handled properly for their intended use, they are safe to use according to scientific evidence available today.
- Philips plays an active role in the development of international EMF and safety standards, enabling Philips to anticipate further developments in standardisation for early integration



### Conformity

The Declaration of conformity is available on www.p4c.philips.com.

Hereby, Philips Consumer Electronics, BLC P&ACC, declares that the ID9370x is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

## Important Information

NOTICE: This product meets the applicable Industry Canada technical specifications.

The equipment must be installed using an acceptable method of connection. The customer should be aware that compliance with the above conditions may not prevent degradation of service in some situations.

Repairs to certified equipment should be made by an authorized Canadian maintenance facility designated by the supplier. Any repairs or alterations made by the user to this equipment, or equipment malfunctions, may give the telecommunications company cause to request the user to disconnect the equipment

Users should ensure for their own protection that the electrical ground connections of the power utility, telephone lines and internal metallic water pipe systems, if present, are connected together. This precaution may be particularly important in rural areas.

CAUTION: Users should not attempt to make such connections themselves, but should contact the appropriate electric inspection authority, or electrician, as appropriate.

NOTES: This equipment may not be used on coin service provided by the telephone company.















## Recycle your batteries



Do not dispose your rechargeable batteries. Call the toll fee number 1-800-822-8837 to get instructions on how to recycle your batteries.

The RBRC® Seal on the nickel metal hydride battery indicates that Philips Royal Electronics is voluntarily participating in an industry program to collect and recycle these batteries at the end of their useful lives, when taken out of service within the United States and Canada.

The RBRC® program provides a convenient alternative to placing used nickel metal hydride batteries into the trash or municipal waste, which may be illegal in your area.

Philips's participation in RBRC® makes it easy for you to drop off the spent battery at local retailers participating in the RBRC® program or at authorized Philips product service centers.

Please call I-800-8-BATTERY for information on Ni-MH battery recycling and disposal bans/ restrictions in your area. Philips's involvement in this program is part of its commitment to protecting our environment and conserving natural resources.

RBRC® is a registered trademark of Rechargeable Battery Recycling Corporation.





## Service Centers

Call Center (USA and Canada): 800-233-8413

E-mail support: accessories.support@philips.com







Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners. 2006 © Koninklijke Philips Electronics N.V. All rights reserved.

www.philips.com

3111 285 37761



