

Model: WL11E

Operating Instructions

1 GENERAL

The purpose of this manual is to explain correct way how to integrate module WL11E to Panasonic PC. It includes procedures that shall assist you to avoid unforeseen problems. This manual presents information that shows how module complies with regulations in certain regions.

The system may only be implemented in the configuration that was authorized. Note that any changes or modifications to this equipment not expressly approved by Panasonic could void the user's authority to operate this equipment.

2. Frequency Scanning Plan

The EEPROM will be programmed at the factory to only operate and actively scan on these specific channels:

Channels 1-11, 2412-2462MHz 802.11b mode

Channels 1-11, 2412-2462MHz 802.11g mode

Channels 1-11, 2412-2462MHz 802.11n mode (20MHz channel)

Channels 3-9, 2422-2452MHz 802.11n mode (40MHz channel)

This information when programmed into the EEPROM will not be accessible and can not be changed by the end user.

Regulatory Information

USA-Federal Communications Commission (FCC)

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Caution

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Labeling

The model WL11E is labelled as below.

FCC ID: ACJ9TGWL11E

The proposed with FCC ID label format is to be placed on the module. If FCC ID is not visible when the module is installed into the system, "Contains FCC ID: ACJ9TGWL11E" shall be placed on the outside of final host system.

Caution: Exposure to Radio Frequency Radiation.

To comply with FCC RF exposure compliance requirements, the antenna(s) used for this transmitter must not be collocated or operating in conjunction with any other antenna or transmitter within a host device, except in accordance with FCC multi-transmitter product procedures.