

Specifications

Items	Specifications
CCD Type	1/4" COLOR CCD Effective Pixels : 768×494 (H×V)
Focus	Auto/Manual/Hold
Video output	Composite 1.0 Vp-p S-Video (Y/C)
Control method	Wireless Remote Controller and RS-232C Port
Panning angle	±100°
Tilting angle	+15° to -87°
Horizontal resolution	460 TV lines
Zoom range	21 : 1
Max. horizontal field of view	51°
Preset position	11 positions (including document position)
Min. illumination	5 lux
Dimension	141(W)×114(H)×180(D)mm 5 ⁹ / ₁₆ " ×4 ¹ / ₂ " ×7 ³ / ₃₂ "
Weight	1.2kg (2.6lbs)
DC Operating Voltage	DC 12V
Power consumption	12W
Operating conditions	0°C~40°C temperature • 30%~80% humidity

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.


FCC Caution:

To assure continued compliance, use only shielded interface cables when connecting to computer or peripheral devices and provided AC adaptor.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

Location of the Connection

Rear of View



NOTE :

Use only with AC Adaptor PSLP1170.

Printed in Japan

F0799S0
PSQW1520ZA