



Labtec® Wireless Optical Desktop

Getting Started Guide



Important Ergonomic Information

Long periods of repetitive motions using an improperly set-up workspace, incorrect body position, and poor work habits may be associated with physical discomfort and injury to nerves, tendons, and muscles.

If you feel pain, numbness, weakness, swelling, burning, cramping, or stiffness in these areas, see a qualified health professional. For more information, please read the Comfort Guidelines located on the Labtec® Software CD.

5 Turn on the computer

1 Turn off the computer

2 Remove the old keyboard and mouse

Caution!

If you have previously installed other keyboard or mouse drivers on your computer, please remove them first! (Use Windows® Add/Remove Programs in the Windows® Control Panel.) Do not proceed with installation until you have removed these old drivers. They may interfere with the proper operation of your new keyboard and mouse.

6 Establish communication between the receiver and keyboard and mouse

Press the connect button on the receiver, then press the reset button on the mouse. Next, press the connect button on the receiver again, and press the reset button on the keyboard. Note: you only have 10 seconds from the time you press the receivers button to press the mouse or keyboard reset buttons.

3 Connect the keyboard and mouse receiver cables

Mouse cable is green and has a mouse icon.

Keyboard cable is purple and has a keyboard icon.

7 Install the software

1. Insert the software CD into the CD-ROM drive of the computer.

8 Troubleshooting

If your keyboard or mouse does not work, try the following:

Remove the old mouse and keyboard drivers.

Refer to step 2.

Check cable connections. The receiver's keyboard cable plugs into the PS/2 keyboard port on the back of the computer. The receiver's mouse cable plugs into the PS/2 mouse port. Refer to step 3.

4 Install the batteries in the keyboard and the mouse

Refer to the battery diagram inside the battery compartment.

Note where the positive and negative ends of the batteries are to be inserted.

2. Follow the on-screen instructions to finish installing the software (double click on the "SETUP" icon if installation does not start automatically).

Check battery installation. Refer to the battery diagram inside the battery compartments. Refer to step 4. Battery life is 2-6 months, depending on usage.

Establish communications. Keep the distance between the receiver and the keyboard and mouse within 1 meter (1.5 meters max). Some objects may affect the operating distance or completely block the signal. Metallic surfaces will shorten transmission distances. Refer to step 6.

Introduction to the Labtec® Wireless Desktop

The Labtec® Wireless Desktop is loaded full of features. A wireless 3-button wheel mouse and a wireless 110 key multimedia keyboard connect to your computer with a single receiver using RF (Radio Frequency) technology. This custom designed receiver can accept signals up to 1.5 meters away. We have included all the batteries you need to get started. Battery life will depend greatly on the amount of usage but you can expect in excess of 2-6 months.

Labtec® Wireless Mouse Utility Program

The utility program uses your normal “Mouse Control Panel”. This addition adds two sets of tabs to the menus (“Wheel” and Buttons”). For additional help with all “Mouse Control Panel” items use the help buttons located in the menus.

Scrolling Functions

These controls enable and disable smooth scrolling and the number of lines to scroll at a time. See the Details button for more information.

3rd Button Functionality

These controls support the functions of the middle wheel button. The available controls are outlined here. See the Help button for more details.

- **Universal Scroll** – Allows you to change the scrolling style and speeds of the mouse wheel.
- **Zooming** – Magnify a section of your screen for easier viewing of small text and graphics.
- **Auto Scroll** – Program the screen to scroll by the direction of mouse movement.
- **Vertical Wheel Cooperate Functions** – This provides 3 types of additional functions to the scroll wheel including; zoom, shift lock, and switch from vertical to horizontal scrolling.
- **Other Functions** – Among these additional functions are “Backspace”, “F1”, and “Delete” plus activation of other special functions of Windows and Explorer.

Labtec keyboard multi-Media Key Assignments

1. **Play/Pause** – Starts and stops the playback of your Audio and Video applications
2. **Volume Mute** – Mutes your system volume
3. **Refresh** – Refreshes the currently displayed web page
4. **Internet** – Opens your system default Internet Browser
5. **Mail** – Opens your systems default E-mail application
6. **Volume Up** – Increases your system volume
7. **Volume Down** – Decreases your system volume

Low Battery Lights

If the light in the front of the mouse or the top left of the keyboard does not go on when you move the mouse or press a key, the voltage of the battery is low. Please replace your batteries. Expected battery life is 2 to 6 months depending on usage. Refer to the Battery Warning document located on the CD for more information on battery safety.

Maintenance of your Wireless Desktop

- You may clean the surface of the Mouse and Keyboard with a soft damp cloth.
- Do not use any harsh or abrasive cleaners
- Before using any chemical cleaners, please test the results on the bottom of the device.

Warranty and FCC

This product comes with a limited 2-year warranty and is FCC compliant. For more information, please read the included Product Warranty and FCC document located on the software CD.

Customer Service

If you need additional help with your product, contact Labtec at (702) 269-3612 or on the web at: www.labtec.com.

© 2003 Labtec. All rights reserved. Labtec, the Labtec logo, and other Labtec marks are owned by Labtec and may be registered. All other trademarks are the property of their respective owners.

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

1499 SE Tech Center Place, Suite 350, Vancouver, Washington 98683
Phone: 360.896.2000 Fax: 360.896.2020
www.labtec.com

