



A Series® Panelboards

Accessories

Field Installed Kits/Replacement Parts
Order By Catalog Number from Factory

Enclosures ①

Panel Size	Box Catalog Number	Box Size Inches ②	List Price ③, GO-134B	Front Catalog Number ④	List Price ③, GO-134B
0-25.5	AB25B	25.5	\$166.00	AF25F.S	\$170.00
28.5-31.5	AB31B	31.5	170.00	AF31F.S	174.00
34.5-37.5	AB37B	37.5	182.00	AF37F.S	191.00
40.5-43.5	AB43B	43.5	204.00	AF43F.S	218.00
46.5-49.5	AB49B	49.5	233.00	AF49F.S	257.00
52.5-55.5	AB55B	55.5	261.00	AF55F.S	299.00
57.5-64.5	AB64B	64.5	286.00	AF64F.S	326.00
67.5-76.5	AB76B	76.5	324.00	AF76F.S	367.00

- ① "B" suffix provides blank end walls. Order "K" suffix for end-walls with knockouts.
- ② Standard boxes are 20" wide by 5.81 inches deep.
- ③ Use when ordering items separately for replacement. Do not deduct from panel list price to obtain interior only pricing.
- ④ Flush fronts are 1½" larger than box. Surface fronts are ¼" larger.

Box Options

Description	Catalog Number Suffix ⑤	List Price, GO-101
7.81 deep ⑥	D	\$200.00
Painted Box	P	200.00
30" wide ⑦	W	250.00
NEMA 3R/12	3	950.00

- ⑤ Add to base box catalog number.
- ⑥ K frame main only.
- ⑦ Includes field installable gutter barrier

Front Options

Description	Catalog Number Suffix ⑧	List Price, GO-101
Screw cover	C	\$ 61.00
Front hinged to box	D	110.00
Optional Locks:		
Yale 5116 w/ Rosette	Y	300.00
Corbin 15767	L	146.00
Door with a door ⑨	P	238.00
Stainless steel ⑩	S	1467.00
30" wide	W	82.00
Nameplate	N	27.00
Screw on nameplate	U	74.00
Metal directory	M	50.00

- ⑧ Add to base front catalog number.
- ⑨ Consists of two lockable doors—one over panel interior and one over box wiring gutters. Yale locks not available.
- ⑩ Flush only. Available with C and N options.

Box Extensions — Bolts to A SERIES box with or without box endwall in place. Extensions can be combined to obtain lengths greater than 18 and 24 inches.

Box Width and Depth	Box Mounting	Box Extension Length (Inches)	Box Extension Catalog Number	List Price, GO-101
20 x 5.81	Flush	9	ABX2509F	\$145.00
		18	ABX2518F	167.00
		24	ABX2524F	194.00
	Surface	9	ABX2509S	145.00
		18	ABX2518S	167.00
		24	ABX2524S	194.00
		31	ABX2531S	220.00
		37	ABX2537S	240.00
		43	ABX2543S	271.00
49		ABX2549S	311.00	
55		ABX2555S	358.00	
64	ABX2564S	353.00		
76	ABX2576S	440.00		
20 x 7.81	Flush	18	ABX2718F	184.00
		24	ABX2724F	206.00
	Surface	18	ABX2718S	184.00
		24	ABX2724S	206.00
30 x 5.81	Flush	18	ABX3518F	194.00
		24	ABX3524F	223.00
	Surface	18	ABX3518S	194.00
		24	ABX3524S	223.00
30 x 7.81	Flush	18	ABX3718F	223.00
		24	ABX3724F	250.00
	Surface	18	ABX3718S	223.00
		24	ABX3724S	250.00

Box Extensions Covers Only — 10 covers per kit.

Description	Catalog Number	List Price, GO-101
9" Covers Surface	ASPABX09S	\$145.00
9" Covers Flush	ASPABX09F	155.00
18" Covers Surface	ASPABX18S	285.00
18" Covers Flush	ASPABX18F	300.00

THQB/THHQB/THQL/THHQL/TEY Filler Plates

Catalog Number	List Price, GO-137A
TQLFP1	\$2.50

TQD/THQD/TEY4 Filler Plates

Catalog Number	List Price, GO-101
TEDFP1	\$1.00

Breaker Mounting ⑪ Hardware Kits

Catalog Number	List Price, GO-134B
ASPTED3P (Breaker type TED/THED4)	\$83.50
ASPTQD3P (Breaker type TQD/THQD)	83.50

- ⑪ Use to mount breaker in existing space.

A Series® Panelboards—Type AQ

240Vac Bolt-On
Factory Assembled
Single-Phase, 3-Wire Pricing

GE Fastrac™ Program items are indicated in red

NOTE: Sizing Dimensions to be used only for enclosure selection, not to determine interior length.

Main Lug Interiors ①

Panel Amps Max.	Branch Space Required	Single Main Lugs			Subfeed Main Lugs		
		Interior Catalog Number	List Price, \$ GO-101	Sizing Dim. (In.)	Interior Catalog Number	List Price, \$ GO-101	Sizing Dim. (In.)
125	0-12	AQF1121MB	\$ 405.00	22.5	AQF1121SB	\$ 454.00	22.5
	13-18	AQF1181MB	441.00	25.5	AQF1181SB	488.00	25.5
	19-24	AQF1241MB	501.00	28.5	AQF1241SB	549.00	28.5
	25-30	AQF1301MB	561.00	31.5	AQF1301SB	609.00	31.5
	31-36	AQF1361MB	621.00	34.5	AQF1361SB	669.00	34.5
37-42	AQF1421MB	681.00	37.5	AQF1421SB	729.00	37.5	
225	0-12	AQF1122MB	454.00	28.5	AQF1122SB	502.00	28.5
	13-18	AQF1182MB	488.00	31.5	AQF1182SB	538.00	31.5
	19-24	AQF1242MB	549.00	34.5	AQF1242SB	597.00	34.5
	25-30	AQF1302MB	609.00	37.5	AQF1302SB	657.00	37.5
	31-36	AQF1362MB	669.00	40.5	AQF1362SB	718.00	40.5
37-42	AQF1422MB	729.00	43.5	AQF1422SB	778.00	43.5	
400	0-12	AQF1124MB	623.00	37.5	AQF1124SB	770.00	37.5
	0-24	AQF1244MB	731.00	40.5	AQF1244SB	880.00	40.5
	13-18	AQF1184MB	675.00	43.5	AQF1184SB	823.00	43.5
	25-30	AQF1304MB	792.00	46.5	AQF1304SB	941.00	46.5
	31-36	AQF1364MB	852.00	49.5	AQF1364SB	1001.00	49.5
37-42	AQF1424MB	911.00	52.5	AQF1424SB	1061.00	52.5	
600	0-12	AQF1126MB	798.00	43.5	—	—	—
	0-24	AQF1246MB	907.00	46.5	—	—	—
	13-18	AQF1186MB	851.00	49.5	—	—	—
	25-30	AQF1306MB	967.00	52.5	—	—	—
	31-36	AQF1366MB	1027.00	55.5	—	—	—
37-42	AQF1426MB	1086.00	58.5	—	—	—	
800 ②	0-12	AQF1128MB	1090.00	43.5	—	—	—
	13-18	AQF1188MB	1216.00	46.5	—	—	—
	19-24	AQF1248MB	1333.00	49.5	—	—	—
	25-30	AQF1308MB	1454.00	52.5	—	—	—
	31-36	AQF1368MB	1610.00	55.5	—	—	—
37-42	AQF1428MB	1715.00	58.5	—	—	—	

Service Information:

1-ph, 3-w
240/120 volts ac max.

Bolt-On Branch Breakers:

15-100 amps, 1, 2, 3-poles
Types THQB, THQB, TXQB

Service Entrance Label will be factory installed only when specified. Please see page 13-2 for UL Standards on service entrance. Service Entrance Labels are available for field installation. Please contact a GE Industrial Systems Sales Office for ordering instructions.

Mains:

100-THQB, THQB, TEY, SE
225-TQD, TQD, SF
400-TJD, SG
600-SG
800-SK
125-800 amp main lug

SPLIT BUS—Refer to publication DE-81 or consult your local sales office

Enclosures

Sizing Dim. (Inches)	Box Catalog Number	Inside Box Dim. (Inches)			Front Catalog Number
		Length	Width	Depth	
0-25.5	AB25*	25.5	20	5.81	AF25F.S
28.5-31.5	AB31*	31.5	20	5.81	AF31F.S
34.5-37.5	AB37*	37.5	20	5.81	AF37F.S
40.5-43.5	AB43*	43.5	20	5.81	AF43F.S
46.5-49.5	AB49*	49.5	20	5.81	AF49F.S
52.5-55.5	AB55*	55.5	20	5.81	AF55F.S
57.5-64.5	AB64*	64.5	20	5.81	AF64F.S
67.5-76.5	AB76*	76.5	20	5.81	AF76F.S

Flush fronts are 1½ inches larger than box. Surface fronts are ¼ inch larger than box.

① "*" Add appropriate suffix.

Main Breaker Interiors ②

Panel Amps Max.	Branch Space Required	Interrupting Rating														
		10kA			22kA			65kA			85kA ⑤			200kA ⑥ ⑦		
		Interior Catalog Number	List Price, \$ GO-101	Sizing Dim. (In.)	Interior Catalog Number	List Price, \$ GO-101	Sizing Dim. (In.)	Interior Catalog Number	List Price, \$ GO-101	Sizing Dim. (In.)	Interior Catalog Number	List Price, \$ GO-101	Sizing Dim. (In.)	Interior Catalog Number	List Price, \$ GO-101	Sizing Dim. (In.)
100	0-12	AQF1121AB	\$ 589.00	22.5	AQF1121CB	\$ 606.00	22.5	AQF1121EB	\$ 969.00	22.5	AQF1121FB	\$ 1362.00	22.5	AQF1121HT	\$ 1855.00	22.5
	13-18	AQF1181AB	625.00	25.5	AQF1181CB	642.00	25.5	AQF1181EB	1005.00	25.5	AQF1181FB	1396.00	25.5	AQF1181HT	1891.00	25.5
	19-24	AQF1241AB	685.00	28.5	AQF1241CB	701.00	28.5	AQF1241EB	1065.00	28.5	AQF1241FB	1458.00	28.5	AQF1241HT	1951.00	28.5
	25-30	AQF1301AB	744.00	31.5	AQF1301CB	761.00	31.5	AQF1301EB	1126.00	31.5	AQF1301FB	1518.00	31.5	AQF1301HT	2011.00	31.5
	31-36	AQF1361AB	802.00	34.5	AQF1361CB	821.00	34.5	AQF1361EB	1185.00	34.5	AQF1361FB	1578.00	34.5	AQF1361HT	2072.00	34.5
37-42	AQF1421AB	863.00	37.5	AQF1421CB	882.00	37.5	AQF1421EB	1245.00	37.5	AQF1421FB	1638.00	37.5	AQF1421HT	2132.00	37.5	
225	0-12	AQF1122AB	1283.00	28.5	AQF1122CB	1412.00	28.5	AQF1122JB	2032.00	28.5	AQF1122FB	2705.00	40.5	AQF1122HB	2916.00	40.5
	13-18	AQF1182AB	1318.00	31.5	AQF1182CB	1447.00	31.5	AQF1182JB	2067.00	31.5	AQF1182FB	2739.00	43.5	AQF1182HB	2953.00	43.5
	19-24	AQF1242AB	1378.00	34.5	AQF1242CB	1507.00	34.5	AQF1242JB	2127.00	34.5	AQF1242FB	2799.00	46.5	AQF1242HB	3010.00	46.5
	25-30	AQF1302AB	1439.00	37.5	AQF1302CB	1567.00	37.5	AQF1302JB	2187.00	37.5	AQF1302FB	2859.00	49.5	AQF1302HB	3071.00	49.5
	31-36	AQF1362AB	1498.00	40.5	AQF1362CB	1628.00	40.5	AQF1362JB	2248.00	40.5	AQF1362FB	2919.00	52.5	AQF1362HB	3132.00	52.5
37-42	AQF1422AB	1558.00	43.5	AQF1422CB	1687.00	43.5	AQF1422JB	2307.00	43.5	AQF1422FB	2980.00	55.5	AQF1422HB	3192.00	55.5	
400 ②	0-12	—	—	—	AQF1124CB	1992.00	46.5	AQF1124JB	2737.00	46.5	AQF1124FB	3541.00	46.5	AQF1124HB	3905.00	46.5
	13-18	—	—	—	AQF1184CB	2049.00	49.5	AQF1184JB	2794.00	49.5	AQF1184FB	3600.00	49.5	AQF1184HB	3962.00	49.5
	19-24	—	—	—	AQF1244CB	2107.00	52.5	AQF1244JB	2852.00	52.5	AQF1244FB	3660.00	52.5	AQF1244HB	4020.00	52.5
	25-30	—	—	—	AQF1304CB	2167.00	55.5	AQF1304JB	2912.00	55.5	AQF1304FB	3721.00	55.5	AQF1304HB	4079.00	55.5
	31-36	—	—	—	AQF1364CB	2227.00	58.5	AQF1364JB	2972.00	58.5	AQF1364FB	3781.00	58.5	AQF1364HB	4140.00	58.5
37-42	—	—	—	AQF1424CB	2287.00	61.5	AQF1424JB	3032.00	61.5	AQF1424FB	3841.00	61.5	AQF1424HB	4200.00	61.5	
600	0-12	—	—	—	AQF1126CB	3355.00	46.5	AQF1126JB	4100.00	46.5	AQF1126FB	4904.00	46.5	—	—	—
	13-18	—	—	—	AQF1186CB	3413.00	49.5	AQF1186JB	4158.00	49.5	AQF1186FB	4964.00	49.5	—	—	—
	19-24	—	—	—	AQF1246CB	3472.00	52.5	AQF1246JB	4217.00	52.5	AQF1246FB	5025.00	52.5	—	—	—
	25-30	—	—	—	AQF1306CB	4277.00	55.5	AQF1306JB	4277.00	55.5	AQF1306FB	5086.00	55.5	—	—	—
	31-36	—	—	—	AQF1366CB	3592.00	58.5	AQF1366JB	4337.00	58.5	AQF1366FB	5146.00	58.5	—	—	—
37-42	—	—	—	AQF1426CB	3652.00	61.5	AQF1426JB	4397.00	61.5	AQF1426FB	5206.00	61.5	—	—	—	
800 ②	0-12	—	—	—	—	—	AQF1128JB	4803.00	55.5	—	—	—	—	—	—	
	13-18	—	—	—	—	—	AQF1188JB	4986.00	58.5	—	—	—	—	—	—	
	19-24	—	—	—	—	—	AQF1248JB	5160.00	61.5	—	—	—	—	—	—	
	25-30	—	—	—	—	—	AQF1308JB	5345.00	64.5	—	—	—	—	—	—	
	31-36	—	—	—	—	—	AQF1368JB	5520.00	67.5	—	—	—	—	—	—	
37-42	—	—	—	—	—	AQF1428JB	5700.00	70.5	—	—	—	—	—	—		

② Bottom feed furnished as standard-change last character in Cat. No. from B to T for Top Feed.

③ Includes standard panelboard interior, box and front. Add price for options when required.

④ Rating is 100kA @ 240V. For 400A panels, when used with THLC.

⑤ Box supplied as standard for 225A 200kA and 400A 85 and 200kA ratings is 7.81

inches deep, when used with THLC.

⑥ 100A main breaker UL Listed for top feed only.

⑦ Box is 30" wide x 7.81" deep.



Pro-Stock™ and A Series® Merchandised Panelboards—Enclosures, Fronts, Accessories

Order by Catalog Number from the Customer Service Center.

Enclosure

Height (Inches)	NEMA 1 (Endwall with knockouts)		NEMA 1 (w/Blank Endwall)		NEMA 3R (Includes Front)	
	Catalog Number	List Price, GO-134B	Catalog Number	List Price, GO-134B	Catalog Number	List Price, GO-134B
49.5	AB49K	\$233.00	AB49B	\$233.00	AB493	\$1344.00
55.5	AB55K	261.00	AB55B	261.00	AB553	1372.00
64.5	AB64K	286.00	AB64B	286.00	AB643	1399.00
76.5	AB76K	324.00	AB76B	324.00	AB763	2441.00

Fronts

Flush		Surface	
Catalog Number	List Price, GO-134B	Catalog Number	List Price, GO-134B
AF49F	\$257.00	AF49S	\$257.00
AF55F	299.00	AF55S	299.00
AF64F	326.00	AF64S	326.00
AF76F	367.00	AF76S	367.00

Main Lug Kits (For A-Series Panels Only) ①

Panel Amps	Description	Pressure Lugs			Compression Lugs ②			Copper Only Lugs		
		Wire Range Al/Cu	Catalog Number	List Price, GO-134B	Wire Range Al/Cu	Catalog Number	List Price, GO-134B	Wire Range Cu Only	Catalog Number	List Price, GO-134B
400	Standard	4-600 kcmil or (2) 1/0-250 kcmil	ASA42	\$ 81.00	500-750 kcmil ③	AST40 ④	\$331.00	1/0-600 kcmil	ASC42	\$318.00
	Oversize or Subfeed	(2) 4-600 kcmil or (4) 1/0-250 kcmil	ASA64	145.00	(2) 500-750 kcmil ③	ADT46 ④	605.00	(2) 1/0-600 kcmil	ADC64	569.00
600	Standard	(2) 4-600 kcmil or (4) 1/0-250 kcmil	ASA64	145.00	(2) 2/0-500 kcmil	AST60	389.00	(2) 1/0-600 kcmil	ADC64	569.00
	Oversize	(2) 300-800 kcmil	ASA60	275.00	(2) 500-750 kcmil	ADT46	605.00			

① Kits may be used to field modify lug type, e.g. pressure to compression. They *cannot*

be used to change lug descriptions e.g. standard to oversize or subfeed on 400A, 600A, 800A panels.

② Use VC6 crimp tool for all AL+ up to 500 kcmil and VC7 for 500-750 kcmil.

③ Cu wire rating is 500 kcmil only.
④ 500 kcmil copper cable max.

Miscellaneous Kits For Pro-Stock™ and A-Series® Panels

Description	Catalog Number	List Price	GO Sched.
Equipment Grounds:			
Standard Terminal Strip With Provision for (1) 14-8 Cu or 12-8 Al (3) 14-4 Cu or 6-4 Al	TGL2	\$ 6.75	137A
Above terminal with Copper Strap	TGC2	94.00	134B
Main Lug 6-2/0 Cu/Al	TGL20	11.50	137A
Standard Isolated Insulated (1) 14-8 Cu or 12-8 Al (3) 14-4 Cu or 6-4 Al	EGS12	39.00	134B
Above terminal with Copper Strap	EGC12	132.00	134B
Handle Locking Devices:			
THQL, THQL, THQB, THQB	THL103	6.50	137A
TEY	TEYLD1	5.00	135B
TED	TLD3	5.00	135B
TFJ, TFL, THLC2, THLC4, TLB4	TFKLD1	6.00	135B

Description	Catalog Number	List Price	GO Sched.
Padlocking Devices:			
THQL, THQL, TXQL, THQB, THQB, TXQB	THP100	\$ 6.50	137A
TEY	TEYPLD1	9.00	135B
TED, TEL	TEFPLD1	8.00	135B
THLC1	TLC1PLD1	17.00	135B
TQD	TQDPLD1	20.75	137A
TFJ, TFL	TFKPLD1	4.00	135B
THLC2, THLC4, TLB4	TLC4PLD1	22.00	135B
TJD, TJJ	TJKPLD1	8.00	135B
Filler Plate for Q Line and TEY Breakers	TQLFP1	2.50	137A
Package of Assorted Hardware, Keys, Circuit Strips, Directory Cards	ACARE ⑤	81.00	134B
Blank Endwall Kits	ABEW2	31.00	134B
Knock Out Endwall Kits	AKEW2	21.00	134B
Permanent Circuit Number Kit (1-48)	APN48	116.00	134B
Permanent Circuit Number Kit (43-84)	APN84	116.00	134B
Circuit Numbering Strips (1-48)	569B806G1	4.00	101
Circuit Numbering Strips (43-84)	569B806G2	4.00	101
Circuit Numbering Strips (85-126)	569B806G3	4.00	101

⑤ Contact your local sales office for a more detailed listing of contents.

13 PANELBOARDS