

*Hoffman*

Small, Type 1

Catalog Number: A14N126
US List Price (USD): \$106.40

Bulletin Number:

- A1SM



Model Code:

- 34260

Ship Wt. Std. Pkg. (lbs):

- 25.0

Interchangeable:

- False

Industry Standards:

UL 50, 50E Listed; Type 1; File No. E27567 cUL Listed per CSA C22.2 No 40; Type 1; File No. E27567 NEMA/EEMAC Type 1 CSA, File 42184: Type 1 IEC 60529, IP30

Description

These enclosures have a size range of 6 x 6 x 4-in. to 14 x 12 x 8-in. and meet basic functionality requirements for applications that do not require oil- or dust-tight enclosures.

Applications:

These enclosures have a size range of 6 x 6 x 4-in. to 14 x 12 x 8-in. and meet basic functionality requirements for applications that do not require oil- or dust-tight enclosures.

Features:

- Flush slotted latch operated with a screwdriver; optional latches available
- Weldnuts provided for mounting optional panels
- Butt hinges
- Mounting holes on back of enclosure

Specifications:

16 gauge steel

Finish:

ANSI 61 gray polyester powder paint finish inside and out over pretreated surfaces. Optional solid panels are white and optional perforated panels are gray.

Accessories:

- T-Handle Latch and Keyed Cylinder Lock Kits
- Grounding Device
- Panels for Type 1 Enclosures and Small Type 3R Enclosures
- T-Handle Latch and Keyed Cylinder Lock Kits
- Touch-Up Paint
- Steel and Stainless Steel Window Kits

Notes:

Purchase panels separately.

Technical Data

Small, Type 1

Catalog Number	A14N126
Panel Size D x E in.	12.25 x 10.25
Panel	A14N12P
Perforated Panel	A14N12PP

Certifications



UL Certification

Documents



Instruction Manual



Instruction Manual



DOC



3D STEP CAD



2D DXF CAD



Spec Sheet



Instruction Manual



Dimension Drawing

No accessories available.