

Safety Data Sheet

Copyright,2015,3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	08-5835-7	Version Number:	26.02
Issue Date:	10/07/15	Supercedes Date:	10/07/14

SECTION 1: Identification

1.1. Product identifier

4000 G, 4005 G, 9700 G Series MS2 & 2810/2814 Series w/DE28 SEALANT

Product Identification Numbers

ID Number	UPC	ID Number	UPC
LH-G100-0676-3		78-8097-6865-4	
78-8130-6986-7		78-8135-3421-7	
78-8135-7867-7		80-6110-1310-5	00-51138-70906-8
80-6110-2049-8	00-51138-89336-1	80-6111-5023-8	000-51115-15064-7
80-6111-6102-9	00-51138-88353-9	80-6111-6196-1	00-51138-88448-2
80-6111-6874-3	00-51138-87026-3	80-6113-0441-3	000-51115-16181-0
80-6113-1466-9	000-51115-19064-3	80-6113-1468-5	000-51115-19066-7
80-6113-1756-3	000-51115-19457-3	80-6113-1763-9	000-51115-19464-1
80-6113-1764-7	000-51115-19465-8	80-6113-1765-4	000-51115-19466-5
80-6113-1936-1	000-51115-21806-4	80-6113-1937-9	000-51115-21807-1
80-6113-2488-2		80-6113-2490-8	
80-6113-2550-9	000-51115-25975-3	80-6113-3127-5	000-51115-06099-1
80-6113-3212-5	000-51115-06184-4	80-6113-3213-3	000-51115-06185-1
80-6113-3214-1	000-51115-06186-8	80-6113-3215-8	000-51115-06187-5
80-6113-3229-9	000-51115-06201-8	80-6113-3230-7	000-51115-06202-5
80-6113-3231-5	000-51115-06203-2	80-6113-3232-3	000-51115-06204-9
80-6113-3233-1	000-51115-06205-6	80-6113-3234-9	000-51115-06206-3
80-6113-3235-6	000-51115-06207-0	80-6113-3236-4	000-51115-06208-7
80-6113-3237-2	000-51115-06209-4	80-6113-3238-0	000-51115-06210-0
80-6113-3239-8	000-51115-06211-7	80-6113-3250-5	000-51115-06424-1
80-6113-3251-3	000-51115-06425-8	80-6113-3252-1	000-51115-06426-5
80-6113-3253-9	000-51115-06427-2	80-6113-3254-7	000-51115-06428-9
80-6113-3255-4	000-51115-06429-6	80-6113-3256-2	000-51115-06430-2
80-6113-3257-0	000-51115-06431-9	80-6113-3258-8	000-51115-06432-6
80-6113-3259-6	000-51115-06433-3	80-6113-3276-0	000-51115-06450-0
80-6113-3277-8	000-51115-06451-7	80-6113-3278-6	000-51115-06452-4
80-6113-3282-8	000-51115-06456-2	80-6113-3284-4	000-51115-06458-6
80-6113-3288-5	000-51115-06462-3	80-6113-3289-3	000-51115-06463-0
80-6113-3290-1	000-51115-06464-7	80-6113-3294-3	000-51115-06468-5
80-6113-3295-0	000-51115-06469-2	80-6113-3301-6	000-51115-06475-3
80-6113-3302-4	000-51115-06476-0	80-6113-3303-2	
80-6113-3304-0	000-51115-06478-4	80-6113-3309-9	000-51115-06483-8
80-6113-3310-7	000-51115-06484-5	80-6113-3398-2	000-51115-53478-2

80-6113-3399-0	000-51115-53479-9	80-6113-3400-6	000-51115-53480-5
80-6113-3402-2	000-51115-53482-9	80-6113-3421-2	000-51115-53501-7
80-6113-3423-8	000-51115-53503-1	80-6113-3426-1	000-51115-53506-2
80-6113-3428-7	000-51115-53508-6	80-6113-3430-3	000-51115-53510-9
80-6113-3432-9	000-51115-53512-3	80-6113-3484-0	000-51115-53564-2
80-6113-3486-5	000-51115-53566-6	80-6113-3487-3	000-51115-53567-3
80-6113-3489-9	000-51115-53569-7	80-6113-3493-1	000-51115-53573-4
80-6113-3494-9	000-51115-53574-1	80-6113-3496-4	000-51115-53576-5
80-6113-3499-8		80-6113-3500-3	
80-6113-3501-1	000-51115-53581-9	80-6113-3502-9	000-51115-53582-6
80-6113-3503-7	000-51115-53583-3	80-6113-3504-5	000-51115-53584-0
80-6113-3601-9	000-51115-53681-6	80-6113-3605-0	000-51115-53685-4
80-6113-3613-4	000-51115-53693-9	80-6113-3615-9	000-51115-53695-3
80-6113-3617-5	000-51115-53697-7	80-6113-3627-4	000-51115-53707-3
80-6113-3628-2	000-51115-53708-0	80-6113-3629-0	000-51115-53709-7
80-6113-3630-8	000-51115-53710-3	80-6113-3635-7	000-51115-53715-8
80-6113-3636-5	000-51115-53716-5	80-6113-3637-3	000-51115-53717-2
80-6113-3638-1	000-51115-53718-9	80-6113-3645-6	000-51115-53724-0
80-6113-3647-2	000-51115-53726-4	80-6113-3658-9	000-51115-53737-0
80-6113-3659-7	000-51115-53738-7	80-6113-3662-1	000-51115-53741-7
80-6113-3663-9 80-6113-3673-8	000-51115-53742-4	80-6113-3672-0 80-6113-3674-6	000-51115-53751-6
80-6113-3675-3	000-51115-53752-3 000-51115-53754-7	80-6113-3674-6	000-51115-53753-0 000-51115-53810-0
80-6113-3732-2	000-51115-53811-7	80-6113-3737-1	000-51115-53816-0
80-6113-3738-9	000-51115-53811-7	80-6113-3740-5	000-51115-53810-2
80-6113-3742-1	000-51115-53821-6	80-6113-3744-7	000-51115-53819-5
80-6113-3758-7	000-51115-53821-0	80-6113-3759-5	000-51115-53823-0
80-6113-3762-9	000-51115-53841-4	80-6113-3766-0	000-51115-53845-2
80-6113-3767-8	000-51115-53846-9	80-6113-3771-0	000-51115-53850-6
80-6113-3772-8	000-51115-53851-3	80-6113-3775-1	000-51115-53854-4
80-6113-3776-9	000-51115-53855-1	80-6113-3778-5	000-51115-53857-5
80-6113-3780-1	000-51115-53859-9	80-6113-3782-7	000-51115-53861-2
80-6113-3784-3	000-51115-53863-6	80-6113-3788-4	000-51115-53867-4
80-6113-3793-4	000-51115-53872-8	80-6113-3861-9	000-51115-53941-1
80-6113-3863-5	000-51115-53943-5	80-6113-3865-0	000-51115-53945-9
80-6113-3867-6	000-51115-53947-3	80-6113-3870-0	000-51115-53950-3
80-6113-3873-4	000-51115-53953-4	80-6113-3875-9	000-51115-53955-8
80-6113-3880-9	000-51115-53960-2	80-6113-3882-5	000-51115-53962-6
80-6113-3884-1	000-51115-53964-0	80-6113-3889-0	000-51115-53969-5
80-6113-3891-6	000-51115-53971-8	80-6113-3893-2	000-51115-53973-2
80-6113-3895-7	000-51115-53975-6	80-6113-3907-0	000-51115-53987-9
80-6113-3910-4	000-51115-53990-9	80-6113-3911-2	000-51115-53991-6
80-6113-3915-3	000-51115-53995-4	80-6113-3921-1	000-51115-54001-1
80-6113-3922-9	000-51115-54002-8	80-6113-3923-7	000-51115-54003-5
80-6113-3924-5	000-51115-54004-2	80-6113-3929-4	000-51115-54009-7
80-6113-3930-2	000-51115-54010-3	80-6113-3931-0	000-51115-54011-0
80-6113-3945-0	000-51115-54025-7	80-6113-3947-6	000-51115-54027-1
80-6113-3949-2	000-51115-54029-5	80-6113-3951-8	000-51115-54031-8
80-6113-3953-4	000-51115-54033-2	80-6113-3955-9	000-51115-54035-6
80-6113-3957-5	000-51115-54037-0	80-6113-3959-1	000-51115-54039-4
80-6113-3962-5	000-51115-54042-4	80-6113-3964-1	000-51115-54044-8
80-6113-3965-8	000-51115-54045-5	80-6113-3975-7	000-51115-54055-4
80-6113-3977-3	000-51115-54057-8	80-6113-3979-9	000-51115-54059-2
80-6113-8044-7	000-51115-54104-9	80-6113-8045-4	000-51115-54105-6
80-6113-8058-7	000-51115-54118-6	80-6113-8061-1	000-51115-54121-6
80-6113-8064-5	000-51115-54124-7	80-6113-8093-4	000-51115-54257-2

80-6113-8099-1	000-51115-54263-3	80-6113-8167-6	000-51115-54331-9
80-6113-8168-4	000-51115-54332-6	80-6113-8170-0	000-51115-54334-0
80-6113-8174-2	000-51115-54388-8	80-6113-8176-7	000-51115-54340-1
80-6113-8178-3	000-51115-54342-5	80-6113-8232-8	000-51115-95339-6
80-6113-8233-6	000-51115-95340-2	80-6113-8234-4	000-51111-95341-9
80-6113-8283-1	000-51115-95390-7	80-6113-8286-4	000-51115-95393-8
80-6113-8289-8	000-51115-95396-9	80-6113-8290-6	000-51115-95397-6
80-6113-8350-8	000-51115-95406-5	80-6113-8352-4	000-51115-95408-9
80-6113-8354-0	000-51111-95410-2	80-6113-8357-3	000-51111-95413-3
80-6113-8359-9	000-51115-95415-7	80-6113-8377-1	000-51115-95433-1
80-6113-8378-9	000-51111-95434-8	80-6113-8380-5	000-51115-95436-2
80-6113-8381-3	000-51115-95437-9	80-6113-8386-2	000-51111-95442-3
80-6113-8388-8	000-51111-95444-7	80-6113-8389-6	000-51111-95445-4
80-6113-8434-0	000 51115 05505 0	80-6113-8446-4	000-51115-95533-8
80-6113-8448-0	000-51115-95535-2	80-6113-8449-8	000-51111-95536-9
80-6113-8460-5	000-51111-95547-5	80-6113-8462-1	000-51111-95549-9
80-6113-8464-7	000-51111-95551-2	80-6113-8465-4	000-51111-95552-9
80-6113-8467-0	000-51111-95554-3	80-6113-8471-2	000-51111-95558-1
80-6113-8477-9	000 51111 05576 5	80-6113-8479-5	000-51111-95566-6
80-6113-8489-4	000-51111-95576-5	80-6113-8490-2	000-51111-95577-2
80-6113-8491-0	000-51111-95578-9	80-6113-8492-8	000-51111-95579-6
80-6113-8495-1	000-51111-95582-6	80-6113-8503-2	000-51111-95590-1
80-6113-8504-0	000-51111-95591-8	80-6113-8521-4	000-51111-95608-3
80-6113-8523-0 80-6113-8528-9	000-51111-95610-6 000-51111-95615-1	80-6113-8525-5 80-6113-8529-7	000-51111-95612-0 000-51111-95616-8
80-6113-8539-6	000-51111-95626-7	80-6113-8541-2	000-51111-95628-1
80-6113-8543-8	000-51111-95630-4	80-6113-8545-3	000-51111-95632-8
80-6113-8547-9	000-51111-95634-2	80-6113-8549-5	000-51111-95636-6
80-6113-8550-3	000-51111-95637-3	80-6113-8552-9	000-51111-95639-7
80-6113-8554-5	000-51111-95641-0	80-6113-8556-0	000-51111-95643-4
80-6113-8557-8	000-51111-95644-1	80-6113-8560-2	000-51111-95647-2
80-6113-8568-5	000-51111-95655-7	80-6113-8570-1	000-51111-95657-1
80-6113-8571-9	000-51111-95658-8	80-6113-8572-7	000-51111-95659-5
80-6113-8578-4	000-51111-95665-6	80-6113-8580-0	000-5111195667-0
80-6113-8582-6	000-51111-95669-4	80-6113-8584-2	000-51111-95671-7
80-6113-8599-0	000-51111-95686-1	80-6113-8703-8	000-51111-95690-8
80-6113-8707-9	000-51111-95694-6	80-6113-8733-5	000-51111-95720-2
80-6113-8735-0	000-51111-95722-6	80-6113-8737-6	000-51111-95724-0
80-6113-8742-6	000-51111-95729-5	80-6113-8767-3	000-51111-95754-7
80-6113-8769-9	000-51111-95756-1	80-6113-8893-7	000-51115-62434-6
80-6113-8950-5	000-51115-62491-9	80-6113-8951-3	000-51115-62492-6
80-6113-8952-1	000-51115-62493-3	80-6113-9061-0	000-51115-62595-4
80-6113-9062-8	000-51115-62596-1	80-6113-9063-6	000-51115-62567-8
80-6113-9064-4	000-51115-62598-5	80-6113-9065-1	000-51115-62599-2
80-6113-9066-9	000-51115-62600-5	80-6113-9067-7	000-51115-62601-2
80-6113-9068-5	000-51115-62602-9	80-6113-9069-3	000-51115-62603-6
80-6113-9689-8	000-51115-62829-0	80-6113-9690-6	000-51115-62830-6
80-6113-9691-4	000-51115-62831-3	80-6113-9692-2	000-51115-62832-0
80-6113-9693-0	000-51115-62833-7	80-6113-9694-8	000-51115-62834-4
80-6113-9696-3	000-51115-62836-8	80-6113-9699-7	000-51115-62839-9
80-6113-9700-3	000-51115-62840-5	80-6113-9701-1	000-51115-62841-2
80-6113-9702-9	000-51115-62842-9	80-6113-9703-7	000-51115-62843-6
80-6113-9704-5	000-51115-62844-3	80-6113-9705-2	000-51115-62845-0
80-6113-9706-0	000-51115-62846-7	80-6113-9707-8	000-51115-62847-4
80-6113-9708-6	000-51115-62848-1	80-6113-9709-4	000-51115-62849-8
80-6113-9710-2	000-51115-62850-4	80-6114-8096-5	000-51115-67661-1

80-6114-8128-6	000-51115-67693-2	80-6114-8166-6	000-51115-67731-1
80-6114-8167-4	000-51115-67732-8	80-6114-8168-2	000-51115-67733-5
80-6114-8169-0	000-51115-67734-2	80-6114-8172-4	000-51115-67737-3
80-6114-8173-2	000-51115-37738-0	80-6114-8228-4	000-51115-67796-9
80-6114-8230-0	000-51115-67795-3	80-6114-8284-7	000-51115-67849-3
80-6114-8513-9	000-51115-67514-8	80-6114-8530-3	000-51155-67531-5
80-6114-8531-1	000-51155-67532-2	80-6114-8536-0	000-51155-67537-7
80-6114-8537-8	000-51155-67538-4	80-6114-8540-2	000-51155-67541-4
80-6114-8543-6	000-51155-67544-5	80-6114-8545-1	000-51155-67546-9
80-6114-8552-7	000-51155-67553-7	80-6114-8558-4	000-51155-67559-9
80-6114-8569-1	000-51155-675570-4	80-6114-8571-7	000-51155-67572-8
80-6114-8573-3	000-51155-67574-2	80-6114-8575-8	
80-6114-8579-0	000-51155-67580-3	80-6114-8597-2	
80-6114-8598-0		80-6114-9473-5	000-51158-83842-6
80-6114-9477-6	000-51128-83846-4	80-6114-9577-3	000-51128-83946-1
80-6114-9579-9	000-51128-83948-5	80-6114-9583-1	000-51128-83952-2
80-6114-9790-2		MY-0000-9952-2	
XS-0038-7338-6		XS-0038-7339-4	
XS-0038-8785-7			

1.2. Recommended use and restrictions on use

Recommended use

Telecommunications Industry, Module Sealant

1.3. Supplier's details	
MANUFACTURER:	3M
DIVISION:	Communication Markets Division
ADDRESS:	3M Center, St. Paul, MN 55144-1000, USA
Telephone:	1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

2.2. Label elements

Signal word Not applicable.

Symbols Not applicable.

Pictograms Not applicable.

Precautionary Statements

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

2.3. Hazards not otherwise classified

None.

6% of the mixture consists of ingredients of unknown acute dermal toxicity.6% of the mixture consists of ingredients of unknown acute inhalation toxicity.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
WHITE MINERAL OIL	8042-47-5	80 - 95
SYNTHETIC RUBBER	Trade Secret*	2 - 12
ANTIOXIDANT	Trade Secret*	< 1

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

No need for first aid is anticipated.

Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial or professional use only. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
MINERAL OILS, HIGHLY-	8042-47-5	ACGIH	TWA(inhalable fraction):5	A4: Not class. as human
REFINED OILS			mg/m3	carcin
Paraffin oil	8042-47-5	OSHA	TWA(as mist):5 mg/m3	
ANTIOXIDANT	Trade	CMRG	TWA:10 mg/m3	
	Secret			

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety Glasses with side shields

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Physical Form:	Solid
Specific Physical Form:	Paste
Odor, Color, Grade:	Yellow gel; oily, rubbery odor
Odor threshold	Not Applicable
pH	Not Applicable
Melting point	No Data Available
Boiling Point	No Data Available
Flash Point	No flash point
Evaporation rate	No Data Available
Flammability (solid, gas)	Not Classified
Flammable Limits(LEL)	Not Applicable
Flammable Limits(UEL)	Not Applicable
Vapor Pressure	No Data Available
Vapor Density	No Data Available
Density	0.7 g/cm3
Specific Gravity	0.7 [<i>Ref Std:</i> WATER=1]
Solubility in Water	Nil
Solubility- non-water	Not Applicable
Partition coefficient: n-octanol/ water	Not Applicable
Autoignition temperature	No Data Available
Decomposition temperature	Not Applicable
Viscosity	No Data Available
Average particle size	No Data Available
Bulk density	No Data Available
Hazardous Air Pollutants	No Data Available
Molecular weight	No Data Available
Volatile Organic Compounds	No Data Available
Percent volatile	No Data Available
Softening point	No Data Available
VOC Less H2O & Exempt Solvents	No Data Available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products <u>Substance</u> Carbon monoxide Carbon dioxide

<u>Condition</u> At Elevated Temperatures At Elevated Temperatures

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

No known health effects.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE > 5,000 mg/kg
Overall product	Inhalation- Dust/Mist(4 hr)		No data available; calculated ATE > 12.5 mg/l
Overall product	Ingestion		No data available; calculated ATE > 5,000 mg/kg
WHITE MINERAL OIL	Dermal	Rabbit	LD50 > 2,000 mg/kg
WHITE MINERAL OIL	Ingestion	Rat	LD50 > 5,000 mg/kg
SYNTHETIC RUBBER	Ingestion		LD50 estimated to be > 5,000 mg/kg
ANTIOXIDANT	Dermal	Rabbit	LD50 > 3,160 mg/kg
ANTIOXIDANT	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 1.95 mg/l
ANTIOXIDANT	Ingestion	Rat	LD50 > 10,250 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Nan	ne	Species	Value

WHITE MINERAL OIL	Rabbit	No significant irritation
ANTIOXIDANT	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
WHITE MINERAL OIL	Rabbit	Mild irritant
ANTIOXIDANT	Rabbit	Mild irritant

Skin Sensitization

Name	Species	Value
WHITE MINERAL OIL	Guinea	Not sensitizing
	pig	
ANTIOXIDANT	Human	Not sensitizing
	and	
	animal	

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
WHITE MINERAL OIL	In Vitro	Not mutagenic
ANTIOXIDANT	In Vitro	Not mutagenic
ANTIOXIDANT	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
WHITE MINERAL OIL	Dermal	Mouse	Not carcinogenic
WHITE MINERAL OIL	Inhalation	Multiple animal species	Not carcinogenic
ANTIOXIDANT	Ingestion	Multiple animal species	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure
					Duration
WHITE MINERAL OIL	Ingestion	Not toxic to female reproduction	Rat	NOAEL 4,350	13 weeks
				mg/kg/day	
WHITE MINERAL OIL	Ingestion	Not toxic to male reproduction	Rat	NOAEL 4,350	13 weeks
				mg/kg/day	
WHITE MINERAL OIL	Ingestion	Not toxic to development	Rat	NOAEL 4,350	during
				mg/kg/day	gestation
ANTIOXIDANT	Ingestion	Not toxic to female reproduction	Rat	NOAEL 688	2 generation
				mg/kg/day	
ANTIOXIDANT	Ingestion	Not toxic to male reproduction	Rat	NOAEL 688	2 generation
				mg/kg/day	
ANTIOXIDANT	Ingestion	Some positive developmental data exist,	Multiple	NOAEL 1,000	during
		but the data are not sufficient for	animal	mg/kg/day	organogenesi
		classification	species		S

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
WHITE MINERAL OIL	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,381 mg/kg/day	90 days
WHITE MINERAL OIL	Ingestion	liver immune system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,336 mg/kg/day	90 days
ANTIOXIDANT	Ingestion	endocrine system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 450 mg/kg/day	2 years
ANTIOXIDANT	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Dog	NOAEL 302 mg/kg/day	90 days
ANTIOXIDANT	Ingestion	hematopoietic system nervous system kidney and/or bladder	All data are negative	Rat	NOAEL 2,500 mg/kg/day	90 days
ANTIOXIDANT	Ingestion	auditory system eyes	All data are negative	Dog	NOAEL 302 mg/kg/day	90 days

Aspiration Hazard

Name	Value
WHITE MINERAL OIL	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

EPA Hazardous Waste Number (RCRA): Not regulated

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 0 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group:	08-5835-7	Version Number:	26.02
Issue Date:	10/07/15	Supercedes Date:	10/07/14

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com