

ELECTRICAL ACCESSORIES AND SUPPLIES ACCESSOIRES ET FOURNITURES ÉLECTRIQUES



GREAT DEALS ON ELECTRICAL SUPPLIES
SHOP NOW & SAVE

CONTENT | CONTENU

PAGES

EXTENSION CORDS	356
POWER BAR, PLUGS & CONNECTORS	370
RECEPTACLES, SWITCHES & WALL PLATES	374
ELECTRICAL FIXTURE BOXES	384
LIGHT BULBS & LIGHT BULB SOCKETS	386
WORK LIGHTS & FLASHLIGHT	399
HOUSEHOLD BATTERIES	418
DOOR BELLS	420
WIRING ACCESSORIES	422
SMOKE DETECTORS, TIMERS & FUSES	424
ELECTRICAL WIRES, CABLES & ACCESSORIES	429
HOUSEHOLD COOKING APPLIANCES REPAIR PARTS	434
HOUSEHOLD WORK AIDS	437
ELECTRICAL WORK AID	438

UltraFlex Outdoor Extension Cord - S00W


3-Conductor Grounded | Type: S00W | -40°C to 90°C | 125 Volts

EXTRA DURABLE RUBBER JACKET

12 GAUGE - S00W



Cord Voltage **600V**



Black S00W Extra Durable Rubber Jacket



PRODUCT DESCRIPTION: ULTRAFLEX extension cords have a locking connector end. Twice as durable as other extension cords, this cord resists moisture and will not crack in arctic cold or melt in desert heat. The super-tough S00W rubber jacket provides extra resistance to cracking and abrasion.

TEMPERATURE RANGE: -40°C to +90°C



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140008	3	12	15.6	BLACK	125	15	1875		4	020861400085	
140009	3	12	31.2	BLACK	125	15	1875		2	020861400092	

APPLICATIONS: Chain saws • Wet/dry vacs • Orbital sanders • Other outdoor equipment

FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded


INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLETT

UltraFlex Outdoor Extension Cord - SOOW

3-Conductor Grounded | Type: SOOW | -40°C to 90°C | 125 Volts

EXTRA DURABLE RUBBER JACKET

14 GAUGE - SOOW



Black SOOW Extra Durable Rubber Jacket



Cord Voltage **600V**

PRODUCT DESCRIPTION: ULTRAFLEX extension cords have, a locking connector end. Twice as durable as other extension cords, this cord resists moisture and will not crack in arctic cold or melt in desert heat. The super-tough SOOW rubber jacket provides extra resistance to cracking and abrasion.

TEMPERATURE RANGE: -40°C to +90°C



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140006	3	14	15.6	BLACK	125	15	1875		4	020861400061	
140007	3	14	31.2	BLACK	125	15	1625		2	020861400078	

APPLICATIONS: Chain saws • Wet/dry vacs • Orbital sanders • Other outdoor equipment
FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded
INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLE

UltraFlex Outdoor Extension Cord - SJOW

3-Conductor Grounded | Type: SJOW | -40°C to 90°C | 125 Volts

DURABLE RUBBER JACKET

12 GAUGE - SJOW



WITH POWER INDICATOR



Green SJOW Rubber jacket for high visibility on the job site



PRODUCT DESCRIPTION: ULTRAFLEX extension cords have a connector end that lights up to indicate the power is on. Twice as flexible as other extension cords, the high-visibility green cord resists moisture and will not crack in arctic cold or melt in desert heat. This extension cord features a green SJOW jacket for high visibility on the job site.
TEMPERATURE RANGE: -40°C to +90°C

UltraFlex

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140010	3	12 G	10	GREEN	125	15	1875		6	020861400108	
140011	3	12 G	15	GREEN	125	15	1875		6	020861400115	
140012	3	12 G	30	GREEN	125	15	1875		4	020861400122	

APPLICATIONS: Chain saws • Wet/dry vacs • Orbital sanders • Other outdoor equipment

FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded

INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLE

UltraFlex Outdoor Extension Cord - SJOW

3-Conductor Grounded | Type: SJOW | -40°C to 90°C | 125 Volts

DURABLE RUBBER JACKET
14 GAUGE - SJOW



PRODUCT DESCRIPTION: ULTRAFLEX extension cords have a connector end that lights up to indicate the power is on. Twice as flexible as other extension cords, the high-visibility green cord resists moisture and will not crack in arctic cold or melt in desert heat. This extension cord features a green SJOW jacket for high visibility on the job site.
TEMPERATURE RANGE: -40°C to +90°C



UltraFlex

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140013	3	14 G	10	GREEN	125	15	1875		6	020861400139	
140014	3	14 G	15	GREEN	125	15	1875		6	020861400146	
140015	3	14 G	30	GREEN	125	15	1875		4	020861400153	

APPLICATIONS: Chain saws • Wet/dry vacs • Orbital sanders • Other outdoor equipment
FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded
INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLE

UltraFlex Outdoor Extension Cord - SJTW

3-Conductor Grounded | Type: SJTW | -40°C to 60°C | 125 Volts

EXTRA HD DURABLE PVC JACKET - TRIPLE OUTLET

10 GAUGE - SJTW



Yellow SJTW PCV jacket for high visibility on the job site



PRODUCT DESCRIPTION: ULTRAFLEX extension cords have a connector end that lights up to indicate the power is on. Twice as flexible as other extension cords, the high-visibility yellow cord resists moisture and will not crack in arctic cold or melt in desert heat. This extension cord features a yellow SJTW jacket for high visibility on the job site. The lit three outlet fantail serves as a power indicator while offering more outlets on the job.

TEMPERATURE RANGE: -40°C to +60°C



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140025	3	10 G	15	YELLOW	125	15	1875		4	020861400252	
140026	3	10 G	30	YELLOW	125	15	1875		2	020861400269	

APPLICATIONS: Chain saws • Wet/dry vacs • Orbital sanders • Other outdoor equipment

FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded

INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLE

UltraFlex Outdoor Extension Cord - SJTW

3-Conductor Grounded | Type: SJTW | -40°C to 60°C | 125 Volts

HEAVY DUTY DURABLE PVC JACKET - TRIPLE OUTLET
12 GAUGE - SJTW



Yellow SJTW PVC jacket for high visibility on the job site

PRODUCT DESCRIPTION: ULTRAFLEX extension cords have a connector end that lights up to indicate the power is on. Twice as flexible as other extension cords, the high-visibility yellow cord resists moisture and will not crack in arctic cold or melt in desert heat. This extension cord features a yellow SJTW jacket for high visibility on the job site. The lit three outlet fantail serves as a power indicator while offering more outlets on the job.

TEMPERATURE RANGE: -40°C to +60°C



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140050	3	12 G	10	YELLOW	125	15	1875		6	020861400504	
140051	3	12 G	15	YELLOW	125	15	1875		5	020861400511	
140052	3	12 G	30	YELLOW	125	15	1875		2	020861400528	

APPLICATIONS: Chain saws • Wet/dry vacs • Orbital sanders • Other outdoor equipment
FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded
INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLE

UltraFlex Outdoor Extension Cord - SJTW

3-Conductor Grounded | Type: SJTW | -40°C to 60°C | 125 Volts

DURABLE PVC JACKET

14 GAUGE - SJTW



Yellow SJTW PVC jacket for high visibility on the job site



PRODUCT DESCRIPTION: ULTRAFLEX extension cords have a connector end that lights up to indicate the power is on. Twice as flexible as other extension cords, the high-visibility yellow cord resists moisture and will not crack in arctic cold or melt in desert heat. This extension cord features a yellow SJTW jacket for high visibility on the job site. The lit three outlet fantail serves as a power indicator while offering more outlets on the job.

TEMPERATURE RANGE: -40°C to +60°C

UltraFlex

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140053	3	14	10	YELLOW	125	13	1875	5		020861400535	
140054	3	14	15	YELLOW	125	13	1875	5		020861400542	
140055	3	14	30	YELLOW	125	13	1625	2		020861400559	

APPLICATIONS: Chain saws • Wet/dry vacs • Orbital sanders • Other outdoor equipment

FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded

INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLE

UltraFlex Outdoor Extension Cord - SJTW

3-Conductor Grounded | Type: SJTW | -40°C to 60°C | 125 Volts

DURABLE PVC JACKET

16 GAUGE - SJTW



Yellow SJTW PVC jacket for high visibility on the job site



UltraFlex

PRODUCT DESCRIPTION: ULTRAFLEX extension cords have a connector end that lights up to indicate the power is on. Twice as flexible as other extension cords, the high-visibility yellow cord resists moisture and will not crack in arctic cold or melt in desert heat. This extension cord features a yellow SJTW jacket for high visibility on the job site. The lit three outlet fantail serves as a power indicator while offering more outlets on the job.

TEMPERATURE RANGE: -40°C to +60°C




ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140016	3	16	5	YELLOW	125	13	1625	20		020861400160	
140017	3	16	10	YELLOW	125	13	1625	10		020861400177	
140018	3	16	15	YELLOW	125	13	1625	6		020861400184	
140019	3	16	30	YELLOW	125	13	1250	4		020861400191	

APPLICATIONS: Chain saws • Wet/dry vacs • Orbital sanders • Other outdoor equipment
FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded
INDUSTRIAL APPROVALS: CETL LISTED • OSHA ACCEPTABLE

UltraFlex In/outdoor Extension Cord - SJTW

3-Conductor Grounded | Type: SJTW | 125 Volts

DURABLE PVC JACKET - TRIPLE OUTLET
16 GAUGE - SJTW



Orange SJTW PVC jacket for high visibility on the job site



PRODUCT DESCRIPTION: ULTRAFLEX extension cords are twice as flexible as other extension cords, the high-visibility orange cord resists moisture and will not crack in arctic cold or melt in desert heat. This extension cord features an orange SJTW jacket for high visibility on the job site. **TEMPERATURE RANGE:** -40°C to +60°C



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140303	3	16	3	ORANGE	125	13	1625		20	020861403031	
140305	3	16	5	ORANGE	125	13	1625		20	020861403055	
140310	3	16	10	ORANGE	125	13	1625		10	020861403109	
140315	3	16	15	ORANGE	125	13	1625		10	020861403154	

APPLICATIONS: Chain saws • Wet/dry vacs • Orbital sanders • Other outdoor equipment


FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded

INDUSTRIAL APPROVALS: UL LISTED


UltraFlex Block Heater Extension Cord - SJTW

3-Conductor Grounded | Type: SJTW | 125 Volts

DURABLE PVC JACKET - TRIPLE OUTLET
16 GAUGE - SJTW



Blue SJTW PVC jacket for high visibility



PRODUCT DESCRIPTION: ULTRAFLEX Engine Block Heater Extension Cord, the high-visibility blue cord resists moisture and will not crack in arctic cold.
TEMPERATURE RANGE: -40°C to +60°C



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140323	3	16	3	BLUE	125	13	1625		20	020861403239	
140325	3	16	5	BLUE	125	13	1625		20	020861403253	

APPLICATIONS: Automobile engine block heater
FEATURES: ULTRA-FLEXIBLE Extension cords ideal for block heaters and battery blankets
INDUSTRIAL APPROVALS: UL LISTED

FlexiCord Indoor Extension Cord - SPT3

2-Conductor Grounded | Type: SPT-3 | 125 Volts

DURABLE PVC JACKET - TRIPLE OUTLET
16 GAUGE - SPT



FlexiCord



PRODUCT DESCRIPTION: FLEXICORD extension cords are designed with a two(2) conductor medium duty flat PVC cord, and come with a tree-outlet polarized connector for convenient use

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140041	2	16	3	WHITE	125	13	1625	10	30	020861400412	
140032	2	16	3.6	WHITE	125	13	1625	10	30	020861400320	
140042	2	16	4.5	WHITE	125	13	1625	10	30	020861400429	

APPLICATIONS: Chain saws • Wet/dry vacs • Orbital sanders • Other outdoor equipment

FEATURES: WHITE PVC JACKET • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 2-conductor grounded

INDUSTRIAL APPROVALS: CETL US

FlexiCord Indoor Extension Cord - SPT3

3-Conductor Grounded | Type: SPT-3 | 125 Volts

DURABLE PVC JACKET - TRIPLE OUTLET
16 GAUGE - SPT



FlexiCord



PRODUCT DESCRIPTION: FLEXICORD extension cords are designed with a three (3) conductor medium duty flat PVC cord, and come with three-outlet polarized connector for convenient use

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140044	3	16	3	WHITE	125	13	1625		10	020861400443	
140045	3	16	4.5	WHITE	125	13	1625		10	020861400450	

APPLICATIONS: Generator • Air Conditioner & Major Appliance

FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded

INDUSTRIAL APPROVALS: CETL US

FlexiCord Indoor Extension Cord - SPT3

3-Conductor Grounded | Type: SPT-3 | 125 Volts



DURABLE PVC JACKET
16 GAUGE - SPT



PRODUCT DESCRIPTION: FLEXICORD extension cords are designed with a three(3) conductor, heavy duty, flat PVC cord, and right angle male plug. Sturdy enough to use with air conditioners, power tools and major appliances.



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140046	3	16	3	GRAY	125	13	1625		10	020861400467	
140047	3	16	4.5	GRAY	125	13	1625		10	020861400474	

FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded
APPLICATIONS: Air Conditioners over 9000 BTU & Major Appliances.
INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLE

FlexiCord Indoor Extension Cord - SPT3

3-Conductor Grounded | Type: SPT-3 | 125 Volts



DURABLE PVC JACKET
14 GAUGE - SPT



PRODUCT DESCRIPTION: FLEXICORD extension cords are designed with a three(3) conductor, heavy duty, flat PVC cord, and right angle male plug. Sturdy enough to use with air conditioners, power tools and major appliances.



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140048	3	14	3	GRAY	125	15	1875		10	020861400481	
140031	3	14	3.6	GRAY	125	15	1875		10	020861400313	
140049	3	14	4.5	GRAY	125	15	1875		10	020861400498	

FEATURES: ULTRA-FLEXIBLE • Heavy-duty strain relief • Resistant to water, oil, ozone and chemicals • Limited lifetime warranty • 3-conductor grounded
APPLICATIONS: Air Conditioners over 9000 BTU & Major Appliances.
INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLE

FlexiCord Extension Cord - STW

3-Conductor Grounded | Type: STW | -20°C to 60°C | 125 Volts

DURABLE PVC JACKET - TRIPLE OUTLET
10 GAUGE - STW




ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140021	3	10 G	0.6	YELLOW	125V	30	3125		25	020861400214	

UltraContact In-Line GFCI & Triple Tap

3-Conductor Grounded | Type: SJTW | -40°C to 90°C | 125 Volts

12 GAUGE - SJTW



- Provide Protection for Grounded Appliances and Tools
- PVC Housing Resists Moisture, Chemicals and Sunlight
- Waterproof GFCI Mechanism allows for Indoor/Outdoor use
- 12/3 AWG, 2ft. Cord
- 20 Amps/125V/2500Watts

GFCI products offer regulated safety to the job-site with LED Power Indicator



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140022	3	10 G	0.6	YELLOW	125	20	2500		10	020861400221	

Generator 4-Outlet Extension Cord - STW

3-Conductor Grounded | Type: STW | -20°C to +60°C | 240 Volts

12 GAUGE - STW

Convert to Four (4) Outlets

L14-30 Male Twist Lock



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140028	3	12	3	YELLOW	240V	30	2500		1	020861400283	

Replacement Cord - SJOW/SJTW

3-Conductor Grounded | Type: SJOW | -20°C to 60°C I

14 GAUGE - SJOW



140061 - SJOW

16 GAUGE - SJTW



140062 - SJTW
140063 - SJTW



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140061	3	14 G	3	BLACK	125	15	1625		10	020861400610	
140062	3	16 G	3	BLACK	125	15	1625		10	020861400627	
140063	2	16 G	3	BLACK	125	15	1625		10	020861400634	

Household Extension Cords W/Thin Plug



- Unique lever-action makes the plug easy to remove for adults, but hard for children.
- Cord is at 45° angle from plug, allowing second outlet to be used.
- 3 Outlets.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83040499	540499	2.5m, White	062964404997	
83040504	540504	4m, White	062964405048	

3-Outlet Audio / Visual Cord Indoor Black



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83045515	AVM405M	5m	062964455159	
83145516	AVM410M	10m	062964455166	
83045517	AVM415M	15m	062964455173	

Replacement Power Cords



Jumbo Kettle Cord



Kettle Cord



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83047210	547210	1m	062964472101	
83047259	547259	1m 15amp	062964472590	

Cord Caddy w/4 Grounded Outlets



- This self-storing extension cord allows up to four tools or appliances to be plugged in either indoors or outdoors.
- 4 grounded outlets.
- Overload protections with built-in 10 Amp CIRCUIT BREAKER.
- IMPACT RESISTANT REEL.
- Eliminates messy, tangled extension cords. Unwind only as much cord as needed, quick and easy to rewind.
- Safe, neat storage...protects cord from damage.
- SJTW Wire Type



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83045794	545794	16/3, 10m	062964457948	

8 Outlet Power Bar with Surge Protector

3 Adaptor outlet | 5 regular outlets | built-in cord storage



Metal Box

8 125 Volts
 6 Ft. pieds
 3-WIRE GROUNDED
 8 Outlets Prises

1050 JOULES



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
139999	3	-	1.8	BLACK	125	15	1875		8	020861399990	

APPLICATIONS: Computer and office equipment • Home and house hold appliances
FEATURES: SURGE PROTECTION • 3-conductor grounded cord • Clamping voltage 500V • 280 Joules • Power Indicator/Reset master switch • ABS Construction
INDUSTRIAL APPROVALS: CETL US

Power Bar with Surge Protector

3-Conductor Grounded | Type: SPT-3 | 125 Volts

Electrical Rating Estimation Electrique	125V, 15A, 1875W
Max. spike current: Courant Maximum de Transitoire	15,000A
Clamping Voltage Retenue de la Tension	500V
Clamping Response Time Retenue du temps de réponse	less than 1 nanosecond moins de 1 nanoseconde
Temperature Range Température ambiante	-40°C ~ +80°C
Max Surge Dissipation Montée subite Maximum Dissipation	280 Joules



6' Power cord



PRODUCT DESCRIPTION: LIGHTWAY POWER BAR is designed with a 6' cord and a three (3) conductor male end

ITEM#	DESCRIPTIONS	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140001	6 Outlets w/ 6' Cord		20	020861400016	

Power Bar with Surge Protector

3-Conductor Grounded | Type: SPT-3 | 125 Volts




PRODUCT DESCRIPTION: LIGHTWAY POWER BAR is designed with a 2' cord and a three (3) conductor male end

ITEM#	DESCRIPTIONS	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140002	6 Outlets w/ 2' Cord		20	020861400023	


Vinyl Plug - 2 Pole

3-Conductor Grounded | 125 Volts

REPLACEMENT PLUGS AND CONNECTORS



2-POLE, 3-WIRE GROUNDING RATING: (15A 125V JAS15R)




ITEM#	DESCRIPTIONS	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140004	2 Pole Plug 15A-125V	10	100	020861400047	

Vinyl Socket - 2 Pole

3-Conductor Grounded | 125 Volts

REPLACEMENT PLUGS AND CONNECTORS



Perfect for tool cords, wires, appliance cords, and replacing electrical ends



ITEM#	DESCRIPTIONS	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140005	2 Pole socket 15A-125V	10	100	020861400054	

6 Outlet Power Bar, With Surge Protector



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
Coleman Cable Products				
83041451	041451	6 Outlet	078693414510	

Wall Tap 6 Outlet White



- Safely converts 2 to 6 outlets
- Space saving side entry outlets
- Sliding safety covers



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83041201	0412017821	7 Outlet, White, 1pk	078693412011	

Metal Power Bar



- Contractors Choice
- 6 Outlets
- Built In Cord Storage



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83046160	546160	6 Outlet	062964461600	

Cube Taps



83017473



83010231

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
2 Wire				
83010231	531-002	White	070477813133	
83015824	531-000	Brown	068679158248	
3 Wire, Triple Cube				
83017473	692-702	White	078477174739	
83017474	709-00692-00E	Black	078477174746	

Power Bar Surge Protector 7outlet

- 7 outlet, 4ft cord surge protector
- 1500 joules
- Phone / fax / DSL surge protection
- 2 transformer outlets
- Surge protection indicator
- Ground indicator
- Right angle plug
- Lit reset (on)/off power and 15A circuit breaker switch
- Sliding safety covers
- EMI / RFI noise filtration



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83041600	0416007811	7 Outlet, 4ft	078693416002	
83041602	41602	7 Outlet, 4ft	078693416026	

Triple Taps



83010026



83018008

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83010026	63-000	2 wire, brown	078477100264	
83018008	697-702	3 wire, white	078477211274	

3-Wire Plug, 6 Outlets



6 Outlet Decorative White



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83027095	702-6ADPT-00W	White	078477270953	
83017199	49686-707	6 Outlet	078477189139	

Safety Caps Captain Volt

Electrical Outlet Safety Caps can be inserted into unused outlets to serve as a barrier. They can also be easily removed by adults when needed for lights and appliances.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012452	12777-730	10pk.	068679192105	

Quick Grip Connector Female

Quick Grip Plug Male



83072285

83072284

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83072285	AH5969Yv	Female	032664722851	
83072284	AH5965Y	Male	032664722844	



Round Rubber Plugs Non-Grounding



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83032683	3123BK	Black, Male	032664326837	


Commercial Grade Female Connectors

Commercial Grade Male Connectors



83034120

83034090



Designed for light commercial applications.

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83034120	4887	Female	032664341205	
83034090	4867	Male	032664340901	



Flat Cap (Plug)

2 Wire



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83021520	183-6BK-BOX	Black	032664215209	
83021540	183-6W-BOX	White	032664215407	

Commercial Grade - Thermoplastic Rubber Plugs

Solid brass plug blades are firmly embedded in body. Terminal screw clamps are designed to contain wire and prevent binding. Terminal screws backed out – ready for wiring. Terminals in individual chambers to positively insulate conductors. Combination slot/Phillips head mounting and terminal screws ease installation with power screwdrivers (Slot/Robertson screws in Canada where available).



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83048070	1709	Vinyl, Male	032664480706	

Rubber Connectors Non-Grounding

2 wire, Plug blades are firmly embedded in body. Terminal screws backed out — ready for wiring.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83020730	86BK	Black	032664207303	
83020750	86W	White	032664207501	

Commercial Grade - Thermoplastic Rubber Connectors

Solid brass plug blades are firmly embedded in body. Terminal screw clamps are designed to contain wire and prevent binding. Terminal screws backed out ready for wiring. Terminals in individual chambers to positively insulate conductors.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83048000	222	Vinyl	032664480003	

Thermoplastic Non-Grounding Academy Easy Install Plugs

High impact-resistant thermoplastic housing with finger-grip grooves. Super Plug™ has right angle design and built-in strain relief. Insulation piercing terminals eliminate need for tools — just snap in unstripped wire and device is ready for use. Plug blades are firmly embedded in body.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83052723	BP2601-6W	White	032664527234	
83052721	BP2601-6B	Brown	032664527210	

Ground Fault Circuit Interrupter (GFCI)

STANDARD DUPLEX RECEPTACLES



15A & 20A GFCI (ground fault circuit interrupter) receptacle is used in places where there is a possibility of short circuiting or electric shock because of wet conditions and is compatible with 3-prong grounded plugs as well as standard electric plugs



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140125	3			WHITE	125	15		10	50	020861401259	
83032720				WHITE	15					078477327203	
140126	3			IVORY	125	15		10	50	020861401266	
83032714				IVORY						078477327142	
140127	3			WHITE	125	20		10	50	020861401273	
140128	3			IVORY	125	20		10	50	020861401280	

Ground Fault Circuit Interrupter (GFCI)

TAMPER-PROOF DUPLEX RECEPTACLES



15A & 20A tamper proof GFCI (ground fault circuit interrupter) receptacle is used in places where there is a possibility of short circuiting or electric shock because of wet conditions it is compatible with 3-prong grounded plugs as well as standard electric plugs



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140123	3			WHITE	125	15		10	50	020861401235	
140124	3			IVORY	125	15		10	50	020861401242	
140121	3			WHITE	125	20		10	50	020861401211	
140122	3			IVORY	125	20		10	50	020861401228	

Decora Duplex Receptacles

DECORA DUPLEX RECEPTACLE ELECTRICAL OUTLET



TAMPER PROOF

PRODUCT DESCRIPTION: Residential grade Decora receptacle. Designed with thermoplastic construction, straight blade grounding, quick wire push-in and side wire installation. Equipped with breakaway tabs and ears for easy alignment and two circuit conversion



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140129	3			WHITE	125	15		10	200	020861401297	
83010148				WHITE						068679101480	
140130	3			IVORY	125	15		10	200	020861401303	
83010147				IVORY						068679101473	
TAMPER PROOF RECEPTACLES											
140161	3			WHITE	125	15		10	200	020861401617	
140162	3			IVORY	125	15		10	200	020861401624	
83038162				WHITE						078477381625	



TAMPER PROOF

Duplex Receptacles

Residential grade duplex receptacle.

DUPLEX RECEPTACLE ELECTRICAL OUTLET

PRODUCT DESCRIPTION: Residential grade duplex receptacle. Designed with wire screws and quick wire push-ins, and break-off fins and ears for easy alignment and 2-circuit conversion. Equipped with 8 holes for both side and back quick wire push-in



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR	POWER RATING			CASE QTY.		WT/CTN. LB.	UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER			
140131	3			WHITE	125	15		10	200		020861401310	
83016139				WHITE							068679161392	
140132	3			IVORY	125	15		10	200		020861401327	
83016138				IVORY							078477151273	
83016137				BROWN							068679161378	
TAMPER PROOF RECEPTACLES												
140163	3			WHITE	125	15		10	200		020861401631	
83038161				WHITE							078477381618	
140164	3			IVORY	125	15		10	200		020861401648	
83085242				IVORY							078477852422	

Decora Switches

DECORA SINGLE-POLE & 3-WAY SWITCHES



APPLICATIONS: Generator • Air Conditioner & Major Appliance
FEATURES: Side-wiring terminals accept both solid and stranded wire for ease of installation • 3-Conductor grounded
INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLE



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
SINGLE POLE SWITCHES											
140133				WHITE	125	15		10	100	020861401334	
83010066				WHITE						068679100667	
140134				IVORY	125	15		10	100	020861401341	
83010065				IVORY						068679100650	
3-WAY SWITCHES											
140135				WHITE	125	15		10	100	020861401358	
83010076				WHITE						068679100766	
140136				IVORY	125	15		10	100	020861401365	
83010075				IVORY						068679100759	

Toggle Switches

Residential grade toggle switches

TOGGLE SINGLE-POLE & 3-WAY SWITCHES



PRODUCT DESCRIPTION: Single-pole AC switch for residential grade, Non-grounding Quick-wire and side wiring



APPLICATIONS: Air Conditioners over 9000 BTU & Major Appliances
FEATURES: Premium grade PVC jacket • Limited lifetime warranty • 3-conductor grounded
INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLE

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
SINGLE POLE SWITCHES											
140137				WHITE	125	15		10	100	020861401372	
83015940				WHITE						068679159405	
140138				IVORY	125	15		10	100	020861401389	
83015939				IVORY						068679159399	
83015938				BROWN						068679159382	
3-WAY SWITCHES											
140139				WHITE	125	15		10	100	020861401396	
83015943				WHITE						068679159436	
140140				IVORY	125	15		10	100	020861401402	
83015941				IVORY						068679159412	
83015942				BROWN						068679159429	

Double Switches



15 Amp, 120/277 Volt, Duplex Style 3-Way, 3-Way AC Combination Switch, Commercial Grade, Non-Grounding, Side Wired,



83014010



83010720

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83014010	5224-722	White	068679140106	
83010720	5224-726	Ivory	068679107208	

Combination Switch/Receptacle



15 Amp, 120 Volt, Duplex Style 3-Way / 5-15R AC Combination Switch, Commercial Grade, Grounding, Side Wired, - White



83014020



83010730

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83014020	5225-732-00W	White	068679140205	
83010730	5225-726-00I	Ivory	068679107307	

Pull Chain Switch



Compact, single pole On Off pull chain switch with 4" chain, connector, 3' braided cord, end bell, and black leads.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83011025	10097-741	Pullchain	068679110253	

Surface Mount Switch



Surface mount, side wire, feed-through heavy duty plastic construction switch for SPT cord, 10 Amp-125 Volt, 5 Amp-250 Volt.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900024	735B	Brown	032664272400	

Heavy Duty Feed Thru Switches



Heavy duty, single pole toggle rocker On Off feed through cord switch made of phenolic plastic. Bronze double wire contacts. End holes accept 1 4" diameter cord.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83010780	5410-726	White	068679107802	
83010781	5410-705	Brown	068679107819	

Feed Thru Rotary Switches



Miniature Feed-thru Cord Switch For Residential Use






ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83010211	423-722	White	068679102111	
83010210	423-757	Brown	068679102104	

Decora Universal Dimmer Switch


DIMMER SWITCH WITH SLIDE CONTROL



-  DIMMABLE CFL
150W CFL/LFC
-  DIMMABLE LED
150W LED/DEL
-  INCANDESCENT
600W MAX
INCANDESCENT



PRODUCT DESCRIPTION: Controls dimmable CFL/LED SP- BULB. 3-Way Rocker-Style Dimmer Switch with Slide Control turns any light switch in your house into a dimmer. Switch comes in a rocker style with a simple slider control to easily adjust dimmable incandescent/LED/CFL light levels.

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140181	3	-	-	WHITE	120	15	600		60	020861401815	

APPLICATIONS: Controls DIMMABLE CFL/LED Bulb

FEATURES: Rocker Style On/Off Control • Slide to adjust incandescent light levels • 3-Way Application

INDUSTRIAL APPROVALS: UL LISTED • OSHA ACCEPTABLE

CFL/LED Incandescent Dimmer



This dimmer is designed to control regular Incandescent bulbs and is compatible with dimmable LED/CFL bulbs .



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83057508	6674-722	LED/CFL	078477575086	

Slide Dimmers, with Preset



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83051518	762-6633-PDW	500W, White	078477515181	

Push On/Off Dimmers



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83016674	6683-732	3-way	068679166748	
83018133	6681-732	Single Pole	068679181338	

Rotary Dimmers Single Pole



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83019037	6602-732	500W	068679190378	

Knobs for Dimmers



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83019060	26115-732	White	068679190606	
83010923	26115-835	Ivory	068679109233	

Decora Cover- 1 Gang



ITEM#	DESCRIPTIONS	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140141	1 Gang/white	20	200	020861401419	
140142	1 Gang/Ivory	20	200	020861401426	

Toggle Switch Cover - 1 Gang



ITEM#	DESCRIPTIONS	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140147	1 Gang/white	20	200	020861401471	
140148	1 Gang/Ivory	20	200	020861401488	

Decora Cover- 2 Gang



ITEM#	DESCRIPTIONS	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140143	2 Gang/white	20	200	020861401433	
140144	2 Gang/Ivory	20	200	020861401440	

Toggle Switch Cover - 2 Gang




ITEM#	DESCRIPTIONS	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140149	2 Gang/white	20	200	020861401495	
140150	2 Gang/Ivory	20	200	020861401501	

Decora Cover- 3 Gang



ITEM#	DESCRIPTIONS	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140145	3 Gang/white	20	200	020861401457	
140146	3 Gang/Ivory	20	200	020861401464	

Toggle Switch Cover - 3 Gang



ITEM#	DESCRIPTIONS	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140151	3 Gang/white	20	200	020861401518	
140152	3 Gang/Ivory	20	200	020861401525	




Decora Wall Plates

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83008696	80401-021	1 gang, White	078477086964	
83008689	80401-020	1 gang, Ivory	078477086896	
83016487	80409-005	2 gang, White	068679164874	
83016485	80409-001	2 gang, Ivory	068679164850	
83016491	80411-005	3 gang, White	068679164911	
83048850	80411-001	3 gang, Ivory	078477488508	
83048876	80412-005	4 gang, White	078477488768	



83008696



83048876



83016491



83016487

Toggle Wall Plates

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83016645	88001-020	1 gang, White	068679166458	
83016618	86001-020	1 gang, Ivory	078477086902	
83016592	85001-001	1 gang, Brown	068679165925	
83016650	88009-001	2 gang, White	068679166502	
83016623	86009-001	2 gang, Ivory	068679166236	
83015140	85009-001	2 gang, Brown	078477151402	
83016651	88011-001	3 gang, White	068679166519	
83016624	86011-001	3 gang, Ivory	068679166243	



83016645



83043930



83015140




83016651



Decora Combination Plate

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83048826	80405-005	White	078477488263	



Duplex Receptacle Cover - 1 Gang




ITEM#	DESCRIPTIONS	CASE QTY.	WT/ UNIT	UPC CODE	BARCODE
140153	1 Gang/white	20	200	020861401532	
140154	1 Gang/ivory	20	200	020861401549	

Duplex Wall Plates



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83008693	88003-020	1 gang, White	078477086933	
83016619	86003-020	1 gang, Ivory	068679166199	
83016593	85003-001	1 gang, Brown	068679165932	
83043650	85016-001	2 gang, Brown	078477436509	
83016653	88016-001	2 gang, White	068679166533	
83015137	86016-001	2 gang, Ivory	078477151372	

Duplex Receptacle Cover - 2 Gang




ITEM#	DESCRIPTIONS	CASE QTY.	WT/ UNIT	UPC CODE	BARCODE
140155	1 Gang/white	20	200	020861401556	
140156	1 Gang/ivory	20	200	020861401563	

Wall Plate, 2 Gang, Toggle/Duplex




ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83016648	88005-001	White	068679166489	
83015136	86005-001	Ivory	078477151365	

Duplex Receptacle Cover - 1 Gang & 1 Toggle




ITEM#	DESCRIPTIONS	CASE QTY.	WT/ UNIT	UPC CODE	BARCODE
140159	1 Gang/white	20	200	020861401594	
140160	1 Gang/ivory	20	200	020861401600	

Wall Plate 2 Toggle, 1 Duplex



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83044440	88021	White	078477444405	

Blank Wall Cover - 1 Gang




ITEM#	DESCRIPTIONS	CASE QTY.	WT/ UNIT	UPC CODE	BARCODE
140157	1 Gang/white	20	200	020861401570	
140158	1 Gang/ivory	20	200	020861401587	

White Telephone/ TV Wall Plates



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900014	TE646	Telephone/ TV	84271406411	
83033427	TV427	TV Only	094955334273	

Blank Plates



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012322	88014-001	White	068679123222	
83015139	86014-001	Ivory	078477151396	

Telephone Plates



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83016654	88018-702	White	068679166540	
83016627	86018-701	Ivory	068679166274	

White Modular Wall Plates



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83044619	TE619	Wall Plate Jack	094955446198	
83044621	TE621	Wall Phone Jack	094955446211	

TOOLWAY
INDUSTRIES LTD.

NEW PRODUCTS
GREAT DEALS
INSTANT SAVINGS

Octagonal Light Fixture Boxes

TO INSTALL A LIGHT FIXTURE OR USED AS A JUNCTION BOX.

- Has mounting picks and guides
- Has external nailing holes

140075



CEILING BOX WITH 3 CONDUIT KNOCKOUTS OF 0.5 IN.

- Has mounting picks and guides
- Has external nailing holes

140076



TO INSTALL A LIGHT FIXTURE OR USED AS A JUNCTION BOX. WITH SIDE BRACKET

- Has mounting picks and guides
- Has external nailing holes

140077




ITEM#	DESCRIPTIONS	CASE		UPC CODE	BARCODE
		INNER	OUTER		
140075	4" Octagonal Box		50	020861400757	
140076	4" Octagonal Box w/clamps		50	020861400764	
140077	4" Octagonal Box w/clamps and J Bracket		50	020861400771	

1½" Switch Box w/Bracket

FOR INSTALLING MOST DEVICES IN REGULAR WALL STUDS

- Has mounting picks and guides
- Has external nailing holes
- Cannot be ganged

DEVICE BOX SINGLE GANG



ITEM#	SIZE	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140093	1-1/2"		50	020861400931	

2½" Switch Box w/Bracket

TO INSTALL A SWITCH OR RECEPTACLE IN A RECESSED WALL.

- Has mounting picks and guides
- Has external nailing holes
- Gangable

DEVICE BOX SINGLE GANG



ITEM#	SIZE	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140090	2-1/2"	50		020861400900	

3" x 2" Switch Box w/Side Bracket

TO INSTALL A SINGLE ELECTRICAL DEVICE IN AN INDOOR LOCATION WITH STEEL STUD BRACKET.

- Has mounting picks and guides
- Has external nailing holes



ITEM#	SIZE	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140081	3" x 2"		50	020861400818	

3" x 2" Switch Box w/Drywall Anchors

TO INSTALL A SINGLE ELECTRICAL DEVICE IN AN INDOOR LOCATION.

- Has mounting picks and guides
- Has external nailing holes
- Gangable

140083
140080 - with Drywall Anchor



ITEM#	SIZE	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140083	3" x 2"		50	020861400832	
140080	3" x 2"		50	020861400801	

4"x2½" Handy Switch Box Cover

TO INSTALL A SWITCH OR RECEPTACLE ONTO A SURFACE. - UTILITY BOX

- Has mounting picks and guides
- Has external nailing holes



ITEM#	SIZE	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140082			50	020861400825	

4" Square Switch Box Cover

TO INSTALL A RANGE OR DRYER RECEPTACLE.

- Has mounting picks and guides
- Has external nailing holes



ITEM#	SIZE	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140078	4" - Sqr.	10		020861400788	

Weatherproof Kit



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83015150	4996-770	Weatherproof Kit	068679151508	
83020073	4996-002	Grey, GFI cover	078477200735	

4" Round Switch Box Cover

TO INSTALL A LIGHT FIXTURE. - CEILING PAN 1/2" DEEP

- Has mounting picks and guides
- Has external nailing holes



ITEM#	SIZE	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
140079	4" - Rnd.		10	020861400795	

Dryer Kit



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83044120	544120	10/2 - 12/2, black	062964441206	
83044094	544094	18/2 - 10-2, black	062964440940	

Range Kit



Flat Blank Cover



ITEM#	SIZE	QTY	WT/ UNIT	UPC CODE	BARCODE
140084	4" - Sqr.	100		020861400849	
140085	4" - Octa.	100		020861400856	
140086	4" - Rnd.	100		020861400863	
140087	4" - Rnd.	100		020861400870	

Dryer Receptacle



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83098381	1278-W30	30A, 4-wire, plastic	078477983812	
83052062	1167-2	Metal	032664520624	

Metal Dryer Receptacles



Water Proof Power Outlet

Weatherproof Kit

The Duplex Receptacle Weatherproof Kit consists of one residential grade duplex receptacle and one self-closing gray cover plate.

- Duplex Receptacle Weatherproof Kit
- Includes One Duplex Receptacle-2 Pole, 3 Wire, 15A-125V, NEMA 5-15R
- Includes One Horizontal Cover Plate for Duplex Receptacle



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012370	4976-768	Weatherproof Kit	068679123703	
83077218	4976-002	Duplex cover	07847772188	

Range Receptacle



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83052063	1168-2	Metal	032664520631	
83098383	1279-W50	50A, 4-wire, plastic	078477983836	

Metal Range Receptacles



Compact Fluorescent



- Convenient pull-out trays
- Mix and match trays to customize your merchandiser to suit your sales needs!
- Individual trays have full colour designs on all 4 sides, great for displaying on counter tops and shelves!
- Full colour display unit
- Holds 6 SKUs (3 x Daylight, 3 x Soft White Bulbs)
- Easy to assemble

ITEM NUMBER	PACKAGE QTY.	ENERGY USED(W)	REPLACES BULB(W)	LIFE (HOURS)	LIGHT OUTPUT LUMENS	COLOR TEMP (°K)	CASE QTY.		UPC CODE	BARCODE
							INNER	OUTER		
140401	2pkg	10W	40W	8000	550	6500: Daylight		15	020861404014	
140402	3pkg	13W	60W	8000	800	6500: Daylight		10	020861404021	
140403	2pkg	23W	100W	10000	1520	6500: Daylight		8	020861404038	
140404	2pkg	10W	40W	10000	660	2700: Soft White		15	020861404045	
140405	3pkg	13W	60W	10000	850	2700: Soft White		10	020861404052	
140406	2pkg	23W	100W	10000	1520	2700: Soft White		8	020861404069	

Soft White Bulbs



Glare-free soft white light, ideal for reading and other activities.

- Soft, Pleasant Light
- Reduced Glare
- Long Life



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012670	12670-6	15W, 2pk	046677126704	

Soft White, Longer Life Bulbs



Glare-free soft white light, ideal for reading and other activities.

- Use low wattage for energy savings
- Use medium wattage for general lighting
- Use high wattage for reading or task lighting needs



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012675	12675-5	200W, 1pk	046677126759	

Clear A19 Bulbs

Clear Bulbs add a decorative sparkle.
 • Ideal for decorative light fixtures
 • Long Life



PHILIPS

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012658	12658-1	200w, 1pk	046677126582	

Rough Service Long Life Bulbs - 2pk

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83028689	11171-6	50A/RS/LL 50w	046677286897	
83028690	11172-4	100A/RS/LL 100w	046677286903	

72W Eco Vantage

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
543443	434431	72w, 2pk , Soft White	046677434434	
543445	434436	72w, 2pk , Soft Clear	046677434458	

Silicone Coated Rough Service

PHILIPS

50 watt 130 volt A19 Medium Screw (E26) Base Frosted Rough Service Silicone Rubber Coated Incandescent Light Bulb



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83027985	14971-6	100A/RS/TF /2pk	046677279851	

40W LED Slim Style Soft White

HILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
533169	433169	40w, 1pk , Soft White Slimstyle	046677433161	
533185	433185	60w, 2pk , Soft White Slimstyle	046677433185	

Soft White 3-Way Medium Incandescent Light Bulbs

PHILIPS

Glare-free soft white light, ideal for reading and other activities.

- Use low wattage for energy savings
- Use medium wattage for general lighting
- Use high wattage for reading or task lighting needs



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012690	12690-4	30/70/100, 1pk	046677126902	
83012691	12691-2	50/100/150, 1pk	046677126919	
83012692	12692-0	50/200/250, 1pk	046677126926	

Clear Medium Base Bulb

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83001236	51553-6	300w, 1pk	067805012362	

Flood Light Bulbs

PHILIPS

3-Way Pink Bulb



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83010852	31739-6	50/100/150, 1pk	046677108526	

100,200,300W PS25
3 Way Mogul

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83056794	11003-1	100W/200W/300W, White, 1pk	067805567947	

90W Halogen Flood Light

PHILIPS

For indoor recessed and track fixtures and outdoor spot/flood fixtures



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83016003	16003-6	50PAR20/FL, 1pk	046677160036	
83012991	12991-6	90PAR38/HAL/FL 90w PAR38, 1pk	046677129910	

PAR Outdoor Bulbs

PHILIPS

Red Infrared Heat Lamp Bulb



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83020384	20384-4	250R40/HR, 1pk	046677203849	

Agro - Lite Plant Bulb

PHILIPS

Horticultural Incandescent provide the perfect light for fostering plant growth in professional and consumer applications.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83010316	15182-9	60A/AGRO 60w, 1pk	046677103163	

Plant Reflector Bulb

PHILIPS

Reflector Agro provides the perfect light to promote plant growth.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83022743	15184-5	75BR30/AGRO 75w BR30	046677227432	

Clear Candelabra Base Chandelier Bulbs 2/card

PHILIPS

Ideal for chandeliers and decorative light fixtures. Clear Bulbs add a decorative sparkle.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012920	12920-5	BC25CTC/LL 25w	046677129200	
83012924	12924-7	BC40CTC/LL 40w	046677129248	

Clear Medium Chandelier Light Bulbs 2/card

PHILIPS

Ideal for chandeliers and decorative light fixtures. Clear Bulbs add a decorative sparkle.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012943	12943-7	BC40F15/CL 40w	046677129439	

Euro Base Chandelier Bulb

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012792	12792-8	40w, 2pk, Euro Base	046677127923	

Fan/Garage Door Clear Medium Base Bulbs 2/card

PHILIPS

Try the DuraMax line of Fan/Garage Door Bulbs. Specially designed with a vibration-resistant filament to ensure long life in any ceiling fan or garage door opener.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012938	12938-7	BC40A15 40w A15	046677129385	
83012940	12940-3	BC60A15 60w A15	046677129408	

Clear Appliance Light Bulbs

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012519	61534-4	BC25T10/CL 1pk	067805125192	
83012673	69495-0	BC40T10/CL 1pk	067805126731	

Clear Medium Chandelier Bulbs 2/card

PHILIPS

Ideal for chandeliers and decorative light fixtures. Clear Bulbs add a decorative sparkle.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012922	12922-1	BC25ETC/LL 25w	046677129224	
83012926	12926-2	BC40ETC/LL 40w	046677129262	

Clear Appliance Bulb

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83020896	20896-7	BC40A15/CL 2pk	046677208967	

Frosted Appliance Bulb

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83020897	20897-5	40W/2pk/Frosted	046677208974	

High Intensity Bulbs

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83053516	59539-7	BC40S11/N, 1pk	067805535168	

Night Light Bulbs

PHILIPS

Ideal for applications requiring low light output and compact size



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83000089	89944-3	BC4C7/W 4W, 2pk	067805000895	
83053611	89659-7	BC7C7/CL 7W, 2pk	067805536110	
83014013	73173-7	BC7C7/W, 7W, 2pk	067805140133	

Indicator Light Bulbs

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83053514	81152-1	BC7.5S11/W, 1pk	067805535144	

Clear Exit Sign Bulb

PHILIPS



For lighting in switchboards, exit lights, picture lights and appliances. Brass bases resist vibration and corrosion.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83001178	51178-2	BC15T6/CL, 1pk	067805011785	

Clear Appliance Light Bulbs

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83000597	21719-0	BC15T7/N/CL 1pk	067805005975	
83001130	51123-8	BC25T61/2CL 1pk	067805011303	
83001132	51125-3	BC25T8/N 1pk	067805011327	

Clear Globe DuraMax, 2pk

PHILIPS

Ideal for chandeliers and decorative light fixtures.

Ideal for bathroom vanity strips and decorative light fixtures



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012934	12934-6	BC40G16/CL/LL 40w	046677129347	

Clear Globe DuraMax,3pk

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012682	12682-1	40W/G25/Clear	046677126827	

White Globe DuraMax, 2pk

PHILIPS

Ideal for chandeliers and decorative light fixtures.

Ideal for bathroom vanity strips and decorative light fixtures



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012935	12935-3	BC40G16/W/LL 40w	046677129354	

White Medium Base Globe Duramax 3pk

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83015950	15950-9	25w/G25 WH 3pk	046677159504	

Clear Medium Base Globe Duramax 3pk

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83015949	15949-1	25w/G25 CL 3pk	046677159498	

White Medium Base Globe Duramax 3pk

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012683	12683-9	40w/G25 WH 3pk	046677126834	

Home Light Fluorescent Bulb (Cool White)

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83027242	24892-2	F30T12/CW 30w 36" 2pk	046677272425	

Two Pin

Flourescent Daylight

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83024874	24874-0	F20T12/D/ALTO 15/2	046677248741	

Fluorescent Bulb (Soft White)

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83039209	24849-2	20W Soft White/2pk/24"	046677392093	

Flourescent Daylight

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83024874	24874-0	F20T12/D/ALTO 15/2	046677248741	

Home Light Fluorescent Bulb (Cool White)

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83024475	428821	34W Cool White/2pk/48"	046677244750	

Warm White Bulbs

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900083	27349-0	F20T12	046677273491	
Econo Watt				
83001031	51002-4	F34WW/EW 34w 48"	067805010313	

Home Light Fluorescent Bulb (Cool White)

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83025850	25840-0	60W Cool White/96"	046677258504	

One Pin

Home Light Fluorescent Bulb (Cool White)

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83039207	39207-6	F15T8/CW 15w 18"	046677392079	

Slim Bulb

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900086	27248-4	F32T8/TL741 48"	046677272487	

Replacement Bulbs for Halogen Track Lighting

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012774	12744-6	35MR11 35w, 12v	046677127749	

Compact Fluor, Bulb Warm

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83014681	14681-1	PLS13/27 13W	046677146818	

Halogen Flood Light Bulbs

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83020527	20527-8	35GU10 35w, 1/cd	046677205270	
83021346	21346-2	50GU10 50w, 6pk	046677213466	

50W Halogen Flood Bulb

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83020529	20529-4	50GU10/50W/1pk	046677205294	

20W Halogen Capsule

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83000357	51345-7	20W	067805003575	

Xenon Indoor Flood Light

PHILIPS



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83020426	20426-3	50MRC16/FL, 1pk	046677204266	

Fluorescent Starters

LEVITON



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900054	4B	40W, bulk		

Dimmable LED Light Bulbs



Energy Saving
Bulbs Value Pack

5.5W
→ 40W

450
Lumen
Lumineux

Dimmable

5000k
Daylight
Lumière du jour

LED/DEL

≥ 80
CRI

25000hr

E-26



140411



140412

5.5W
→ 40W

450
Lumen
Lumineux

Dimmable

3000k
Soft White
Blanc Doux

LED/DEL

≥ 80
CRI

25000hr

E-26

9W
→ 60W

800
Lumen
Lumineux

Dimmable

5000k
Daylight
Lumière du jour

LED/DEL

≥ 80
CRI

25000hr

E-26



140416



140417

9W
→ 60W

800
Lumen
Lumineux

Dimmable

3000k
Soft White
Blanc Doux

LED/DEL

≥ 80
CRI

25000hr

E-26

E-26 de base

ITEM NUMBER	PACKAGE QTY.	ENERGY USED(W)	REPLACES BULB(W)	LIFE (HOURS)	LIGHT OUTPUT LUMENS	COLOR TEMP (°K)	CASE QTY.		UPC CODE	BARCODE
							INNER	OUTER		
140411	2pkg	5.5W	40W	25000	450	5000: Daylight		10	020861404113	
140412	2pkg	9W	60W	25000	800	5000: Daylight		10	020861404120	
140416	2pkg	5.5W	40W	25000	450	3000: Soft White		10	020861404168	
140417	2pkg	9W	60W	25000	800	3000: Soft White		10	020861404175	

Keyless Current Taps



"Leviton" keyless current tap adapter Socket/twin outlets. Converts single socket to lamp holder plus 2 outlets for standard plugs. Bakelite finish. Rating: 125V, 660W.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83018000	1403-707	White	068679180003	
83015931	1403-710	Brown	068679159313	

Pull Chain Current Tap



- Pull chain socket/twin outlets
- Converts single socket to lamp holder plus 2 outlets for standard plugs
- Pull chain controls lamp holder only
- Outlets are always on
- Rating: 125V, 250W
- Brown finish
- Carded



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83018006	1406-707	0	078477279472	

Porcelain Socket



Medium-Medium Base, Two-Piece, Adapters and Extensions, Incandescent, Glazed Porcelain Lamp holder, 1-1/4 Inch, To Be Used in Porcelain Sockets Only - White



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83010590	2004-920	2pc, med. to med.	068679192082	

Sockets



Rubber Pigtail Sockets

- Outdoor
- Black rubber; pigtail
- Medium base
- Rubber outer jacket with phenolic interior and shell



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83015718	55-001	Black	068679157180	

Lamp Holder Plug-In Medium Base



Lamp socket with 2 prong AC plug. Used to connect a light bulb to a wall outlet.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83018146	61-006	Med Base, Ivory	068679181468	



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83010670	4155-728	Socket Pole Switch	068679106706	

Tri-Light Turn Knob Brass Socket

- Metal shell lampholder
- Medium base
- Removable turn knob



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83018602	7090-732	Carded	068679186029	
83007193	7090-051	Bulk	078477071939	

Lamp Parts

Brass Metal Shell Sockets with Pull Chain

- Pull-chain lamp socket with on/off switch design
- Classic brass finish matches a variety of lamps
- Standard base; tapped 1/8-IP for use with standard components



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83011060	19980-733	Carded	068679110604	
Extension Chain				
83011390	6-735	Brass	068679113902	

Socket Turnknob, Brass

- Brass finish
- Standard base



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83018604	10083-712	Carded	068679186043	

Keyless Brite Gilt Sockets



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83007266	8004-752	Keyless, carded	078477072660	

Swirl Glass Flush Mount Ceiling Light Fixtures



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
88016745	3639218	11" 2PK, Brass	772775167454	

Swirl Glass Flush Mount Ceiling Light Fixtures



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
88016746	3639209	11" 2pk, White	772775167461	

Standard Trouble Lamps



- Trouble Light, Emergency Light, Working Light
- US plug, with UL standard



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83041332	541332	6m, D206	062964413326	
83041362	541362	10m, D210	062964413623	
83041388	541388	15m, D215	062964413883	

Outdoor Floodlight Holder



Ideal for outdoor lighting, home security, landscaping, garage and loft lighting. Uses up to 150 watt floodlight or spotlight (not included). High impact fixture resist weather and wear.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012357	12357		0062964123577	

Grounded Trouble Lamps



Medium duty work light, on/off switch, with built-in 3 wire grounded outlet in handle. Outdoor rated orange cord. 16/3 SJTW 12A/125V.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83041426	541426	10m, D310	062964414262	

Sockets



Medium Base Twin Socket Adapters

Outlets on adapters are 2-wire polarized. Pull chain for 718 controls lamp holder. Side outlets are always on.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83052438	700W	White	032664524387	

Clamp Lamps



Utility lighting, sturdy clamp, on-off switch fully adjustable. AWG SPT-2 18/2-125V. 6.56 feet cord. Polarized. 2 conductor. Full swivel head. 150 watts. With 8 1/2" aluminum reflector.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83010151	510151	6", w/ Reflector	062964101513	
83046712	546712	6", Porcelain	062964467121	

Keyless Porcelain Socket with Hickey



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900042	HME0037	w/Hickey/White/1pk		

Sockets – Porcelain Base, Thermoset Ring



This family of lamp holders includes heater and cleat sockets for use with heater elements, stage lighting and similar applications in addition, medium, candelabra and miniature bases.

High-strength insulator porcelain.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83023980	609	Porcelain	032664239809	

Attachment Screwbase



Converts any medium base lamp socket to a non polarized, 2 prong outlet, NEMA 1 15R. 600W 120V. White. UL listed.

15 amp, 660 watt, 125 volt, 2-pole, 2-wire, lamp holder to outlet



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83017027	125-002	White 25pk	078477113523	

White Keyless Lampholders



Medium Base One-Piece Glazed Porcelain Outlet Box Mount Incandescent Lamp holder, Keyless, Single Circuit, Top Wired, - White

- Medium Base
- Keyless
- Incandescent
- 1 Year Limited
- White



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83016299	8829-103	White, Plastic	068679162993	
83032300	49875-001	White, Porcelain	078477323007	

Fluorescent Lamp Holders

Medium Base, Bi-Pin, Standard Fluorescent Lamp holder, Tall Profile, Slide-On, Turn-Type, Quick-Connect 18AWG Solid or Str. Tinned - White



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83027534	13351-732	Short type, 2pk.	078477275344	
83018585	13355-732	Long	068679185855	

White Ceiling Receptacles with Pull Chain



Mount Incandescent Lamp holder features two terminal screws, twist-lock mounting, and fits 3-1/4 or 4 Inch outlet boxes.

- Medium Base Urea Outlet Box Mount Incandescent Lamp holder
- Pull Chain
- One-Piece
- Single Circuit, Top Wired



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83010310	08827-110	4", White, Plastic	078477103104	
83018657	29816-794	White Porcelain	078477186572	

Push Thru Brass Metal Shell Sockets



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83006808	940	Push thru	078477068083	

Temporary String Work Light



PRODUCT DESCRIPTION:

Designed for safety and durability. Weather-resistant heavy duty string lights are an ideal solution for construction and work sites, renovation projects, parking lots or other large areas where temporary lighting is needed.

COATED STEEL CAGES

FEATURES

- Outdoor
- For Temporary Use
- Coated Steel Cages
- Weather Resistant
- 600V Rated 12/3 STW Jacket
- Rated 15A/125V/1875W

- For general contractors and electricians alike, proper jobsite lighting can improve productivity and workers safety.
- Resistant to all weather conditions, thermo-vinyl jackets gives added flexibility in temperatures below freezing.
- Molded on, weather-resistant light sockets that are spaced 10 feet apart.
- An integral hook located on top for attaching to a messenger wire for support suspension.

- Sockets will accommodate up to 200W.
- All connectors are molded on, weather-resistant and will not pull apart from the cord.
- A rugged lighting system that contractors can rely on.



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140520	3	12	15	YELLOW	125	15			1	020861405202	
140521	3	12	30	YELLOW	125	15			1	020861405219	

LED String Work Light



• Carabiner and Hook
• 50' Total Cord Length



• 5 High Intensity LED Light Heads
• 5 High Intensity LED Light Heads at 500 Lumens Each

SPECIFICATIONS:

- 18/3 SJT AC power cord,
- 50 foot total cord length
- 5 High Intensity LED light heads
- 5 x 21pcs 2323 Samsung LEDs
- LED total output: 2500 Lumens
- Carabiner included for easy attaching
- Input voltage range: 120V
- Wattage: 30W
- LED lifetime: 50,000 hours



LEDs by SAMSUNG

2500 LUMENS

5 HIGH INTENSITY LED LIGHT 500 LUMENS EACH

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140523	3	18	15.2	BLACK	120		30		1	020861405233	

Halogen Portable Work Light

TEMPORARY PORTABLE WORK LIGHT



"S" STYLE PORTABLE HALOGEN FLOODLIGHT

- Adjustable aiming handle
 - Foam grip handle
- Protective lens guard grill
- 0.9m 18/3 grounded cord
- Uses 500 watt halogen bulb included


140501



"S" STYLE PORTABLE HALOGEN FLOODLIGHT

- Adjustable aiming handle
 - Foam grip handle
- Protective lens guard grill
- 3 foot 18/3 grounded cord
- Uses 150 watt halogen bulb included

140498



PORTABLE CLAMP ON FLOODLIGHT

- Unique bracket allows for multiple adjustments
 - Protective lens guard grill
 - 3 foot 18/3 grounded cord
- 6" heavy duty clamp with vinyl grips
- Uses 150 watt halogen bulb included

140497



PORTABLE HALOGEN FLOODLIGHT

- Fixture angle adjustment knob
 - Foam grip handle
- Protective lens guard grill
 - 1.5m 3 Grounded cord
- Uses 500 & 200 watt halogen bulb included

140499



Residential & Commercial Grade Halogen Work Light Bulb

2 pack - Replacement Bulb for the Halogen Work Light



ITEM NUMBER	NO. OF COND.	SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140501	3	-	0.9	BLACK	120		500		6	020861405011	
140498	3	-		BLACK	120		150		12	020861404984	
140497	3	-		BLACK	120		150		12	020861404977	
140499	3	-	1.5	BLACK	120		700		4	020861404991	

Replacement Halogen Bulb

140589	78mm LONG	-	-		120		150		250	020861405899	
140590	78mm LONG	-	-		120		250		250	020861405905	
140591	118mm LONG	-	-		120		500		250	020861405912	
140592	118mm LONG	-	-		120		250		250	020861405929	

Halogen Portable Work Light with Tripod

TEMPORARY PORTABLE WORK LIGHT



ADJUSTABLE DUAL-HEAD

- Easy turn light with adjustment knobs
- Heads can be adjusted up / down and side independently



ADJUSTABLE DUAL-HEAD

- Tempered glass lens with protective grills
- Uses two(2)500 watt halogen bulb included
- Light fixtures are adjustable - Can be de-attached/ from the telescoping tripod stand

PORTABLE HALOGEN FLOODLIGHT WITH TRIPOD

- Fixture angle adjustment knob
- Adjustable telescoping tripod stand
 - Protective lens guard grill
- Uses two(2)500 watt halogen bulb included
- Tripod Stand adjust from 1.2m to 2.1m
- Weatherproof on/off switch



140511

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140511	3	-	1.8	BLACK	120		1000		2	020861405110	

APPLICATIONS: Temporary halogen work light
FEATURES: Tempered Glass • Metal Safety Grill •
INDUSTRIAL APPROVALS: UL LISTED

Halogen Portable Work Light with Tripod

TEMPORARY PORTABLE WORK LIGHT



Each light rotates 270° and pivots on a 90° arc




Chaque lumière tourne 270° et pivots sur un arc de 90°



Heavy-duty housing with comfort, carrying handles



Enveloppe résistante avec les poignées de transport de confort complet




Use With or Without Tripod
Utiliser avec ou sans trépied



Weather proof 3 position switch on each light

Protégez contre les intempéries, commutateur de 3 position sûre chaque lumière



ADJUSTABLE DUAL-HEAD

- Easy turn light with adjustment knobs
- Heads can be adjusted up / down and to side independently



ADJUSTABLE DUAL-HEAD

- Tempered glass lens with protective grills
- Uses (2) 500 & (2) 200 watt halogen bulb included
- Light fixtures are adjustable - Can be de-attached/ from the telescoping tripod stand



DUAL-HEAD PORTABLE HALOGEN FLOODLIGHT WITH TRIPOD

- Fixture angle adjustment knob
- Adjustable telescoping tripod stand
- Each light rotates 270° and pivots on a 90° arc
- Protective lens guard grill
- Uses 500 & 200 watt halogen bulb included
- 3m Power Cord
- Tripod Stand adjust from 1.8m
- Weatherproof on/off switch
- High/low/off switches provides 4 levels of light, 250-500-750-1000 watts.
- Tripod stores on portable stand held in place with Velcro strap

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140512	3	-	3	BLACK	120		1000		2	020861405127	

APPLICATIONS: Temporary halogen work light
FEATURES: Tempered Glass • Metal Safety Grill •
INDUSTRIAL APPROVALS: UL LISTED

Halogen Portable Work Light with Tripod

TEMPORARY PORTABLE WORK LIGHT




ADJUSTABLE DUAL-HEAD

- Easy turn light with adjustment knobs
- Heads can be adjusted up / down and to side independently



ADJUSTABLE DUAL-HEAD

- Tempered glass lens with protective grills
- Uses (2) 500 & (2) 200 watt halogen bulb included
- Light fixtures are adjustable - Can be de-attached/ from the telescoping tripod stand



1400 WATTS

PORTABLE HALOGEN FLOODLIGHT WITH TRIPOD

- Fixture angle adjustment knob
- Adjustable telescoping tripod stand
- Protective lens guard grill
- Uses 500 & 200 watt halogen bulb included
- Tripod Stand adjust from 1.2m to 2.1m
- Weatherproof on/off switch



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140513	3	-	2.4		120		1400		2	020861405134	

APPLICATIONS: Temporary halogen work light
FEATURES: Tempered Glass • Metal Safety Grill •
INDUSTRIAL APPROVALS: UL LISTED

Integrated C.O.B LED Portable Work Light



140490

10W LED PORTABLE WORK LAMP			
SPECIFICATIONS			
Product	Led Projector 10W	Model No.	140490
Out put power	10W	Voltage	120V~60Hz
Protection rate	IP44	Durability	50000h
Cable	1.5m	Certificate	CE/GS/SAA/RoHS
Dimension (colour box)	185x128x225mm	Luminous	720
Beam angle	120°	Colour temperature	2700-7000k
Working temperature	-30° -60°	Working humidity	10%-85%RH
Body type	Aluminum		SJTW 18AWG x3C

NEW TECHNOLOGY C.O.B



140492

10W LED PORTABLE WORK LAMP			
SPECIFICATIONS			
Product	Led Projector 20W	Model No.	140492
Out put power	20W	Voltage	120V~60Hz
Protection rate	IP44	Durability	50000h
Cable	1.5m	Certificate	CE/GS/SAA/RoHS
Dimension (colour box)	185x128x225mm	Luminous	1440
Beam angle	120°	Colour temperature	2700-7000k
Working temperature	-30° -60°	Working humidity	10%-85%RH
Body type	Aluminum		SJTW 18AWG x3C

NEW TECHNOLOGY C.O.B w/Patented Portable Stand



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140490	3	18	1.5	BLACK	120		10		10	020861404908	
140492	3	18	3	BLACK	120		20		4	020861404922	

LED Portable Work Light with Tripod

TEMPORARY PORTABLE WORK LIGHT




ADJUSTABLE DUAL-HEAD

- Easy turn light with adjustment knobs
- Heads can be adjusted up / down and to side independently



ADJUSTABLE DUAL-HEAD

- High intensity LEDs
- Light fixtures are adjustable - Can be detached from the telescoping tripod stand



DUAL-HEAD LED TRIPOD WORK LIGHT

- Fixture angle adjustment knob
- Adjustable telescoping tripod stand
- Uses 14 C.O.B Integrated LED bulbs
- Tripod Stand adjust to 1.5m



20W LED TWIN HEAD WORK LIGHT WITH TRIPOD

SPECIFICATIONS			
Product	Dual Head Work Light	Model No.	140491
Out put Power	14x3W LED - 2x20W	Voltage/Frequency	120V-60Hz
Protection rate	IP44	Tripod Telescopes	55"
Cable	5'	Certificate	CE/GS/SA/RoHS
Dimension (colour box)	185 x 128 x 225mm	Luminous	2x1330
Beam Angle	120° / Head 360°	Color temperature	2700-6400K
Working temperature	-30° - 60°	Working humidity	10% - 85%RH
Body Type	Aluminium		SJTW 18AWG x3C

NEW TECHNOLOGY C.O.B



**HIGH
POWER
LED**




APPLICATIONS: Temporary LED work light
FEATURES: Tempered Glass • Metal Safety Grill •
INDUSTRIAL APPROVALS: UL LISTED

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140491	3	14	1.5	BLACK	120		40		2	020861404915	

Portable Work Light


TEMPORARY PORTABLE WORK LIGHT



INCANDESCENT UTILITY WORK LIGHT

- Hanging hook allows for hands-free use
- Convenience Outlet Built into the Handle
- Convenience ON/OFF Switch Built in to the Handle
 - Grounded Chrome Metal Bulb Guard
 - Uses up to 75W Bulb
 - 25ft Cords
- 13A - 125V • 16/3 SJTW
- Neon Green


UL 727211



INCANDESCENT UTILITY WORK LIGHT

- Hanging hook allows for hands-free use
- Convenience Outlet Built into the Handle
- Convenience ON/OFF Switch Built in to the Handle
 - Grounded Chrome Metal Bulb Guard
 - Uses up to 75W Bulb
 - 25ft Cords
- 13A - 125V • 16/3 SJTW
- Neon Orange

UL 727212



INCANDESCENT UTILITY WORK LIGHT

- Hanging hook allows for hands-free use
- Convenience Outlet Built into the Handle
- Convenience ON/OFF Switch Built in to the Handle
 - Grounded Chrome Metal Bulb Guard
 - Uses up to 75W Bulb
 - 20ft Cords
- 13A - 125V • 16/3 SJTW
- Orange

UL 727206



FLUORESCENT WORK LIGHT

FEATURES:

- Energy saving fluorescent lamp
- Equivalent to 75 watt incandescent
- Replaceable compact 13 watt PL Lamp
- Lamp does not heat up when in use
- Grounded outlet & on/off switch built into handle
- Portable magnetic hook
- 360° swivel hang hook

ETL Intertek 727207



Residential & Commercial Grade Fluorescent Work Light Bulb



727208

Replacement Bulb for the Fluorescent Work Light

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
727211	3	16	7.6	N. GREEN	125	13			12	621457272118	
727212	3	16	7.6	N. ORANGE	125	13			12	621457272125	
727206	3	16	6.1	ORANGE	125	13			12	621457272064	
727207	3	-	3.7	ORANGE	120		13		12	621457272071	
Replacement Fluorescent Bulb											
727208		-	-	-			13	1	50	621457272088	

APPLICATIONS: Temporary halogen work light INDUSTRIAL APPROVALS: UL LISTED


LED NIGHTSTICK FLASHLIGHT

24LED - 1 MODE WORK LIGHT



(SOLD IN DISPLAY OF 12)

- 24 LED Flashlight with Magnet & Hook
- Swivel hook for adjusting to different angles
 - Strong magnet attaches to most metal surfaces
 - Rubberized ABS body/



ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789006	24	-	-	BLACK	1-		-	12	96	621457890067	

LED Mini Work Light

24LED - 1 MODE WORK LIGHT



(SOLD IN DISPLAY OF 12)

- 24 LED Flashlight with Magnet & Hook
- Swivel hook for adjusting to different angles
 - Strong magnet attaches to most metal surfaces
 - Rubberized ABS led work light



ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789005	24	-	-	BLACK	-		-	12	96	621457890053	

LED WORK LIGHT

33 LED - 2 MODES FLASHLIGHT



- 2 Modes Power Switch
- 5 LED Flashlight
- 28 LED Floodlight
- Strong Magnetic Base



- Strong magnet attaches to most metal surfaces.
- Swivel arm with Swivel hook for adjusting to different angles.

(SOLD IN DISPLAY OF 12)



2 Strong magnets



Swivel Arm



5 LED Flashlight

28 LED Floodlight

Swivel Hook

ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789009	33	-	-	BLUE/BLACK	-	-	-	12	96	621457890091	

LED WORK LIGHT

40 LED - 2 MODES FLASHLIGHT



- 2 Modes Power Switch
- 1 LED Flashlight
- 39 LED Floodlight
- Swivel Hook
- Strong Magnetic Back



(SOLD IN DISPLAY OF 12)



ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789012	40	-	-	BLUE/BLACK				12	96	621457890121	

LED NIGHTSTICK FLASHLIGHT

53 LED - 2 MODES FLASHLIGHT

- 2 Modes Power Switch
- 1 LED Flashlight
- 52 LED Floodlight
- Strong Magnetic Base



(SOLD IN DISPLAY OF 12)



ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789013	53	-	-	BLACK	-	-	-	12	96	621457890138	

LED Work Light



(SOLD IN DISPLAY OF 16)



- 2 Modes Power Switch
- 1 LED Flashlight
- 24LED Floodlight
- Strong Magnetic base



25 LED - 2 MODES FLASHLIGHT



10% of proceeds from this product will be donated to one of Canada's leading Breast Cancer Foundations.



ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789007	25	-	-	PINK				16	96	621457890077	


LED Pull-Up Lantern Flashlight



- 4 Modes Power Switch
- High Beam
- Low Beam
- Zoom Focus
- Flashing Light



MIXED COLORS DISPLAY



ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789016	1	-	-	MIXED				12		020867890163	

LED ZOOM FOCUS FLASHLIGHT


1 LED - 1 MODE FLASHLIGHT



LED Zoom Focus Flashlight
Zoom in/out to adjust its focus from flood beam to spot light.



(SOLD IN DISPLAY OF 12)



ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789008	1	-	-	BLACK	-	-	-	12	96	621457890084	

LED MINI FLASHLIGHT

9 LED - 1 MODE FLASHLIGHT



(SOLD IN DISPLAY OF 24)



ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789015	9	-	-	BLUE/BLACK/RED	-	-	-	24	144	621457890152	

LED Telescopic Flashlight

3 LED - 1 MODE WORK LIGHT



(SOLD IN DISPLAY OF 12)



- Magnetic LED Flashlight
- Telescopic
 - Extendible length from 6¾ to 21½"
 - Magnetic Head with flexible neck
 - Magnetic Base
 - 5lbs of pickup power!
 - 3 Ultra Bright LEDs
 - Aluminum Alloy Body
 - #LR44 Batteries Included
PLUS 4 BONUS Batteries!




ITEM NUMBER	NUMBER OF LED BULB.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	QTY		
716116	3	-	-	-				12	48	621457161160	

LED Flashlight

6 LED - 1 MODE WORK LIGHT



(SOLD IN DISPLAY OF 12)



ITEM NUMBER	NUMBER OF LED BULB.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	QTY		
789017	6	-	-	CAMOF.	-	-	-	12	96	020867890170	
789018	6	-	-	MIXED	-	-	-	12	96	020867890187	

LED HEADLIGHT FLASHLIGHTS

1 LED - 1 MODE HEADLIGHT

1 WATT LED Headlight


- Adjusts to different angles
- Strong Head Band attaches to head firmly



789011



SOLD IN DISPLAY OF 6



1 LED - 4 MODES HEADLIGHT

1 WATT LED Headlight

- Adjusts to different angles
- Strong Head Band attaches to head firmly
- 4 Mode Light:
 - High • Low • Red Safety Light • Flashing Light



789010



SOLD IN DISPLAY OF 6



ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789011	-	-	-	BLACK	-		1	6	48	621457890114	
789010	1	-	-	BLACK	-		1	6	48	621457890107	

LED MOTION SENSOR LIGHT

The versatility and performance power of LED technology shine in the home safety product. With easy application the motion sensor light is perfect addition to give anyone a reliable light source and continued peace of mind. The motion activated LED light, perfect for anywhere you have no outlet and need light. The LED Motion Sensor Light turns on automatically at dark, or can be set to light when motion is sensed. Ideal for garages, hallways, stairways and any area where safety and security is a concern.



ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140485	10	-	-	WHITE	-		0.8			020861404854	

Integrated C.O.B LED Portable Work Light



16 LED - 2 MODES RECHARGEABLE WORK LIGHT



HIGH POWER LED



NEW TECHNOLOGY C.O.B

ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789004	16			BLACK					12	621457890046	



LED Floating Lantern

9 LED - 1 MODES WORK LIGHT



(SOLD IN DISPLAY OF 6)

Plastic waterproof body
| Plastique imperméable à l'eau sur le corps



ITEM NUMBER	NUMBER OF LED BULB	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
789014	9	-	-	YELLOW	-	-	-	6	36	621457890145	

LED Motion Sensor Light

The LED Wireless Motion Sensor Lights use new LED technology to provide a safe bright light anywhere you need it without connecting any wires. These wireless lights use a sophisticated motion sensor coupled with a photo sensor, allowing for activation only when it is dark and only when motion is detected. The lights automatically turn themselves off. With a 180 degree motion sensor and lighting up 350 square feet this light is a must for any dark area.



FrostBrite LED Flashlight

The FrostBrite LED offers a Clear View Design with a true Spot Reflector. With the fold away hanger loop and a anti roll design makes this light the perfect household flashlight.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
541069	41-1069	6 LED 2 AA battery	035355410693	
541070	41-1070	6 LED 3 AA battery	035355410709	

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
542339	41-2339	LED D Cell Battery	035355423396	

LED Rechargeable Flashlight with built in Charging Adapter

- Forever Bulb- Never need to replace the bulb!
- Power Failure Feature
- Convenient Fold-out Plug
- Great for emergencies



DORCY

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83041045	41-1045	LED	035355410457	

Two Million Candle Power Rechargeable Flashlight

- 2 Million Candle Power Rechargeable Spotlight
- Non-Slip Rubber Grip
- Locking Trigger Switch
- Free Standing
- Super Bright Halogen Bulb
- Sealed Lead Acid Rechargeable Battery
- Includes AC & DC Charging Adaptors



DORCY

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83041086	41-1086	Halogen	035355410860	

One Million Candle Power Rechargeable Spotlight

- 1 Million Candle Power
- Super Bright Halogen Bulb
- Heavy Capacity Rechargeable Battery
- Includes AC & DC Charging Adaptors



DORCY

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83041097	41-1097	Halogen	035355410976	

6v Floating Luminator Lantern with Battery

- Super bright bulb
- Push button switch
- Waterproof
- Wireless integrated battery contact plate
- Assorted colors
- Includes DORCY Mastercell 6V Super Heavy Duty battery



DORCY

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83042087	41-2087	Floating	035355420876	

LED Handlight



DORCY

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
541500	41-1500	LED	035355415001	

Floating Lantern with 6volt Battery



DORCY

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83042905	41-2905	6V Battery	035366429053	

Flashlight 70 Lumens 3 AAA Battery



DORCY

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
544303	41-4303	70 Lumens	035355443035	

2AA Rubber Boss Flashlight with Batteries



- Rubber Construction
- Super Bright Xenon bulb
- Water Resistant
- Shock Resistant
- Sealed On/Off Switch
- 2 AA Heavy Duty Batteries Included



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83042950	41-2950	Xenon	035355429503	

2D Rubber Boss Flashlight with Batteries



- Rubber Construction
- Super Bright Xenon bulb
- Water Resistant
- Shock Resistant
- Sealed On/Off Switch
- 2 D Heavy Duty Batteries Included



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83042960	41-2960	Xenon	035355429602	

2D Work Light Flashlight with Batteries



- Lumens: 15
- Run Time: 2 Hrs.
- Beam Distance: 100 ft.
- Bulb Type: Krypton bulb
- Batteries: 2 D Heavy Duty Batteries (included)
- Additional Features: Waterproof
- Switch: Rubberized push button switch



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83042350	41-2350	Krypton	035355423501	

2AA Work Light Flashlight with Batteries



- Heavy Duty Construction
- Super bright Krypton bulb
- Weather Resistant
- Made with High Impact resins
- Springless design system
- Rubberized push button switch, head and tail caps
- 2 AA Cell Heavy Duty Batteries Included



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83042355	41-2355	Krypton	035355423556	

2D Deluxe Flashlight



- Super bright Krypton beam
- Durable switch, high impact resin
- Assorted colors
- Great for home use, glove boxes, night stands



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83041480	41-1480	Krypton	035355414806	

2D Deluxe Flashlight with Batteries



- Deluxe Economy Flashlight
- Super Brite Light
- Durable Switch
- Includes 2 D Cell Batteries
- Bulb: KPR102 (Industry #)



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83042480	41-2480	Krypton	035355424805	

Procell Alkaline Batteries



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900074	1300	Size 'D', 12pk	041333513409	
83900075	1400	Size 'C', 12pk	041333511405	
83071540	1500	Size 'AA', 24pk	041333715407	
83900077	2400	Size 'AAA', 24pk	00041333535482	
83900076	1604	9V, 12pk	00041333526485	

Alkaline Batteries



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83021301	MN1300-2	Size 'D', 2/card	041333213019	
83021401	MN1400-2	Size 'C', 2/card	041333214016	
83015000	MN1500-2	Size 'AA', 2/card	041333215013	
83032410	MN1500-4	Size 'AA', 4/card	041333415017	
83052210	MN2400-2	Size 'AAA', 2/card	041333224015	
83052410	MN2400-4	Size 'AAA', 4/card	041333424019	
83011601	MN1604-1	9V	041333116013	

Home Medical Battery, Size N



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83029101	9100	N-Size	041333291017	

12V Photo & Electronic Battery



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83012106	21	MN21 12v	041333121062	

DORCY



Mastercell Alkaline Battery AA



Mastercell Alkaline Battery AAA



Mastercell Alkaline Battery C-2



Mastercell Alkaline Battery D2



Mastercell Alkaline Battery 9V-1

ITEM#	MFG#	DESCRIPTIONS		UPC CODE	BARCODE
541622	541622	Mastercell Alkaline Battery AA-2 Carded	10	036355416220	
541634	541634	Mastercell Alkaline Battery AA-4 Carded	10	036355416343	
541628	541628	Mastercell Alkaline Battery AA-8 Carded	10	036355416282	
541631	541631	Mastercell Alkaline Battery AA-24	1	036355416312	
541623	541623	Mastercell Alkaline Battery AAA-2 Carded	10	036355416237	
541624	541624	Mastercell Alkaline Battery AAA-4 Carded	10	036355416244	
541638	541638	Mastercell Alkaline Battery AAA-8 Carded	10	036355416381	
541636	541636	Mastercell Alkaline Battery AAA-24	1	036355416367	
541632	541632	Mastercell Alkaline Battery C-2 Carded	10	036355416329	
541620	541620	Mastercell Alkaline Battery D2- Carded	10	036355416206	
541610	541610	Mastercell Alkaline Battery 9V-1 Carded	10	036355416107	

Dorcy Super Heavy Duty 6V Battery

DORCY



6-Volt Batteries

DURACELL



83009180
Screw Type



83009006
Spring Type

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83040800	41-0800	SHD 6V	035355408003	

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83009180	9180	Screw-Type	068438091809	
83009006	9080	Spring-Type	041333090061	

Door Bell with Wireless Remote

4 Melody with Plug-in Receiver



Product # 140100

SPECIFICATIONS SPÉCIFICATIONS	
Frequency Fréquence	433.92Hz
Ring volume - High Ring Volume Volume De La Sonnerie	≤ 90dbm
Ring volume - Low Ring Volume Volume De La Sonnerie	≤ 70dbm
Reception Sensitivity Sensibilité De Réception	≥ -80dbm
Power Supply (Transmitter) Alimentation (Émetteur)	DC3V (CR2032) LITH.
Power Supply (Receiver) Alimentation (Récepteur)	DC4.5V (3xAA) DC5V
Transmitting Power Puissance D'émission	≤ 10mW
Quiescent current (Transmitter) Le courant de repos (Émetteur)	≤ 5uA
Quiescent current (Receiver) Le courant de repos	≥ 350uA
Working current (Transmitter) Travail actuel (Transmitter)	≤ 10mA
Working current (Receiver) Travail actuel (Récepteur)	≤ 150mA
Operation Range Plage De Fonctionnement	200M (in the open air)



Door Bell with Wireless Remote

36 Melody with Plug-in Receiver



Product # 140102

SPECIFICATIONS SPÉCIFICATIONS	
Frequency Fréquence	315/433mhz ±0.5mhz
Active Pressure Wave (Receiver) Onde De Pression Active (Récepteur)	≤-57dbm
Negative Pressure Wave (Transmitter) Onde De Pression Négative (Émetteur)	≤-36dbm
Reception Sensitivity Sensibilité De Réception	≥-80dbm
Power Supply (Transmitter) Alimentation (Émetteur)	1xDC3V CR2032 (Included)
Power Supply (Receiver) Alimentation (Récepteur)	Ac110/240v
Transmitting Power Puissance D'émission	≤10mW
Working Power Consumption Travailler Consommation D'énergie	≤ 5W
Ring Volume Volume De La Sonnerie	≥70db
Sound Options Les Options Sonores	36 Polyphonic Melodies
Operation Range Plage De Fonctionnement	80M (in the open air)



ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140100				WHITE					10	020861401006	
140101				WHITE					10	020861401013	
140102				WHITE					10	020861401020	

Door Bell with Wireless Remote 36 Melody with Plug-in Receiver



Specifications	
Frequency Fréquence	315/433mhz ±0.5mhz
Active Pressure Wave (Receiver) Onde De Pression Active (Récepteur)	≤-57dbm
Negative Pressure Wave (Transmitter) Onde De Pression Négative (Émetteur)	≤-36dbm
Reception Sensivity Sensibilité De Réception	≥-80dbm
Power Supply (Transmitter) Alimentation (Émetteur)	1x12v 23A (Included)
Power Supply (Receiver) Alimentation (Récepteur)	2x1.5V AA
Transmitting Power Puissance D'émission	≤10mW
Quiescent Current Courant de repos	≤ 100uA
Ring Volume Volume De La Sonnerie	≥70db
Sound Options Les Options Sonores	36 Polyphonic Melodies
Operation Range Plage De Fonctionnement	80M (in the open air)



Product # 140103

Door Bell with Wireless Remote 25 Melody with Plug-in Receiver



SPECIFICATIONS SPÉCIFICATIONS	
Frequency Fréquence	315/433mhz ±0.5mhz
Active Pressure Wave (Receiver) Onde De Pression Active (Récepteur)	≤-57dbm
Negative Pressure Wave (Transmitter) Onde De Pression Négative (Émetteur)	≤-36dbm
Reception Sensivity Sensibilité De Réception	≥-80dbm
Power Supply (Transmitter) Alimentation (Émetteur)	1x12v 23a (Included)
Power Supply (Receiver) Alimentation (Récepteur)	Ac110/240v
Transmitting Power Puissance D'émission	≤10mw
Working Power Consumption Travailler Consommation D'énergie	≤ 5w
Ring Volume Volume De La Sonnerie	≥70db
Sound Options Les Options Sonores	25 Polyphonic Melodies
Operation Range Plage De Fonctionnement	100M (in the open air)



Product # 140105

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
140103				SILVER					10	020861401037	
140104				SILVER					10	020861401044	
140105				WHITE					10	020861401051	

Insulated Terminals & Connectors



714243



714246

ITEM NUMBER	NO. OF TERM. CON.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
714243	84							20	100	621457142435	
714246	600								20	621457142466	

Wire Connectors

Solid and/or stranded wire combinations



140065



140066



140067



140068



140069



140070

ITEM NUMBER	DESCRIPTION	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
			VOLTS	AMPS	WATTS	INNER	OUTER		
140065	Twist on Connector #31 - 100pc	ORANGE	600	-	-	10	20	020861400658	
140066	Twist on Connector #31 - 10pc	ORANGE	600	-	-	10	100	020861400665	
140067	Twist on Connector #33 - 100pc	YELLOW	600	-	-	10	20	020861400672	
140068	Twist on Connector #33 - 10pc	YELLOW	600	-	-	10	100	020861400689	
140069	Twist on Connector #35 - 100pc	RED	600	-	-	10	20	020861400696	
140070	Twist on Connector #35 - 10pc	RED	600	-	-	10	100	020861400702	

Wire Fish Fiberglass Rod

715014



For fishing electric and data wires, set includes:

- 3 easy connect F.G. Rods. 4 ft each
- Hook and Bullet nose attachment.

ITEM NUMBER	NO. OF COND.	LENGTH OF FISH ROD	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
				VOLTS	AMPS	WATTS	INNER	OUTER		
715014		12'						10	621457150140	

Wire Fish Steel Tape - 100'



For fishing electric and data wires,

715012

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
715012	-	-	100'		-	-	-	6	12	621457150126	

Nylon Cable Ties



714065
714067
714068
714069



714064



714066



714075



ITEM NUMBER	NO. PER PACK	LENGTH OF TIE STRAP	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
				VOLTS	AMPS	WATTS	INNER	OUTER		
714065	100	8" x 5mm	WHITE				50	200	621457140653	
714067	50	11.5" x 5mm	WHITE				10	100	621457140677	
714068	50	14.5" x 5mm	WHITE				10	100	621457140684	
714069	50	21.5" x 8mm	WHITE				20	80	621457140691	
714066	75	4, 5, 8" (25pc) ea.	WHITE				10	100	621457140660	
714064	300	4" x 3mm	ASSORTED				10	40	621457140646	
714075	650	300 x 4" 300 x 8" 50 x 11"	ASSORTED					12	621457140752	

Hush Test, 9v



- Hush Button® - Quickly silences nuisance alarms
- Test button - Tests circuitry and verifies alarm operation.
- Ionization Technology - Sensitive to fast flaming and other fires.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83040375	916KCA	9v	047871403752	
83009162	916CAKT	9v, Twin Pack	047871091621	

Hush Test, Safety Light, 9v



- Safety light - Illuminates an exit route to safety
- Hush Button® - Quickly silences nuisance alarms.
- Test button - Tests circuitry and verifies alarm operation.
- Ionization Technology - Sensitive to fast flaming and other fires.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83018231	918KCA	Safety Light, 9v	025417182316	

Smoke Alarm 9V with Hush



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83000914	i9040CA	9V with Hush	025417009149	

Hush Test, Front Load, 9v



- Front loading battery door - Change the battery without removing the alarm.
- Hush Button® - Quickly silences nuisance alarms.
- Test button - Tests circuitry and verifies alarm operation.
- Ionization technology - Sensitive to fast flaming and other fires.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83005225	976CA	Front Load, 9v	047871052257	

Hush Test, Photoelectric, 9v



- Photoelectric technology - Sensitive to slow smoldering and other fires.
- Hush button- Silences nuisance alarms.
- Test button - Tests circuitry and verifies alarm operation.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83040378	PE9KCA	Photoelectric, 9v	047871403783	

Dual Sensor Smoke Alarms



The ultimate choice, providing faster response for both slow smoldering and fast flaming fires



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83000031	PI9000CA	Dual Sensor, 9v	047871000319	

Hardwire Hush Smoke Alarm



- ULC Rated, 5-B/C
- Hush Button quickly silences nuisance alarm, useful for silencing false alarms caused by cooking, steam
- Ionization technology is sensitive to fast flaming fires and other fires
- Test Button to test circuitry and verifies alarm operation



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83040379	P1235CA	Hardwire	047871403790	

Test, Reset Battery powered CO Alarm



The Kidde 900-0233 is an affordable and portable Battery powered Carbon Monoxide Alarm. Perfect for use where an electrical outlet isn't available or hard wiring isn't practical

- CSA 6.19-01 approved
- Battery Powered – 3 aa batteries included
- Test and Reset Button to test circuitry and reset alarm



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83007508	900-0233	9v	047871075089	

Smoke Alarm, Wireless, Interconnected



- Battery powered (3 AAA batteries included)
- Ionization technology fire detection
- Up to 12 units can be interconnected through wireless signals so all will sound when one is triggered
- Hush feature to silence nuisance alarms from any interconnected unit. Will also hush a low battery alert for 12 hours
- Test feature: tests circuitry and verifies that both the alarms and interconnect circuitry are working
- End of life warning: Will alert homeowner 10 years after first power on
- CUL approved



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83007225	900-0201-003	Interconnected	047871072255	

Test, Reset, Plug In & Battery Backup, C.O. Alarm



General Purpose Carbon Monoxide Alarm. Ideal for secondary protection. Plug-in unit with test and reset button to verify alarm operation by pressing the test button to perform a diagnostic test.

- CSA 6 19-01 approved
- Easy to install, just plug into an AC wall outlet
- 9V battery back up for continuous protection in case of a power failure
- Test/Reset button to test circuitry and reset alarm
- Replacement date 84 months after installation



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83006395	900-0215-005	Plug & Battery	047871063956	

Smoke Alarm, Hush Test, Hardwire & Battery Backup



- **Hush Button®** - Quickly silences nuisance alarms
- **Test button** - Tests circuitry and verifies alarm operation.
- **Ionization Technology** - Sensitive to fast flaming and other fires.
- Available as a 9 V battery operated or 120 V direct wire unit (also available with battery backup).



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83040381	P1275CA	Hardwire & Battery	047871403813	

Test, Reset, Digital Display Plug in & BBU, C.O. Alarm



- Digital display displays the level of carbon monoxide the unit is sensing
- Three convenient mounting options
- Peak level button displays the peak CO level recorded by the alarm since it was last reset
- 9V Battery backup provides protection during power outages
- Kidde's carbon monoxide alarms meet the requirements of C.S.A 6.19-01 requirements.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83000760	900-00760	Plug in & BBU	784908007605	

Digital, Test, Reset, Battery Powered CO Alarm



Perfect for use where an electrical outlet isn't available or hard wiring isn't practical

- Digital Display for a continuous display of CO
- Peak Level button displays the peak level recorded by the alarm since it was last reset.
- CSA 6.19-01 approved
- Battery Powered – 3 aa batteries included
- Test and Reset Button to test circuitry and reset alarm



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83007507	900-0230	CO Alarm	047871075072	

Combo Smoke & C.O. Alarm, Test, Reset, Talking Alarm, Hard Wire & Battery backup



- Voice messages identify different dangers
- Will interconnect with other Kidde alarms
- 9 V battery back up for continuous protection in case of a power failure
- Hush Button quickly silences nuisance alarm, useful for silencing false alarms caused by cooking, steam
- Ionization technology is sensitive to fast flaming fires and other fires
- Test/Reset button to test circuitry and reset alarm



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83000119	900-0119	Combo	047871001194	

Combo Smoke & C.O. Alarm, Test, Reset, Talking Alarm, Hard Wire & Battery backup



The convenient choice for combined Fire and Carbon Monoxide protection in a single alarm that talks, battery operated

- Talking Alarm - voice messages identify different dangers, a voice warning clearly alerts you if the unit has detected smoke, co or a low battery
- Battery Powered - flexible installation for areas with no AC outlets
- Hush Button - to quickly silence nuisance alarms -useful for silencing false alarms caused by cooking, steam, etc
- Intelligent Ionization Technology - sensitive to fast flaming fires and other fires and reduces false alarms
- Test/ reset button - test circuitry and resets alarm
- A low battery chirp sound will warn you that it's time to change the battery



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83007451	900-0220CA	Smoke & CO Detector 3 x AA Battery	047871074518	
83010114	C3010-CA	C3010-CA Worry Free CO Alarm-Sealed Lithium Battery	047871101146	
83010105	PA3010K-CA	Smoke Alarm Worry Free Kitchen 10year	047871101054	
83010107	P1030B-CA	Smoke Alarm Worry Free Bedroom 10yr Warranty	047871101078	

Household Fire Extinguishers



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83066178	468031	2lb White, 5BC	047871661787	
83066294	466294	2lb Red, 5BC	047871662944	
83066296	466296	2.5lb Red, 1A10BC	047871662968	
83007071	21007170	4lb White, 2A10BC	047871070718	
83066297	466297	5lb w/flex hose and gauge, 3A40BC	047871662975	
83066298	466298	10lb, 4A60BC	047871662982	

Kitchen/Garage W/Gauge



Multi Purpose W/Gauge



Rechargeable W/ Flex Hose



Mechanical Timer



Small, portable, economical and easy to use 60 min mechanical timer. Timer alarm sounds for a few seconds.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
87005810	5810	Mechanical	057475058104	

Digital Deluxe Timer



Times up to 20 hours pocket clip, desk plus magnet



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
87040120	DT120	Digital Deluxe	057475401207	

Timer



Mechanical timer
2-prong Polarized outlet
CFL, 30 minute intervals
8 amp 1000 watts

Heavy duty mechanical timer
CFL, 3-prong outlet
30 minute intervals



83050000



83050001

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83050000		24 on/off Settings - Basic	078693500008	
83050001		3 Prong 1 Day - HD Indoor	078693500015	

Cartridge Fuses



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900026	NRN15	15amp 10pk	30068938999675	
83099962	NRN20	20amp 10pk	30068938999620	
83083011	NRN25	25amp 10pk	30068938830114	
83083013	NRN30	30amp 10pk	30068938830138	
83083015	NRN35	35amp 10pk	30068938830152	
83083017	NRN40	40amp 10pk	30068938830176	
83900027	NRN60	60amp 10pk	30068938830206	
83083025	NRN100	100amp 5pk	068938830250	

Cartridge Fuses, Card



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83000028	NRN15-1C	15amp, 1/card	068938000288	
83000021	NRN20-1C	20amp, 1/card	068938000219	
83000022	NRN25-1C	25amp, 1/card	068938000226	
83000023	NRN30-1C	30amp, 1/card	068938000233	
83000024	NRN35-1C	35amp, 1/card	068938000240	
83000025	NRN40-1C	40amp, 1/card	068938000257	
83000026	NRN60-1C	60amp, 1/card	068938000264	

Mini Breakers



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900028	MB15-1C	15amp 2per	068938347727	
83900029	MB20-1C	20amp 2per	068938347734	



Plug Fuses - P Type

Will withstand typical motor starting surges. Use in residential or light-duty circuits that contain electric motors.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83079600	GP15	15amp 50per	30068938796007	
83083803	GP20	20amp 50per	30068938838035	
83083806	GP25	25amp 50per	30068938838066	
83079601	GP30	30amp 50per	30068938796014	



Plug Fuses, Carded

Size Rejecting Plug Fuse. No-interchangeability prevents installing a higher amp fuse than the circuit was designed for. Has ability to withstand typical motor starting surges.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83000029	GP15P2C	15amp 2per	068938000295	
83000013	GP20P2C	20amp 2per	068938000134	
83000014	GP25P2C	25amp 2per	068938000141	
83000015	GP30P2C	30amp 2per	068938000158	



Time Delay Fuses



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900030	TD15	15amp 50per	30068938839902	
83900031	TD20	20amp 50per	30068938839926	
83900032	TD25	25amp 50per	30068938839940	
83900033	TD30	30amp 50per	30068938839964	



Time Delay Fuses, 2/Card



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83000016	TD15-2C	15amp, 2/card	068938000165	
83000017	TD20-2C	20amp, 2/card	068938000172	
83000018	TD25-2C	25amp, 2/card	068938000189	
83000019	TD30-2C	30amp, 2/card	068938000196	

Booster Cable with Amp Clamps

UL listed



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83070501	70501	4 gauge, 12'	062964705018	
83070508	70508	8 gauge, 12'	062964705087	
83070504	70504	6 gauge, 12'	062964705049	

Multi-Purpose Wiring Tool

Wire Strippers & Crimpers



All-in-one tool cuts, strips and crimps round and flat wires and cables.

714341



Quick and easy 8-32 AWG wire stripping

714332



Strips 10-24 AWG Solid and 12-26 AWG Stranded Wire

153138



Strips 10-22 AWG Stranded Wire

714345



7-in-1 Tool Easily cuts and strips wire.

714346



6-in-1 Tool Easily cuts and strips wire.

714303



Includes: 8" Crimping Tool & 50 terminals

714301

ITEM NUMBER	DESCRIPTION	LENGTH			CASE QTY.		UPC CODE	BARCODE
					INNER	OUTER		
714341	The Stripper, Heavy-Duty		8½"		10	60	621457143418	
714332	Automatic Wire Stripper		6½"		5	50	621457143326	
153138	Wire Stripper/Cutter		6½"		8	80	020861531383	
714345	Wire Stripper/Cutter		6½"		12	72	621457143456	
714346	Wire Stripper/Cutter/Crimper		8"		12	60	621457143463	
714303	Crimping Tool Heavy-Duty		9½"		10	50	621457143036	
714301	Crimping Tool Set - 52pc		8"		10	40	621457143012	

Replacement Entertainment Wire



Coiled Handset Cords



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83044605	TE605	14'	842714064936	
83046061	TE606	25'	094955460613	

Modular Extension Plugs with Telephone Jack



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83044615	TE615	14'	094955446150	
83044616	TE616	25'	094955446167	

Modular Line Cords



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83044637	ALT637	6"	094955446372	
83044613	ATL613	14'	094955446136	
83044614	ATL614	25'	094955446143	

Speaker Wires



Connect your speakers and audio components together.



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900006	ALT1000	18AWG, 1000'		
83900001	AA006	22AWG, 25'	84271406491	
83011005	AA005	22AWG, 50'	094955110051	

Telephone Wire



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900016	TE1000	1000'		

RG6 Coaxial Ext. Gold Ends, Black



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900013	CX-6W	6'	84271406144	
83900004	CX-10W	10'		
83900007	CX-15W	15'	84271406148	
83900010	CX-25W	25'	84271406150	
83900012	CX-50W	50'	842714061522	
83900005	CX-100W	100'		

Armoured BX Cables



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83075142	15142	14/2, 75m	775583751426	
83075143	15143	14/3, 75m	775583751433	

Underground Wires, NMU



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83090974	99038	14/2, 75m	622089909748	
83079818	99042	12/2, 75m	622089798182	

NMD90 Cables



- Non-metallic Sheathed Cable
- 300 Volts
- Copper Conductors
- SIM Jacket™ Construction Designed for Easier Pulling
- Pulls Faster
- Strips Easier
- Reduced Burn-Thru
- Tear Resistant

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83099001	99001	14/2, 10m	775583990016	
83099002	99002	14/2, 20m	032886001390	
83099003	99003	14/2, 30m	032886001406	
83099004	99004	14/2, 150m	775583990047	
83099005	99005	14/2, 75m	032886010224	
83042044	99016	14/3, 75m	032886004414	
83099017	99017	12/2, 75m	775583990177	
83006055	99029	10/3, 75m	622000060558	
83053814	99032	8/3, 40m	622089538146	



18/2, 75m, SPT



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83041182	41182	POT 64, Brown	775583411825	
83042182	42182	POT 64, White	775583421824	
83043182	43182	POT 64, Gold	775583431823	
83044182	44182	POT 64, Black	032886084874	



Building Wire



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83075182	75182	16/2, 75m HNP Wire	775583751822	
83028013	75183	18/2, 75m STV Wire	622000280130	



18/2, 75m, SPT



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83010889	99123	POT 32, White	078693108891	



Round Adapter Plug, European

Most common plug pattern in Continental Europe. Accepts both parallel-blade plugs and round-pin transformer/converter plugs, as well as polarized plugs.



83055804



Black Flex Wires, SJ



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83025163	25163	16/3 SJ	775583251636	

Flat adapter plug, S.American

Non-Grounded American style adapter plugs accept foreign 2 prong adapters and convert them to the USA style non-polarized electrical plug.



83055805

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83055804	EA804	European, Round	094955558044	
83055805	EA805	S.American, Flat	094955558051	

RG-6G Cable Ends



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900015	RG-6G	4pk - Cable Ends	842714062000	

Modular Telephone Coupler



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83046065	TE624	Modular	094955460651	

In-line Coupler



Joining 2 runs of RG6 coaxial cable

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83033430	TV430	2pk Connector	094955334303	

Surface Mount Modular Jack



Modular outlet works with standard phone or modem line connections

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83044622	TE622	Surface mount	094955446228	

Quick Connect F Plug



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83033431	TV431	Quick connect	094955334310	

Telephone duplex jack



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83044623	TE623	Duplex	094955446235	

1600W Travel Converter



1600 watt step down voltage converter
Voltage converter for use in 220 volt countries.
Input: 220/240 Volt with two round pins.
Output: 110/120 Volt. 1600 Watts.
Changes 220V foreign electricity to 110V for appliances using up to 1600 watts



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83090061	EA803	1600W	063252900617	

Cable Splitters



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83033404	TV404	2-way	094955334044	
83033405	TV405	3-way	094955334051	
83033406	TV406	4-way	094955334068	

Tv Cable Clips



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83033425	TV425	25pk	094955334259	

Insulated Staples



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83014160	37137-730	White	068679141608	
83014170	37137-731	Brown	068679141707	

Assorted Screws



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83013440	37135-721	42pk	068679134402	

Insulated Staples



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
87027893	278.937	Brown, #5 x 1/2	038613278936	
87027894	278.945	White, #5 x 1/2	038613278943	

Vent Fans



Econo Bathroom Ventilation Fan

Economy series fan, a quality fan for incredible value.

- T50 CFM 3.0 sones (HVI)
- Torsion spring grille mounting - no tools needed
- Compact housing fits easily between wall studs
- Double strength steel mounting flanges with keyhole slots for fast installation
- Ceiling or wall application
- Tapered 3" round, polymeric duct connector - prevents metallic clatter



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83060025	EC50	50cfm, 2.5 sones	055321600255	
83060026	EC70	70cfm, 4.0 sones	055321600262	

Deluxe Bath Fan



- 110 CFM 4.0 sones (HVI)
- Centrifugal blower wheels and 4-pole motors for high capacity at low sound levels
- Built-in mounting ears for quick, sturdy installation
- Torsion spring grille mounting - no tools required
- Ceiling or wall application
- Available in Single and Project Packs
- cUL and UL Listed
- Tapered 4" round, polymeric duct connector prevents metallic clatter





ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83062048	DX110	110cfm 4.0sones	055321620482	

30" Under Cabinet Hoods QT Series

- Patented air chamber design that reduces noise up to 40% over conventional hoods; 210 CFM, 5.0 Sones (vertical discharge) HVI 2100 Certified.
- Infinitely adjustable, rotary speed control.
- Convertible versatility. Installs as 3-1/4" x 10" (vertical or horizontal), 7" round (vertical) or non-duct. (Non-ducted filter sold separately.)
- Dual 40-watt lamps increase light distribution; night-light feature adds safety (lamps not included).
- Includes 3 1/4" x 10" damper/adapter.




ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83052079	QT230WWN	200cfm, White	055321520799	
83052080	QT230AAN	200cfm, Almond	055321520805	

30" Under Cabinet Hood Range GP Series

Variable speed performance. Made to exacting standards, the Good Performance Series range hood is ideal for homeowners who cook occasionally yet require a variable speed control for different types of cooking.

- Powerful 190 CFM, 7.0 Sones (vertical discharge)
- HVI 2100 Certified.
- Rotary control for variable speed selection.
- Bright 75-watt light bulb with diffuser offering 2 lighting levels
- Easily installs
- Includes 3 1/4" X 10" damper and adapter.
- 7" round adapter and damper sold separately.





ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83052197	GP130WHN	200cfm, White	055321521970	

30" Under Cabinet Hood Range BP Series

Ideal for light cooking habits. Designed with simplicity in mind, the Basic Performance Series range hood provides the high quality you expect and the value you demand.

- 180 CFM, 7.5 Sones (3 1/4" X 10" vertical discharge)
- 2-speed fan blade motor.
- 75-watt light with diffuser (bulb not included).
- Four-way convertible; installs ducted
- Includes 3 1/4" X 10" damper and adapter.
- 7" round adapter and damper sold separately.




ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83050066	BP130WWN	180cfm, White	055321500661	
83050065	BP130ALN	180cfm, Almond	055321500654	

24" Under Cabinet Hood Range GP Series

Variable speed performance. Made to exacting standards, the Good Performance Series range hood is ideal for homeowners who cook occasionally yet require a variable speed control for different types of cooking.




ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83052195	GP124WHN	200cfm, White	055321521956	

Aluminum Mesh Range Filters for BP/GP Series




83027969
8-3/4" x 10-1/2"



83098327

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83027969	RLSM65	Alum Filter	784891279690	
83098327	FKM65	Char Filter	784891983276	

Element, Bulk



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
Spade Element				
83900069	80035	6"		
83900071	80037	8"		
Loop Element				
83900068	80034	6"		
83900070	80036	8"		
Terminal Blocks				
83900066	80022	Replacement, Loop		
83900067	80023	Replacement, Spade		

Aluminum Mesh Range Filters for QT Series



11-1/4" x 12"

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83080111	RFQTA	Alum Filter	055321801119	
83080109	RFQTC	Char Filter	055321801096	

Range & Bowl Ring



ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83900072	80051	6"		
83900073	80052	8"		

Aluminum Mesh Range Filters for 39000 & 48000 Series



83080007
8-3/4" x 10-1/2"

83080008
8-3/4" x 10-1/2"

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
83080007	RF48A	Alum filter	055321800075	
83080008	RF49C	Char filter	055321800082	

Range Rings & Pans



86000418
86000419



86000420
86000421

ITEM#	MFG#	DESCRIPTIONS	UPC CODE	BARCODE
Rings				
86000418	K0418	6"	061541004186	
86000419	K0419	8"	061541004193	
Pans				
86000420	K0420	6"	061541004209	
86000421	K0421	8"	061541004216	

Magnifier - Work Aid

Illuminated Bino Magnifier



716100

Increase the size of a wide range of items, for precision inspections. For professional or amateur applications.

Magnifier Set - 75 & 90mm



716096, 716097

12pc Magnifiers w/Display



716098

Helping Hands Magnifier & Holder



A useful aid for soldering jobs and inspection work

716104

ITEM NUMBER	DESCRIPTION	CASE QTY.		UPC CODE	BARCODE
		INNER	OUTER		
716100	Illuminated Bino Magnifier	1	36	621457161009	
716096	75mm Magnifier	10	100	621457160965	
716097	90mm Magnifier Set	10	100	621457160972	
716098	12pc Magnifiers in Box		8	621457160989	
716104	Helping Hands - Magnifier & Holder	6	24	621457161047	

Digital Multi-Meter/Tester

7-Function Digital Multimeter



Measures AC/DC voltage, DC current and resistance with 20 position rotary function and range selector. Battery check facility. Test probes and leads. Battery included.

ITEM NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (METER)	COLOR OF JACKET	POWER RATING			CASE QTY.		UPC CODE	BARCODE
					VOLTS	AMPS	WATTS	INNER	OUTER		
715016								5	40	621457150164	

Electrical Tape - PVC



(CSA Approved)



ITEM NUMBER	DESCRIPTION	SIZE	COLOR	CASE QTY.		UPC CODE	BARCODE
				INNER	OUTER		
177951	PVC Electrical Tape (CSA Approved)	18mm x 20m - 180mic	BLACK	10	250	020861779518	
177955	PVC Electrical Tape (CSA Approved)	18mm x 20m - 180mic	BLUE	10	250	020861779556	
177956	PVC Electrical Tape (CSA Approved)	18mm x 20m - 180mic	GREEN	10	250	020861779563	
177953	PVC Electrical Tape (CSA Approved)	18mm x 20m - 180mic	RED	10	250	020861779532	
177952	PVC Electrical Tape (CSA Approved)	18mm x 20m - 180mic	WHITE	10	250	020861779525	
177954	PVC Electrical Tape (CSA Approved)	18mm x 20m - 180mic	YELLOW	10	250	020861779549	