

# DELIVERY

## RACEWAY

Hubbell's Metal and Non-Metallic Raceway have been designed to address today's data intensive applications and multimedia concerns. The design features include easy configurability, compliant bend radius corners and fittings, deep boxes for use with audio/video, fiber and category rated cabling and connections.






# RACEWAY

PRODUCT	PAGE
RACEWAY PROFILES – QUICK REFERENCE GUIDE . . . . .	R3
RACEWAY SYSTEMS – FEATURES AND BENEFITS . . . . .	R4
HBL500 AND HBL750 SERIES STEEL RACEWAY . . . . .	R5
HBL2000 SERIES STEEL RACEWAY . . . . .	R7
HBL2400 SERIES STEEL RACEWAY . . . . .	R8
HBL2400D SERIES STEEL RACEWAY WITH DIVIDER . . . . .	R9
HBL3000 SERIES STEEL RACEWAY . . . . .	R10
HBL4750 SERIES STEEL RACEWAY . . . . .	R11
HBL6750 SERIES STEEL RACEWAY . . . . .	R13
HBLALU2000 AND HBLALU3800 SERIES ALUMINUM RACEWAY . . . . .	R15
HBLALU4800 AND HBLALU5000 SERIES ALUMINUM RACEWAY . . . . .	R17
<b>PREMISETRAK® (PT1) SERIES NON-METALLIC RACEWAY . . . . .</b>	<b>R19</b>
<b>PREMISETRAK® (PP1) SERIES NON-METALLIC RACEWAY . . . . .</b>	<b>R20</b>
<b>LANTRAK® (PL1) SERIES NON-METALLIC RACEWAY . . . . .</b>	<b>R21</b>
<b>WALLTRAK® (PW1) SERIES NON-METALLIC RACEWAY . . . . .</b>	<b>R22</b>
<b>WALLTRAK® (PW2) SERIES NON-METALLIC RACEWAY . . . . .</b>	<b>R23</b>
<b>BASETRAK® (PB2) SERIES NON-METALLIC RACEWAY . . . . .</b>	<b>R24</b>
<b>BASETRAK® (PB3) SERIES NON-METALLIC RACEWAY . . . . .</b>	<b>R25</b>
<b>SUPER BASETRAK® (PS3) SERIES NON-METALLIC RACEWAY . . . . .</b>	<b>R26</b>
NON-METALLIC RACEWAY FACE PLATES AND FRAMES . . . . .	R27
PRE-WIRED RACEWAY . . . . .	R28
METAL RACEWAY WIRE FILL CAPACITY CHART . . . . .	R29
NON-METALLIC RACEWAY WIRE FILL CAPACITY CHART . . . . .	R30
NON-METALLIC RACEWAY SELECTION GUIDE . . . . .	R31



**Steel Raceway – Color: Ivory, Gray or White**

**HBL500**  
Ivory/White




Page Q5

**HBL750**  
Ivory/White




Page Q5

**HBL2000/A**  
Ivory/Gray




Page Q7

**HBL2400**  
Ivory/Gray




Page Q8

**HBL2400D**  
Ivory/Gray




Page Q9

**HBL3000\***  
Ivory/Gray




Page Q10

**HBL4750\***  
Ivory/Gray



Page Q11


**HBL6750\***  
Ivory/Gray



Page Q13


**Aluminum Raceway – Color: Satin Anodized Finish**

**HBLALU2000**




Page Q15

**HBLALU3800\***




Page Q16

**HBLALU4800\***



Page Q17


**HBLALU5000\***



Page Q18


**Non-Metallic Raceway – Color: Office White**

**PT1**




Page Q19

**PP1**




Page Q20

**PL1**




Page Q21

**PW1**




Page Q22

**PW2**




Page Q23

**PB2\***




Page Q24

**PB3**



Page Q25

**PS3\***



Page Q26

### Metal Raceway

- Hubbell **HANDI-SCREW**<sup>®</sup> eliminates difficult to install long screws for easier installation.
- All Metal Raceway has been designed to accept all Category 5e, 6 and 6A rated cabling.
- More color options available for architects and interior designers.
- Ideal for high speed data cabling applications, such as: Category 6A and fiber.



### Aluminum Raceway

- Satin anodized finish.
- External, internal, flat and tee fittings available to accommodate all types of applications.
- Split covers allow access to one service at a time.
- Low profile bezel cover accommodates Hubbell iSTATION modules.




### Non-Metallic Raceway

- Sizes range from single channel **PREMISETRAK**<sup>®</sup> to three channel Super **BASETRAK**<sup>®</sup> for all types of surface raceway requirements.
- Single and two channel latching raceways are dual-rated for both power and data applications, reducing inventory requirements.
- Boxes have three cut-aways that can be utilized with **WALLTRAK**<sup>®</sup>, **LANTRAK**<sup>®</sup> and **PREMISETRAK**<sup>®</sup> (latching) systems.
- Full capacity in-line boxes eliminate the need to de-rate the wire fill capacity due to the intrusion of devices into the raceway channel.





Raceway	Color	Base and Cover, 10ft	Base and Cover, 5ft
HBL500	Ivory White	<b>HBL50010IV</b> <b>HBL50010W</b>	<b>HBL5005IV</b> <b>HBL5005W</b>
HBL750	Ivory White	<b>HBL75010IV</b> <b>HBL75010W</b>	<b>HBL7505IV</b> <b>HBL7505W</b>



Note: Ivory Metal Raceway uses Almond (AL) Plates, Frames, Devices, Jacks and Snap fits.



Raceway Fittings	Color	Internal Elbow	External Elbow	90° Flat Elbow	45° Flat Elbow	Mounting Strap	Connection Cover	Bushing
HBL500	Ivory White	<b>HBL517IV</b> -	<b>HBL518IV</b> -	<b>HBL511IV</b> -	<b>HBL512IV</b> -	<b>HBL504IV</b> <b>HBL504W</b>	<b>HBL506IV</b> <b>HBL506W</b>	<b>HBL502B</b>
HBL750	Ivory White	<b>HBL717IV</b> <b>HBL717W</b>	<b>HBL718IV</b> <b>HBL718W</b>	<b>HBL711IV</b> <b>HBL711W</b>	<b>HBL712IV</b> -	<b>HBL704IV</b> <b>HBL704W</b>	<b>HBL706IV</b> <b>HBL706W</b>	<b>HBL702B</b>



Raceway Fittings	Color	Internal Twisted Elbows For double turns at right angles		Internal Elbow 1 1/2" Bend Radius	External Elbow 1 1/2" Bend Radius	Flat Elbow 1 1/2" Bend Radius
		Right Elbow	Left Elbow			
HBL500 or HBL750	Ivory White	<b>HBL5711RHIV</b> <b>HBL5711RHW</b>	<b>HBL5711LHIV</b> <b>HBL5711LHW</b>	<b>HBL5717BRIV</b> -	<b>HBL5718BRIV</b> -	<b>HBL5711BRIV</b> -



Raceway Fittings	Color	Tee Fitting 1 1/2" Bend Radius	Tee Fitting	Corner Box For connecting HBL500 or HBL750 Raceway from ceiling or corner	Coupling Galvanized Steel	Support Clip	Transition Fitting* Wiremold® to Hubbell, Ivory
HBL500 or HBL750	Ivory White	<b>HBL5715BRIV</b> -	<b>HBL5715IV</b> <b>HBL5715W</b>	<b>HBL5719IV</b> <b>HBL5719W</b>	<b>HBL5701C</b>	<b>HBL5703IV</b> <b>HBL5703W</b>	<b>HBL500TFIV</b> <b>HBL750TFIV</b>



Raceway	Color	Elbow Box Connector Right angles to boxes with 1/2" KO	Elbow Conduit Connector Right angles to 1/2" conduit	Combination 1/2" Connector No offsetting needed to 3/4" or 4" box	Adjustable Offset Connector with two 1/2" KOs	Entrance Connector 3/4" KO and 3/4" Chase Nipple
HBL500 or HBL750	Ivory White	<b>HBL5783IV</b> -	<b>HBL5784IV</b> -	<b>HBL5785IV</b> <b>HBL5785W</b>	<b>HBL5786IV</b> <b>HBL5786W</b>	<b>HBL5786AIV</b> <b>HBL5786AW</b>

Note: \*For transitioning from either Wiremold® V500 to Hubbell HBL500 Raceway or Wiremold® V700 to Hubbell HBL750 Raceway. Wiremold® is a registered trademark of The Wiremold Company.



Raceway	Flexible Section 18" long, Ivory	Box Connector		Conduit Connector		Grounding Clamp For 1/2" Conduit	Special Nipple For 1/2" Trade Size KOs
		1/2" Male	3/4" Male	1/2" Female	3/4" Female		
HBL500 or HBL750	<b>HBL5700FIV</b>	<b>HBL5781</b>	<b>HBL5781A</b>	<b>HBL5782C</b>	<b>HBL5782A</b>	<b>HBL5709GC</b>	<b>HBL5780</b>



Raceway	Armored Cable Connector	Ground Clamp	EMT 1/2"* Connector	Raceway Tools	Cutter	Replacement Blade	Bender	Touch-Up Pen, Ivory
				HBL750	<b>HBL607CUT</b>	<b>HBL607K</b>		

Device Box* 1.75" Deep						
Color	1-Gang	2-Gang	3-Gang	4-Gang	5-Gang	6-Gang
Ivory	<b>HBL5748IV</b>	<b>HBL57482IV</b>	<b>HBL57483IV</b>	<b>HBL57484IV</b>	<b>HBL57485IV</b>	<b>HBL57486IV</b>
White	<b>HBL5748W</b>	<b>HBL57482W</b>	<b>HBL57483W</b>	-	-	-



Shallow Device Box 1.38" Deep			Deep Device Box 2.25" Deep			
Color	1-Gang	2-Gang	3-Gang	1-Gang	2-Gang	3-Gang
Ivory	<b>HBL5747IV</b>	<b>HBL57472IV</b>	<b>HBL57473IV</b>	<b>HBL5744SIV</b>	<b>HBL5744S2IV</b>	<b>HBL5744S3IV</b>
White	<b>HBL5747W</b>	<b>HBL57472W</b>	-	<b>HBL5744SW</b>	<b>HBL5744S2W</b>	-



Extra Deep Device Box 2.75" Deep			Extension Box Open Base 1.38" Deep			Exten. Box 1.75" Deep
Color	1-Gang	2-Gang	3-Gang	1-Gang	2-Gang	
Ivory	<b>HBL5744IV</b>	<b>HBL57442IV</b>	<b>HBL57443IV</b>	<b>HBL5751IV</b>	<b>HBL57512IV</b>	<b>HBL57513IV</b>
White	<b>HBL5744W</b>	<b>HBL57442W</b>	-	<b>HBL5751W</b>	<b>HBL57512W</b>	-
						<b>HBL5751AIV</b> <b>HBL5751AW</b>



Round Extension Box Open Base			Round Fixture Box Solid Base			Blank Cover 1/2" Trade KO in Center**
Color	4.75" Dia.	5.5" Dia.	6.375" Dia.	4.75" Dia.	5.5" Dia.	
Ivory	<b>HBL5737IV</b>	<b>HBL5737AIV</b>	<b>HBL5739AIV</b>	<b>HBL5738IV</b>	<b>HBL5738AIV</b>	<b>HBL5739IV</b>
White	<b>HBL5737W</b>	<b>HBL5737AW</b>	-	<b>HBL5738W</b>	<b>HBL5738AW</b>	<b>HBL5739W</b>
						<b>HBL5736IV</b> <b>HBL5736W</b>



Color	Outlet Box 3" Dia.	Blank Cover For use with HBL5733IV
Ivory	<b>HBL5733IV</b>	<b>HBL5731IV</b>
White	-	-



Fanbox Fans up to 50 lbs.
<b>HBL5738AFIV</b> <b>HBL5738AFW</b>



Round Fixture Box for Audible Alarms
<b>HBL5739AABIV</b> <b>HBL5739AABW</b>



Color	Device Box Low-Profile 1.13" Deep	Device Box 1/2" side KOs 1.75" Deep
Ivory	<b>HBL5748SIV</b>	<b>HBL5745IV</b>
White	<b>HBL5748SW</b>	<b>HBL5745W</b>



Blank Extension Box Open Base
<b>HBL5760IV</b> -



Utility Box 1/2" KO
<b>HBL57242IV</b> -




Color	Alarm Device Box 1.38" Deep	Alarm Device Box Extra Deep 2.75"
Ivory	<b>HBL5752IV</b>	<b>HBL5753IV</b>
Red	<b>HBL5752R</b>	<b>HBL5753R</b>



Distribution Box Mounting screw centers of 2.75", 3.5", 4.06"
<b>HBL5735IV</b> -



Note: \*All Boxes use HBL5791 for connecting 1/2" EMT to all HBL5700 Series round and rectangular having a 1/2" trade size KO.  
\*\*For use with HBL5735IV, HBL5737IV, HBL5737AIV, HBL5739AIV, HBL5738IV, HBL5738AIV and HBL5739IV.



A: 1.31" (33)  
B: .83" (21)

Color	Base and Cover*, 5ft	Base, 5ft	Cover, 5ft
Ivory	<b>HBL2000BCIV</b>	<b>HBL2000B5IV</b>	<b>HBL2000CIV</b>
Gray	<b>HBL2000BCGY</b>	<b>HBL2000B5GY</b>	<b>HBL2000CGY</b>

Note: \*Cover is .025" thick for up to 300V AC applications. Ivory metal raceway uses Almond (AL) plates, frames, devices, jacks and snap fits.



Color	90° Flat Elbow	90° Flat Elbow 1½" Bend Radius	Tee Fitting	Tee Fitting 1½" Bend Radius	External Elbow Coupling	External Elbow 1½" Bend Radius	Internal Elbow 1½" Bend Radius
Ivory	<b>HBL2011IV</b>	<b>HBL2011BRIV</b>	<b>HBL2015IV</b>	<b>HBL2015BRIV</b>	<b>HBL2018CIV</b>	<b>HBL2018BRIV</b>	<b>HBL2017BRIV</b>
Gray	<b>HBL2011GY</b>	<b>HBL2011BRGY</b>	<b>HBL2015GY</b>	<b>HBL2015BRGY</b>	<b>HBL2018CGY</b>	<b>HBL2018BRGY</b>	<b>HBL2017BRGY</b>



Color	Blank End Fitting	Entrance End Fitting ½" KOs	Entrance End Fitting Large Capacity ½" and ¾" KOs	Cover Clip to hide seams in cover	Flush Plate Adaptor	Transition Fitting Wiremold® to Hubbell
Ivory	<b>HBL2010BIV</b>	<b>HBL2010A2IV</b>	<b>HBL2010A3IV</b>	<b>HBL2006IV</b>	<b>HBL2051HIV</b>	<b>HBL2000TFIV</b>
Gray	<b>HBL2010BGY</b>	<b>HBL2010A2GY</b>	<b>HBL2010A3GY</b>	<b>HBL2006GY</b>	<b>HBL2051HGY</b>	<b>HBL2000TFGY</b>



Color/ Material	Side Reducing Connector to HBL500	End Reducing Connector to HBL500	Coupling	Internal Corner Coupling	Wire Clip	Support Clip	Ground Clamp
Ivory	<b>HBL2089IV</b>	<b>HBL2089EIV</b>	-	-	-	-	-
Galv. Steel	-	-	<b>HBL2001C</b>	<b>HBL2017TC</b>	<b>HBL2000WC</b>	<b>HBL2003SC</b>	<b>HBL2009GC</b>



Color	Device Box 1-Gang, 1.75" Deep	Device Box 2-Gang, 1.75" Deep
Ivory	<b>HBL2048IV</b>	<b>HBL20482IV</b>
Gray	<b>HBL2048GY</b>	<b>HBL20482GY</b>


Raceway Tools	Raceway Cutter	Replacement Cutter Blade Set
HBL2000	<b>HBL620C</b>	<b>HBL620BCK</b>



Color	Touch-Up Paint Pen
Ivory	<b>HBLIWEP</b>
Gray	<b>HBLGWEP</b>




Wiremold® is a registered trademark of The Wiremold Company.



Color	Base and Cover, 5ft	Base, 5ft	Base, 10ft	Cover, 5ft
Ivory	<b>HBL2400BCIV</b>	<b>HBL2400BIV</b>	<b>HBL2400B10IV</b>	<b>HBL2000CIV</b>

Note: Ivory metal raceway uses Almond (AL) plates, frames, devices, jacks and snap fits.




A: 1.91" (49)  
B: .88" (22)



Color	90° Flat Elbow 1½" Bend Radius	Tee Fitting 1½" Bend Radius	External Elbow 1½" Bend Radius	Internal Elbow 1½" Bend Radius
Ivory	<b>HBL2411IV</b>	<b>HBL2415IV</b>	<b>HBL2418IV</b>	<b>HBL2417IV</b>



Color	Blank End Fitting	Entrance End Fitting ½" KOs	Entrance End Fitting Large Capacity ½" and ¾" KOs	Cover Clip to hide seams in cover	Flush Plate Adaptor	Transition Fitting Wiremold® to Hubbell
Ivory	<b>HBL2410BIV</b>	<b>HBL2410AIV</b>	<b>HBL2410CIV</b>	<b>HBL2406IV</b>	<b>HBL2451HIV</b>	<b>HBL2400TFIV</b>



Color/ Material	Side Reducing Connector to HBL500	End Reducing Connector to HBL2000	Coupling	Wire Clip	Ground Clamp
Ivory Galv. Steel	<b>HBL2489IV</b> -	<b>HBL2420REDIV</b> -	- <b>HBL2401C</b>	- <b>HBL2400WC</b>	- <b>HBL2409GC</b>



Color	Device Box 1-Gang, 1.75" Deep	Device Box 2-Gang, 1.75" Deep
Ivory Gray	<b>HBL2048IV</b> <b>HBL2048GY</b>	<b>HBL20482IV</b> <b>HBL20482GY</b>

Raceway Tools	Raceway Cutter	Replacement Cutter Blade Set
HBL2400	<b>HBL624CUT</b>	<b>HBL624BCK</b>




Color	Touch-Up Paint Pen
Ivory Gray	<b>HBLIWEP</b> <b>HBLGWEP</b>




Wiremold® is a registered trademark of The Wiremold Company.





Color	Base, 10ft	Cover, 5ft
Ivory	<b>HBL2400BDIV</b>	<b>HBL2400CIV</b>

Note: Ivory Metal Raceway uses Almond (AL) Plates, Frames, Devices, Jacks and Snap fits.



A: 1.91" (49)  
B: .88" (22)



Color	90° Flat Elbow 1½" Bend Radius	Tee Fitting 1½" Bend Radius	External Elbow 1½" Bend Radius	Internal Elbow 1½" Bend Radius
Ivory	<b>HBL2411DFOIV</b>	<b>HBL2415DFOIV</b>	<b>HBL2418DFOIV</b>	<b>HBL2417DFOIV</b>



Color	Blank End Fitting	Entrance End Fitting Large Capacity ¾" and 1" KOs	Cover Clip to hide seams in cover	Transition Fitting Wiremold® to Hubbell
Ivory	<b>HBL2410BDIV</b>	<b>HBL2410DFOIV</b>	<b>HBL2406IV</b>	<b>HBL2400DTFIV</b>



Color	Coupling	Ground Clamp
Ivory	<b>HBL2401DC</b>	<b>HBL2409GC</b>



Color	Device Box 1-Gang with Divider, 2.75" Deep	Device Box 2-Gang with Divider, 2.75" Deep
Ivory	<b>HBL2444DIV</b>	<b>HBL2444D2AIV</b>

Raceway Tools	Raceway Cutter	Replacement Cutter Blade Set
HBL2400	<b>HBL624CUT</b>	<b>HBL624BCK</b>
HBL3000	<b>HBL630B</b> (Base) <b>HBL630C</b> (Cover)	<b>HBL630BDK</b> (Base) <b>HBL630CDK</b> (Cover)




Color	Touch-Up Paint Pen
Ivory Gray	<b>HBLIWEP</b> <b>HBLGWEP</b>





**HUBBELL DELIVERY**

# HBL3000 SERIES STEEL RACEWAY



Color	Base, 10ft	Cover, 5ft	7.5" Precut Cover For mounting devices on 12" centers	19.5" Precut Cover For mounting devices on 24" centers
Ivory	<b>HBL3000BIV</b>	<b>HBL3000CEIV</b>	<b>HBL3000C075IV</b>	<b>HBL3000C195IV</b>
Gray	<b>HBL3000BGY</b>	<b>HBL3000CEGY</b>	<b>HBL3000C075GY</b>	<b>HBL3000C195GY</b>

Note: Ivory Metal Raceway uses Almond (AL) Plates, Frames, Devices, Jacks and Snap fits.



Color	90° Flat Elbow	Tee Fitting	External Corner Coupling	Internal Corner Coupling	Cover Clip to hide seams	Support Clip
Ivory	<b>HBL3011EIV</b>	<b>HBL3015EIV</b>	<b>HBL3018AEIV</b>	<b>HBL3017TCEIV</b>	<b>HBL3006EIV</b>	<b>HBL3003IV</b>
Gray	<b>HBL3011EGY</b>	<b>HBL3015EGY</b>	<b>HBL3018AEGY</b>	<b>HBL3017TCEGY</b>	<b>HBL3006EGY</b>	<b>HBL3003GY</b>



Color	Entrance End Fitting 1/2" KOs	Large Capacity Entrance End Fitting 1/2", 3/4", 1" KOs	Blank End Fitting 1/2", 3/4" KOs	Wall Box Connector to connect to flush boxes	Panel Connector to connect to surface boxes	Reducer HBL3000 to HBL2000
Ivory	<b>HBL3010AEIV</b>	<b>HBL3010CIV</b>	<b>HBL3010BIV</b>	<b>HBL3014CIV</b>	<b>HBL3086IV</b>	<b>HBL3200REDIV</b>
Gray	<b>HBL3010AEGY</b>	<b>HBL3010CGY</b>	<b>HBL3010BGY</b>	<b>HBL3014CGY</b>	<b>HBL3086GY</b>	<b>HBL3200REDGY</b>



Color	Transition Fitting Wiremold® to Hubbell	Tap-Off 1/2" and 3/4" KOs	Wire Clip Galvanized Steel	Coupling Galvanized Steel	Heavy-Duty Coupling Galv. Steel	1 1/2" Trade Size Conduit Connector
Ivory	<b>HBL3000TFIV</b>	<b>HBL3046H2IV</b>	-	-	-	-
Gray	<b>HBL3000TFGY</b>	<b>HBL3046H2GY</b>	<b>HBL3000WCGY</b>	<b>HBL3001GY</b>	<b>HBL3001AGY</b>	<b>HBL3082GY</b>



Color	Device Bracket for use with Standard Device Plates	Cover Plate Single Receptacle 1.39"	Cover Plate Single Receptacle 1.58"	Blank Cover Plate 1/2" KO in center	Switch Cover Plate	Cover Plate Duplex Opening
Ivory	-	<b>HBL3027AEIV</b>	<b>HBL3033JEIV</b>	<b>HBL3036HEIV</b>	<b>HBL3040CEIV</b>	<b>HBL3043BEIV</b>
Gray	<b>HBL3007CGY</b>	<b>HBL3027AEGY</b>	<b>HBL3033JEGY</b>	<b>HBL3036HEGY</b>	<b>HBL3040CEGY</b>	<b>HBL3043BEGY</b>



Color	Cover Plate & Brackets High Strain/Vibration Duplex Opening	Cover Plate Rectangular Decorator	Extension Cover for Shallow 30A & 50A Devices and Standard Device Plates	Switch and Receptacle Box 2-Gang, 2.75" Deep	Utility Box Cover has twist- outs on all sides
Ivory	<b>HBL3046BEIV</b>	<b>HBL3048RIV</b>	<b>HBL3051EIV</b>	<b>HBL30442IV</b>	<b>HBL3028IV</b>
Gray	<b>HBL3046BEGY</b>	<b>HBL3048RGY</b>	<b>HBL3051LEGY</b>	<b>HBL30442GY</b>	<b>HBL3028GY</b>

Note: All cover plates except HBL3046BE include HBL3007CGY device bracket. Wiremold® is a registered trademark of The Wiremold Company.

Note: See page R9 for HBL3000 series cutter tools.






**HUBBELL DELIVERY**

# HBL4750 SERIES STEEL RACEWAY

Color	Base, 10ft	Cover, 5ft
Ivory	<b>HBL4750B10IV</b>	<b>HBL4750CIV</b>
Gray	<b>HBL4750B10GY</b>	<b>HBL4750CGY</b>

Note: Ivory metal raceway uses Almond (AL) plates, frames, devices, jacks and snap fits.



A: 4.75" (121)  
B: 1.75" (44)

Color	31.5" Precut Cover For mounting devices on 36" centers	19.5" Precut Cover For mounting devices on 24" centers	13.5" Precut Cover For mounting devices on 18" centers	7.5" Precut Cover For mounting devices on 12" centers
Ivory	<b>HBL4750C315IV</b>	<b>HBL4750C195IV</b>	<b>HBL4750C135IV</b>	<b>HBL4750C075IV</b>
Gray	<b>HBL4750C315GY</b>	<b>HBL4750C195GY</b>	<b>HBL4750C135GY</b>	<b>HBL4750C075GY</b>



Material	Divider 5ft Painted Steel	By-Pass Divider Painted Steel	Divider Clip use every 2.5ft	Coupling to couple together raceway	Wire Clip to hold conductors in place	Internal Corner Coupling
Galv. Steel	<b>HBL4750DGY</b>	<b>HBL4750BP</b>	<b>HBL4751DA</b>	<b>HBL4751AC</b>	<b>HBL4750WCGY</b>	<b>HBL4717TCAGY</b>



Color	Internal or External Elbow 45°	Internal Elbow Divided 1 1/4" Bend Radius	Internal Elbow Undivided	Internal Elbow Inverted Connects vertical run with horizontal run	External Elbow Divided 1 1/4" Bend Radius	External Elbow Undivided
Ivory	<b>HBL4712TXIV</b>	<b>HBL4717DFOIV</b>	<b>HBL4717IV</b>	<b>HBL4717NIV</b>	<b>HBL4718DFOIV</b>	<b>HBL4718IV</b>
Gray	<b>HBL4712TXGY</b>	<b>HBL4717DFOGY</b>	<b>HBL4717GY</b>	<b>HBL4717NGY</b>	<b>HBL4718DFOGY</b>	<b>HBL4718GY</b>



Color	Flat Elbow Divided 1 1/4" Bend Radius	Flat Elbow Undivided	Tee Fitting Divided 1 1/4" Bend Radius	Tee Fitting Undivided	Wall Box Connector for back feeding raceway	Bridge Fitting to bridge raceway over obstruction
Ivory	<b>HBL4711DFOIV</b>	<b>HBL4711IV</b>	<b>HBL4715DFOIV</b>	<b>HBL4715IV</b>	<b>HBL4714AIV</b>	<b>HBL4775DKITIV</b>
Gray	<b>HBL4711DFOGY</b>	<b>HBL4711GY</b>	<b>HBL4715DFOGY</b>	<b>HBL4715GY</b>	<b>HBL4714AGY</b>	<b>HBL4775DKITGY</b>



Color	Blank End Fitting (2) 1/2" KOs	Entrance End Fitting Divided 1 1/4" Bend Radius, 3/4", 1 and 1 1/4" KOs	Entrance End Fitting Undivided, 3/4", 1 and 1 1/4" KOs	90° Take-Off Connector for connecting HBL4750 to HBL3000	Connection Cover to hide seams in cover	Panel Connector for connecting to surface type panel boxes
Ivory	<b>HBL4710BIV</b>	<b>HBL4710DFOIV</b>	<b>HBL4710IV</b>	<b>HBL4774AIV</b>	<b>HBL4756AIV</b>	<b>HBL4786AIV</b>
Gray	<b>HBL4710BGY</b>	<b>HBL4710DFOGY</b>	<b>HBL4710GY</b>	<b>HBL4774AGY</b>	<b>HBL4756AGY</b>	<b>HBL4786AGY</b>





Color	Device Mounting Bracket*	Vertical Mount Device Plate use 1-Gang Commercial Plate	Vertical Mount Device Plate use 2-Gang Commercial Plate	Transition Fitting**	Tap-Off Fitting 2-Gang
Ivory	<b>HBL4750IV</b>	<b>HBL4747CVMIV</b>	<b>HBL4747CVM2IV</b>	<b>HBL4750TFIV</b>	<b>HBL4746H2IV</b>
Gray	<b>HBL4750GY</b>	<b>HBL4747CVMGY</b>	<b>HBL4747CVM2GY</b>	<b>HBL4750TFGY</b>	<b>HBL4746H2GY</b>

Note: \*Use 1-Gang KP plates shown on page R27.

\*\*For transitioning Wiremold® 4000 Raceway to Hubbell HBL4750 Raceway.



2-Gang Device Cover Plates					
Color	Single Round 1.39" Opening 1 Blank	Single Round 1.58" Opening 1 Blank	2 Duplex Openings	1 Duplex Opening 1 Modular Furniture with 2 keystone twist-outs	1 Duplex Opening Opening 1 Blank
Ivory	<b>HBL4747AXIV</b>	<b>HBL4747JXIV</b>	<b>HBL4747BBIV</b>	<b>HBL4747BFIV</b>	<b>HBL4747BXIV</b>
Gray	<b>HBL4747AXGY</b>	<b>HBL4747JXGY</b>	<b>HBL4747BBGY</b>	<b>HBL4747BFGY</b>	<b>HBL4747BXGY</b>



2-Gang Device Cover Plates					
Color	1 Decorator Opening 1 Blank	1 Decorator Opening 1 Modular Furniture with 2 keystone twist-outs	1 Duplex Opening 1 Decorator Opening	1-Gang Device Plate 1 Blank use 1-Gang Commercial Plate	2-Gang Device Plate use 2-Gang Commercial Plate
Ivory	<b>HBL4747RXIV</b>	<b>HBL4747RFIV</b>	<b>HBL4747BRIV</b>	<b>HBL4747C1IV</b>	<b>HBL4747C2IV</b>
Gray	<b>HBL4747RXGY</b>	<b>HBL4747RFGY</b>	<b>HBL4747BRGY</b>	<b>HBL4747C1GY</b>	<b>HBL4747C2GY</b>



4-Gang Device Cover Plates					
Color	2 Decorator Openings 2 Blanks	2 Duplex Openings 2 Decorator Openings	4 Duplex Opening Openings	2 Duplex Openings 2 Modular Furniture with 2 keystone twist-outs	2 Duplex Openings 2 Blanks
Ivory	<b>HBL47472RRXXIV</b>	<b>HBL47472BBRRIV</b>	<b>HBL47472BBBBIV</b>	<b>HBL47472BBFFIV</b>	<b>HBL47472BBXXIV</b>
Gray	<b>HBL47472RRXXGY</b>	<b>HBL47472BBRRGY</b>	<b>HBL47472BBBBGY</b>	<b>HBL47472BBFFGY</b>	<b>HBL47472BBXXGY</b>



Raceway Tools	Base Cutter For Cutting Base of HBL4750 Raceway	Cover Cutter For Cutting Cover of HBL4750 Raceway
Cutter	<b>HBL640B</b>	<b>HBL640C</b>
Replacement Blade	<b>HBL640BDK</b>	<b>HBL640CDK</b>

Color	Touch-Up Paint Pen
Ivory	<b>HBLIWEP</b>
Gray	<b>HBLGWEP</b>


Wiremold® is a registered trademark of The Wiremold Company.



**HUBBELL DELIVERY**

# HBL6750 SERIES STEEL RACEWAY

Color	Base, 10ft	Cover, 5ft
Ivory	<b>HBL6750B10IV</b>	<b>HBL6750CIV</b>
Gray	<b>HBL6750B10GY</b>	<b>HBL6750CGY</b>



A: 6.75" (171)  
B: 2.22" (56)

Note: Ivory metal raceway uses Almond (AL) plates, frames, devices, jacks and snap fits.

Color	31.5" Precut Cover For mounting devices on 36" centers	19.5" Precut Cover For mounting devices on 24" centers	13.5" Precut Cover For mounting devices on 18" centers	7.5" Precut Cover For mounting devices on 12" centers
Ivory	<b>HBL6750C315IV</b>	<b>HBL6750C195IV</b>	<b>HBL6750C135IV</b>	<b>HBL6750C075IV</b>
Gray	<b>HBL6750C315GY</b>	<b>HBL6750C195GY</b>	<b>HBL6750C135GY</b>	<b>HBL6750C075GY</b>




Material	Divider 5ft Painted Steel	Divider Clip use every 2.5ft	Coupling to couple together raceway	Wire Clip to hold conductors in place	Internal Corner Coupling
Galv. Steel	<b>HBL6750DAGY</b>	<b>HBL6751DAGY</b>	<b>HBL6751AC</b>	<b>HBL6750WCGY</b>	<b>HBL6717TCAGY</b>



Color	Internal or External Elbow 45°	Internal Elbow Divided 1/4" Bend Radius	Internal Elbow Undivided	Internal Elbow Inverted Connects vertical run with horizontal run	External Elbow Divided 1/4" Bend Radius	External Elbow Undivided
Ivory	<b>HBL6712TXIV</b>	<b>HBL6717DFOIV</b>	<b>HBL6717IV</b>	<b>HBL6717NIV</b>	<b>HBL6718DFOIV</b>	<b>HBL6718IV</b>
Gray	<b>HBL6712TXGY</b>	<b>HBL6717DFOGY</b>	<b>HBL6717GY</b>	<b>HBL6717NGY</b>	<b>HBL6718DFOGY</b>	<b>HBL6718GY</b>



Color	Flat Elbow Divided 1/4" Bend Radius	Flat Elbow Undivided	Tee Fitting Divided 1/4" Bend Radius	Tee Fitting Undivided	Wall Box Connector for back feeding raceway	Transition Fitting* Wiremold® to Hubbell
Ivory	<b>HBL6711DFOIV</b>	<b>HBL6711IV</b>	<b>HBL6715DFOIV</b>	<b>HBL6715IV</b>	<b>HBL6714AIV</b>	<b>HBL6750TFIV</b>
Gray	<b>HBL6711DFOGY</b>	<b>HBL6711GY</b>	<b>HBL6715DFOGY</b>	<b>HBL6715GY</b>	<b>HBL6714AGY</b>	<b>HBL6750TFGY</b>



Color	Blank End Fitting (3) 1/2" KOs	Entrance End Fitting Divided 1/4" Bend Radius, 3/4", 1 and 1 1/4" KOs	Entrance End Fitting Undivided, 3/4", 1 and 1 1/4" KOs	90° Take-Off Connector for connecting HBL6750 to HBL4750	Connection Cover to hide seams in cover	Panel Connector for connecting to surface type panel boxes
Ivory	<b>HBL6710BIV</b>	<b>HBL6710DFOIV</b>	<b>HBL6710IV</b>	<b>HBL6774AIV</b>	<b>HBL6756AIV</b>	<b>HBL6786IV</b>
Gray	<b>HBL6710BGY</b>	<b>HBL6710DFOGY</b>	<b>HBL6710GY</b>	<b>HBL6774AGY</b>	<b>HBL6756AGY</b>	<b>HBL6786GY</b>

Note: \*For transitioning Wiremold® 6000 Raceway to Hubbell HBL6750 Raceway. Wiremold® is a registered trademark of The Wiremold Company.





Color	Device Mounting Bracket*	3-Gang Device Plate 1-Gang Device Opening, 2 Blanks**	3-Gang Device Plate 2-Gang Device Opening, 1 Blank**	3-Gang Tap-Off Fitting (6) 1/2" and 3/4" KOs
Ivory	<b>HBL6750IV</b>	<b>HBL6747C1IV</b>	<b>HBL6747C2IV</b>	<b>HBL6746HHHIV</b>
Gray	<b>HBL6750GY</b>	<b>HBL6747C1GY</b>	<b>HBL6747C2GY</b>	<b>HBL6746HHHGY</b>

Note: \*Use 1-gang KP plates shown on page R27.  
\*\*Use with commercially available device plates (not included).



3-Gang Device Cover Plates				
Color	Single Round 1.39" Opening 2 Blanks	Single Round 1.58" Opening 2 Blanks	3 Duplex Openings	2 Duplex Openings 1 Modular Furniture with 2 keystone twist-outs
Ivory	<b>HBL6747AXXIV</b>	<b>HBL6747JXXIV</b>	<b>HBL6747BBBIV</b>	<b>HBL6747BBFIV</b>
Gray	<b>HBL6747AXXGY</b>	<b>HBL6747JXXGY</b>	<b>HBL6747BBBGY</b>	<b>HBL6747BBFGY</b>



3-Gang Device Cover Plates				
Color	1 Duplex Opening 2 Blanks	1 Decorator Opening 2 Blanks	2 Decorator Openings 1 Modular Furniture with 2 keystone twist-outs	1 Duplex Opening 2 Decorator Openings
Ivory	<b>HBL6747BXXIV</b>	<b>HBL6747RXXIV</b>	<b>HBL6747RRFIV</b>	<b>HBL6747BRRIV</b>
Gray	<b>HBL6747BXXGY</b>	<b>HBL6747RXXGY</b>	<b>HBL6747RRFGY</b>	<b>HBL6747BRRGY</b>



6-Gang Device Cover Plates					
Color	4 Decorator Openings 2 Blanks	2 Duplex Openings 4 Decorator Openings	6 Duplex Opening Openings	4 Duplex Openings 2 Modular Furniture with 2 keystone twist-outs	4 Duplex Openings 2 Blanks
Ivory	<b>HBL67473RRRRXXIV</b>	<b>HBL67473BBRRRRIV</b>	<b>HBL67473BBBBBBIV</b>	<b>HBL67473BBBBFFIV</b>	<b>HBL67473BBBBXXIV</b>
Gray	<b>HBL67473RRRRXXGY</b>	<b>HBL67473BBRRRRGY</b>	<b>HBL67473BBBBBBGY</b>	<b>HBL67473BBBBFFGY</b>	<b>HBL67473BBBBXXGY</b>




Raceway Tools	Base Cutter For Cutting Base of HBL6750 Raceway	Cover Cutter For Cutting Cover of HBL6750 Raceway
Cutter	<b>HBL660B</b>	<b>HBL660C</b>
Replacement blade	<b>HBL660BDK</b>	<b>HBL660CDK</b>

Color	Touch-Up Paint Pen
Ivory	<b>HBLIWEP</b>
Gray	<b>HBLGWEP</b>



**HUBBELL DELIVERY**

# HBLALU2000 SERIES ALUMINUM RACEWAY



A: 1.84" (47)  
 B: .82" (21)  
 C: 1.84" (47)

Color	Base, 10ft	Cover, 5ft
Anodized Aluminum	<b>HBLALU2000B10</b>	<b>HBLALU2000C5</b>



Color	90° Internal Elbow	90° Flat Elbow	90° External Elbow	Tee Fitting
Anodized Aluminum	<b>HBLALU2017*</b>	<b>HBLALU2011*</b>	<b>HBLALU2018*</b>	<b>HBLALU2015*</b>

Note: \*HBLALU01 couplings included.



Color	Blank End Fitting	Entrance End Fitting	Cover Clip (Stainless Steel)	Couplings (Pair) to join lengths of base	Wire Clip	Grounding Adapter (Steel)
Anodized Aluminum	<b>HBLALU2010B</b>	<b>HBLALU2010A</b>	<b>HBLALU2006</b>	<b>HBLALU2001</b>	<b>HBLALU2000WC</b>	<b>HBLALU2009</b>




Color	1-Gang Device Box, Standard	2-Gang Device Box, Standard	1-Gang Device Box, Deep	2-Gang Device Box, Deep	Fixture Box with Solid Base
Anodized Aluminum	<b>HBLALU2047</b>	<b>HBLALU20472)</b>	<b>HBLALU2044</b>	<b>HBLALU20442</b>	<b>HBLALU2038</b>





# HBLALU3800 SERIES ALUMINUM RACEWAY



A: 3.00" (76)  
B: 2.10" (53)  
C: 3.00" (76)

Color	Base, 10ft	Cover, 5ft
Anodized Aluminum	<b>HBLALU3800B10</b>	<b>HBLALUC5</b>



Color	90° Internal Elbow	Inverted Internal Elbow	90° Flat Elbow	90° External Elbow	Tee Fitting	Internal Corner Coupling
Anodized Aluminum	<b>HBLALU3817*</b>	<b>HBLALU3817N*</b>	<b>HBLALU3811*</b>	<b>HBLALU3818*</b>	<b>HBLALU3815*</b>	<b>HBLALU17A</b>

Note: \*HBLALU01 couplings included.



Color	Blank End Fitting	Entrance End Fitting 1/2" and 3/4" KOs	Cover Clip to hide seams in cover	Couplings (Pair) to join lengths of base	Wire Clip	Grounding Adapter
Anod. Alum. Stainless Steel	<b>HBLALU3810B</b> -	<b>HBLALU3810B1</b> -	- <b>HBLALU3806</b>	<b>HBLALU01</b> -	<b>HBLALUWC</b> -	- <b>HBLALU09</b>



Color	Single Receptacle Cover Plate 1.39"	Single Receptacle Cover Plate 1.58"	Single Receptacle Cover Plate 2.13"	Duplex Receptacle Cover Plate	Toggle Switch Cover Plate
Anodized Aluminum	<b>HBLALUE</b> <b>HBLALU34NBM</b> (Base Mounted Device)	<b>HBLALUF</b> <b>HBLALU34FBM</b> (Base Mounted Device)	<b>HBLALUJ</b> <b>HBLALU34JBM</b> (Base Mounted Device)	<b>HBLALUDR</b> <b>HBLALU34DRBM</b> (Base Mounted Device)	<b>HBLALUN</b> <b>HBLALU34NBM</b> (Base Mounted Device)




Color	Rectangular Style Line® Cover Plate	Blank Cover Plate	Hubbell iSTATION Cover Plate use the KPIMBZGY	Hubbell iSTATION Cover Plate use the IMF1GY
Anodized Aluminum	<b>HBLALUG</b> <b>HBLALU34GBM</b> (Base Mounted Device)	<b>HBLALUBL</b>	<b>HBLALULPB</b>	<b>HBLALULPBA</b>

Note: Cover plates and base mount cover design can be used for both the HBLALU3800 and HBL4800 series.







A: 3.00" (76)  
B: 2.10" (53)  
C: 6.00" (152)

Color	Base, 10ft	Cover, 5ft
Anodized Aluminum	<b>HBLALU4800B10</b>	<b>HBLALUC5</b>



Color	90° Internal Elbow	Inverted Internal Elbow	90° Flat Elbow	90° External Elbow	Tee Fitting	Internal Corner Coupling
Anodized Aluminum	<b>HBLALU4817*</b>	<b>HBLALU4817N*</b>	<b>HBLALU4811*</b>	<b>HBLALU4818*</b>	<b>HBLALU4815*</b>	<b>HBLALU17A</b>

Note: \*HBLALU01 couplings included.



Color	Blank End Fitting (Two Channel)	Entrance End Fitting (Two Channel) 1/2" and 3/4" KOs	Cover Clip to hide seams in cover	Couplings (Pair) to join lengths of base	Wire Clip	Grounding Adapter
Anod. Alum.	<b>HBLALU4810B</b>	<b>HBLALU4810B2</b>	-	<b>HBLALU01</b>	<b>HBLALUWC</b>	-
Stainless Steel	-	-	<b>HBLALU4806</b>	-	-	<b>HBLALU09</b>

**Base Mount Cover Design**


No exposed screw holes. Receptacle is securely mounted to the raceway base rather than the cover.





**HUBBELL DELIVERY**

# HBLALU5000 SERIES ALUMINUM RACEWAY



A: 2.54" (65)  
 B: 1.66" (42)  
 C: 5.08" (129)

Color	Base, Two Channel, 10ft	Cover, Single Channel, 5ft	Cover, Two Channel, 5ft
Anodized Aluminum	<b>HBLALU5000B10</b>	<b>HBLALUC57</b>	<b>HBLALU2C57</b>



Color	90° Internal Elbow	Inverted Internal Elbow	90° Flat Elbow	90° External Elbow	Tee Fitting	Internal Corner Coupling
Anodized Aluminum	<b>HBLALU5017*</b>	<b>HBLALU5017N*</b>	<b>HBLALU5011*</b>	<b>HBLALU5018*</b>	<b>HBLALU5015*</b>	<b>HBLALU5717A</b>

Note: \*HBLALU5701 couplings included.



Color	Blank End Fitting (Two Channel)	Entrance End Fitting (Two Channel) 1/2" and 3/4" KO's	Cover Clip to hide seams in cover	Couplings (Pair) to join lengths of base	Wire Clip	Grounding Adapter
Anod. Alum. Stainless Steel	<b>HBLALU5010B</b>	<b>HBLALU5010B2</b>	- <b>HBLALU5006</b>	<b>HBLALU5701</b>	<b>HBLALU57WC</b>	- <b>HBLALU5709</b>



Color	Single Receptacle Cover Plate 1.39"	Single Receptacle Cover Plate 1.58"	Duplex Receptacle Cover Plate	Toggle Switch Cover Plate
Anodized Aluminum	<b>HBLALU57E</b> <b>HBLALU57EBM</b> (Base Mounted Device)	<b>HBLALU57F</b> <b>HBLALU57FBM</b> (Base Mounted Device)	<b>HBLALU57DR</b> <b>HBLALU57DRBM</b> (Base Mounted Device)	<b>HBLALU57N</b> <b>HBLALU57BM</b> (Base Mounted Device)




Color	Rectangular Style Line® Cover Plate	Blank Cover Plate	Hubbell iSTATION Cover Plate use the KPIMBZGY
Anodized Aluminum	<b>HBLALU57G</b> <b>HBLALU57GBM</b> (Base Mounted Device)	<b>HBLALU57BL</b>	<b>HBLALU57LPB</b>






# PREMISETRAK® (PT1) NON-METALLIC RACEWAY (NON-LATCHING)

Color	Base and Cover, 5ft without Adhesive	Base and Cover, 7ft without Adhesive
Office White	<b>PT1BC5</b>	<b>PT1BC7</b>



A: .68" (17)  
B: .75" (19)

Color	Base and Cover, 5ft with Adhesive	Base and Cover, 7ft with Adhesive
Office White	<b>PT1ABC5</b>	<b>PT1ABC7</b>



Color	Internal Elbow	External Elbow	Flat Elbow	Tee
Office White	<b>PT1IE</b> (Cover only)	<b>PT1EE</b> (Cover only)	<b>PT1FE</b> (Cover only)	<b>PT1TC</b> (Cover only)



Color	Conduit Adapter/ Ceiling Fitting	Splice Cover	End Cap
Office White	<b>PT12CA</b> (Base + Cover)	<b>PT1SC</b> (Cover only)	<b>PT1EC</b> (Cover only)



Color	Low-Profile Box* 1-Gang	Standard Box* 1-Gang	Deep Box* 1-Gang
Office White	<b>PT12LPB</b>	<b>PT12SBA</b>	<b>PT12DBA</b>



Color	Deep Box* 2-Gang	Round Lighting Fixture Box*
Office White	<b>PT12TGB</b>	<b>PT12LFB</b>

Note: \*See page R30 for recommended plate to box compatibility.




**HUBBELL  
DELIVERY**

**PREMISETRAK® (PP1)  
NON-METALLIC RACEWAY (LATCHING)**




Color	Base and Cover, 5ft without Adhesive	Base and Cover, 7ft without Adhesive
Office White	<b>PP1BC5</b>	<b>PP1BC7</b>



A: 0.77" (20)  
B: 0.84" (21)

Color	Base and Cover, 5ft with Adhesive	Base and Cover, 7ft with Adhesive
Office White	<b>PP1ABC5</b>	<b>PP1ABC7</b>



Color	Internal Elbow	External Elbow	Flat Elbow	Tee
Office White	<b>PP1IE</b> (Cover only)	<b>PP1EE</b> (Cover only)	<b>PP1FE</b> (Cover only)	<b>PP1TC</b> (Cover only)
Office White	<b>PP1IEBC</b> (Base + Cover)	<b>PP1EEBC</b> (Base + Cover)	<b>PP1FEBC</b> (Base + Cover)	<b>PP1TCBC</b> (Base + Cover)



Color	Conduit Adapter/ Ceiling Fitting	Splice Cover	End Cap	Safety Strap
Office White	<b>PLP1CACF</b> (Base + Cover)	<b>PP1SC</b> (Cover only)	<b>PP1EC</b>	<b>PP1SS</b>



Color	Low-Profile Box* 1-Gang	Standard Box* 1-Gang	Deep Box* 1-Gang
Office White	<b>PDB12LP</b>	<b>PDB12S</b>	<b>PDB12D</b>



Color	Deep Box*Undivided 2-Gang	Deep Box*Divided 2-Gang	Round Lighting Fixture Box*
Office White	<b>PDB12TGLV</b>	<b>PDB12TGD</b>	<b>PDB12LF</b>

Note: \*See page R30 for recommended plate to box compatibility.




**LANTRAK® (PL1)**  
NON-METALLIC RACEWAY (NON-LATCHING)



Color	Base and Cover, 5ft without Adhesive	Base and Cover, 7ft without Adhesive
Office White	<b>PL1BC5</b>	<b>PL1BC7</b>

Color	Base and Cover, 5ft with Adhesive	Base and Cover, 7ft with Adhesive
Office White	<b>PL1ABC5</b>	<b>PL1ABC7</b>



A: 1.04" (26)  
B: 1.38" (35)



Color	Internal Elbow	External Elbow	Flat Elbow	Tee
Office White	<b>PL1IE</b> (Cover only)	<b>PL1EE</b> (Cover only)	<b>PL1FE</b> (Cover only)	<b>PL1TC</b> (Cover only)
Office White	<b>PL1IEBC</b> (Base + Cover)	<b>PL1EEBC</b> (Base + Cover)	<b>PL1FEBC</b> (Base + Cover)	<b>PL1TCBC</b> (Base + Cover)



Color	Conduit Adapter/ Ceiling Fitting	Splice Cover	End Cap	Safety Strap
Office White	<b>PLP1CACF</b> (Base + Cover)	<b>PL1SC</b> (Cover only)	<b>PL1EC</b>	<b>PL1SS</b>



Color	Low-Profile Box* 1-Gang	Standard Box* 1-Gang	Deep Box* 1-Gang
Office White	<b>PDB12LP</b>	<b>PDB12S</b>	<b>PDB12D</b>




Color	Deep Box* Undivided 2-Gang	Deep Box* Divided 2-Gang	Round Lighting Fixture Box*
Office White	<b>PDB12TGLV</b>	<b>PDB12TGD</b>	<b>PDB12LF</b>

Note: \*See page R30 for recommended plate to box compatibility.



# WALLTRAK® (PW1) LOW-PROFILE, NON-METALLIC RACEWAY (LATCHING)

Color	Base and Cover, 5ft without Adhesive	Base and Cover, 7ft without Adhesive
Office White	<b>PW1BC5</b>	<b>PW1BC7</b>



Color	Base and Cover, 5ft with Adhesive	Base and Cover, 7ft with Adhesive
Office White	<b>PW1ABC5</b>	<b>PW1ABC7</b>



Color	Internal Elbow	External Elbow	Flat Elbow	Tee
Office White	<b>PW1IE</b> (Cover only)	<b>PW1EE</b> (Cover only)	<b>PW1FE</b> (Cover only)	<b>PW1TC</b> (Cover only)



Color	Conduit Adapter/ Ceiling Fitting	Splice Cover	End Cap
Office White	<b>PW1CA</b> (Base + Cover)	<b>PW1SC</b> (Cover only)	<b>PW1EC</b>



Color	Low-Profile Box* 1-Gang	Standard Box* 1-Gang	Deep Box* 1-Gang
Office White	<b>PW1LPB</b>	<b>PW1SBA</b>	<b>PW1DBA</b>



Color	Deep Box* 2-Gang	Round Lighting Fixture Box*
Office White	<b>PW1TGB</b>	<b>PW1LFB</b>

Note: \*See page R30 for recommended plate to box compatibility.




**WALLTRAK® (PW2)**  
NON-METALLIC RACEWAY (LATCHING)



Color	Base and Cover, 5ft without Adhesive	Base and Cover, 7ft without Adhesive
Office White	<b>PW2BC5</b>	<b>PW2BC7</b>

Color	Base and Cover, 5ft with Adhesive	Base and Cover, 7ft with Adhesive
Office White	<b>PW2ABC5</b>	<b>PW2ABC7</b>



A: 1.04" (26)  
B: 2.12" (54)



Color	Internal Elbow	External Elbow	Flat Elbow	Tee
Office White	<b>PW2IE</b> (Cover only)	<b>PW2EE</b> (Cover only)	<b>PW2FE</b> (Cover only)	<b>PW2TC</b> (Cover only)
Office White	<b>PW2IEBC</b> (Base + Cover)	<b>PW2EEBC</b> (Base + Cover)	<b>PW2FEBC</b> (Base + Cover)	<b>PW2TCBC</b> (Base + Cover)



Color	Conduit Adapter/ Ceiling Fitting	Reducer (from PW2 to PP1)	Splice Cover	End Cap	Safety Strap
Office White	<b>PW2CACF</b> (Base + Cover)	<b>PW2RED</b> (Base + Cover)	<b>PW2SC</b> (Cover only)	<b>PW2EC</b>	<b>PW2SS</b>



Color	Low-Profile Box* 1-Gang	Standard Box* 1-Gang	Deep Box* 1-Gang	Divider 1-Gang
Office White	<b>PDB12LP</b>	<b>PDB12S**</b>	<b>PDB12D**</b>	<b>PDB1DIV</b>



Color	Deep Box*Undivided 2-Gang	Deep Box*Divided 2-Gang	Round Lighting Fixture Box*	Divider 2-Gang
Office White	<b>PDB12TGLV</b>	<b>PDB12TGD**</b>	<b>PW1LFB</b>	<b>PDB2DIV</b>


Note: \*See page R30 for recommended plate to box compatibility.  
\*\*Order divider separately for 1-gang or 2-gang box.



# BASETRAK® (PB2) NON-METALLIC RACEWAY (NON-LATCHING)



Raceway	Color	5ft	10ft
Base	Office White	<b>PB2B5</b>	<b>PB2B10</b>
Dual channel cover	Office White	<b>PB2C5</b>	<b>PB2C10</b>
Single channel cover	Office White	<b>PB2SPL5</b>	<b>PB2SPL10</b>



Color	Internal Elbow	External Elbow	Flat Elbow	Tee
Office White	<b>PB3IEBCA</b> (Base + Cover)	<b>PB3EEBCA</b> (Base + Cover)	<b>PB3FEBCA</b> (Base + Cover)	<b>PB3TCBCA</b> (Base + Cover)



Color	Conduit Adapter/ Ceiling Fitting	Reducer (from PB2 to PW2)	Transition Fitting (from PB2 to PW2, PL1, or PP1)	Surface Panel Connector
Office White	<b>PB2CACF</b> (Base + Cover)	<b>PB3REDA</b> (Base + Cover)	<b>PB3TRBC</b> (Base + Cover)	<b>PB3SPCA</b> (Cover only)



Color	Splice Cover	End Cap	Safety Strap
Office White	<b>PB3SC</b> (Cover only)	<b>PB3ECA</b>	<b>PB3SS</b>



Color	Inline Box* 2-Gang	Wire Clip
Office White	<b>PB2IND2G</b>	<b>PB2WC</b>

Note: \*See page R30 for recommended plate to box compatibility.








**HUBBELL DELIVERY**

**BASETRAK® (PB3)**  
NON-METALLIC RACEWAY (NON-LATCHING)

Color	Base and Cover, 10ft	Base and Cover, 5ft
Office White	<b>PB3BC10</b>	<b>PB3BC5</b>



A: 1.63" (41)  
B: 4.50" (114)



Color	Internal Elbow	External Elbow	Flat Elbow	Tee
Office White	<b>PB3IE</b> (Cover only) <b>PB3IEBCA</b> (Base + Cover)	<b>PB3EE</b> (Cover only) <b>PB3EEBCA</b> (Base + Cover)	<b>PB3FE</b> (Cover only) <b>PB3FEBCA</b> (Base + Cover)	<b>PB3TCBCA</b> (Base + Cover)



Color	Conduit Adapter/ Ceiling Fitting	Reducer (from PS3 to PB3)	Transition Fitting (from PB3 to PW2, PL1, or PP1)	Transition Fitting (from BT3 old style to PB3 new style)	Splice Cover
Office White	<b>PB3CACF</b> (Base + Cover)	<b>PB3REDA</b> (Base + Cover)	<b>PB3TRBC</b> (Base + Cover)	<b>BTPB3TF</b> (Cover only)	<b>PB3SC</b> (Cover only)



Color	Inline Box* 1-Gang	Inline Box* 2-Gang	End Cap	Surface Panel Connector	Safety Strap
Office White	<b>PB3IND</b>	<b>PB3IND2G</b>	<b>PB3ECA</b>	<b>PB3SPCA</b>	<b>PB3SS</b>



Color	Full Capacity Box* 1-Gang	Full Capacity Box* 2-Gang	Full Capacity Box* 3-Gang	Wire Clip
Office White	<b>PB3FCIB</b>	<b>PB3FCIB2G</b>	<b>PB3FCIB3G</b>	<b>PB3WC</b>

Note: \*See page R30 for recommended plate to box compatibility.






**HUBBELL DELIVERY**

**BASETRAK® (PS3)  
NON-METALLIC RACEWAY (NON-LATCHING)**

Color	Base and Cover, 10ft	Base and Cover, 5ft
Office White	<b>PS3BC10</b>	<b>PS3BC5</b>



A: 1.97" (50)  
B: 6.70" (170)



Color	Internal Elbow	External Elbow	Flat Elbow	Tee
Office White	<b>PS3IE</b> (Cover only) <b>PS3IEBC</b> (Base + Cover)	<b>PS3EE</b> (Cover only) <b>PS3EEBC</b> (Base + Cover)	<b>PS3FE</b> (Cover only) <b>PS3FEBC</b> (Base + Cover)	<b>PS3TCBC</b> (Base + Cover)



Color	Conduit Adapter/ Ceiling Fitting	Reducer (from PS3 to PB3)	Surface Panel Connector	Splice Cover
Office White	<b>PS3CACF</b> (Base + Cover)	<b>PS3RED</b> (Base + Cover)	<b>PS3SPC</b>	<b>PS3SC</b> (Cover only)



Color	Inline Box* 3-Gang	End Cap	Wire Clip	Safety Strap
Office White	<b>PS3IND</b>	<b>PB3ECA</b>	<b>PS3WC</b>	<b>PS3SS</b>



Color	Full Capacity Box* 1-Gang	Full Capacity Box* 2-Gang	Full Capacity Box* 3-Gang
Office White	<b>PS3FCIB</b>	<b>PS3FCIB2G</b>	<b>PS3FCIB3G</b>

Note: \*See page R30 for recommended plate to box compatibility.



**1-Gang "KP" Plates**

Color	Duplex	Decorator	Single Receptacle (1.41" ID)	Single Receptacle (1.60" ID)	Toggle	Blank	Coax (2)	Jack/Coax	Jacks (2)	Jacks (3)	KP Module Bezel**
Office White	<b>KP8</b>	<b>KP26</b>	<b>KP7</b>	<b>KP720</b>	<b>KP1</b>	<b>KP14</b>	<b>KP212</b>	<b>KP2140</b>	<b>KP2162</b>	<b>KP2163</b>	<b>KPIMBZOW</b>
Almond	<b>KP8AL</b>	<b>KP26AL</b>	<b>KP7AL</b>	<b>KP720AL</b>	<b>KP1AL</b>	<b>KP14AL</b>	<b>KP212AL</b>	<b>KP2140AL</b>	<b>KP2162AL</b>	<b>KP2163AL</b>	<b>KPIMBZAL</b>
Gray	<b>KP8GY</b>	<b>KP26GY</b>	<b>KP7GY</b>	<b>KP720GY</b>	<b>KP1GY</b>	<b>KP14GY</b>	<b>KP212GY</b>	<b>KP2140GY</b>	<b>KP2162GY</b>	<b>KP2163GY</b>	<b>KPIMBZGY</b>

Note: \*Ivory metal raceway uses Almond (AL) plates, frames, devices, jacks and snap fits; non-metallic raceway uses Office White (OW or no suffix) plates and frames.

\*\*Accepts all Hubbell iSTATION modules located in section C.

Front loading plate will accept any modules in three unit combinations. Angled fixtures to be used in bottom opening only. See section C for complete Hubbell iSTATION module offering.



**2-Gang "KP" Plates (For use with PT12TGB and PW1TGB only)**

Color	Duplex, 2-Gang	Decorator, 2-Gang	Toggle, 2-Gang	Blank, 2-Gang
Office White	<b>KP82</b>	<b>KP262</b>	<b>KP2</b>	<b>KP24</b>
Almond	<b>KP82AL</b>	<b>KP262AL</b>	<b>KP2AL</b>	<b>KP24AL</b>
Gray	<b>KP82GY</b>	<b>KP262GY</b>	<b>KP2GY</b>	<b>KP24GY</b>

**Hubbell iSTATION Frames**

Color	Plate Frame 1-Gang	Plate Frame 2-Gang
Office White	<b>IMF1OW</b>	<b>IMF2OW</b>
Almond	<b>IMF1AL</b>	<b>IMF2AL</b>
Gray	<b>IMF1GY</b>	<b>IMF2GY</b>



**Keystone "IFP Plates"**

Color	1-Gang, 2-Port	1-Gang, 3-Port	1-Gang, 4-Port	1-Gang, 6-Port	2-Gang, 6-Port	2-Gang, 9-Port	2-Gang, 12-Port
Office White	<b>IFP12OW</b>	<b>IFP13OW</b>	<b>IFP14OW</b>	<b>IFP16OW</b>	<b>IFP26OW</b>	<b>IFP29OW</b>	<b>IFP212OW</b>
Almond	<b>IFP12AL</b>	<b>IFP13AL</b>	<b>IFP14AL</b>	<b>IFP16AL</b>	-	-	-
Gray	<b>IFP12GY</b>	<b>IFP13GY</b>	<b>IFP14GY</b>	<b>IFP16GY</b>	-	-	-



**Communication Plates and Frames**

Color	Decorator	Decorator Keystone				Duplex	Duplex Keystone	
		2-Port	3-Port	4-Port	6-Port		2-Port	4-Port
Office White	<b>IFP126OW</b>	<b>ISF2OW</b>	<b>ISF3OW</b>	<b>ISF4OW</b>	<b>ISF6OW</b>	<b>IFP18OW</b>	<b>BR106C</b>	<b>Q106O</b>
Almond	<b>IFP126AL</b>	<b>ISF2AL</b>	<b>ISF3AL</b>	<b>ISF4AL</b>	<b>ISF6AL</b>	<b>IFP18AL</b>	<b>BR106AL</b>	<b>Q106AL</b>
Gray	<b>IFP126GY</b>	<b>ISF2GY</b>	<b>ISF3GY</b>	<b>ISF4GY</b>	<b>ISF6GY</b>	<b>IFP18GY</b>	<b>BR106G</b>	<b>Q106G</b>



**Our Pre-Wired Raceway Systems** will accommodate your power and data requirements as your facility changes over time. Pre-Wired Raceways provide you with the benefit of keeping your fast track projects on schedule and help complete the job on time! Our Pre-Wired Raceway solutions will save up to 45% of the installation time needed for field installing component raceway parts.

Pre-Wired Raceways are available in:

- Steel (Ivory and Gray)
- Aluminum
- Non-Metallic (Office White)

Hubbell's Pre-Wired Raceway is pre-wired with "power" wiring and devices. Once installed on the job, the pre-wired power raceway system can easily be cabled with voice, data and audio/video services by a qualified and certified cabling installer.



**Save Time and Money, Completing the Job Quicker and on Schedule, with Hubbell.**

**With Standard Raceway...**



Unpack, identify and sort component parts. Deliver components to work area for assembly and installation.



Measure and cut. Clean and de-burr sharp edges. Secure to the wall and fasten.



Pull wire. Label and bundle each raceway circuit. Install receptacles and test.

**With Hubbell Pre-Wired Raceway...**



Pallet delivered to your worksite, labeled by room, floor area and/or building.



Unpack and install!




Installed in half the time!



**Project Support and Documentation**

- A local and factory support team is there to assist in defining bills of material and project quotes, so costs can be budgeted accordingly.
- A project engineer, located at the factory, is assigned to your project as a direct point of contact.



**Manufacturing and Testing**

- Precisely measured, cleanly cut, wired and assembled to your specifications.
- The wiring harness is then bundled and labeled for circuit identification for ease of installation.
- Assembly is tested for assured continuity and 100% quality inspected before kitting.



**Installs in a Snap**

- Raceway ducts are kitted, labeled, and shipped by room, area or floor locations.
- Just remove raceway from the packaging and secure to the wall.
- Make power connections, snap on covers, test and you are done!





Metal Raceway Wire Fill Capacities															
Series	Channel Area (sq. in.)	Power (THHN/T90 Nylon)			Voice		Data (Copper Cables)					Data (Multimode Fiber Optic Cables)			
		14 AWG	12 AWG	10 AWG	4-Pair	25-Pair	Type RG59U	Cat. 5e	Cat. 6	Cat. 6A	Cat. 6 STP	(2) or (4) Fiber Round Cable	Fiber Optic Jumpers	Fiber Optic Zip Cord	
		Wire O.D. (in.):	0.111	0.13	0.164	0.19	0.41	0.242	0.21	0.25	0.35	0.29	0.19	0.118	.12 x .24
	Wire Area (sq. in.):	0.0097	0.0133	0.0211	0.0283	0.1320	0.0460	0.0346	0.0491	0.0962	0.0660	0.0283	0.0109	0.0288	
	Wire Fill Capacity	40%	40%	40%	40%	40%	40%	40%	40%	40%	40%	40%	40%	40%	
HBL500	0.22	7	5	3	3	1	2	3	2	1	1	3	8	3	
HBL750	0.40	12	9	5	6	1	3	5	3	2	2	6	15	6	
HBL2000	0.89	7	7	0	13	3	8	10	7	4	5	13	33	12	
HBL2000A	0.86	35	26	16	11	2	7	9	7	4	5	13	33	12	
HBL2400	1.39	57	41	26	19	4	12	16	11	5	8	19	51	19	
HBL2400D	Channel - A	0.86	26	19	11	12	2	7	9	7	3	5	12	31	11
	Channel - B	0.37	11	9	6	5	1	3	4	3	1	2	5	13	5
HBL3000		3.70	152	111	70	52	11	32	43	30	15	22	52	136	51
HBL4750	No Barriers	7.20	296	216	136	102	22	63	83	59	30	44	102	264	100
	Barrier Centered Ch. A	3.10	127	93	58	44	9	27	36	25	13	19	44	114	43
	Barrier Centered Ch. B	3.30	127	93	58	47	10	29	38	27	14	20	47	121	46
	Barrier Offset Ch. A	2.10	86	63	39	30	6	18	24	17	9	13	30	77	29
	Barrier Offset Ch. B	4.30	176	129	81	61	13	37	50	35	18	26	61	158	60
HBL6750	No Barriers	13.77	566	412	259	195	42	120	159	112	57	83	195	505	191
	Barrier Offset 1/3 Ch. A	4.59	189	138	86	65	14	40	53	37	19	28	65	168	64
	Barrier Offset 2/3 Ch. B	9.18	379	278	173	130	28	80	106	75	38	56	130	337	128
HBLALU2000		1.20	49	36	22	16	3	10	13	9	4	7	16	44	16
HBLALU3800		5.80	214	156	98	82	18	50	67	47	24	35	82	213	81
HBLALU4800	Center Barrier/ Both Channels	11.60	428	312	196	164	35	101	134	95	48	70	164	426	161
	Center Barrier/ 1 Channel	5.80	214	156	98	82	18	50	67	47	24	35	82	213	81
HBLALU5000	Center Barrier/ Both Channels	7.60	312	228	142	106	22	64	86	60	30	46	106	278	104
	Center Barrier/ 1 Channel	3.80	156	114	71	53	11	32	43	30	15	23	53	139	52
HBLALU7620	2 Barriers with 3 Equal Channels/Total	15.00	618	450	282	210	45	129	171	120	60	90	210	549	207
	2 Barriers with 3 Equal Channels/ 1 Channel	5.00	206	150	94	70	15	43	57	40	20	30	70	183	69

Note: Pathway (Raceway) fill shall be 40% maximum. Raceway fittings and outlets/receptacles reduce the cross section of the raceway system, thus reducing overall cable fill capacity.

**Physical Properties**

Material Steel  
Anodized aluminum

**Metal PLUGTRAK® Specifications**

Receptacle rating NEMA 5-15R and NEMA 5-20R  
Wire #12 AWG stranded copper  
Receptacle face Thermoplastic

**Codes/Standards**

TIA/EIA 569B  
UL Standard UL 5  
Listings E253976 /E253830 /E253833  
CSA Standard C22.2 no. 62  
Certification LR87514





Non-Metallic Raceway Wire Fill Capacities															
Series	Channel	Channel Area (sq. in.)	Power (THHN/T90 Nylon)			Voice		Data (Copper Cables)					Data (Multimode Fiber Optic Cables)		
			14 AWG	12 AWG	10 AWG	4-Pair	25-Pair	Type RG59U	Cat. 5e	Cat. 6	Cat. 6A	Cat. 6 STP	(2) or (4) Fiber Round Cable	Fiber Optic Jumpers	Fiber Optic Zip Cord
			Wire O.D. (in.):	0.111	0.13	0.164	0.19	0.41	0.242	0.21	0.25	0.35	0.29	0.19	0.118
		Wire Area (sq. in.):	0.0097	0.0133	0.0211	0.0283	0.1320	0.0460	0.0346	0.0491	0.0962	0.0660	0.0283	0.0109	0.0288
			Wire Fill Capacity		40%	40%	40%	40%	40%	40%	40%	40%	40%	40%	
PT1	A	0.29	5	8	5	4	1	3	3	2	1	2	4	11	4
PP1	A	0.38	12	11	8	5	1	3	4	3	2	2	5	14	5
PL1	A	1.03	42	34	22	15	3	9	12	8	4	6	15	38	14
PW1	A	0.30	6	10	4	4	0	2	3	2	1	2	4	11	4
PW2	A+B	1.60	41	36	22	23	5	14	18	13	7	10	23	59	22
A B	A	0.81	12	22	12	11	2	7	9	7	3	5	11	30	11
	B	0.79	12	22	10	11	2	7	9	6	3	5	11	29	11
PB2	A+B	5.72	60	36	45	81	17	50	66	47	24	35	81	210	79
A B	A or B	2.86	42	30	28	40	9	25	33	23	12	17	40	105	40
PB3	A+B+C	5.57	60	36	45	79	17	48	64	45	23	34	79	204	77
A B C	A or C	1.80	42	30	28	25	5	16	21	15	7	11	25	66	25
	B	1.97	42	30	28	28	6	17	23	16	8	12	28	72	27
PS3	A+B+C	10.58	72	66	78	150	32	92	122	86	44	64	150	388	147
A B C	A or C	3.41	42	36	42	48	10	30	39	28	14	21	48	125	47
	B	3.76	42	36	42	53	11	33	43	31	16	23	53	138	52

Note: Pathway (raceway) fill shall be 40% maximum. Raceway fittings and outlets/receptacles reduce the cross section of the raceway system, thus reducing overall cable fill capacity.

Recommended Plate to Box Compatibility Selection Chart																
Non-Metallic Raceway Box Series		PS3 Series				PB3 Series					PB2 Series	PDB12 Series			PT12 & PW1 Series	
Plate Style	Sample Catalog Number	IND	FCIB	FCIB2G	FCIB3G	IND	IND2G	FCIB	FCIB2G	FCIB3G	IND2G	LP, S, D	TGD	TGLV	LP(B), S(BA), D(BA)	TGB
1-Gang KP Series Plate	<b>KP8</b>	X	X	X	X	X	X	X	X	X	X	X	X		X	
1-Gang KP Series Bezel	<b>KPIMBZ</b>	X	X	X	X	X	X	X	X	X	X	X	X		X	
1-Gang Standard Data Plate	<b>IFP12OW</b>		X	X	X	X		X	X	X		X			X	
1-Gang Hubbell iSTATION Plate Frame	<b>IMF1OW</b>		X	X	X	X		X	X	X		X			X	
Style Line® Data Plate	<b>IFP126OW</b>		X	X	X	X		X	X	X		X			X	
Duplex Data Plate	<b>IFP18OW</b>		X	X	X	X		X	X	X		X			X	
2-Gang Hubbell iSTATION Plate Frame	<b>IMF2OW</b>													X		X
2-Gang Standard Data Plate	<b>IFP29OW</b>													X		X
2-Gang KP Series Plate	<b>KP82</b>															X

Note: Hubbell Office White plates and devices color match all non-metallic raceway systems.

**Physical Properties**

(When tested in accordance with UL 5A)

Impact resistance	5ft lbs.
Crush resistance	300 lbs.
Temperature range	-25.6° to 158° F
Flame rating	UL94V-0
Material	UV Stabilized PVC

**Codes/Standards**

EIA/TIA	569A
UL Standard	UL 5A
Listings	E118895 / E119190
CSA Standard	C22.2 no. 62
Certified	LR87514

**PLUGTRAK® Specifications**

Receptacle rating	NEMA 5-15R & 5-20R
Wire	#12 AWG stranded copper
Receptacle face	Thermoplastic





Raceway	PREMISETRAK®		LANTRAK®	WALLTRAK®		BASETRAK®		SUPER BASETRAK®
Raceway style	Non-Latching	Latching	Latching	Latching	Latching	2-Piece	2-Piece	2-Piece
Profile dimensions	.75" x .68"	.84" x .77"	1.38" x 1.04"	1.19" x .5"	2.12" x 1.04"	4.5" x 1.63"	4.5" x 1.63"	6.7" x 1.97"
No. of channels	1	1	1	1	2	2	3	3
5' base and cover	<b>PT1BC5</b>	<b>PP1BC5</b>	<b>PL1BC5</b>	<b>PW1BC5</b>	<b>PW2BC5</b>			
5' base and cover, adhesive	<b>PT1ABC5</b>	<b>PP1ABC5</b>	<b>PL1ABC5</b>	<b>PW1ABC5</b>	<b>PW2ABC5</b>			
7' base and cover	<b>PT1BC7</b>	<b>PP1BC7</b>	<b>PL1BC7</b>	<b>PW1BC7</b>	<b>PW2BC7</b>			
7' base and cover, adhesive	<b>PT1ABC7</b>	<b>PP1ABC7</b>	<b>PL1ABC7</b>	<b>PW1ABC7</b>	<b>PW2ABC7</b>			
5' base only						<b>PB2B5</b>		
10' base only						<b>PB2B10</b>		
5' one-piece cover						<b>PB2C5</b>		
10' one-piece cover						<b>PB2C10</b>		
5' split cover						<b>PB2SPL5</b>		
10' split cover						<b>PB2SPL10</b>		
5' base and cover							<b>PB3BC5</b>	<b>PS3BC5</b>
10' base and cover							<b>PB3BC10</b>	<b>PS3BC10</b>
Fittings	PREMISETRAK®		LANTRAK®	WALLTRAK®		BASETRAK®		SUPER BASETRAK®
Flat elbow cover	<b>PT1FE</b>	<b>PP1FE</b>	<b>PL1FE</b>	<b>PW1FE</b>	<b>PW2FE</b>		<b>PB3FE</b>	<b>PS3FE</b>
Flat elbow*		<b>PP1FEBC</b>	<b>PL1FEBC</b>		<b>PW2FEBC</b>	<b>PB3FEBCA</b>	<b>PB3FEBCA</b>	<b>PS3FEBC</b>
Internal elbow cover	<b>PT1IE</b>	<b>PP1IE</b>	<b>PL1IE</b>	<b>PW1IE</b>	<b>PW2IE</b>		<b>PB3IE</b>	<b>PS3IE</b>
Internal elbow*		<b>PP1IEBC</b>	<b>PL1IEBC</b>		<b>PW2IEBC</b>	<b>PB3IEBCA</b>	<b>PB3IEBCA</b>	<b>PS3IEBC</b>
External elbow cover	<b>PT1EE</b>	<b>PP1EE</b>	<b>PL1EE</b>	<b>PW1EE</b>	<b>PW2EE</b>		<b>PB3EE</b>	<b>PS3EE</b>
External elbow*		<b>PP1EEBC</b>	<b>PL1EEBC</b>		<b>PW2EEBC</b>	<b>PB3EEBCA</b>	<b>PB3EEBCA</b>	<b>PS3EEBC</b>
Tee cover	<b>PT1TC</b>	<b>PP1TC</b>	<b>PL1TC</b>	<b>PW1TC</b>	<b>PW2TC</b>			
Tee cover*	<b>PT1SC</b>	<b>PP1TCBC</b>	<b>PL1TCBC</b>		<b>PW2TCBC</b>	<b>PB3TCBCA</b>	<b>PB3TCBCA</b>	<b>PS3TCBC</b>
Splice cover		<b>PP1SC</b>	<b>PL1SC</b>	<b>PW1SC</b>	<b>PW2SC</b>	<b>PB3SC</b>	<b>PB3SC</b>	<b>PS3SC</b>
Security strap, 2-hole		<b>PP1SS</b>	<b>PL1SS</b>		<b>PW2SS</b>	<b>PB3SS</b>	<b>PB3SS</b>	<b>PS3SS</b>
End cap	<b>PT1EC</b>	<b>PP1EC</b>	<b>PL1EC</b>	<b>PW1EC</b>	<b>PW2EC</b>	<b>PB3ECA</b>	<b>PB3ECA</b>	<b>PS3EC</b>
Conduit adapter/ ceiling fitting	<b>PT12CA</b>	<b>PLP1CACF</b>	<b>PLP1CACF</b>	<b>PW1CA</b>	<b>PW2CACF</b>	<b>PB2CACF</b>	<b>PB3CACF</b>	<b>PS3CACF</b>
Wire clips						<b>PB2WC</b>	<b>PB3WC</b>	<b>PS3WC</b>
Surface panel connector						<b>PB3SPCA</b>	<b>PB3SPCA</b>	<b>PS3SPC</b>
Transition fitting (BaseTrak to wall/LAN/ PremiseTrak)						<b>PB3TRBC</b>	<b>PB3TRBC</b>	
Reducers					<b>PW2RED</b>	<b>PB3REDA</b>	<b>PB3REDA</b>	<b>PS3RED</b>
Transition fitting BT3 to PB3							<b>BTPB3TF</b>	

\*Indicates 1/4" bend radius base and cover fitting.

**Physical Properties**

(When tested in accordance with UL 5A)

Impact resistance	5ft lbs.
Crush resistance	300 lbs.
Temperature range	-25.6° to 158° F
Flame rating	UL94V-0
Material	UV Stabilized PVC

**Codes/Standards**

EIA/TIA	569A
UL Standard	UL 5A
Listings	E118895 / E119190
CSA Standard	C22.2 no. 62
Certified	LR87514





	PREMISETRAK®		LANTRAK®	WALLTRAK®		BASETRAK®		SUPER BASETRAK®
Low-profile 1-gang	<b>PT12LPB</b>	<b>PDB12LP</b>	<b>PDB12LP</b>	<b>PW1LPB</b>	<b>PDB12LP</b>			
Standard profile 1-gang	<b>PT12SBA</b>	<b>PDB12S</b>	<b>PDB12S</b>	<b>PW1SBA</b>	<b>PDB12S</b>			
Deep profile 1-gang	<b>PT12DBA</b>	<b>PDB12D</b>	<b>PDB12D</b>	<b>PW1DBA</b>	<b>PDB12D</b>			
Divided 2-gang (multi-service capable)		<b>PDB12TGD</b>	<b>PDB12TGD</b>		<b>PDB12TGD</b>			
Communications only 2-gang		<b>PDB12TGLV</b>	<b>PDB12TGLV</b>	<b>PDB12TGLV</b>				
2-gang	<b>PT12TGB</b>			<b>PW1TGB</b>				
Round lighting fixture box	<b>PT12LFB</b>	<b>PDB12LF</b>	<b>PDB12LF</b>	<b>PW1LFB</b>	<b>PDB12LF</b>			
Multi-service pass-thru divider tunnel 1-gang					<b>PDB1DIV</b>			
Multi-service pass-thru divider tunnel 2-gang					<b>PDB2DIV</b>			
ISB surface housings		<b>ISB 1, 2, 4, 6, 12</b>	<b>ISB 4, 6, 12</b>		<b>ISB 4, 6, 12</b>			
AMO multimedia housing			<b>AMO</b>		<b>AMO</b>			
Inline 1-gang							<b>PB3IND</b>	
Inline 2-gang (multi-service capable)						<b>PB2IND2G</b>	<b>PB3IND2G</b>	
Inline 3-gang (multi-service capable)								<b>PS3IND</b>
Full capacity raise inline 1-gang							<b>PB3FCIB</b>	<b>PS3FCIB</b>
Full capacity raise inline 2-gang							<b>PB3FCIB2G</b>	<b>PS3FCIB2G</b>
Full capacity raise inline 3-gang (multi-service capable)							<b>PB3FCIB3G</b>	<b>PS3FCIB3G</b>
Hubbell iSTATION module bezel	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>

**Recommended Plate to Box Compatibility Selection Chart**

Non-Metallic Raceway Box Series		PS3 Boxes				PB3 Boxes					PB2 Boxes	PDB12 Boxes			PT12 & PW1 Boxes	
Plate Style	Sample Catalog No.	IND	FCIB	FCIB2G	FCIB3G	IND	IND2G	FCIB	FCIB2G	FCIB3G	IND2G	LP, S, D	TGD	TGLV	LPB, SBA, DBA	TGB
1-gang KP series plate	<b>KP8</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	
1-gang KP series bezel	<b>KPIMBZ</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	
1-gang IFP data plate	<b>IFP12OW</b>		✓	✓	✓	✓		✓	✓	✓		✓			✓	
1-gang Hubbell iSTATION IMF plate frame	<b>IMF1OW</b>		✓	✓	✓	✓		✓	✓	✓		✓			✓	
2-gang Hubbell iSTATION IMF plate frame	<b>IMF2OW</b>													✓		✓
2-gang IFP data plate	<b>IFP29OW</b>													✓		✓
2-gang KP series plate	<b>KP82</b>															✓

Note: Hubbell office white plates and devices color match all non-metallic raceway systems.

