



OVERLAY
MULTICHANNEL

STEEL MOLDING

DOWNSPOUT

SOLUTIONS

RACEWAY

2011

SQUARE MOLDING

LATCH-DUCT

Multilink[®]
Innovation At Work



Since 1983

“ Multilink is committed to assuring quality, on-time delivery, and lower cost in an atmosphere of continuous product and manufacturing improvement and total customer satisfaction.

Multilink is an engineering and product development based manufacturer of telecommunications network components, servicing the traditional CATV MSO's (Cable Television Multiple System Operators), CLEC's (Competitive Local Exchange Carriers), RBOC's (Regional Bell Operating Companies), Independent Telco's, Regulated Utilities, and LAN (Local Area Network) providers and end users. The core business was developed in the United States and remains there, while an aggressive global marketing plan has been developed and put into place to keep pace with the ever-expanding marketplace.

The Company's principal business is to develop, produce, and refine products only of the highest quality, exceptional functionality, and application based solutions that apply in an ever-changing technological marketplace. The Company has continually upgraded engineering and manufacturing processes to increase productivity and overall profitability and meet the customer's expectations and requirements.



Table of Contents



4-6	DOWNSPOUT RACEWAY
7-14	SQUARE LATCH DUCT MOLDING
15-19	MULTI-CHANNEL MOLDING
20	FLAT WAVE MOLDING
21	HIGH SECURITY LOCKING MOLDING
22	FLAT BOX MOLDING
23	SINGLE FIBER MOLDING
24-25	WAVE MOLDING
26	COVE MOLDING
27-28	OVERLAY MOLDING
29-30	QUARTER ROUND MOLDING
31-32	HINGED OVERLAY MOLDING
33-34	EXTERIOR LATCH DUCT MOLDING
35	ALTERNATIVE MOLDING OPTIONS
36-39	METAL MOLDING
40-44	MOLDING ACCESSORIES
45	SLACK BOXES




Downspout Exterior Raceway System




MULTIPLE APPLICATIONS

- Fiber
- CATV
- HVAC
- Teleco
- Coaxial
- Satellite
- Twisted Pair

Downspout Exterior Raceway System



Patent In Process



MOLDING

Item	Part #	Description	UOM
A	039-138-10	Downspout Molding White Plastic Exterior 8' (2 Piece System, Cover & Base)	96'/Ctn
A	039-138-11	Downspout Molding Brown Plastic Exterior 8' (2 Piece System, Cover & Base)	96'/Ctn
A	039-138-12	Downspout Molding Beige Plastic Exterior 8' (2 Piece System, Cover & Base)	96'/Ctn

Specifications subject to change without notice.

© Multilink, Inc. 2011 • All Rights Reserved

Downspout Exterior Raceway System

WALL STRAP



Item	Part #	Description	UOM
B	039-143-10	DWS-W Downspout Wall Strap White	10/Pack
B	039-143-11	DWS-B Downspout Wall Strap Brown	10/Pack
B	039-143-12	DWS-BE Downspout Wall Strap Beige	10/Pack

SEAM COVER



Item	Part #	Description	UOM
C	039-141-10	DSSC-W Downspout Seam Cover White	10/Pack
C	039-141-11	DSSC-B Downspout Seam Cover Brown	10/Pack
C	039-141-12	DSSC-BE Downspout Seam Cover Beige	10/Pack

45° FITTING (2 Piece System)



Item	Part #	Description	UOM
D	039-147-10	DSF-45-W Downspout 45 Degree Fitting White (2 Piece System)	Each
D	039-147-11	DSF-45-B Downspout 45 Degree Fitting Brown (2 Piece System)	Each
D	039-147-12	DSF-45-BE Downspout 45 Degree Fitting Beige (2 Piece System)	Each

90° FITTING (2 Piece System)



Item	Part #	Description	UOM
E	039-146-10	DSF-90-W Downspout 90 Degree Flat Fitting White (2 Piece System)	Each
E	039-146-11	DSF-90-B Downspout 90 Degree Flat Fitting Brown (2 Piece System)	Each
E	039-146-12	DSF-90-BE Downspout 90 Degree Flat Fitting Beige (2 Piece System)	Each

END CAP



Item	Part #	Description	UOM
F	039-139-10	DSEC-W Downspout End Cap Fitting White (1 Piece)	10/Pack
F	039-139-11	DSEC-B Downspout End Cap Fitting Brown (1 Piece)	10/Pack
F	039-139-12	DSEC-BE Downspout End Cap Fitting Beige (1 Piece)	10/Pack

ROUND ADAPTER



Item	Part #	Description	UOM
G	039-163-10	DSA-4R-W Downspout to 4" Round Adapter White	Each
G	039-164-10	DSA-3R-W Downspout to 3" Round Adapter White	Each

Architectural Latch Duct Raceway

Category 5, 5E and 6 1" Bend Radius Compliant - Available in our Standard Version



Features

- Fast Mounting One Piece Design
- Architectural MutiRaceway holds communication cables to a 1 inch bend radius, thus maintaining end to end connectivity even when filled to capacity or pulled through the raceway
- The one piece design constructed of 94V-O rigid vinyl features a highly flexible hinge and self-locking latch
- This can be easily accessed as many times as necessary without stress cracking or discoloration



UL Listed Material

Multilink Latch Duct MultiRaceway

Category 5, 5E and 6 1" Bend Radius Compliant



A-C






A



B



C



Features & Benefits

- The MRM Series Latch Duct Raceway is an adhesive backed, highly flexible, one piece design that installs quickly and easily
- All fittings incorporate a minimum of 1" bend radius, thus maintaining end to end connectivity even when filled to capacity or pulled through raceway.

MOLDING

Figure	Stock ID	Part #	Description	Dimensions	Weight	UOM
A	99828	MRM75-I-T	Pre-Adhesive Backed Latch Duct Raceway	.84" W x .5" H x 6' L	9 Lbs./Ctn	120'/Ctn
A	99825	MRM75-W-T	Pre-Adhesive Backed Latch Duct Raceway	.84" W x .5" H x 6' L	9 Lbs./Ctn	120'/Ctn
A	99830	MRM75-OW-T	Pre-Adhesive Backed Latch Duct Raceway	.84" W x .5" H x 6' L	9 Lbs./Ctn	120'/Ctn
B	99838	MRM12-I-T	Pre-Adhesive Backed Latch Duct Raceway	1.36" W x .78" H x 6' L	23 Lbs./Ctn	120'/Ctn
B	99835	MRM12-W-T	Pre-Adhesive Backed Latch Duct Raceway	1.36" W x .78" H x 6' L	23 Lbs./Ctn	120'/Ctn
B	99831	MRM12-OW-T	Pre-Adhesive Backed Latch Duct Raceway	1.36" W x .78" H x 6' L	23 Lbs./Ctn	120'/Ctn
C	99848	MRM17-I-T	Pre-Adhesive Backed Latch Duct Raceway	1.90" W x 1.06" H x 6' L	33 Lbs./Ctn	120'/Ctn
C	99845	MRM17-W-T	Pre-Adhesive Backed Latch Duct Raceway	1.90" W x 1.06" H x 6' L	33 Lbs./Ctn	120'/Ctn
C	99832	MRM17-OW-T	Pre-Adhesive Backed Latch Duct Raceway	1.90" W x 1.06" H x 6' L	33 Lbs./Ctn	120'/Ctn

Packed 120 ft. per carton

Standard colors are Ivory, White and Office White

Replace XX with I, W or OW for color designation

Custom colors available on molding for a minimum run of 3,000 FT (500 pieces for fittings)

Call Customer Service for more information

MutliClear Surface Raceway

Category 5, 5E and 6 1" Bend Radius Compliant



A-C






A



B



C



Features & Benefits

- The MultiClear Raceway encompasses a flexible vinyl base to hold and secure cable
- The cover can be removed without disrupting the cabling
- This two piece design has a clear base and solid covers available in our standard raceway colors of Ivory, White, and Office White
- The line is compatible with the fittings on the following pages

MOLDING

Figure	Stock ID	Part#	Description	Dimensions	Weight	UOM
A	99854	MRC75-I-T	Pre-Adhesive Multiclear Surface Raceway	.84" W x .5" H x 6' L	9 Lbs./Ctn	120'/Ctn
A	99855	MRC75-W-T	Pre-Adhesive Multiclear Surface Raceway	.84" W x .5" H x 6' L	9 Lbs./Ctn	120'/Ctn
A	TBD	MRC75-OW-T	Pre-Adhesive Multiclear Surface Raceway	.84" W x .5" H x 6' L	9 Lbs./Ctn	120'/Ctn
B	99860	MRC12-I-T	Pre-Adhesive Multiclear Surface Raceway	1.36" W x .78" H x 6' L	23 Lbs./Ctn	120'/Ctn
B	99861	MRC12-W-T	Pre-Adhesive Multiclear Surface Raceway	1.36" W x .78" H x 6' L	23 Lbs./Ctn	120'/Ctn
B	TBD	MRC12-OW-T	Pre-Adhesive Multiclear Surface Raceway	1.36" W x .78" H x 6' L	23 Lbs./Ctn	120'/Ctn
C	99866	MRC17-I-T	Pre-Adhesive Multiclear Surface Raceway	1.90" W x 1.06" H x 6' L	33 Lbs./Ctn	120'/Ctn
C	99867	MRC17-W-T	Pre-Adhesive Multiclear Surface Raceway	1.90" W x 1.06" H x 6' L	33 Lbs./Ctn	120'/Ctn
C	99869	MRC17-OW-T	Pre-Adhesive Multiclear Surface Raceway	1.90" W x 1.06" H x 6' L	33 Lbs./Ctn	120'/Ctn

Packed 120 ft. per carton

Standard colors are Ivory, White and Office White

Replace XX with I, W or OW for color designation

Custom colors available on molding for a minimum run of 3,000 FT (500 pieces for fittings)

Call Customer Service for more information

Fittings for MRM & MRC Series Molding

Category 5, 5E and 6 1" Bend Radius Compliant



Not Sold Separately

T-FITTING

Stock ID	Part #	Size	Color	UOM
99615K	MRF75-TRT-I	.75	Ivory	10/Pack
99616K	MRF75-TRT-W	.75	White	10/Pack
99614K	MRF75-TRT-OW	.75	Office White	10/Pack
99620K	MRF12-TRT-I	1.25	Ivory	10/Pack
99621K	MRF12-TRT-W	1.25	White	10/Pack
99623K	MRF12-TRT-OW	1.25	Office White	10/Pack
99625K	MRF17-TRT-I	1.75	Ivory	10/Pack
99626K	MRF17-TRT-W	1.75	White	10/Pack
99624K	MRF17-TRT-OW	1.75	Office White	10/Pack



Not Sold Separately

INSIDE CORNER


Stock ID	Part #	Size	Color	UOM
99459K	MRF75-ICR-I	.75	Ivory	10/Pack
99454K	MRF75-ICR-W	.75	White	10/Pack
99455K	MRF75-ICR-OW	.75	Office White	10/Pack
99463K	MRF12-ICR-I	1.25	Ivory	10/Pack
99465K	MRF12-ICR-W	1.25	White	10/Pack
99460K	MRF12-ICR-OW	1.25	Office White	10/Pack
99469K	MRF17-ICR-I	1.75	Ivory	10/Pack
99470K	MRF17-ICR-W	1.75	White	10/Pack
99475K	MRF17-ICR-OW	1.75	Office White	10/Pack



Not Sold Separately

OUTSIDE CORNER

Stock ID	Part #	Size	Color	UOM
99441K	MRF75-OCR-I Flat	.75	Ivory	10/Pack
99442K	MRF75-OCR-W Flat	.75	White	10/Pack
99443K	MRF75-OCR-OW Flat	.75	Office White	10/Pack



Not Sold Separately

99446K	MRF12-OCR-I Flat	1.25	Ivory	10/Pack
99447K	MRF12-OCR-W Flat	1.25	White	10/Pack
99445K	MRF12-OCR-OW Flat	1.25	Office White	10/Pack
99451K	MRF17-OCR-I Flat	1.75	Ivory	10/Pack
99452K	MRF17-OCR-W Flat	1.75	White	10/Pack
99450K	MRF17-OCR-OW Flat	1.75	Office White	10/Pack

Fittings for MRM & MRC Series Molding

Category 5, 5E and 6 1" Bend Radius Compliant



END CAP

Stock ID	Part #	Size	Color	UOM
99645K	MRF75-EC-I	.75	Ivory	10/Pack
99646K	MRF75-EC-W	.75	White	10/Pack
99647K	MRF75-EC-OW	.75	Office White	10/Pack
99651K	MRF12-EC-I	1.25	Ivory	10/Pack
99652K	MRF12-EC-W	1.25	White	10/Pack
99653K	MRF12-EC-OW	1.25	Office White	10/Pack
99656K	MRF17-EC-I	1.75	Ivory	10/Pack
99657K	MRF17-EC-W	1.75	White	10/Pack
99658K	MRF17-EC-OW	1.75	Office White	10/Pack



SEAM COVER

Stock ID	Part #	Size	Color	UOM
99411K	MRF75-JC-I	.75	Ivory	10/Pack
99412K	MRF75-JC-W	.75	White	10/Pack
99413K	MRF75-JC-OW	.75	Office White	10/Pack
99416K	MRF12-JC-I	1.25	Ivory	10/Pack
99417K	MRF12-JC-W	1.25	White	10/Pack
99418K	MRF12-JC-OW	1.25	Office White	10/Pack
99421K	MRF17-JC-I	1.75	Ivory	10/Pack
99422K	MRF17-JC-W	1.75	White	10/Pack
99423K	MRF17-JC-OW	1.75	Office White	10/Pack



Not Sold Separately

FLAT ELBOW

Stock ID	Part #	Size	Color	UOM
99486K	MRF75-FER-I	.75	Ivory	10/Pack
99487K	MRF75-FER-W	.75	White	10/Pack
99485K	MRF75-FER-OW	.75	Office White	10/Pack
99491K	MRF12-FER-I	1.25	Ivory	10/Pack
99492K	MRF12-FER-W	1.25	White	10/Pack
99490K	MRF12-FER-OW	1.25	Office White	10/Pack
99496K	MRF17-FER-I	1.75	Ivory	10/Pack
99497K	MRF17-FER-W	1.75	White	10/Pack
99495K	MRF17-FER-OW	1.75	Office White	10/Pack

Fittings for MRM & MRC Series Molding

Category 5, 5E and 6 1" Bend Radius Compliant



REDUCER FITTING

Stock ID	Part #	Size	Color	UOM
99630K	MRF12-R75-IV	1.25 to .75	Ivory	10/Pack
99631K	MRF12-R75-W	1.25 to .75	White	10/Pack
99632K	MRF12-R75-OW	1.25 to .75	Office White	10/Pack
99635K	MRF17-R75--I	1.75 to .75	Ivory	10/Pack
99636K	MRF17-R75-W	1.75 to .75	White	10/Pack
99637K	MRF17-R75-OW	1.75 to .75	Office White	10/Pack



Not Sold Separately

CEILING ENTRY

Stock ID	Part #	Size	Color	UOM
99319K	MRF75-CE-I	.75	Ivory	10/Pack
99321K	MRF75-CE-W	.75	White	10/Pack
99322K	MRF75-CE-OW	.75	Office White	10/Pack
99320K	MRF12-CE-I	1.25	Ivory	10/Pack
99323K	MRF12-CE-W	1.25	White	10/Pack
99324K	MRF12-CE-OW	1.25	Office White	10/Pack
99330K	MRF17-CE-I	1.75	Ivory	10/Pack
99331K	MRF17-CE-W	1.75	White	10/Pack
99332K	MRF17-CE-OW	1.75	Office White	10/Pack



TRANSITION FITTING

Stock ID	Part #	Size	Color	UOM
649-069-20	MRF12-TF-I	1.25	Ivory	10/Pack
649-069-21	MRF12-TF-W	1.25	White	10/Pack
649-069-22	MRF12-TF-OW	1.25	Office White	10/Pack
649-068-20	MRF17-TF-I	1.75	Ivory	10/Pack
649-068-21	MRF17-TF-W	1.75	White	10/Pack
649-068-22	MRF17-TF-OW	1.75	Office White	10/Pack



SLACK BOX ENTRY FITTING

Stock ID	Part #	Size	Color	UOM
039-305-20	MRF12-SBE-I	1.25	Ivory	10/Pack
039-284-20	MRF12-SBE-W	1.25	White	10/Pack
039-304-20	MRF12-SBE-LW	1.25	Office White	10/Pack
039-307-20	MRF17-SBE-I	1.75	Ivory	10/Pack
039-285-20	MRF17-SBE-W	1.75	White	10/Pack
039-306-20	MRF17-SBE-LW	1.75	Office White	10/Pack

Multilink Raceway Cross Reference Chart

Category 5, 5E and 6 1" Bend Radius Compliant

Multilink	Description	Panduit Part#	Wiremold Part#	Tyton Part#	Dek Part#
MRM17	1.75" Raceway 6' L	LD10	2900	TSR3-6A	042-LD00
MRF17-JC	1.75" Seam or Joint Cover	CF10	2906	TSR3-14	042-0015
MRF17-TRT (includes base & cover)	1.75" Tee Fitting	TFC10	2915	TSR3-21-1	042-0021
MRF17-FER (includes base & cover)	1.75" Elbow Fitting	RAFC10	2911	TSR3-25-1	042-0025
MRF17-OCR (includes base & cover)	1.75" Outside Corner	OCFX10	2918	TSR3-29-1	042-0029
MRF17-ICR (includes base & cover)	1.75" Inside Corner	ICFC10	2917	TSR3-33-1	042-0033
MRF17-EC	1.75" End Cap	ECF10	2910B	TSR3-36	042-0036
MRF17-R7	1.75" - 1.25" Reducer	RF10X5	2989A	TSR1-12	042-0036H
MRF17-CE	1.75" Ceiling Drop	DCF10	2986	TSR3-50	042-0050

MRM12	1.25" Raceway 6' L	LD5	2800	TSR2-6A	N/A
MRF12-JC	1.25" Seam or Joint Cover	CF5	2806	TSR2-14	N/A
MRF12-TRT (includes base & cover)	1.25" Tee Fitting	TFC5	2815	TSR2-21-1	N/A
MRF12-FER (includes base & cover)	1.25" Elbow Fitting	RAFC5	2811	TSR2-25-1	N/A
MRF12-OCR (includes base & cover)	1.25" Outside Corner	OCFX5	2818	TSR2-29-1	N/A
MRF12-ICR (includes base & cover)	1.25" Inside Corner	ICFC5	2817	TSR2-33-1	N/A
MRF12-EC	1.25" End Cap	ECF5	2810B	TSR2-36	N/A
MRF12-R7	1.75" - .75" Reducer	RF10X3	2879A	TSR2-12	N/A
MRF12-CE	1.25" Ceiling Drop	DCF10	2886	TSR3-50	N/A

MRM75	.75" Raceway 6' L	LD3	2700	TSR1-6A	043-LD00
MRF75-JC	.75" Seam or Joint Cover	CF3	2706	TSR1-14	043-0015
MRF75-TRT (includes base & cover)	.75" Tee Fitting	TFC3	2715	TSR1-21-1	043-0021
MRF75-FER (includes base & cover)	.75" Elbow Fitting	RAFC3	2711	TSR1-25-1	043-0025
MRF75-OCR (includes base & cover)	.75" Outside Corner	OCFX3	2718	TSR1-29-1	043-0029
MRF75-ICR (includes base & cover)	.75" Inside Corner	ICFC3	2717	TSR1-33-1	043-0033
MRF75-EC	.75" End Cap	ECF3	2710B	TSR1-36	043-0036
MRF75-R7	1.25" - 3/4" Reducer	RF5X3	-	TSR3-12	-
MRF75-CE	.75" Ceiling Drop	DCF13	2786	TSR1-50	043-0050

Power Raceway Systems					
MRM400 (includes base and cover)	4" Multichannel 8' L	T70B	5400TB	MCRX-B8	N/A
MRM400-C	Cover for 4" Raceway	T70C	54000C	MCRX-C	N/A
MRM400-D	Divider for 4" Raceway	T70D	N/A	MCRW-SD	N/A
MRF400-DB	Data Box for 4" Raceway	T70DB	CM-EPLA	MCRX-CDB	N/A
MRF400-PB	Power Box for 4" Raceway	T70HB	5450-T	MCRX-EDB	N/A
MRF400-FER	Flat Elbow for 4" Raceway	T70RA	5411FO	MCRX-FE	N/A
MRF400-ICR	Inside Corner 4" Raceway	T70IC	5417FO	MCRX-IE	N/A
MRF400-EC	End Cap for 4" Raceway	T70EC	5410	MCRX-EC	N/A
MRF400-OCR	Outside Corner 4" Raceway	T70OCR	5418FO	MCRX-EE	N/A
MRF400-TBT	Transition Box 4" Raceway	T70T	5415FO	MCRX-TF	N/A
MRF400-WR	Wire Retainer 4" Raceway	T70WR	5400TWC	MCRG-WR	N/A
MRF400-JC	Joint Cover 4" Raceway	T70BC	5406A	MCRX-BS	N/A
Not Needed	Base Splice Cover	T70CC	5406T	MCRX-CS	N/A

Call Customer Service if the style you are interested in is not listed

MRM Series Raceway Fill Chart

Wire Type	Size	Diameter	MRM 75		MRM12		MRM17	
			40%	MAX	40%	MAX	40%	MAX
Coax	RG6/U	0.27	1	2	4	8	9	16
	RG59/U	0.242	1	2	5	10	12	20
	RG62/U	0.242	1	2	5	10	12	20
Twisted Pair	RG58/U	0.193	3	5	9	15	18	30
	2 pr	0.14	5	10	17	30	35	60
	24 AWG	0.15	4	8	15	25	31	50
Unshielded	4 pr 5E	0.217	2	4	7	12	14	25
	4 pr 6	0.24	1	2	5	10	12	20
	25 pr	0.41	0	1	2	4	4	7
Fiber Optic	2 strand	0.175	3	6	11	18	23	36
FA Jacket	4 strand	0.185	3	5	10	16	20	32
OFNP	6 strand	0.21	2	4	7	12	15	25
Electrical	14 AWG	0.105		7		10		14
	12AWG	0.122		5		8		11
	10AWG	0.153		3		5		6


40% - Column follows the guidelines of EIA/TIA for cable fill allowing for additions after install

MAX - Marketing recommended maximum fill based on bend radius and internal cabling area

Note - UL material used in MRM series raceway manufacturing

Product not currently UL listed

Architectural Multichannel 4"



Features

- Large Capacity Raceway
- Route Power and Communications Cabling Simultaneously
- Aesthetically Pleasing Design
- Meets TIA Minimum Requirements for Bend Radius
-  UL Listed

Architectural Multichannel 4"

Power & Data Installation

Features and Benefits

- Large Capacity Raceway
- Route Power and Communications Cabling Simultaneously
- Aesthetically Pleasing Design
- Meets TIA Minimum Requirements for Bend Radius
- Power Rated to 600V (UL)

Data Installation




Power Installation



Architectural Multichannel 4"

6 different modular designs allow for greater flexibility in one raceway system

Category 5, 5E and 6 1" Bend Radius Compliant



Fully Customizable Divider Placement

Architectural Multichannel 4"

Category 5, 5E and 6 1" Bend Radius Compliant



MOLDING

Stock ID	Part #	Description	Dimensions	UOM
999300	MRM400-IV-T	4" Multichannel UL Listed Power Raceway Base And Cover Included	4.051" W x 1.75" H x 8' L	64'/Ctn
999301	MRM400-WH-T	4" Multichannel UL Listed Power Raceway Base And Cover Included	4.051" W x 1.75" H x 8' L	64'/Ctn
999302	MRM400-OW-T	4" Multichannel UL Listed Power Raceway Base And Cover Included	4.051" W x 1.75" H x 8' L	64'/Ctn



UNIVERSAL DIVIDER

Stock ID	Part #	Description	Dimensions	UOM
999309	MRM400-D-IV	4" Universal Divider For 4" Multichannel Raceway	1.55" H x 8' L	64'/Ctn
999314	MRM400-D-WH	4" Universal Divider For 4" Multichannel Raceway	1.55" H x 8' L	64'/Ctn



WIRE RETAINER

Stock ID	Part #	Description	Dimensions	UOM
999306	MRF400-WR-IV	Wire Retainer For 4" Multichannel Raceway	4"	Each
999307	MRF400-WR-WH	Wire Retainer For 4" Multichannel Raceway	4"	Each



JOINT COVER

Stock ID	Part #	Description	Dimensions	UOM
999310	MRF400-JC-IV	Joint Cover / Seam Cover For 4" Multichannel Raceway	4"	Each
999311	MRF400-JC-WH	Joint Cover / Seam Cover For 4" Multichannel Raceway	4"	Each
999312	MRF400-JC-OW	Joint Cover / Seam Cover For 4" Multichannel Raceway	4"	Each



TRANSITION BOX

Stock ID	Part #	Description	Dimensions	UOM
999320	MRF400-TBT-IV	Transition Box For 4" Multichannel Raceway	4"	Each
999321	MRF400-TBT-WH	Transition Box For 4" Multichannel Raceway	4"	Each
999322	MRF400-TBT-OW	Transition Box For 4" Multichannel Raceway	4"	Each

Architectural Multichannel 4"

Category 5, 5E and 6 1" Bend Radius Compliant



DATA BOX

Stock ID	Part #	Description	Dimensions	UOM
999330	MRF400-DB-IV	Data Box For 4" Multichannel Raceway	4" L x 2" W x .75" D	Each
999331	MRF400-DB-WH	Data Box For 4" Multichannel Raceway	4" L x 2" W x .75" D	Each

POWER BOX

Stock ID	Part #	Description	Dimensions	UOM
999340	MRF400-PB-IV	Power Box For 4" Multichannel Raceway	4" L x 2" W x 1.375" D	Each
999341	MRF400-PB-WH	Power Box For 4" Multichannel Raceway	4" L x 2" W x 1.375" D	Each

FLAT ELBOW

Stock ID	Part #	Description	Dimensions	UOM
999350	MRF400-FER-IV	Flat Elbow For 4" Multichannel Raceway	4"	Each
999351	MRF400-FER-WH	Flat Elbow For 4" Multichannel Raceway	4"	Each
999352	MRF400-FER-OW	Flat Elbow For 4" Multichannel Raceway	4"	Each

OUTSIDE CORNER

Stock ID	Part #	Description	Dimensions	UOM
999360	MRF400-OCR-IV	Outside Corner For 4" Multichannel Raceway	4"	Each
999361	MRF400-OCR-WH	Outside Corner For 4" Multichannel Raceway	4"	Each
999362	MRF400-OCR-OW	Outside Corner For 4" Multichannel Raceway	4"	Each

INSIDE CORNER

Stock ID	Part #	Description	Dimensions	UOM
999370	MRF400-ICR-IV	Inside Corner For 4" Multichannel Raceway	4"	Each
999371	MRF400-ICR-WH	Inside Corner For 4" Multichannel Raceway	4"	Each
999372	MRF400-ICR-OW	Inside Corner For 4" Multichannel Raceway	4"	Each

END CAP

Stock ID	Part #	Description	Dimensions	UOM
999380	MRF400-EC-IV	End Cap For 4" Multichannel Raceway	4"	Each
999381	MRF400-EC-WH	End Cap For 4" Multichannel Raceway	4"	Each
999382	MRF400-EC-OW	End Cap For 4" Multichannel Raceway	4"	Each

Non-Metallic Architectural Flat Wave Hinged Molding



MOLDING

Stock ID	Part #	Description	Dimensions	UOM
21367	84180-HM-2-BE	Flat Wave Hinge Molding	2" x 1.25" x 8'	144' / Ctn
21366	84180-HM-2-WH	Flat Wave Hinge Molding	2" x 1.25" x 8'	144' / Ctn



INSIDE ELBOW

Stock ID	Part #	Description	Dimensions	UOM
26307	84186-IEHM-BE	Inside Elbow Fitting	2"	Each
26306	84186-IEHM-WH	Inside Elbow Fitting	2"	Each



OUTSIDE ELBOW

Stock ID	Part #	Description	Dimensions	UOM
26317	84187-OEHM-BE	Outside Elbow Fitting	2"	Each
26316	84187-OEHM-WH	Outside Elbow Fitting	2"	Each



END CAP

Stock ID	Part #	Description	Dimensions	UOM
26337	84183-ECH-BE	End Cap Fitting	2"	Each
26336	84183-ECH-WH	End Cap Fitting	2"	Each



FLAT ELBOW

Stock ID	Part #	Description	Dimensions	UOM
26327	84184-FEHM-BE	Flat Elbow Fitting	2"	Each
26326	84184-FEHM-WH	Flat Elbow Fitting	2"	Each

Standard Colors are Beige and White

Ultra High Security Locking Molding 2-Piece Lock Molding

3" bend radius meets coax drop cable return path bend radius standards



MOLDING

Stock ID	Part #	Description	Dimensions	UOM
27032	MRL10-EX	Lock Molding Top/Bottom Exterior Grade	.75" W x .8125" H x 8' L	360'/Ctn
27030	MRL20-EX	Lock Molding Top/Bottom Exterior Grade	2" W x .36" H x 8' L	160'/Ctn

INSIDE CORNER

Stock ID	Part #	Description	Dimensions	UOM
27097	MRF34-ICR-EX	Inside Corner Fitting	.75"	Each
27082	MRF25-IC-EX	Inside Corner Fitting	2"	Each

OUTSIDE CORNER

Stock ID	Part #	Description	Dimensions	UOM
27095K	MRF34-OCR-EX	Outside Corner Fitting (Cover and Base Included)	.75"	Each
27084	MRF25-OC-EX	Outside Corner Fitting	2"	Each
27085	MRF25-OR-EX	Outside Radius Fitting	2"	Each

FLAT ELBOW

Stock ID	Part #	Description	Dimensions	UOM
27099K	MRF34-FER-EX	Flat Elbow Fitting (Cover and Base Included)	.75"	Each
27080K	MRF25-FER-EX	Flat Elbow Fitting (Cover and Base Included)	2"	Each

SEAM COVER

Stock ID	Part #	Description	Dimensions	UOM
27091	MRF34-SC-EX	Seam Cover Fitting	.75"	Each
27087	MRF25-SC-EX	Seam Cover Fitting	2"	Each

END CAP

Stock ID	Part #	Description	Dimensions	UOM
27103	MRF34-EC-EX	End Cap Fitting	.75"	Each
27031	MRF25-EC-EX	End Cap Fitting	2"	Each

WALL ENTRY

Stock ID	Part #	Description	Dimensions	UOM
27092	MRF34-WE-EX	Wall Entry	.75"	Each
27093	MRF25-WE-EX	Wall Entry	2"	Each

T-FITTING

Stock ID	Part #	Description	Dimensions	UOM
27010	MRF34-T-EX	T-Fitting	.75"	Each
27011	MRF34-TR-EX	T-Raduis Fitting	.75"	Each
27088	MRF25-T-EX	T-Fitting	2"	Each

REDUCER

Stock ID	Part #	Description	Dimensions	UOM
27086	MRF25-R3-EX	Reducer Fitting	2" to .75"	Each

Standard Color is Ivory



Flat Box Molding

Flat Box is a two piece molding with a snap-on cover that is easy to re-enter
The special V-shaped grooves in the cover allow for a tighter, more secure fit to the base

MOLDING



Stock ID	Part #	Description	Dimensions	Color	UOM
23217	84140-FBMH-BE	Flat Box Molding	2" W x .75" H x 8' L	Beige	192/Ctn
23216	84140-FBMH-WH	Flat Box Molding	2" W x .75" H x 8' L	White	192/Ctn
23237	84180-FBMH-BE	Flat Box Molding	2" W x .1.25" H x 8' L	Beige	144/Ctn
23235	84180-FBMH-WH	Flat Box Molding	2" W x .1.25" H x 8' L	White	144/Ctn
23267	84200-FBMH-BE	Flat Box Molding	2" W x 2" H x 8' L	Beige	64' / Ctn
23266	84200-FBMH-WH	Flat Box Molding	2" W x 2" H x 8' L	White	64' / Ctn
25974	84242-FBMH-BE	Flat Box Molding	2.125" W x 2.25" H x 8' L	Beige	64' / Ctn
25973	84242-FBMH-WH	Flat Box Molding	2.125" W x 2.25" H x 8' L	White	64' / Ctn

FLAT ELBOW



Stock ID	Part #	Description	Dimensions	Color	UOM
28217	84144-FE/FBM-BE	Flat Elbow	2" x .75"	Beige	Each
28220	84144-FE/FBM-WH	Flat Elbow	2" x .75"	White	Each
28249	84184-FE/FBM-BE	Flat Elbow	2" x 1.25"	Beige	Each
28245	84184-FE/FBM-WH	Flat Elbow	2" x 1.25"	White	Each
28277	84204-FE/FBM-BE	Flat Elbow	2" x 2"	Beige	Each
28279	84204-FE/FBM-WH	Flat Elbow	2" x 2"	White	Each

INSIDE ELBOW



Stock ID	Part #	Description	Dimensions	Color	UOM
28017	84146-IE/FBM-BE	Inside Elbow	2" x .75"	Beige	Each
28023	84146-IE/FBM-WH	Inside Elbow	2" x .75"	White	Each
28037	84186-IE/FBM-BE	Inside Elbow	2" x 1.25"	Beige	Each
28036	84186-IE/FBM-WH	Inside Elbow	2" x 1.25"	White	Each
28067	84206-IE/FBM-BE	Inside Elbow	2" x 2"	Beige	Each
28066	84206-IE/FBM-WH	Inside Elbow	2" x 2"	White	Each
039-408-10	84242-FBMH-IC-BE	Inside Elbow	2.125" x 2.25"	Beige	Each
10-6072	84242-FBMH-IC-WH	Inside Elbow	2.125" x 2.25"	White	Each


OUTSIDE ELBOW



Stock ID	Part #	Description	Dimensions	Color	UOM
28117	84147-OE/FBM-BE	Outside Elbow	2" x .75"	Beige	Each
28121	84147-OE/FBM-WH	Outside Elbow	2" x .75"	White	Each
28137	84187-OE/FBM-BE	Outside Elbow	2" x 1.25"	Beige	Each
28136	84187-OE/FBM-WH	Outside Elbow	2" x 1.25"	White	Each
28167	84207-OE/FBM-BE	Outside Elbow	2" x 2"	Beige	Each
28166	84207-OE/FBM-WH	Outside Elbow	2" x 2"	White	Each
039-409-10	84242-FBMH-OC-BE	Outside Elbow	2.125" x 2.25"	Beige	Each
10-6073	84242-FBMH-OC-WH	Outside Elbow	2.125" x 2.25"	White	Each

Self Adhesive Single Fiber Molding

3mm Fiber Only



MOLDING

Stock ID	Part #	Description	Color	UOM
A 10-9405	FDM3AB-IV	Single Fiber Drop Molding	Ivory	600/Feet
A 10-9404	FDM3AB-LW	Single Fiber Drop Molding	Linen White	600/Feet



OUTSIDE CORNER

Stock ID	Part #	Description	Color	UOM
B 10-9409	FDF3-OCR-IV	OC & Radius for Single Fiber Drop Molding	Ivory	10/Pack
B 10-9408	FDF3-OCR-LW	OC & Radius for Single Fiber Drop Molding	Linen White	10/Pack



Not Sold Separately

INSIDE CORNER

Stock ID	Part #	Description	Color	UOM
C 10-9407	FDF3-ICR-IV	IC & Molded Radius Single Fiber Drop Molding	Ivory	10/Pack
C 10-9406	FDF3-ICR-LW	IC & Molded Radius Single Fiber Drop Molding	Linen White	10/Pack



FLAT ELBOW

Stock ID	Part #	Description	Color	UOM
D 10-9410	FDF3-FER-IV	Flat Elbow w/ Molded Radius Single Fiber Drop Molding	Ivory	10/Pack
D 10-9411	FDF3-FER-LW	Flat Elbow w/ Molded Radius Single Fiber Drop Molding	Linen White	10/Pack



Architectural Plastic Wave Molding For Interior Use Only

6 different modular designs allow for greater flexibility in one raceway system

Category 5, 5E and 6 1" Bend Radius Compliant

MOLDING



Lance Option Available

Stock ID	Part #	Description	Color	Dimensions	UOM
21096	84125-W	Wave Molding	White	2.5" W x 8' L	240'/Ctn
21097	84125-W	Wave Molding	Beige	2.5" W x 8' L	240'/Ctn
21196	84125-WH	Hinged Wave Molding	White	2.5" W x 8' L	120'/Ctn
21197	84125-WH	Hinged Wave Molding	Beige	2.5" W x 8' L	120'/Ctn
21299	84125-WH-AB	Hinged Wave Molding w/ Adhesive Backing	Beige	2.5" W x 8' L	120'/Ctn
21290	84130-W	Wave Molding	White	2.75" W x 8' L	160'/Ctn
21291	84130-W	Wave Molding	Beige	2.75" W x 8' L	160'/Ctn
039-131-10	84170-W	Wave Molding	White	3.5" W x 8' L	64'/Ctn
21320	84170-W	Wave Molding	Beige	3.5" W x 8' L	64'/Ctn
23208	84140-W	Wave Molding	White	4" W x 8' L	96'/Ctn
23209	84140-W	Wave Molding	Beige	4" W x 8' L	96'/Ctn

INSIDE ELBOW



Stock ID	Part #	Description	Color	Dimensions	UOM
26006	84125-IEW	Inside Elbow	White	2.5"	Each
26007	84125-IEW	Inside Elbow	Beige	2.5"	Each
039-132-10	84175-IEW	Inside Elbow	White	3.5"	Each
21325	84175-IEW	Inside Elbow	Beige	3.5"	Each
21295	84130-IEWL	Inside Elbow	White	2.75"	Each
21294	84130-IEWL	Inside Elbow	Beige	2.75"	Each

OUTSIDE ELBOW



Stock ID	Part #	Description	Color	Dimensions	UOM
26016	84125-OEW	Outside Elbow	White	2.5"	Each
26017	84125-OEW	Outside Elbow	Beige	2.5"	Each
039-133-10	84175-OEW	Outside Elbow	White	3.5"	Each
21330	84175-OEW	Outside Elbow	Beige	3.5"	Each
21293	84130-OEWL	Outside Elbow	White	2.75"	Each
21292	84130-OEWL	Outside Elbow	Beige	2.75"	Each

Architectural Plastic Wave Molding For Interior Use Only

6 different modular designs allow for greater flexibility in one raceway system

Category 5, 5E and 6 1" Bend Radius Compliant



LEFT END CAP

Stock ID	Part #	Description	Color	Dimensions	UOM
039-477-10	84125-CW	Left End Cap	White	2.5"	Each
039-478-10	84125-CW	Left End Cap	Beige	2.5"	Each
039-461-10	84175-CW	Left End Cap	White	3.5"	Each
039-469-10	84175-CW	Left End Cap	Beige	3.5"	Each



RIGHT END CAP

Stock ID	Part #	Description	Color	Dimensions	UOM
26036	84125-CW	Right End Cap	White	2.5"	Each
26037	84125-CW	Right End Cap	Beige	2.5"	Each
039-134-10	84175-CW	Right End Cap	White	3.5"	Each
039-196-10	84175-CW	Right End Cap	Beige	3.5"	Each



T-FITTING

Stock ID	Part #	Description	Color	Dimensions	UOM
99687K	MCF27-T-W	T-Fitting	White	2.5"	10 / Pack
99686K	MCF27-T-BE	T-Fitting	Beige	2.5"	10 / Pack

Custom colors available on molding for a minimum run of 3,000 FT (500 pieces for fittings)
Call Customer Service for more information

Cove Molding

Category 5, 5E and 6 1" Bend Radius Compliant



MOLDING

Stock ID	Part #	Description	Color	Dimensions	UOM
22678	84108-VM	Cove Molding	White	2.0625" x 8'	320'/Ctn
22677	84108-VM	Cove Molding	Beige	2.0625" x 8'	320'/Ctn
22696	84125-VM	Cove Molding	White	2.75" x 8'	240'/ Ctn
22697	84125-VM	Cove Molding	Beige	2.75" x 8'	240'/ Ctn
039-541-10	84125-VM	Cove Molding	Linen White	2.75" x 8'	240'/ Ctn

Lance Option Available

INSIDE ELBOW

Stock ID	Part #	Description	Color	Dimensions	UOM
28079	84106-IEVL	Inside Elbow	White	2.0625"	Each
28077	84106-IEVL	Inside Elbow	Beige	2.0625"	Each
28088	84125-IEVL	Inside Elbow	White	2.75"	Each
28087	84125-IEVL	Inside Elbow	Beige	2.75"	Each
039-542-10	84125-IEVL	Inside Elbow	Linen White	2.75"	Each



OUTSIDE ELBOW

Stock ID	Part #	Description	Color	Dimensions	UOM
28179	84107-OEVL	Outside Elbow	White	2.0625"	Each
28177	84107-OEVL	Outside Elbow	Beige	2.0625"	Each
28189	84125-OEVL	Outside Elbow	White	2.75"	Each
28187	84125-OEVL	Outside Elbow	Beige	2.75"	Each
039-543-10	84125-OEVL	Outside Elbow	Linen White	2.75"	Each



END CAP

Stock ID	Part #	Description	Color	Dimensions	UOM
28389	84108-CV	End Cap Left	White	2.0625" x 8"	Each
28388	84108-CV	End Cap Left	Beige	2.0625" x 8"	Each
039-463-10	84108-CV	End Cap Right	White	2.0625" x 8"	Each
039-462-10	84108-CV	End Cap Right	Beige	2.0625" x 8"	Each
28398	84125-CV	End Cap Left	White	2.75 " x 8"	Each
28397	84125-CV	End Cap Left	Beige	2.75 " x 8"	Each
039-544-10	84125-CV	End Cap Left	Linen White	2.75 " x 8"	Each
039-473-10	84125-CV	End Cap Right	White	2.75 " x 8"	Each
039-472-10	84125-CV	End Cap Right	Beige	2.75 " x 8"	Each
039-545-10	84125-CV	End Cap Right	Linen White	2.75 " x 8"	Each




2 PIECE FINGER DROP SPLICE

Stock ID	Part #	Description	Color	Dimensions	UOM
28295	84020-FDS-WH	2 Piece Finger Drop Splice	White	.5" x 8"	Each
28298	84020-FDS-BE	2 Piece Finger Drop Splice	Beige	.5" x 8"	Each




Custom colors available on molding for a minimum run of 3,000 FT (500 pieces for fittings)
Call Customer Service for more information

Overlay Molding



Overlay Molding™ was designed to be installed over an existing provider's molding system. It is a two piece design, which allows for access to the first molding system without disconnecting any cables. The cover of the overlay simply snaps onto the base which is mounted below the existing molding and "covers up" the existing molding and the new base. The base of the Overlay Molding™ has a smooth co-extruded flexible cable keeper which won't damage any cables during installation or removal. The corner pieces include bend radius protectors to maintain the minimum bend radius of 1".



Patent In Process

MOLDING

Stock ID	Part #	Description	Color	UOM
A 10-9387	MRW-15-IV	Overlay Molding/Open Crown 1.5" x .75" for MDU	Ivory	80'/Ctn
A 10-9386	MRW-15-LW	Overlay Molding/Open Crown 1.5" x .75" for MDU	Linen White	80'/Ctn

Overlay Molding™



LEFT END CAP

Stock ID	Part #	Description	Color	UOM
B 10-9379	MRW15-EC-L-IV	Left End Cap for Overlay Molding	Ivory	10/Pack
B 10-9378	MRW15-EC-L-LW	Left End Cap for Overlay Molding	Linen White	10/Pack



SEAM COVER

Stock ID	Part #	Description	Color	UOM
C 10-9376	MRW15-SC-IV	Seam Cover for Overlay Molding	Ivory	10/Pack
C 10-9375	MRW15-SC-LW	Seam Cover for Overlay Molding	Linen White	10/Pack



COVER DROP "T"

Stock ID	Part #	Description	Color	UOM
D 10-9383	MRW15-DTRB-IV	Cover Drop "T" and Radius for Overlay Molding	Ivory	10/Pack
D 10-9382	MRW15-DTRB-LW	Cover Drop "T" and Radius for Overlay Molding	Linen White	10/Pack

Radius Not Sold Separately



OUTSIDE CORNER

Stock ID	Part #	Description	Color	UOM
E 10-9391	MRW15-OWCR-IV	Outside Corner & Radius for Overlay Molding	Ivory	10/Pack
E 10-9390	MRW15-OWCR-LW	Outside Corner & Radius for Overlay Molding	Linen White	10/Pack

Radius Not Sold Separately



INSIDE CORNER

Stock ID	Part #	Description	Color	UOM
F 10-9389	MRW15-IER-IV	Inside Corner & Radius for Overlay Molding	Ivory	10/Pack
F 10-9388	MRW15-IER-LW	Inside Corner & Radius for Overlay Molding	Linen White	10/Pack


Radius Not Sold Separately




RIGHT END CAP

Stock ID	Part #	Description	Color	UOM
G 10-9380	MRW15-EC-R-IV	Right End Cap for Overlay Molding	Ivory	10/Pack
G 10-9381	MRW15-EC-R-LW	Right End Cap for Overlay Molding	Linen White	10/Pack

Quarter Round Molding



Multilink's 1/4-Round raceway system was designed to house cabling where the wall meets the floor, and can also be where the wall meets the ceiling. The cover is hinged, and the accessory pieces snap over the outside of the raceway for ease of installation. The molding transitions to Multilink's standard MRM-75 latch duct and square moldings by use of the "T" fitting.



MOLDING

	Stock ID	Part #	Description	Color	UOM
A	039-187-21	MRQH14-IV	1/4 Round Hinged	Ivory	320/ctn
A	039-187-22	MRQH14-W	1/4 Round Hinged	White	320/ctn
A	039-187-20	MRQH14-LW	1/4 Round Hinged	Linen White	320/ctn

Quarter Round Molding

LEFT ENDCAP



	Stock ID	Part #	Description	Color	UOM
B	039-219-21	MRQH14-LEC-IV	Left End Cap 1/4 Round	Ivory	10/Pack
B	039-219-22	MRQH14-LEC-W	Left End Cap 1/4 Round	White	10/Pack
B	039-219-20	MRQH14-LEC-LW	Left End Cap 1/4 Round	Linen White	10/Pack

RIGHT ENDCAP



	Stock ID	Part #	Description	Color	UOM
C	039-218-21	MRQH14-REC-IV	Right End Cap 1/4 Round	Ivory	10/Pack
C	039-218-22	MRQH14-REC-W	Right End Cap 1/4 Round	White	10/Pack
C	039-218-20	MRQH14-REC-LW	Right End Cap 1/4 Round	Linen White	10/Pack

INSIDE CORNER



	Stock ID	Part #	Description	Color	UOM
D	039-215-21	MRQH14-IE-IV	Inside Elbow 1/4 Round	Ivory	10/Pack
D	039-215-22	MRQH14-IE-W	Inside Elbow 1/4 Round	White	10/Pack
D	039-215-20	MRQH14-IE-LW	Inside Elbow 1/4 Round	Linen White	10/Pack

OUTSIDE CORNER



	Stock ID	Part #	Description	Color	UOM
E	039-216-21	MRQH14-OE-IV	Outside Elbow 1/4 Round	Ivory	10/Pack
E	039-216-22	MRQH14-OE-W	Outside Elbow 1/4 Round	White	10/Pack
E	039-216-20	MRQH14-OE-LW	Outside Elbow 1/4 Round	Linen White	10/Pack

T-FITTING



	Stock ID	Part #	Description	Color	UOM
F	039-217-21	MRQH14-T-IV	Drop T 1/4 Round	Ivory	10/Pack
F	039-217-22	MRQH14-T-W	Drop T 1/4 Round	White	10/Pack
F	039-217-20	MRQH14-T-LW	Drop T 1/4 Round	Linen White	10/Pack


SEAM COVER




Not Shown

	Stock ID	Part #	Description	Color	UOM
	039-214-21	MRQH14-SC-IV	Seam Cover 1/4 Round	Ivory	10/Pack
	039-214-22	MRQH14-SC-W	Seam Cover 1/4 Round	White	10/Pack
	039-214-20	MRQH14-SC-LW	Seam Cover 1/4 Round	Linen White	10/Pack

Hinged Overlay Molding



Overlay Molding™ was designed to be installed over an existing provider's molding system. It is a two piece design, which allows for access to the first molding system without disconnecting any cables. The cover of the overlay simply snaps onto the base which is mounted below the existing molding and "covers up" the existing molding and the new base. The base of the Overlay Molding™ has a smooth co-extruded flexible cable keeper which won't damage any cables during installation or removal. The corner pieces include bend radius protectors to maintain the minimum bend radius of 1". Cover is hinged for ease of access and mounting.



MOLDING

Stock ID	Part #	Description	Color	UOM
A 649-065-11	MRWH15-IV	Hinged Cover Molding	Ivory	80'/ctn
A 649-065-12	MRWH15-W	Hinged Cover Molding	White	80'/ctn
A 649-065-10	MRWH15-LW	Hinged Cover Molding	Linen White	80'/ctn

Hinged Overlay Molding



Left End Cap

	Stock ID	Part #	Description	Color	UOM
B	649-053-21	MRWH15-EC-L-IV	Left End Cap Hinged Cover Molding	Ivory	10/Pack
B	649-053-22	MRWH15-EC-L-W	Left End Cap Hinged Cover Molding	White	10/Pack
B	649-053-20	MRWH15-EC-L-LW	Left End Cap Hinged Cover Molding	Linen White	10/Pack



Right End Cap

	Stock ID	Part #	Description	Color	UOM
C	649-054-21	MRWH15-EC-R-IV	Right End Cap Hinged Cover Molding	Ivory	10/Pack
C	649-054-22	MRWH15-EC-R-W	Right End Cap Hinged Cover Molding	White	10/Pack
C	649-054-20	MRWH15-EC-R-LW	Right End Cap Hinged Cover Molding	Linen White	10/Pack



Inside Corner w/Bend Radius

	Stock ID	Part #	Description	Color	UOM
D	039-405-11	MRWH15-ICR-IV	Inside Corner & Radius Hinged Cover Molding	Ivory	10/Pack
D	039-405-12	MRWH15-ICR-W	Inside Corner & Radius Hinged Cover Molding	White	10/Pack
D	039-405-10	MRWH15-ICR-LW	Inside Corner & Radius Hinged Cover Molding	Linen White	10/Pack



Outside Corner w/Bend Radius

	Stock ID	Part #	Description	Color	UOM
E	039-404-11	MRWH15-OCR-IV	Outside Corner & Radius Hinged Cover Molding	Ivory	10 Pack
E	039-404-12	MRWH15-OCR-W	Outside Corner & Radius Hinged Cover Molding	White	10 Pack
E	039-404-10	MRWH15-OCR-LW	Outside Corner & Radius Hinged Cover Molding	Linen White	10 Pack



T-Fitting w/Bend Radius




	Stock ID	Part #	Description	Color	UOM
F	039-406-11	MRWH15-TRT-IV	T-Fitting & Radius Hinged Cover Molding	Ivory	10/Pack
F	039-406-12	MRWH15-TRT-W	T-Fitting & Radius Hinged Cover Molding	White	10/Pack
F	039-406-10	MRWH15-TRT-LW	T-Fitting & Radius Hinged Cover Molding	Linen White	10/Pack



Seam Cover

	Stock ID	Part #	Description	Color	UOM
G	649-060-21	MRWH15-SC-IV	Seam Cover Hinged Cover Molding	Ivory	10/Pack
G	649-060-22	MRWH15-SC-W	Seam Cover Hinged Cover Molding	White	10/Pack
G	649-060-20	MRWH15-SC-LW	Seam Cover Hinged Cover Molding	Linen White	10/Pack

Square Plastic Molding Exterior Grade



Square Plastic Molding

Stock ID	Part #	Description	UOM
A 10-9465	MRC12-E-IV	Sq. Plastic Molding w/ Non-Adhesive Backing Exterior Grade	160/Feet
A 10-9423	MRC17-E-IV	Sq. Plastic Molding w/ Non-Adhesive Backing Exterior Grade	160/Feet



Not Sold Separately

T-FITTING

Stock ID	Part #	Description	UOM
B 10-9731	MRF12-TRT-E-IV	T-Fitting & Radius for Sq. Plastic Exterior Grade	10/Pack
B 10-9734	MRF17-TRT-E-IV	T-Fitting & Radius for Sq. Plastic Exterior Grade	10/Pack



Not Sold Separately

OUTSIDE CORNER

Stock ID	Part #	Description	UOM
C 10-9417	MRF12-OCR-E-IV	Outside Corner and Radius for Sq. Plastic Exterior Grade	10/Pack
C 10-9427	MRF17-OCR-E-IV	Outside Corner and Radius for Sq. Plastic Exterior Grade	10/Pack



Not Sold Separately

INSIDE CORNER

Stock ID	Part #	Description	UOM
D 10-9415	MRF12-ICR-E-IV	Inside Corner and Radius for Sq. Plastic Exterior Grade	10/Pack
D 10-9425	MRF17-ICR-E-IV	Inside Corner and Radius for Sq. Plastic Exterior Grade	10/Pack

Square Plastic Molding Exterior Grade



Not Sold Separately

FLAT ELBOW

	Stock ID	Part #	Description	UOM
E	10-9419	MRF12-FER-E-IV	Flat Elbow and Radius for Sq. Plastic Exterior Grade	10/Pack
E	10-9429	MRF17-FER-E-IV	Flat Elbow and Radius for Sq. Plastic Exterior Grade	10/Pack



END CAP

	Stock ID	Part #	Description	UOM
F	10-9729	MRF12-EC-E-IV	End Cap for Sq. Plastic Exterior Grade	10/Pack
F	10-9730	MRF17-EC-E-IV	End Cap for Sq. Plastic Exterior Grade	10/Pack



SEAM COVER

	Stock ID	Part #	Description	UOM
-	10-9421	MRF12-JC-E-IV	Seam Cover for Sq. Plastic Exterior	10/Pack
-	10-9431	MRF17-JC-E-IV	Seam Cover for Sq. Plastic Exterior	10/Pack



TRANSITION FITTING

	Stock ID	Part #	Description	UOM
-	649-052-20	MRF12-TF-E-IV	Transition Fitting	10/Pack
-	649-051-20	MRF17-TF-E-IV	Transition Fitting	10/Pack



SLACK BOX ENTRY FITTING

	Stock ID	Part #	Description	UOM
-	039-208-20	MRF12-SBE-E-IV	Slack Box Entry Fitting	10/Pack
-	039-209-20	MRF17-SBE-E-IV	Slack Box Entry Fitting	10/Pack

Exterior Grade Material is Only Available in Exterior Ivory

Square Plastic Molding Exterior Grade



Available by special order only

HEAVY WALL U FLANGED GUARD

Stock ID	Part #	Description	Color	Dimensions	UOM
22430	86100-XRG	1" U Flanged Guard	White	1" x 8'	320/ctn
22427	86100-XRG	1" U Flanged Guard	Beige	1" x 8'	320/ctn
TBD	86150-XRG	1.5" U Flanged Guard	White	1.5" x 8'	240/ctn
22447	86150-XRG	1.5" U Flanged Guard	Beige	1.5" x 8'	240/ctn
039-464-10	86201-XRG	2" U Flanged Guard	White	2" x 8'	80/ctn
22467	86201-XRG	2" U Flanged Guard	Beige	2" x 8'	80/ctn




EXTERIOR GRADE KH MOLDING

Stock ID	Part #	Description	Color	Dimensions	UOM
10-6522	84200-SQ	Molding Cover Only	Ext. Ivory	2" x 1" x 8'	128/ctn
10-6523	84200-SQ	Molding Base Only	Ext. Ivory	2" x 1" x 8'	128/ctn
10-9318	84220-SQ	Molding Cover Only	Ext. Ivory	2" x 2" x 8'	128/ctn
10-9319	84220-SQ	Molding Base Only	Ext. Ivory	2" x 2" x 8'	128/ctn
10-9320	84150-SQ	Molding Cover Only	Ext. Ivory	1.5" x 1"	320/ctn
10-9321	84150-SQ	Molding Base Only	Ext. Ivory	1.5" x 1"	320/ctn
10-4098	84300-SQ	Molding Cover Only	Ext. Ivory	3" x 2"	96/ctn
10-4099	84300-SQ	Molding Base Only	Ext. Ivory	3" x 2"	96/ctn

Steel Molding


Tuff Top Coating for Olympic Steel Molding
Category 5, 5E & 6 - 1" Bend Radius Compliant



Steel Raceway		Stock ID					
	Description	Beige	Brick Red	Brown	White	Std. CRT Size	UOM
A	84030-CMM 3/4"	20117	20119	20118	20115	224 ft	Each
A	84120-CMM 1-1/4"	20137	20139	20138	20136	224 ft	Each
A	84200-CMM 2"	20167	20169	20168	20171	192 ft	Each
A	84300-CMM 3"	20194	20195	20196	20197	96 ft	Each



Full Length Metal Backing				
	Stock ID	Description	Std. CRT Size	UOM
A	25913	84030-MBL / Full length Metal Backing for 3/4" Metal Molding	224 ft	Each
A	25933	84120-MBL / Full Length Metal Backing for 1-1/4" Metal Molding	224 ft	Each
A	25993	84200-MBL / Full Length Metal Backing for 2" Metal Molding	192 ft	Each
A	25934	84300-MBL / Full Length Metal Backing for 3" Metal Molding	96 ft	Each



5" Long Mounting Brackets				
	Stock ID	Description	Std. CRT Size	UOM
A	25912	84032-MB / 3/4" Mounting Brackets	10/Pack	Each
A	25932	84122-MB / 1 1/4" Mounting Brackets	10/Pack	Each
A	25962	84205-MB / 2" Mounting Brackets	10/Pack	Each
A	25963	84306-MB / 3" Mounting Brackets	10/Pack	Each

Steel Molding

Tuff Top Coating for Olympic Steel Molding

Category 5, 5E & 6 - 1" Bend Radius Compliant




Seam Covers		Stock ID					
Description		Beige	Brick Red	Brown	White	Carton Qty.	UOM
B	84033-SCM 3/4"	25917	25919	25918	25920	10/Pack	Each
B	84122-SCM 1-1/4"	25937	25939	25938	25940	10/Pack	Each
B	84222-SCM 2"	25967	25969	25968	25961	10/Pack	Each
B	84302-SCM 3"	25009	25008	25109	25007	10/Pack	Each



End Cap		Stock ID					
Description		Beige	Brick Red	Brown	White	Carton Qty.	UOM
C	84033-ECM 3/4"	25317	25319	25318	27332	10/Pack	Each
C	84123-ECM 1-1/4"	25337	25339	25338	27333	10/Pack	Each
C	84203-ECM 2"	25367	25369	25368	27334	10/Pack	Each
C	84303-ECM 3"	25396	25395	25394	25005	10/Pack	Each



Entry Hoof		Stock ID					
Description		Beige	Brick Red	Brown	White	Carton Qty.	UOM
H	84123-ECM2 1-1/4"	10-9311	10-9312	10-9310	10-9309	10/Pack	Each
H	84203-ECM2 2"	10-9315	10-9316	10-9314	10-9313	10/Pack	Each



Outside Corner		Stock ID					
Description		Beige	Brick Red	Brown	White	Carton Qty.	UOM
D	84037-OEM 3/4"	25117	25119	25118	27326	10/Pack	Each
D	84127-OEM 1-1/4"	25137	25139	25138	27327	10/Pack	Each
D	84207-OEM 2"	25167	25169	25168	27328	10/Pack	Each
D	84307-OEM 3"	25194	25195	25196	25002	10/Pack	Each



Outside Corners w/ Bend Radius Protection		Stock ID					
Description		Beige	Brick Red	Brown	White	Carton Qty.	UOM
D	84127-OEM2 1-1/4"	10-9303	10-9304	10-9302	10-9301	10/Pack	Each
D	84207-OEM2 2"	10-9307	10-9308	10-9306	10-9305	10/Pack	Each

Steel Molding

Tuff Top Coating for Olympic Steel Molding
Category 5, 5E & 6 - 1" Bend Radius Compliant



Inside Corner		Stock ID					
	Description	Beige	Brick Red	Brown	White	Carton Qty.	UOM
E	84036-IEM 3/4"	25017	25019	25018	27323	10/Pack	Each
E	84126-IEM 1-1/4"	25037	25039	25038	27324	10/Pack	Each
E	84206-IEM 2"	25067	25069	25068	27325	10/Pack	Each
E	84306-IEM 3"	25096	25095	25094	25001	10/Pack	Each



Inside Corners w/ Bend Radius Protection		Stock ID					
	Description	Beige	Brick Red	Brown	White	Carton Qty	UOM
E	84126-IEM2 1-1/4"	10-9295	10-9296	10-9294	10-9293	10/Pack	Each
E	84206-IEM2 2"	10-9299	10-9300	10-9298	10-9297	10/Pack	Each



Right Angles		Stock ID					
	Description	Beige	Brick Red	Brown	White	Carton Qty.	UOM
F	84034-FEMB 3/4"	25217	25219	25218	27329	10/Pack	Each
F	84124-FEMB 1-1/4"	25237	25239	25238	27330	10/Pack	Each
F	84204-FEMB 2"	25267	25269	25268	27331	10/Pack	Each
F	84304-FEMB 3"	25294	25295	25296	25003	10/Pack	Each



Right Angles w/ Bend Radius Protection		Stock ID					
	Description	Beige	Brick Red	Brown	White	Carton Qty	UOM
F	84124-FEM2 1-1/4"	10-9278	10-9279	10-9277	10-9276	10/Pack	Each
F	84204-FEM2 2"	10-9286	10-9287	10-9285	10-9284	10/Pack	Each

Steel Molding

Tuff Top Coating for Olympic Steel Molding

Category 5, 5E & 6 - 1" Bend Radius Compliant




Image Altered For Clarity

T-Fitting		Stock ID					
Description		Beige	Brick Red	Brown	White	Carton Qty.	UOM
G	84038-TMB 3/4"	25417	25419	25418	25420	10/Pack	Each
G	84128-TMB 1-1/4"	25437	25439	25438	25440	10/Pack	Each
G	84208-TMB 2"	25467	25469	25468	25466	10/Pack	Each
G	84308-TMB 3"	25494	25495	25496	25006	10/Pack	Each

T-Fitting w/ Bend Radius Protection		Stock ID					
Description		Beige	Brick Red	Brown	White	Carton Qty.	UOM
G	84128-TM2 1-1/4"	10-9282	10-9283	10-9281	10-9280	10/Pack	Each
G	84208-TM2 2"	10-9290	10-9291	10-9289	10-9288	10/Pack	Each

T-Reducer Fitting		Stock ID					
Description		Beige	Brick Red	Brown	White	Carton Qty.	UOM
	84128-03-T 1-1/4" - 3/4"	25540	N/A	N/A	N/A	10/Pack	Each
	84208-03-T 2" - 1-1/4"	25567	25569	25568	25566	10/Pack	Each
	84308-03-T 3" - 1-1/4"	25594	25595	25596	25593	10/Pack	Each

Bell Flanges		Stock ID					
Description		Beige	Brick Red	Brown	White	Carton Qty.	UOM
	84030-JBM 3/4"	25617	25619	25618	27321	10/Pack	Each
	84120-JBM 1-1/4"	25637	25639	25638	25636	10/Pack	Each
	84200-JBM 2"	25667	25669	25668	27322	10/Pack	Each
	84300-JBM 3"	25694	25695	25696	25004	10/Pack	Each

2" Metal Molding In-Line Spool				
Stock	Description	Color	Max. Fill	UOM
038-008-22	2" In-Line Spool	Beige	24 Ft	Each
038-008-21	2" In-Line Spool	Brick Red	24 Ft	Each
038-008-24	2" In-Line Spool	Brown	24 Ft	Each
038-008-23	2" In-Line Spool	White	24 Ft	Each

3" Metal Molding In-Line Spool				
Stock	Description	Color	Max. Fill	UOM
038-009-22	3" In-Line Spool	Beige	28 Ft	Each
038-009-21	3" In-Line Spool	Brick Red	28 Ft	Each
038-009-24	3" In-Line Spool	Brown	28 Ft	Each
038-009-23	3" In-Line Spool	White	28 Ft	Each

Accessories

Tuff Top Coating for Olympic Steel Molding
Category 5, 5E & 6 - 1" Bend Radius Compliant



CUTTING TOOL

Stock ID	Description	Weight Lbs.	UOM
33815	84J1251 - Cutting Tool For Steel Molding	-	Each



ENTRY TOOL

Stock ID	Description	Weight Lbs.	UOM
33800	84002-ET - Entry Tool for Molding	0.05	Each



TOUCH UP PAINT

Stock ID	Description	Weight Lbs.	UOM
12715	Brown Touch Up Paint	0.70	Each
12720	Beige Touch Up Paint	0.70	Each
12717	Brick Red Touch Up Paint	0.70	Each
12718	White Touch Up Paint	0.70	Each

Wall Plates High Impact Plastic, Complete with Mounting Screws



Stock ID	Part #	Color	Description	UOM
33717	WPIH	Ivory	Off Set Hex Holes in Front	Each



Stock ID	Part #	Color	Description	UOM
33727	WPIK	Ivory	Off Set Hex Holes in Front	Each



Stock ID	Part #	Color	Description	UOM
33745	WPICT	-	Dual Combination Coax/Phone	Each



Stock ID	Part #	Color	Description	UOM
33737	WPID	Ivory	Dual Hex Holes In Front	Each



Stock ID	Part #	Color	Description	UOM
33747	WPIL	Ivory	5/8" Round Center Hole	Each

Wall Plates High Impact Plastic, Complete with Mounting Screws



Stock ID	Part #	Color	Description	UOM
33767	WPIH/81	Ivory	F-81	Each



Stock ID	Part #	Color	Description	UOM
33757	WPIO	Ivory	Off Set Hex Holes in Front	Each



Stock ID	Part #	Color	Description	UOM
33787	WPIR	Ivory	Round Hole	Each



Stock ID	Part #	Color	Description	UOM
33769	WPID/81	Ivory	Dual Hole	Each



Stock ID	Part #	Color	Description	UOM
33740	WPIB	Ivory	Blank	Each

Surface Mount Junction Boxes & Face Plates






Figure	Stock ID	Description	Dimensions	Wt. Lbs.	UOM
A	99580K	MJB-1-I Ivory Single Gang Surface Mount Box	3.25" x 5" x 2"	0.20	Each
-	99581K	MJB-1-WH White Single Gang Surface Mount Box	3.25" x 5" x 2"	0.20	Each
-	99584K	MJB-1-OW Off White Single Gang Surface Mount Box	3.25" x 5" x 2"	0.20	Each
B	99582K	MJB-2-I Ivory Double Gang Surface Mount Box	5" x 5.25" x 2"	0.20	Each
-	99583K	MJB-2-WH White Double Gang Surface Mount Box	5" x 5.25" x 2"	0.20	Each



This 2-piece wall plate box offers 4 knockout entry holes which are ideal for a 4-way junction box. The 2-piece wall box can easily be mounted to an uneven surface.



This wall plate box with a back has the same features as the 84421-SWB along with a full backing and a 2 stage knockout with 1/2" ID and 1" OD. Also four mounting holes and two knockouts on each side.



Installing directional taps and passive equipment on hard concrete walls or areas where there are no outlet holes can be a problem without the use of a junction box.

2 Piece Wall Plate Box					
Figure	Stock ID	Part #	Color	Dimensions	UOM
C	33407	84512-SWB	Beige	4.5" x 2.5" x 1"	Each
C	33408	84512-SWB	Brown	4.5" x 2.5" x 1"	Each
C	33409	84512-SWB	White	4.5" x 2.5" x 1"	Each

Wall Plate Box/Junction Box With Full Backing					
Figure	Stock ID	Part #	Color	Dimensions	UOM
D	33417	84430-SWB	Beige	4.5" x 2.5" x 1"	Each
D	33418	84430-SWB	Brown	4.5" x 2.5" x 1"	Each
D	33416	84430-SWB	White	4.5" x 2.5" x 1"	Each

Wall Plate Box/Junction Box					
Figure	Stock ID	Part #	Color	Dimensions	UOM
E	33427	84421-SWB	Beige	4.5" x 2.5" x 1"	Each
E	33428	84421-SWB	Brown	4.5" x 2.5" x 1"	Each
E	33429	84421-SWB	White	4.5" x 2.5" x 1"	Each

Wall Plates

Protruding and Recessed Wall Plates High Impact Plastic

Unique protrusion and indentation protects cable wiring and connectors from contact with furniture, TV, and other household appliances that are routinely placed close to the wall.

Features & Benefits

- Perfectly suited for both CATV and LAN applications
- Recommended for residential and institutional application
- Perfect for college dorm rooms, offices, and in the home
- Protect your investment and avoid costly repair calls
- Can be customized to fit any size connector or cable



Figure	Part #	Stock ID	Color	Description	UOM
A	WP-2SP-WH	33694K	White	Protruding Wall Plate W/ Dual Knockouts	Each
A	WP-2SP-IV	33695K	Ivory	Protruding Wall Plate W/ Dual Knockouts	Each
B	WP-1SR-WH	33710K	White	Recessed Wall Plate	Each
B	WP-1SR-IV	33709K	Ivory	Recessed Wall Plate	Each
C	SWWICT	33587K	Ivory	Protruding Wall Plate For Mode Jack And F81	Each
C	SWWWCT	33588K	White	Protruding Wall Plate For Mode Jack And F81	Each

Wall Plate Mounting Brackets For Construction Applications




Figure	Part #	Description	UOM
D	33700	MP1 Wall Plate Mounting Bracket	100 / Box
E	33702	MPLS Wall Plate Mounting Bracket	100 / Box

Fiber Optic Interior Slack Box Storage


Features & Benefits

- Used To Store Fiber Optic Cable
- Bend Radius Protection Spools
- Covers Have Knockouts For MRM, MRC And Single Fiber Raceway


MRS-3TB
MRS-6TB

Stock ID	Description	Dimensions	Color	UOM
10-9433	MRS-3TB-LW Slack Storage Box (Knockouts For MRM75, MRC75 & Single Fiber Raceway)	3.95" x 3.95" x 1.19"	Linen White	Each
10-9434	MRS-3TB-IV Slack Storage Box (Knockouts For MRM75, MRC75 & Single Fiber Raceway)	3.95" x 3.95" x 1.19"	Ivory	Each
020-026-10	MRS-6TB-LW Slack Storage Box (Knockouts For MRM75, MRC75, MRM12 & MRC12)	5.00" x 5.00" x 2.00"	Linen White	Each
020-026-11	MRS-6TB-IV Slack Storage Box (Knockouts For MRM75, MRC75, MRM12 & MRC12)	5.00" x 5.00" x 2.00"	Ivory	Each

Fiber Optic Exterior Slack Storage Box



Multilink's OSP slack storage box is 5" W x 5" L x 2" D. This OSP slack storage box is used for exterior slack storage applications using 3mm single fiber cable. There are two stackable storage spools that allow storage of multiple single fiber cable drops. Both of these spools are removable. In an instance where only one spool is sufficient, the spool can either be secured at a lower level or can be mounted at an elevation onto the risers off the back of the inside of the box as a spool on the upper level. This allows additional storage under the spool. There are three entry points sealed with removable cap plugs, or it can be ordered without holes. The diameter of each entry hole is 1 inch. The box is equipped with a hex bolt (with a retainer) that can be secured using a standard 216C type wrench. In addition to the above, the box is also equipped with a provision for a hasp lock. A built-in hinge allows captive and non-captive flexibility.

FILL CHART			
Bend Radius	Cable Type	EIA/TIA 40%	Maximum Fill
1.263 Inches	3mm Fiber Optic Cable	5.2 1.58 M	13' 3.9 MRT
1.211 Inches	3mm Fiber Optic Cable	4.4 1.34 M	11' 3.52 MRT

Stock ID	Description	Dimensions	Color	Std. CRT Size	UOM
020-004-23	Slack Box, Exterior with 3, 1" holes	4.8 L x 4.8 W x 2.2 D	Ivory	1	Each
020-004-24	Slack Box, Exterior without holes	4.8 L x 4.8 W x 2.2 D	Ivory	1	Each

This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook paper. There are no margins, text, or other markings on the page.

Terms And Conditions Of Sale

Price and Payment: All prices, unless otherwise stated, are F.O.B. shipping point and are exclusive of any federal, state, local or other taxes. Any applicable taxes are the responsibility of the Purchaser and shall be added to the invoice unless MULTILINK is provided the appropriate, valid exemption certificate by Purchaser. All prices are subject to change without notice. Shipments of ten percent (10%) more or less than the order quantity constitute completed orders, unless previously agreed to by both Purchaser and MULTILINK.

Invoices are payable in full within thirty (30) days following invoice date. A discount of one percent (1%) is allowable on invoices paid within (10) days following invoice date: this discount also applies to those orders shipped C.O.D. or cash in advance. Invoices outstanding past thirty (30) days following invoice date will be subject to a late payment charge of one and one half percent (1-1/2%) per month. Failure to pay any invoice by its due date makes subsequent invoices due immediately regardless of the terms herein. MULTILINK may option to withhold subsequent shipments until the account in question is settled to MULTILINK'S satisfaction.

Acceptance: All orders subject to acceptance by MULTILINK. Once placed and accepted, any order may be cancelled only upon terms exempting MULTILINK against all loss with the consent of MULTILINK.

Title and Risk of Loss: Title and risk of loss on all material sold by MULTILINK shall pass to Purchaser upon delivery of said materials to a common carrier regardless of freight terms stated or method of payment of transportation charges.

Transportation charges: Most shipments are via United Parcel Service and are prepaid and billed; however, MULTILINK reserves the right to specify routing of shipments. Truck shipments will be made prepaid.

Non-conformance return: All materials sold by MULTILINK are non-returnable except for manufacturing defects. Upon receipt of materials, the customer will have 30 days to make a viable claim for non-conformance. Any material shown to MULTILINK'S satisfaction to be non-conforming at time of shipment will be replaced. MULTILINK will then render credit for the returned goods, provided MULTILINK shall not be responsible for claims beyond replacement value of the defective material. Before returning any material, Purchaser must obtain written material return authorization from MULTILINK.

Express warranties: MULTILINK warrants that the goods are free from any material defect in workmanship and materials under normal and proper usage for a period of one year from the date of shipment by MULTILINK. Purchaser acknowledges that no sample or model of the goods, nor any sales literature, proposals, projections, or engineering data regarding the goods are any part of the basis of the bargain between the parties. Purchaser has made, and relies solely upon, its own determination of the suitability, compatibility, performance, and uses of the goods, and acknowledges to MULTILINK that the Purchaser does not rely upon any oral or written representations or statements by MULTILINK regarding the goods, other than as expressly set forth in this Contract.

Disclaimer of Implied Warranties: IN ALL EVENTS, WITH RESPECT TO ALL GOODS SOLD, MULTILINK DISCLAIMS THE IMPLIED WARRANTY OF MERCHANTABILITY AND THE IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

Limitation of Damages: IF MULTILINK BREACHES OR REPUDIATES THIS CONTRACT BY REASON OF ANY DEFECT IN THE GOODS SOLD, THEN PURCHASER IS NOT ENTITLED TO, AND WAIVES ALL RIGHTS TO RECOVER, ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS. Purchaser has carefully considered this limitation and is willing to bear the entire defective.

Purchaser's Exclusive Remedy: IF MULTILINK BREACHES THE WARRANTY SET FORTH ABOVE, THEN PURCHASER'S SOLE AND EXCLUSIVE REMEDY IS TO DEMAND THAT MULTILINK, AT MULTILINK'S COST, REPAIR THE GOODS, OR REPLACE THE GOODS IF, AFTER A REASONABLE NUMBER OF ATTEMPTS, THEY CANNOT BE REPAIRED. In lieu of making any repair or replacement of the Goods, Multilink may elect to refund the total purchase price, in full satisfaction of all obligations owed to Purchaser by reason of such breach, in which case Multilink's duty to pay the refund will be conditioned upon Purchaser permitting Multilink to inspect and take possession of the Goods.

Statute of Limitations: The parties desire to reduce the period of limitations to one year. Accordingly, a party must commence a cause of action for a breach of this Contract, including a breach of warranty, within one year after the cause of action has accrued.

Entire Agreement: Any term or condition contained in Purchaser's purchase order, acknowledgement form, confirmation or any other document issued by Purchaser that conflicts with any term of this Contract, or that adds to MULTILINK'S obligations under this Contract, is not part of this Contract and is not binding upon MULTILINK unless specifically identified and accepted in writing by an officer of MULTILINK. This document, including any attachments, embodies the entire agreement of the parties as to the subject matter contained in this document. There are no promises, terms, conditions, or obligations between the parties regarding the subject matter of this Contract other than those contained in this document, including any attachments. This Contract supersedes all previous communications, representations, or agreements, either verbal or written, between the parties, including any correspondence, proposals, quotes, brochures, samples, models, or specification sheets, or any other oral or written statements or representations made by any MULTILINK salesmen. Accordingly, the parties shall request that any court or tribunal called upon to consider and enforce this Contract strictly apply the "parol evidence" rule. No course of prior dealings between the parties and no usage of trade is relevant to supplement or explain any term of this Contract.

Modification of Contract: No amendment, modification, change or discharge of any term or provision of this Contract will be valid or binding on either party, and no waiver of any of the terms of this Contract will be valid or binding on either party, unless it is in writing and signed by all of the parties; and with respect to MULTILINK, signed by an officer of MULTILINK.

Non-Waiver: Failure of MULTILINK or any of its agents or representatives to comply with any of the terms or conditions herein or failure to properly notify Purchaser of any breach of these conditions shall not be deemed a waiver of any right MULTILINK has to insist upon strict compliance of these terms and conditions in subsequent agreements.

Force Majeur: MULTILINK shall not be liable for any loss, damage, delay, change in shipment schedule or failure to deliver caused by accident, fire, strike, riot, civil commotion, insurrection, war, the elements, embargo, failure of carrier, inability to obtain transportation facilities, government requirements, acts of God or public enemy, previous commitments to customers or limitations on MULTILINK'S or its suppliers' products or marketing activities or any other cause or contingency beyond MULTILINK'S control.

Freight Policy: Orders are shipped via best method as determined by MULTILINK unless specified by the Customer. Freight bills will be prepaid if shipped via common carrier under the condition that freight bills will be paid in net 7 days per ICC regulations.

Returns must be in original cartons, in resell able condition, and sent prepaid. (If merchandise was shipped to customer via UPS, it must be returned via UPS). All returns must be made within a 60-day limit and are subject to a 25% restocking charge (Special order and custom orders are non-refundable).

Claims for Shortages or Damages: Claims must be made within seven days of invoice date. All freight damages and shortages should be filed with the carrier within seven days.

Back Orders: All back orders will be retained and shipped on arrival unless otherwise notified.

NO SALESMAN, DISTRIBUTOR, REPRESENTATIVE OR OTHER AGENT IS AUTHORIZED BY MULTILINK TO GIVE ANY WARRANTY OR GUARANTEE CONTRARY TO THE STATEMENTS MADE HEREIN.

STEEL MOLDING

DOWNSPOUT

MULTICHANNEL

LATCH-DUCT




580 Ternes Ave. • Elyria, OH 44035 • 440.366.6966

Fax: 440.366.6802 • E-Mail: engsupport@gomultilink.com

Copyright 2011 Multilink Inc. • All rights reserved

Specifications subject to change without notice

For More Information Visit:

 **GoMultilink.com**

OVERLAY

SQUARE MOLDING