

	Manchester. NH
	Willimantic. CT
	Marion. IN
	DuQuoin. IL
	Lincoln. RI
	Franklin. MA



General Cable

GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
600V VNTC® CONTROL - Spec 4600			600V VNTC® SHIELDED CONTROL - Spec 4700		
UL Type TC-ER (3C + Above)			UL TYPE TC-ER (3C & Above) with Overall Shield		
Color Code: Method 1 Table E2			Color Code: Method 1 Table E2		
THHN / PVC Jacket			THHN / PVC Jacket		
236090	18/2FLT VNTC (THHN/PVC)600V E2	10,000	261130	18/2S VNTC (THHN/PVC) 600V E2	10,000
245920	18/3 VNTC (THHN/PVC) 600V E2	10,000	261140	18/3S VNTC (THHN/PVC) 600V E2	10,000
236100	18/4 VNTC (THHN/PVC) 600V E2	10,000	261150	18/4S VNTC (THHN/PVC) 600V E2	10,000
244680	18/5 VNTC (THHN/PVC) 600V E2	10,000	247620	16/2S VNTC (THHN/PVC) 600V E2	10,000
244660	18/7 VNTC (THHN/PVC) 600V E2	10,000	261160	16/3S VNTC (THHN/PVC) 600V E2	10,000
236120	18/12C VNTC (THHN/PVC) 600V E2	10,000	243710	16/4S VNTC (THHN/PVC) 600V E2	10,000
236130	18/19C VNTC (THHN/PVC) 600V E2	10,000	243660	14/2S VNTC (THHN/PVC) 600V E2	10,000
236150	18/37C VNTC (THHN/PVC) 600V E2	5,000	243720	14/3S VNTC (THHN/PVC) 600V E2	10,000
236160	16/2FLT VNTC (THHN/PVC)600V E2	10,000	243650	14/4S VNTC (THHN/PVC) 600V E2	10,000
245580	16/2 VNTC (THHN/PVC) 600V E2	10,000	243580	14/7S VNTC (THHN/PVC) 600V E2	10,000
236170	16/3 VNTC (THHN/PVC) 600V E2	10,000	243670	12/2S VNTC (THHN/PVC) 600V E2	10,000
236180	16/4 VNTC (THHN/PVC) 600V E2	10,000	243840	12/4S VNTC (THHN/PVC) 600V E2	10,000
236190	16/5 VNTC (THHN/PVC) 600V E2	10,000			
236210	16/7 VNTC (THHN/PVC) 600V E2	10,000			
243640	16/9 VNTC (THHN/PVC) 600V E2	10,000			
236240	16/12C VNTC (THHN/PVC) 600V E2	10,000			
236260	16/19C VNTC (THHN/PVC) 600V E2	10,000			
236280	16/25C VNTC (THHN/PVC) 600V E2	5,000			
236290	16/37C VNTC (THHN/PVC) 600V E2	5,000			
600V VNTC® CONTROL - Spec 4650			600V VNTC® POWER - Spec 4750		
UL Type TC-ER (3C + Above)			UL TYPE TC-ER		
Color Code: Method 1 Table E2			Color Code: Method 4		
THHN / PVC Jacket			THHN / PVC Jacket		
234580	12/2FLT VNTC(THHN/PVC) 600V E2	10,000	234250	12/3 VNTC (THHN/PVC)+ GRND M4	10,000
234590	12/3 VNTC (THHN/PVC) 600V E2	10,000	234260	10/3+10G VNTC(THHN/PVC)600V M4	10,000
255090	12/3WG VNTC (THHN/PVC) 600V E2	10,000	236370	8/3+10G VNTC(THHN/PVC) 600V M4	10,000
277460	12/3 VNTC (THHN/PVC) 600V BWG	10,000	236380	8/4+10G VNTC(THHN/PVC) 600V M4	10,000
234600	12/4 VNTC (THHN/PVC) 600V E2	10,000	226410	6/3+8G VNTC (THHN/PVC) 600V M4	10,000
226420	12/5 VNTC (THHN/PVC) 600V E2	10,000	231980	6/4+8G VNTC(THHN/PVC) 600V M4	10,000
234620	12/7 VNTC (THHN/PVC) 600V E2	10,000	236400	4/3+8G VNTC (THHN/PVC) 600V M4	5,000
226500	12/9 VNTC (THHN/PVC) 600V E2	10,000	236420	2/3+6G VNTC (THHN/PVC) 600V M4	5,000
234640	12/12C VNTC (THHN/PVC) 600V E2	10,000	236440	1/0-3+6G VNTC(THHN/PVC)600V M4	5,000
243600	12/19C VNTC (THHN/PVC) 600V E2	5,000	243760	2/0-3+6G VNTC(THHN/PVC)600V M4	5,000
236300	10/2FLT VNTC(THHN/PVC) 600V E2	10,000	221560	4/0-3+4G VNTC(THHN/PVC)600V M4	2,500
236310	10/3 VNTC (THHN/PVC) 600V E2	10,000	222490	250/3+4G VNTC(THHN/PVC)600V M4	1,000
255080	10/3+10G VNTC(THHN/PVC)600V E2	10,000	226430	350/3+3G VNTC(THHN/PVC)600V M4	1,000
236320	10/4 VNTC (THHN/PVC) 600V E2	10,000	219630	500/3+2G VNTC(THHN/PVC)600V M4	1,000
236330	10/5 VNTC (THHN/PVC) 600V E2	10,000			
236340	10/7 VNTC (THHN/PVC) 600V E2	10,000			
236350	10/12C VNTC (THHN/PVC) 600V E2	5,000			
235040	14/2FLT VNTC(THHN/PVC) 600V E2	10,000			
235050	14/3 VNTC (THHN/PVC) 600V E2	10,000			
235060	14/4 VNTC (THHN/PVC) 600V E2	10,000			
235070	14/5 VNTC (THHN/PVC) 600V E2	10,000			
235080	14/7 VNTC (THHN/PVC) 600V E2	10,000			
235090	14/9 VNTC (THHN/PVC) 600V E2	10,000			
235110	14/12C VNTC (THHN/PVC) 600V E2	10,000			
235130	14/19C VNTC (THHN/PVC) 600V E2	10,000			
235150	14/25C VNTC (THHN/PVC) 600V E2	10,000			
235170	14/37C VNTC (THHN/PVC) 600V E2	5,000			

	Manchester. NH
	Willimantic. CT
	Marion. IN
	DuQuoin. IL
	Lincoln. RI
	Franklin. MA

General Cable

GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
600V CVTC - XLP / PVC CONTROL - Spec 4500			600V FREP® SHIELDED CONTROL - Spec 4325		
UL TYPE TC-ER (3C & Above)			UL Type TC-ER (3C & Above)		
Color Code: Method 1 Table E2			Color Code: Method 1 Table E2		
XLPE / PVC Jacket			FR-EPR / CPE Jacket		
770460	14/2FLT CVTC (XLP/PVC) 600V E2	10,000	280470	16/2S FREP (EPR/CPE) 600V E2	10,000
770530	14/3 CVTC (XLP/PVC) 600V E2	10,000	280490	16/3S FREP (EPR/CPE) 600V E2	10,000
770610	14/4 CVTC (XLP/PVC) 600V E2	10,000	600V FREP® CONTROL - Spec 4300		
770420	14/5 CVTC (XLP/PVC) 600V E2	10,000	UL Type TC-ER (3C & Above)		
770560	14/7 CVTC (XLP/PVC) 600V E2	10,000	Color Code: Method 1 Table E2		
770540	14/9 CVTC (XLP/PVC) 600V E2	10,000	FR-EPR / CPE Jacket		
770470	14/12C CVTC (XLP/PVC) 600V E2	10,000	279560	14/2FLT FREP (EPR/CPE) 600V E2	10,000
770550	14/19C CVTC (XLP/PVC) 600V E2	10,000	280180	14/3 FREP (EPR/CPE) 600V E2	10,000
770480	12/2FLT CVTC (XLP/PVC) 600V E2	10,000	280190	14/4 FREP (EPR/CPE) 600V E2	10,000
770570	12/3 CVTC (XLP/PVC) 600V E2	10,000	279870	14/5 FREP (EPR/CPE) 600V E2	10,000
365720	12/3+12G CVTC(XLP/PVC) 600V E2	10,000	280200	14/7 FREP (EPR/CPE) 600V E2	10,000
770490	12/4 CVTC (XLP/PVC) 600V E2	10,000	280210	14/9 FREP (EPR/CPE) 600V E2	10,000
770410	12/5 CVTC (XLP/PVC) 600V E2	10,000	279880	14/12C FREP (EPR/CPE) 600V E2	10,000
770950	12/7 CVTC (XLP/PVC) 600V E2	10,000	279580	14/19C FREP (EPR/CPE) 600V E2	5,000
770580	12/9 CVTC (XLP/PVC) 600V E2 *	10,000	279590	14/25C FREP (EPR/CPE) 600V E2	5,000
770520	12/12C CVTC (XLP/PVC) 600V E2	10,000	279840	12/2FLT FREP (EPR/CPE) 600V E2	10,000
770590	10/2FLT CVTC(XLP/PVC) 600V E2	10,000	280300	12/3 FREP (EPR/CPE) 600V E2	10,000
770600	10/3 CVTC (XLP/PVC) 600V E2	10,000	280170	12/3+12G FREP(EPR/CPE) 600V E2	10,000
770670	10/3+10G CVTC(XLP/PVC) 600V E2	10,000	280310	12/4 FREP (EPR/CPE) 600V E2	10,000
770370	10/4 CVTC (XLP/PVC) 600V E2	10,000	280320	12/5 FREP (EPR/CPE) 600V E2	10,000
770380	10/5 CVTC (XLP/PVC) 600V E2	10,000	279890	12/7 FREP (EPR/CPE) 600V E2	10,000
770900	10/7 CVTC (XLP/PVC) 600V E2 *	10,000	280330	12/9 FREP (EPR/CPE) 600V E2	10,000
770400	10/12C CVTC (XLP/PVC) 600V E2	5,000	280340	12/12C FREP (EPR/CPE) 600V E2	5,000
600V CVTC-XLP POWER - Spec 4550			279610	12/19C FREP (EPR/CPE) 600V E2	5,000
UL TYPE TC-ER			301870	12/37C FREP (EPR/CPE) 600V E2	5,000
Color Code: Method 4			279570	10/2FLT FREP (EPR/CPE) 600V E2	10,000
XLPE / PVC Jacket			280410	10/3 FREP (EPR/CPE) 600V E2	10,000
783160.00.77	8/3+10G CVTC (XLP/PVC) 600V M4	10,000	279680	10/3+10G FREP(EPR/CPE) 600V E2	10,000
783190	8/4+10G CVTC (XLP/PVC) 600V M4 *	10,000	279900	10/4 FREP (EPR/CPE) 600V E2	10,000
339470	6/3+8G CVTC (XLP/PVC) 600V M4	5,000	279620	10/5 FREP (EPR/CPE) 600V E2	10,000
339480	6/4+8G CVTC (XLP/PVC) 600V M4	5,000	279630	10/7 FREP (EPR/CPE) 600V E2	10,000
783330	4/3+8G CVTC (XLP/PVC) 600V M4	5,000	279640	10/9 FREP (EPR/CPE) 600V E2	5,000
325610	2/3+6G CVTC (XLP/PVC) 600V M4	5,000	279650	10/12C FREP (EPR/CPE) 600V E2	5,000
339530	1/0-3+6G CVTC(XLP/PVC) 600V M4	5,000	600V FREP® CONTROL - Spec 4310		
339550	2/0-3+6G CVTC(XLP/PVC) 600V M4	2,000	UL Type TC-ER (3C & Above)		
783230	4/0-3+4G CVTC(XLP/PVC) 600V M4	5,000	Color Code: Method 1 Table E1		
222570	350/3+3G CVTC(XLP/PVC) 600V M4	3,000	FR-EPR / CPE Jacket		
222710	500/3+2G CVTC(XLP/PVC) 600V M4	3,000	280590	14/2FLT FREP(EPR/CPE) 600V E1	10,000
600V FREP® INSTRUMENTATION - Spec 2100			280230	14/3 FREP (EPR/CPE) 600V E1	10,000
UL Type TC with Overall Shield			280240	14/4 FREP (EPR/CPE) 600V E1	10,000
Color Code: Method 1 Table E1			280250	14/5 FREP (EPR/CPE) 600V E1	10,000
FR-EPR / CPE Jacket			280260	14/7 FREP (EPR/CPE) 600V E1	10,000
314960	16/1PS FREP (EPR/CPE) 600V E1	10,000	280270	14/9 FREP (EPR/CPE) 600V E1	10,000
279690	16/1TS FREP (EPR/CPE) 600V E1	10,000	280280	14/12C FREP (EPR/CPE) 600V E1	10,000
600V FREP® INSTRUMENTATION - Spec 2150			279850	12/2FLT FREP (EPR/CPE) 600V E1	10,000
UL Type TC with Individual & Overall Shield			280360	12/3 FREP (EPR/CPE) 600V E1	10,000
Color Code: Method 1 Table E1			279910	12/4 FREP (EPR/CPE) 600V E1	10,000
FR-EPR / CPE Jacket			280370	12/5 FREP (EPR/CPE) 600V E1	10,000
279700	18/2SPS FREP (EPR/CPE) 600V E1	10,000	280380	12/7 FREP (EPR/CPE) 600V E1	10,000
279710	18/4SPS FREP (EPR/CPE) 600V E1	5,000	280400	12/12C FREP (EPR/CPE) 600V E1	10,000
280500	16/2SPS FREP (EPR/CPE) 600V E1	5,000	279920	10/3 FREP (EPR/CPE) 600V E1	10,000
280520	16/4SPS FREP (EPR/CPE) 600V E1	5,000	279930	10/4 FREP (EPR/CPE) 600V E1	10,000
280530	16/6SPS FREP (EPR/CPE) 600V E1	5,000			
280540	16/8SPS FREP (EPR/CPE) 600V E1	5,000			
279760	16/12SPS FREP(EPR/CPE) 600V E1	5,000			


General Cable
GENERAL INDUSTRIAL STOCK CARD LIST

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

600V FREP® POWER - Spec 4350				600V GenFree® CONTROL - SPEC 4900							
UL Type TC-ER				UL Type TC-LS-ER							
Color Code: Method 4				Color Code: Method 1 Table E2							
FR-EPR / CPE Jacket				XLPO / LSZH Jacket							
279660	8/3+10G FREP(EPR/CPE) 600V M4		10,000	394280	14/2FLT GENFREE TC-LS 600V E2	*	10,000				
279670	8/4+10G FREP(EPR/CPE) 600V M4		10,000	394300	14/3 GENFREE TC-LS 600V E2		10,000				
283210	6/3+8G FREP (EPR/CPE) 600V M4		10,000	394310	14/4 GENFREE TC-LS 600V E2	*	10,000				
300380	6/4+8G FREP (EPR/CPE) 600V M4		10,000	394320	14/5 GENFREE TC-LS 600V E2		10,000				
283200	4/3+8G FREP (EPR/CPE) 600V M4		5,000	394330	14/7 GENFREE TC-LS 600V E2		10,000				
295390	4/4+8G FREP (EPR/CPE) 600V M4		5,000	394340	14/9 GENFREE TC-LS 600V E2	*	10,000				
293600	2/3+6G FREP (EPR/CPE) 600V M4		5,000	394350	14/12C GENFREE TC-LS 600V E2	*	10,000				
295890	2/4+6G FREP(EPR/CPE) 600V M4		5,000	394360	14/19C GENFREE TC-LS 600V E2	*	5,000				
283220	1/0-3+6G FREP(EPR/CPE) 600V M4		5,000	394400	12/2FLT GENFREE TC-LS 600V E2	*	10,000				
284560	2/0-3+6G FREP(EPR/CPE) 600V M4		5,000	394430	12/3 GENFREE TC-LS 600V E2		10,000				
325110	4/0-3+4G FREP(EPR/CPE) 600V M4		5,000	394420	12/3+GRD GENFREE TC-LS 600V E2	*	10,000				
300780	250/3+4G FREP(EPR/CPE) 600V M4		3,000	394440	12/4 GENFREE TC-LS 600V E2	*	10,000				
325120	350/3+3G FREP(EPR/CPE) 600V M4		3,000	394450	12/5 GENFREE TC-LS 600V E2	*	10,000				
298020	500/3+2G FREP(EPR/CPE) 600V M4		3,000	394460	12/7 GENFREE TC-LS 600V E2	*	10,000				
600V GenFree® INSTRUMENTATION - Spec 2600 UL Type TC-LS with Overall Shield Color Code: Method 1 Table E1 XLPO / LSZH Jacket				394470	12/9 GENFREE TC-LS 600V E2	*	10,000				
				394480	12/12C GENFREE TC-LS 600V E2	*	5,000				
				394490	12/19C GENFREE TC-LS 600V E2	*	5,000				
				394530	10/2FLT GENFREE TC-LS 600V E2	*	10,000				
				394560	10/3 GENFREE TC-LS 600V E2	*	10,000				
				394550	10/3+GRD GENFREE TC-LS 600V E2	*	10,000				
				394570	10/4 GENFREE TC-LS 600V E2		10,000				
				394580	10/5 GENFREE TC-LS 600V E2	*	10,000				
				394590	10/7 GENFREE TC-LS 600V E2	*	10,000				
				394600	10/9 GENFREE TC-LS 600V E2	*	5,000				
600V GenFree® INSTRUMENTATION - Spec 2625 UL Type TC-LS with Individual and Overall Shield Color Code: Method 1 Table E1 XLPO / LSZH Jacket				394610	10/12C GENFREE TC-LS 600V E2	*	5,000				
				600V GenFree® POWER - SPEC 4950							
				UL Type TC-LS-ER							
				Color Code: Method 4							
				XLPO / LSZH Jacket							
				393930	18/2SPS GENFREE TC-LS 600V E1	*	10,000	14428.030800	8/3C+10G GENFREE TC-LS 600V M4	*	10,000
				393940	18/4SPS GENFREE TC-LS 600V E1	*	5,000	14428.030600	6/3+8G GENFREE TC-LS 600V M4	*	10,000
				394020	16/2SPS GENFREE TC-LS 600V E1		5,000	14428.030400	4/3+8G GENFREE TC-LS 600V M4	*	5,000
				394030	16/4SPS GENFREE TC-LS 600V E1	*	5,000	14428.030200	2/3+6G GENFREE TC-LS 600V M4	*	5,000
				394040	16/6SPS GENFREE TC-LS 600V E1	*	5,000	14428.035100	1/0-3+6G GENFREE TC-LS 600V M4	*	5,000
394050	16/8SPS GENFREE TC-LS 600V E1	*	5,000	14428.035200	2/0-3+6G GENFREE TC-LS 600V M4	*	5,000				
394060	16/12SPS GENFREE TC-LS 600V E1	*	5,000	14428.035400	4/0-3+4G GENFREE TC-LS 600V M4	*	5,000				
				14428.036200	350/3+3G GENFREE TC-LS 600V M4	*	3,000				
				14428.036500	500/3+2G GENFREE TC-LS 600V M4	*	3,000				

1-888-593-3355

	Manchester. NH
	Willimantic. CT
	Marion. IN
	DuQuoin. IL
	Lincoln. RI
	Franklin. MA



General Cable

GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
600V CHTC INSTRUMENTATION - Spec 2050			TC-Flex™ Control - Spec 4775		
UL Type TC with Individual and Overall Shield			600V UL Type TC-ER (3C and above)/1000V UL Type WTTC		
Color Code: Method 1 Table E1			600V c(UL) type CIC/TC		
XLPE/XL-CPE Jacket			Color Code: Black with numbers with Green/Yellow Ground		
241010	16-2SPS 600V CHTC XLP/XL-CPE	*	5,000	Flexible THHN/High Flex PVC Jacket	
232560.00.77	16/4SPS 600V CHTC XLP/XL-CPE	*	5,000	4775.03018	3/C 18 AWG TC-FLEX BLK JKT 6,000
252370	16/12SPS CHTC(XLP/XLCPE)600VE1	*	5,000	4775.04018	4/C 18 AWG TC-FLEX BLK JKT 5,500
600V CHTC INSTRUMENTATION - Spec 2050			4775.05018	5/C 18 AWG TC-FLEX BLK JKT 6,000	
UL Type TC with Overall Shield			4775.07018	7/C 18 AWG TC-FLEX BLK JKT 5,000	
Color Code: Method 1 Table E1			4775.12018	12/C 18 AWG TC-FLEX BLK JKT 6,000	
XLPE/XL-CPE Jacket			4775.16018	16/C 18 AWG TC-FLEX BLK JKT 4,000	
285150	18/1PS CHTC(XLP/XL-CPE)600V E1	*	10,000	4775.19018	19/C 18 AWG TC-FLEX BLK JKT 3,500
240990	16/1PS 600V CHTC(XLP/XLCPE) E1	*	10,000	4775.03016	3/C 16 AWG TC-FLEX BLK JKT 5,000
241510	16/1TS CHTC(XLP/XL-CPE)600V E1	*	10,000	4775.04016	4/C 16 AWG TC-FLEX BLK JKT 4,000
600V CHTC CONTROL - Spec 4075			4775.05016	5/C 16 AWG TC-FLEX BLK JKT 4,500	
UL Type TC			4775.07016	7/C 16 AWG TC-FLEX BLK JKT 6,000	
Color Code: Method 1 Table E1			4775.12016	12/C 16 AWG TC-FLEX BLK JKT 4,000	
FR-XLP / XL-CPE Jacket			4775.16016	16/C 16 AWG TC-FLEX BLK JKT 3,000	
330580	14/2 600V CHTC (XLP/XL-CPE) E1		10,000	4775.19016	19/C 16 AWG TC-FLEX BLK JKT 2,500
244160	14/3 600V CHTC (XLP/XL-CPE) E1		10,000	4775.25016	25/C 16 AWG TC-FLEX BLK JKT 2,000
239640	14/4 600V CHTC (XLP/XL-CPE) E1		10,000	TC-Flex™ Control - Spec 4780	
239700	14/5 600V CHTC (XLP/XL-CPE) E1		10,000	600V UL Type TC-ER (3C and above)/1000V UL Type WTTC	
237500	14/7 600V CHTC (XLP/XL-CPE) E1	*	10,000	600V c(UL) type CIC/TC	
239660	14/9 600V CHTC (XLP/XL-CPE) E1		10,000	Color Code: Black with numbers with Green/Yellow Ground	
252400	14/12 600V CHTC (XLP/XL-CPE)E1		10,000	Flexible THHN/High Flex PVC Jacket	
239670	12/2 600V CHTC (XLP/XL-CPE) E1		10,000	4780.03014	3/C 14 AWG TC-FLEX BLK JKT 5,000
233330	12/3 600V CHTC (XLP/XL-CPE) E1		10,000	4780.04014	4/C 14 AWG TC-FLEX BLK JKT 6,000
239680	12/4 600V CHTC (XLP/XL-CPE) E1		10,000	4780.05014	5/C 14 AWG TC-FLEX BLK JKT 7,000
239650	12/5 600V CHTC (XLP/XL-CPE) E1		10,000	4780.07014	7/C 14 AWG TC-FLEX BLK JKT 5,500
243530	12/7 600V CHTC (XLP/XL-CPE) E1	*	10,000	4780.03012	3/C 12 AWG TC-FLEX BLK JKT 4,000
239620	12/9 600V CHTC (XLP/XL-CPE) E1		10,000	4780.04012	4/C 12 AWG TC-FLEX BLK JKT 6,000
252360	12/12 600V CHTC (XLP/XL-CPE)E1		5,000	4780.05012	5/C 12 AWG TC-FLEX BLK JKT 5,000
252230	12/19 600V CHTC (XLP/XL-CPE)E1		5,000	4780.03010	3/C 10 AWG TC-FLEX BLK JKT 5,000
243540	10/2 600V CHTC (XLP/XL-CPE) E1		10,000	4780.04010	4/C 10 AWG TC-FLEX BLK JKT 4,000
239630	10/3 600V CHTC (XLP/XL-CPE) E1		10,000	4780.05010	5/C 10 AWG TC-FLEX BLK JKT 2,500
233310	10/4 600V CHTC (XLP/XL-CPE) E1		10,000	TC-Flex™ Shielded Control - Spec 4785	
262680	10/5 600V CHTC (XLP/XL-CPE) E1		5,000	600V UL Type TC-ER (3C and above)/1000V UL Type WTTC	
235680	10/9 600V CHTC (XLP/XL-CPE) E1		7,500	600V c(UL) type CIC/TC	
375470	10/12 600V CHTC (XLP/XL-CPE)E1		4,000	Color Code: Black with numbers with Green/Yellow Ground	
437480	10/19 600V CHTC (XLP/XL-CPE)E1		5,000	Flexible THHN/High Flex PVC Jacket	
600V CHTC POWER - Spec 4100			4785.04016	4/C 16AWG SHLD TC-FLEX BLK JKT 6,000	
UL Type TC-ER (2AWG & Larger)			4785.04018	4/C 18AWG SHLD TC-FLEX BLK JKT 6,000	
Color Code: Method 4			TC-Flex™ Shielded Control and Power - Spec 4790		
FR-XLP / XL-CPE Jacket			600V UL Type TC-ER (3C and above)/1000V UL Type WTTC		
282580	8/3+10G 600V CHTC XLP/XL-CPEM4		10,000	600V c(UL) type CIC/TC	
282600	6/3+8G 600V CHTC XLP/XL-CPE M4		10,000	Color Code: Black with numbers with Green/Yellow Ground	
282620	4/3+8G 600V CHTC XLP/XL-CPE M4		5,000	Flexible THHN/High Flex PVC Jacket	
282640	2/3+6G 600V CHTC XLP/XL-CPE M4		5,000	4790.04002	4/C 2AWG SHLD TC-FLEX BLK JKT 1,000
				4790.04004	4/C 4AWG SHLD TC-FLEX BLK JKT 1,000
				4790.04006	4/C 6AWG SHLD TC-FLEX BLK JKT 1,500
				4790.04008	4/C 8AWG SHLD TC-FLEX BLK JKT 2,500
				4790.04010	4/C 10AWG SHLD TC-FLEX BLK JKT 3,000
				4790.04012	4/C 12AWG SHLD TC-FLEX BLK JKT 5,000
				4790.04014	4/C 14AWG SHLD TC-FLEX BLK JKT 5,000

	Manchester. NH
	Willimantic. CT
	Marion. IN
	DuQuoin. IL
	Lincoln. RI
	Franklin. MA



General Cable

GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
600V XHHW-2 – Spec 5175			600V XLP Unicon - Spec 5250		
UL Type XHHW-2 CT Rated 1/0 and larger			UL RHH / RHW-2 / USE-2		
Bare Copper			VW-1 XLP-USE for CT-USE		
XLPE-Insulation with Low Friction			16602.210800	8AWG XLP UNICON USE/RHH/RHW-2	20,000
391070.08.01	14AWG 600V XHHW-2 BLACK 2500'	2,500	16602.210600	6AWG XLP UNICON USE/RHH/RHW-2	10,000
391070.08.02	14AWG 600V XHHW-2 WHITE 2500'	2,500	16602.210400	4AWG XLP UNICON USE/RHH/RHW-2	10,000
391070.08.03	14AWG 600V XHHW-2 RED 2500'	2,500	16602.210200	2AWG XLP UNICON USE/RHH/RHW-2	10,000
391070.08.04	14AWG 600V XHHW-2 ORANGE 2500'	2,500	16602.215100	1/0 XLP UNICON USE/RHH/RHW-2CT	8,000
391070.08.05	14AWG 600V XHHW-2 YELLOW 2500'	2,500	16602.215200	2/0 XLP UNICON USE/RHH/RHW-2CT	8,000
391070.08.06	14AWG 600V XHHW-2 GREEN 2500'	2,500	16602.215400	4/0 XLP UNICON USE/RHH/RHW-2CT	8,000
391070.08.07	14AWG 600V XHHW-2 BLUE 2500'	2,500	16602.216000	250 XLP UNICON USE/RHH/RHW-2CT	6,000
391070.08.08	14AWG 600V XHHW-2 BROWN 2500'	2,500	16602.216200	350 XLP UNICON USE/RHH/RHW-2CT	6,000
391070.08.10	14AWG 600V XHHW-2 GREY 2500'	2,500	16602.216500	500 XLP UNICON USE/RHH/RHW-2CT	6,000
391080.08.01	12AWG 600V XHHW-2 BLACK 2500'	2,500	16602.217000	750 XLP UNICON USE/RHH/RHW-2CT	4,000
391080.08.02	12AWG 600V XHHW-2 WHITE 2500'	2,500			
391080.08.03	12AWG 600V XHHW-2 RED 2500'	2,500			
391080.08.04	12AWG 600V XHHW-2 ORANGE 2500'	2,500			
391080.08.05	12AWG 600V XHHW-2 YELLOW 2500'	2,500			
391080.08.06	12AWG 600V XHHW-2 GREEN 2500'	2,500			
391080.08.07	12AWG 600V XHHW-2 BLUE 2500'	2,500			
391080.08.08	12AWG 600V XHHW-2 BROWN 2500'	2,500			
391080.08.10	12AWG 600V XHHW-2 GREY 2500'	2,500			
391090.08.01	10AWG 600V XHHW-2 BLACK 2500'	2,500			
391090.08.02	10AWG 600V XHHW-2 WHITE 2500'	2,500			
391090.08.03	10AWG 600V XHHW-2 RED 2500'	2,500			
391090.08.04	10AWG 600V XHHW-2 ORANGE 2500'	2,500			
391090.08.05	10AWG 600V XHHW-2 YELLOW 2500'	2,500			
391090.08.06	10AWG 600V XHHW-2 GREEN 2500'	2,500			
391090.08.07	10AWG 600V XHHW-2 BLUE 2500'	2,500			
391090.08.08	10AWG 600V XHHW-2 BROWN 2500'	2,500			
391090.08.10	10AWG 600V XHHW-2 GREY 2500'	2,500			
5175.0081XX	8 CU XHHW-2 BLK	25,000			
5175.0085XX	8 CU XHHW-2 GREEN	25,000			
5175.0061XX	6 CU XHHW-2 BLK	18,500			
5175.0065XX	6 CU XHHW-2 GREEN	18,500			
5175.0041XX	4 CU XHHW-2 BLK	13,500			
5175.0045XX	4 CU XHHW-2 GREEN	13,500			
5175.0021XX	2 CU XHHW-2 BLK	9,500			
5175.0025XX	2 CU XHHW-2 GREEN	9,500			
5175.0011XX	1 CU XHHW-2 BLK	7,500			
5175.1101XX	1/0 CU XHHW-2 BLK FOR CT USE	20,000			
5175.1105XX	1/0 CU XHHW-2 GRN FOR CT USE	20,000			
5175.2101XX	2/0 CU XHHW-2 BLK FOR CT USE	20,000			
5175.2105XX	2/0 CU XHHW-2 GRN FOR CT USE	20,000			
5175.3101XX	3/0 CU XHHW-2 BLK FOR CT USE	20,000			
5175.3105XX	3/0 CU XHHW-2 GRN FOR CT USE	15,000			
5175.4101XX	4/0 CU XHHW-2 BLK FOR CT USE	15,000			
5175.4105XX	4/0 CU XHHW-2 GRN FOR CT USE	15,000			
5175.2501XX	250 CU XHHW-2 BLK FOR CT USE	10,000			
5175.3501XX	350 CU XHHW-2 BLK FOR CT USE	8,000			
5175.5001XX	500 CU XHHW-2 BLK FOR CT USE	6,000			
5175.6001XX	600 CU XHHW-2 BLK FOR CT USE	5,000			
5175.7501XX	750 CU XHHW-2 BLK FOR CT USE	4,000			

	Manchester. NH
	Willimantic. CT
	Marion. IN
	DuQuoin. IL
	Lincoln. RI
	Franklin. MA



General Cable

GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
-------------	----------	--------------	-------------	----------	--------------

600V DURASHEATH - Spec 5050

UL RHH / RHW-2 / USE-2

EPR/XL-CPE Jacket

14511.411400	14AWG DURASHEATH BLK 600V		20,000
14511.831400	14AWG DURASHEATH BLUE 600V	*	20,000
14511.821400	14AWG DURASHEATH RED 600V		20,000
14511.881400	14AWG DURASHEATH WHT 600V	*	20,000
14511.871400	14AWG DURASHEATH GRN 600V		20,000
14511.411200	12AWG DURASHEATH BLK 600V		20,000
14511.831200	12AWG DURASHEATH BLUE 600V		20,000
14511.821200	12AWG DURASHEATH RED 600V		20,000
14511.871200	12AWG DURASHEATH GRN 600V		20,000
14511.881200	12AWG DURASHEATH WHT 600V		20,000
14511.411000	10AWG DURASHEATH BLK 600V		20,000
14511.831000	10AWG DURASHEATH BLUE 600V	*	20,000
14511.821000	10AWG DURASHEATH RED 600V		20,000
14511.871000	10AWG DURASHEATH GRN 600V		20,000
14511.881000	10AWG DURASHEATH WHT 600V		20,000
14511.410800	8AWG DURASHEATH BLK 600V		20,000
14511.870800	8AWG DURASHEATH GRN 600V		20,000
14511.410600	6AWG DURASHEATH BLK 600V		10,000
14511.870600	6AWG DURASHEATH GRN 600V		10,000
14511.410400	4AWG DURASHEATH BLK 600V		10,000
14511.870400	4AWG DURASHEATH GRN 600V		10,000
14511.710200	2AWG DURASHEATH BLK 600V		9,000
14511.870200	2AWG DURASHEATH GRN 600V		9,000
14511.715100	1/0AWG DURASHEATH BLK 600V		8,000
14511.875100	1/0AWG DURASHEATH GRN 600V		8,000
14511.715200	2/0AWG DURASHEATH BLK 600V		8,000
14511.875200	2/0AWG DURASHEATH GRN 600V		8,000
14511.715400	4/0AWG DURASHEATH BLK 600V		8,000
14511.875400	4/0AWG DURASHEATH GRN 600V		8,000
14511.716000	250KCMIL DURASHEATH BLK 600V		6,000
14511.716200	350KCMIL DURASHEATH BLK 600V		6,000
14511.716500	500KCMIL DURASHEATH BLK 600V		6,000
14511.876500	500KCMIL DURASHEATH GRN 600V		6,000
14511.717000	750KCMIL DURASHEATH BLK 600V		4,000
14511.717500	1000KCMIL DURASHEATH BLK 600V	*	4,000

2KV CVTC® VFD - Spec 4580

UL Type TC-ER

Color Code: Method 4

XLP / Overall Copper Tape Shield / PVC Jacket

395080V	12/3+3/16G VFD 2KV(XLP/PVC) M4	10,000
395090V	10/3+3/14G VFD 2KV(XLP/PVC) M4	10,000
395100V	8/3+3/14G VFD 2KV (XLP/PVC) M4	10,000
395110V	6/3+3/12G VFD 2KV (XLP/PVC) M4	9,000
395120V	4/3+3/12G VFD 2KV (XLP/PVC) M4	2,000
395130V	2/3+3/10G VFD 2KV (XLP/PVC) M4	7,000
395140V	1/0-3+3/6G VFD 2KV(XLP/PVC) M4	3,500
395150V	2/0-3+3/6G VFD 2KV(XLP/PVC) M4	3,000
395170V	4/0-3+3/4G VFD 2KV(XLP/PVC) M4	5,000
395190V	350/3+3/2G VFD 2KV(XLP/PVC) M4	3,000
395200V	500-3+3/1G VFD 2KV(XLP/PVC) M4	2,000

2400V DURASHEATH® - Spec 6050

UL MV-90

EPR / Black XL-CPE Jacket

14901.410600	6AWG DURASHEATH 2.4KV BLK	10,000
14901.410400	4AWG DURASHEATH 2.4KV BLK	12,000
14901.410200	2AWG DURASHEATH 2.4KV BLK	8,000
14901.415100	1/0AWG DURASHEATH 2.4KV BLK	12,000
14901.415200	2/0AWG DURASHEATH 2.4KV BLK	12,000
14901.415400	4/0AWG DURASHEATH 2.4KV BLK	6,000
14901.416000	250KCM DURASHEATH 2.4KV BLK	5,000
14901.416200	350KCM DURASHEATH 2.4KV BLK	* 8,000
14901.416500	500KCM DURASHEATH 2.4KV BLK	6,000
14901.417000	750KCM DURASHEATH 2.4KV BLK	4,000

600V GenFree® II – Spec 5075

UL Type RHH/RHW-LS/USE-2

Tinned Copper

XLPO/LSZH Jacket

14711.411400	14AWG GENFREE II BLK 600V XLF	20,000
14711.411200	12AWG GENFREE II BLK 600V-5075	20,000
14711.411000	10AWG GENFREE II BLK 600V-5075	20,000
14711.410800	8 AWG GENFREE II BLK 600V XLF	20,000
14711.410600	6 AWG GENFREE II BLK 600V XLF	10,000
14711.410400	4 AWG GENFREE II BLK 600V XLF	10,000
14711.710200	2 GENFREE II BLK 600V XLF	9,000
14711.715100	1/0 GENFREE II BLK 600V XLF	8,000
14711.715200	2/0 GENFREE II BLK 600V XLF	8,000
14711.715400	4/0 GENFREE II BLK 600V XLF	8,000
14711.716000	250 GENFREE II BLK 600V XLF	6,000
14711.716200	350 GENFREE II BLK 600V XLF	6,000
14711.716500	500 GENFREE II BLK 600V XLF	6,000
14711.717000	750 GENFREE II BLK 600V XLF	4,000

	Manchester. NH
	Willimantic. CT
	Marion. IN
	DuQuoin. IL
	Lincoln. RI
	Franklin. MA

General Cable

GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
-------------	----------	--------------	-------------	----------	--------------

5KV UNIBLEND® PVC LF - Spec 6155

UL MV-105 .115 Mil 133% Insulation

EPR / Copper Tape Shield

Black PVC Jacket

17001.120605	6AWG 5KV 133% UNIBLEND PVC-LF	10,000
17001.120405	4AWG 5KV 133% UNIBLEND PVC-LF	10,000
17001.120205	2AWG 5KV 133% UNIBLEND PVC-LF	8,000
17001.125105	1/0AWG 5KV 133% UNIBLENDPVC-LF	8,000
17001.125205	2/0AWG 5KV 133% UNIBLENDPVC-LF	8,000
17001.135405	4/0AWG 5KV 133% UNIBLENDPVC-LF	6,000
17001.136005	250KCMIL 5KV133%UNIBLENDPVC-LF	6,000
17001.136205	350KCMIL 5KV133%UNIBLENDPVC-LF	8,000
17001.136505	500KCMIL 5KV133%UNIBLENDPVC-LF	6,000
17001.137005	750KCMIL 5KV133%UNIBLENDPVC-LF	4,000
17001.637505	1000KCMIL5KV133%UNIBLENDPVC-LF	3,000

15KV UNIBLEND® PVC LF - Spec 6355

UL MV-105 .220 Mil 133% Insulation

EPR / Copper Tape Shield

Black PVC Jacket

17031.130205	2AWG 15KV 133% UNIBLEND PVC-LF	8,000
17031.135105	1/0AWG 15KV133%UNIBLEND PVC-LF	8,000
17031.135205	2/0AWG 15KV133%UNIBLEND PVC-LF	8,000
17031.135405	4/0AWG 15KV133%UNIBLEND PVC-LF	6,000
17031.136005	250MCM 15KV133%UNIBLEND PVC-LF	6,000
17031.136205	350MCM 15KV133%UNIBLEND PVC-LF	8,000
17031.136505	500MCM 15KV133%UNIBLEND PVC-LF	6,000
17031.137005	750MCM 15KV133%UNIBLEND PVC-LF	4,000
17031.137505	1000MCM 15KV133%UNIBLENDPVC-LF	3,500

35KV UNIBLEND® PVC LF - Spec 6555

UL MV-105 .345 Mil 100% Insulation

EPR / Copper Tape Shield

Black PVC Jacket

17061.135105	1/0AWG 35KV 100%UNIBLENDPVC-LF	5,000
17061.135405	4/0AWG 35KV 100%UNIBLENDPVC-LF	5,000
17061.136205	350MCM 35KV 100%UNIBLENDPVC-LF	5,000
17061.136505	500MCM 35KV 100%UNIBLENDPVC-LF	5,000

5KV UNISHIELD® - Spec 6100

UL MV-105 .115 Mil 133% Insulation

EPR/Corrugated Wire Shield

Black CPE Jacket

19101.650200	2AWG 5KV 133% UNISHIELD	8,000
19101.655100	1/0AWG 5KV 133% UNISHIELD	8,000
19101.665200	2/0AWG 5KV 133% UNISHIELD	8,000
19101.665400	4/0AWG 5KV 133% UNISHIELD	6,000
19101.676000	250KCMIL 5KV 133% UNISHIELD	6,000
19101.676200	350KCMIL 5KV 133% UNISHIELD	4,000
19101.686500	500KCMIL 5KV 133% UNISHIELD	6,000
19101.687000	750KCMIL 5KV 133% UNISHIELD	4,000

15KV UNISHIELD® - Spec 6300

UL MV-105 .220 Mil 133% Insulation

EPR / Corrugated Wire Shield

Black CPE Jacket

19161.660200	2AWG 15KV 133% UNISHIELD	8,000
19161.675100	1/0AWG 15KV 133% UNISHIELD	8,000
19161.675200	2/0AWG 15KV 133% UNISHIELD	8,000
19161.675400	4/0AWG 15KV 133% UNISHIELD	6,000
19161.686000	250KCMIL 15KV 133% UNISHIELD	6,000
19161.686200	350KCMIL 15KV 133% UNISHIELD	8,000
19161.686500	500KCMIL 15KV 133% UNISHIELD	6,000
19161.697000	750KCMIL 15KV 133% UNISHIELD	4,000

5KV UNIBLEND® CPE - Spec 6175

UL MV-105 .115 Mil 133% Insulation

EPR / Copper Tape Shield

Black CPE Jacket

17101.120600	6AWG 5KV 133% UNIBLEND CPE	10,000
17101.120400	4AWG 5KV 133% UNIBLEND CPE	10,000
17101.120200	2AWG 5KV 133% UNIBLEND CPE	8,000
17101.125100	1/0AWG 5KV 133% UNIBLEND CPE	8,000
17101.125200	2/0AWG 5KV 133% UNIBLEND CPE	8,000
17101.637500	1000KCM 5KV 133% UNIBLEND CPE	3,000
17101.135400	4/0AWG 5KV 133% UNIBLEND CPE	6,000
17101.136000	250KCM 5KV 133% UNIBLEND CPE	6,000
17101.136200	350KCM 5KV 133% UNIBLEND CPE	8,000
17101.136500	500KCM 5KV 133% UNIBLEND CPE	6,000
17101.137000	750KCM 5KV 133% UNIBLEND CPE	4,000

15KV UNIBLEND® CPE - Spec 6375

UL MV-105 .220 Mil 133% Insulation

EPR / Copper Tape Shield

Black CPE Jacket

17131.130200	2AWG 15KV 133% UNIBLEND CPE	8,000
17131.135100	1/0AWG 15KV 133% UNIBLEND CPE	8,000
17131.135200	2/0AWG 15KV 133% UNIBLEND CPE	8,000
17131.136000	250KCM 15KV 133% UNIBLEND CPE	6,000
17131.637500	1000KCM 15KV 133% UNIBLEND CPE	3,500
17131.135400	4/0AWG 15KV 133% UNIBLEND CPE	6,000
17131.136200	350KCM 15KV 133% UNIBLEND CPE	8,000
17131.136500	500KCM 15KV 133% UNIBLEND CPE	6,000
17131.137000	750KCM 15KV 133% UNIBLEND CPE	4,000

35KV UNIBLEND® CPE - Spec 6575

UL MV-105 .345 Mil 100% Insulation

EPR / Copper Tape Shield

Black CPE Jacket

17161.135100	1/0AWG 35KV 100% UNIBLEND CPE	5,000
17161.135400	4/0AWG 35KV 100% UNIBLEND CPE	5,000
17161.136200	350MCM 35KV 100% UNIBLEND CPE	5,000
17161.136500	500KCM 35KV 100% UNIBLEND CPE	5,000

	Manchester. NH
	Willimantic. CT
	Marion. IN
	DuQuoin. IL
	Lincoln. RI
	Franklin. MA



General Cable

GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
-------------	----------	--------------	-------------	----------	--------------

5KV GenFree® UNIBLEND - Spec 6180

UL MV-105 .115 Mil 133% Insulation

EPR / Copper Tape Shield

Black LSZH Jacket

17201.120200	2AWG 5KV 133% UNIBLEND LSZH	*	8,000
17201.125100	1/0AWG 5KV 133% UNIBLEND LSZH		8,000
17201.125200	2/0AWG 5KV 133% UNIBLEND LSZH		8,000
17201.135400	4/0AWG 5KV 133% UNIBLEND LSZH		6,000
17201.136200	350KCMIL 5KV133% UNIBLEND LSZH		8,000
17201.136500	500KCMIL 5KV133% UNIBLEND LSZH		6,000
17201.137000	750KCMIL 5KV133% UNIBLEND LSZH		4,000

15KV GenFree® UNIBLEND - Spec 6380

UL MV-105 .220 Mil 133% Insulation

EPR / Copper Tape Shield

Black LSZH Jacket

17231.130200	#2AWG 15KV133% UNIBLEND LSZH		8,000
17231.135100	1/0AWG 15KV 133% UNIBLEND LSZH	*	8,000
17231.135200	2/0AWG 15KV 133% UNIBLEND LSZH	*	8,000
17231.135400	4/0AWG 15KV133% UNIBLEND LSZH	*	6,000
17231.136200	350KCMIL 15KV133% UNIBLND LSZH	*	8,000
17231.136500	500KCMIL 15KV133% UNIBLND LSZH		6,000
17231.137000	750KCMIL 15KV133% UNIBLND LSZH	*	4,000

3/C 5KV UNIBLEND WITH OVERALL PVC LF JACKET – Spec 6255

UL MV-105 .115 Mil 133% Ins. Level

EPR/Copper Tape Shield/Cabled w/ ground wire

Color Code: Marker Tape Under Shield - Black, Red, Blue

Black PVC Overall Jacket

15493.400605	6/3 #6G EPR 5KV 133% PVC-LF	5,000
15493.400405	4/3 #6G EPR 5KV 133% PVC-LF	6,000
15493.400205	2/3 #6G EPR 5KV 133% PVC-LF	5,000
15493.405105	1/0/3 #4G EPR 5KV 133% PVC-LF	4,000
15493.405205	2/0/3 #4G EPR 5KV 133% PVC-LF	4,000
15493.405405	4/0-3 #3G EPR 5KV 133% PVC-LF	3,000
15493.406205	350/3 #2G EPR 5KV 133% PVC-LF	2,000
15493.406505	500/3 #1G EPR 5KV 133% PVC-LF	2,000

3/C 15KV UNIBLEND WITH OVERALL PVC LF JACKET – Spec 6455

UL MV-105 .220 Mil 133% Ins. Level

EPR/Copper Tape Shield/Cabled w/ ground wire

Color Code: Marker Tape Under Shield - Black, Red, Blue

Black PVC Overall Jacket

15493.440205	2/3 #6G EPR 15KV 133% PVC-LF	4,000
15493.445105	1/0/3 #4G EPR 15KV133% PVC-LF	3,000
15493.445205	2/0-3 4G EPR 15KV 133% PVC-LF	3,000
15493.445405	4/0-3 3G EPR 15KV 133% PVC-LF	2,000
15493.446205	350/3 #2G EPR 15KV133% PVC-LF	2,000
15493.446505	500/3 1G EPR 15KV 133% PVC-LF	1,500

	Manchester. NH
	Willimantic. CT
	Marion. IN
	DuQuoin. IL
	Lincoln. RI
	Franklin. MA

General Cable

GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
-------------	----------	--------------	-------------	----------	--------------

600V INTERLOCKED CONTROL – Spec 7050

UL Type MC

Color Code: Method 1 Table E2

XLP/AIA/Black PVC Jacket Bare Copper

346420	14/3+14G XLP AIA 600V BLK E2	10,000
346440	14/5+14G XLP AIA 600V BLK E2	5,000
346450	14/7+14G XLP AIA 600V BLK E2	5,000
346460	14/9+14G XLP AIA 600V BLK E2	5,000
346470	14/12+14G XLP AIA 600V BLK E2	5,000
346480	14-19+14G XLP AIA 600V BLK E2	5,000
346520	12/3+12G XLP AIA 600V BLK E2	5,000
346530	12/4+12G XLP AIA 600V BLK E2	5,000
346540	12/5+12G XLP AIA 600V BLK E2	10,000
346550	12/7+12G XLP AIA 600V BLK E2	5,000
346570	12/12+12G XLP AIA 600V BLK E2	5,000
346580	12/19+12G XLP AIA 600V BLK E2	5,000
346610	10/3+10G XLP AIA 600V BLK E2	10,000
346620	10/4+10G XLP AIA 600V BLK E2	5,000

600V INTERLOCKED POWER - Spec 7100

UL Type MC

Color Code: Printed 1-Black, 2-Red, 3-Blue

XLP / AIA / Black PVC Jacket

346630	8/3+10G XLP AIA 600V BLK M3	5,000
11298.030600	6/3 #8G XLP AIA 600V BLK	5,000
11298.030400	4/3 #8G XLP AIA 600V BLK	5,000
11298.030200	2/3 #6G XLP AIA 600V BLK	5,000
11298.035100	1/0-3 #6G XLP AIA 600V BLK	5,000
11298.035200	2/0-3 #6G XLP AIA 600V BLK	5,000
11298.035300	3/0/3 #4G XLP AIA 600V BLK	5,000
11298.035400	4/0-3 #4G XLP AIA 600V BLK	5,000

600V INTERLOCKED POWER - Spec 7150

UL Type MC

Color Code: Printed 1-Black, 2-Red, 3-Blue

XLP / AIA / Black PVC Jacket

11298.036000	250/3 #4G XLP AIA 600V BLK	2,500
11298.036200	350/3 #3G XLP AIA 600V BLK	2,500
11298.046200	350/4 #3G XLP AIA 600V BLK	2,500
11298.036500	500/3 #2G XLP AIA 600V BLK	2,500
11298.046500	500/4 #2G XLP AIA 600V BLK	2,000

600V INTERLOCKED ARMOR - Spec 7160

UL Type MC with Enhanced 50% Grounds (3 x 1)

Color Code: Printed 1-Black, 2-Red, 3-Blue

600V XLP / AIA

Black PVC Jacket

11298.516500	500/3 3X#1G XLP AIA 600V BLK	2,500
--------------	------------------------------	-------

2400V INTERLOCKED ARMOR - Spec 7200

UL Type MC .115 Mil Insulation

EPR / AIA Non-Shielded

Color Code: Printed 1-Black, 2-Red, 3-Blue

Yellow PVC Jacket

17471.580600	6/3 #6G EPR AIA 2.4KV NS YLW	5,000
17471.580400	4/3 #6G EPR AIA 2.4KV NS YLW	5,000
17471.580200	2/3 #6G EPR AIA 2.4KV NS YLW	5,000
17471.585200	2/0-3 #4G EPR AIA 2.4KV NS YLW	4,000
17471.585400	4/0-3 #3G EPR AIA 2.4KV NS YLW	3,500
17471.586200	350/3 #2G EPR AIA 2.4KV NS YLW	2,500
17471.586500	500/3 #1G EPR AIA 2.4KV NS YLW	2,500

5KV INTERLOCKED ARMOR - Spec 7250

UL Type MC .115 Mil 133% Insulation

ERP / Tape Shield / AIA

Color Code: Marker Tape Under Shield - Black, Red, Blue

Yellow PVC Jacket

17473.530200	2/3 #6G EPR AIA 5KV 133% YLW	4,000
17473.535200	2/0-3 #4G EPR AIA 5KV 133% YLW	3,000
17473.535400	4/0-3 #3G EPR AIA 5KV 133% YLW	3,000
17473.536200	350/3 #2G EPR AIA 5KV 133% YLW	2,000
17473.536500	500/3 #1G EPR AIA 5KV 133% YLW	2,000

15KV INTERLOCKED ARMOR - Spec 7300

UL Type MC .220 Mil 133% Insulation

ERP / Tape Shield / AIA Red PVC Jacket

Color Code: Marker Tape Under Shield - Black, Red, Blue

Red PVC Jacket

17476.530200	2/3#6G EPR AIA 15KV 133% RED	4,000
17476.535200	2/0-3#4G EPR AIA 15KV 133% RED	3,000
17476.535400	4/0-3 #3G EPR AIA 15KV 133% RD	3,000
17476.536200	350/3 #2G EPR AIA 15KV 133% RD	2,000
17476.536500	500/3 #1G EPR AIA 15KV 133% RD	2,000

	Manchester. NH
	Willimantic. CT
	Marion. IN
	DuQuoin. IL
	Lincoln. RI
	Franklin. MA



General Cable

GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
1KV TECK 90 CONTROL - Spec 8150			600V Teck 90 CONTROL - Spec 8025		
Color Code: Black, Red, Blue			XLP / Black PVC Inner Jacket		
XLP / Black PVC Inner Jacket			Color Code: 2 Conductor - Black, White		
AIA / Black PVC Jacket			3 Conductor - Black, Red, Blue		
780260.00.77	TECK90 12/3 1000V	7,500	4 Conductor - Black, Red, Blue, White		
331120.00.77	TECK90 10/3 1000V	10,000	5+ Conductors - Black with Printed Numbers		
1KV TECK 90 POWER - Spec 8150			AIA / Black PVC Jacket		
XLP / Black PVC Inner Jacket			780220.00.77	TECK90 14/2 600V	10,000
Color Code: 8-2AWG - Black, Red, Blue			780250.00.77	TECK90 14/3 600V	10,000
1AWG & Larger - Printed 1 - Black, 2 - Red, 3 - Blue			780280.00.77	TECK90 14/4 600V	14,000
AIA / Black PVC Jacket			794540.00.77	TECK90 14/5 600V	12,000
793200.00.77	TECK90 8/3 1000V	8,000	792940.00.77	TECK90 14/6 600V	8,000
11288.010600	TECK90 6/3 1000V	6,000	780310.00.77	TECK90 14/7 600V	10,000
11288.010400	TECK90 4/3 1000V	4,000	330090.00.77	TECK90 14/8 600V	7,000
11288.010300	3/3 1000V TECK 90	5,000	792960.00.77	TECK90 14/10 600V	8,000
11288.010200	2/3 1000V TECK 90	5,000	792980.00.77	TECK90 14/12 600V	7,500
11288.010100	1/3 1000V TECK 90	5,000	793000.00.77	TECK90 14/15 600V	6,000
11288.015100	1/0-3 1000V TECK 90	5,000	780290.00.77	TECK90 14/20 600V	5,000
11288.015200	2/0-3 1000V TECK 90	5,000	600V TECK 90 CONTROL - Spec 8050		
11288.015300	3/0-3 1000V TECK 90	4,000	780210.00.77	TECK90 12/2 600V	10,000
11288.015400	4/0/3 1000V TECK 90	3,000	780240.00.77	TECK90 12/3 600V	9,000
11288.016000	250/3 1000V TECK 90	3,000	780320.00.77	TECK90 12/4 600V	12,000
11288.016200	350/3 1000V TECK 90	2,000	312910	TECK90 12/5 600V	5,000
11288.016500	500/3 1000V TECK 90	2,000	600V TECK 90 CONTROL - Spec 8075		
11270.891327	750/3 1000V TECK90	2,000	780200.00.77	TECK90 10/2 600V	10,000
1KV TECK 90 POWER - Spec 8175			780230.00.77	TECK90 10/3 600V	8,000
XLP - Black PVC Inner Jacket			780270.00.77	TECK90 10/4 600V	10,000
Color Code: 8-2AWG - Black, Red, Blue, White					
1AWG & Larger - Printed Numbers 1-4					
AIA / Black PVC Jacket					
331250	TECK90 8/4 1000V	5,000			
11288.030600	TECK90 6/4 1000V	5,000			
11288.020400	TECK90 4/4 1000V	3,000			
11288.020300	3/4 1000V TECK 90	5,000			
11288.020200	2/4 1000V TECK 90	5,000			
11288.040100	1/4 1000V TECK 90	5,000			
11288.025100	1/0/4 1000V TECK 90	5,000			
11288.025200	2/0/4 1000V TECK 90	4,000			
11288.025300	3/0/4 1000V TECK 90	3,000			
11288.045400	4/0/4 1000V TECK 90	3,000			
11288.046000	250/4 1000V TECK 90	2,500			
11288.026200	350/4 1000V TECK 90	2,000			

	Manchester. NH
	Willimantic. CT
	Marion. IN
	DuQuoin. IL
	Lincoln. RI
	Franklin. MA

General Cable

GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
-------------	----------	--------------	-------------	----------	--------------

CCW® ARMORED INSTRUMENTATION - Spec 9250

Pairs / Triads, Individual and Overall Shield

UL Type ITC-HL / PLTC, PVC, 300 V, 105° C, Sun-Res, Dir Bur

UL Marine Shipboard Cable, ABS CWCWC

9250.16021221	2PR16 ISOS CCW 105C ITC-HL	5,000
9250.16081221	8PR16 ISOS CCW 105C ITC-HL	2,500
9250.16121221	12PR16 ISOS CCW 105C ITC-HL	2,500

CCW® ARMORED INSTRUMENTATION - Spec 9325

Pairs / Triads, Overall Shield

UL Type MC-HL, PVC / Nylon, 600 V, 90° C, CT, Sun-Res, Dir Bur

UL Marine Shipboard Cable, ABS CWCWC

9325.16010001	1PR16AWG OS MC-HL 600V CCW	5,000
9325.16010002	1TR16AWG OS MC-HL 600V CCW	5,000

CCW® ARMORED INSTRUMENTATION - Spec 9350

Pairs / Triads, Overall Shield

UL Type MC-HL, PVC / Nylon, 600 V, 90° C, CT, Sun-Res, Dir Bur

UL Marine Shipboard Cable, ABS CWCWC

9350.16020001	2PR16AWG ISOS MC-HL 600V CCW	5,000
9350.16040001	4PR16AWG ISOS MC-HL 600V CCW	5,000
9350.16080001	8PR16AWG ISOS MC-HL 600V CCW	3,000
9350.16080002	8TR16AWG ISOS MC-HL 600V CCW	3,000
9350.16120001	12PR16AWG ISOS MC-HL 600V CCW	3,000

CCW® ARMORED CONTROL w/ GRNDING CONDUCTOR - Spec 9500

UL Type MC-HL, XLPE, 600 V, 90° C, CT, Sun-Res, Dir Bur

UL Marine Shipboard Cable, ABS CWCWC

9500.01406114	6C14+14GND MC-HL 600V CCW	2,500
9500.01408114	8C14+14GND MC-HL 600V CCW	
9500.01409114	9C14+14GND MC-HL 600V CCW	2,500
9500.01411114	11C14+14GND MC-HL 600V CCW	2,000
9500.01418114	18C14+14GND MC-HL 600V CCW	2,000
9500.01207112	7C12+12GND MC-HL 600V CCW	
9500.01208112	8C12+12GND MC-HL 600V CCW	2,000
9500.01218112	18C12+12GND MC-HL 600V CCW	2,000
9500.01404114	4C14+14GND MC-HL 600V CCW	
9500.01008110	8C10+10GND MC-HL 600V CCW	
9500.01011110	11C10+10GND MC-HL 600V CCW	
9500.01006110	6C10+10GND MC-HL 600V CCW	3,000

CCW® ARMORED CONTROL w/o GRNDING CONDUCTOR - Spec 9525

UL Type MC, XLPE, 600 V, 90° C, CT, Sun-Res, Dir Bur

UL Marine Shipboard Cable, ABS CWCWC

9525.01403000	3C14 MC 600V CCW	5,000
9525.01404000	4C14 MC 600V CCW	5,000
9525.01407000	7C14 MC 600V CCW	4,000
9525.01412000	12C14 MC 600V CCW	2,500

CCW® ARMORED POWER 3/C VFD & 4/C - Spec 9600

UL Type MC-HL, XLPE, 600 V, 90° C, CT, Sun-Res, Dir Bur

UL Marine Shipboard Cable, ABS CWCWC

9600.01403318	3C14+3C18GND MC-HL 600V CCW	5,000
9600.01404318	4C14+3C18GND MC-HL 600V CCW	5,000
9600.01203316	3C12+3C16GND MC-HL 600V CCW	5,000
9600.01204316	4C12+3C16GND MC-HL 600V CCW	5,000
9600.01003314	3C10+3C14GND MC-HL 600V CCW	5,000
9600.01004314	4C10+3C14GND MC-HL 600V CCW	5,000
9600.00803314	3C8+3C14GND MC-HL 600V CCW	2,500
9600.00603312	3C6+3C12GND MC-HL 600V CCW	2,500
9600.00203310	3C2+3C10GND MC-HL 600V CCW	2,500
9600.00403312	3C4+3C12GND MC-HL 600V CCW	2,500
9600.11003310	3C1/0+3C10GND MC-HL 600V CCW	2,000
9600.21003310	3C2/0+3C10GND MC-HL 600V CCW	2,000
9600.25003308	3C250+3C8GND MC-HL 600V CCW	
9600.31003308	3C3/0+3C8GND MC-HL 600V CCW	2,500
9600.41003308	3C4/0+3C8GND MC-HL 600V CCW	2,500
9600.35003307	3C350+3C7GND MC-HL 600V CCW	2,500
9600.50003306	3C500+3C6GND MC-HL 600V CCW	2,500

CCW® ARMORED COMPOSITE POWER & CONTROL - Spec 9625

UL Type MC-HL, XLPE, 600 V, 90° C, CT, Sun-Res, Dir Bur

UL Marine Shipboard Cable, ABS CWCWC

9625.103124110	3C10+4C12+GND MC-HL 600V CCW	5,000
----------------	------------------------------	-------

CCW® ARMORED POWER - Spec 9675

CSA Type RA90, XLPE, 1000V, 90° C, CT, Sun-Res, Dir Bur

UL Marine Shipboard Cable, ABS CWCWC

9675.01203318	3C12+3C18 VFD 1KV RA90 HL CCW	8,000
9675.35003308	3C350+3C7 VFD 1KV RA90 HL CCW	2,000

CCW® ARMORED POWER 5KV 133% / 8KV 100% VFD - Spec 9800

UL Type MC-HL OR MV-105, EPR, 105° C, CT, Sun-Res, Dir Bur

ABS CWCWC

9800.00203310	3C2+3C10GND 5/8KV MC-HL CCW	
9800.35003306	3C350+3C6GND 5/8KV MC-HL CCW	
9800.41003307	3C4/0+3C7GND 5/8KV MC-HL CCW	
9800.50003305	3C500+3C5GND 5/8KV MC-HL CCW	2,000

CCW® ARMORED POWER 15KV - Spec 9835

UL Type MC-HL OR MV-105, EPR, 105° C

UL Marine Shipboard Cable, ABS CWCWC

9835.21003104	3C2/0+4G 15KV 133% MC-HL CCW	3,000
9835.41003103	3C4/0+3G 15KV 133% MC-HL CCW	3,000
9835.50003101	3C500+1G 15KV 133% MC-HL CCW	2,000

	Manchester, NH
	Willimantic, CT
	Marion, IN
	DuQuoin, IL
	Lincoln, RI
	Franklin, MA



GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
-------------	----------	--------------	-------------	----------	--------------

CAROL SUPER VU-TRON TYPE w ROUND PORTABLE POWER CABLE

83008.99.01	8/1 TYPE W RHH/RHW-BLK-MISC	8,000
83006.99.01	6/1 TYPE W RHH/RHW-BLK-MISC	5,000
83004.99.01	4/1 TYPE W RHH/RHW-BLK-MISC	5,000
83002.99.01	2/1 TYPE W RHH/RHW-BLK-MISC	5,000
83001.99.01	1/1 TYPE W RHH/RHW-BLK-MISC	4,000
83010.99.01	1/0-1 TYPE W RHH/RHW-BLK-MISC	3,000
83020.99.01	2/0-1 TYPE W RHH/RHW-BLK-MISC	3,000
83030.99.01	3/0-1 TYPE W RHH/RHW-BLK-MISC	2,000
83040.99.01	4/0-1 TYPE W RHH/RHW-BLK-MISC	2,000
80691.99.01	* 4/0 AWG TYPE W (UL)-BLK- MISC	2,500
83250.99.01	250/1 TYPE W RHH/RHW-BLK-MISC	3,000
83350.99.01	350/1 TYPE W RHH/RHW-BLK-MISC	3,000
83500.99.01	500/1 TYPE W RHH/RHW-BLK-MISC	2,500
81312.99.01	8AWG(133B)-2 TYPE W 2KV BLK	3,000
81622.99.01	6AWG(259B)-2 TYPE W 2KV BLK	3,000
81642.99.01	4AWG(259B)-2 TYPE W 2KV BLK	3,000
81662.99.01	2AWG(259B)-2 TYPE W 2KV BLK	2,000
81313.99.01	8AWG(133B)-3 TYPE W 2KV BLK	4,000
81623.99.01	6/3 TYPE W 600V-2KV-BLK-MISC	3,000
81643.99.01	4AWG(259B)-3 TYPE W 2KV BLK	2,000
81663.99.01	2AWG(259B)-3 TYPE W 2KV BLK	2,000
81383.99.01	1/0-3 TYPE W 600V-2KV-BLK-MISC	2,000
81393.99.01	2/0-3 TYPE W 2KV-BLK-MISC	2,000
81413.99.01	4/0-3TYPE W 600/2KV-BLK-MISC	1,000
81314.99.01	8AWG(133B)-4 TYPE W 2KV BLK	4,000
81624.99.01	6AWG(259B)-4 TYPE W 2KV BLK	2,000
81664.99.01	2AWG(259B)-4 TYPE W 2KV BLK	2,000
81374.99.01	1/4 TYPE W 600V-2KV-BLK-MISC	2,000
81384.99.01	1/0-4 TYPE W 600V-2KV-BLK-MISC	2,000
81394.99.01	2/0-4 TYPE W 600V-2KV-BLK-MISC	2,000
81404.99.01	3/0-4 TYPE W 2KV-BLK-MISC	1,000
81414.99.01	4/0-4 TYPE W 600V-2KV-BLK-MISC	1,000
81315.99.01	8/5 TYPE W UL 2KV BLK	2,000
81625.99.01	6/5 TYPE W 2KV UL BLACK	2,000
81645.99.01	4/5 W RD UL 2KV BLK	2,000
81665.99.01	2/5 TYPE W 600V-2KV-BLK-MISC	1,000
81385.99.01	1/0-5 TYPE W 600V-2KV-BLK-MISC	2,000

* Extra-Flex

CAROL SUPER VU-TRON TYPE G ROUND PORTABLE POWER CABLE

82314.99.01	8/4 TYPE G 600V-2KV-BLK-MISC	3,000
82624.99.01	6/4 TYPE G 600V-2KV-BLK-MISC	3,000
82644.99.01	4/4 TYPE G 600V-2KV-BLK-MISC	2,500
82664.99.01	2/4 TYPE G 600V-2KV-BLK-MISC	2,000
82384.99.01	1/0-4 TYPE G 600V-2KV-BLK-MISC	1,500
82394.99.01	2/0-4 TYPE G 600V-2KV-BLK-MISC	1,000
82404.99.01	3/0-4 TYPE G 600V-2KV-BLK-MISC	1,500

CAROL SUPER VU-TRON TYPE G-GC ROUND PORTABLE POWER CABLE

82313.99.01	8/3 TYPE G-GC 2000V-BLK-MISC	4,000
82623.99.01	6/3 TYPE G-GC-2 KV-BLK-MISC	3,000
82643.99.01	4/3 TYPE G-GC-2KV-BLK-MISC	3,000
82663.99.01	2/3 TYPE G-GC 2KV-BLK-MISC	2,000
82373.99.01	1/3 TYPE G-GC 2KV-BLK-MISC	2,000
82383.99.01	1/0-3 TYPE G-GC 2KV-BLK-MISC	2,000
82393.99.01	2/0-3 TYPE G-GC 2KV-BLK-MISC	2,000
82403.99.01	3/0-3 TYPE G-GC 2KV-BLK-MISC	1,500
82413.99.01	4/0-3 TYPE G-GC-2KV-BLK-MISC	1,500
82423.99.01	250 MCM/3 G-GC 2KV-BLK-MISC	2,000
82443.99.01	350 MCM/3 G-GC-2KV-BLK-MISC	2,000
82473.99.01	500 MCM/3 G-GC-2KV-BLK-MISC	2,000

DIESEL LOCOMOTIVE - Spec 5310

2KV UL Type RHH/RHW-2 c(UL) RW90 1000V

EPR/Black XL-CPE Jacket

5310.01014	14 AWG DLO 2KV-BLK-MISC UL/CSA	*	20,000
5310.01012	12 AWG DLO 2KV-BLK-MISC UL/CSA	*	20,000
5310.01010	10 AWG DLO 2KV-BLK-MISC UL/CSA	*	22,000
5310.01008	8 AWG DLO 2KV-BLK-MISC UL/CSA		30,000
5310.01006	6 AWG DLO 2KV-BLK-MISC UL/CSA		10,000
5310.01004	4AWG DLO 2KV-BLK-MISC UL/CSA		17,000
5310.01002	2AWG DLO 2KV-BLK-MISC UL/CSA		12,000
5310.01001	1AWG DLO 2KV-BLK-MISC UL/CSA		8,000
5310.01110	1/0 DLO 2000V-BLK-MISC UL/CSA		7,000
5310.01210	2/0 DLO 2KV-BLK-MISC UL/CSA		6,000
5310.01310	3/0 DLO 2KV-BLK-MISC UL/CSA		5,000
5310.01410	4/0 DLO 2KV-BLK-MISC UL/CSA		5,000
5310.01262	262.6MCM DLO 2KV-BLK-MISC UL/C		7,000
5310.01313	313.3MCM DLO 2KV-BLK-MISC UL/C		6,000
5310.01373	373.7MCM DLO 2KV-BLK-MISC UL/C		6,000
5310.01444	444.4MCM DLO 2KV-BLK-MISC UL/C		5,000
5310.01535	535.3MCM DLO 2KV-BLK-MISC UL/C		4,000
5310.01646	646.4MCM DLO 2KV-BLK-MISC UL/C		3,000
5310.01777	777.7 MCM/1 LOCO 2KV-BLK-MISC		2,500

General Cable Industrial Plant Locations



	Manchester. NH
	Willimantic. CT
	Marion. IN
	DuQuoin. IL
	Lincoln. RI
	Franklin. MA



General Cable

GENERAL INDUSTRIAL STOCK CARD LIST

Updated: 8/25/14

All inventory is subject to prior sale. This list includes total inventory footage, and does not guarantee that specific lengths are presently in stock.

PART NUMBER	AWG SIZE	NOM. REEL **	PART NUMBER	AWG SIZE	NOM. REEL **
600V SunGen® POWER - Spec 5840			2000V SunGen® POWER - Spec 5850		
UL4703 PV Wire / CSA RPVU90			UL4703 PV Wire / CSA RPVU90		
XLPE, 19 Strand Tinned Copper			XLPE, 19 Strand Tinned Copper		
12411.711100	10-600V UL PV WIRE (XLPE)	20,000	12421.711400	14-2000V UL PV WIRE (XLPE)	20,000
12411.711102	10-600V UL PV WIRE (XLPE) RED	20,000	12421.711200	12-2000V UL PV WIRE (XLPE)	20,000
12411.711200	12-600V UL PV WIRE (XLPE)	20,000	12421.711100	10-2000V UL PV WIRE (XLPE)	20,000
12411.711400	14-600V UL PV WIRE (XLPE)	20,000			
600V SunGen® Power - Spec 5840			2000V SunGen® Power - Spec 5850		
UL4703 PV Wire / CSA RPVU90			UL4703 PV Wire / CSA RPVU90		
XLPE, 19 Strand Bare Copper			XLPE, 19 Strand Bare Copper		
12411.711100B06	10-600V UL PV WIRE(XLPE)BC BLK	500	12421.711100B	10-2000V UL PV WIRE (XLPE) BC	20,000
12411.711100B08	10-600V UL PV WIRE(XLPE)BC BLK	2,500			
12411.711109B06	10-600V UL PV WIRE(XLPE)BC WHT	500	2000V SunGen® Power - Spec 5855		
12411.711109B08	10-600V UL PV WIRE(XLPE)BC WHT	2,500	UL4703 PV Wire / CSA RPVU90		
			XLPE, 7 Strand Bare Copper		
600V SunGen® Power - Spec 5845			12441.711400.07	14-2000V UL PV WIRE (XLPE) BLK	1,000
UL4703 PV Wire / CSA RPVU90			12441.711409.07	14-2000V UL PV WIRE (XLPE) WHT	1,000
XLPE, 7 Strand Bare Copper			12441.711200.07	12-2000V UL PV WIRE (XLPE) BLK	1,000
12431.711100.06	10-600V UL PV WIRE (XLPE) BLK	500	12441.711209.07	12-2000V UL PV WIRE (XLPE) WHT	1,000
12431.711100.07	10-600V UL PV WIRE (XLPE) BLK	1,000	12441.711100	10 7/BC 2000V UL PV WIRE(XLPE)	20,000
12431.711100.08	10-600V UL PV WIRE (XLPE) BLK	2,500	12441.711100.07	10-2000V UL PV WIRE (XLPE) BLK	1,000
12431.711102.06	10-600V UL PV WIRE (XLPE) RED	500	12441.711109.07	10-2000V UL PV WIRE (XLPE) WHT	1,000
12431.711102.07	10-600V UL PV WIRE (XLPE) RED	1,000			
12431.711102.08	10-600V UL PV WIRE (XLPE) RED	2,500			
12431.711106.06	10-600V UL PV WIRE (XLPE) BLUE	500			
12431.711106.07	10-600V UL PV WIRE (XLPE) BLUE	1,000			
12431.711106.08	10-600V UL PV WIRE (XLPE) BLUE	2,500			
12431.711109.06	10-600V UL PV WIRE (XLPE) WHT	500			
12431.711109.07	10-600V UL PV WIRE (XLPE) WHT	1,000			
12431.711109.08	10-600V UL PV WIRE (XLPE) WHT	2,500			

Table E1 Color Sequence

COND. NO	BACKGROUND OR BASE COLOR	FIRST TRACER COLOR	SECOND TRACER NUMBER	COND. NO.	BACKGROUND OR BASE COLOR	FIRST TRACER COLOR	SECOND TRACER COLOR
1	Black	-	-	20	Red	Green	-
2	White	-	-	21	Orange	Green	-
3	Red	-	-	22	Black	White	Red
4	Green	-	-	23	White	Black	Red
5	Orange	-	-	24	Red	Black	White
6	Blue	-	-	25	Green	Black	White
7	White	Black	-	26	Orange	Black	White
8	Red	Black	-	27	Blue	Black	White
9	Green	Black	-	28	Black	Red	Green
10	Orange	Black	-	29	White	Red	Green
11	Blue	Black	-	30	Red	Black	Green
12	Black	White	-	31	Green	Black	Orange
13	Red	White	-	32	Orange	Black	Green
14	Green	White	-	33	Blue	White	Orange
15	Blue	White	-	34	Black	White	Orange
16	Black	Red	-	35	White	Red	Orange
17	White	Red	-	36	Orange	White	Blue
18	Orange	Red	-	37	White	Red	Blue
19	Blue	Red	-				

Table E2 Color Sequence

COND. NO	BACKGROUND OR BASE COLOR	TRACER COLOR	COND. NO.	BACKGROUND OR BASE COLOR	TRACER COLOR
1	Black	-	19	Orange	Blue
2	Red	-	20	Yellow	Blue
3	Blue	-	21	Brown	Blue
4	Orange	-	22	Black	Orange
5	Yellow	-	23	Red	Orange
6	Brown	-	24	Blue	Orange
7	Red	Black	25	Yellow	Orange
8	Blue	Black	26	Brown	Orange
9	Orange	Black	27	Black	Yellow
10	Yellow	Black	28	Red	Yellow
11	Brown	Black	29	Blue	Yellow
12	Black	Red	30	Orange	Yellow
13	Blue	Red	31	Brown	Yellow
14	Orange	Red	32	Black	Brown
15	Yellow	Red	33	Red	Brown
16	Brown	Red	34	Blue	Brown
17	Black	Blue	35	Orange	Brown
18	Red	Blue	36	Yellow	Brown

Method 4 - All Conductors Black

COND.	CONDUCTOR PRINTING
1st	1-One
2nd	2-Two
3rd	3-Three
4th	4-Four
5th	5-Five