BRADY®

WHEN PERFORMANCE MATTERS MOST™

SAFETY, FACILITY AND EQUIPMENT

IDENTIFICATION

www.BradyID.com

HAZARD COMMUNICATION

SAFETY & TRAFFIC SIGNS

LABEL PRINTERS

LOCKOUT TAGOUT

COME TO BRADY FOR
EXPERT SOLUTIONS

Brady has long held the vision that our customers come first. That focus hasn't changed – in fact; it's been enhanced, with new initiatives that help us meet our goal of providing an unrivaled customer experience.

We continue to listen to your needs and provide improved solutions to meet them. We continuously develop products and services that are unmatched. It's this powerful combination of supplying your identification needs and listening to your voice that allows us to forge strong and rewarding partnerships.

The experts at Brady understand the demands on your business and are proud to be your trusted advisor. Let us show you.

RETURN FOR AN
UNRIVALED EXPERIENCE

Learn more about the Brady Advantage by visiting
www.BradyID.com

Don't Miss It!

Shop Now With Brady's Interactive Online Catalogs!

Instantly access this catalog online to:

- Quickly flip through pages
- Search for keywords or part numbers
- Add items to your cart and purchase online
- Or browse additional Brady product brochures and catalogs

Scan now or visit:
www.BradyID.com

NEW!

Check out some of Brady's NEW innovative products!

New Printers

- BMP®41 Label Printer (Page 252)
- BBP®85 Label Printer (Page 340)

New Lockout Tagout

- 43 Lockout Kits, Stations and Lock Boards (Page 394)
- 170 Padlocks (Page 408)
- Double-Looped Cable Lockout (Page 419)
- Fuse Lockout (Page 426)
- Push Button Safety Covers (Page 426)

New SPC Absorbents

- Universal & Oil Only Mixed Application Spill Kits (Page 361)
- Wheeled Spill Kits (Page 370)

New Safety Signs

600+ new signs including:

- Chemical, Oil and Gas Signs (Page 22)
- Rail Signs (Page 158)

TABLE OF CONTENTS:

Key Business Issues	4
Safety Signs	22
Safety & Regulatory	178
Labels & Tags	190
Valve Tags	212
Pipe Markers	214
Lean/Visual Workplace	225
Security	238
Dispensers	240
Portable Printers	242
Benchtop Printers	302
Software	354
Absorbents & Spill Control	358
Lockout Tagout	384
Safety & Lean Consulting Services	434
Sign Legend Index	438
Part Number Index	452

Lean Manufacturing & Maintenance

www.BradyID.com/visualworkplace

Visual Workplace

Visual Workplace - also known as Visual Factory or Visual Management – is a lean concept that emphasizes putting critical information at the point of use. Visual systems and devices play a critical role in many of the most popular lean tools, including 5S, Standard Work, Total Productive Maintenance, Quick Changeover, and Kanban (Pull Production).

What info should I post?

If it's critical information, it should be embedded in your physical workplace. That means right where your employees work – on their equipment, on the shelves, on the floors… anywhere they can see it at a glance for "just-in-time communication."



What visuals should I use?

Signs, labels, placards, markers, displays... you name it! Visuals can be something as simple as a line, shape or color band – whatever employees can understand at a glance.

Why is this so important?

The short answer:

Visuals make sure every employee knows exactly what to do, all the time. That means better safety, and better productivity!

The long answer:

50% or more of a facility's activities are often considered waste! Waste is primarily caused because employees lack information. If you post the info where they need it… you cut the waste!

75% Research shows that people learn 75% of what they know visually,13% through hearing, and 12% through smell, touch, and taste. Workplace visuals play a HUGE role in job training.

78 million baby boomers are expected to retire over the next 10-15 years. Visuals help less experienced employees learn faster and work more efficiently.

What are the benefits?

15% to 30% Most companies see a 15-30% increase in productivity after effectively implementing a visual workplace.

Creates operational stability:

Visuals reinforce the standards you've put in place, and make sure abnormalities are quickly spotted – creating a base of operational stability for your facility.

Sustains continuous improvement:

Visuals are a key sustaining force in kaizen initiatives. They make sure improvements remain clearly visible, readily understood, and consistently adhered to… long after the kaizen or rapid improvement event is over!



How Can Lean Visuals Help You?

Visual devices play an important role in many lean concepts, including 5S, Standard Work, Quick Changeover, and Just-In-Time Inventory Management. The photos below illustrate just a few of the many applications for using visuals in lean manufacturing.

5S Workplace Organization

Standard Work

Quick Changeover

Kanban (Pull) Production

Visual Management



Lean Manufacturing & Maintenance

www.BradyID.com/visualworkplace

Equipment Reliability Made Visual

Lean manufacturers know that maintaining optimum equipment performance is critical, since they typically have less safety stock to rely on in the event of unexpected breakdowns. Equipment visuals such as those shown below are especially useful to those implementing autonomous, preventive and predictive maintenance programs.

Incorporating visuals into your reliability program can provide important benefits:

- Simplified operator-based care training
- Faster detection of operating abnormalities
- Quicker troubleshooting and root cause analysis
- Reduced stored inventory
- Fewer unplanned MRO purchases
- Improved safety and employee morale

Create labels like these with Brady's MarkWare™ Software and a Brady Label Printer

Lubrication

Parts Management

PM Inspection



Predictive Maintenance

Equipment ID

Learn More at:
www.BradyID.com/visualworkplace

- Application Ideas
- Product Solutions
- Whitepapers & Handbooks
- Best Practices
- Articles
- Webcasts
- And Much More!

Visit Brady's Visual Workplace Industry Page at **www.BradyID.com/visualworkplace**.

Lean Manufacturing & Maintenance Product Solutions

MarkWare™ Lean Tools Software (page 354)

MarkWare Lean Tools software provides versatile drawing tools and hundreds of premade templates that speed the design of signs, labels and tags used in lean production, maintenance / reliability, warehouse and safety applications.

Sign & Label Printers (page 242)

Brady sign & label printers are essential tools for implementing a visual workplace, making it easy for you to create visuals onsite and on-demand.

- GlobalMark®2 Industrial Label Maker
- BBP®31 Label Printer
- BMP®71 Label Printer
- BMP®51 Label Printer
- NEW! BMP®41 Label Printer

ToughStripe® Floor Marking Tape (page 226)

Made with Brady's new B-514 polyester, ToughStripe products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths.

5S Red Tag Signs, Tags & Stations (page 225)

Make your 5S Red Tag Program more visible for enhanced workplace organization. Brady signs and stations keep your red tag policies visible and your red tag supplies easily accessible on the shop floor.

5S Marking Tapes (page 230)

Brady offers a wide range of products for marking floors, workbenches, tool boards and more. These products help to maintain order, identify hazards, and provide directional guidance.

Absorbent & Spill Control (page 358)

A proper spill control program can create a safe and productive work environment. Brady SPC products provide for effective clean-up of spills and leaks throughout your facilities.

Lockout Tagout

www.BradyID.com/lockouttagout

Lockout Tagout: A Critical Safety Regulation

Lockout Tagout (LOTO) is an important safety procedure - critical to safeguarding workers and employees around the machinery and equipment they operate, service and maintain. It is also a major OSHA-inspection focus. In fact, it remains the of the most cited violations for general industry even after twenty years in force. But, rather than focus on the negative aspect of non-compliance and citations, focus instead on this: comprehensive and thoroughly-followed LOTO programs:

- **SAVE LIVES** – preventing an estimated 250,000 incidents, 50,000 injuries and 120 fatalities annually!
- **CUT COSTS** – significantly; both lost employee time and insurance costs
- **IMPROVE PRODUCTIVITY** – minimizing equipment downtime
- **BEST PRACTICE** – being widely adopted across industries and industrialized countries

Brady is the global leader in Lockout Tagout Solutions

Brady was first to respond to the new OSHA legislation in 1990, and has maintained its position as the leading Lockout solutions provider ever since. Today, Brady offers a comprehensive package for Lockout Tagout compliance.

OSHA Regulation Summary:

OSHA 29 CFR §1910.147 The control of hazardous energy (Lockout Tagout).

(a) Scope, application and purpose

(1) Scope. (i) This standard covers the servicing and maintenance of machines and equipment in which the unexpected energization or start up of the machines or equipment, or release of stored energy could cause injury to employees. This standard establishes minimum performance requirements for the control of such hazardous energy.

(2) Application. (i) This standard applies to the control of energy during servicing and / or maintenance of machines and equipment.

(3) Purpose. (i) This section requires employers to establish a program and utilize procedures for affixing appropriate lockout devices or tagout devices to energy sources, and to otherwise disable machines or equipment to prevent unexpected energization, start-up or release of stored energy in order to prevent injury to employees.

Top Sections Cited		Number of Violations
1910.147(c)(4)	Requirements in energy control procedures	1,023
1910.147(c)(6)	Requirements to periodically inspect the energy control procedure	741
1910.147(c)(7)	Training and communication requirements	587
1910.147(c)(1)	Energy control program requirements	548
1910.147(d)(4)	Requirements for the application of Lockout Tagout devices	203

Data is reflective of OSHA's Fiscal Year 2011 (October 1, 2010 through September 30, 2011)

Why do you need lockout procedures?

- Documented, machine-specific energy control procedures are required by OSHA.
- Procedures serve as a check sheet to help employees avoid mistakes and reduce the risk of accidents and injuries.
- Procedures speed lockout activity, which in turn reduces downtime and improves operational productivity.

5 Steps To An Effective Lockout Program (page 384)

Step 1: Develop Energy Control Policy/Program

The first step is to develop and document a lockout policy that identifies in detail the purpose and scope of your lockout program. It establishes the 'nuts and bolts' of your overall lockout program.

Step 2: Equipment-Specific Lockout Procedures

Visual lockout procedures provide clear, visually-intuitive instructions for employees to follow. Brady offers several options for creating these procedures:

- **Visual Lockout Procedure Service**
  A turnkey, comprehensive service in which Brady develops your equipment-specific lockout procedures for you.
- **Lockout Pro™ Procedure-Writing Software**
  This software program has all the tools you need to create an effective, compliant energy control program with standardized procedures.
- **Online Custom Lockout Procedure Design Tool**
  Create your own custom lockout procedures at www.BradyID.com and print them on your own printer. Perfect solution for 25 or fewer procedures.

Step 3: Identify Energy Control Points

The third step is to locate and mark all energy control points, including valves, switches, breakers and plugs, with permanently placed labels or tags.

- **Energy Control Point Signs, Tags and Labels**
  Brady has a full line of energy source identification products.
- **Industrial Label Printers**
  Create your energy source identification with Brady's make-it-yourself high performance printing systems.

Step 4: Training, Communication & Inspections

Brady offers interactive e-Learning training courses that provide comprehensive educations. Other communication products, including DVD's, handbooks and posters, are also available.

- **e-Learning Training Courses**
  Brady offers comprehensive online training courses for Authorized Workers and Corporate Safety Leaders.
- **Safety Training & Awareness Aids**
  Brady offers handbooks, posters, labels, videos and DVD programs that you can use to train your employees.

Step 5: Provide Proper Protective Products

Brady offers a comprehensive line of Lockout Tagout tools and devices, including nonconductive safety padlocks, lockouts for electrical circuit breaker switches, shutoff boxes, all types of valves, plugs, fuses, and more.

Learn More: Download the 5 Steps To An Effective Lockout Program Whitepaper

Download the full whitepaper today for more information and details on each one of the 5 steps.

Visit **www.BradyID.com/lockouttagout** to download this whitepaper.

Arc Flash

www.BradyID.com/arcflash

Comply with New Regulations, Increase Safety and Save Costs with Proper Identification.

There is a risk when working on live, energized electrical circuitry that can result in serious injury or death from a phenomenon known as Arc Flash. Arc Flash is a short circuit through the air that flashes between one live conductor to another conductor or to ground, causing a severe, explosive release of energy. It can be caused by a worker coming too close to a high-amp source with a conductive object, dropping a tool that makes contact with live components, breaks or gaps in wiring insulation or even poor maintenance practices. Arc Flash has the potential to generate extremely high heat, a forceful blast and intense light, caused by the rapid expansion of metallic components transforming to gas and molten particles in a fraction of a second. Experiencing an Arc Flash can cause severe injuries including loss of vision and hearing, third and fourth degree burns, along with the potential for severe electrical shock.

OSHA Regulation Summary:

Section 5(a)(1) of the Occupational Safety and Health Act

The Occupational Safety and Health Administration, OSHA, has become more involved in the Arc Flash issue and has begun citing employers for failure to protect workers from the dangers of Arc Flash incidents. While no specific standard exists regulating Arc Flash, OSHA utilizes Section 5(a)(1) of the OSHA Act, often referred to as the General Duty Clause, by basing enforcement actions on an employer's duty to "furnish to each of his employees employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm…" To provide guidance on best practices for protecting employees from Arc Flash hazards, OSHA refers employers to the NFPA 70E Standard, "Standard for Electrical Safety in the Workplace."

NFPA70E 2012 - "Standard for Electrical Safety in the Workplace"

Article 110.16 in the NEC and Article 130.5 in NFPA 70E state that relevant electrical equipment shall be "field marked to warn qualified persons of potential electric arc flash hazards."

Once an arc flash hazard analysis has been conducted in which the arc flash boundary, the incident energy at the working distance, and the personal protective equipment required has been determined, Article 130.5 (C) in the 2012 edition of NFPA 70E further dictates that the label must contain these important elements:

1. At least one of the following:

a. Available incident energy and the corresponding working distance
(An incidental energy analysis is used to help predict the incident energy of an arc flash for a specified set of conditions. Incident energy is the amount of energy impressed on a surface, a certain distance away from the source, generated during an electrical arc event. This should be measured and labeled in cal/cm2.)
AND/OR

b. Minimum arc rating of clothing
(This also should be expressed in cal/cm2. Arc rated clothing indicates it has been tested for exposure to an electrical arc. This was formally expressed as flame resistant in previous NFPA editions.)
AND/OR

c. Required Level of Personal Protection Equipment (PPE)
AND/OR

d. Highest Hazard/Risk Category (HRC) for the equipment

2. Nominal System Voltage
A value assigned to a circuit or system for the purpose of conveniently designating it's voltage class (i.e. a 12-volt battery, 24-volt system, or 480-volt electrical panel.)

3. Arc Flash Boundary

What Needs To Be Labeled, And By Whom?

The NEC states that any of the following types of electrical equipment located in manufacturing and commercial establishments (other than dwelling occupancies) must be field marked with a warning label if subject to examination, adjustment, service or maintenance while energized:

- Switchboards
- Panelboards
- Industrial control panels
- Meter socket enclosures
- Motor control centers

The labeling requirement is the responsibility of the employer, not the manufacturer or installer of the equipment.

Arc Flash Product Solutions (page 192)

Stock Labels

Brady provides a variety of stock labels that are designed to help you display the required information. The vinyl checkbox label shown here can be easily written on with pen or marker. An over-laminate can then be applied to protect the printing from harsh environmental conditions.

Custom Arc Flash Labels

Brady will print complete custom arc flash labels to your specific labeling requirements. For additional information, visit: **www.BradyID.com/arcflash**

Custom Arc Flash Labels Arc Flash Label Printing Systems

Brady's Make-it-Yourself printing systems and software features Brady's performance 300 or 600 dpi thermal transfer printers optimized to print Brady media and your Arc Flash labeling requirements. The printers are designed to be a convenient, flexible and cost-effective way to create, modify and print labels on demand.

BBP®31 Sign & Label Printer

- 2-touch printing – just walk up and print!
- Prints labels from ½" to 4" wide
- Stand alone or PC-connect operation
- Large touch-screen display with "touch and drag" moving and sizing
- Wizard-style apps for pipe ID, arc flash, and Right-To-Know chemical labels

High-Volume Labeling Solution - Bradyprinter™ PR Plus Printer

- Higher volume: up to 7,000 labels per day
- Heavier industrial environments
- Also ideal for rating plates, bar codes, general i.d., wire & cable marking, raised panel labels & more

Mid-Volume Labeling Solution - IP™ Series Printer

- Medium volume: up to 5,000 labels per day
- Just load, click, print. It's that simple.
- Lighter manufacturing environments
- Ideal for rating plates, industrial bar codes, general i.d., wire & cable marking, raised panel labels

TLS 2200® Portable Thermal Labeling System

- Print whatever, whenever.
- Auto label, size and text formating
- Also ideal for printing bar codes, general i.d., wire & cable marking, raised panel labels

Hazard Communication

www.BradyID.com/GHS

Hazard Communication:

More than 40 million workers in the US may routinely come into contact with hazardous chemicals while performing their jobs.

In many cases, the chemicals are no more dangerous than those at home. But in the workplace, exposure is likely to be greater, concentrations higher, and exposure time longer.

Reactions to chemical exposures range from slight skin, eye, or respiratory irritation to life-threatening cancers, blood diseases, and debilitating lung damage.

OSHA developed the Hazard Communication Standard (HCS) to protect workers from these dangerous exposures. The standard is based on a simple concept – employees have both a need and a right to know about the hazards and identities of the chemicals they are exposed to, and what they can do to protect themselves.

OSHA Regulation Summary:

OSHA 29 CFR 1910.1200 Hazard Communication

1910.1200(b)(1) This section requires chemical manufacturers or importers to assess the hazards of chemicals which they produce or import, and all employers to provide information to their employees about the hazardous chemicals to which they are exposed, by means of a hazard communication program, labels and other forms of warning, material safety data sheets, and information and training. In addition, this section requires distributors to transmit the required information to employers.

OSHA Focus – HazCom is the most frequently cited violation for general industry, following Lockout Tagout

Best Practice – Recognized across many industries and markets

Saves Lives - The newly updated Hazard Communication Standard will prevent 500 injuries/ illnesses and 43 fatalities annually.

Cost Reductions & Productivity Improvements – Future net benefits are estimated by OSHA to be $556 million dollars per year.

Hazard Communication Program in 5 Steps:

1. **Develop a comprehensive written Hazard Communication plan.**

   This written plan outlines all of the sections of your organization's hazard communication program.

2. **Inventory all chemicals.**

   Develop a process to identify and log all hazardous chemicals in a central site, including record keeping and updates.

3. **Establish & maintain a comprehensive Safety Data Sheet (SDS) program.**

   All SDS's (previously known as Material Safety Data Sheets, or MSDS's) need to be collected and readily accessible to employees at all times on site.

4. **Label all containers, pipes and tanks.**

   Primary containers, secondary containers and pipe and storage pipes containing hazardous chemicals must be labeled according to the applicable hazard communication regulations and company-established programs.

5. **Train and communicate with your workforce.**

   All potentially affected employees must be fully trained according to the pertinent regulations and your hazard communication program.

Download the 5 Steps to Hazard Communication Compliance Whitepaper at www.BradyID.com/GHS

GHS (Globally Harmonized System) Compliance

GHS is an acronym for the The Globally Harmonized System of Classification and Labelling of Chemicals. The GHS standard is an international standard created by the United Nations for the purpose of classifying and labellling hazardous chemicals. A majority of countries globally have adopted and are enforcing most elements of the GHS with their regulatory agencies having jurisdiction for this public safety concern.

OSHA published an updated Hazard Communications standard in 2012 that incorporates the major elements of the GHS. A 3 year transitional period allows companies time to fully implement the new standards in their facilities.

The basic requirements for OSHA's HazCom standard are:

- A written chemical hazard program
- Labels on containers
- Safety Data Sheets (SDS)
- Chemical hazard training for employees

Implementation Timeline

Effective Date	Requirement(s)	Who
December 1, 2013	Train all employees on the new label elements and safety data sheet (SDS) format	Employers
June 1, 2015	Comply with all modified provisions of the final rule, except:	Chemical manufacturers, importers
December 1, 2015	Distributors must ship containers with a GHS label	Chemical distributors
June 1, 2016	Update workplace labeling and hazard communication program, and provide additional employee training if necessary	Employers

The Top 3 Things You Need To Know About GHS

1. Label and SDS formats are changing, make sure your company and employees are trained and aware of the changes
2. This harmonized standard has already been adopted by 68 countries around the world (and that number is still growing)
3. Don't wait to take action! Start updating your labels and training your employees today

GHS Compliance Product Solutions

GHS Pictograms (page 178)

Pre-printed die cut labels identify hazardous products for chemical risks, health risks and environmental risks in accordance to the United Nations' universal approach to classifying and communicating chemical hazards.

Label Printers & Software

BBP®31 Sign & Label Printer (page 308)
Produce 2-color GHS labels in one print pass by using MarkWare™ Software and pre-printed GHS labels for the BBP®31 Sign & Label Printer.

GlobalMark®2 Sign & Label Printer (page 330)
This multi-color benchtop printer has a built-in plotter cutter and can create labels up to 4" wide. It even prints directly on magnets and tag stock.

MarkWare™ Facility Identification Software (page 354)
Markware™ 3.9 Software facilitates the creation and printing of GHS-compliant labels. Includes templates for Brady's BBP®31 Sign & Label Printer, BBP®33 Label Printer, GlobalMark®2 Industrial Printer and MiniMark™ Label Printers.

Slips / Trips / Falls

www.BradyID.com/slipstripsfalls

10 Steps to Preventing Slips, Trips & Falls in the Workplace

OSHA is focusing on enforcing its standards associated with preventing slips, trips and falls.

According to OSHA, "Slips, trips, and falls constitute the majority of general industry accidents. They cause 15% of all accidental deaths, and are second only to motor vehicles as a cause of fatalities."

OSHA Regulation Summary:

The OSHA Walking and Working Surfaces Standard: Subpart D 29 CFR 1910.21-30 identifies requirements intended to minimize Slips, Trips and Falls in the workplace.

The OSHA standards for walking/working surfaces apply to all permanent places of employment, except where only domestic, mining, or agricultural work is performed.

1. Assess your needs

Brady Safety Assessments can help you identify and take corrective action before personal injuries occur.

2. Mark aisles and passageways

Brady's new ToughStripe® Floor Marking Tape provides superior durability, easy application and high visibility.

3. Provide traction on slippery surfaces

Brady offers a variety of anti-skid floor tapes to provide traction throughout your facility including on steps and in entryways.

4. Improve safety on stairs

BradyGlo™ Anti-Skid Stairnosing products meet IBC, IFC and NFPA 2012 requirements for traction and visibility.

5. Mark emergency evacuation routes

Brady offers BradyGlo™ UL-listed EXIT signs, handrail covers and a variety of other glow-in-the-dark products for visibility in lights-out conditions.

6. Post safety signage & labeling

Mark your facility with stock fall protection signs and floor marking signs, or make your own signs and labels with a Brady label maker.

7. Warn of temporary hazards

Mark temporary maintenance and janitorial hazards with Brady stands, barricade tapes, posts and chains.

8. Inspect scaffolds & ladders

Brady's Scafftag products provide system, procedure and legal compliance.

9. Control and clean oil & spills

Make sure your workroom floors are maintained in a clean and - so far as possible - dry condition with Brady's SPC Oil and Spill Containment & Clean-Up products.

10. Train your employees

Brady offers high-impact, interactive CD-ROM training to educate employees slips, trips and falls prevention.

Did You Know?

20% of workplace injuries are caused by slips, trips & falls.

These result in an average of 11 days away from work and $40,000 cost per incident.



Absorbents & Spill Control

www.BradyID.com/SPC

A Better Way To Absorb Spills

Brady's extensive line of SPC polypropylene and recycled cellulose-based sorbent products all provide for effective clean-up of spills and leaks throughout your facilities. SPC sorbents are specially fabricated to effectively absorb almost all oils, coolants, solvents, chemicals and water-based fluids.

SPC sorbents are far more efficient, safe and cost-effective than granular absorbents. Granular absorbents and clays, on the other hand:

- Are more expensive to dispose of
- As silica, are considered a health hazard by OSHA
- Provide limited chemical resistance
- Are messy and difficult to clean up
- Can introduce a slip hazard
- Can damage equipment and products

OSHA and EPA Regulation Summary:

Regulated by OSHA:

- Clean, dry workplace floors [29 CFR 1910.22(a)(2)]
- DOT-specified containers and suitable quantities of absorbents shall be kept available for response to spills [29 CFR 1910.120(j)(1)(vii)]

Regulated by EPA:

- Sorbent materials are one option for preventing oil spills from reaching waterways EPA: [40 CFR 112.7(c)(1)(vii)]
- EPA requires you to control sources of storm water runoff EPA: [40 CFR 122.26]
- EPA requires transporters to clean up any hazardous waste discharge EPA: [40 CFR 263.31]

Clean up oil and petroleum-based spills on land or water with specialized sorbents that don't absorb water.

Spill Prevention Control and Countermeasures Plan (SPCC):

The Spill Prevention Control and Countermeasures Plan (SPCC) is a facility-specific comprehensive description of a facility's containment and countermeasures that would prevent an oil spill from occurring as well as procedures to respond and clean up an oil spill that does occur. Driven by the EPA's Federal Water Pollution Control Act (as amended by the Clean Water Act), this ruling is designed to prevent discharges of oil and oil-related materials from reaching navigable waters and adjoining shorelines.

The SPCC Plan consists of three parts:

1. Operating procedures that prevent oil spills
2. Control measures to prevent a spill from reaching the environment
3. Countermeasures to contain, clean up, and mitigate the effects of an oil spill that reaches the environment

Choose the Right Absorbent (page 358)

Having the right absorbent for the job makes a big difference. Proper product selection can make your employee's jobs easier, create a safer work environment, and even save you money!

Your Spill:
- Coolants
- Solvents
- Gasoline
- Vegetable oil
- Kerosene
- And other water-based fluids

Your Absorbent Solution:

Universal Absorbents

All-purpose products that clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects.

Your Spill:
- Hydraulic oil
- Motor oil
- Brake fluid
- Cooking oil
- Turpentine
- And other oil-based fluids

Your Absorbent Solution:

Oil Only Absorbents

These absorbents are specialized for oil and other petroleum-based spills including paints and other non-water soluble chemicals. These absorbents will not absorb water and will float indefinitely.

Your Spill:
- Aggressive chemicals
- Citric acid
- Sodium hydroxide
- And other unknown chemicals

Your Absorbent Solution:

Chemical Absorbents

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid, and are chemically inert, so they will not react with aggressive fluids.

Your Spill:
- Cutting fluids
- Gasoline
- Coolants
- Non-aggressive chemicals
- And other water-based fluids

Your Absorbent Solution:

Re-Form™ Eco-Friendly Absorbents

These all-purpose absorbents are made from a minimum of 80% recycled material. They are green to produce and green to use, and are up to 50% more absorbent than polypropylene absorbents. They also meet NFPA Class A Fire Retardancy.

Your Spill:
- Unexpected or large scale spills and leaks
- Critical accidents
- Indoor or outdoor drain applications
- Water or oil-based fluids

Your Absorbent Solution:

Spill Control and Spill Kits

Be prepared for emergency spills with a variety of products already bundled together - so you can be confident you have the products you need to contain unexpected spills.

Additional spill control available through the use of spill pallets, drain plugs and absorbent storage centers.

Voice / Data Communications

www.BradyID.com/datacomm

Immediate identification of wires, cables and assets is essential.

Faster identification of network assets in order to perform moves, adds, and changes to the network while minimizing the interruption of network services to the businesses IT serves.

Identification of cables and panels specifically in areas of telecommunications, electrical, and datacomm is directly connected to performance. The ability for professionals to map a cables path across connected components is important in reducing the time taken to troubleshoot and locate networking problems.

ANSI/TIA/EIA 606 Standard Summary:

The standard specifies administration for a generic telecommunications cabling system that will support a multi-product, multi-vendor environment. It provides a uniform administration approach that is independent of applications, which may change several times throughout the life of the telecommunications infrastructure. It establishes guidelines for owners, end users, manufacturers, consultants, contractors, designers, installers and facilities administrators involved in the administration of the telecommunications infrastructure.

Use of this Standard is intended to increase the value of the system owner's investment in the infrastructure by reducing the labor expense of maintaining the system, extending the useful economic life of the system and providing effective service to users.

An Integrated, Seamless Solution.

Brady is the only company to provide an integrated and seamless solution to assist customers with their need to identify, document, and manage their cable and network assets. Stop following a tangle of cables and easily document every aspect of the network, including horizontal and backbone cables, hardware, assets, pathways, locations, air blown fiber, data center racks, users and more.





The Complete Voice / Data Comm Solution

Printing Systems

BBP®31 Sign & Label Printer
(page 308)

- 2-touch printing - just walk up & print!
- Prints labels from ½" to 4" wide
- Stand alone or PC-connect operation
- Large touch-screen display with "touch and drag" moving and sizing

BMP®71 Label Printer
(page 284)

- Prints on more than 30 types of label materials and at speeds of 1.5 labels per second
- Ideal for wire and cable markers, rating plates, tags, marking racks, bays, frames, slots, and other voice/data equipment.

BMP®51 Label Printer
(page 258)

- Prints on more than 20 material types and over 190 label parts
- Fast print speed of 1 inch per second
- Print labels from your Android phone - Download the free "Brady Mobile" App for instant access to quick and easy label making

BMP®41 Label Printer
(page 252)

- Prints up to 250 labels per day at a print speed of 1.3" per second
- Wide range of materials so you can print all your jobs on one printer
- Built-in wizard-based applications and graphics to help create and print labels quickly and easily

Materials

Sleeves

Wrap-around

General ID

Flags / Tags

Software (page 354)

LabelMark™ Labeling Software
LabelMark™ software allows you to easily format cable, faceplate and closet labels. The software includes templates for all the Brady labels designed for your application, and has built in templates to automatically format 110 block and patch panels.

NetDoc™ Network Documentation
NetDoc® Network Documentation and Cable Management Software provides you with the tools you need to manage cabling, network, telephone and legacy connections. NetDoc® allows you to easily document horizontal and backbone cables, hardware, assets, pathways, locations, users and much more!

Services

Whether installing your software for the first time or maintaining an existing database, NetDoc Customer Support is available when needed. Our Support Specialists are committed to getting you the fast accurate answers you need in order to be successful.

Emergency Egress and Exit Routes

www.BradyID.com/bradyglo

Support a quick and safe exit of your building during an emergency

The events of 9/11 have led to a greater focus on exit route markings and safety. This has also led to the increasing use of photoluminescent signs and exit pathway markings. The main reason is that photolum signs continue to remain visible even in electrical "lights-out" conditions.

2012 International Building Code:

Luminous egress path markings shall be required in most new and existing buildings having occupied floors located more than 75 feet above fire department vehicle access:

- All steps shall have a solid and continuous stripe applied for the full length.
- All handrails shall be marked with a solid and continuous stripe for the entire length.
- Doors through which occupants must pass shall be provided with luminous markings complying with sections 1027.6.1 – 1027.6.3.
- Photoluminescent or other luminous UL 924 listed exit signs shall be installed in accordance with section 411.7 (exit marking).

Regulated by OSHA: CFR 1910.33 – 39

- Every exit must be marked by a clearly visible sign with the word EXIT in plainly legible letters at least 6 inches high and with at least 3/4" stroke width.
- Exit signs shall be illuminated either by internal or external means by a "reliable" light source giving a value of not less than 5 foot-candles on the illuminated surface.
- When the way to an exit is not readily apparent, signs or markings similar to exit signs shall be provided which also provide directional information. Where arrows are used, they shall be obvious as to the direction of the exit.
- Any door, passage or stairway that is not an exit but looks as though it could be an exit must be marked with a sign reading "NOT AN EXIT".
- An emergency action plan must be in writing, kept in the workplace and available to employees for review.

NFPA 101-2000 The Life Safety Code

- An employer who is in compliance with the Life Safety Code is also deemed to be in compliance with the corresponding OSHA section requirements.



Emergency Evacuation Marking

Clearly mark emergency evacuation routes and exits.

Make Your Own Egress Signs

BBP®31 Sign & Label Printer features 2-touch printing and can print labels from ½" to 4" wide.

Custom Glow Evacuation Maps

Print your evacuation maps on clear acetate and it glows in the dark. Contact Brady for more information.

The Joint Commission Compliance

In order to become or remain accredited by The Joint Commision (TJC), a hospital must provide safe, high quality health care. TJC references specific OSHA, NFPA, EPA and other regulations in its Environment of Care Crosswalk, stressing the requirement to comply with these important safety rules.

The Joint Commision provides three standards chapters related to Environment of Care management:

- Environment of Care (EC) chapter
- Emergency Management (EM) chapter
- Life Safety (LS) chapter

OSHA and EPA Regulation Summary:

OSHA CFR 1910.147 The Control of Hazardous Energy (Lockout Tagout)

Machine-specific Lockout Tagout procedures are required for equipment that has more than one energy source, as well as for equipment that has a single energy source in most conditions.

Brady Visual Lockout Procedure Service (page 434)

An on-site comprehensive service in which Brady engineers come to the facility and create equipment-specific procedures. This service can be completed in a matter of days – saving hospitals significant time and money on lockout compliance! The service includes:

- On-site equipment assessment performed by Brady engineers
- Compliant, easy-to-follow procedures for each piece of equipment
- Installation of laminated procedures and energy source ID tags directly on equipment
- Electronic and hard copies of all machine-specific LOTO procedures
- Employee training for updating and creating additional procedures
- Recommended Lockout Tagout product list based on facility needs

Additional Brady Services

Brady's hospital identification services and products can also help hospitals meet TJC requirements for:

- Labeling of Hazardous Chemicals to meet new GHS regulations
- Confined Spaces Procedures
- Safety Signage Audits and Labeling
- Emergency Egress
- And more!

Did You Know?

The US Department of Veterans Affairs has confirmed that its hospital facilities are required to comply with OSHA standards. VA recognizes that equipment-specific lockout procedures will improve safety. It has directed its medical centers to develop specific SOP's for de-energizing and/or releasing stored energy in the identified energized equipment

What Equipment Requires Lockout Procedures?

A typical hospital has 100 to 300 or more pieces of equipment that require written procedures!

Common hospital equipment that requires lockout procedures:

- Boilers and Chillers
- Generators
- Vacuum pumps
- Sterilizers
- Air handlers
- And more!

Safety Sign Selection Guide

Safety signs are a necessary and required component for warning and communicating messages or notices to your employees, customers and/or the general public. In order to provide a clear and concise message, the sign must meet a variety of requirements and standards. Selecting and placing a safety sign for your facility is more than a workplace requirement, but an opportunity to prevent costly accidents or dangerous hazards for individuals within your facility.

Comply with Applicable Regulations

Check the specific sign requirements of the regulation you're complying with. Exit and fire extinguisher signs are covered by NFPA and IBC, general and chemical hazards by OSHA, traffic and parking signs by the Dept. of Transportation. Layout, text and signal words are covered by OSHA and ANSI. Below are several of the common regulations affecting signs:

Organization	What's Covered
OSHA – Occupational Safety & Health Administration	OSHA 1910.37 Means of Egress, General (Exit signs and routes) OSHA 1910.144 Safety Color Code for Marking Physical Hazards OSHA 1910.145 Specifications for Accident Prevention Signs and Tags OSHA 1910.146 Permit-Required Confined Spaces OSHA 1910.147 Control of Hazardous Energy (Lockout/Tagout) OSHA 1910.1200 Hazard Communication (includes updated GHS standard) OSHA 1910.303 Electrical Subpart S; (g)(2)(iii) and (h)(5)(iii)[B] – Warning Signs) OSHA 1926.200 Signs, Signals & Barricades for Construction
DOT – Department of Transportation	Hazardous Materials Warning Placards and Labels - Title 49, Code of Federal Regulations, Part 172 Subpart D–Marking, Subpart E – Labeling, Subpart F-Placarding - Title 49, Code of Federal Regulations, Parts 100-199 MUTCD 2009 with Revisions 1 & 2 (Manual on Uniform Traffic Control Devices) is the most current edition of the MUTCD
NFPA – National Fire Protection Association	NFPA 70: National Electrical Code NFPA 101: Life Safety Code NFPA 101B: Code for Means of Egress for Buildings and Structures NFPA 704: Standard System for the Identification of the Hazards of Materials for Emergency Response
ICC – International Code Council	IBC 2012 International Building Code IFC 2012 International Fire Code
IMO – International Maritime Organization	Resolution A.752(18) Egress and Low Level Lighting
ANSI – American National Standards Institute	ANSI Z535.1-2001, Safety Color Code ANSI Z535.2-2002, Environmental and Facility Safety Signs ANSI Z535.3-2003, Criteria for Safety Symbols ANSI Z535.4-2004, Product Safety Signs & Labels
ISO – International Standards Organization	ISO 7010:2011 Prescribes Safety Signs for the Purposes of Accident Prevention, Fire Protection, Health Hazard Information and Emergency Evacuation. ISO 7001:2007 Graphical Symbols, Public Information Symbols
ADA – Americans with Disabilities Act	2010 ADA Standards for Accessible Design; 703 Signs Meet Occupational Health Administration (OSHA 1910.145) and ANSI (ANSI Z535) regulations and guidelines.

The majority of facility signs need to meet Occupational Health Administration (OSHA 1910.145) and ANSI (ANSI Z535) regulations and guidelines.

Examples:

To Comply with OSHA 1910.145:
OSHA requires safety signs to indicate specific hazards that, without identification, may lead to accidental injury to workers and/or the public or to property damage. These signs must also be designed with rounded or blunt corners and must be free from sharp edges or other sharp projections. Examples of OSHA regulated messages include "Danger," "Caution" and "Safety" signs.

OSHA 1910.145 Examples

To Comply with ANSI Z535:
ANSI Z535 requires a specific set of standards for sign design and application. In order to comply, signs must include universal pictograms that represent various hazards. Each sign must also contain a safety alert symbol and a white on black text box. The use of signs, colors and symbols are intended to identify and warn against specific hazards and accident preventions. These signs are meant to provide a clear and concise safety alert message. Examples of ANSI regulated messages include "Danger," "Warning," "Caution," "Notice" and fire and general safety signs.

ANSI Z535 Example

Display a Clear and Visible Message

Safety Sign Headers (OSHA 1910.145 and ANSI Z535)

Messages such as “Warning” and “Caution” may seem synonymous, but they actually deliver very different messages. ANSI and OSHA specify that safety signs must indicate and define specific hazards that, without identification, may lead to accidental injury to workers, customers or the general public. The standard headers and definitions are listed below.

DANGER

- Indicates an imminently hazardous situation which if not avoided, will result in death or serious injury.
- Limited to most extreme situations.
- Not used for property damage hazards unless personal injury risk to this level is also involved.

WARNING

- Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury.
- Not used for property damage hazards unless personal injury risk to this level is also involved.
- Appropriate for signs place outside of the area or on the exterior of enclosures containing a Danger-level hazard.

CAUTION

- Indicates a potentially hazardous which, if not avoided, may result in minor or moderate injury.
- May be used to alert against unsafe practices that may cause property damage.

NOTICE

- Indicates a statement of company policy directly or indirectly related to the safety of personnel or protection of property.
- Should not be associated with a hazard or hazardous situation, and shall not be used in place of DANGER, WARNING or CAUTION.

SAFETY

- Indicate general instructions relative to safe work practices or indicate the location of safety equipment (e.g. eye wash station)



Safety Sign Letter Height (ANSI Z535.2-2002)

9.2.2 Overall size of the lettering

The overall size of the lettering shall be determined by the distance from which the sign can be safely and easily read. The message should be concise as practical. Letters shall be adequately spaced and not crowded.

9.2.3 Minimum letter height

Minimum letter height shall be one unit in height for every 150 units of safe viewing distance from the hazard alerting device for signal words and one unit in height for every 300 units viewing distance for the majority of other words contained on the word message panel. The safe viewing distance must be determined for each specific case where a safety sign is needed. The message panel text shall meet the legibility criteria at the determined safe viewing distance.

Minimum Safe Viewing Distance	<4’	5’	8’	10’	15’	20’	30’	40’	60’	80’	100’	125’	150’	200’
Minimum Height for Favorable Reading Conditions	0.16” *	0.24”	0.32”	0.40”	0.60”	0.80”	1.20”	1.60”	2.40”	3.20”	4.00”	5.00”	6.00”	8.00”
Recommended Letter Height For Unfavorable Reading Conditions	0.33”	0.50”	0.66”	0.83”	1.27”	1.68”	2.51“	3.36”	5.04”	6.72”	8.40”	10.49”	12.58”	16.79”

0.16 inch (0.4 cm) type is the suggested minimum type size for use on environmental/facility safety signs.

Safety Signs Selection Guide

www.BradyID.com

Choose the Right Material for Your Application

Choosing a material for your safety sign may not seem as significant as the message or regulatory compliance of the sign. But it's important to remember that different materials are equipped for different environments and applications. If you don't select the proper material, you could end up having to replace the sign more frequently than needed.

Brady's Most Popular Sign Materials

Rigid Signs

B-120 Premium Fiberglass

- Most durable, will not chip, fade, rust, shatter or peel for up to 25 years
- Graphics protected under fiberglass layer
- Excellent chemical & abrasion resistance
- Ideal for outdoor and harsh environments

B-401 Plastic

- Cost-effective durable polystyrene.
- Ideal for directional, informational, department and safety sign applications.
- Conforms to well-curved surfaces.
- Up to 5 year outdoor life

B-555 Aluminum

- Durable for indoor & outdoor usage
- Uses UV inks and UV clear coat protection for fade resistance
- Withstands wind, rain, sunlight and high temperatures
- 5-8 year outdoor life
- Used for parking, building and informational signs

Flexible Signs (Adhesive Backed)

B-302 Self-Sticking Polyester

- Withstands wide temperature variations (up to 230F)
- Protected graphics holds up to repeated spills and cleanings
- Good for machine/equipment labels
- Permanent adhesive
- Up to 8 year outdoor life

B-946 Self-Sticking Durable Vinyl

- High gloss vinyl printed with UV resistant inks
- Permanent cold temp acrylic adhesive
- Good for outdoor applications on curved sufaces
- Fair chemical and abrasion resistance
- Durable, provides up to 10 years outdoor life.

Still Not Sure Which Material To Use? Request a Free Sample Pack!

- Each 3-1/2" x 5" material sample showcases it's own performance characteristics
- Sample Pack includes Brady's best selling material including:
  - Premium Fiberglass
  - Fiberglass
  - Aluminum
  - Plastic
  - Polyester
  - Vinyl

Sign Material Index

Brady offers a sign material for virtually every application. Whether the sign is used indoors or outdoors, in mild or harsh environments, we have the material to match your application. Select the right sign for your application dependent upon the factors listed in the table below.

Material	Description	Thickness (in.)	Protected Graphics	Self-Sticking	Indoor or Outdoor	Average Outdoor Durability	Chemical Resistance	Abrasion Resistance	Upper Temp Limit
B-1	Thermoset Plastic	.062"	No	No	Indoor/Outdoor	8 years	Good	Good	193°F (89°C)
B-101	Polycoated Tagstock	.010"	No	No	Indoor	-	Good	Good	158°F (70°C)
B-120	Premium Fiberglass	.100"	Yes	No	Indoor/Outdoor	25 years	Excellent	Excellent	193°F (90°C)
B-140	Polyester on Fiberglass	.070"	Yes	No	Indoor/Outdoor	8 years	Excellent	Excellent	175°F (79°C)
B-302	High Performance Polyester	.006-.010"	Yes	Yes	Indoor/Outdoor	8 years	Excellent	Excellent	230° F (100°C)
B-320	Sub Surface Printed Lexan on Fiberglass	.07"	Yes	No	Indoor/Outdoor	8 years	Good	Good	175°F (79°C)
B-324	BradyGlo™ Photoluminescent Polyester	.008"	No	Yes	Indoor	-	Good	Good	176°F (80°C)
B-347	BradyGlo™ Phosphorescent Polyester on Polystyrene	.068"	No	No	Indoor	-	Good	Good	175°F (79°C)
B-355	BradyGlo Steel Encased Photoluminescent Plastic	.250"	No	No	Indoor	-	Good	Good	122°F (50°C)
B-382	Sub Surface Printed Polycarbonate on Fiberglass	.090"	Yes	No	Indoor/Outdoor	8 years	Good	Good	175°F (79°C)
B-401	Polystyrene Plastic	.060"	Yes	No	Indoor/Outdoor	5 years	Good	Good	175°F (79°C)
B-450	Polyethylene Plastic	.055"	No	No	Indoor	5 years	Good	Good	180°F (82°C)
B-485	Polyester Film	.011"	Yes	Yes	-	-	Good	Good	122°F (50°C)
B-493	Plastic V-Shaped Signs	.100"	No	No	Indoor/Outdoor	2 years	Good	Good	193°F (90°C)
B-523	Photoluminescent Polyester Film with Aggressive Adhesive	.0096"	No	Yes	Indoor	-	Good	Good	176°F (80°C)
B-534	Polyester Floor Sign with Anti-Skid Tread	.011"	Yes	Yes	Indoor	-	Good	Good	130°F (54°C)
B-555	Aluminum	.040-.090"	Yes	No	Indoor/Outdoor	8 years	Excellent	Excellent	230°F (110°C)
B-563	Eco-Friendly Plastic (70% Post Consumer Waste)	.055"	No	No	Indoor/Outdoor	5 Years	Good	Good	185°F (85°C)
B-586	Eco-Friendly Paperboard	.060"	No	No	Indoor	-	Good	Good	175°F (80°C)
B-793	Polystyrene		No	No	Indoor/Outdoor	1-3 years	Poor	Good	165°F (74°C)
B-808	BradyGlo™ Anti-Slip Polyester Floor Sign	.017"	Yes	Yes	Indoor	-	Good	Good	158°F (70°C)
B-811	Magnetic Vinyl	.025"	No	No	Outdoor	2-4 years	Good	Good	158°F (70°C)
B-819	Anti-Slip Vinyl Floor Sign	.012"	Yes	Yes	Indoor	-	Good	Good	158°F (70°C)
B-836	Temporary Sign Fluted Polypropylene	.156"	No	No	Indoor/Outdoor	1 year	Good	Good	130°F (54°C)
B-928	Write-On Vinyl with Cold Temp Adhesive	.005"	No	Yes	Indoor/Outdoor	2 years	Good	Good	176°F (80°C)
B-946	Self-Sticking Vinyl	.004"	No	Yes	Indoor/Outdoor	10 years	Fair	Good	180°F (82°C)
B-959	Reflective Aluminum	.040-.080"	No	No	Indoor/Outdoor	4-8 years	Good	Good	175°F (80°C)
B-984	Photoluminescent Polyester Film	.013"	No	Yes	Indoor	-	Good	Good	176°F (80°C)
B-985	Photoluminescent Polyester Film on Polystyrene	.069"	No	No	Indoor	-	Good	Good	175°F (80°C)
B-986	Photoluminescent Polyester Film on Aluminum	.049"	No	No	Indoor	-	Good	Good	175°F (80°C)
B-995	Diamond-Grade™ Reflective Aluminum	.097"	No	No	Outdoor	7 years	Good	Good	212°F (100°C)
B-997	Bradylite® Reflective Vinyl	.007"	No	Yes	Indoor/Outdoor	4-6 years	Good	Good	200°F (93°C)

Eco-Friendly Sign Material

Eco-Friendly Safety Signs offer an alternative to traditional safety signs materials. Brady offers three different material options for eco-friendly signs:

B-586 Paper Signs
- Made of 10% post consumer waste
- Signs are 100% recyclable
- Suitable for indoor applications
- Stable, rigid paper material
- Material is 3.5mm thick
- Available for popular safety sign legends, in sizes 10"x14" and 7"x10"

B-563 Plastic Signs
- Made of 70% post consumer waste
- Can withstand outdoor conditions for 3-5 years
- Material is 0.55mm thick
- Available for popular safety sign legends, in sizes 10"x14" and 7"x10"

B-558 Pressure Sensitive Signs
- Made of 20% pre-consumer waste
- Material is 0.004 in. thick
- Recommended for indoor use
- Permanent adhesive backing
- Available for popular safety sign legends, in sizes 10"x14" and 7"x10"

Safety Signs Selection Guide

www.BradyID.com

Sign Location

It is important to make certain that your sign will communicate the safety message to all of your employees, customers and the general public. The sign should be clear, concise and placed in a highly visible location. Placement of the sign is a key aspect in transmitting your message.

Keep the following tips in mind when placing your safety sign.

- Signs must be placed to alert and inform employees of hazards. They should have sufficient time to avoid the hazard and take appropriate action
- Signs must be clear, visible and unobstructed.
- Signs should be placed in an inert location. Signs should not be placed in moveable areas or near areas that could obstruct sign visibility such as doors or windows.
- Lighting, maintenance and storage should be considered during the placement process to make sure the sign can be clearly illuminated.

Safety signs should continue to be inspected, maintained and cleaned to ensure they are in good condition and in the appropriate location. If the message is no longer relevant or the hazard ceases to exist, the sign should be removed as soon as possible.

Brady's Safety and Traffic Signs help keep your employees and visitors safe inside and outside your facility, in an emergency and in everyday actions.



Hassle Free Custom Signs at www.BradyID.com!

- Customize a sign for no additional cost – same as stock pricing
- No minimums or set-up fees
- Most signs ship same day or next day
- Choose from top selling materials and sizes from 3"x 5" to 24" x 36"
- New Custom Team created to manage and respond to your more complex custom projects fast
- Contact customer service for more information and preferred pricing, or customize instantly online at www.BradyID.com.

Create custom signs like these for your facility!

At www.BradyID.com online customizing is easy as 1, 2, 3!

1) Select your category
2) Customize your product
3 Add to your shopping cart.

Safety & Traffic Signs Table Of Contents:

Access & Directional Signs

Admittance 28
Door Signs 72
Exit & Directional 77
IBC/IFC Compliant Exit Signs 82
Floor Signs 94
Hospital Signs 100
Restroom 143
Road Construction 155
Handicapped Parking 156
Rail 158
Traffic Control 159

Emergency Signs

Fire Safety 84
First Aid 91

General Communication Signs

Bilingual 40
Blank Signs 52
Braille 53
High Visibility Signs 97
Funny Sign 96
IMO Signs 101
Maintenance 116
Personal Hygiene 126
Personal Protection (PPE) 127
Recycle & Environment 142
Safety Banners 144
Safety Posters 147
Safety Slogan 149
Scoreboards 150
Security 151
Temporary Signs 154

Hazard Identification

Alert 36
ANSI Z535 38
Biohazard 51
Chemical & Hazardous Material 54
Confined Space 69
Construction Site 71
DOT Placards 67
Electrical Hazard 74
Lockout/Tagout 102
Machine & Operational 104
Radiation & Laser 25

Prohibited Items

No Cellular Phones 119
No Smoking 120
No Firearms / Weapons 34

Sign Legend Index 438

Within each application section, signs are arranged alphabetically by header, and then by legend text.

How To Locate Your Sign Within This Catalog

Signs are grouped together based on their applications.

Within each application, signs are arranged alphabetically by header, and then by lower legend text.

Still can't find your sign?

1) **Use the Sign Legend Index**
Use the index on page 438 to quickly and easily locate the page number for a specific sign legend within this catalog.

2) **View on www.BradyID.com**
Visit www.BradyID.com to view Brady's wide variety of signs for safety, maintenance and facility identification.

3) **Customize it!**
With "same-as-stock" custom pricing, you can create any sign you need for the same price as a stock part!

Example Listing:

124745	7" x 10"	B-302
124748	10" x 14"	B-302
124744	7" x 10"	B-401
124747	10" x 14"	B-401
124743	7" x 10"	B-555
124746	10" x 14"	B-555

Catalog # **Size** **Material**

Admittance Signs

Brady admittance signs indicate and identify areas of access that are required in virtually every workplace. They alert employees to potential hazards, safety warning, and cautionary notices, They also restrict access to property and are available in a variety of sizes and materials.

Popular Sign Materials

- **B-120** - Premium Fiberglass
- **B-302** - Self-Sticking Polyester
- **B-324** - BradyGlo™ Self-Sticking Polyester
- **B-347** - BradyGlo™ Plastic
- **B-401** - Plastic
- **B-555** - Aluminum

View all sign materials on page 25.

124649	7" x 10"	B-302
124652	10" x 14"	B-302
124648	7" x 10"	B-401
124651	10" x 14"	B-401
124647	7" x 10"	B-555
124650	10" x 14"	B-555

124655	7" x 10"	B-302
124658	10" x 14"	B-302
124654	7" x 10"	B-401
124657	10" x 14"	B-401
124653	7" x 10"	B-555
124656	10" x 14"	B-555

95329	7" x 10"	B-120
95333	10" x 14"	B-120
95326	7" x 10"	B-302
95330	10" x 14"	B-302
95327	7" x 10"	B-401
95332	10" x 14"	B-401
95328	7" x 10"	B-555
95331	10" x 14"	B-555

84002	7" x 10"	B-302
84003	10" x 14"	B-302
22053	7" x 10"	B-401
22054	10" x 14"	B-401
40617	7" x 10"	B-555
40618	10" x 14"	B-555

84006	7" x 10"	B-302
84007	10" x 14"	B-302
40621	7" x 10"	B-555
40622	10" x 14"	B-555

95341	10" x 14"	B-120
95338	10" x 14"	B-302
95335	7" x 10"	B-401
95340	10" x 14"	B-401
95339	10" x 14"	B-555

75444	7" x 10"	B-120
47093	10" x 14"	B-120
84008	7" x 10"	B-302
84009	10" x 14"	B-302
22059	7" x 10"	B-401
22060	10" x 14"	B-401
40623	7" x 10"	B-555
40624	10" x 14"	B-555

124667	7" x 10"	B-302
124670	10" x 14"	B-302
124666	7" x 10"	B-401
124669	10" x 14"	B-401
124665	7" x 10"	B-555
124668	10" x 14"	B-555

69102	10" x 14"	B-120
84010	7" x 10"	B-302
84011	10" x 14"	B-302
22061	7" x 10"	B-401
22062	10" x 14"	B-401
40625	7" x 10"	B-555
40626	10" x 14"	B-555

69103	10" x 14"	B-120
84012	7" x 10"	B-302
84013	10" x 14"	B-302
22063	7" x 10"	B-401
22064	10" x 14"	B-401
40627	7" x 10"	B-555
40628	10" x 14"	B-555

69106	10" x 14"	B-120
84014	7" x 10"	B-302
84015	10" x 14"	B-302
22065	7" x 10"	B-401
22066	10" x 14"	B-401
40629	7" x 10"	B-555
40630	10" x 14"	B-555

124661	7" x 10"	B-302
124664	10" x 14"	B-302
124660	7" x 10"	B-401
124663	10" x 14"	B-401
124659	7" x 10"	B-555
124662	10" x 14"	B-555

124673	7" x 10"	B-302
124676	10" x 14"	B-302
124672	7" x 10"	B-401
124675	10" x 14"	B-401
124671	7" x 10"	B-555
124674	10" x 14"	B-555

124679	7" x 10"	B-302
124682	10" x 14"	B-302
124678	7" x 10"	B-401
124681	10" x 14"	B-401
124677	7" x 10"	B-555
124680	10" x 14"	B-555

84018	7" x 10"	B-302
84019	10" x 14"	B-302
22067	7" x 10"	B-401
40631	7" x 10"	B-555
40632	10" x 14"	B-555

124685	7" x 10"	B-302
124688	10" x 14"	B-302
124684	7" x 10"	B-401
124687	10" x 14"	B-401
124683	7" x 10"	B-555
124686	10" x 14"	B-555

124697	7" x 10"	B-302
124700	10" x 14"	B-302
124696	7" x 10"	B-401
124699	10" x 14"	B-401
124695	7" x 10"	B-555
124698	10" x 14"	B-555

124691	7" x 10"	B-302
124694	10" x 14"	B-302
124690	7" x 10"	B-401
124693	10" x 14"	B-401
124689	7" x 10"	B-555
124692	10" x 14"	B-555

124703	7" x 10"	B-302
124706	10" x 14"	B-302
124702	7" x 10"	B-401
124705	10" x 14"	B-401
124701	7" x 10"	B-555
124704	10" x 14"	B-555

95345	7" x 10"	B-120
95349	10" x 14"	B-120
95346	10" x 14"	B-302
95343	7" x 10"	B-401
95348	10" x 14"	B-401
95344	7" x 10"	B-555
95347	10" x 14"	B-555

73472	14" x 20"	B-120
84026	7" x 10"	B-302
84027	10" x 14"	B-302
22069	7" x 10"	B-401
22070	10" x 14"	B-401
40633	7" x 10"	B-555

124709	7" x 10"	B-302
124712	10" x 14"	B-302
124708	7" x 10"	B-401
124711	10" x 14"	B-401
124707	7" x 10"	B-555
124710	10" x 14"	B-555

124715	7" x 10"	B-302
124718	10" x 14"	B-302
124714	7" x 10"	B-401
124717	10" x 14"	B-401
124713	7" x 10"	B-555
124716	10" x 14"	B-555

124721	7" x 10"	B-302
124724	10" x 14"	B-302
124720	7" x 10"	B-401
124723	10" x 14"	B-401
124719	7" x 10"	B-555
124722	10" x 14"	B-555

Admittance Signs (Continued)

124727	7" x 10"	B-302
124730	10" x 14"	B-302
124726	7" x 10"	B-401
124729	10" x 14"	B-401
124725	7" x 10"	B-555
124728	10" x 14"	B-555

124733	7" x 10"	B-302
124736	10" x 14"	B-302
124732	7" x 10"	B-401
124735	10" x 14"	B-401
124731	7" x 10"	B-555
124734	10" x 14"	B-555

70820	10" x 14"	B-120
84032	7" x 10"	B-302
84033	10" x 14"	B-302
22071	7" x 10"	B-401
22072	10" x 14"	B-401
40635	7" x 10"	B-555
40636	10" x 14"	B-555

84034	7" x 10"	B-302
84035	10" x 14"	B-302
22074	10" x 14"	B-401
40637	7" x 10"	B-555
40638	10" x 14"	B-555

95369	7" x 10"	B-120
95373	10" x 14"	B-120
95366	7" x 10"	B-302
95370	10" x 14"	B-302
95367	7" x 10"	B-401
95372	10" x 14"	B-401
95368	7" x 10"	B-555
95371	10" x 14"	B-555

131637	7" x 10"	B-120
131638	10" x 14"	B-120
131635	7" x 10"	B-302
131636	10" x 14"	B-302
131633	7" x 10"	B-401
131634	10" x 14"	B-401
131631	7" x 10"	B-555
131632	10" x 14"	B-555

95396	7" x 10"	B-120
95400	10" x 14"	B-120
95393	7" x 10"	B-302
95397	10" x 14"	B-302
95394	7" x 10"	B-401
95399	10" x 14"	B-401
95395	7" x 10"	B-555
95398	10" x 14"	B-555

131645	7" x 10"	B-120
131646	10" x 14"	B-120
131643	7" x 10"	B-302
131644	10" x 14"	B-302
131641	7" x 10"	B-401
131642	10" x 14"	B-401
131639	7" x 10"	B-555
131640	10" x 14"	B-555

70852	14" x 20"	B-120
84036	7" x 10"	B-302
84037	10" x 14"	B-302
22075	7" x 10"	B-401
22076	10" x 14"	B-401
40639	7" x 10"	B-555
40640	10" x 14"	B-555

69771	10" x 14"	B-120
84038	7" x 10"	B-302
84039	10" x 14"	B-302
22077	7" x 10"	B-401
22078	10" x 14"	B-401
40641	7" x 10"	B-555
40642	10" x 14"	B-555

84042	7" x 10"	B-302
84043	10" x 14"	B-302
22079	7" x 10"	B-401
22080	10" x 14"	B-401
40643	7" x 10"	B-555
40644	10" x 14"	B-555

70250	20" x 14"	B-120
84566	14" x 10"	B-302

70252	20" x 14"	B-120
84569	10" x 7"	B-302
84570	14" x 10"	B-302
22432	14" x 10"	B-401

73451	10" x 14"	B-120
95401	7" x 10"	B-302
60571	10" x 14"	B-302
25804	10" x 14"	B-401
43381	10" x 14"	B-555

124745	7" x 10"	B-302
124748	10" x 14"	B-302
124744	7" x 10"	B-401
124747	10" x 14"	B-401
124743	7" x 10"	B-555
124746	10" x 14"	B-555

70885	7" x 10"	B-120
122714	10" x 14"	B-120
87750	3-1/2" x 5"	B-302
84571	7" x 10"	B-302
84572	10" x 14"	B-302
22433	7" x 10"	B-401
22434	10" x 14"	B-401
40997	7" x 10"	B-555
40998	10" x 14"	B-555

69109	7" x 17"	B-120

131621	7" x 10"	B-120
131622	10" x 14"	B-120
131619	7" x 10"	B-302
131620	10" x 14"	B-302
131617	7" x 10"	B-401
131618	10" x 14"	B-401
131615	7" x 10"	B-555
131616	10" x 14"	B-555

69097	10" x 14"	B-120
84054	7" x 10"	B-302
84055	10" x 14"	B-302
22082	10" x 14"	B-401
40645	7" x 10"	B-555
40646	10" x 14"	B-555

69111	10" x 14"	B-120
84056	7" x 10"	B-302
84057	10" x 14"	B-302
22083	7" x 10"	B-401
22084	10" x 14"	B-401
40647	7" x 10"	B-555

123619	7" x 10"	B-302
123622	10" x 14"	B-302
123618	7" x 10"	B-401
123621	10" x 14"	B-401
123617	7" x 10"	B-555
123620	10" x 14"	B-555

124757	7" x 10"	B-302
124760	10" x 14"	B-302
124756	7" x 10"	B-401
124759	10" x 14"	B-401
124755	7" x 10"	B-555
124758	10" x 14"	B-555

69101	10" x 14"	B-120
84060	7" x 10"	B-302
84061	10" x 14"	B-302
22086	10" x 14"	B-401
40649	7" x 10"	B-555
40650	10" x 14"	B-555

124739	7" x 10"	B-302
124742	10" x 14"	B-302
124738	7" x 10"	B-401
124741	10" x 14"	B-401
124737	7" x 10"	B-555
124740	10" x 14"	B-555

69105	10" x 14"	B-120
84062	7" x 10"	B-302
84063	10" x 14"	B-302
22087	7" x 10"	B-401
22088	10" x 14"	B-401

69108	10" x 14"	B-120
84064	7" x 10"	B-302
84065	10" x 14"	B-302
22089	7" x 10"	B-401
22090	10" x 14"	B-401
40654	10" x 14"	B-555

124763	7" x 10"	B-302
124766	10" x 14"	B-302
124762	7" x 10"	B-401
124765	10" x 14"	B-401
124761	7" x 10"	B-555
124764	10" x 14"	B-555

Admittance Signs

www.BradyID.com

Admittance Signs (Continued)

71543	7" x 10"	B-120
71545	10" x 14"	B-120
87754	3-1/2" x 5"	B-302
84068	7" x 10"	B-302
84069	10" x 14"	B-302
22093	7" x 10"	B-401
22094	10" x 14"	B-401
40657	7" x 10"	B-555
40658	10" x 14"	B-555

131721	7" x 10"	B-120
131722	10" x 14"	B-120
131719	7" x 10"	B-302
131720	10" x 14"	B-302
131717	7" x 10"	B-401
131718	10" x 14"	B-401
131715	7" x 10"	B-555
131716	10" x 14"	B-555

95357	7" x 10"	B-120
69193	10" x 14"	B-120
87755	3-1/2" x 5"	B-302
84066	7" x 10"	B-302
84067	10" x 14"	B-302
22091	7" x 10"	B-401
22092	10" x 14"	B-401
40655	7" x 10"	B-555
40656	10" x 14"	B-555

124769	7" x 10"	B-302
124772	10" x 14"	B-302
124768	7" x 10"	B-401
124771	10" x 14"	B-401
124767	7" x 10"	B-555
124770	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

124751	7" x 10"	B-302
124754	10" x 14"	B-302
124750	7" x 10"	B-401
124753	10" x 14"	B-401
124749	7" x 10"	B-555
124752	10" x 14"	B-555

70330	10" x 14"	B-120
85174	10" x 14"	B-302
25659	10" x 14"	B-401
43236	10" x 14"	B-555

124775	7" x 10"	B-302
124778	10" x 14"	B-302
124774	7" x 10"	B-401
124777	10" x 14"	B-401
124773	7" x 10"	B-555
124776	10" x 14"	B-555

69273	10" x 14"	B-120
22097	7" x 10"	B-401
22098	10" x 14"	B-401
40661	7" x 10"	B-555
40662	10" x 14"	B-555

95407	10" x 14"	B-120
70371	14" x 20"	B-120
84074	7" x 10"	B-302
84075	10" x 14"	B-302
22099	7" x 10"	B-401
22100	10" x 14"	B-401
40663	7" x 10"	B-555
40664	10" x 14"	B-555

70375	10" x 14"	B-120
84080	7" x 10"	B-302
84081	10" x 14"	B-302
22101	7" x 10"	B-401
22102	10" x 14"	B-401
40665	7" x 10"	B-555
40666	10" x 14"	B-555

45470	7" x 10"	B-120
45471	10" x 14"	B-120
45472	14" x 20"	B-120
89174	3-1/4" x 4-1/2"	B-302
84082	3-1/2" x 5"	B-302
84083	7" x 10"	B-302
84084	10" x 14"	B-302
22103	7" x 10"	B-401
22104	10" x 14"	B-401
40667	7" x 10"	B-555
40668	10" x 14"	B-555

131661	7" x 10"	B-120
131662	10" x 14"	B-120
131659	7" x 10"	B-302
131660	10" x 14"	B-302
131657	7" x 10"	B-401
131658	10" x 14"	B-401
131655	7" x 10"	B-555

122894	7" x 10"	B-120
122756	10" x 14"	B-120
71580	14" x 20"	B-120
87751	3-1/2" x 5"	B-302
84085	7" x 10"	B-302
84086	10" x 14"	B-302
22105	7" x 10"	B-401
22106	10" x 14"	B-401
40669	7" x 10"	B-555
40670	10" x 14"	B-555

47006	10" x 14"	B-120
84089	7" x 10"	B-302
84090	10" x 14"	B-302
40671	7" x 10"	B-555
40672	10" x 14"	B-555

124781	7" x 10"	B-302
124784	10" x 14"	B-302
124780	7" x 10"	B-401
124783	10" x 14"	B-401
124779	7" x 10"	B-555
124782	10" x 14"	B-555

124787	7" x 10"	B-302
124790	10" x 14"	B-302
124786	7" x 10"	B-401
124789	10" x 14"	B-401
124785	7" x 10"	B-555
124788	10" x 14"	B-555

47152	7" x 10"	B-120
84091	7" x 10"	B-302
84092	10" x 14"	B-302
22109	7" x 10"	B-401
22110	10" x 14"	B-401
40673	7" x 10"	B-555
40674	10" x 14"	B-555

124793	7" x 10"	B-302
124796	10" x 14"	B-302
124792	7" x 10"	B-401
124795	10" x 14"	B-401
124791	7" x 10"	B-555
124794	10" x 14"	B-555

95356	7" x 10"	B-120
75478	14" x 20"	B-120
47008	10" x 14"	B-120
87759	3-1/2" x 5"	B-302
84095	7" x 10"	B-302
84096	10" x 14"	B-302
22111	7" x 10"	B-401
22112	10" x 14"	B-401
40675	7" x 10"	B-555
40676	10" x 14"	B-555

131653	7" x 10"	B-120
131654	10" x 14"	B-120
131651	7" x 10"	B-302
131652	10" x 14"	B-302
131649	7" x 10"	B-401
131650	10" x 14"	B-401
131647	7" x 10"	B-555
131648	10" x 14"	B-555

73430	14" x 20"	B-120
84097	7" x 10"	B-302
22113	7" x 10"	B-401
22114	10" x 14"	B-401
40677	7" x 10"	B-555
40678	10" x 14"	B-555

123721	7" x 10"	B-302
123724	10" x 14"	B-302
123720	7" x 10"	B-401
123723	10" x 14"	B-401
123719	7" x 10"	B-555
123722	10" x 14"	B-555

84101	7" x 10"	B-302
22115	7" x 10"	B-401
22116	10" x 14"	B-401
40679	7" x 10"	B-555
40680	10" x 14"	B-555

124799	7" x 10"	B-302
124802	10" x 14"	B-302
124798	7" x 10"	B-401
124801	10" x 14"	B-401
124797	7" x 10"	B-555
124800	10" x 14"	B-555

95392	10" x 14"	B-120
95389	10" x 14"	B-302
95391	10" x 14"	B-401
95390	10" x 14"	B-555

95361	7" x 10"	B-120
95365	10" x 14"	B-120
132057	7" x 10"	B-302
95362	10" x 14"	B-302
95359	7" x 10"	B-401
95364	10" x 14"	B-401
95360	7" x 10"	B-555
95363	10" x 14"	B-555

123703	10" x 7"	B-302
123706	14" x 10"	B-302
123702	10" x 7"	B-401
123705	14" x 10"	B-401
123701	10" x 7"	B-555
123704	14" x 10"	B-555

70456	7" x 17"	B-120

Admittance Signs (Continued)

69410	10" x 14"	B-120
84103	7" x 10"	B-302
84104	10" x 14"	B-302
22117	7" x 10"	B-401
22118	10" x 14"	B-401
40681	7" x 10"	B-555
40682	10" x 14"	B-555

70479	10" x 14"	B-120
84107	7" x 10"	B-302
84108	10" x 14"	B-302
22121	7" x 10"	B-401
22122	10" x 14"	B-401
40685	7" x 10"	B-555
40686	10" x 14"	B-555

69473	10" x 14"	B-120
84110	10" x 14"	B-302
22123	7" x 10"	B-401
22124	10" x 14"	B-401
40687	7" x 10"	B-555
40688	10" x 14"	B-555

69461	10" x 14"	B-120
84111	7" x 10"	B-302
84112	10" x 14"	B-302
22125	7" x 10"	B-401
22126	10" x 14"	B-401
40689	7" x 10"	B-555
40690	10" x 14"	B-555

84113	7" x 10"	B-302
84114	10" x 14"	B-302
22127	7" x 10"	B-401
22128	10" x 14"	B-401
40691	7" x 10"	B-555
40692	10" x 14"	B-555

95378	7" x 10"	B-120
95382	10" x 14"	B-120
95375	7" x 10"	B-302
95379	10" x 14"	B-302
95376	7" x 10"	B-401
95381	10" x 14"	B-401
95377	7" x 10"	B-555
95380	10" x 14"	B-555

70565	7" x 17"	B-120

74391	10" x 14"	B-120
84115	7" x 10"	B-302
22129	7" x 10"	B-401
22130	10" x 14"	B-401
40694	10" x 14"	B-555

69380	10" x 14"	B-120
84119	7" x 10"	B-302
84120	10" x 14"	B-302
22131	7" x 10"	B-401
22132	10" x 14"	B-401
40695	7" x 10"	B-555
40696	10" x 14"	B-555

69382	10" x 14"	B-120
84122	10" x 14"	B-302
22133	7" x 10"	B-401
22134	10" x 14"	B-401
40698	10" x 14"	B-555

95321	7" x 10"	B-120
84123	7" x 10"	B-302
84124	10" x 14"	B-302
22135	7" x 10"	B-401
22136	10" x 14"	B-401
40699	7" x 10"	B-555
40700	10" x 14"	B-555

69387	10" x 14"	B-120
22137	7" x 10"	B-401
22138	10" x 14"	B-401
40702	10" x 14"	B-555

40703	7" x 10"	B-555
40704	10" x 14"	B-555

95214	7" x 10"	B-120
95230	10" x 14"	B-120
95211	7" x 10"	B-302
95212	7" x 10"	B-401
95213	7" x 10"	B-555
95216	10" x 14"	B-555

95278	10" x 14"	B-120
95268	7" x 10"	B-302
60578	10" x 14"	B-302
95275	7" x 10"	B-401
60539	10" x 14"	B-401
95270	7" x 10"	B-555
60510	10" x 14"	B-555

73476	7" x 10"	B-120
70602	10" x 14"	B-120
84129	7" x 10"	B-302
84130	10" x 14"	B-302
22141	7" x 10"	B-401
22142	10" x 14"	B-401
40705	7" x 10"	B-555
40706	10" x 14"	B-555

95284	7" x 17"	B-120
95259	10" x 14"	B-120
95254	7" x 10"	B-302
95258	10" x 14"	B-302
95256	7" x 10"	B-401
25901	10" x 14"	B-401
95255	7" x 10"	B-555
43478	10" x 14"	B-555

131677	7" x 10"	B-120
131678	10" x 14"	B-120
131675	7" x 10"	B-302
131676	10" x 14"	B-302
131673	7" x 10"	B-401
131674	10" x 14"	B-401
131671	7" x 10"	B-555
131672	10" x 14"	B-555

124811	7" x 10"	B-302
124814	10" x 14"	B-302
124810	7" x 10"	B-401
124813	10" x 14"	B-401
124809	7" x 10"	B-555
124812	10" x 14"	B-555

124817	7" x 10"	B-302
124820	10" x 14"	B-302
124816	7" x 10"	B-401
124819	10" x 14"	B-401
124815	7" x 10"	B-555
124818	10" x 14"	B-555

131669	7" x 10"	B-120
131670	10" x 14"	B-120
131667	7" x 10"	B-302
131668	10" x 14"	B-302
131665	7" x 10"	B-401
131666	10" x 14"	B-401
131663	7" x 10"	B-555
131664	10" x 14"	B-555

122831	7" x 10"	B-120
47327	10" x 14"	B-120
84131	7" x 10"	B-302
84132	10" x 14"	B-302
22143	7" x 10"	B-401
22144	10" x 14"	B-401
40707	7" x 10"	B-555
40708	10" x 14"	B-555

69210	10" x 14"	B-120
84133	7" x 10"	B-302
84134	10" x 14"	B-302
22145	7" x 10"	B-401
22146	10" x 14"	B-401
40709	7" x 10"	B-555
40710	10" x 14"	B-555

95240	7" x 10"	B-120
70667	10" x 14"	B-120
84732	7" x 10"	B-302
84733	10" x 14"	B-302
22537	7" x 10"	B-401
22538	10" x 14"	B-401
41101	7" x 10"	B-555
41102	10" x 14"	B-555

124823	7" x 10"	B-302
124826	10" x 14"	B-302
124822	7" x 10"	B-401
124825	10" x 14"	B-401
124821	7" x 10"	B-555
124824	10" x 14"	B-555

124829	7" x 10"	B-302
124832	10" x 14"	B-302
124828	7" x 10"	B-401
124831	10" x 14"	B-401
124827	7" x 10"	B-555
124830	10" x 14"	B-555

122854	7" x 10"	B-120
70699	10" x 14"	B-120
122654	7" x 10"	B-302
84138	10" x 14"	B-302
22147	7" x 10"	B-401
22148	10" x 14"	B-401
40711	7" x 10"	B-555
40712	10" x 14"	B-555

84140	10" x 14"	B-302
22150	10" x 14"	B-401
40713	7" x 10"	B-555
40714	10" x 14"	B-555

Admittance Signs

www.BradyID.com

Admittance Signs (Continued)

84141	7" x 10"	B-302
84142	10" x 14"	B-302
22151	7" x 10"	B-401
22152	10" x 14"	B-401
40715	7" x 10"	B-555
40716	10" x 14"	B-555

95324	7" x 10"	B-120
84143	7" x 10"	B-302
84144	10" x 14"	B-302
40717	7" x 10"	B-555
40718	10" x 14"	B-555

84146	10" x 14"	B-302
22156	10" x 14"	B-401
40720	10" x 14"	B-555

70713	10" x 14"	B-120
84149	7" x 10"	B-302
84150	10" x 14"	B-302
22157	7" x 10"	B-401
22158	10" x 14"	B-401
40721	7" x 10"	B-555
40722	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

25902	10" x 14"	B-401
43479	10" x 14"	B-555

84908	10" x 14"	B-302
23092	10" x 14"	B-401
84907	10" x 14"	B-555

84151	7" x 10"	B-302
84152	10" x 14"	B-302
22160	10" x 14"	B-401
40723	7" x 10"	B-555
40724	10" x 14"	B-555

84153	7" x 10"	B-302
84154	10" x 14"	B-302
22161	7" x 10"	B-401
22162	10" x 14"	B-401
40725	7" x 10"	B-555
40726	10" x 14"	B-555

122850	7" x 10"	B-120
47330	10" x 14"	B-120
75510	14" x 20"	B-120
84155	7" x 10"	B-302
84156	10" x 14"	B-302
22163	7" x 10"	B-401
22164	10" x 14"	B-401
122412	7" x 10"	B-555
40728	10" x 14"	B-555

95285	7" x 17"	B-120

95236	10" x 14"	B-302
95233	7" x 10"	B-401
95238	10" x 14"	B-401
95237	10" x 14"	B-555

95283	7" x 10"	B-120
95291	10" x 14"	B-120
95279	7" x 10"	B-302
95288	10" x 14"	B-302
95280	7" x 10"	B-401
95290	10" x 14"	B-401
95281	7" x 10"	B-555
95289	10" x 14"	B-555

95296	10" x 14"	B-302
95293	7" x 10"	B-401
95298	10" x 14"	B-401
95294	7" x 10"	B-555
95297	10" x 14"	B-555

84159	7" x 10"	B-302
84160	10" x 14"	B-302
22166	10" x 14"	B-401
40729	7" x 10"	B-555
40730	10" x 14"	B-555

69446	10" x 14"	B-120
22168	10" x 14"	B-401
40732	10" x 14"	B-555

69447	10" x 14"	B-120
40734	10" x 14"	B-555

95310	10" x 14"	B-120
95300	7" x 10"	B-302
95301	7" x 10"	B-401
95309	10" x 14"	B-401
95305	7" x 10"	B-555

95248	10" x 14"	B-120
95241	7" x 10"	B-302
95245	10" x 14"	B-302
95242	7" x 10"	B-401
95247	10" x 14"	B-401
95243	7" x 10"	B-555
95246	10" x 14"	B-555

69477	10" x 14"	B-120
84167	7" x 10"	B-302
84168	10" x 14"	B-302
22171	7" x 10"	B-401
22172	10" x 14"	B-401
40736	10" x 14"	B-555

95311	7" x 10"	B-120
70522	10" x 14"	B-120
84736	7" x 10"	B-302
84737	10" x 14"	B-302
22541	7" x 10"	B-401
22542	10" x 14"	B-401
41106	10" x 14"	B-555



84171	7" x 10"	B-302
84172	10" x 14"	B-302
22173	7" x 10"	B-401
22174	10" x 14"	B-401
40737	7" x 10"	B-555



124835	7" x 10"	B-302
124838	10" x 14"	B-302
124834	7" x 10"	B-401
124837	10" x 14"	B-401
124833	7" x 10"	B-555
124836	10" x 14"	B-555

95316	7" x 10"	B-120
95312	7" x 10"	B-302
95317	10" x 14"	B-302
95314	7" x 10"	B-401
95319	10" x 14"	B-401
95315	7" x 10"	B-555
95318	10" x 14"	B-555

95263	7" x 10"	B-120
95266	10" x 14"	B-401
95262	7" x 10"	B-555
95265	10" x 14"	B-555

70567	14" x 20"	B-120
84173	7" x 10"	B-302
84174	10" x 14"	B-302
22175	7" x 10"	B-401
22176	10" x 14"	B-401
40739	7" x 10"	B-555
40740	10" x 14"	B-555

122910	7" x 10"	B-120
70220	10" x 14"	B-120
84175	7" x 10"	B-302
84176	10" x 14"	B-302
22177	7" x 10"	B-401
22178	10" x 14"	B-401
40741	7" x 10"	B-555
40742	10" x 14"	B-555

84179	7" x 10"	B-302
22181	7" x 10"	B-401
40746	10" x 14"	B-555

Admittance Signs (Continued)

71335	10" x 14"	B-120
84181	7" x 10"	B-302
84182	10" x 14"	B-302
22183	7" x 10"	B-401
22184	10" x 14"	B-401
40747	7" x 10"	B-555
40748	10" x 14"	B-555

71229	14" x 20"	B-120
84183	7" x 10"	B-302
84184	10" x 14"	B-302
22185	7" x 10"	B-401
22186	10" x 14"	B-401
40749	7" x 10"	B-555
40750	10" x 14"	B-555

71258	14" x 20"	B-120
84185	7" x 10"	B-302
84186	10" x 14"	B-302
22187	7" x 10"	B-401
22188	10" x 14"	B-401
40751	7" x 10"	B-555
40752	10" x 14"	B-555

122857	7" x 10"	B-120
71389	10" x 14"	B-120
87758	3-1/2" x 5"	B-302
84187	7" x 10"	B-302
84188	10" x 14"	B-302
122525	7" x 10"	B-401
22190	10" x 14"	B-401
40753	7" x 10"	B-555
40754	10" x 14"	B-555

123476	7" x 10"	B-302
123479	10" x 14"	B-302
123475	7" x 10"	B-401
123478	10" x 14"	B-401
123474	7" x 10"	B-555
123477	10" x 14"	B-555

69099	10" x 14"	B-120
84189	7" x 10"	B-302
84190	10" x 14"	B-302
22191	7" x 10"	B-401
22192	10" x 14"	B-401
40755	7" x 10"	B-555
40756	10" x 14"	B-555

69566	10" x 14"	B-120
84191	7" x 10"	B-302
84192	10" x 14"	B-302
40757	7" x 10"	B-555
40758	10" x 14"	B-555

127070	7" x 10"	B-302
127073	10" x 14"	B-302
127069	7" x 10"	B-401
127072	10" x 14"	B-401
127068	7" x 10"	B-555
127071	10" x 14"	B-555

69575	10" x 14"	B-120
84195	7" x 10"	B-302
84196	10" x 14"	B-302
22195	7" x 10"	B-401
22196	10" x 14"	B-401
40759	7" x 10"	B-555
40760	10" x 14"	B-555

69580	10" x 14"	B-120
84197	7" x 10"	B-302
84198	10" x 14"	B-302
22197	7" x 10"	B-401
22198	10" x 14"	B-401
40761	7" x 10"	B-555
40762	10" x 14"	B-555

69591	10" x 14"	B-120
84199	7" x 10"	B-302
84200	10" x 14"	B-302
22199	7" x 10"	B-401
22200	10" x 14"	B-401
40763	7" x 10"	B-555
40764	10" x 14"	B-555

69603	10" x 14"	B-120
84203	7" x 10"	B-302
84204	10" x 14"	B-302
22201	7" x 10"	B-401
22202	10" x 14"	B-401
40765	7" x 10"	B-555
40766	10" x 14"	B-555

69606	10" x 14"	B-120
84205	7" x 10"	B-302
84206	10" x 14"	B-302
22203	7" x 10"	B-401
22204	10" x 14"	B-401
40767	7" x 10"	B-555
40768	10" x 14"	B-555

69612	10" x 14"	B-120
84207	7" x 10"	B-302
84208	10" x 14"	B-302
22205	7" x 10"	B-401
22206	10" x 14"	B-401
40769	7" x 10"	B-555
40770	10" x 14"	B-555

122851	7" x 10"	B-120
70833	10" x 14"	B-120
84212	7" x 10"	B-302
84213	10" x 14"	B-302
22207	7" x 10"	B-401
22208	10" x 14"	B-401
122413	7" x 10"	B-555
40772	10" x 14"	B-555

122907	7" x 10"	B-120
122768	10" x 14"	B-120
122697	7" x 10"	B-302
122620	10" x 14"	B-302
122560	7" x 10"	B-401
122497	10" x 14"	B-401
122456	7" x 10"	B-555
122385	10" x 14"	B-555

84211	4-1/2" x 10"	B-302



70846	14" x 20"	B-120
84215	10" x 14"	B-302
22209	7" x 10"	B-401
22210	10" x 14"	B-401
40773	7" x 10"	B-555
40774	10" x 14"	B-555

122868	7" x 10"	B-120
70632	10" x 14"	B-120
80037	7" x 10"	B-302
122622	10" x 14"	B-302
25977	7" x 10"	B-401
25978	10" x 14"	B-401
122459	7" x 10"	B-555
43906	10" x 14"	B-555



122852	7" x 10"	B-120
70863	10" x 14"	B-120
84218	7" x 10"	B-302
84219	10" x 14"	B-302
22213	7" x 10"	B-401
22214	10" x 14"	B-401
122414	7" x 10"	B-555
40778	10" x 14"	B-555

22216	10" x 14"	B-401
40780	10" x 14"	B-555

69096	10" x 14"	B-120
87757	3-1/2" x 5"	B-302
84222	7" x 10"	B-302
84223	10" x 14"	B-302
22217	7" x 10"	B-401
22218	10" x 14"	B-401
40781	7" x 10"	B-555

95442	10" x 14"	B-401

84226	7" x 10"	B-302
84227	10" x 14"	B-302
22219	7" x 10"	B-401

95443	10" x 14"	B-401



69032	10" x 14"	B-120
43356	10" x 14"	B-555

Admittance Signs

www.BradyID.com

Admittance Signs (Continued)

84236	5" x 14"	B-302
22220	7" x 10"	B-401

71136	10" x 14"	B-120
84237	7" x 10"	B-302
84238	10" x 14"	B-302
22221	7" x 10"	B-401
22222	10" x 14"	B-401
40785	7" x 10"	B-555
40786	10" x 14"	B-555

123458	7" x 10"	B-302
123461	10" x 14"	B-302
123457	7" x 10"	B-401
123460	10" x 14"	B-401
123456	7" x 10"	B-555
123459	10" x 14"	B-555

71142	20" x 28"	B-120
84239	7" x 10"	B-302
84240	10" x 14"	B-302
22224	10" x 14"	B-401
40788	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

124805	7" x 10"	B-302
124808	10" x 14"	B-302
124804	7" x 10"	B-401
124807	10" x 14"	B-401
124803	7" x 10"	B-555
124806	10" x 14"	B-555

123550	14" x 10"	B-302
123547	10" x 7"	B-302
123549	14" x 10"	B-401
123546	10" x 7"	B-401
123548	14" x 10"	B-555
123545	10" x 7"	B-555

123556	14" x 10"	B-302
123553	10" x 7"	B-302
123555	14" x 10"	B-401
123552	10" x 7"	B-401
123554	14" x 10"	B-555
123551	10" x 7"	B-555

69793	7" x 7"	B-120
88517	7" x 7"	B-302
25179	7" x 10"	B-401
42756	7" x 10"	B-555

123513	14" x 10"	B-302
123510	10" x 7"	B-302
123512	14" x 10"	B-401
123509	10" x 7"	B-401
123511	14" x 10"	B-555
123508	10" x 7"	B-555

123544	14" x 10"	B-302
123541	10" x 7"	B-302
123543	14" x 10"	B-401
123540	10" x 7"	B-401
123542	14" x 10"	B-555
123539	10" x 7"	B-555

84245	7" x 10"	B-302
84246	10" x 14"	B-302
22225	7" x 10"	B-401
22226	10" x 14"	B-401
40789	7" x 10"	B-555
40790	10" x 14"	B-555

123504	7" x 10"	B-302
123507	10" x 14"	B-302
123503	7" x 10"	B-401
123506	10" x 14"	B-401
123502	7" x 10"	B-555
123505	10" x 14"	B-555

95445	10" x 14"	B-401

70736	5" x 14"	B-120
122800	7" x 10"	B-120
122708	10" x 14"	B-120
84247	5" x 14"	B-302
122639	7" x 10"	B-302
122568	10" x 14"	B-302
22227	7" x 10"	B-401
122470	10" x 14"	B-401
40791	7" x 10"	B-555
122344	10" x 14"	B-555

71199	20" x 28"	B-120
84249	10" x 14"	B-302
22228	7" x 10"	B-401
22229	10" x 14"	B-401
40792	7" x 10"	B-555
40793	10" x 14"	B-555



69405	10" x 14"	B-120
84251	10" x 14"	B-302
40795	10" x 14"	B-555

122801	7" x 10"	B-120
122709	10" x 14"	B-120
71216	14" x 20"	B-120
84252	7" x 10"	B-302
122569	10" x 14"	B-302
22232	7" x 10"	B-401
22233	10" x 14"	B-401
40796	7" x 10"	B-555
40797	10" x 14"	B-555

95446	10" x 14"	B-401

70747	10" x 14"	B-120
22234	7" x 10"	B-401
40798	7" x 10"	B-555
40799	10" x 14"	B-555

124865	7" x 10"	B-302
124868	10" x 14"	B-302
124864	7" x 10"	B-401
124867	10" x 14"	B-401
124863	7" x 10"	B-555
124866	10" x 14"	B-555

73469	14" x 10"	B-120
84257	14" x 10"	B-302
84256	10" x 7"	B-302
22237	14" x 10"	B-401
22236	10" x 7"	B-401
40801	14" x 10"	B-555
40800	10" x 7"	B-555

124871	7" x 10"	B-302
124874	10" x 14"	B-302
124870	7" x 10"	B-401
124873	10" x 14"	B-401
124869	7" x 10"	B-555
124872	10" x 14"	B-555

84258	7" x 10"	B-302
84259	10" x 14"	B-302
40803	10" x 14"	B-555

69449	7" x 10"	B-120
84260	7" x 10"	B-302
22241	10" x 14"	B-401
40805	10" x 14"	B-555

70753	10" x 14"	B-120
84263	10" x 14"	B-302
40806	7" x 10"	B-555
40807	10" x 14"	B-555

69445	10" x 14"	B-120
40808	7" x 10"	B-555
40809	10" x 14"	B-555

124847	7" x 10"	B-302
124850	10" x 14"	B-302
124846	7" x 10"	B-401
124849	10" x 14"	B-401
124845	7" x 10"	B-555
124848	10" x 14"	B-555

Admittance Signs (Continued)

84266	7" x 10"	B-302
84267	10" x 14"	B-302
22246	7" x 10"	B-401
22247	10" x 14"	B-401
40810	7" x 10"	B-555
40811	10" x 14"	B-555

124853	7" x 10"	B-302
124856	10" x 14"	B-302
124852	7" x 10"	B-401
124855	10" x 14"	B-401
124851	7" x 10"	B-555
124854	10" x 14"	B-555

122883	7" x 10"	B-120
122744	10" x 14"	B-120
71282	14" x 20"	B-120
122679	7" x 10"	B-302
122602	10" x 14"	B-302
122548	7" x 10"	B-401
122485	10" x 14"	B-401
122439	7" x 10"	B-555
122370	10" x 14"	B-555

124892	24" x 24"	B-302
124889	18" x 18"	B-302
124891	24" x 24"	B-401
124888	18" x 18"	B-401
124890	24" x 24"	B-555
124887	18" x 18"	B-555

124841	7" x 10"	B-302
124844	10" x 14"	B-302
124840	7" x 10"	B-401
124843	10" x 14"	B-401
124839	7" x 10"	B-555
124842	10" x 14"	B-555

124859	7" x 10"	B-302
124862	10" x 14"	B-302
124858	7" x 10"	B-401
124861	10" x 14"	B-401
124857	7" x 10"	B-555
124860	10" x 14"	B-555

122884	7" x 10"	B-120
71293	10" x 14"	B-120
71288	14" x 20"	B-120
122680	7" x 10"	B-302
84269	10" x 14"	B-302
22248	7" x 10"	B-401
22249	10" x 14"	B-401
40812	7" x 10"	B-555
40813	10" x 14"	B-555

123464	7" x 10"	B-302
123467	10" x 14"	B-302
123463	7" x 10"	B-401
123466	10" x 14"	B-401
123462	7" x 10"	B-555
123465	10" x 14"	B-555

84270	7" x 10"	B-302
22251	10" x 14"	B-401
40815	10" x 14"	B-555

123498	10" x 7"	B-302
123501	14" x 10"	B-302
123497	10" x 7"	B-401
123500	14" x 10"	B-401
123496	10" x 7"	B-555
123499	14" x 10"	B-555

69448	10" x 14"	B-120

84274	7" x 10"	B-302
84275	10" x 14"	B-302
22254	7" x 10"	B-401
22255	10" x 14"	B-401
40818	7" x 10"	B-555
40819	10" x 14"	B-555

71326	14" x 20"	B-120
84276	7" x 10"	B-302
84277	10" x 14"	B-302
22256	7" x 10"	B-401
40820	7" x 10"	B-555

71313	5" x 14"	B-120
84278	5" x 14"	B-302

84279	7" x 10"	B-302
22257	7" x 10"	B-401
22258	10" x 14"	B-401
40821	7" x 10"	B-555

124877	7" x 10"	B-302
124880	10" x 14"	B-302
124876	7" x 10"	B-401
124879	10" x 14"	B-401
124875	7" x 10"	B-555
124878	10" x 14"	B-555

95447	10" x 14"	B-401

124883	7" x 10"	B-302
124886	10" x 14"	B-302
124882	7" x 10"	B-401
124885	10" x 14"	B-401
124881	7" x 10"	B-555
124884	10" x 14"	B-555

95448	10" x 14"	B-401

71396	14" x 20"	B-120
84284	10" x 14"	B-302
22260	7" x 10"	B-401
22261	10" x 14"	B-401
40825	10" x 14"	B-555

123491	10" x 7"	B-302
123494	14" x 10"	B-302
123490	10" x 7"	B-401
123493	14" x 10"	B-401
123489	10" x 7"	B-555
123492	14" x 10"	B-555

123470	7" x 10"	B-302
123473	10" x 14"	B-302
123469	7" x 10"	B-401
123472	10" x 14"	B-401
123468	7" x 10"	B-555
123471	10" x 14"	B-555

Alert Signs

Brady's alert signs feature standard text safety warnings but also include universally known pictograms that communicate a variety of safety messages and warnings, including no smoking areas, lockout tagout instructions, eye protection requirements, machinery warnings and more. Brady also offers alert signs that identify the locations of first aid stations, spill response equipment and other safety-related items.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

62809	10" x 14"	B-120
83925	3-1/2" x 5"	B-302
21797	7" x 10"	B-401
26572	10" x 14"	B-401
46473	7" x 10"	B-555
46750	10" x 14"	B-555

122905	7" x 10"	B-120
62738	10" x 14"	B-120
83887	3-1/2" x 5"	B-302
83664	7" x 10"	B-302
21713	7" x 10"	B-401
26534	10" x 14"	B-401
122454	7" x 10"	B-555
46674	10" x 14"	B-555

62551	7" x 10"	B-120
62813	10" x 14"	B-120
83929	3-1/2" x 5"	B-302
83754	7" x 10"	B-302
21801	7" x 10"	B-401
26576	10" x 14"	B-401
46477	7" x 10"	B-555
46754	10" x 14"	B-555

62545	7" x 10"	B-120
62807	10" x 14"	B-120
83923	3-1/2" x 5"	B-302
83748	7" x 10"	B-302
122611	10" x 14"	B-302
21795	7" x 10"	B-401
26570	10" x 14"	B-401
46471	7" x 10"	B-555
46748	10" x 14"	B-555

62538	7" x 10"	B-120
122754	10" x 14"	B-120
83916	3-1/2" x 5"	B-302
83741	7" x 10"	B-302
122689	7" x 10"	B-302
21788	7" x 10"	B-401
26563	10" x 14"	B-401
46464	7" x 10"	B-555
46741	10" x 14"	B-555

122830	7" x 10"	B-120
62734	10" x 14"	B-120
83883	3-1/2" x 5"	B-302
83660	7" x 10"	B-302
122575	10" x 14"	B-302
21709	7" x 10"	B-401
26530	10" x 14"	B-401
46626	7" x 10"	B-555
46670	10" x 14"	B-555

83931	3-1/2" x 5"	B-302
83756	7" x 10"	B-302
21803	7" x 10"	B-401
26578	10" x 14"	B-401
46479	7" x 10"	B-555
46756	10" x 14"	B-555

62816	10" x 14"	B-120
83932	3-1/2" x 5"	B-302
83757	7" x 10"	B-302
21804	7" x 10"	B-401
26579	10" x 14"	B-401
46480	7" x 10"	B-555
46757	10" x 14"	B-555

122813	7" x 10"	B-120
62866	10" x 14"	B-120
83954	3-1/2" x 5"	B-302
83839	7" x 10"	B-302
21866	7" x 10"	B-401
26591	10" x 14"	B-401
46579	7" x 10"	B-555
46819	10" x 14"	B-555

83896	3-1/2" x 5"	B-302
83675	7" x 10"	B-302
21723	7" x 10"	B-401
26543	10" x 14"	B-401
46641	7" x 10"	B-555

62796	10" x 14"	B-120
83912	3-1/2" x 5"	B-302
83737	7" x 10"	B-302
122573	10" x 14"	B-302
21784	7" x 10"	B-401
26559	10" x 14"	B-401
46460	7" x 10"	B-555
46737	10" x 14"	B-555



83900	3-1/2" x 5"	B-302
83679	7" x 10"	B-302
21727	7" x 10"	B-401
26547	10" x 14"	B-401
46645	7" x 10"	B-555
46689	10" x 14"	B-555

62797	10" x 14"	B-120
83913	3-1/2" x 5"	B-302
83738	7" x 10"	B-302
60572	10" x 14"	B-302
21785	7" x 10"	B-401
26560	10" x 14"	B-401
46461	7" x 10"	B-555
46738	10" x 14"	B-555

83731	7" x 10"	B-302
21778	7" x 10"	B-401
26553	10" x 14"	B-401
46454	7" x 10"	B-555
46731	10" x 14"	B-555

62436	7" x 10"	B-120
83902	3-1/2" x 5"	B-302
83681	7" x 10"	B-302
21729	7" x 10"	B-401
26549	10" x 14"	B-401
46647	7" x 10"	B-555
46691	10" x 14"	B-555

62794	10" x 14"	B-120
83910	3-1/2" x 5"	B-302
83735	7" x 10"	B-302
60574	10" x 14"	B-302
21782	7" x 10"	B-401
26557	10" x 14"	B-401
46458	7" x 10"	B-555
46735	10" x 14"	B-555

62756	10" x 14"	B-120
83901	3-1/2" x 5"	B-302
83680	7" x 10"	B-302
21728	7" x 10"	B-401
26548	10" x 14"	B-401
46646	7" x 10"	B-555
46690	10" x 14"	B-555



95772	7" x 10"	B-120
62868	10" x 14"	B-120
83956	3-1/2" x 5"	B-302
83841	7" x 10"	B-302
21868	7" x 10"	B-401
26593	10" x 14"	B-401
46581	7" x 10"	B-555
46821	10" x 14"	B-555

Alert Signs (Continued)



62791	10" x 14"	B-120
83907	3-1/2" x 5"	B-302
83732	7" x 10"	B-302
46732	10" x 14"	B-555

62753	10" x 14"	B-120
83898	3-1/2" x 5"	B-302
83677	7" x 10"	B-302
21725	7" x 10"	B-401
26545	10" x 14"	B-401
46643	7" x 10"	B-555
46687	10" x 14"	B-555

62530	7" x 10"	B-120
62792	10" x 14"	B-120
83908	3-1/2" x 5"	B-302
83733	7" x 10"	B-302
21780	7" x 10"	B-401
26555	10" x 14"	B-401
46733	10" x 14"	B-555

62827	10" x 14"	B-120
83943	3-1/2" x 5"	B-302
83768	7" x 10"	B-302
21815	7" x 10"	B-401
26590	10" x 14"	B-401
46491	7" x 10"	B-555
46768	10" x 14"	B-555

122829	7" x 10"	B-120
122715	10" x 14"	B-120
83911	3-1/2" x 5"	B-302
83736	7" x 10"	B-302
122574	10" x 14"	B-302
21783	7" x 10"	B-401
26558	10" x 14"	B-401
46459	7" x 10"	B-555
46736	10" x 14"	B-555

62433	7" x 10"	B-120
62754	10" x 14"	B-120
83899	3-1/2" x 5"	B-302
83678	7" x 10"	B-302
21726	7" x 10"	B-401
26546	10" x 14"	B-401
46644	7" x 10"	B-555
46688	10" x 14"	B-555

132218	7" x 10"	B-120
132219	10" x 14"	B-120
132220	7" x 10"	B-302
132221	10" x 14"	B-302
132214	7" x 10"	B-401
132215	10" x 14"	B-401
132216	7" x 10"	B-555
132217	10" x 14"	B-555

62557	7" x 10"	B-120
122753	10" x 14"	B-120
83935	3-1/2" x 5"	B-302
83760	7" x 10"	B-302
122612	10" x 14"	B-302
21807	7" x 10"	B-401
26582	10" x 14"	B-401
46483	7" x 10"	B-555
46760	10" x 14"	B-555

62818	10" x 14"	B-120
83934	3-1/2" x 5"	B-302
83759	7" x 10"	B-302
21806	7" x 10"	B-401
46482	7" x 10"	B-555
46759	10" x 14"	B-555

83936	3-1/2" x 5"	B-302
83761	7" x 10"	B-302
21808	7" x 10"	B-401
26583	10" x 14"	B-401
46484	7" x 10"	B-555
46761	10" x 14"	B-555

62555	7" x 10"	B-120
62817	10" x 14"	B-120
83933	3-1/2" x 5"	B-302
83758	7" x 10"	B-302
21805	7" x 10"	B-401
26580	10" x 14"	B-401
46481	7" x 10"	B-555
46758	10" x 14"	B-555

62560	7" x 10"	B-120
62822	10" x 14"	B-120
83938	3-1/2" x 5"	B-302
83763	7" x 10"	B-302
21810	7" x 10"	B-401
26585	10" x 14"	B-401
46486	7" x 10"	B-555
46763	10" x 14"	B-555

83874	3-1/2" x 5"	B-302
21700	7" x 10"	B-401
26521	10" x 14"	B-401
46661	10" x 14"	B-555

62561	7" x 10"	B-120
83939	3-1/2" x 5"	B-302
83764	7" x 10"	B-302
26586	10" x 14"	B-401
46764	10" x 14"	B-555

83658	7" x 10"	B-302
21707	7" x 10"	B-401
26528	10" x 14"	B-401

83877	3-1/2" x 5"	B-302
83654	7" x 10"	B-302
21703	7" x 10"	B-401
26524	10" x 14"	B-401
46620	7" x 10"	B-555
46664	10" x 14"	B-555

62810	10" x 14"	B-120
83751	7" x 10"	B-302
21798	7" x 10"	B-401
26573	10" x 14"	B-401
46474	7" x 10"	B-555
46751	10" x 14"	B-555

132235	7" x 10"	B-120
132236	10" x 14"	B-120
132237	7" x 10"	B-302
132238	10" x 14"	B-302
132231	7" x 10"	B-401
132232	10" x 14"	B-401
132233	7" x 10"	B-555
132234	10" x 14"	B-555

132244	7" x 10"	B-120
132245	10" x 14"	B-120
132246	7" x 10"	B-302
132247	10" x 14"	B-302
132240	7" x 10"	B-401
132241	10" x 14"	B-401
132242	7" x 10"	B-555
132243	10" x 14"	B-555

126506	7" x 10"	B-302
126509	10" x 14"	B-302
126505	7" x 10"	B-401
126508	10" x 14"	B-401
126504	7" x 10"	B-555
126507	10" x 14"	B-555

62423	7" x 10"	B-120
62743	10" x 14"	B-120
83892	3-1/2" x 5"	B-302
83669	7" x 10"	B-302
21718	7" x 10"	B-401
26539	10" x 14"	B-401
46635	7" x 10"	B-555
46679	10" x 14"	B-555



83941	3-1/2" x 5"	B-302
83766	7" x 10"	B-302
21813	7" x 10"	B-401
26588	10" x 14"	B-401
46489	7" x 10"	B-555
46766	10" x 14"	B-555

83942	3-1/2" x 5"	B-302
83767	7" x 10"	B-302
21814	7" x 10"	B-401
26589	10" x 14"	B-401
46767	10" x 14"	B-555

ANSI Z535 Signs

Brady offers a variety of ANSI safety signs to help you prevent accidents and enhance productivity and safety within your facility. ANSI signs are highly visible and provide recognizable safety alert messages for workplace caution, warning, notice, danger and more. Brady's ANSI signs adhere to ANSI Z535 safety standards for colors and symbols and can be understood by employees and visitors of all cultural backgrounds.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
B-946 - Self-Sticking Vinyl
View all sign materials on page 25.

45033	10" x 7"	B-120
45102	14" x 10"	B-401
49021	10" x 7"	B-555

45039	10" x 7"	B-120
45040	14" x 10"	B-120
45175	10" x 7"	B-302
45176	14" x 10"	B-302
45107	10" x 7"	B-401
45108	14" x 10"	B-401
49027	10" x 7"	B-555

45008	14" x 10"	B-120
45143	10" x 7"	B-302
45144	14" x 10"	B-302
45075	10" x 7"	B-401
45076	14" x 10"	B-401
48995	10" x 7"	B-555
48996	14" x 10"	B-555

44989	10" x 7"	B-120
44990	14" x 10"	B-120
45125	10" x 7"	B-302
45126	14" x 10"	B-302
45057	10" x 7"	B-401
45058	14" x 10"	B-401
48977	10" x 7"	B-555
48978	14" x 10"	B-555

45004	14" x 10"	B-120
45139	10" x 7"	B-302
45140	14" x 10"	B-302
45071	10" x 7"	B-401
45072	14" x 10"	B-401
48991	10" x 7"	B-555
48992	14" x 10"	B-555

45031	10" x 7"	B-120
45032	14" x 10"	B-120
45167	10" x 7"	B-302
45168	14" x 10"	B-302
45099	10" x 7"	B-401
45100	14" x 10"	B-401
49019	10" x 7"	B-555
49020	14" x 10"	B-555

45029	10" x 7"	B-120
45165	10" x 7"	B-302
45166	14" x 10"	B-302
45097	10" x 7"	B-401
49017	10" x 7"	B-555
49018	14" x 10"	B-555

45025	10" x 7"	B-120
45026	14" x 10"	B-120
45161	10" x 7"	B-302
45162	14" x 10"	B-302
45093	10" x 7"	B-401
45094	14" x 10"	B-401
49013	10" x 7"	B-555
49014	14" x 10"	B-555

45041	10" x 7"	B-120
45042	14" x 10"	B-120
45177	10" x 7"	B-302
45178	14" x 10"	B-302
45109	10" x 7"	B-401
45110	14" x 10"	B-401
49029	10" x 7"	B-555
49030	14" x 10"	B-555

125912	10" x 7"	B-302
125915	14" x 10"	B-302
125911	10" x 7"	B-401
125914	14" x 10"	B-401
125910	10" x 7"	B-555
125913	14" x 10"	B-555

124213	10" x 7"	B-302
124216	14" x 10"	B-302
124212	10" x 7"	B-401
124215	14" x 10"	B-401
124211	10" x 7"	B-555
124214	14" x 10"	B-555

128624	10" x 7"	B-302
128627	14" x 10"	B-302
128623	10" x 7"	B-401
128626	14" x 10"	B-401
128622	10" x 7"	B-555
128625	14" x 10"	B-555

45023	10" x 7"	B-120
45024	14" x 10"	B-120
45159	10" x 7"	B-302
45091	10" x 7"	B-401
45092	14" x 10"	B-401
49011	10" x 7"	B-555

44981	10" x 7"	B-120
44982	14" x 10"	B-120
45117	10" x 7"	B-302
45118	14" x 10"	B-302
45050	14" x 10"	B-401

45015	10" x 7"	B-120
45151	10" x 7"	B-302
45084	14" x 10"	B-401
49003	10" x 7"	B-555
49004	14" x 10"	B-555

45019	10" x 7"	B-120
45020	14" x 10"	B-120
45155	10" x 7"	B-302
45156	14" x 10"	B-302
45087	10" x 7"	B-401
45088	14" x 10"	B-401
49008	14" x 10"	B-555

45011	10" x 7"	B-120
45012	14" x 10"	B-120
45147	10" x 7"	B-302
45148	14" x 10"	B-302
45080	14" x 10"	B-401
48999	10" x 7"	B-555

44992	14" x 10"	B-120
45127	10" x 7"	B-302
45059	10" x 7"	B-401
45060	14" x 10"	B-401
48979	10" x 7"	B-555
48980	14" x 10"	B-555

44993	10" x 7"	B-120
44994	14" x 10"	B-120
45129	10" x 7"	B-302

45123	10" x 7"	B-302
45124	14" x 10"	B-302
45055	10" x 7"	B-401
45056	14" x 10"	B-401
48975	10" x 7"	B-555
48976	14" x 10"	B-555

141913	10" x 7"	B-120
141908	14" x 10"	B-120
141914	10" x 7"	B-302
141909	14" x 10"	B-302
141917	10" x 7"	B-401
141912	14" x 10"	B-401
141915	10" x 7"	B-555
141910	14" x 10"	B-555
141916	10" x 7"	B-946
141911	14" x 10"	B-946

44983	10" x 7"	B-120
44984	14" x 10"	B-120
45119	10" x 7"	B-302
45052	14" x 10"	B-401
48972	14" x 10"	B-555

45021	10" x 7"	B-120
45022	14" x 10"	B-120
45157	10" x 7"	B-302
45158	14" x 10"	B-302
45089	10" x 7"	B-401
45090	14" x 10"	B-401
49009	10" x 7"	B-555
49010	14" x 10"	B-555

44979	10" x 7"	B-120
44980	14" x 10"	B-120
45115	10" x 7"	B-302
45116	14" x 10"	B-302
45047	10" x 7"	B-401
45048	14" x 10"	B-401
48967	10" x 7"	B-555
48968	14" x 10"	B-555

ANSI Z535 Signs (Continued)

ANSI Z535 Standard:

The ANSI Z535 Committee on safety signs developed standards for the design, application and use of signs, colors and symbols intended to identify and warn against specific hazards and for other accident prevention purposes. The recommended format is intended to provide a safety alert message that is clearly and rapidly understood.

45173	10" x 7"	B-302
45105	10" x 7"	B-401
45106	14" x 10"	B-401
49026	14" x 10"	B-555

45035	10" x 7"	B-120
45171	10" x 7"	B-302
45172	14" x 10"	B-302
45103	10" x 7"	B-401
45104	14" x 10"	B-401
49024	14" x 10"	B-555

45141	10" x 7"	B-302
45073	10" x 7"	B-401
45074	14" x 10"	B-401

44985	10" x 7"	B-120
45121	10" x 7"	B-302
45122	14" x 10"	B-302
45053	10" x 7"	B-401
45054	14" x 10"	B-401
48974	14" x 10"	B-555

45001	10" x 7"	B-120
45138	14" x 10"	B-302
45069	10" x 7"	B-401
48989	10" x 7"	B-555
48990	14" x 10"	B-555

45113	10" x 7"	B-302
45045	10" x 7"	B-401
48966	14" x 10"	B-555

44999	10" x 7"	B-120
45000	14" x 10"	B-120
45136	14" x 10"	B-302
45067	10" x 7"	B-401
45068	14" x 10"	B-401
48987	10" x 7"	B-555
48988	14" x 10"	B-555

126422	10" x 7"	B-302
126425	14" x 10"	B-302
126421	10" x 7"	B-401
126424	14" x 10"	B-401
126420	10" x 7"	B-555
126423	14" x 10"	B-555

45179	10" x 7"	B-302
45180	10" x 7"	B-302
45111	10" x 7"	B-401
45112	14" x 10"	B-401
49032	14" x 10"	B-555

45017	10" x 7"	B-120
45018	14" x 10"	B-120
45153	10" x 7"	B-302
45154	14" x 10"	B-302
45085	10" x 7"	B-401
45086	14" x 10"	B-401
49005	10" x 7"	B-555
49006	10" x 14"	B-555

45028	14" x 10"	B-120
45163	10" x 7"	B-302
45164	10" x 7"	B-302
45095	10" x 7"	B-401
45096	14" x 10"	B-401
49015	10" x 7"	B-555
49016	14" x 10"	B-555

126494	10" x 7"	B-302
126497	14" x 10"	B-302
126493	10" x 7"	B-401
126496	14" x 10"	B-401
126492	10" x 7"	B-555
126495	14" x 10"	B-555

129026	10" x 7"	B-302
129029	14" x 10"	B-302
129025	10" x 7"	B-401
129028	14" x 10"	B-401
129024	10" x 7"	B-555
129027	14" x 10"	B-555

90175	14" x 10"	B-324
90706	10" x 7"	B-347

90707	10" x 7"	B-347
90769	14" x 10"	B-347

90692	10" x 7"	B-347

45009	10" x 7"	B-120
45145	10" x 7"	B-302
45146	14" x 10"	B-302
45077	10" x 7"	B-401
45078	14" x 10"	B-401
48998	14" x 10"	B-555

45013	10" x 7"	B-120
45150	14" x 10"	B-302
45081	10" x 7"	B-401
45082	14" x 10"	B-401
49001	10" x 7"	B-555

44995	10" x 7"	B-120
44996	14" x 10"	B-120
45131	10" x 7"	B-302
45132	14" x 10"	B-302
45063	10" x 7"	B-401
45064	14" x 10"	B-401
48983	10" x 7"	B-555
48984	14" x 10"	B-555

45133	10" x 7"	B-302
45065	10" x 7"	B-401

Bilingual and Spanish-Only Signs

www.BradyID.com

Bilingual and Spanish-Only Signs

Brady has a full line of Bilingual and Spanish signs that communicate safety and facility information to your Spanish-speaking employees and visitors. Brady Spanish signs provide your facility with the appropriate Spanish safety message such as “precaucion,” “peligro,” “securidad primero,” “aviso” and “advertencia.”

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

124051	10" x 7"	B-302
124054	14" x 10"	B-302
124050	10" x 7"	B-401
124053	14" x 10"	B-401
124049	10" x 7"	B-555
124052	14" x 10"	B-555

125393	10" x 7"	B-302
125396	14" x 10"	B-302
90514	14" x 10"	B-324
125392	10" x 7"	B-401
125395	14" x 10"	B-401
125391	10" x 7"	B-555
125394	14" x 10"	B-555

125429	7" x 10"	B-302
125432	10" x 14"	B-302
125428	7" x 10"	B-401
125431	10" x 14"	B-401
125427	7" x 10"	B-555
125430	10" x 14"	B-555

125351	7" x 10"	B-302
125354	10" x 14"	B-302
125350	7" x 10"	B-401
125353	10" x 14"	B-401
125349	7" x 10"	B-555
125352	10" x 14"	B-555

125477	10" x 7"	B-302
125480	14" x 10"	B-302
125476	10" x 7"	B-401
125479	14" x 10"	B-401
125475	10" x 7"	B-555
125478	14" x 10"	B-555

125333	7" x 10"	B-302
125336	10" x 14"	B-302
125332	7" x 10"	B-401
125335	10" x 14"	B-401
125331	7" x 10"	B-555
125334	10" x 14"	B-555



125345	10" x 7"	B-302
125348	14" x 10"	B-302
90744	14" x 10"	B-347
125344	10" x 7"	B-401
125347	14" x 10"	B-401
125343	10" x 7"	B-555
125346	14" x 10"	B-555

39850	7" x 10"	B-120
38964	7" x 10"	B-401
38984	10" x 14"	B-401
38474	10" x 14"	B-555

123997	10" x 7"	B-302
124000	14" x 10"	B-302
123996	10" x 7"	B-401
123999	14" x 10"	B-401
123995	10" x 7"	B-555
123998	14" x 10"	B-555

122807	7" x 10"	B-120
122783	14" x 10"	B-120
122645	7" x 10"	B-302
90809	14" x 10"	B-302
122512	7" x 10"	B-401
38942	14" x 10"	B-401
122401	7" x 10"	B-555
38430	14" x 10"	B-555

125339	10" x 7"	B-302
125342	14" x 10"	B-302
125338	10" x 7"	B-401
125341	14" x 10"	B-401
125337	10" x 7"	B-555
125340	14" x 10"	B-555

124913	7" x 10"	B-302
124916	10" x 14"	B-302
124912	7" x 10"	B-401
124915	10" x 14"	B-401
124911	7" x 10"	B-555
124914	10" x 14"	B-555

39738	20" x 14"	B-120
90816	14" x 10"	B-302
38846	14" x 10"	B-401
38345	14" x 10"	B-555

124057	10" x 7"	B-302
124060	14" x 10"	B-302
124056	10" x 7"	B-401
124059	14" x 10"	B-401
124055	10" x 7"	B-555
124058	14" x 10"	B-555

125357	10" x 7"	B-302
125360	14" x 10"	B-302
125356	10" x 7"	B-401
125359	14" x 10"	B-401
125355	10" x 7"	B-555
125358	14" x 10"	B-555

125465	10" x 7"	B-302
125468	14" x 10"	B-302
125464	10" x 7"	B-401
125467	14" x 10"	B-401
125463	10" x 7"	B-555
125466	14" x 10"	B-555

125363	10" x 7"	B-302
125366	14" x 10"	B-302
125362	10" x 7"	B-401
125365	14" x 10"	B-401
125361	10" x 7"	B-555
125364	14" x 10"	B-555

125459	10" x 7"	B-302
125462	14" x 10"	B-302
125458	10" x 7"	B-401
125461	14" x 10"	B-401
125457	10" x 7"	B-555
125460	14" x 10"	B-555

125405	10" x 7"	B-302
125408	14" x 10"	B-302
125404	10" x 7"	B-401
125407	14" x 10"	B-401
125403	10" x 7"	B-555
125406	14" x 10"	B-555

125399	10" x 7"	B-302
125402	14" x 10"	B-302
125398	10" x 7"	B-401
125401	14" x 10"	B-401
125397	10" x 7"	B-555
125400	14" x 10"	B-555

125369	10" x 7"	B-302
125372	14" x 10"	B-302
125368	10" x 7"	B-401
125371	14" x 10"	B-401
125367	10" x 7"	B-555
125370	14" x 10"	B-555

125417	10" x 7"	B-302
125420	14" x 10"	B-302
125416	10" x 7"	B-401
125419	14" x 10"	B-401
125415	10" x 7"	B-555
125418	14" x 10"	B-555

Bilingual and Spanish-Only Signs (Continued)

125375	10" x 7"	B-302
125378	14" x 10"	B-302
125374	10" x 7"	B-401
125377	14" x 10"	B-401
125373	10" x 7"	B-555
125376	14" x 10"	B-555

125327	7" x 10"	B-302
125330	10" x 14"	B-302
125326	7" x 10"	B-401
125329	10" x 14"	B-401
125325	7" x 10"	B-555
125328	10" x 14"	B-555

124919	7" x 10"	B-302
124922	10" x 14"	B-302
124918	7" x 10"	B-401
124921	10" x 14"	B-401
124917	7" x 10"	B-555
124920	10" x 14"	B-555

125411	10" x 7"	B-302
125414	14" x 10"	B-302
125410	10" x 7"	B-401
125413	14" x 10"	B-401
125409	10" x 7"	B-555
125412	14" x 10"	B-555

125453	10" x 7"	B-302
125456	14" x 10"	B-302
125452	10" x 7"	B-401
125455	14" x 10"	B-401
125451	10" x 7"	B-555
125454	14" x 10"	B-555

125387	7" x 10"	B-302
125390	10" x 14"	B-302
125386	7" x 10"	B-401
125389	10" x 14"	B-401
125385	7" x 10"	B-555
125388	10" x 14"	B-555

125381	7" x 10"	B-302
125384	10" x 14"	B-302
125380	7" x 10"	B-401
125383	10" x 14"	B-401
125379	7" x 10"	B-555
125382	10" x 14"	B-555

125471	10" x 7"	B-302
125474	14" x 10"	B-302
125470	10" x 7"	B-401
125473	14" x 10"	B-401
125469	10" x 7"	B-555
125472	14" x 10"	B-555

124931	7" x 10"	B-302
124934	10" x 14"	B-302
124930	7" x 10"	B-401
124933	10" x 14"	B-401
124929	7" x 10"	B-555
124932	10" x 14"	B-555

125483	10" x 7"	B-302
125486	14" x 10"	B-302
125482	10" x 7"	B-401
125485	14" x 10"	B-401
125481	10" x 7"	B-555
125484	14" x 10"	B-555

125447	10" x 7"	B-302
125450	14" x 10"	B-302
125446	10" x 7"	B-401
125449	14" x 10"	B-401
125445	10" x 7"	B-555
125448	14" x 10"	B-555

39965	20" x 14"	B-120
90817	14" x 10"	B-302
39085	14" x 10"	B-401
38585	14" x 10"	B-555

39149	10" x 14"	B-401
37847	10" x 14"	B-555

125321	7" x 10"	B-302
125324	10" x 14"	B-302
125320	7" x 10"	B-401
125323	10" x 14"	B-401
125319	7" x 10"	B-555
125322	10" x 14"	B-555

124925	7" x 10"	B-302
124928	10" x 14"	B-302
124924	7" x 10"	B-401
124927	10" x 14"	B-401
124923	7" x 10"	B-555
124926	10" x 14"	B-555

125441	10" x 7"	B-302
125444	14" x 10"	B-302
125440	10" x 7"	B-401
125443	14" x 10"	B-401
125439	10" x 7"	B-555
125442	14" x 10"	B-555

122805	7" x 10"	B-120
122781	14" x 10"	B-120
122643	7" x 10"	B-302
90818	14" x 10"	B-302
122510	7" x 10"	B-401
39086	14" x 10"	B-401
122399	7" x 10"	B-555
38586	14" x 10"	B-555

39173	10" x 14"	B-120
39123	7" x 10"	B-401
39150	10" x 14"	B-401
37848	10" x 14"	B-555

39991	7" x 10"	B-120
39171	10" x 14"	B-120
37803	7" x 10"	B-302
39121	7" x 10"	B-401
39148	10" x 14"	B-401

122806	7" x 10"	B-120
122782	14" x 10"	B-120
39964	20" x 14"	B-120
122644	7" x 10"	B-302
90799	14" x 10"	B-302
122511	7" x 10"	B-401
39084	14" x 10"	B-401
122400	7" x 10"	B-555
122391	14" x 10"	B-555

125435	10" x 7"	B-302
125438	14" x 10"	B-302
125434	10" x 7"	B-401
125437	14" x 10"	B-401
125433	10" x 7"	B-555
125436	14" x 10"	B-555

Bilingual and Spanish-Only Signs

www.BradyID.com

Bilingual and Spanish-Only Signs (Continued)



90743	14" x 10"	B-347
38683	14" x 10"	B-401

39605	10" x 14"	B-120
37635	7" x 10"	B-302
38734	10" x 14"	B-401

90820	14" x 10"	B-302
38684	14" x 10"	B-401

39606	10" x 14"	B-120
37636	7" x 10"	B-302
38711	7" x 10"	B-401
38205	7" x 10"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

125135	10" x 7"	B-302
125138	14" x 10"	B-302
125134	10" x 7"	B-401
125137	14" x 10"	B-401
125133	10" x 7"	B-555
125136	14" x 10"	B-555

125129	7" x 10"	B-302
125132	10" x 14"	B-302
125128	7" x 10"	B-401
125131	10" x 14"	B-401
125127	7" x 10"	B-555
125130	10" x 14"	B-555

125147	10" x 7"	B-302
125150	14" x 10"	B-302
90655	10" x 7"	B-347
90737	14" x 10"	B-347
125146	10" x 7"	B-401
125149	14" x 10"	B-401
125145	10" x 7"	B-555
125148	14" x 10"	B-555

39579	20" x 14"	B-120
90797	14" x 10"	B-302
38679	14" x 10"	B-401
38175	14" x 10"	B-555

39590	7" x 10"	B-120
39601	10" x 14"	B-120
37631	7" x 10"	B-302
38706	7" x 10"	B-401
38730	10" x 14"	B-401
38200	7" x 10"	B-555
38227	10" x 14"	B-555

39506	20" x 14"	B-120
90793	14" x 10"	B-302
90147	10" x 7"	B-324
90509	14" x 10"	B-324
90658	10" x 7"	B-347
90740	14" x 10"	B-347
38606	14" x 10"	B-401
38106	14" x 10"	B-555

39531	7" x 10"	B-120
39556	10" x 14"	B-120
37606	7" x 10"	B-302
38656	10" x 14"	B-401
38152	10" x 14"	B-555

122804	7" x 10"	B-120
122780	14" x 10"	B-120
39967	20" x 14"	B-120
122642	7" x 10"	B-302
90803	14" x 10"	B-302
122509	7" x 10"	B-401
39087	14" x 10"	B-401
122398	7" x 10"	B-555
38587	14" x 10"	B-555

39505	20" x 14"	B-120
90542	14" x 10"	B-302
38605	14" x 10"	B-401
38105	14" x 10"	B-555

39555	10" x 14"	B-120
38630	7" x 10"	B-401
38655	10" x 14"	B-401
38127	7" x 10"	B-555
38151	10" x 14"	B-555

125309	10" x 7"	B-302
125312	14" x 10"	B-302
125308	10" x 7"	B-401
125311	14" x 10"	B-401
125307	10" x 7"	B-555
125310	14" x 10"	B-555

125159	10" x 7"	B-302
125162	14" x 10"	B-302
125158	10" x 7"	B-401
125161	14" x 10"	B-401
125157	10" x 7"	B-555
125160	14" x 10"	B-555

125165	10" x 7"	B-302
125168	14" x 10"	B-302
125164	10" x 7"	B-401
125167	14" x 10"	B-401
125163	10" x 7"	B-555
125166	14" x 10"	B-555

124087	10" x 7"	B-302
124090	14" x 10"	B-302
124086	10" x 7"	B-401
124089	14" x 10"	B-401
124085	10" x 7"	B-555
124088	14" x 10"	B-555

125117	7" x 10"	B-302
125120	10" x 14"	B-302
125116	7" x 10"	B-401
125119	10" x 14"	B-401
125115	7" x 10"	B-555
125118	10" x 14"	B-555

124099	10" x 7"	B-302
124102	14" x 10"	B-302
124098	10" x 7"	B-401
124101	14" x 10"	B-401
124097	10" x 7"	B-555
124100	14" x 10"	B-555

125261	10" x 7"	B-302
125264	14" x 10"	B-302
125260	10" x 7"	B-401
125263	14" x 10"	B-401
125259	10" x 7"	B-555
125262	14" x 10"	B-555

124937	7" x 10"	B-302
124940	10" x 14"	B-302
124936	7" x 10"	B-401
124939	10" x 14"	B-401
124935	7" x 10"	B-555
124938	10" x 14"	B-555

Bilingual and Spanish-Only Signs (Continued)

124081	10" x 7"	B-302
124084	14" x 10"	B-302
124080	10" x 7"	B-401
124083	14" x 10"	B-401
124079	10" x 7"	B-555
124082	14" x 10"	B-555

38865	14" x 10"	B-401
38360	14" x 10"	B-555

39780	7" x 10"	B-120
39804	14" x 10"	B-120
37718	7" x 10"	B-302
124072	10" x 14"	B-302
38892	7" x 10"	B-401
124071	10" x 14"	B-401
38383	7" x 10"	B-555
38403	10" x 14"	B-555

125201	10" x 7"	B-302
125204	14" x 10"	B-302
125200	10" x 7"	B-401
125203	14" x 10"	B-401
125199	10" x 7"	B-555
125202	14" x 10"	B-555

125153	10" x 7"	B-302
125156	14" x 10"	B-302
125152	10" x 7"	B-401
125155	14" x 10"	B-401
125151	10" x 7"	B-555
125154	14" x 10"	B-555

39978	7" x 10"	B-120
37790	7" x 10"	B-302
39108	7" x 10"	B-401
39135	10" x 14"	B-401
37833	10" x 14"	B-555

124015	10" x 7"	B-302
124018	14" x 10"	B-302
124014	10" x 7"	B-401
124017	14" x 10"	B-401
124013	10" x 7"	B-555
124016	14" x 10"	B-555

39658	20" x 14"	B-120
38767	14" x 10"	B-401
38264	14" x 10"	B-555

125243	10" x 7"	B-302
125246	14" x 10"	B-302
125242	10" x 7"	B-401
125245	14" x 10"	B-401
125241	10" x 7"	B-555
125244	14" x 10"	B-555

125267	10" x 7"	B-302
125270	14" x 10"	B-302
125266	10" x 7"	B-401
125269	14" x 10"	B-401
125265	10" x 7"	B-555
125268	14" x 10"	B-555

124063	10" x 7"	B-302
124066	14" x 10"	B-302
124062	10" x 7"	B-401
124065	14" x 10"	B-401
124061	10" x 7"	B-555
124064	14" x 10"	B-555

39576	20" x 14"	B-120
90543	14" x 10"	B-302
38676	14" x 10"	B-401
38172	14" x 10"	B-555

124943	7" x 10"	B-302
124946	10" x 14"	B-302
124942	7" x 10"	B-401
124945	10" x 14"	B-401
124941	7" x 10"	B-555
124944	10" x 14"	B-555

125207	10" x 7"	B-302
125210	14" x 10"	B-302
125206	10" x 7"	B-401
125209	14" x 10"	B-401
125205	10" x 7"	B-555
125208	14" x 10"	B-555

50270	7" x 10"	B-401

125105	7" x 10"	B-302
125108	10" x 14"	B-302
125104	7" x 10"	B-401
125107	10" x 14"	B-401
125103	7" x 10"	B-555
125106	10" x 14"	B-555

125099	7" x 10"	B-302
125102	10" x 14"	B-302
125098	7" x 10"	B-401
125101	10" x 14"	B-401
125097	7" x 10"	B-555
125100	10" x 14"	B-555

124949	7" x 10"	B-302
124952	10" x 14"	B-302
39124	7" x 10"	B-401
124948	7" x 10"	B-401
39151	10" x 14"	B-401
124951	10" x 14"	B-401
124947	7" x 10"	B-555
37849	10" x 14"	B-555

124093	10" x 7"	B-302
124096	14" x 10"	B-302
124092	10" x 7"	B-401
124095	14" x 10"	B-401
124091	10" x 7"	B-555
124094	14" x 10"	B-555

124105	10" x 7"	B-302
124108	14" x 10"	B-302
124104	10" x 7"	B-401
124107	14" x 10"	B-401
124103	10" x 7"	B-555
124106	14" x 10"	B-555

124141	10" x 7"	B-302
124144	14" x 10"	B-302
124140	10" x 7"	B-401
124143	14" x 10"	B-401
124139	10" x 7"	B-555
124142	14" x 10"	B-555

39811	20" x 14"	B-120
90795	14" x 10"	B-302
38920	14" x 10"	B-401
38411	14" x 10"	B-555

39833	7" x 10"	B-120
37725	7" x 10"	B-302
38457	10" x 14"	B-555

Bilingual and Spanish-Only Signs

www.BradyID.com

Bilingual and Spanish-Only Signs (Continued)

125213	10" x 7"	B-302
125216	14" x 10"	B-302
125212	10" x 7"	B-401
125215	14" x 10"	B-401
125211	10" x 7"	B-555
125214	14" x 10"	B-555

125291	10" x 7"	B-302
125294	14" x 10"	B-302
125290	10" x 7"	B-401
125293	14" x 10"	B-401
125289	10" x 7"	B-555
125292	14" x 10"	B-555

90143	10" x 7"	B-324
90654	10" x 7"	B-347
90736	14" x 10"	B-347

124123	10" x 7"	B-302
124126	14" x 10"	B-302
124122	10" x 7"	B-401
124125	14" x 10"	B-401
124121	10" x 7"	B-555
124124	14" x 10"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

39951	20" x 14"	B-120
39071	14" x 10"	B-401
38571	14" x 10"	B-555

125171	10" x 7"	B-302
125174	14" x 10"	B-302
125170	10" x 7"	B-401
125173	14" x 10"	B-401
125169	10" x 7"	B-555
125172	14" x 10"	B-555

125285	7" x 10"	B-302
125288	10" x 14"	B-302
125284	7" x 10"	B-401
125287	10" x 14"	B-401
125283	7" x 10"	B-555
125286	10" x 14"	B-555

125279	7" x 10"	B-302
125282	10" x 14"	B-302
125278	7" x 10"	B-401
125281	10" x 14"	B-401
125277	7" x 10"	B-555
125280	10" x 14"	B-555

124955	7" x 10"	B-302
124958	10" x 14"	B-302
124954	7" x 10"	B-401
124957	10" x 14"	B-401
124953	7" x 10"	B-555
124956	10" x 14"	B-555

125297	10" x 7"	B-302
125300	14" x 10"	B-302
125296	10" x 7"	B-401
125299	14" x 10"	B-401
125295	10" x 7"	B-555
125298	14" x 10"	B-555

125249	10" x 7"	B-302
125252	14" x 10"	B-302
125248	10" x 7"	B-401
125251	14" x 10"	B-401
125247	10" x 7"	B-555
125250	14" x 10"	B-555

39758	20" x 14"	B-120
90819	14" x 10"	B-302
38866	14" x 10"	B-401
38361	14" x 10"	B-555

37719	7" x 10"	B-302
38893	7" x 10"	B-401
38384	7" x 10"	B-555
38404	10" x 14"	B-555

124961	7" x 10"	B-302
124964	10" x 14"	B-302
124960	7" x 10"	B-401
124963	10" x 14"	B-401
124959	7" x 10"	B-555
124962	10" x 14"	B-555

125255	10" x 7"	B-302
125258	14" x 10"	B-302
125254	10" x 7"	B-401
125257	14" x 10"	B-401
125253	10" x 7"	B-555
125256	14" x 10"	B-555

125273	10" x 7"	B-302
125276	14" x 10"	B-302
125272	10" x 7"	B-401
125275	14" x 10"	B-401
125271	10" x 7"	B-555
125274	14" x 10"	B-555

124075	10" x 7"	B-302
124078	14" x 10"	B-302
124074	10" x 7"	B-401
124077	14" x 10"	B-401
124073	10" x 7"	B-555
124076	14" x 10"	B-555



125231	10" x 7"	B-302
125234	14" x 10"	B-302
90507	14" x 10"	B-324
90656	10" x 7"	B-347
125230	10" x 7"	B-401
125233	14" x 10"	B-401
125229	10" x 7"	B-555
125232	14" x 10"	B-555

125183	10" x 7"	B-302
125186	14" x 10"	B-302
125182	10" x 7"	B-401
125185	14" x 10"	B-401
125181	10" x 7"	B-555
125184	14" x 10"	B-555

125177	10" x 7"	B-302
125180	14" x 10"	B-302
125176	10" x 7"	B-401
125179	14" x 10"	B-401
125175	10" x 7"	B-555
125178	14" x 10"	B-555

39503	20" x 14"	B-120
38603	14" x 10"	B-401
38103	14" x 10"	B-555

Bilingual and Spanish-Only Signs (Continued)

39528	7" x 10"	B-120
39553	14" x 10"	B-120
37603	7" x 10"	B-302
38628	7" x 10"	B-401
38653	10" x 14"	B-401

125237	10" x 7"	B-302
125240	14" x 10"	B-302
125236	10" x 7"	B-401
125239	14" x 10"	B-401
125235	10" x 7"	B-555
125238	14" x 10"	B-555

124117	10" x 7"	B-302
124120	14" x 10"	B-302
124116	10" x 7"	B-401
124119	14" x 10"	B-401
124115	10" x 7"	B-555
124118	14" x 10"	B-555

39504	20" x 14"	B-120
90810	14" x 10"	B-302
90734	14" x 10"	B-347
38604	14" x 10"	B-401
38104	14" x 10"	B-555

39529	7" x 10"	B-120
39554	10" x 14"	B-120
37604	7" x 10"	B-302
38629	7" x 10"	B-401
38654	10" x 14"	B-401
38150	10" x 14"	B-555

122803	7" x 10"	B-120
122779	14" x 10"	B-120
39876	20" x 14"	B-120
122641	7" x 10"	B-302
90666	14" x 10"	B-302
122508	7" x 10"	B-401
38990	14" x 10"	B-401
122397	7" x 10"	B-555
38478	14" x 10"	B-555

39894	7" x 10"	B-120
39912	10" x 14"	B-120
37758	7" x 10"	B-302
39008	7" x 10"	B-401
39026	10" x 14"	B-401
38514	10" x 14"	B-555

39817	20" x 14"	B-120
38928	14" x 10"	B-401
38417	14" x 10"	B-555

39860	14" x 10"	B-120
37737	7" x 10"	B-302
38973	10" x 14"	B-401
38440	7" x 10"	B-555
38463	10" x 14"	B-555

125315	10" x 7"	B-302
125318	14" x 10"	B-302
125314	10" x 7"	B-401
125317	14" x 10"	B-401
125313	10" x 7"	B-555
125316	14" x 10"	B-555



125189	7" x 10"	B-302
125192	10" x 14"	B-302
125188	7" x 10"	B-401
125191	10" x 14"	B-401
125187	7" x 10"	B-555
125190	10" x 14"	B-555

38867	14" x 10"	B-401
38362	14" x 10"	B-555

37720	7" x 10"	B-302

124147	10" x 7"	B-302
124150	14" x 10"	B-302
124146	10" x 7"	B-401
124149	14" x 10"	B-401
124145	10" x 7"	B-555
124148	14" x 10"	B-555

125123	7" x 10"	B-302
125126	10" x 14"	B-302
125122	7" x 10"	B-401
125125	10" x 14"	B-401
125121	7" x 10"	B-555
125124	10" x 14"	B-555

125141	7" x 10"	B-302
125144	10" x 14"	B-302
125140	7" x 10"	B-401
125143	10" x 14"	B-401
125139	7" x 10"	B-555
125142	10" x 14"	B-555

125195	10" x 7"	B-302
125198	14" x 10"	B-302
125194	10" x 7"	B-401
125197	14" x 10"	B-401
125193	10" x 7"	B-555
125196	14" x 10"	B-555

125219	10" x 7"	B-302
125222	14" x 10"	B-302
125218	10" x 7"	B-401
125221	14" x 10"	B-401
125217	10" x 7"	B-555
125220	14" x 10"	B-555

124045	10" x 7"	B-302
124048	14" x 10"	B-302
124044	10" x 7"	B-401
124047	14" x 10"	B-401
124043	10" x 7"	B-555
124046	14" x 10"	B-555



39954	20" x 14"	B-120
90657	10" x 7"	B-347
39074	14" x 10"	B-401
38574	14" x 10"	B-555

39981	7" x 10"	B-120
39161	14" x 10"	B-120
37793	7" x 10"	B-302
39111	7" x 10"	B-401
39138	10" x 14"	B-401
37809	7" x 10"	B-555

39756	20" x 14"	B-120
38864	14" x 10"	B-401
38359	14" x 10"	B-555

39803	14" x 10"	B-120
38914	10" x 14"	B-401

125111	7" x 10"	B-302
125114	10" x 14"	B-302
125110	7" x 10"	B-401
125113	10" x 14"	B-401
125109	7" x 10"	B-555
125112	10" x 14"	B-555

Bilingual and Spanish-Only Signs

www.BradyID.com

Bilingual and Spanish-Only Signs (Continued)

125303	10" x 7"	B-302
125306	14" x 10"	B-302
125302	10" x 7"	B-401
125305	14" x 10"	B-401
125301	10" x 7"	B-555
125304	14" x 10"	B-555

90149	10" x 7"	B-324
90680	10" x 7"	B-347

124009	10" x 7"	B-302
124012	14" x 10"	B-302
124008	10" x 7"	B-401
124011	14" x 10"	B-401
124007	10" x 7"	B-555
124010	14" x 10"	B-555

125495	7" x 10"	B-302
125498	10" x 14"	B-302
125494	7" x 10"	B-401
125497	10" x 14"	B-401
125493	7" x 10"	B-555
125496	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

39961	20" x 14"	B-120
90674	14" x 10"	B-302
39081	14" x 10"	B-401
38581	14" x 10"	B-555

37800	7" x 10"	B-302
39145	10" x 14"	B-401
37843	10" x 14"	B-555

125063	10" x 7"	B-302
125066	14" x 10"	B-302
125062	10" x 7"	B-401
125065	14" x 10"	B-401
125061	10" x 7"	B-555
125064	14" x 10"	B-555

124997	10" x 7"	B-302
125000	14" x 10"	B-302
124996	10" x 7"	B-401
124999	14" x 10"	B-401
124995	10" x 7"	B-555
124998	14" x 10"	B-555

124979	10" x 7"	B-302
124982	14" x 10"	B-302
124978	10" x 7"	B-401
124981	14" x 10"	B-401
124977	10" x 7"	B-555
124980	14" x 10"	B-555

124991	10" x 7"	B-302
124994	14" x 10"	B-302
124990	10" x 7"	B-401
124993	14" x 10"	B-401
124989	10" x 7"	B-555
124992	14" x 10"	B-555

125033	10" x 7"	B-302
125036	14" x 10"	B-302
125032	10" x 7"	B-401
125035	14" x 10"	B-401
125031	10" x 7"	B-555
125034	14" x 10"	B-555

124033	10" x 7"	B-302
124036	14" x 10"	B-302
124032	10" x 7"	B-401
124035	14" x 10"	B-401
124031	10" x 7"	B-555
124034	14" x 10"	B-555



125069	10" x 7"	B-302
125072	14" x 10"	B-302
125068	10" x 7"	B-401
125071	14" x 10"	B-401
125067	10" x 7"	B-555
125070	14" x 10"	B-555

124039	10" x 7"	B-302
124042	14" x 10"	B-302
124038	10" x 7"	B-401
124041	14" x 10"	B-401
124037	10" x 7"	B-555
124040	14" x 10"	B-555



125009	7" x 10"	B-302
125012	10" x 14"	B-302
125008	7" x 10"	B-401
125011	10" x 14"	B-401
125007	7" x 10"	B-555
125010	10" x 14"	B-555

14216	14" x 10"	B-302
14218	14" x 10"	B-401
14219	14" x 10"	B-555

122809	7" x 10"	B-120
122785	14" x 10"	B-120
122647	7" x 10"	B-302
90807	14" x 10"	B-302
122514	7" x 10"	B-401
38937	14" x 10"	B-401
122403	7" x 10"	B-555
38425	14" x 10"	B-555

37748	7" x 10"	B-302
38979	10" x 14"	B-401

125015	10" x 7"	B-302
125018	14" x 10"	B-302
125014	10" x 7"	B-401
125017	14" x 10"	B-401
125013	10" x 7"	B-555
125016	14" x 10"	B-555

125075	10" x 7"	B-302
125078	14" x 10"	B-302
125074	10" x 7"	B-401
125077	14" x 10"	B-401
125073	10" x 7"	B-555
125076	14" x 10"	B-555

125081	10" x 7"	B-302
125084	14" x 10"	B-302
125080	10" x 7"	B-401
125083	14" x 10"	B-401
125079	10" x 7"	B-555
125082	14" x 10"	B-555

39718	7" x 10"	B-120
39731	10" x 14"	B-120
37690	7" x 10"	B-302
38819	7" x 10"	B-401
38837	10" x 14"	B-401
38329	7" x 10"	B-555
38338	10" x 14"	B-555

Bilingual and Spanish-Only Signs (Continued)

90811	14" x 10"	B-302
38803	14" x 10"	B-401
38313	14" x 10"	B-555

125039	7" x 10"	B-302
125042	10" x 14"	B-302
125038	7" x 10"	B-401
125041	10" x 14"	B-401
125037	7" x 10"	B-555
125040	10" x 14"	B-555

38875	7" x 10"	B-401
38902	10" x 14"	B-401
38368	7" x 10"	B-555

125051	10" x 7"	B-302
125054	14" x 10"	B-302
125050	10" x 7"	B-401
125053	14" x 10"	B-401
125049	10" x 7"	B-555
125052	14" x 10"	B-555

125003	7" x 10"	B-302
125006	10" x 14"	B-302
125002	7" x 10"	B-401
125005	10" x 14"	B-401
125001	7" x 10"	B-555
125004	10" x 14"	B-555

124985	10" x 7"	B-302
124988	14" x 10"	B-302
124984	10" x 7"	B-401
124987	14" x 10"	B-401
124983	10" x 7"	B-555
124986	14" x 10"	B-555

125045	10" x 7"	B-302
125048	14" x 10"	B-302
125044	10" x 7"	B-401
125047	14" x 10"	B-401
125043	10" x 7"	B-555
125046	14" x 10"	B-555

124973	10" x 7"	B-302
124976	14" x 10"	B-302
124972	10" x 7"	B-401
124975	14" x 10"	B-401
124971	10" x 7"	B-555
124974	14" x 10"	B-555

39740	20" x 14"	B-120
90668	14" x 10"	B-302
38848	14" x 10"	B-401
38347	10" x 14"	B-555

122810	7" x 10"	B-120
122786	14" x 10"	B-120
39514	20" x 14"	B-120
122648	7" x 10"	B-302
90544	14" x 10"	B-302
122515	7" x 10"	B-401
38614	14" x 10"	B-401
122404	7" x 10"	B-555
38114	14" x 10"	B-555

39054	7" x 10"	B-401
39055	10" x 14"	B-401
38160	10" x 14"	B-555

125057	10" x 7"	B-302
125060	14" x 10"	B-302
125056	10" x 7"	B-401
125059	14" x 10"	B-401
125055	10" x 7"	B-555
125058	14" x 10"	B-555

125027	10" x 7"	B-302
125030	14" x 10"	B-302
125026	10" x 7"	B-401
125029	14" x 10"	B-401
125025	10" x 7"	B-555
125028	14" x 10"	B-555

125021	10" x 7"	B-302
125024	14" x 10"	B-302
125020	10" x 7"	B-401
125023	14" x 10"	B-401
125019	10" x 7"	B-555
125022	14" x 10"	B-555

124967	7" x 10"	B-302
124970	10" x 14"	B-302
124966	7" x 10"	B-401
124969	10" x 14"	B-401
124965	7" x 10"	B-555
124968	10" x 14"	B-555

125489	7" x 10"	B-302
125492	10" x 14"	B-302
125488	7" x 10"	B-401
125491	10" x 14"	B-401
125487	7" x 10"	B-555
125490	10" x 14"	B-555

122914	7" x 10"	B-120
122758	10" x 14"	B-120
39512	20" x 14"	B-120
90667	14" x 10"	B-302
38612	14" x 10"	B-401
38112	14" x 10"	B-555

39537	7" x 10"	B-120
37612	7" x 10"	B-302
38637	7" x 10"	B-401
38662	10" x 14"	B-401
38134	7" x 10"	B-555
38158	10" x 14"	B-555

125087	10" x 7"	B-302
125090	14" x 10"	B-302
125086	10" x 7"	B-401
125089	14" x 10"	B-401
125085	10" x 7"	B-555
125088	14" x 10"	B-555

39613	20" x 14"	B-120
90808	14" x 10"	B-302
38188	14" x 10"	B-555

39639	10" x 14"	B-120
37645	7" x 10"	B-302
38742	10" x 14"	B-401
38239	10" x 14"	B-555

Bilingual and Spanish-Only Signs

www.BradyID.com

Bilingual and Spanish-Only Signs (Continued)

124165	7" x 10"	B-302
124168	10" x 14"	B-302
124164	7" x 10"	B-401
124167	10" x 14"	B-401
124163	7" x 10"	B-555
124166	10" x 14"	B-555

38616	14" x 10"	B-401

37616	7" x 10"	B-302
38640	7" x 10"	B-401
38665	10" x 14"	B-401
38162	10" x 14"	B-555

124003	10" x 7"	B-302
124006	14" x 10"	B-302
124002	10" x 7"	B-401
124005	14" x 10"	B-401
124001	10" x 7"	B-555
124004	14" x 10"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

124901	7" x 10"	B-302
124904	10" x 14"	B-302
124900	7" x 10"	B-401
124903	10" x 14"	B-401
124899	7" x 10"	B-555
124902	10" x 14"	B-555

39517	20" x 14"	B-120
124895	10" x 7"	B-302
124898	14" x 10"	B-302
124894	10" x 7"	B-401
38617	14" x 10"	B-401
38117	14" x 10"	B-555

39542	7" x 10"	B-120
39567	14" x 10"	B-120
37617	7" x 10"	B-302
38641	7" x 10"	B-401
38666	10" x 14"	B-401
38138	7" x 10"	B-555
38163	10" x 14"	B-555

39769	7" x 10"	B-120
39789	10" x 14"	B-120
37703	7" x 10"	B-302
38877	7" x 10"	B-401
38904	10" x 14"	B-401
38370	7" x 10"	B-555
38392	10" x 14"	B-555

39742	20" x 14"	B-120
90791	14" x 10"	B-302
38850	14" x 10"	B-401
38349	14" x 10"	B-555

125501	7" x 10"	B-302
125504	10" x 14"	B-302
125500	7" x 10"	B-401
125503	10" x 14"	B-401
125499	7" x 10"	B-555
125502	10" x 14"	B-555

122808	7" x 10"	B-120
122784	14" x 10"	B-120
122646	7" x 10"	B-302
122631	14" x 10"	B-302
122513	7" x 10"	B-401
38993	14" x 10"	B-401
122402	7" x 10"	B-555
38481	14" x 10"	B-555

39029	10" x 14"	B-401

125543	7" x 10"	B-302
125546	10" x 14"	B-302
125542	7" x 10"	B-401
125545	10" x 14"	B-401
125541	7" x 10"	B-555
125544	10" x 14"	B-555

123991	7" x 10"	B-302
123994	10" x 14"	B-302
123990	7" x 10"	B-401
123993	10" x 14"	B-401
123989	7" x 10"	B-555
123992	10" x 14"	B-555

124135	10" x 7"	B-302
124138	14" x 10"	B-302
124134	10" x 7"	B-401
124137	14" x 10"	B-401
124133	10" x 7"	B-555
124136	14" x 10"	B-555

124027	10" x 7"	B-302
124030	14" x 10"	B-302
124026	10" x 7"	B-401
124029	14" x 10"	B-401
124025	10" x 7"	B-555
124028	14" x 10"	B-555

124564	18" x 4"	B-302
124563	18" x 4"	B-401
124562	18" x 4"	B-555

38756	14" x 10"	B-401
38253	14" x 10"	B-555

37661	14" x 5"	B-302

39649	14" x 20"	B-120
90821	14" x 20"	B-302

37657	12" x 9"	B-302
38775	14" x 10"	B-401
38272	14" x 10"	B-555

Bilingual and Spanish-Only Signs (Continued)

39880	20" x 14"	B-120
90804	14" x 10"	B-302
90156	10" x 7"	B-324
90518	14" x 10"	B-324
90687	10" x 7"	B-347
90749	14" x 10"	B-347
38994	14" x 10"	B-401
38482	14" x 10"	B-555

39012	7" x 10"	B-401

90158	10" x 7"	B-324
90520	14" x 10"	B-324
90751	14" x 10"	B-347

124159	10" x 7"	B-302
124162	14" x 10"	B-302
124158	10" x 7"	B-401
124161	14" x 10"	B-401
124157	10" x 7"	B-555
124160	14" x 10"	B-555

125531	10" x 7"	B-302
125534	14" x 10"	B-302
125530	10" x 7"	B-401
125533	14" x 10"	B-401
125529	10" x 7"	B-555
125532	14" x 10"	B-555

124153	10" x 7"	B-302
124156	14" x 10"	B-302
124152	10" x 7"	B-401
124155	14" x 10"	B-401
124151	10" x 7"	B-555
124154	14" x 10"	B-555

125537	10" x 7"	B-302
125540	14" x 10"	B-302
125536	10" x 7"	B-401
125539	14" x 10"	B-401
125535	10" x 7"	B-555
125538	14" x 10"	B-555

39881	14" x 20"	B-120
38995	14" x 10"	B-401
38483	14" x 10"	B-555

47655	10" x 7"	B-302
47657	10" x 7"	B-401
47658	10" x 7"	B-555

47643	10" x 7"	B-302
47645	10" x 7"	B-401
47646	10" x 7"	B-555

37660	14" x 5"	B-302

125513	10" x 7"	B-302
125516	14" x 10"	B-302
125512	10" x 7"	B-401
125515	14" x 10"	B-401
125511	10" x 7"	B-555
125514	14" x 10"	B-555

39883	14" x 20"	B-120
38997	14" x 10"	B-401
38485	14" x 10"	B-555

124021	10" x 7"	B-302
124024	14" x 10"	B-302
124020	10" x 7"	B-401
124023	14" x 10"	B-401
124019	10" x 7"	B-555
124022	14" x 10"	B-555

90670	14" x 10"	B-302
90160	10" x 7"	B-324
90522	14" x 10"	B-324
90691	10" x 7"	B-347
90753	14" x 10"	B-347
38800	14" x 10"	B-401
38310	14" x 10"	B-555

37686	7" x 10"	B-302
38816	7" x 10"	B-401

124171	10" x 7"	B-302
124174	14" x 10"	B-302
124170	10" x 7"	B-401
124173	14" x 10"	B-401
124169	10" x 7"	B-555
124172	14" x 10"	B-555

39820	14" x 20"	B-120
38931	14" x 10"	B-401
38420	10" x 14"	B-555

37740	7" x 10"	B-302
38976	10" x 14"	B-401

122802	7" x 10"	B-120
122712	10" x 14"	B-120
39821	14" x 20"	B-120
122640	7" x 10"	B-302
122572	10" x 14"	B-302
90822	14" x 10"	B-302
122507	7" x 10"	B-401
38933	10" x 14"	B-401
122396	7" x 10"	B-555
122347	10" x 14"	B-555

37743	10" x 7"	B-302
38955	14" x 10"	B-401
38444	14" x 10"	B-555

39698	20" x 14"	B-120
90662	14" x 10"	B-302
90159	10" x 7"	B-324
90521	14" x 10"	B-324
90690	10" x 7"	B-347
90752	14" x 10"	B-347
38799	14" x 10"	B-401
38309	14" x 10"	B-555

124129	10" x 7"	B-302
124132	14" x 10"	B-302
124128	10" x 7"	B-401
124131	14" x 10"	B-401
124127	10" x 7"	B-555
124130	14" x 10"	B-555

125549	7" x 10"	B-302
125552	10" x 14"	B-302
125548	7" x 10"	B-401
125551	10" x 14"	B-401
125547	7" x 10"	B-555
125550	10" x 14"	B-555

Bilingual and Spanish-Only Signs

www.BradyID.com

Bilingual and Spanish-Only Signs (Continued)

90555	10" x 7"	B-324
90188	14" x 10"	B-324
90633	10" x 7"	B-347
90949	14" x 10"	B-347

124572	18" x 18"	B-401
124574	24" x 24"	B-401
124571	18" x 18"	B-555
124573	24" x 24"	B-555

125093	10" x 7"	B-302
125096	14" x 10"	B-302
125092	10" x 7"	B-401
125095	14" x 10"	B-401
125091	10" x 7"	B-555
125094	14" x 10"	B-555

124111	10" x 7"	B-302
124114	14" x 10"	B-302
124110	10" x 7"	B-401
124113	14" x 10"	B-401
124109	10" x 7"	B-555
124112	14" x 10"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

124644	12" x 18"	B-401
124646	18" x 24"	B-401
124643	12" x 18"	B-555
124645	18" x 24"	B-555

124907	10" x 7"	B-302
124910	14" x 10"	B-302
124906	10" x 7"	B-401
124909	14" x 10"	B-401
124905	10" x 7"	B-555
124908	14" x 10"	B-555

124177	7" x 10"	B-302
124180	10" x 14"	B-302
124176	7" x 10"	B-401
124179	10" x 14"	B-401
124175	7" x 10"	B-555
124178	10" x 14"	B-555

125525	10" x 7"	B-302
125528	14" x 10"	B-302
125524	10" x 7"	B-401
125527	14" x 10"	B-401
125523	10" x 7"	B-555
125526	14" x 10"	B-555

125519	10" x 7"	B-302
125522	14" x 10"	B-302
125518	10" x 7"	B-401
125521	14" x 10"	B-401
125517	10" x 7"	B-555
125520	14" x 10"	B-555

90685	10" x 7"	B-347



BradyGlo

39696	20" x 14"	B-120
90805	14" x 10"	B-302
90155	10" x 7"	B-324
90157	14" x 10"	B-324
90686	10" x 7"	B-347
90748	14" x 10"	B-347
38797	14" x 10"	B-401
38307	14" x 10"	B-555

37683	7" x 10"	B-302
38813	7" x 10"	B-401
38831	10" x 14"	B-401
38323	7" x 10"	B-555

90750	14" x 10"	B-347

125507	7" x 10"	B-302
125510	10" x 14"	B-302
125506	7" x 10"	B-401
125509	10" x 14"	B-401
125505	7" x 10"	B-555
125508	10" x 14"	B-555

Create Your Own Custom Spanish Sign

With Brady's 'same as stock' pricing, you can translate any sign legend into a Spanish-Only sign quickly and easily for the same low price.

For more information contact your distributor or visit www.BradyID.com/signs.

Biohazard Signs

Brady biohazard signs are used to identify equipment, rooms and materials which contain, or are contaminated with, hazardous agents. Biohazard marking is required by safety code 1910.1030(g)(1), which states that warning labels must be affixed to containers of regulated waste, refrigerators and freezers containing blood or other potentially infectious material.

126692	7" x 10"	B-302
126695	10" x 14"	B-302
126691	7" x 10"	B-401
126694	10" x 14"	B-401
126690	7" x 10"	B-555
126693	10" x 14"	B-555

126686	7" x 10"	B-302
126689	10" x 14"	B-302
126685	7" x 10"	B-401
126688	10" x 14"	B-401
126684	7" x 10"	B-555
126687	10" x 14"	B-555

126680	7" x 10"	B-302
126683	10" x 14"	B-302
126679	7" x 10"	B-401
126682	10" x 14"	B-401
126678	7" x 10"	B-555
126681	10" x 14"	B-555

126668	7" x 10"	B-302
126671	10" x 14"	B-302
126667	7" x 10"	B-401
126670	10" x 14"	B-401
126666	7" x 10"	B-555
126669	10" x 14"	B-555

126674	7" x 10"	B-302
126677	10" x 14"	B-302
126673	7" x 10"	B-401
126676	10" x 14"	B-401
126672	7" x 10"	B-555
126675	10" x 14"	B-555

62550	7" x 10"	B-120
62812	10" x 14"	B-120
21800	7" x 10"	B-401
26575	10" x 14"	B-401
83928	3-1/2" x 5"	B-485
83753	7" x 10"	B-485
46753	10" x 14"	B-555

90704	10" x 7"	B-347

69768	10" x 14"	B-120
25742	7" x 10"	B-401
25743	10" x 14"	B-401
89170	3-1/2" x 5"	B-485
85553	7" x 10"	B-485
85554	10" x 14"	B-485
43319	7" x 10"	B-555
43320	10" x 14"	B-555

126649	7" x 10"	B-401
126652	10" x 14"	B-401
126650	7" x 10"	B-485
126653	10" x 14"	B-485
126648	7" x 10"	B-555
126651	10" x 14"	B-555

69767	10" x 14"	B-120
22211	7" x 10"	B-401
22212	10" x 14"	B-401
84216	7" x 10"	B-485
84217	10" x 14"	B-485
40775	7" x 10"	B-555
40776	10" x 14"	B-555

126625	10" x 7"	B-401
126628	14" x 10"	B-401
126626	10" x 7"	B-485
126629	14" x 10"	B-485
126624	10" x 7"	B-555
126627	14" x 10"	B-555

126643	10" x 7"	B-401
126646	14" x 10"	B-401
126644	10" x 7"	B-485
126647	14" x 10"	B-485
126642	10" x 7"	B-555
126645	14" x 10"	B-555

126643	10" x 7"	B-401
126646	14" x 10"	B-401
126644	10" x 7"	B-485
126647	14" x 10"	B-485
126642	10" x 7"	B-555
126645	14" x 10"	B-555

126637	10" x 7"	B-401
126640	14" x 10"	B-401
126638	10" x 7"	B-485
126641	14" x 10"	B-485
126636	10" x 7"	B-555
126639	14" x 10"	B-555

126631	10" x 7"	B-401
126634	14" x 10"	B-401
126632	10" x 7"	B-485
126635	14" x 10"	B-485
126630	10" x 7"	B-555
126633	14" x 10"	B-555

69815	14" x 10"	B-120
25780	10" x 7"	B-401
25781	14" x 10"	B-401
89169	5" x 3-1/2"	B-485
89163	10" x 7"	B-485
89164	14" x 10"	B-485
43357	10" x 7"	B-555
43358	14" x 10"	B-555

69789	7" x 17"	B-120

126661	7" x 10"	B-401
126664	10" x 14"	B-401
126662	7" x 10"	B-485
126665	10" x 14"	B-485
126660	7" x 10"	B-555
126663	10" x 14"	B-555

69813	14" x 10"	B-120
89158	10" x 7"	B-485
89159	14" x 10"	B-485

Blank Signs

Brady offers a variety of blank signs and panels that can be customized to your specific needs using the GlobalMark® Industrial Label Maker or the PowerMark™ Sign and Label Maker. Simply print your custom legend onto the blank sign and remove the liner to create your custom sign. These blank signs can be used to create custom safety signs, alert signs, admittance signs and more. Blank signs with pre-printed headers are also available in a range of sizes and materials.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

65263	7" x 10"	B-101
65264	10" x 14"	B-101
76005	7" x 10"	B-120
47002	10" x 14"	B-120
76006	14" x 20"	B-120
88918	7" x 10"	B-302
88919	10" x 14"	B-302
25356	7" x 10"	B-401
25357	10" x 14"	B-401
42933	7" x 10"	B-555
42934	10" x 14"	B-555
78063	10" x 14"	B-836
78064	14" x 20"	B-836

65261	7" x 10"	B-101
65262	10" x 14"	B-101
76009	7" x 10"	B-120
47004	10" x 14"	B-120
76013	14" x 20"	B-120
88925	7" x 10"	B-302
88926	10" x 14"	B-302
25360	7" x 10"	B-401
25361	10" x 14"	B-401
42937	7" x 10"	B-555
42938	10" x 14"	B-555
78066	10" x 14"	B-836
78067	14" x 20"	B-836
77995	18" x 24"	B-836

65266	10" x 14"	B-101
76015	7" x 10"	B-120
47014	10" x 14"	B-120
76021	14" x 20"	B-120
88932	7" x 10"	B-302
88933	10" x 14"	B-302
25364	7" x 10"	B-401
25365	10" x 14"	B-401
42941	7" x 10"	B-555
42942	10" x 14"	B-555
77997	18" x 24"	B-836

69806	10" x 14"	B-120
88944	7" x 10"	B-302
88945	10" x 14"	B-302
25372	7" x 10"	B-401
25373	10" x 14"	B-401
42949	7" x 10"	B-555
42950	10" x 14"	B-555

75990	10" x 14"	B-120
88942	7" x 10"	B-302
25370	7" x 10"	B-401
25371	10" x 14"	B-401
42948	10" x 14"	B-555
78073	14" x 20"	B-836



76063	7" x 10"	B-120
47000	10" x 14"	B-120
76034	14" x 20"	B-120
76036	20" x 28"	B-120
88948	7" x 10"	B-302
88949	10" x 14"	B-302
25963	3-1/2" x 5"	B-401
25960	5" x 7"	B-401
25376	7" x 10"	B-401
25377	10" x 14"	B-401
42953	7" x 10"	B-555
42954	10" x 14"	B-555
78084	7" x 10"	B-836
78086	14" x 20"	B-836
77998	18" x 24"	B-836

88915	2-1/4" x 9"	B-302

88922	2-1/4" x 9"	B-302
88924	5" x 14"	B-302

88930	3-1/2" x 10"	B-302

89115	2-1/4" x 9"	B-302

88941	2-1/4" x 9"	B-302

76064	7" x 10"	B-120
76040	10" x 14"	B-120
76045	14" x 20"	B-120
76050	20" x 28"	B-120
88946	7" x 10"	B-302
88947	10" x 14"	B-302
25964	3-1/2" x 5"	B-401
25961	5" x 7"	B-401
25374	7" x 10"	B-401
25375	10" x 14"	B-401
42951	7" x 10"	B-555
42952	10" x 14"	B-555
78083	14" x 20"	B-836
77999	18" x 24"	B-836

88058	2-1/4" x 9"	B-302
88059	3-1/2" x 10"	B-302

88061	2-1/4" x 9"	B-302
88063	5" x 14"	B-302

95563	14" x 20"	B-120
89006	10" x 14"	B-302

88064	2-1/4" x 9"	B-302
88065	3-1/2" x 10"	B-302
88066	5" x 14"	B-302

76097	7" x 10"	B-120
76098	10" x 14"	B-120
88052	7" x 10"	B-302
88053	10" x 14"	B-302
25971	7" x 10"	B-401
25972	10" x 14"	B-401

76100	7" x 10"	B-120
76101	10" x 14"	B-120
88054	7" x 10"	B-302
25973	7" x 10"	B-401
42252	7" x 10"	B-555

69825	10" x 14"	B-120
88056	7" x 10"	B-302
88057	10" x 14"	B-302
25975	7" x 10"	B-401
42254	7" x 10"	B-555
42255	10" x 14"	B-555

76061	10" x 14"	B-120
88914	10" x 14"	B-302

95559	10" x 14"	B-120
89001	7" x 10"	B-302
25406	7" x 10"	B-401
25407	10" x 14"	B-401

42986	10" x 14"	B-555

65825	10" x 14"	B-120
65828	10" x 14"	B-555

76053	10" x 14"	B-120
76056	14" x 20"	B-120
88939	7" x 10"	B-302
25368	7" x 10"	B-401
25369	10" x 14"	B-401



69809	10" x 14"	B-120
69810	14" x 20"	B-120
89113	7" x 10"	B-302
25962	5" x 7"	B-401
25886	10" x 14"	B-401
43462	7" x 10"	B-555

88935	10" x 14"	B-302
25366	7" x 10"	B-401

74871	10" x 14"	B-120
88927	7" x 10"	B-302
88928	10" x 14"	B-302
25362	7" x 10"	B-401

25413	10" x 14"	B-401

65159	18" x 18"	B-959

Braille (ADA) Signs

Brady Braille signs meet ADA requirements and new ICC / ANSI 117.1 specifications for identifying permanent rooms within a building. Braille signs are required by law under the Americans with Disabilities Act. These Braille signs are available in more than 15 stock legends to identify restrooms, elevators, exits, safety equipment and more. Brady Braille tactile signs are available in many sizes, shapes and materials.

Did You Know?

All Braille signs feature a true dome-shaped Braille dot to meet new ICC / ANSI 117.1 specifications.



70123 6" x 6" B-81 Black



70109 8" x 8" B-81 Black
70135 8" x 8" B-81 Brown

70167 2" x 8" B-81 Brown

70161 8" x 8" B-81 Black
73447 8" x 8" B-81 Brown

70115 2" x 8" B-81 Black
70141 2" x 8" B-81 Brown

70105 8" x 8" B-81 Black

75364 8" x 8" B-81 Black
75365 8" x 8" B-81 Brown



70102 8" x 8" B-81 Black
70128 8" x 8" B-81 Brown

70112 2" x 8" B-81 Black
70138 2" x 8" B-81 Brown

106179 10" x 11" Plastic Blue

106182 10" x 11" Plastic Blue

73445 8" x 8" B-81 Brown

70117 2" x 8" B-81 Black



70103 8" x 8" B-81 Black
70129 8" x 8" B-81 Brown

106181 12 dia. Plastic Blue

106184 12 dia. Plastic Blue



70110 8" x 8" B-81 Black
70136 8" x 8" B-81 Brown

75362 8" x 8" B-81 Black
79569 8" x 8" B-81 Brown



73400 8" x 8" B-81 Black
70127 8" x 8" B-81 Brown



106180 12 dia. Plastic Blue
106186 12 dia. Plastic Black

106183 13 dia. Plastic Black

70137 2" x 8" B-81 Brown

Braille (ADA) Sign Frames

- Square cornered frames available to fit all Braille (ADA) signs above

Catalog #	Description	Size	Material	Color
70153	Braille Sign Frame	2” x 8”	High Impact Styrene	Black
73446	Braille Sign Frame	2” x 8”	High Impact Styrene	Brown
73403	Braille Sign Frame	8” x 8”	High Impact Styrene	Black
70152	Braille Sign Frame	8” x 8”	High Impact Styrene	Brown

Chemical & Hazardous Material Signs

Brady's chemical signs are used to identify your plant's chemical storage and hazardous materials areas. These chemical signs keep your employees safe by clearly indicating where and how chemicals are kept. Brady offers more than 175 stock legends to help you comply with OSHA standards. Chemical signs and hazardous material signs are available in a variety of sizes and materials, including photoluminescent.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

125888	7" x 10"	B-302
125891	10" x 14"	B-302
125887	7" x 10"	B-401
125890	10" x 14"	B-401
125886	7" x 10"	B-555
125889	10" x 14"	B-555

69371	10" x 14"	B-120
84285	7" x 10"	B-302
84286	10" x 14"	B-302
22262	7" x 10"	B-401
22263	10" x 14"	B-401
40826	7" x 10"	B-555
40827	10" x 14"	B-555

125894	7" x 10"	B-302
125897	10" x 14"	B-302
125893	7" x 10"	B-401
125896	10" x 14"	B-401
125892	7" x 10"	B-555
125895	10" x 14"	B-555

76080	10" x 14"	B-120
85382	7" x 10"	B-302
85383	10" x 14"	B-302
22697	7" x 10"	B-401
22698	10" x 14"	B-401
41261	7" x 10"	B-555
41262	10" x 14"	B-555

69290	14" x 20"	B-120
85384	7" x 10"	B-302
85385	10" x 14"	B-302
22699	7" x 10"	B-401
22700	10" x 14"	B-401
41264	10" x 14"	B-555

58763	10" x 14"	B-120
58764	14" x 20"	B-120
89087	7" x 10"	B-302
89088	10" x 14"	B-302
25418	7" x 10"	B-401
25419	10" x 14"	B-401
42995	7" x 10"	B-555
42996	10" x 14"	B-555

69291	14" x 20"	B-120
85386	7" x 10"	B-302
22701	7" x 10"	B-401
41266	10" x 14"	B-555

125900	7" x 10"	B-302
125903	10" x 14"	B-302
125899	7" x 10"	B-401
125902	10" x 14"	B-401
125898	7" x 10"	B-555
125901	10" x 14"	B-555

125906	7" x 10"	B-302
125909	10" x 14"	B-302
125905	7" x 10"	B-401
125908	10" x 14"	B-401
125904	7" x 10"	B-555
125907	10" x 14"	B-555

69775	10" x 14"	B-120
22703	7" x 10"	B-401
22704	10" x 14"	B-401
41267	7" x 10"	B-555
41268	10" x 14"	B-555

125918	7" x 10"	B-302
125921	10" x 14"	B-302
125917	7" x 10"	B-401
125920	10" x 14"	B-401
125916	7" x 10"	B-555
125919	10" x 14"	B-555

43496	10" x 14"	B-555

125924	7" x 10"	B-302
125927	10" x 14"	B-302
125923	7" x 10"	B-401
125926	10" x 14"	B-401
125922	7" x 10"	B-555
125925	10" x 14"	B-555

125930	10" x 7"	B-302
125933	14" x 10"	B-302
125929	10" x 7"	B-401
125932	14" x 10"	B-401
125928	10" x 7"	B-555
125931	14" x 10"	B-555

125936	7" x 10"	B-302
125939	10" x 14"	B-302
125935	7" x 10"	B-401
125938	10" x 14"	B-401
125934	7" x 10"	B-555
125937	10" x 14"	B-555

76073	10" x 14"	B-120
84289	7" x 10"	B-302
40829	10" x 14"	B-555

69042	10" x 14"	B-120
84291	7" x 10"	B-302
84292	10" x 14"	B-302
22266	7" x 10"	B-401
22267	10" x 14"	B-401
40831	10" x 14"	B-555

43514	10" x 14"	B-555

84293	7" x 10"	B-302
84294	10" x 14"	B-302
22268	7" x 10"	B-401
22269	10" x 14"	B-401
40832	7" x 10"	B-555
40833	10" x 14"	B-555

125942	7" x 10"	B-302
125945	10" x 14"	B-302
125941	7" x 10"	B-401
125944	10" x 14"	B-401
125940	7" x 10"	B-555
125943	10" x 14"	B-555

125750	7" x 10"	B-302
125753	10" x 14"	B-302
125749	7" x 10"	B-401
125752	10" x 14"	B-401
125748	7" x 10"	B-555
125751	10" x 14"	B-555

70256	10" x 14"	B-120
84295	7" x 10"	B-302
84296	10" x 14"	B-302
22270	7" x 10"	B-401
40834	7" x 10"	B-555

122838	7" x 10"	B-120
47117	10" x 14"	B-120
84297	7" x 10"	B-302
84298	10" x 14"	B-302
22272	7" x 10"	B-401
22273	10" x 14"	B-401
40836	7" x 10"	B-555
40837	10" x 14"	B-555

125954	7" x 10"	B-302
125957	10" x 14"	B-302
125953	7" x 10"	B-401
125956	10" x 14"	B-401
125952	7" x 10"	B-555
125955	10" x 14"	B-555

Chemical & Hazardous Material Signs (Continued)

125960	7" x 10"	B-302
125963	10" x 14"	B-302
125959	7" x 10"	B-401
125962	10" x 14"	B-401
125958	7" x 10"	B-555
125961	10" x 14"	B-555

125966	7" x 10"	B-302
125969	10" x 14"	B-302
125965	7" x 10"	B-401
125968	10" x 14"	B-401
125964	7" x 10"	B-555
125967	10" x 14"	B-555

69228	10" x 14"	B-120
84301	7" x 10"	B-302
84302	10" x 14"	B-302
22277	10" x 14"	B-401
40840	7" x 10"	B-555
40841	10" x 14"	B-555

125972	7" x 10"	B-302
125975	10" x 14"	B-302
125971	7" x 10"	B-401
125974	10" x 14"	B-401
125970	7" x 10"	B-555
125973	10" x 14"	B-555

125978	7" x 10"	B-302
125981	10" x 14"	B-302
125977	7" x 10"	B-401
125980	10" x 14"	B-401
125976	7" x 10"	B-555
125979	10" x 14"	B-555

124282	7" x 10"	B-302
124285	10" x 14"	B-302
124281	7" x 10"	B-401
124284	10" x 14"	B-401
124280	7" x 10"	B-555
124283	10" x 14"	B-555

126008	7" x 10"	B-302
126011	10" x 14"	B-302
126007	7" x 10"	B-401
126010	10" x 14"	B-401
126006	7" x 10"	B-555
126009	10" x 14"	B-555

125990	7" x 10"	B-302
125993	10" x 14"	B-302
125989	7" x 10"	B-401
125992	10" x 14"	B-401
125988	7" x 10"	B-555
125991	10" x 14"	B-555

126002	7" x 10"	B-302
126005	10" x 14"	B-302
126001	7" x 10"	B-401
126004	10" x 14"	B-401
126000	7" x 10"	B-555
126003	10" x 14"	B-555

125996	7" x 10"	B-302
125999	10" x 14"	B-302
125995	7" x 10"	B-401
125998	10" x 14"	B-401
125994	7" x 10"	B-555
125997	10" x 14"	B-555

122898	7" x 10"	B-120
122760	10" x 14"	B-120
69005	14" x 20"	B-120
85407	7" x 10"	B-302
85408	10" x 14"	B-302
22707	7" x 10"	B-401
22708	10" x 14"	B-401
41271	7" x 10"	B-555
41272	10" x 14"	B-555

122842	7" x 10"	B-120
70374	10" x 14"	B-120
85409	7" x 10"	B-302
85410	10" x 14"	B-302
22709	7" x 10"	B-401
22710	10" x 14"	B-401
41273	7" x 10"	B-555
41274	10" x 14"	B-555

85411	7" x 10"	B-302
85412	10" x 14"	B-302
22711	7" x 10"	B-401
22712	10" x 14"	B-401
41275	7" x 10"	B-555
41276	10" x 14"	B-555

126014	7" x 10"	B-302
126017	10" x 14"	B-302
126013	7" x 10"	B-401
126016	10" x 14"	B-401
126012	7" x 10"	B-555
126015	10" x 14"	B-555

85414	10" x 14"	B-302
22713	7" x 10"	B-401
22714	10" x 14"	B-401

126020	7" x 10"	B-302
126023	10" x 14"	B-302
126019	7" x 10"	B-401
126022	10" x 14"	B-401
126018	7" x 10"	B-555
126021	10" x 14"	B-555

126026	7" x 10"	B-302
126029	10" x 14"	B-302
126025	7" x 10"	B-401
126028	10" x 14"	B-401
126024	7" x 10"	B-555
126027	10" x 14"	B-555

126032	7" x 10"	B-302
126035	10" x 14"	B-302
126031	7" x 10"	B-401
126034	10" x 14"	B-401
126030	7" x 10"	B-555
126033	10" x 14"	B-555

69408	10" x 14"	B-120
84313	7" x 10"	B-302
84314	10" x 14"	B-302
22282	7" x 10"	B-401
22283	10" x 14"	B-401
40846	7" x 10"	B-555
40847	10" x 14"	B-555

84315	7" x 10"	B-302
84316	10" x 14"	B-302
22285	10" x 14"	B-401
40848	7" x 10"	B-555
40849	10" x 14"	B-555

126038	7" x 10"	B-302
126041	10" x 14"	B-302
126037	7" x 10"	B-401
126040	10" x 14"	B-401
126036	7" x 10"	B-555
126039	10" x 14"	B-555

72573	10" x 14"	B-120
84317	7" x 10"	B-302
84318	10" x 14"	B-302
22287	10" x 14"	B-401
40850	7" x 10"	B-555
40851	10" x 14"	B-555

126044	7" x 10"	B-302
126047	10" x 14"	B-302
126043	7" x 10"	B-401
126046	10" x 14"	B-401
126042	7" x 10"	B-555
126045	10" x 14"	B-555

84319	7" x 10"	B-302
84320	10" x 14"	B-302
22289	10" x 14"	B-401
40852	7" x 10"	B-555
40853	10" x 14"	B-555

126050	7" x 10"	B-302
126053	10" x 14"	B-302
126049	7" x 10"	B-401
126052	10" x 14"	B-401
126048	7" x 10"	B-555
126051	10" x 14"	B-555

73422	10" x 14"	B-120
85417	7" x 10"	B-302
85418	10" x 14"	B-302
22717	7" x 10"	B-401
22718	10" x 14"	B-401
41281	7" x 10"	B-555
41282	10" x 14"	B-555

126056	7" x 10"	B-302
126059	10" x 14"	B-302
126055	7" x 10"	B-401
126058	10" x 14"	B-401
126054	7" x 10"	B-555
126057	10" x 14"	B-555

70559	10" x 14"	B-120
84321	7" x 10"	B-302
84322	10" x 14"	B-302
22291	10" x 14"	B-401

126062	7" x 10"	B-302
126065	10" x 14"	B-302
126061	7" x 10"	B-401
126064	10" x 14"	B-401
126060	7" x 10"	B-555
126063	10" x 14"	B-555

126068	7" x 10"	B-302
126071	10" x 14"	B-302
126067	7" x 10"	B-401
126070	10" x 14"	B-401
126066	7" x 10"	B-555
126069	10" x 14"	B-555

Chemical & Hazardous Material Signs

www.BradyID.com

Chemical & Hazardous Material Signs (Continued)

126074	10" x 7"	B-302
126077	14" x 10"	B-302
126073	10" x 7"	B-401
126076	14" x 10"	B-401
126072	10" x 7"	B-555
126075	14" x 10"	B-555

126086	7" x 10"	B-302
126089	10" x 14"	B-302
126085	7" x 10"	B-401
126088	10" x 14"	B-401
126084	7" x 10"	B-555
126087	10" x 14"	B-555

126092	7" x 10"	B-302
126095	10" x 14"	B-302
126091	7" x 10"	B-401
126094	10" x 14"	B-401
126090	7" x 10"	B-555
126093	10" x 14"	B-555

43499	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

126080	7" x 10"	B-302
126083	10" x 14"	B-302
126079	7" x 10"	B-401
126082	10" x 14"	B-401
126078	7" x 10"	B-555
126081	10" x 14"	B-555

70206	7" x 10"	B-120
70207	10" x 14"	B-120
84323	7" x 10"	B-302
84324	10" x 14"	B-302
22292	7" x 10"	B-401
22293	10" x 14"	B-401
40856	7" x 10"	B-555
40857	10" x 14"	B-555

122819	7" x 10"	B-120
47206	10" x 14"	B-120
84326	7" x 10"	B-302
84327	10" x 14"	B-302
122518	7" x 10"	B-401
22295	10" x 14"	B-401
40858	7" x 10"	B-555
40859	10" x 14"	B-555

70208	7" x 17"	B-120

131825	7" x 10"	B-120
131826	10" x 14"	B-120
131823	7" x 10"	B-302
131824	10" x 14"	B-302
131821	7" x 10"	B-401
131822	10" x 14"	B-401
131819	7" x 10"	B-555
131820	10" x 14"	B-555

126110	7" x 10"	B-302
126113	10" x 14"	B-302
126109	7" x 10"	B-401
126112	10" x 14"	B-401
126108	7" x 10"	B-555
126111	10" x 14"	B-555

126116	7" x 10"	B-302
126119	10" x 14"	B-302
126115	7" x 10"	B-401
126118	10" x 14"	B-401
126114	7" x 10"	B-555
126117	10" x 14"	B-555

84332	7" x 10"	B-302
84333	10" x 14"	B-302
22296	7" x 10"	B-401
22297	10" x 14"	B-401
40860	7" x 10"	B-555
40861	10" x 14"	B-555

126104	7" x 10"	B-302
126107	10" x 14"	B-302
126103	7" x 10"	B-401
126106	10" x 14"	B-401
126102	7" x 10"	B-555
126105	10" x 14"	B-555

84334	7" x 10"	B-302
84335	10" x 14"	B-302
22298	7" x 10"	B-401
25878	10" x 14"	B-401
40862	7" x 10"	B-555
43455	10" x 14"	B-555

126122	7" x 10"	B-302
126125	10" x 14"	B-302
126121	7" x 10"	B-401
126124	10" x 14"	B-401
126120	7" x 10"	B-555
126123	10" x 14"	B-555

125822	7" x 10"	B-302
125825	10" x 14"	B-302
125821	7" x 10"	B-401
125824	10" x 14"	B-401
125820	7" x 10"	B-555
125823	10" x 14"	B-555

131861	7" x 10"	B-120
131862	10" x 14"	B-120
84336	7" x 10"	B-302
131859	7" x 10"	B-302
84337	10" x 14"	B-302
22299	7" x 10"	B-401
22300	10" x 14"	B-401
40863	7" x 10"	B-555
40864	10" x 14"	B-555

84338	7" x 10"	B-302
84339	10" x 14"	B-302
22301	7" x 10"	B-401
22302	10" x 14"	B-401
40865	7" x 10"	B-555
40866	10" x 14"	B-555

126194	7" x 10"	B-302
126197	10" x 14"	B-302
126193	7" x 10"	B-401
126196	10" x 14"	B-401
126192	7" x 10"	B-555
126195	10" x 14"	B-555

70217	10" x 14"	B-120
84340	7" x 10"	B-302
84341	10" x 14"	B-302
22304	10" x 14"	B-401
40867	7" x 10"	B-555
40868	10" x 14"	B-555

74520	20" x 14"	B-120
85437	10" x 7"	B-302
85438	14" x 10"	B-302
22721	10" x 7"	B-401
22722	14" x 10"	B-401
41285	10" x 7"	B-555
41286	14" x 10"	B-555

123661	7" x 10"	B-302
123664	10" x 14"	B-302
123660	7" x 10"	B-401
123663	10" x 14"	B-401
123659	7" x 10"	B-555
123662	10" x 14"	B-555

125810	7" x 10"	B-302
125813	10" x 14"	B-302
125809	7" x 10"	B-401
125812	10" x 14"	B-401
125808	7" x 10"	B-555
125811	10" x 14"	B-555

75974	7" x 10"	B-120
75975	10" x 14"	B-120
85439	7" x 10"	B-302
22723	7" x 10"	B-401

85441	7" x 10"	B-302
85442	10" x 14"	B-302
69765	10" x 14"	B-120
22725	7" x 10"	B-401
22726	10" x 14"	B-401

85443	7" x 10"	B-302
85444	10" x 14"	B-302
25777	10" x 14"	B-401
43353	7" x 10"	B-555
43354	10" x 14"	B-555

126128	7" x 10"	B-302
126131	10" x 14"	B-302
126127	7" x 10"	B-401
126130	10" x 14"	B-401
126126	7" x 10"	B-555
126129	10" x 14"	B-555

125834	7" x 10"	B-302
125837	10" x 14"	B-302
125833	7" x 10"	B-401
125836	10" x 14"	B-401
125832	7" x 10"	B-555
125835	10" x 14"	B-555

Chemical & Hazardous Material Signs (Continued)

23090	7" x 10"	B-401
41990	7" x 10"	B-555
41991	10" x 14"	B-555

126140	7" x 10"	B-302
126143	10" x 14"	B-302
126139	7" x 10"	B-401
126142	10" x 14"	B-401
126138	7" x 10"	B-555
126141	10" x 14"	B-555

126134	7" x 10"	B-302
126137	10" x 14"	B-302
126133	7" x 10"	B-401
126136	10" x 14"	B-401
126132	7" x 10"	B-555
126135	10" x 14"	B-555

72392	7" x 10"	B-120
73489	10" x 14"	B-120
84345	7" x 10"	B-302
84346	10" x 14"	B-302
22305	7" x 10"	B-401
22306	10" x 14"	B-401
40869	7" x 10"	B-555
40870	10" x 14"	B-555

126146	7" x 10"	B-302
126149	10" x 14"	B-302
126145	7" x 10"	B-401
126148	10" x 14"	B-401
126144	7" x 10"	B-555
126147	10" x 14"	B-555

22308	10" x 14"	B-401
40871	7" x 10"	B-555

126152	7" x 10"	B-302
126155	10" x 14"	B-302
126151	7" x 10"	B-401
126154	10" x 14"	B-401
126150	7" x 10"	B-555
126153	10" x 14"	B-555

84349	7" x 10"	B-302
84350	10" x 14"	B-302
22309	7" x 10"	B-401
22310	10" x 14"	B-401
40873	7" x 10"	B-555
40874	10" x 14"	B-555

122820	7" x 10"	B-120
70240	10" x 14"	B-120
84351	7" x 10"	B-302
84352	10" x 14"	B-302
22311	7" x 10"	B-401
22312	10" x 14"	B-401
122406	7" x 10"	B-555
40876	10" x 14"	B-555

131753	7" x 10"	B-120
131754	10" x 14"	B-120
131751	7" x 10"	B-302
131752	10" x 14"	B-302
131749	7" x 10"	B-401
131750	10" x 14"	B-401
131747	7" x 10"	B-555
131748	10" x 14"	B-555

131829	7" x 10"	B-120
72408	10" x 14"	B-120
84355	7" x 10"	B-302
84356	10" x 14"	B-302
22313	7" x 10"	B-401
22314	10" x 14"	B-401
40877	7" x 10"	B-555
40878	10" x 14"	B-555

69043	10" x 14"	B-120
84357	7" x 10"	B-302
84358	10" x 14"	B-302
22315	7" x 10"	B-401
22316	10" x 14"	B-401
40879	7" x 10"	B-555
40880	10" x 14"	B-555

125840	7" x 10"	B-302
125843	10" x 14"	B-302
125839	7" x 10"	B-401
125842	10" x 14"	B-401
125838	7" x 10"	B-555
125841	10" x 14"	B-555

126158	7" x 10"	B-302
126161	10" x 14"	B-302
126157	7" x 10"	B-401
126160	10" x 14"	B-401
126156	7" x 10"	B-555
126159	10" x 14"	B-555

122821	7" x 10"	B-120
70246	10" x 14"	B-120
84361	7" x 10"	B-302
84362	10" x 14"	B-302
22317	7" x 10"	B-401
22318	10" x 14"	B-401
40881	7" x 10"	B-555
40882	10" x 14"	B-555

131809	7" x 10"	B-120
131810	10" x 14"	B-120
131807	7" x 10"	B-302
131808	10" x 14"	B-302
131805	7" x 10"	B-401
131806	10" x 14"	B-401
131803	7" x 10"	B-555
131804	10" x 14"	B-555

126164	7" x 10"	B-302
126167	10" x 14"	B-302
126163	7" x 10"	B-401
126166	10" x 14"	B-401
126162	7" x 10"	B-555
126165	10" x 14"	B-555

126164	7" x 10"	B-302
126167	10" x 14"	B-302
126163	7" x 10"	B-401
126166	10" x 14"	B-401
126162	7" x 10"	B-555
126165	10" x 14"	B-555

125876	7" x 10"	B-302
125879	10" x 14"	B-302
125875	7" x 10"	B-401
125878	10" x 14"	B-401
125874	7" x 10"	B-555
125877	10" x 14"	B-555

69054	10" x 14"	B-120
84366	10" x 14"	B-302
22321	7" x 10"	B-401
22322	10" x 14"	B-401
40885	7" x 10"	B-555
40886	10" x 14"	B-555

122909	7" x 10"	B-120
122770	10" x 14"	B-120
85451	3-1/2" x 5"	B-302
85452	7" x 10"	B-302
85453	10" x 14"	B-302
122562	7" x 10"	B-401
122499	10" x 14"	B-401
122458	7" x 10"	B-555
122387	10" x 14"	B-555

125948	7" x 10"	B-302
125951	10" x 14"	B-302
125947	7" x 10"	B-401
125950	10" x 14"	B-401
125946	7" x 10"	B-555
125949	10" x 14"	B-555

126170	7" x 10"	B-302
126173	10" x 14"	B-302
126169	7" x 10"	B-401
126172	10" x 14"	B-401
126168	7" x 10"	B-555
126171	10" x 14"	B-555

126176	7" x 10"	B-302
126179	10" x 14"	B-302
126175	7" x 10"	B-401
126178	10" x 14"	B-401
126174	7" x 10"	B-555
126177	10" x 14"	B-555

122822	7" x 10"	B-120
70258	10" x 14"	B-120
122650	7" x 10"	B-302
84368	10" x 14"	B-302
22323	7" x 10"	B-401
22324	10" x 14"	B-401
40887	7" x 10"	B-555
40888	10" x 14"	B-555

69070	7" x 17"	B-120

84369	7" x 10"	B-302
84370	10" x 14"	B-302
25420	7" x 10"	B-401
42998	10" x 14"	B-555

70260	10" x 14"	B-120
84371	7" x 10"	B-302
84372	10" x 14"	B-302
25424	7" x 10"	B-401
25425	10" x 14"	B-401
43001	7" x 10"	B-555
43002	10" x 14"	B-555

125846	7" x 10"	B-302
125849	10" x 14"	B-302
125845	7" x 10"	B-401
125848	10" x 14"	B-401
125844	7" x 10"	B-555
125847	10" x 14"	B-555

72428	10" x 14"	B-120
22727	7" x 10"	B-401
22728	10" x 14"	B-401

Chemical & Hazardous Material Signs

www.BradyID.com

Chemical & Hazardous Material Signs (Continued)

126188	7" x 10"	B-302
126191	10" x 14"	B-302
126187	7" x 10"	B-401
126190	10" x 14"	B-401
126186	7" x 10"	B-555
126189	10" x 14"	B-555

126182	7" x 10"	B-302
126185	10" x 14"	B-302
126181	7" x 10"	B-401
126184	10" x 14"	B-401
126180	7" x 10"	B-555
126183	10" x 14"	B-555

69089	10" x 14"	B-120
85458	7" x 10"	B-302
85459	10" x 14"	B-302
22729	7" x 10"	B-401
22730	10" x 14"	B-401
41293	7" x 10"	B-555
41294	10" x 14"	B-555

122823	7" x 10"	B-120
70266	10" x 14"	B-120
70267	14" x 20"	B-120
87763	3-1/2" x 5"	B-302
84375	7" x 10"	B-302
84376	10" x 14"	B-302
25428	7" x 10"	B-401
25429	10" x 14"	B-401
122407	7" x 10"	B-555
43006	10" x 14"	B-555

Popular Sign Materials

- **B-120** - Premium Fiberglass
- **B-302** - Self-Sticking Polyester
- **B-324** - BradyGlo™ Self-Sticking Polyester
- **B-347** - BradyGlo™ Plastic
- **B-401** - Plastic
- **B-555** - Aluminum

View all sign materials on page 25.

123631	7" x 10"	B-302
123634	10" x 14"	B-302
123630	7" x 10"	B-401
123633	10" x 14"	B-401
123629	7" x 10"	B-555
123632	10" x 14"	B-555

126212	7" x 10"	B-302
126215	10" x 14"	B-302
126211	7" x 10"	B-401
126214	10" x 14"	B-401
126210	7" x 10"	B-555
126213	10" x 14"	B-555

126200	7" x 10"	B-302
126203	10" x 14"	B-302
126199	7" x 10"	B-401
126202	10" x 14"	B-401
126198	7" x 10"	B-555
126201	10" x 14"	B-555

126206	7" x 10"	B-302
126209	10" x 14"	B-302
126205	7" x 10"	B-401
126208	10" x 14"	B-401
126204	7" x 10"	B-555
126207	10" x 14"	B-555

43507	10" x 14"	B-555

126218	10" x 7"	B-302
126221	14" x 10"	B-302
126217	10" x 7"	B-401
126220	14" x 10"	B-401
126216	10" x 7"	B-555
126219	14" x 10"	B-555

70327	10" x 14"	B-120
72207	14" x 20"	B-120
85161	7" x 10"	B-302
85162	10" x 14"	B-302
25650	7" x 10"	B-401
25651	10" x 14"	B-401
43228	10" x 14"	B-555

70329	7" x 17"	B-120

84379	7" x 10"	B-302
25430	7" x 10"	B-401
25431	10" x 14"	B-401
43007	7" x 10"	B-555
43008	10" x 14"	B-555

73436	14" x 20"	B-120
85165	7" x 10"	B-302
85166	10" x 14"	B-302
25652	7" x 10"	B-401
25653	10" x 14"	B-401
43230	10" x 14"	B-555

75639	10" x 14"	B-120
85167	7" x 10"	B-302
85168	10" x 14"	B-302
25654	7" x 10"	B-401
25655	10" x 14"	B-401
43231	7" x 10"	B-555
43232	10" x 14"	B-555

131777	7" x 10"	B-120
131778	10" x 14"	B-120
131775	7" x 10"	B-302
131776	10" x 14"	B-302
131773	7" x 10"	B-401
131774	10" x 14"	B-401
131771	7" x 10"	B-555
131772	10" x 14"	B-555

71895	14" x 20"	B-120
85169	7" x 10"	B-302
85170	10" x 14"	B-302
25656	7" x 10"	B-401
25657	10" x 14"	B-401
43233	7" x 10"	B-555

70350	7" x 17"	B-120
25898	10" x 14"	B-401
43475	10" x 14"	B-555

122815	7" x 10"	B-120
72230	10" x 14"	B-120
87764	3-1/2" x 5"	B-302
85175	7" x 10"	B-302
85176	10" x 14"	B-302
122517	7" x 10"	B-401
25661	10" x 14"	B-401
43237	7" x 10"	B-555
43238	10" x 14"	B-555

131801	7" x 10"	B-120
131802	10" x 14"	B-120
131799	7" x 10"	B-302
131800	10" x 14"	B-302
131797	7" x 10"	B-401
131798	10" x 14"	B-401
131795	7" x 10"	B-555
131796	10" x 14"	B-555

123709	7" x 10"	B-302
123712	10" x 14"	B-302
123708	7" x 10"	B-401
123711	10" x 14"	B-401
123707	7" x 10"	B-555
123710	10" x 14"	B-555

71932	10" x 14"	B-120
85179	7" x 10"	B-302
85180	10" x 14"	B-302
25662	7" x 10"	B-401
25663	10" x 14"	B-401
43239	7" x 10"	B-555
43240	10" x 14"	B-555

72238	10" x 14"	B-120
85181	7" x 10"	B-302
85182	10" x 14"	B-302
25665	10" x 14"	B-401
43241	7" x 10"	B-555
43242	10" x 14"	B-555

123691	7" x 10"	B-302
123694	10" x 14"	B-302
123690	7" x 10"	B-401
123693	10" x 14"	B-401
123689	7" x 10"	B-555
123692	10" x 14"	B-555

47148	7" x 10"	B-120
47024	10" x 14"	B-120
75662	14" x 20"	B-120
85185	7" x 10"	B-302
85186	10" x 14"	B-302
25668	7" x 10"	B-401
25669	10" x 14"	B-401
43245	7" x 10"	B-555
43246	10" x 14"	B-555

73412	10" x 14"	B-120
88359	7" x 10"	B-302
88360	10" x 14"	B-302
25068	7" x 10"	B-401
25069	10" x 14"	B-401
42645	7" x 10"	B-555
42646	10" x 14"	B-555

122825	7" x 10"	B-120
72246	10" x 14"	B-120
87762	3-1/2" x 5"	B-302
85183	7" x 10"	B-302
85184	10" x 14"	B-302
25666	7" x 10"	B-401
25667	10" x 14"	B-401
43243	7" x 10"	B-555
43244	10" x 14"	B-555

131793	7" x 10"	B-120
131794	10" x 14"	B-120
131791	7" x 10"	B-302
131792	10" x 14"	B-302
131789	7" x 10"	B-401
131790	10" x 14"	B-401
131787	7" x 10"	B-555
131788	10" x 14"	B-555

Chemical & Hazardous Material Signs (Continued)

71945	10" x 14"	B-120
85187	7" x 10"	B-302
85188	10" x 14"	B-302
25670	7" x 10"	B-401
25671	10" x 14"	B-401
43247	7" x 10"	B-555
43248	10" x 14"	B-555

126224	10" x 7"	B-302
126227	14" x 10"	B-302
126223	10" x 7"	B-401
126226	14" x 10"	B-401
126222	10" x 7"	B-555
126225	14" x 10"	B-555

43508	10" x 14"	B-555

94996	7" x 10"	B-120
95002	7" x 10"	B-302
95003	10" x 14"	B-302
95000	7" x 10"	B-401
95001	10" x 14"	B-401
94998	7" x 10"	B-555
94999	10" x 14"	B-555

76092	10" x 14"	B-120
85485	7" x 10"	B-302
85486	10" x 14"	B-302
22741	7" x 10"	B-401
22742	10" x 14"	B-401
41305	7" x 10"	B-555
41306	10" x 14"	B-555

70357	10" x 14"	B-120
84387	7" x 10"	B-302
84388	10" x 14"	B-302
25422	7" x 10"	B-401
25423	10" x 14"	B-401
42999	7" x 10"	B-555
43000	10" x 14"	B-555

126230	7" x 10"	B-302
126233	10" x 14"	B-302
126229	7" x 10"	B-401
126232	10" x 14"	B-401
126228	7" x 10"	B-555
126231	10" x 14"	B-555

69265	10" x 14"	B-120
85489	7" x 10"	B-302
85490	10" x 14"	B-302
22745	7" x 10"	B-401
22746	10" x 14"	B-401
41310	10" x 14"	B-555

69264	7" x 17"	B-120

69275	10" x 14"	B-120
84393	7" x 10"	B-302
84394	10" x 14"	B-302
25436	7" x 10"	B-401
25437	10" x 14"	B-401
43013	7" x 10"	B-555
43014	10" x 14"	B-555

72473	10" x 14"	B-120
84395	7" x 10"	B-302
84396	10" x 14"	B-302
25438	7" x 10"	B-401
25439	10" x 14"	B-401
43015	7" x 10"	B-555
43016	10" x 14"	B-555

69000	10" x 14"	B-120
85493	7" x 10"	B-302
22749	7" x 10"	B-401
22750	10" x 14"	B-401
41313	7" x 10"	B-555
41314	10" x 14"	B-555

122826	7" x 10"	B-120
70372	10" x 14"	B-120
84397	7" x 10"	B-302
84398	10" x 14"	B-302
122519	7" x 10"	B-401
25441	10" x 14"	B-401
43017	7" x 10"	B-555
43018	10" x 14"	B-555

131769	7" x 10"	B-120
131770	10" x 14"	B-120
131767	7" x 10"	B-302
131768	10" x 14"	B-302
131765	7" x 10"	B-401
131766	10" x 14"	B-401
131763	7" x 10"	B-555
131764	10" x 14"	B-555

70373	10" x 14"	B-120
84399	7" x 10"	B-302
84400	10" x 14"	B-302
25442	7" x 10"	B-401
25443	10" x 14"	B-401
43019	7" x 10"	B-555
43020	10" x 14"	B-555

126242	7" x 10"	B-302
126245	10" x 14"	B-302
126241	7" x 10"	B-401
126244	10" x 14"	B-401
126240	7" x 10"	B-555
126243	10" x 14"	B-555

85497	7" x 10"	B-302
85498	10" x 14"	B-302
22751	7" x 10"	B-401
22752	10" x 14"	B-401
41315	7" x 10"	B-555
41316	10" x 14"	B-555

85499	7" x 10"	B-302
85500	10" x 14"	B-302
22753	7" x 10"	B-401
22754	10" x 14"	B-401
41317	7" x 10"	B-555
41318	10" x 14"	B-555

126248	7" x 10"	B-302
126251	10" x 14"	B-302
126247	7" x 10"	B-401
126250	10" x 14"	B-401
126246	7" x 10"	B-555
126249	10" x 14"	B-555

131761	7" x 10"	B-120
131762	10" x 14"	B-120
131759	7" x 10"	B-302
131760	10" x 14"	B-302
131757	7" x 10"	B-401
131758	10" x 14"	B-401
131755	7" x 10"	B-555
131756	10" x 14"	B-555

126236	10" x 7"	B-302
126239	14" x 10"	B-302
126235	10" x 7"	B-401
126238	14" x 10"	B-401
126234	10" x 7"	B-555
126237	14" x 10"	B-555

126254	7" x 10"	B-302
126257	10" x 14"	B-302
126253	7" x 10"	B-401
126256	10" x 14"	B-401
126252	7" x 10"	B-555
126255	10" x 14"	B-555

126260	7" x 10"	B-302
126263	10" x 14"	B-302
126259	7" x 10"	B-401
126262	10" x 14"	B-401
126258	7" x 10"	B-555
126261	10" x 14"	B-555

126266	7" x 10"	B-302
126269	10" x 14"	B-302
126265	7" x 10"	B-401
126268	10" x 14"	B-401
126264	7" x 10"	B-555
126267	10" x 14"	B-555

72489	10" x 14"	B-120
84403	7" x 10"	B-302
25447	10" x 14"	B-401
43023	7" x 10"	B-555
43024	10" x 14"	B-555

73484	14" x 20"	B-120
85191	7" x 10"	B-302
85192	10" x 14"	B-302
25674	7" x 10"	B-401
25675	10" x 14"	B-401
43251	7" x 10"	B-555

126272	7" x 10"	B-302
126275	10" x 14"	B-302
126271	7" x 10"	B-401
126274	10" x 14"	B-401
126270	7" x 10"	B-555
126273	10" x 14"	B-555

126278	7" x 10"	B-302
126281	10" x 14"	B-302
126277	7" x 10"	B-401
126280	10" x 14"	B-401
126276	7" x 10"	B-555
126279	10" x 14"	B-555

Chemical & Hazardous Material Signs (Continued)

125870	7" x 10"	B-302
125873	10" x 14"	B-302
125869	7" x 10"	B-401
125872	10" x 14"	B-401
125868	7" x 10"	B-555
125871	10" x 14"	B-555

125858	7" x 10"	B-302
125861	10" x 14"	B-302
125857	7" x 10"	B-401
125860	10" x 14"	B-401
125856	7" x 10"	B-555
125859	10" x 14"	B-555

125864	7" x 10"	B-302
125867	10" x 14"	B-302
125863	7" x 10"	B-401
125866	10" x 14"	B-401
125862	7" x 10"	B-555
125865	10" x 14"	B-555

72503	7" x 10"	B-120
84407	7" x 10"	B-302
84408	10" x 14"	B-302
25448	7" x 10"	B-401
25449	10" x 14"	B-401
43026	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

131837	7" x 10"	B-120
131838	10" x 14"	B-120
131835	7" x 10"	B-302
131836	10" x 14"	B-302
131833	7" x 10"	B-401
131834	10" x 14"	B-401
131831	7" x 10"	B-555
131832	10" x 14"	B-555

84409	7" x 10"	B-302
25450	7" x 10"	B-401
25451	10" x 14"	B-401
43027	7" x 10"	B-555
43028	10" x 14"	B-555

69294	10" x 14"	B-120
84411	7" x 10"	B-302
84412	10" x 14"	B-302
25453	10" x 14"	B-401
43029	7" x 10"	B-555
43030	10" x 14"	B-555



126284	7" x 10"	B-302
126287	10" x 14"	B-302
126283	7" x 10"	B-401
126286	10" x 14"	B-401
126282	7" x 10"	B-555
126285	10" x 14"	B-555

131845	7" x 10"	B-120
131846	10" x 14"	B-120
131843	7" x 10"	B-302
131844	10" x 14"	B-302
131841	7" x 10"	B-401
131842	10" x 14"	B-401
131839	7" x 10"	B-555
131840	10" x 14"	B-555

69304	7" x 17"	B-120

43505	10" x 14"	B-555

69308	7" x 17"	B-120
25910	10" x 14"	B-401
43487	10" x 14"	B-555

126296	7" x 10"	B-302
126299	10" x 14"	B-302
126295	7" x 10"	B-401
126298	10" x 14"	B-401
126294	7" x 10"	B-555
126297	10" x 14"	B-555

126302	7" x 10"	B-302
126305	10" x 14"	B-302
126301	7" x 10"	B-401
126304	10" x 14"	B-401
126300	7" x 10"	B-555
126303	10" x 14"	B-555

126290	7" x 10"	B-302
126293	10" x 14"	B-302
126289	7" x 10"	B-401
126292	10" x 14"	B-401
126288	7" x 10"	B-555
126291	10" x 14"	B-555

126308	7" x 10"	B-302
126311	10" x 14"	B-302
126307	7" x 10"	B-401
126310	10" x 14"	B-401
126306	7" x 10"	B-555
126309	10" x 14"	B-555

125828	7" x 10"	B-302
125831	10" x 14"	B-302
125827	7" x 10"	B-401
125830	10" x 14"	B-401
125826	7" x 10"	B-555
125829	10" x 14"	B-555

126314	7" x 10"	B-302
126317	10" x 14"	B-302
126313	7" x 10"	B-401
126316	10" x 14"	B-401
126312	7" x 10"	B-555
126315	10" x 14"	B-555

43510	10" x 14"	B-555

126320	7" x 10"	B-302
126323	10" x 14"	B-302
126319	7" x 10"	B-401
126322	10" x 14"	B-401
126318	7" x 10"	B-555
126321	10" x 14"	B-555

70419	10" x 14"	B-120
84421	10" x 14"	B-302
22326	10" x 14"	B-401

69337	10" x 14"	B-120
85512	7" x 10"	B-302
22760	7" x 10"	B-401
22761	10" x 14"	B-401
41324	7" x 10"	B-555
41325	10" x 14"	B-555

70423	14" x 20"	B-120
84422	7" x 10"	B-302
84423	10" x 14"	B-302
22327	7" x 10"	B-401
22328	10" x 14"	B-401
40891	7" x 10"	B-555
40892	10" x 14"	B-555

123667	7" x 10"	B-302
123670	10" x 14"	B-302
123666	7" x 10"	B-401
123669	10" x 14"	B-401
123665	7" x 10"	B-555
123668	10" x 14"	B-555

126326	7" x 10"	B-302
126329	10" x 14"	B-302
126325	7" x 10"	B-401
126328	10" x 14"	B-401
126324	7" x 10"	B-555
126327	10" x 14"	B-555

72537	10" x 14"	B-120
84425	10" x 14"	B-302
22329	7" x 10"	B-401
22330	10" x 14"	B-401

131853	7" x 10"	B-120
131854	10" x 14"	B-120
84426	7" x 10"	B-302
84427	10" x 14"	B-302
22331	7" x 10"	B-401
22332	10" x 14"	B-401
40895	7" x 10"	B-555
40896	10" x 14"	B-555

126338	7" x 10"	B-302
126341	10" x 14"	B-302
126337	7" x 10"	B-401
126340	10" x 14"	B-401
126336	7" x 10"	B-555
126339	10" x 14"	B-555

Chemical & Hazardous Material Signs (Continued)

126344	7" x 10"	B-302
126347	10" x 14"	B-302
126343	7" x 10"	B-401
126346	10" x 14"	B-401
126342	7" x 10"	B-555
126345	10" x 14"	B-555

69399	10" x 14"	B-120
84428	7" x 10"	B-302
84429	10" x 14"	B-302
22333	7" x 10"	B-401
22334	10" x 14"	B-401
40897	7" x 10"	B-555
40898	10" x 14"	B-555

126350	7" x 10"	B-302
126353	10" x 14"	B-302
126349	7" x 10"	B-401
126352	10" x 14"	B-401
126348	7" x 10"	B-555
126351	10" x 14"	B-555

131745	7" x 10"	B-120
131746	10" x 14"	B-120
131743	7" x 10"	B-302
131744	10" x 14"	B-302
131741	7" x 10"	B-401
131742	10" x 14"	B-401
131739	7" x 10"	B-555
131740	10" x 14"	B-555

69409	7" x 17"	B-120

84430	7" x 10"	B-302
84431	10" x 14"	B-302
22335	7" x 10"	B-401
22336	10" x 14"	B-401
40899	7" x 10"	B-555
40900	10" x 14"	B-555

126356	7" x 10"	B-302
126359	10" x 14"	B-302
126355	7" x 10"	B-401
126358	10" x 14"	B-401
126354	7" x 10"	B-555
126357	10" x 14"	B-555

84434	3-1/2" x 5"	B-302
84435	7" x 10"	B-302
84436	10" x 14"	B-302
22337	7" x 10"	B-401
22338	10" x 14"	B-401
40901	7" x 10"	B-555
40902	10" x 14"	B-555

126374	7" x 10"	B-302
126377	10" x 14"	B-302
126373	7" x 10"	B-401
126376	10" x 14"	B-401
126372	7" x 10"	B-555
126375	10" x 14"	B-555

126368	7" x 10"	B-302
126371	10" x 14"	B-302
126367	7" x 10"	B-401
126370	10" x 14"	B-401
126366	7" x 10"	B-555
126369	10" x 14"	B-555

40904	10" x 14"	B-555
69440	10" x 14"	B-120
84438	10" x 14"	B-302
22339	7" x 10"	B-401

126362	7" x 10"	B-302
126365	10" x 14"	B-302
126361	7" x 10"	B-401
126364	10" x 14"	B-401
126360	7" x 10"	B-555
126363	10" x 14"	B-555

126380	7" x 10"	B-302
126383	10" x 14"	B-302
126379	7" x 10"	B-401
126382	10" x 14"	B-401
126378	7" x 10"	B-555
126381	10" x 14"	B-555

131830	7" x 10"	B-120
73420	10" x 14"	B-120
84439	7" x 10"	B-302
84440	10" x 14"	B-302
22341	7" x 10"	B-401
22342	10" x 14"	B-401
40905	7" x 10"	B-555
40906	10" x 14"	B-555

126386	7" x 10"	B-302
126389	10" x 14"	B-302
126385	7" x 10"	B-401
126388	10" x 14"	B-401
126384	7" x 10"	B-555
126387	10" x 14"	B-555

126398	7" x 10"	B-302
126401	10" x 14"	B-302
126397	7" x 10"	B-401
126400	10" x 14"	B-401
126396	7" x 10"	B-555
126399	10" x 14"	B-555

123655	7" x 10"	B-302
123658	10" x 14"	B-302
123654	7" x 10"	B-401
123657	10" x 14"	B-401
123653	7" x 10"	B-555
123656	10" x 14"	B-555

72587	14" x 20"	B-120
85521	7" x 10"	B-302
85522	10" x 14"	B-302
22764	7" x 10"	B-401
22765	10" x 14"	B-401
41328	7" x 10"	B-555
41329	10" x 14"	B-555

87647	7" x 10"	B-120
87648	10" x 14"	B-120
59397	7" x 10"	B-302
50998	10" x 14"	B-302
59395	7" x 10"	B-401
16840	10" x 14"	B-401
16841	10" x 14"	B-555

84446	10" x 14"	B-302
22343	7" x 10"	B-401
40908	10" x 14"	B-555

126098	7" x 10"	B-302
126101	10" x 14"	B-302
126097	7" x 10"	B-401
126100	10" x 14"	B-401
126096	7" x 10"	B-555
126099	10" x 14"	B-555

126404	7" x 10"	B-302
126407	10" x 14"	B-302
126403	7" x 10"	B-401
126406	10" x 14"	B-401
126402	7" x 10"	B-555
126405	10" x 14"	B-555

125852	7" x 10"	B-302
125855	10" x 14"	B-302
125851	7" x 10"	B-401
125854	10" x 14"	B-401
125850	7" x 10"	B-555
125853	10" x 14"	B-555

125816	7" x 10"	B-302
125819	10" x 14"	B-302
125815	7" x 10"	B-401
125818	10" x 14"	B-401
125814	7" x 10"	B-555
125817	10" x 14"	B-555

70582	10" x 14"	B-120
88627	7" x 10"	B-302
88628	10" x 14"	B-302
25222	7" x 10"	B-401
25223	10" x 14"	B-401
42799	7" x 10"	B-555
42800	10" x 14"	B-555

84457	7" x 10"	B-302
84458	10" x 14"	B-302
22349	7" x 10"	B-401
22350	10" x 14"	B-401
40913	10" x 14"	B-555
40914	10" x 14"	B-555

70585	10" x 14"	B-120
84459	7" x 10"	B-302
22351	7" x 10"	B-401

69558	10" x 14"	B-120
84461	7" x 10"	B-302
84462	10" x 14"	B-302
22353	7" x 10"	B-401
22354	10" x 14"	B-401

126416	7" x 10"	B-302
126419	10" x 14"	B-302
126415	7" x 10"	B-401
126418	10" x 14"	B-401
126414	7" x 10"	B-555
126417	10" x 14"	B-555

126410	7" x 10"	B-302
126413	10" x 14"	B-302
126409	7" x 10"	B-401
126412	10" x 14"	B-401
126408	7" x 10"	B-555
126411	10" x 14"	B-555

Chemical & Hazardous Material Signs

www.BradyID.com

Chemical & Hazardous Material Signs (Continued)

84473	7" x 10"	B-302
22365	7" x 10"	B-401
22366	10" x 14"	B-401

126428	7" x 10"	B-302
126431	10" x 14"	B-302
126427	7" x 10"	B-401
126430	10" x 14"	B-401
126426	7" x 10"	B-555
126429	10" x 14"	B-555

70239	10" x 14"	B-120
85531	7" x 10"	B-302
85532	10" x 14"	B-302
22768	7" x 10"	B-401
22769	10" x 14"	B-401
41332	7" x 10"	B-555
41333	10" x 14"	B-555

126434	7" x 10"	B-302
126437	10" x 14"	B-302
126433	7" x 10"	B-401
126436	10" x 14"	B-401
126432	7" x 10"	B-555
126435	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

85533	7" x 10"	B-302
85534	10" x 14"	B-302
22770	7" x 10"	B-401
22771	10" x 14"	B-401
41334	7" x 10"	B-555
41335	10" x 14"	B-555

70270	10" x 14"	B-120
84463	7" x 10"	B-302
84464	10" x 14"	B-302
22355	7" x 10"	B-401
22356	10" x 14"	B-401
40920	10" x 14"	B-555

85535	7" x 10"	B-302
85536	10" x 14"	B-302
25734	7" x 10"	B-401
25735	10" x 14"	B-401
43311	7" x 10"	B-555
43312	10" x 14"	B-555

126440	7" x 10"	B-302
126443	10" x 14"	B-302
126439	7" x 10"	B-401
126442	10" x 14"	B-401
126438	7" x 10"	B-555
126441	10" x 14"	B-555

126452	7" x 10"	B-302
126455	10" x 14"	B-302
126451	7" x 10"	B-401
126454	10" x 14"	B-401
126450	7" x 10"	B-555
126453	10" x 14"	B-555

126446	7" x 10"	B-302
126449	10" x 14"	B-302
126445	7" x 10"	B-401
126448	10" x 14"	B-401
126444	7" x 10"	B-555
126447	10" x 14"	B-555

131885	7" x 10"	B-120
131886	10" x 14"	B-120
131883	7" x 10"	B-302
131884	10" x 14"	B-302
131881	7" x 10"	B-401
131882	10" x 14"	B-401
131879	7" x 10"	B-555
131880	10" x 14"	B-555

126458	7" x 10"	B-302
126461	10" x 14"	B-302
126457	7" x 10"	B-401
126460	10" x 14"	B-401
126456	7" x 10"	B-555
126459	10" x 14"	B-555

126470	7" x 10"	B-302
126473	10" x 14"	B-302
126469	7" x 10"	B-401
126472	10" x 14"	B-401
126468	7" x 10"	B-555
126471	10" x 14"	B-555

126464	7" x 10"	B-302
126467	10" x 14"	B-302
126463	7" x 10"	B-401
126466	10" x 14"	B-401
126462	7" x 10"	B-555
126465	10" x 14"	B-555

70430	10" x 14"	B-120
84466	10" x 14"	B-302
22357	7" x 10"	B-401
22358	10" x 14"	B-401
40922	10" x 14"	B-555

126476	7" x 10"	B-302
126479	10" x 14"	B-302
126475	7" x 10"	B-401
126478	10" x 14"	B-401
126474	7" x 10"	B-555
126477	10" x 14"	B-555

69407	10" x 14"	B-120
84467	7" x 10"	B-302
84468	10" x 14"	B-302
22359	7" x 10"	B-401
22360	10" x 14"	B-401
40923	7" x 10"	B-555
40924	10" x 14"	B-555

95277	7" x 17"	B-120

72546	7" x 10"	B-120
84471	7" x 10"	B-302
84472	10" x 14"	B-302
22363	7" x 10"	B-401
22364	10" x 14"	B-401
40927	7" x 10"	B-555
40928	10" x 14"	B-555

84469	7" x 10"	B-302
22361	7" x 10"	B-401
22362	10" x 14"	B-401
40925	7" x 10"	B-555
40926	10" x 14"	B-555

126482	7" x 10"	B-302
126485	10" x 14"	B-302
126481	7" x 10"	B-401
126484	10" x 14"	B-401
126480	7" x 10"	B-555
126483	10" x 14"	B-555

126488	7" x 10"	B-302
126491	10" x 14"	B-302
126487	7" x 10"	B-401
126490	10" x 14"	B-401
126486	7" x 10"	B-555
126489	10" x 14"	B-555

73418	10" x 14"	B-120
88455	7" x 10"	B-302
88456	10" x 14"	B-302
25138	7" x 10"	B-401
42715	7" x 10"	B-555

74616	14" x 20"	B-120
84476	10" x 14"	B-302
22367	7" x 10"	B-401
22368	10" x 14"	B-401



74464	14" x 20"	B-120
84477	7" x 10"	B-302
84478	10" x 14"	B-302
22369	7" x 10"	B-401
40933	7" x 10"	B-555
40934	10" x 14"	B-555



126500	7" x 10"	B-302
126503	10" x 14"	B-302
126499	7" x 10"	B-401
126502	10" x 14"	B-401
126498	7" x 10"	B-555
126501	10" x 14"	B-555

126512	7" x 10"	B-302
126515	10" x 14"	B-302
126511	7" x 10"	B-401
126514	10" x 14"	B-401
126510	7" x 10"	B-555
126513	10" x 14"	B-555

126608	7" x 10"	B-302
126611	10" x 14"	B-302
126607	7" x 10"	B-401
126610	10" x 14"	B-401
126606	7" x 10"	B-555
126609	10" x 14"	B-555

Chemical & Hazardous Material Signs (Continued)



126518	7" x 10"	B-302
126521	10" x 14"	B-302
126517	7" x 10"	B-401
126520	10" x 14"	B-401
126516	7" x 10"	B-555
126519	10" x 14"	B-555

126524	7" x 10"	B-302
126527	10" x 14"	B-302
126523	7" x 10"	B-401
126526	10" x 14"	B-401
126522	7" x 10"	B-555
126525	10" x 14"	B-555

126530	7" x 10"	B-302
126533	10" x 14"	B-302
126529	7" x 10"	B-401
126532	10" x 14"	B-401
126528	7" x 10"	B-555
126531	10" x 14"	B-555

125786	7" x 10"	B-302
125789	10" x 14"	B-302
125785	7" x 10"	B-401
125788	10" x 14"	B-401
125784	7" x 10"	B-555
125787	10" x 14"	B-555

126536	7" x 10"	B-302
126539	10" x 14"	B-302
126535	7" x 10"	B-401
126538	10" x 14"	B-401
126534	7" x 10"	B-555
126537	10" x 14"	B-555

126542	7" x 10"	B-302
126545	10" x 14"	B-302
126541	7" x 10"	B-401
126544	10" x 14"	B-401
126540	7" x 10"	B-555
126543	10" x 14"	B-555

69573	10" x 14"	B-120
84483	7" x 10"	B-302
84484	10" x 14"	B-302
22371	7" x 10"	B-401
22372	10" x 14"	B-401
40935	7" x 10"	B-555
40936	10" x 14"	B-555

126548	7" x 10"	B-302
126551	10" x 14"	B-302
126547	7" x 10"	B-401
126550	10" x 14"	B-401
126546	7" x 10"	B-555
126549	10" x 14"	B-555

126554	7" x 10"	B-302
126557	10" x 14"	B-302
126553	7" x 10"	B-401
126556	10" x 14"	B-401
126552	7" x 10"	B-555
126555	10" x 14"	B-555

126560	7" x 10"	B-302
126563	10" x 14"	B-302
126559	7" x 10"	B-401
126562	10" x 14"	B-401
126558	7" x 10"	B-555
126561	10" x 14"	B-555

69585	10" x 14"	B-120
85547	7" x 10"	B-302
85548	10" x 14"	B-302
25738	7" x 10"	B-401
25739	10" x 14"	B-401
43315	7" x 10"	B-555
43316	10" x 14"	B-555

126566	7" x 10"	B-302
126569	10" x 14"	B-302
126565	7" x 10"	B-401
126568	10" x 14"	B-401
126564	7" x 10"	B-555
126567	10" x 14"	B-555

126614	7" x 10"	B-302
126617	10" x 14"	B-302
126613	7" x 10"	B-401
126616	10" x 14"	B-401
126612	7" x 10"	B-555
126615	10" x 14"	B-555

126572	7" x 10"	B-302
126575	10" x 14"	B-302
126571	7" x 10"	B-401
126574	10" x 14"	B-401
126570	7" x 10"	B-555
126573	10" x 14"	B-555

126578	7" x 10"	B-302
126581	10" x 14"	B-302
126577	7" x 10"	B-401
126580	10" x 14"	B-401
126576	7" x 10"	B-555
126579	10" x 14"	B-555

126584	7" x 10"	B-302
126587	10" x 14"	B-302
126583	7" x 10"	B-401
126586	10" x 14"	B-401
126582	7" x 10"	B-555
126585	10" x 14"	B-555

122895	7" x 10"	B-120
76085	10" x 14"	B-120
87767	3-1/2" x 5"	B-302
85549	7" x 10"	B-302
85550	10" x 14"	B-302
25740	7" x 10"	B-401
25741	10" x 14"	B-401
43317	7" x 10"	B-555
43318	10" x 14"	B-555

85551	14" x 3"	B-302

126590	7" x 10"	B-302
126593	10" x 14"	B-302
126589	7" x 10"	B-401
126592	10" x 14"	B-401
126588	7" x 10"	B-555
126591	10" x 14"	B-555

126596	7" x 10"	B-302
126599	10" x 14"	B-302
126595	7" x 10"	B-401
126598	10" x 14"	B-401
126594	7" x 10"	B-555
126597	10" x 14"	B-555

69604	10" x 14"	B-120
84487	7" x 10"	B-302
84488	10" x 14"	B-302
22373	7" x 10"	B-401
22374	10" x 14"	B-401
40937	7" x 10"	B-555
40938	10" x 14"	B-555

69615	10" x 14"	B-120
84491	7" x 10"	B-302
84492	10" x 14"	B-302
22377	7" x 10"	B-401
22378	10" x 14"	B-401
40942	10" x 14"	B-555

126620	10" x 7"	B-302
126623	14" x 10"	B-302
126619	10" x 7"	B-401
126622	14" x 10"	B-401
126618	10" x 7"	B-555
126621	14" x 10"	B-555

125567	7" x 10"	B-302
125570	10" x 14"	B-302
125566	7" x 10"	B-401
125569	10" x 14"	B-401
125565	7" x 10"	B-555
125568	10" x 14"	B-555

125561	7" x 10"	B-302
125564	10" x 14"	B-302
125560	7" x 10"	B-401
125563	10" x 14"	B-401
125559	7" x 10"	B-555
125562	10" x 14"	B-555

125573	7" x 10"	B-302
125576	10" x 14"	B-302
125572	7" x 10"	B-401
125575	10" x 14"	B-401
125571	7" x 10"	B-555
125574	10" x 14"	B-555

84493	7" x 10"	B-302
84494	10" x 14"	B-302
40943	7" x 10"	B-555

125579	7" x 10"	B-302
125582	10" x 14"	B-302
125578	7" x 10"	B-401
125581	10" x 14"	B-401
125577	7" x 10"	B-555
125580	10" x 14"	B-555

125585	7" x 10"	B-302
125588	10" x 14"	B-302
125584	7" x 10"	B-401
125587	10" x 14"	B-401
125583	7" x 10"	B-555
125586	10" x 14"	B-555

Chemical & Hazardous Material Signs

Chemical & Hazardous Material Signs (Continued)

125591	7" x 10"	B-302
125594	10" x 14"	B-302
125590	7" x 10"	B-401
125593	10" x 14"	B-401
125589	7" x 10"	B-555
125592	10" x 14"	B-555

125597	7" x 10"	B-302
125600	10" x 14"	B-302
125596	7" x 10"	B-401
125599	10" x 14"	B-401
125595	7" x 10"	B-555
125598	10" x 14"	B-555

125603	7" x 10"	B-302
125606	10" x 14"	B-302
125602	7" x 10"	B-401
125605	10" x 14"	B-401
59404	7" x 10"	B-555
125604	10" x 14"	B-555

125609	7" x 10"	B-302
125612	10" x 14"	B-302
125608	7" x 10"	B-401
125611	10" x 14"	B-401
125607	7" x 10"	B-555
125610	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.



25883	10" x 14"	B-401

125705	7" x 17"	B-302
125704	7" x 17"	B-401
125703	7" x 17"	B-555

84497	7" x 10"	B-302
84498	10" x 14"	B-302
22380	7" x 10"	B-401
22381	10" x 14"	B-401

125615	7" x 10"	B-302
125618	10" x 14"	B-302
125614	7" x 10"	B-401
125617	10" x 14"	B-401
125613	7" x 10"	B-555
125616	10" x 14"	B-555

125621	7" x 10"	B-302
125624	10" x 14"	B-302
125620	7" x 10"	B-401
125623	10" x 14"	B-401
125619	7" x 10"	B-555
125622	10" x 14"	B-555

69794	7" x 7"	B-120
88491	7" x 7"	B-302
25157	7" x 10"	B-401
42734	7" x 10"	B-555

125627	7" x 10"	B-302
125630	10" x 14"	B-302
125626	7" x 10"	B-401
125629	10" x 14"	B-401
125625	7" x 10"	B-555
125628	10" x 14"	B-555



73490	10" x 14"	B-120
85562	7" x 10"	B-302
85563	10" x 14"	B-302

60563	7" x 10"	B-302
60533	7" x 10"	B-401
60504	7" x 10"	B-555

125633	7" x 10"	B-302
125636	10" x 14"	B-302
125632	7" x 10"	B-401
125635	10" x 14"	B-401
125631	7" x 10"	B-555
125634	10" x 14"	B-555

95005	10" x 14"	B-120
95010	7" x 10"	B-302
95011	10" x 14"	B-302
95008	7" x 10"	B-401
95009	10" x 14"	B-401
95006	7" x 10"	B-555
95007	10" x 14"	B-555

125639	7" x 10"	B-302
125642	10" x 14"	B-302
125638	7" x 10"	B-401
125641	10" x 14"	B-401
125637	7" x 10"	B-555
125640	10" x 14"	B-555

96090	7" x 10"	B-302
60349	10" x 14"	B-302
60348	10" x 14"	B-401
96087	10" x 14"	B-555

125663	7" x 10"	B-302
125666	10" x 14"	B-302
125662	7" x 10"	B-401
125665	10" x 14"	B-401
125661	7" x 10"	B-555
125664	10" x 14"	B-555

125669	7" x 10"	B-302
125672	10" x 14"	B-302
125668	7" x 10"	B-401
125671	10" x 14"	B-401
125667	7" x 10"	B-555
125670	10" x 14"	B-555

70317	10" x 14"	B-120
85564	7" x 10"	B-302
85565	10" x 14"	B-302
25745	7" x 10"	B-401
43322	7" x 10"	B-555

131901**	7" x 10"	B-120
131902	10" x 14"	B-120
131899**	7" x 10"	B-302
131900	10" x 14"	B-302
131897**	7" x 10"	B-401
131898	10" x 14"	B-401
131895**	7" x 10"	B-555
131896	10" x 14"	B-555

125651	7" x 10"	B-302
125654	10" x 14"	B-302
125650	7" x 10"	B-401
125653	10" x 14"	B-401
125649	7" x 10"	B-555
125652	10" x 14"	B-555

125645	7" x 10"	B-302
125648	10" x 14"	B-302
125644	7" x 10"	B-401
125647	10" x 14"	B-401
125643	7" x 10"	B-555
125646	10" x 14"	B-555

125657	7" x 10"	B-302
125660	10" x 14"	B-302
125656	7" x 10"	B-401
125659	10" x 14"	B-401
125655	7" x 10"	B-555
125658	10" x 14"	B-555

69221	10" x 10"	B-120
88500	10" x 10"	B-302
25165	10" x 14"	B-401

Chemical & Hazardous Material Signs (Continued)

90710	10" x 7"	B-347

69252	10" x 10"	B-120
88506	10" x 10"	B-302
42748	10" x 14"	B-555

125681	7" x 10"	B-302
125684	10" x 14"	B-302
125680	7" x 10"	B-401
125683	10" x 14"	B-401
125679	7" x 10"	B-555
125682	10" x 14"	B-555

125675	7" x 10"	B-302
125678	10" x 14"	B-302
125674	7" x 10"	B-401
125677	10" x 14"	B-401
125673	7" x 10"	B-555
125676	10" x 14"	B-555

70356	10" x 14"	B-120
85566	7" x 10"	B-302
85567	10" x 14"	B-302
25746	7" x 10"	B-401
43323	7" x 10"	B-555

131893	7" x 10"	B-120
131894	10" x 14"	B-120
131891	7" x 10"	B-302
131892	10" x 14"	B-302
131889	7" x 10"	B-401
131890	10" x 14"	B-401
131887	7" x 10"	B-555
131888	10" x 14"	B-555

125693	7" x 10"	B-302
125696	10" x 14"	B-302
125692	7" x 10"	B-401
125695	10" x 14"	B-401
125691	7" x 10"	B-555
125694	10" x 14"	B-555

125699	7" x 10"	B-302
125702	10" x 14"	B-302
125698	7" x 10"	B-401
125701	10" x 14"	B-401
125697	7" x 10"	B-555
125700	10" x 14"	B-555

125687	7" x 10"	B-302
125690	10" x 14"	B-302
125686	7" x 10"	B-401
125689	10" x 14"	B-401
125685	7" x 10"	B-555
125688	10" x 14"	B-555

84507	7" x 10"	B-302
84508	10" x 14"	B-302
22385	7" x 10"	B-401
40949	7" x 10"	B-555

60568	7" x 10"	B-302

30673	7" x 10"	B-302
30670	10" x 14"	B-555

125708	7" x 10"	B-302
125711	10" x 14"	B-302
125707	7" x 10"	B-401
125710	10" x 14"	B-401
125706	7" x 10"	B-555
125709	10" x 14"	B-555

125714	7" x 10"	B-302
125717	10" x 14"	B-302
125713	7" x 10"	B-401
125716	10" x 14"	B-401
125712	7" x 10"	B-555
125715	10" x 14"	B-555

125720	7" x 10"	B-302
125723	10" x 14"	B-302
125719	7" x 10"	B-401
125722	10" x 14"	B-401
125718	7" x 10"	B-555
125721	10" x 14"	B-555

125726	7" x 10"	B-302
125729	10" x 14"	B-302
125725	7" x 10"	B-401
125728	10" x 14"	B-401
125724	7" x 10"	B-555
125727	10" x 14"	B-555

125732	7" x 10"	B-302
125735	10" x 14"	B-302
125731	7" x 10"	B-401
125734	10" x 14"	B-401
125730	7" x 10"	B-555
125733	10" x 14"	B-555

125738	7" x 10"	B-302
125741	10" x 14"	B-302
125737	7" x 10"	B-401
125740	10" x 14"	B-401
125736	7" x 10"	B-555
125739	10" x 14"	B-555

125744	7" x 10"	B-302
125747	10" x 14"	B-302
125743	7" x 10"	B-401
125746	10" x 14"	B-401
125742	7" x 10"	B-555
125745	10" x 14"	B-555

125555	7" x 10"	B-302
125558	10" x 14"	B-302
125554	7" x 10"	B-401
125557	10" x 14"	B-401
125553	7" x 10"	B-555
125556	10" x 14"	B-555

125882	7" x 10"	B-302
125885	10" x 14"	B-302
125881	7" x 10"	B-401
125884	10" x 14"	B-401
125880	7" x 10"	B-555
125883	10" x 14"	B-555

69442	10" x 10"	B-120
88522	10" x 10"	B-302

125756	7" x 10"	B-302
125759	10" x 14"	B-302
125755	7" x 10"	B-401
125758	10" x 14"	B-401
125754	7" x 10"	B-555
125757	10" x 14"	B-555

125774	10" x 7"	B-302
125777	14" x 10"	B-302
125773	10" x 7"	B-401
125776	14" x 10"	B-401
125772	10" x 7"	B-555
125775	14" x 10"	B-555

30672	7" x 10"	B-302
30669	10" x 14"	B-555

123859	7" x 10"	B-302
123862	10" x 14"	B-302
123858	7" x 10"	B-401
123861	10" x 14"	B-401
123857	7" x 10"	B-555
123860	10" x 14"	B-555

43979	7" x 10"	B-302

125762	7" x 10"	B-302
125765	10" x 14"	B-302
125761	7" x 10"	B-401
125764	10" x 14"	B-401
125760	7" x 10"	B-555
125763	10" x 14"	B-555

30674	7" x 10"	B-302
30671	10" x 14"	B-555

43502	10" x 14"	B-555

Chemical & Hazardous Material Signs

www.BradyID.com

Chemical & Hazardous Material Signs (Continued)

69801	7" x 7"	B-120
88529	7" x 7"	B-302
25190	7" x 10"	B-401
42767	7" x 10"	B-555

122890	7" x 10"	B-120
122750	10" x 14"	B-120
43983	7" x 10"	B-302
122608	10" x 14"	B-302
122554	7" x 10"	B-401
122489	10" x 14"	B-401
60350	10" x 14"	B-555

125768	7" x 10"	B-302
125771	10" x 14"	B-302
125767	7" x 10"	B-401
125770	10" x 14"	B-401
125766	7" x 10"	B-555
125769	10" x 14"	B-555

125780	7" x 10"	B-302
125783	10" x 14"	B-302
125779	7" x 10"	B-401
125782	10" x 14"	B-401
125778	7" x 10"	B-555
125781	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

84511	7" x 10"	B-302
22386	7" x 10"	B-401



122798	7" x 10"	B-120
58621	10" x 14"	B-120
89015	5" x 6"	B-302
122637	7" x 10"	B-302
89097	10" x 14"	B-302
122505	7" x 10"	B-401
122469	10" x 14"	B-401
122394	7" x 10"	B-555
122343	10" x 14"	B-555

80716	5" x 6"	B-302
80717	10" x 14"	B-302

125798	7" x 10"	B-302
125801	10" x 14"	B-302
125797	7" x 10"	B-401
125800	10" x 14"	B-401
125796	7" x 10"	B-555
125799	10" x 14"	B-555

125792	7" x 10"	B-302
125795	10" x 14"	B-302
125791	7" x 10"	B-401
125794	10" x 14"	B-401
125790	7" x 10"	B-555
125793	10" x 14"	B-555

125804	7" x 10"	B-302
125807	10" x 14"	B-302
125803	7" x 10"	B-401
125806	10" x 14"	B-401
125802	7" x 10"	B-555
125805	10" x 14"	B-555



Example of a 10" x 7" Acetone Hazardous Material Sign

Hazardous Material Signs

- Most signs include the NFPA Code Number 704M for Hazardous Information
- Clear identification of hazardous chemicals
- Resistant to vapors or spills
- Red legend on white background

Chemical information from the Department of Transportation Guidebook for Hazardous Materials Incidents (SOT 5800.4-1987)

Cat #	Size	Material	Legend
48893	10" x 7"	B-120	1, 1, 1, Trichloroethane
48840	10" x 7"	B-120	Acetic Acid, Glacial
48841	10" x 7"	B-120	Acetone
48842	10" x 7"	B-120	Acetylene
48843	10" x 7"	B-120	Acrylic Acid
48845	10" x 7"	B-120	Ammonium Hydroxide
48846	10" x 7"	B-120	Anhydrous Ammonia
48847	10" x 7"	B-120	Benzaldehyde
48848	10" x 7"	B-120	Benzene
48849	10" x 7"	B-120	Bromine
48850	10" x 7"	B-120	Butane
48851	10" x 7"	B-120	Butanol
48852	10" x 7"	B-120	Calcium Chloride
48853	10" x 7"	B-120	Calcium Hypochlorite
48854	10" x 7"	B-120	Carbon Dioxide
48855	10" x 7"	B-120	Carbon Disulfide
48856	10" x 7"	B-120	Carbon Tetrachloride
48857	10" x 7"	B-120	Caustic Potash (Potassium Hydroxide)
48858	10" x 7"	B-120	Caustic Soda (Sodium Hydroxide)
48859	10" x 7"	B-120	Chlorine
48860	10" x 7"	B-120	Chloroform
48861	10" x 7"	B-120	Chromic Acid, Solid Chromium Anhydride
48862	10" x 7"	B-120	Diesel Fuel
48863	10" x 7"	B-120	Ethyl Acetate
48864	10" x 7"	B-120	Ethyl Alcohol (Ethanol)
48865	10" x 7"	B-120	Ethylene Glycol
48866	10" x 7"	B-120	Formic Acid
48867	10" x 7"	B-120	Fuel Oil

Cat #	Size	Material	Legend
48868	10" x 7"	B-120	Gasoline
48869	10" x 7"	B-120	Heptane
48870	10" x 7"	B-120	Hexane
48871	10" x 7"	B-120	Hydrochloric Acid
48872	10" x 7"	B-120	Hydrofluoric Acid
48874	10" x 7"	B-120	Hydrofluorsilicic Acid
48873	10" x 7"	B-120	Hydrogen Peroxide, 52%
48875	10" x 7"	B-120	Isopropanol
48876	10" x 7"	B-120	Isopropyl Acetate
48877	10" x 7"	B-120	Kerosene
48878	10" x 7"	B-120	Mercury
48879	10" x 7"	B-120	Methanol
48880	10" x 7"	B-120	Methyl Ethyl Ketone
48881	10" x 7"	B-120	Muriatic Acid
48882	10" x 7"	B-120	Nitric Acid
48883	10" x 7"	B-120	Nitrogen, Liquid
48884	10" x 7"	B-120	Oxygen, Compressed
48885	10" x 7"	B-120	Phenol
48886	10" x 7"	B-120	Phosphoric Acid
48887	10" x 7"	B-120	Potassium Hydroxide
48888	10" x 7"	B-120	Potassium Perchlorate
48889	10" x 7"	B-120	Potassium Permanganate
48890	10" x 7"	B-120	Propane Gas
48891	10" x 7"	B-120	Sodium Hydroxide
48892	10" x 7"	B-120	Toluene
48899	7" x 10"	B-120	Trichloroethylene
48894	10" x 7"	B-120	Turpentine
48895	10" x 7"	B-120	Unleaded Gasoline
48896	10" x 7"	B-120	Vinyl Acetate
48897	10" x 7"	B-120	Vinyl Chloride
48898	10" x 7"	B-120	Xylene

Chemical & Hazardous Material DOT Vehicle Placards

- Placards meet D.O.T. requirements 49CFR Part 172
- Placards have square corners and no holes

Placard Material Information

B-101 - Economical 1.75 lb. polycoated tagboard - exceed D.O.T.'s 30 day weather requirement

B-946 - Self-Sticking Vinyl - may be applied directly to your vehicle

B-120 - Premium Fiberglass offer over 15 years outdoor durability. Use with Brady slide-in Placard Holders. (Sold separately)

View all sign materials on page 25.

Hazard Division1.1 Compatibility Group A, B, C, D, E, F, G, J or L

63300	10.75" x 10.75"	B-946	EXPLOSIVE 1.1A
63371	10.75" x 10.75"	B-101	EXPLOSIVE 1.1B
63336	10.75" x 10.75"	B-120	EXPLOSIVE 1.1B
63301	10.75" x 10.75"	B-946	EXPLOSIVE 1.1B
63372	10.75" x 10.75"	B-101	EXPLOSIVE 1.1C
63337	10.75" x 10.75"	B-120	EXPLOSIVE 1.1C
63302	10.75" x 10.75"	B-946	EXPLOSIVE 1.1C
63373	10.75" x 10.75"	B-101	EXPLOSIVE 1.1D
63303	10.75" x 10.75"	B-946	EXPLOSIVE 1.1D
63339	10.75" x 10.75"	B-120	EXPLOSIVE 1.1E
63304	10.75" x 10.75"	B-946	EXPLOSIVE 1.1E
63375	10.75" x 10.75"	B-101	EXPLOSIVE 1.1F
63340	10.75" x 10.75"	B-120	EXPLOSIVE 1.1F
63376	10.75" x 10.75"	B-101	EXPLOSIVE 1.1G
63341	10.75" x 10.75"	B-120	EXPLOSIVE 1.1G
63306	10.75" x 10.75"	B-946	EXPLOSIVE 1.1G
63377	10.75" x 10.75"	B-101	EXPLOSIVE 1.1J
63342	10.75" x 10.75"	B-120	EXPLOSIVE 1.1J
63307	10.75" x 10.75"	B-946	EXPLOSIVE 1.1J
63378	10.75" x 10.75"	B-101	EXPLOSIVES 1.1L
63308	10.75" x 10.75"	B-946	EXPLOSIVES 1.1L

Hazard Division1.2 Compatibility Group B, C, D, E, F, G, H, J, K or L

63344	10.75" x 10.75"	B-120	EXPLOSIVE 1.2B
63380	10.75" x 10.75"	B-101	EXPLOSIVE 1.2C
63345	10.75" x 10.75"	B-120	EXPLOSIVE 1.2C
63310	10.75" x 10.75"	B-946	EXPLOSIVE 1.2C
63381	10.75" x 10.75"	B-101	EXPLOSIVE 1.2D
63346	10.75" x 10.75"	B-120	EXPLOSIVE 1.2D
63311	10.75" x 10.75"	B-946	EXPLOSIVE 1.2D
63347	10.75" x 10.75"	B-120	EXPLOSIVE 1.2E
63312	10.75" x 10.75"	B-946	EXPLOSIVE 1.2E
63383	10.75" x 10.75"	B-101	EXPLOSIVE 1.2F
63348	10.75" x 10.75"	B-120	EXPLOSIVE 1.2F
63313	10.75" x 10.75"	B-946	EXPLOSIVE 1.2F
63384	10.75" x 10.75"	B-101	EXPLOSIVE 1.2G
63349	10.75" x 10.75"	B-120	EXPLOSIVE 1.2G
63314	10.75" x 10.75"	B-946	EXPLOSIVE 1.2G
63385	10.75" x 10.75"	B-101	EXPLOSIVE 1.2H
63350	10.75" x 10.75"	B-120	EXPLOSIVE 1.2H
63386	10.75" x 10.75"	B-101	EXPLOSIVE 1.2J
63351	10.75" x 10.75"	B-120	EXPLOSIVE 1.2J
63316	10.75" x 10.75"	B-946	EXPLOSIVE 1.2J
63387	10.75" x 10.75"	B-101	EXPLOSIVE 1.2K
63352	10.75" x 10.75"	B-120	EXPLOSIVE 1.2K
63317	10.75" x 10.75"	B-946	EXPLOSIVE 1.2K
63353	10.75" x 10.75"	B-120	EXPLOSIVES 1.2L
63318	10.75" x 10.75"	B-946	EXPLOSIVES 1.2L

Hazard Division1.3 Compatibility Group C, F, G, H, J, K or L

63389	10.75" x 10.75"	B-101	EXPLOSIVE 1.3C
63354	10.75" x 10.75"	B-120	EXPLOSIVE 1.3C
63390	10.75" x 10.75"	B-101	EXPLOSIVE 1.3F
63355	10.75" x 10.75"	B-120	EXPLOSIVE 1.3F
63320	10.75" x 10.75"	B-946	EXPLOSIVE 1.3F
63356	10.75" x 10.75"	B-120	EXPLOSIVE 1.3G
63321	10.75" x 10.75"	B-946	EXPLOSIVE 1.3G
63392	10.75" x 10.75"	B-101	EXPLOSIVE 1.3H
63357	10.75" x 10.75"	B-120	EXPLOSIVE 1.3H
63322	10.75" x 10.75"	B-946	EXPLOSIVE 1.3H
63393	10.75" x 10.75"	B-101	EXPLOSIVE 1.3J
63358	10.75" x 10.75"	B-120	EXPLOSIVE 1.3J
63323	10.75" x 10.75"	B-946	EXPLOSIVE 1.3J
63394	10.75" x 10.75"	B-101	EXPLOSIVE 1.3K
63359	10.75" x 10.75"	B-120	EXPLOSIVE 1.3K
63324	10.75" x 10.75"	B-946	EXPLOSIVE 1.3K
63395	10.75" x 10.75"	B-101	EXPLOSIVES 1.3L
63360	10.75" x 10.75"	B-120	EXPLOSIVES 1.3L
63325	10.75" x 10.75"	B-946	EXPLOSIVES 1.3L

Hazard Division 1.4 Compatibility Group B, C, D, E, F, G or S

63396	10.75" x 10.75"	B-101	EXPLOSIVE 1.4B
63361	10.75" x 10.75"	B-120	EXPLOSIVE 1.4B
63326	10.75" x 10.75"	B-946	EXPLOSIVE 1.4B
63362	10.75" x 10.75"	B-120	EXPLOSIVE 1.4C
63327	10.75" x 10.75"	B-946	EXPLOSIVE 1.4C
63363	10.75" x 10.75"	B-120	EXPLOSIVE 1.4D
63328	10.75" x 10.75"	B-946	EXPLOSIVE 1.4D
63399	10.75" x 10.75"	B-101	EXPLOSIVE 1.4E
63364	10.75" x 10.75"	B-120	EXPLOSIVE 1.4E
63400	10.75" x 10.75"	B-101	EXPLOSIVE 1.4F
63365	10.75" x 10.75"	B-120	EXPLOSIVE 1.4F
63366	10.75" x 10.75"	B-120	EXPLOSIVE 1.4G
63331	10.75" x 10.75"	B-946	EXPLOSIVE 1.4G
63332	10.75" x 10.75"	B-946	EXPLOSIVES 1.4S

Hazard Division 1.5 Compatibility Group D

63403	10.75" x 10.75"	B-101	1.5 BLASTING AGENTS D 1
63368	10.75" x 10.75"	B-120	1.5 BLASTING AGENTS D 1
63333	10.75" x 10.75"	B-946	1.5 BLASTING AGENTS D 1

Hazard Division 1.6 Compatibility Group N

63404	10.75" x 10.75"	B-101	1.6 EXPLOSIVE N 1
63369	10.75" x 10.75"	B-120	1.6 EXPLOSIVE N 1
63334	10.75" x 10.75"	B-946	1.6 EXPLOSIVE N 1

www.BradyID.com

Chemical & Hazardous Material DOT Vehicle Placards (Continued)

Class 2:

60391	10.75" x 10.75"	B-101
60407	10.75" x 10.75"	B-120
60375	10.75" x 10.75"	B-946

60421	10.75" x 10.75"	B-120

63439	10.75" x 10.75"	B-101

63436	10.75" x 10.75"	B-120
63406	10.75" x 10.75"	B-946

60428	10.75" x 10.75"	B-101
60423	10.75" x 10.75"	B-120
60433	10.75" x 10.75"	B-946

60434	10.75" x 10.75"	B-946

Class 3:

60394	10.75" x 10.75"	B-101
60410	10.75" x 10.75"	B-120
60379	10.75" x 10.75"	B-946

63444	10.75" x 10.75"	B-101
63423	10.75" x 10.75"	B-120
63410	10.75" x 10.75"	B-946

63443	10.75" x 10.75"	B-101
63422	10.75" x 10.75"	B-120
63409	10.75" x 10.75"	B-946

63411	10.75" x 10.75"	B-946

Class 4:

60398	10.75" x 10.75"	B-101
60414	10.75" x 10.75"	B-120
60382	10.75" x 10.75"	B-946

60413	10.75" x 10.75"	B-120

60412	10.75" x 10.75"	B-120
60380	10.75" x 10.75"	B-946

63448	10.75" x 10.75"	B-101
63414	10.75" x 10.75"	B-946

63446	10.75" x 10.75"	B-101
63425	10.75" x 10.75"	B-120
63412	10.75" x 10.75"	B-946

63447	10.75" x 10.75"	B-101
63426	10.75" x 10.75"	B-120

Class 5:

60383	10.75" x 10.75"	B-946

63449	10.75" x 10.75"	B-101
63428	10.75" x 10.75"	B-120
63415	10.75" x 10.75"	B-946

60400	10.75" x 10.75"	B-101
60416	10.75" x 10.75"	B-120
60384	10.75" x 10.75"	B-946

63429	10.75" x 10.75"	B-120

Class 6:

60390	10.75" x 10.75"	B-946

60402	10.75" x 10.75"	B-101

63452	10.75" x 10.75"	B-101
63431	10.75" x 10.75"	B-120
63418	10.75" x 10.75"	B-946

60427	10.75" x 10.75"	B-120

60431	10.75" x 10.75"	B-101
60426	10.75" x 10.75"	B-120
60436	10.75" x 10.75"	B-946

60425	10.75" x 10.75"	B-120
60435	10.75" x 10.75"	B-946

Class 7:

63419	10.75" x 10.75"	B-946

Class 8:

60403	10.75" x 10.75"	B-101
60419	10.75" x 10.75"	B-120
60387	10.75" x 10.75"	B-946

63454	10.75" x 10.75"	B-101
63433	10.75" x 10.75"	B-120
63420	10.75" x 10.75"	B-946

Class 9:

60404	10.75" x 10.75"	B-101
60388	10.75" x 10.75"	B-946

63455	10.75" x 10.75"	B-101
63434	10.75" x 10.75"	B-120
63421	10.75" x 10.75"	B-946

Mixed Loads

63212	10.75" x 10.75"	B-101
76259	10.75" x 10.75"	B-120
76394	10.75" x 10.75"	B-946

Confined Space Signs

Brady offers a variety of confined space signs to help you identify your confined workspace areas including tanks, electrical rooms and enclosures. These confined space signs include warnings for authorized or permit entry areas. Brady's confined space signs also communicate required protective gear, including gloves, eye protection or hearing protection.

OSHA Regulation

Permit Required Confined Space, Do Not Enter 1910.146(c)(2)
Exposed employees must be informed of the existence and location of and the danger posed by permit-required confined spaces through the posting of danger signs or by any other equally effective means. A sign reading "DANGER – PERMIT – REQUIRED CONFINED SPACE, DO NOT ENTER" or using other similar language satisfies the requirement.

Accident Prevention 1910.145(c)(2)
Caution signs shall be used only to warn against potential hazards or to caution against unsafe practices. All employees shall be instructed that caution signs indicate a possible hazard against which proper precaution should be taken.

126698	7" x 10"	B-302
126701	10" x 14"	B-302
126697	7" x 10"	B-401
126700	10" x 14"	B-401
126696	7" x 10"	B-555
126699	10" x 14"	B-555

76077	10" x 14"	B-120
84516	10" x 14"	B-302
40953	7" x 10"	B-555
40954	10" x 14"	B-555

126704	10" x 7"	B-302
126707	14" x 10"	B-302
126703	10" x 7"	B-401
126706	14" x 10"	B-401
126702	10" x 7"	B-555
126705	14" x 10"	B-555

126710	7" x 10"	B-302
126713	10" x 14"	B-302
126709	7" x 10"	B-401
126712	10" x 14"	B-401
126708	7" x 10"	B-555
126711	10" x 14"	B-555

124267	7" x 10"	B-302
124270	10" x 14"	B-302
124266	7" x 10"	B-401
124269	10" x 14"	B-401
124265	7" x 10"	B-555
124268	10" x 14"	B-555

126716	7" x 10"	B-302
126719	10" x 14"	B-302
126715	7" x 10"	B-401
126718	10" x 14"	B-401
126714	7" x 10"	B-555
126717	10" x 14"	B-555

126728	7" x 10"	B-302
126731	10" x 14"	B-302
126727	7" x 10"	B-401
126730	10" x 14"	B-401
126726	7" x 10"	B-555
126729	10" x 14"	B-555

124288	7" x 10"	B-302
124291	10" x 14"	B-302
124287	7" x 10"	B-401
124290	10" x 14"	B-401
124286	7" x 10"	B-555
124289	10" x 14"	B-555

126722	7" x 10"	B-302
126725	10" x 14"	B-302
126721	7" x 10"	B-401
126724	10" x 14"	B-401
126720	7" x 10"	B-555
126723	10" x 14"	B-555

126734	7" x 10"	B-302
126737	10" x 14"	B-302
126733	7" x 10"	B-401
126736	10" x 14"	B-401
126732	7" x 10"	B-555
126735	10" x 14"	B-555

126740	7" x 10"	B-302
126743	10" x 14"	B-302
126739	7" x 10"	B-401
126742	10" x 14"	B-401
126738	7" x 10"	B-555
126741	10" x 14"	B-555

126752	7" x 10"	B-302
126755	10" x 14"	B-302
126751	7" x 10"	B-401
126754	10" x 14"	B-401
126750	7" x 10"	B-555
126753	10" x 14"	B-555

22409	7" x 10"	B-401
22410	10" x 14"	B-401
40973	7" x 10"	B-555
40974	10" x 14"	B-555

84542	10" x 14"	B-302
22411	7" x 10"	B-401
22412	10" x 14"	B-401
40975	7" x 10"	B-555

124237	7" x 10"	B-302
124240	10" x 14"	B-302
124236	7" x 10"	B-401
124239	10" x 14"	B-401
124235	7" x 10"	B-555
124238	10" x 14"	B-555

126746	7" x 10"	B-302
126749	10" x 14"	B-302
126745	7" x 10"	B-401
126748	10" x 14"	B-401
126744	7" x 10"	B-555
126747	10" x 14"	B-555

126758	7" x 10"	B-302
126761	10" x 14"	B-302
126757	7" x 10"	B-401
126760	10" x 14"	B-401
126756	7" x 10"	B-555
126759	10" x 14"	B-555

95012	7" x 10"	B-120
95013	10" x 14"	B-120
95018	7" x 10"	B-302
60569	10" x 14"	B-302
95015	7" x 10"	B-401
60535	10" x 14"	B-401
95014	7" x 10"	B-555
60506	10" x 14"	B-555

131682	10" x 14"	B-401
131679	7" x 10"	B-555
131680	10" x 14"	B-555

126812	7" x 10"	B-302
126815	10" x 14"	B-302
126811	7" x 10"	B-401
126814	10" x 14"	B-401
126810	7" x 10"	B-555
126813	10" x 14"	B-555

126782	7" x 10"	B-302
126785	10" x 14"	B-302
126781	7" x 10"	B-401
126784	10" x 14"	B-401
126780	7" x 10"	B-555
126783	10" x 14"	B-555

123715	7" x 10"	B-302
123718	10" x 14"	B-302
123714	7" x 10"	B-401
123717	10" x 14"	B-401
123713	7" x 10"	B-555
123716	10" x 14"	B-555

Confined Space Signs

www.BradyID.com

Confined Space Signs (Continued)

126764	7" x 10"	B-302
126767	10" x 14"	B-302
126763	7" x 10"	B-401
126766	10" x 14"	B-401
126762	7" x 10"	B-555
126765	10" x 14"	B-555

126794	7" x 10"	B-302
126797	10" x 14"	B-302
126793	7" x 10"	B-401
126796	10" x 14"	B-401
126792	7" x 10"	B-555
126795	10" x 14"	B-555

70248	7" x 10"	B-120
70249	10" x 14"	B-120
87748	3-1/2" x 5"	B-302
84562	7" x 10"	B-302
84563	10" x 14"	B-302
22424	7" x 10"	B-401
22425	10" x 14"	B-401
40988	7" x 10"	B-555
40989	10" x 14"	B-555

87674	7" x 10"	B-120
87675	10" x 14"	B-120
19197	10" x 14"	B-302
19193	7" x 10"	B-401
19199	10" x 14"	B-401
19194	7" x 10"	B-555
19200	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

122812	7" x 10"	B-120
122787	14" x 10"	B-120
65909	20" x 14"	B-120
122649	7" x 10"	B-302
84564	14" x 10"	B-302
122516	7" x 10"	B-401
22426	14" x 10"	B-401
122405	7" x 10"	B-555

126818	7" x 10"	B-302
126821	10" x 14"	B-302
126817	7" x 10"	B-401
126820	10" x 14"	B-401
126816	7" x 10"	B-555
126819	10" x 14"	B-555

123643	7" x 10"	B-302
123646	10" x 14"	B-302
123642	7" x 10"	B-401
123645	10" x 14"	B-401
123641	7" x 10"	B-555
123644	10" x 14"	B-555

126800	7" x 10"	B-302
126803	10" x 14"	B-302
126799	7" x 10"	B-401
126802	10" x 14"	B-401
126798	7" x 10"	B-555
126801	10" x 14"	B-555

40991	10" x 7"	B-555
40992	14" x 10"	B-555

122811	7" x 10"	B-120
122713	10" x 14"	B-120
73408	14" x 20"	B-120
87773	3-1/2" x 5"	B-302
84567	7" x 10"	B-302
84568	10" x 14"	B-302
22429	7" x 10"	B-401
22430	10" x 14"	B-401
40993	7" x 10"	B-555
40994	10" x 14"	B-555

40995	10" x 7"	B-555
40996	14" x 10"	B-555

126788	7" x 10"	B-302
126791	10" x 14"	B-302
126787	7" x 10"	B-401
126790	10" x 14"	B-401
126786	7" x 10"	B-555
126789	10" x 14"	B-555

123649	7" x 10"	B-302
123652	10" x 14"	B-302
123648	7" x 10"	B-401
123651	10" x 14"	B-401
123647	7" x 10"	B-555
123650	10" x 14"	B-555

126776	7" x 10"	B-302
126779	10" x 14"	B-302
126775	7" x 10"	B-401
126778	10" x 14"	B-401
126774	7" x 10"	B-555
126777	10" x 14"	B-555

123673	10" x 7"	B-302
123676	14" x 10"	B-302
123672	10" x 7"	B-401
123675	14" x 10"	B-401
123671	10" x 7"	B-555
123674	14" x 10"	B-555

126770	7" x 10"	B-302
126773	10" x 14"	B-302
126769	7" x 10"	B-401
126772	10" x 14"	B-401
126768	7" x 10"	B-555
126771	10" x 14"	B-555

126836	7" x 10"	B-302
126839	10" x 14"	B-302
126835	7" x 10"	B-401
126838	10" x 14"	B-401
126834	7" x 10"	B-555
126837	10" x 14"	B-555

131693	7" x 10"	B-120
131694	10" x 14"	B-120
131691	7" x 10"	B-302
131692	10" x 14"	B-302
131689	7" x 10"	B-401
131690	10" x 14"	B-401
131687	7" x 10"	B-555
131688	10" x 14"	B-555

126806	7" x 10"	B-302
126809	10" x 14"	B-302
126805	7" x 10"	B-401
126808	10" x 14"	B-401
126804	7" x 10"	B-555
126807	10" x 14"	B-555

126830	7" x 10"	B-302
126833	10" x 14"	B-302
126829	7" x 10"	B-401
126832	10" x 14"	B-401
126828	7" x 10"	B-555
126831	10" x 14"	B-555

123607	7" x 10"	B-302
123610	10" x 14"	B-302
123606	7" x 10"	B-401
123609	10" x 14"	B-401
123605	7" x 10"	B-555
123608	10" x 14"	B-555

40999	7" x 10"	B-555

123625	7" x 10"	B-302
123628	10" x 14"	B-302
123624	7" x 10"	B-401
123627	10" x 14"	B-401
123623	7" x 10"	B-555
123626	10" x 14"	B-555

Confined Space Signs (Continued)

126824	7" x 10"	B-302
126827	10" x 14"	B-302
126823	7" x 10"	B-401
126826	10" x 14"	B-401
126822	7" x 10"	B-555
126825	10" x 14"	B-555

65948	7" x 10"	B-120
65817	10" x 14"	B-120
87768	3-1/2" x 5"	B-302
65950	7" x 10"	B-302
65949	10" x 14"	B-302
25920	7" x 10"	B-401
25921	10" x 14"	B-401
43517	7" x 10"	B-555
43518	10" x 14"	B-555

84575	7" x 10"	B-302
22437	7" x 10"	B-401
22438	10" x 14"	B-401
41001	7" x 10"	B-555
41002	10" x 14"	B-555

84577	7" x 10"	B-302
41003	7" x 10"	B-555

82595	7" x 10"	B-302
82596	10" x 14"	B-302
20027	7" x 10"	B-401
20028	10" x 14"	B-401
49069	7" x 10"	B-555
49070	10" x 14"	B-555
60241	10" x 14"	B-120

65910	10" x 14"	B-120
22441	7" x 10"	B-401
41006	10" x 14"	B-555

Construction Site Signs

Brady construction signs are a highly visible, effective way to warn employees, pedestrians and visitors of the potential dangers of construction areas. These signs indicate a wide range of warnings, including employee locations, temporary road closings and more. Brady also offers additional traffic control signs to identify traffic lane closings, shoulder closings, and other construction areas.

126866	7" x 10"	B-302
126869	10" x 14"	B-302
126865	7" x 10"	B-401
126868	10" x 14"	B-401
126864	7" x 10"	B-555
126867	10" x 14"	B-555

126872	7" x 10"	B-302
126875	10" x 14"	B-302
126871	7" x 10"	B-401
126874	10" x 14"	B-401
126870	7" x 10"	B-555
126873	10" x 14"	B-555

60570	10" x 14"	B-302
95351	7" x 10"	B-401
60536	10" x 14"	B-401
95352	7" x 10"	B-555
60507	10" x 14"	B-555

126878	7" x 10"	B-302
126881	10" x 14"	B-302
126877	7" x 10"	B-401
126880	10" x 14"	B-401
126876	7" x 10"	B-555
126879	10" x 14"	B-555

126884	7" x 10"	B-302
126887	10" x 14"	B-302
126883	7" x 10"	B-401
126886	10" x 14"	B-401
126882	7" x 10"	B-555
126885	10" x 14"	B-555

126890	7" x 10"	B-302
126893	10" x 14"	B-302
126889	7" x 10"	B-401
126892	10" x 14"	B-401
126888	7" x 10"	B-555
126891	10" x 14"	B-555

126896	7" x 10"	B-302
126899	10" x 14"	B-302
126895	7" x 10"	B-401
126898	10" x 14"	B-401
126894	7" x 10"	B-555
126897	10" x 14"	B-555

126902	7" x 10"	B-302
126905	10" x 14"	B-302
126901	7" x 10"	B-401
126904	10" x 14"	B-401
126900	7" x 10"	B-555
126903	10" x 14"	B-555

126908	7" x 10"	B-302
126911	10" x 14"	B-302
126907	7" x 10"	B-401
126910	10" x 14"	B-401
126906	7" x 10"	B-555
126909	10" x 14"	B-555

126914	7" x 10"	B-302
126917	10" x 14"	B-302
126913	7" x 10"	B-401
126916	10" x 14"	B-401
126912	7" x 10"	B-555
126915	10" x 14"	B-555



126932	7" x 10"	B-302
126935	10" x 14"	B-302
126931	7" x 10"	B-401
126934	10" x 14"	B-401
126930	7" x 10"	B-555
126933	10" x 14"	B-555

126920	7" x 10"	B-302
126923	10" x 14"	B-302
126919	7" x 10"	B-401
126922	10" x 14"	B-401
126918	7" x 10"	B-555
126921	10" x 14"	B-555

126926	7" x 10"	B-302
126929	10" x 14"	B-302
126925	7" x 10"	B-401
126928	10" x 14"	B-401
126924	7" x 10"	B-555
126927	10" x 14"	B-555

126848	7" x 10"	B-302
126851	10" x 14"	B-302
126847	7" x 10"	B-401
126850	10" x 14"	B-401
126846	7" x 10"	B-555
126849	10" x 14"	B-555

126842	7" x 10"	B-302
126845	10" x 14"	B-302
126841	7" x 10"	B-401
126844	10" x 14"	B-401
126840	7" x 10"	B-555
126843	10" x 14"	B-555

126854	7" x 10"	B-302
126857	10" x 14"	B-302
126853	7" x 10"	B-401
126856	10" x 14"	B-401
126852	7" x 10"	B-555
126855	10" x 14"	B-555

126860	7" x 10"	B-302
126863	10" x 14"	B-302
126859	7" x 10"	B-401
126862	10" x 14"	B-401
126858	7" x 10"	B-555
126861	10" x 14"	B-555

Door Signs

www.BradyID.com

Door Signs

Brady door signs doors that must be kept closed, emergency exits, fire exits, and more. With bright, noticeable colors and a wide range of sizes and materials, Brady has a sign for every door in your facility.

Popular Sign Materials

- **B-120** - Premium Fiberglass
- **B-302** - Self-Sticking Polyester
- **B-324** - BradyGlo™ Self-Sticking Polyester
- **B-347** - BradyGlo™ Plastic
- **B-401** - Plastic
- **B-555** - Aluminum

View all sign materials on page 25.

70245	10" x 14"	B-120
84692	10" x 14"	B-302
22505	7" x 10"	B-401
41069	7" x 10"	B-555
41070	10" x 14"	B-555

95272	7" x 17"	B-102

84695	7" x 10"	B-302
84696	10" x 14"	B-302
22507	7" x 10"	B-401
22508	10" x 14"	B-401
41071	7" x 10"	B-555

84697	7" x 10"	B-302
84698	10" x 14"	B-302
22509	7" x 10"	B-401
22510	10" x 14"	B-401
41073	7" x 10"	B-555
41074	10" x 14"	B-555

47075	7" x 10"	B-120
47113	10" x 14"	B-120
84699	7" x 10"	B-302
84700	10" x 14"	B-302
22511	7" x 10"	B-401
22512	10" x 14"	B-401
41075	7" x 10"	B-555
41076	10" x 14"	B-555

84702	7" x 10"	B-302
84703	10" x 14"	B-302

71106	10" x 14"	B-120
84704	7" x 10"	B-302
84705	10" x 14"	B-302
22513	7" x 10"	B-401
22514	10" x 14"	B-401
41077	7" x 10"	B-555
41078	10" x 14"	B-555

122844	7" x 10"	B-120
70466	10" x 14"	B-120
87775	3-1/2" x 5"	B-302
84706	7" x 10"	B-302
84707	10" x 14"	B-302
22515	7" x 10"	B-401
22516	10" x 14"	B-401
41079	7" x 10"	B-555
41080	10" x 14"	B-555

70532	10" x 14"	B-120
84710	7" x 10"	B-302
84711	10" x 14"	B-302
22519	7" x 10"	B-401
22520	10" x 14"	B-401
41084	10" x 14"	B-555

70542	7" x 10"	B-120
84712	7" x 10"	B-302
84713	10" x 14"	B-302
22521	7" x 10"	B-401
22522	10" x 14"	B-401
41085	7" x 10"	B-555
41086	10" x 14"	B-555

84714	7" x 10"	B-302
84715	10" x 14"	B-302
22523	7" x 10"	B-401
22524	10" x 14"	B-401
41087	7" x 10"	B-555
41088	10" x 14"	B-555

84716	7" x 10"	B-302
84717	10" x 14"	B-302
22525	7" x 10"	B-401
22526	10" x 14"	B-401
41090	10" x 14"	B-555

84718	7" x 10"	B-302
84719	10" x 14"	B-302
22527	7" x 10"	B-401
22528	10" x 14"	B-401

132058	7" x 10"	B-120
69091	10" x 14"	B-120
87776	3-1/2" x 5"	B-302
84720	7" x 10"	B-302
84721	10" x 14"	B-302
132059	7" x 10"	B-401
22530	10" x 14"	B-401
41093	7" x 10"	B-555
41094	10" x 14"	B-555

84725	10" x 14"	B-302
22532	10" x 14"	B-401
41095	7" x 10"	B-555
41096	10" x 14"	B-555

84726	7" x 10"	B-302
84727	10" x 14"	B-302
22533	7" x 10"	B-401
22534	10" x 14"	B-401
41097	7" x 10"	B-555
41098	10" x 14"	B-555

127058	7" x 10"	B-302
127061	10" x 14"	B-302
127057	7" x 10"	B-401
127060	10" x 14"	B-401
127056	7" x 10"	B-555
127059	10" x 14"	B-555

84730	7" x 10"	B-302
22535	7" x 10"	B-401
41099	7" x 10"	B-555
41100	10" x 14"	B-555

87774	3-1/2" x 5"	B-302

73414	7" x 17"	B-120

127064	7" x 10"	B-302
127067	10" x 14"	B-302
127063	7" x 10"	B-401
127066	10" x 14"	B-401
127062	7" x 10"	B-555
127065	10" x 14"	B-555

70548	10" x 14"	B-120
84738	7" x 10"	B-302
84739	10" x 14"	B-302
22543	7" x 10"	B-401
22544	10" x 14"	B-401
41107	7" x 10"	B-555
41108	10" x 14"	B-555

127076	7" x 10"	B-302
127079	10" x 14"	B-302
127075	7" x 10"	B-401
127078	10" x 14"	B-401
127074	7" x 10"	B-555
127077	10" x 14"	B-555

69607	10" x 14"	B-120
84740	7" x 10"	B-302
84741	10" x 14"	B-302
22545	7" x 10"	B-401
22546	10" x 14"	B-401
41109	7" x 10"	B-555
41110	10" x 14"	B-555

Door Signs (Continued)

127082	7" x 10"	B-302
127085	10" x 14"	B-302
127081	7" x 10"	B-401
127084	10" x 14"	B-401
127080	7" x 10"	B-555
127083	10" x 14"	B-555

124304	6" dia.	B-302

132115	10" x 14"	B-120
132114	10" x 14"	B-401
132113	10" x 14"	B-555

127094	7" x 10"	B-302
127097	10" x 14"	B-302
127093	7" x 10"	B-401
127096	10" x 14"	B-401
127092	7" x 10"	B-555
127095	10" x 14"	B-555

123817	7" x 10"	B-302
123820	10" x 14"	B-302
123816	7" x 10"	B-401
123819	10" x 14"	B-401
123815	7" x 10"	B-555
123818	10" x 14"	B-555

123495	6" dia.	B-302



123538	6" dia.	B-302

124627	3-1/2" x 10"	B-302
124626	3-1/2" x 10"	B-401
124625	3-1/2" x 10"	B-555



132124	10" x 14"	B-120
132123	10" x 14"	B-401
132122	10" x 14"	B-555

132130	10" x 14"	B-120
132129	10" x 14"	B-401
132128	10" x 14"	B-555

84746	3-1/2" x 5"	B-302
84747	5" x 14"	B-302

84748	7" x 10"	B-302
84749	10" x 14"	B-302
22549	7" x 10"	B-401
41113	7" x 10"	B-555

84750	3-1/2" x 10"	B-302

84751	7" x 10"	B-302
84752	10" x 14"	B-302
25881	7" x 10"	B-401
43458	7" x 10"	B-555

69302	10" x 14"	B-120
84755	7" x 10"	B-302
84756	10" x 14"	B-302
22550	7" x 10"	B-401
22551	10" x 14"	B-401

73463	10" x 14"	B-120
84757	7" x 10"	B-302
84758	10" x 14"	B-302
22552	7" x 10"	B-401
22553	10" x 14"	B-401
41116	7" x 10"	B-555
41117	10" x 14"	B-555

132106	10" x 14"	B-120
132105	10" x 14"	B-401
132104	10" x 14"	B-555

132118	10" x 14"	B-120
132117	10" x 14"	B-401
132116	10" x 14"	B-555

132121	10" x 14"	B-120
132120	10" x 14"	B-401
132119	10" x 14"	B-555

124630	3-1/2" x 10"	B-302
124629	3-1/2" x 10"	B-401
124628	3-1/2" x 10"	B-555

132109	10" x 14"	B-120
132108	10" x 14"	B-401
132107	10" x 14"	B-555

69415	10" x 14"	B-120
84761	7" x 10"	B-302
84762	10" x 14"	B-302
22555	10" x 14"	B-401

132112	10" x 14"	B-120
132111	10" x 14"	B-401
132110	10" x 14"	B-555

132127	10" x 14"	B-120
132126	10" x 14"	B-401
132125	10" x 14"	B-555

84767	3-1/2" x 10"	B-302

122904	7" x 10"	B-120
122766	10" x 14"	B-120
84768	7" x 10"	B-302
84769	10" x 14"	B-302
22558	7" x 10"	B-401
22559	10" x 14"	B-401
122453	7" x 10"	B-555
41123	10" x 14"	B-555



85747	5" x 14"	B-302

75970	7" x 10"	B-120
75971	10" x 14"	B-120
84770	7" x 10"	B-302
84771	10" x 14"	B-302
22560	7" x 10"	B-401
22561	10" x 14"	B-401
41124	7" x 10"	B-555
41125	10" x 14"	B-555

Electrical Hazard Signs

Brady electrical hazard signs can be used throughout your facility to identify electrical hazard and high voltage areas. These electrical signs use bright colors, pictograms and legends to warn against entry, machine operation and buried cables.

Popular Sign Materials

- **B-120** - Premium Fiberglass
- **B-302** - Self-Sticking Polyester
- **B-324** - BradyGlo™ Self-Sticking Polyester
- **B-347** - BradyGlo™ Plastic
- **B-401** - Plastic
- **B-555** - Aluminum

View all sign materials on page 25.

OSHA Regulation

High Voltage 1910.305(b)(3)
Covers for boxes shall be permanently marked "High Voltage." The marking shall be on the outside of the box cover and shall be readily visible and legible.

Access Area Marking 1910.303(g)(1)
Sufficient access and working space must be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of the equipment.

122862	7" x 10"	B-120
122724	10" x 14"	B-120
84827	7" x 10"	B-302
84828	10" x 14"	B-302
122528	7" x 10"	B-401
122477	10" x 14"	B-401
122419	7" x 10"	B-555
122353	10" x 14"	B-555

71425	10" x 14"	B-120
84829	7" x 10"	B-302
84830	10" x 14"	B-302
25502	7" x 10"	B-401
25503	10" x 14"	B-401
43079	7" x 10"	B-555
43080	10" x 14"	B-555

69292	10" x 14"	B-120
84831	7" x 10"	B-302
84832	10" x 14"	B-302
25505	10" x 14"	B-401
43081	7" x 10"	B-555
43082	10" x 14"	B-555

76065	10" x 14"	B-120
84834	10" x 14"	B-302
25506	7" x 10"	B-401
43083	7" x 10"	B-555
43084	10" x 14"	B-555

126938	7" x 10"	B-302
126941	10" x 14"	B-302
126937	7" x 10"	B-401
126940	10" x 14"	B-401
126936	7" x 10"	B-555
126939	10" x 14"	B-555

126944	7" x 10"	B-302
126947	10" x 14"	B-302
126943	7" x 10"	B-401
126946	10" x 14"	B-401
126942	7" x 10"	B-555
126945	10" x 14"	B-555

84837	7" x 10"	B-302
84838	10" x 14"	B-302

126950	7" x 10"	B-302
126953	10" x 14"	B-302
126949	7" x 10"	B-401
126952	10" x 14"	B-401
126948	7" x 10"	B-555
126951	10" x 14"	B-555

41147	14" x 10"	B-555

126956	7" x 10"	B-302
126959	10" x 14"	B-302
126955	7" x 10"	B-401
126958	10" x 14"	B-401
126954	7" x 10"	B-555
126957	10" x 14"	B-555



84843	7" x 10"	B-302
84844	10" x 14"	B-302

69315	10" x 14"	B-120
84847	7" x 10"	B-302
84848	10" x 14"	B-302
25512	7" x 10"	B-401
25513	10" x 14"	B-401
43089	7" x 10"	B-555
43090	10" x 14"	B-555

126962	10" x 7"	B-302
126965	14" x 10"	B-302
126961	10" x 7"	B-401
126964	14" x 10"	B-401
126960	10" x 7"	B-555
126963	14" x 10"	B-555

126968	7" x 10"	B-302
126971	10" x 14"	B-302
126967	7" x 10"	B-401
126970	10" x 14"	B-401
126966	7" x 10"	B-555
126969	10" x 14"	B-555



126974	7" x 10"	B-302
126977	10" x 14"	B-302
126973	7" x 10"	B-401
126976	10" x 14"	B-401
126972	7" x 10"	B-555
126975	10" x 14"	B-555

126980	10" x 7"	B-302
126983	14" x 10"	B-302
126979	10" x 7"	B-401
126982	14" x 10"	B-401
126978	10" x 7"	B-555
126981	14" x 10"	B-555

70533	10" x 14"	B-120
84851	7" x 10"	B-302
84852	10" x 14"	B-302
25515	10" x 14"	B-401
43092	10" x 14"	B-555

70534	10" x 14"	B-120
84853	7" x 10"	B-302
25516	7" x 10"	B-401
25517	10" x 14"	B-401
43094	10" x 14"	B-555

84855	7" x 10"	B-302
84856	10" x 14"	B-302
43095	7" x 10"	B-555
43096	10" x 14"	B-555

70569	10" x 14"	B-120
84857	7" x 10"	B-302
25520	7" x 10"	B-401
25521	10" x 14"	B-401
43097	7" x 10"	B-555
43098	10" x 14"	B-555

126986	7" x 10"	B-302
126989	10" x 14"	B-302
126985	7" x 10"	B-401
126988	10" x 14"	B-401
126984	7" x 10"	B-555
126987	10" x 14"	B-555

126998	7" x 10"	B-302
127001	10" x 14"	B-302
126997	7" x 10"	B-401
127000	10" x 14"	B-401
126996	7" x 10"	B-555
126999	10" x 14"	B-555

73404	7" x 10"	B-120
84933	7" x 10"	B-302
84934	10" x 14"	B-302
25569	10" x 14"	B-401
43145	7" x 10"	B-555
43146	10" x 14"	B-555

70202	7" x 10"	B-120
84929	7" x 10"	B-302
25566	7" x 10"	B-401
25567	10" x 14"	B-401
43143	7" x 10"	B-555
43144	10" x 14"	B-555

122864	7" x 10"	B-120
122726	10" x 14"	B-120
84859	7" x 10"	B-302
84860	10" x 14"	B-302
122530	7" x 10"	B-401
122479	10" x 14"	B-401
122421	7" x 10"	B-555
122355	10" x 14"	B-555

71432	14" x 20"	B-120

Electrical Hazard Signs (Continued)

47195	10" x 14"	B-120
89098	7" x 10"	B-302
89099	10" x 14"	B-302
25530	7" x 10"	B-401
25531	10" x 14"	B-401
43107	7" x 10"	B-555
43108	10" x 14"	B-555

70402	20" x 14"	B-120
43363	10" x 7"	B-555
43364	14" x 10"	B-555

25522	7" x 10"	B-401
43099	7" x 10"	B-555

25524	7" x 10"	B-401
43101	7" x 10"	B-555
43102	10" x 14"	B-555

84865	7" x 10"	B-302
25526	7" x 10"	B-401
25527	10" x 14"	B-401
43104	10" x 14"	B-555

70306	7" x 17"	B-120
95687	10" x 14"	B-302
25897	10" x 14"	B-401
43474	10" x 14"	B-555

69192	7" x 17"	B-120

89173	2-1/4" x 4-1/2"	B-302
84875	3-1/2" x 5"	B-302

127004	7" x 10"	B-302
127007	10" x 14"	B-302
127003	7" x 10"	B-401
127006	10" x 14"	B-401
127002	7" x 10"	B-555
127005	10" x 14"	B-555

127016	7" x 10"	B-302
127019	10" x 14"	B-302
127015	7" x 10"	B-401
127018	10" x 14"	B-401
127014	7" x 10"	B-555
127017	10" x 14"	B-555

127010	7" x 10"	B-302
127013	10" x 14"	B-302
127009	7" x 10"	B-401
127012	10" x 14"	B-401
127008	7" x 10"	B-555
127011	10" x 14"	B-555

127022	7" x 10"	B-302
127025	10" x 14"	B-302
127021	7" x 10"	B-401
127024	10" x 14"	B-401
127020	7" x 10"	B-555
127023	10" x 14"	B-555

126992	7" x 10"	B-302
126995	10" x 14"	B-302
126991	7" x 10"	B-401
126994	10" x 14"	B-401
126990	7" x 10"	B-555
126993	10" x 14"	B-555

47146	10" x 7"	B-120
122788	14" x 10"	B-120
84878	10" x 7"	B-302
84879	14" x 10"	B-302
25534	10" x 7"	B-401
122503	14" x 10"	B-401
43111	10" x 7"	B-555
43112	14" x 10"	B-555

71565	7" x 10"	B-120
47005	10" x 14"	B-120
75590	14" x 20"	B-120
71570	20" x 28"	B-120
84876	7" x 10"	B-302
84877	10" x 14"	B-302
25532	7" x 10"	B-401
25533	10" x 14"	B-401
43109	7" x 10"	B-555
43110	10" x 14"	B-555

73540	7" x 10"	B-324
80204	10" x 14"	B-324
80269	7" x 10"	B-347
80270	10" x 14"	B-347

87681	14" x 10"	B-120
59382	10" x 7"	B-302
19527	14" x 10"	B-302
59383	10" x 7"	B-401
45427	14" x 10"	B-401
59384	10" x 7"	B-555
45428	14" x 10"	B-555

131703	7" x 10"	B-120
131704	10" x 14"	B-120
131706	3" x 3"	B-302
131705	3" x 5"	B-302
131701	7" x 10"	B-302
131702	10" x 14"	B-302
131699	7" x 10"	B-401
131700	10" x 14"	B-401
131697	7" x 10"	B-555
131698	10" x 14"	B-555

95287	7" x 17"	B-120
60580	10" x 14"	B-302
25900	10" x 14"	B-401
43477	10" x 14"	B-555

69023	14" x 20"	B-120
84883	10" x 14"	B-302
25538	7" x 10"	B-401
25539	10" x 14"	B-401
43115	7" x 10"	B-555
43116	10" x 14"	B-555

123697	7" x 10"	B-302
123700	10" x 14"	B-302
123696	7" x 10"	B-401
123699	10" x 14"	B-401
123695	7" x 10"	B-555
123698	10" x 14"	B-555

84884	7" x 10"	B-302
84885	10" x 14"	B-302



70388	7" x 17"	B-120

87678	7" x 10"	B-120
59385	7" x 10"	B-302
19837	10" x 14"	B-302
59386	7" x 10"	B-401
19839	10" x 14"	B-401
59387	7" x 10"	B-555

76072	10" x 14"	B-120
84880	7" x 10"	B-302
25537	10" x 14"	B-401
43113	7" x 10"	B-555
43114	10" x 14"	B-555

69026	10" x 14"	B-120
84886	7" x 10"	B-302
84887	10" x 14"	B-302
25540	7" x 10"	B-401
25541	10" x 14"	B-401
43117	7" x 10"	B-555
43118	10" x 14"	B-555

70389	7" x 17"	B-120

69157	10" x 14"	B-120
84888	7" x 10"	B-302
84889	10" x 14"	B-302
43119	7" x 10"	B-555
43120	10" x 14"	B-555

71572	20" x 14"	B-120
25545	14" x 10"	B-401
43122	14" x 10"	B-555

71572	20" x 14"	B-120
25545	14" x 10"	B-401
43122	14" x 10"	B-555

131713	7" x 10"	B-120
131714	10" x 14"	B-120
131711	7" x 10"	B-302
131712	10" x 14"	B-302
131709	7" x 10"	B-401
131710	10" x 14"	B-401
131707	7" x 10"	B-555
131708	10" x 14"	B-555

Electrical Hazard Signs

www.BradyID.com

Electrical Hazard Signs (Continued)

69036	10" x 14"	B-120
84897	7" x 10"	B-302
25548	7" x 10"	B-401
25549	10" x 14"	B-401
43125	7" x 10"	B-555

69035	10" x 14"	B-120
25551	10" x 14"	B-401
43127	7" x 10"	B-555
43128	10" x 14"	B-555

69025	10" x 14"	B-120
84903	7" x 10"	B-302
84904	10" x 14"	B-302
25552	7" x 10"	B-401
25553	10" x 14"	B-401
43129	7" x 10"	B-555
43130	10" x 14"	B-555

84905	7" x 10"	B-302
84906	10" x 14"	B-302

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

87667	7" x 10"	B-120
19929	7" x 10"	B-302
19935	10" x 14"	B-302
19931	7" x 10"	B-401
19937	10" x 14"	B-401
19932	7" x 10"	B-555
19938	10" x 14"	B-555

84917	7" x 10"	B-302
84918	10" x 14"	B-302
69339	10" x 14"	B-120
25556	7" x 10"	B-401
25557	10" x 14"	B-401
43134	10" x 14"	B-555

123613	7" x 10"	B-302
123616	10" x 14"	B-302
123612	7" x 10"	B-401
123615	10" x 14"	B-401
123611	7" x 10"	B-555
123614	10" x 14"	B-555

84924	10" x 14"	B-302
25560	7" x 10"	B-401

59379	7" x 10"	B-302
59380	7" x 10"	B-401
16953	10" x 14"	B-401
59381	7" x 10"	B-555
16954	10" x 14"	B-555

47169	7" x 10"	B-120
84925	7" x 10"	B-302
84926	10" x 14"	B-302
25562	7" x 10"	B-401
25563	10" x 14"	B-401
43139	7" x 10"	B-555
43140	10" x 14"	B-555

127028	7" x 10"	B-302
127031	10" x 14"	B-302
127027	7" x 10"	B-401
127030	10" x 14"	B-401
127026	7" x 10"	B-555
127029	10" x 14"	B-555



47170	7" x 10"	B-120
84927	7" x 10"	B-302
84928	10" x 14"	B-302
25564	7" x 10"	B-401
25565	10" x 14"	B-401
43141	7" x 10"	B-555
43142	10" x 14"	B-555

84937	7" x 10"	B-302
84938	10" x 14"	B-302

127034	7" x 10"	B-302
127037	10" x 14"	B-302
127033	7" x 10"	B-401
127036	10" x 14"	B-401
127032	7" x 10"	B-555
127035	10" x 14"	B-555

127040	7" x 10"	B-302
127043	10" x 14"	B-302
127039	7" x 10"	B-401
127042	10" x 14"	B-401
127038	7" x 10"	B-555
127041	10" x 14"	B-555

69586	10" x 14"	B-120
84941	7" x 10"	B-302
84942	10" x 14"	B-302
22562	7" x 10"	B-401
22563	10" x 14"	B-401
41126	7" x 10"	B-555
41127	10" x 14"	B-555

69587	10" x 14"	B-120
84943	7" x 10"	B-302
84944	10" x 14"	B-302
22564	7" x 10"	B-401
22565	10" x 14"	B-401
41128	7" x 10"	B-555
41129	10" x 14"	B-555

127046	7" x 10"	B-302
127049	10" x 14"	B-302
127045	7" x 10"	B-401
127048	10" x 14"	B-401
127044	7" x 10"	B-555
127047	10" x 14"	B-555

69613	10" x 14"	B-120
84945	7" x 10"	B-302
84946	10" x 14"	B-302
22566	7" x 10"	B-401
22567	10" x 14"	B-401
41130	7" x 10"	B-555
41131	10" x 14"	B-555



122861	7" x 10"	B-120
122723	10" x 14"	B-120
84949	3-1/2" x 10"	B-302
122656	7" x 10"	B-302
122579	10" x 14"	B-302
122527	7" x 10"	B-401
122476	10" x 14"	B-401
122418	7" x 10"	B-555
122352	10" x 14"	B-555

71463	5" x 14"	B-120
71473	10" x 14"	B-120
84956	5" x 14"	B-302
84957	7" x 10"	B-302
84958	10" x 14"	B-302
25771	7" x 10"	B-401
25772	10" x 14"	B-401
43349	10" x 14"	B-555

71479	10" x 14"	B-120
84959	7" x 10"	B-302
84960	10" x 14"	B-302
22569	7" x 10"	B-401
22570	10" x 14"	B-401
41133	7" x 10"	B-555
41134	10" x 14"	B-555

69190	10" x 10"	B-120
131729	10" x 14"	B-120
89152	3" x 3"	B-302
88497	10" x 10"	B-302
131730	10" x 14"	B-302
25162	10" x 14"	B-401
42739	10" x 14"	B-555



84962	3-1/2" x 10"	B-302



84963	3-1/2" x 10"	B-302

88498	10" x 10"	B-302
42740	10" x 14"	B-555

89100	3-1/2" x 10"	B-302
84966	5" x 14"	B-302
41136	10" x 14"	B-555

69796	7" x 7"	B-120
88512	7" x 7"	B-302
25176	7" x 10"	B-401
42753	7" x 10"	B-555

71065	14" x 20"	B-120
84967	7" x 10"	B-302
84968	10" x 14"	B-302
41137	7" x 10"	B-555

Exit and Directional Signs

Brady exit signs lead employees to safety in an emergency or guide traffic in your facility and are offered with nearly 150 different stock legends. Brady's exit signs are available in standard and photoluminescent materials, with combination lighting and emergency floodlights, as well as exit markings with safety and egress instructions.

OSHA Regulation

Not an Exit 1910.37(Q)
Any door, passage, or stairway that is not an exit or a way to get to an exit, but looks as though it could be an exit must be marked with a sign reading "NOT AN EXIT," or must be identified by a sign telling what it is, such as "to basement," "storeroom," "linen closet," or whatever it may be.

Evacuation Route 1910.38(a)(2), 1910.120(1)(2)(vi) (Informational marking)
Elements of an emergency response plan. The employer shall develop an emergency response plan for emergencies which shall address, as minimum, the following:...(vi) Evacuation routes and procedures.

Exit 1910.37(q)(1),(3),(4),(6),(8)
Exits shall be marked by a readily visible sign. They must be of such size, color and design as to be readily visible, contrasting with the colors and decorations around them. A sign reading "EXIT," with an arrow showing the directions, must be placed in every location where the direction of travel to get to the nearest exit is not immediately obvious.

EXIT 29 CFR 1910.37 (b)(7)
Each exit sign must have the word "Exit" in plainly legible letters not less than 6" (15.2 cm) high, with the principal strokes of the letters in the word "Exit" not less than 3/4" (1.9 cm) wide.

40648	10" x 14"	B-555

127052	7" x 10"	B-302
127055	10" x 14"	B-302
127051	7" x 10"	B-401
127054	10" x 14"	B-401
127050	7" x 10"	B-555
127053	10" x 14"	B-555

73482	7" x 10"	B-120
71166	10" x 14"	B-120
84617	7" x 10"	B-302
84618	10" x 14"	B-302
25761	7" x 10"	B-401
25762	10" x 14"	B-401
43338	7" x 10"	B-555
43339	10" x 14"	B-555

127106	7" x 10"	B-302
127109	10" x 14"	B-302
127105	7" x 10"	B-401
127108	10" x 14"	B-401
127104	7" x 10"	B-555
127107	10" x 14"	B-555

84622	3-1/2" x 14"	B-302

90491	2-1/2" x 7"	B-324
80201	3-1/2" x 10"	B-324
80202	5" x 14"	B-324
80267	3-1/2" x 10"	B-347
80268	5" x 14"	B-347

84621	1-3/4" x 10"	B-302



25765	7" x 10"	B-401
43342	7" x 10"	B-555



90123	7" x 10"	B-324



84619	3-1/2" x 10"	B-302
25763	7" x 10"	B-401
43340	7" x 10"	B-555



25766	7" x 10"	B-401
43343	7" x 10"	B-555



25764	7" x 10"	B-401
43341	7" x 10"	B-555



90964	7" x 10"	B-347

59279	6" x 6"	B-324

127088	7" x 10"	B-302
127091	10" x 14"	B-302
127087	7" x 10"	B-401
127090	10" x 14"	B-401
127086	7" x 10"	B-555
127089	10" x 14"	B-555

80272	5" x 14"	B-347

90926	5" x 14"	B-347

132200	7" x 10"	B-120
132201	10" x 14"	B-120
123811	7" x 10"	B-302
123814	10" x 14"	B-302
123810	7" x 10"	B-401
123813	10" x 14"	B-401
123809	7" x 10"	B-555
123812	10" x 14"	B-555

Exit and Directional Signs

www.BradyID.com

Exit and Directional Signs (Continued)

132172	7" x 10"	B-120
132173	10" x 14"	B-120
132174	7" x 10"	B-302
132175	10" x 14"	B-302
132168	7" x 10"	B-401
132169	10" x 14"	B-401
132170	7" x 10"	B-555
132171	10" x 14"	B-555

132156	7" x 10"	B-120
132157	10" x 14"	B-120
132158	7" x 10"	B-302
132159	10" x 14"	B-302
132152	7" x 10"	B-401
132153	10" x 14"	B-401
132154	7" x 10"	B-555
132155	10" x 14"	B-555

132164	7" x 10"	B-120
132165	10" x 14"	B-120
132166	7" x 10"	B-302
132167	10" x 14"	B-302
132160	7" x 10"	B-401
132161	10" x 14"	B-401
132162	7" x 10"	B-555
132163	10" x 14"	B-555

90109	7" x 10"	B-324
90623	10" x 14"	B-324
90951	7" x 10"	B-347
90635	10" x 14"	B-347

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

90622	10" x 14"	B-324
90950	7" x 10"	B-347
90634	10" x 14"	B-347

80207	3-1/2" x 10"	B-324
80208	5" x 14"	B-324
80273	3-1/2" x 10"	B-347
80274	5" x 14"	B-347

90494	10" x 14"	B-324
90495	10" x 14"	B-347

69199	10" x 14"	B-120
84663	7" x 10"	B-302
84664	10" x 14"	B-302
22481	7" x 10"	B-401
22482	10" x 14"	B-401
41045	7" x 10"	B-555
41046	10" x 14"	B-555

132131	7" x 10"	B-120

70915	5" x 14"	B-120
122793	7" x 10"	B-120
122705	10" x 14"	B-120
84662	5" x 14"	B-302
122635	7" x 10"	B-302
122565	10" x 14"	B-302
22480	7" x 10"	B-401
122464	10" x 14"	B-401
41044	7" x 10"	B-555
122338	10" x 14"	B-555

90102	7" x 10"	B-324
90616	10" x 14"	B-324
90944	7" x 10"	B-347
90628	10" x 14"	B-347

123787	7" x 10"	B-302
123790	10" x 14"	B-302
123786	7" x 10"	B-401
123789	10" x 14"	B-401
123785	7" x 10"	B-555
123788	10" x 14"	B-555

75978	7" x 10"	B-120
122757	10" x 14"	B-120
89156	3-1/2" x 10"	B-302
84665	7" x 10"	B-302
84666	10" x 14"	B-302
22483	7" x 10"	B-401
22484	10" x 14"	B-401
41047	7" x 10"	B-555
41048	10" x 14"	B-555

90924	5" x 14"	B-347

90923	5" x 14"	B-347

80211	3-1/2" x 10"	B-324
80212	5" x 14"	B-324
80277	3-1/2" x 10"	B-347
80278	5" x 14"	B-347

80209	3-1/2" x 10"	B-324
80210	5" x 14"	B-324
80275	3-1/2" x 10"	B-347
80276	5" x 14"	B-347

84661	6-1/2" x 14"	B-302
22479	10" x 14"	B-401
41043	10" x 14"	B-555

90933	5" x 14"	B-347



80213	7" x 10"	B-324
80214	10" x 14"	B-324
80279	7" x 10"	B-347
80280	10" x 14"	B-347

132180	7" x 10"	B-120
132181	10" x 14"	B-120
132182	7" x 10"	B-302
132183	10" x 14"	B-302
132176	7" x 10"	B-401
132177	10" x 14"	B-401
132178	7" x 10"	B-555
132179	10" x 14"	B-555

123805	7" x 10"	B-302
123808	10" x 14"	B-302
123804	7" x 10"	B-401
123807	10" x 14"	B-401
123803	7" x 10"	B-555
123806	10" x 14"	B-555

90934	5" x 14"	B-347

90940	5" x 14"	B-347

90927	5" x 14"	B-347

84667	7" x 10"	B-302
22485	7" x 10"	B-401
41049	7" x 10"	B-555

70923	14" x 20"	B-120
84668	7" x 10"	B-302
84669	10" x 14"	B-302
22486	7" x 10"	B-401
41050	7" x 10"	B-555



84626	10" x 14"	B-302
25768	10" x 14"	B-401
43345	10" x 14"	B-555



84625	6-1/2" x 14"	B-302
25767	10" x 14"	B-401
43344	10" x 14"	B-555

Exit and Directional Signs (Continued)

90941	5" x 14"	B-347

70323	6-1/2" x 14"	B-120
84670	5" x 14"	B-302
22487	7" x 10"	B-401
41051	7" x 10"	B-555

Meets OSHA 1910.37(b)(7):		
73509	7" x 10"	B-324
73510	10" x 14"	B-324
80281	7" x 10"	B-347
80282	10" x 14"	B-347

73558	4" x 9"	B-324

Meets OSHA 1910.37(b)(7):		
84675	7" x 10"	B-302
84676	10" x 14"	B-302
22491	7" x 10"	B-401
22492	10" x 14"	B-401
41055	7" x 10"	B-555

Meets OSHA 1910.37(b)(7):		
47040	7" x 10"	B-120
47288	10" x 14"	B-120
84673	7" x 10"	B-302
84674	10" x 14"	B-302
22489	7" x 10"	B-401
22490	10" x 14"	B-401
41053	7" x 10"	B-555
41054	10" x 14"	B-555

80215	7" x 10"	B-324
80283	7" x 10"	B-347

Meets OSHA 1910.37(b)(7):		
73513	10" x 14"	B-324
80284	10" x 14"	B-347

95142	7" x 10"	B-997

84677	7" x 10"	B-302
22493	7" x 10"	B-401

Meets OSHA 1910.37(b)(7):		
84678	10" x 14"	B-302

59329	3" x 6"	B-324
59330	3" x 6"	B-347

70947	7" x 10"	B-120
84671	7" x 10"	B-302
22488	7" x 10"	B-401
41052	7" x 10"	B-555

Meets OSHA 1910.37(b)(7):		
70949	10" x 14"	B-120
84672	10" x 14"	B-302

51551	10" x 14"	B-302
51552	10" x 14"	B-401

Package includes 6 identical signs.

70976	14" x 20"	B-120
84679	7" x 10"	B-302
84680	10" x 14"	B-302
22494	7" x 10"	B-401
41058	7" x 10"	B-555

Meets OSHA 1910.37(b)(7):		
80221	10" x 7"	B-324
80222	14" x 10"	B-324
80289	10" x 7"	B-347
80290	14" x 10"	B-347

84633	7" x 10"	B-302
22459	7" x 10"	B-401
41023	7" x 10"	B-555

Meets OSHA 1910.37(b)(7):		
84634	10" x 14"	B-302
22460	10" x 14"	B-401
41024	10" x 14"	B-555

Meets OSHA 1910.37(b)(7):		
80219	10" x 7"	B-324
80220	14" x 10"	B-324
80287	10" x 7"	B-347
80288	14" x 10"	B-347

Meets OSHA 1910.37(b)(7):		
80217	10" x 7"	B-324
80218	14" x 10"	B-324
80285	10" x 7"	B-347
80286	14" x 10"	B-347

51640	12" x 9"	Glow Self Adhesive



70325	6-1/2" x 14"	B-120
84628	6-1/2" x 14"	B-302
22454	10" x 14"	B-401
41018	10" x 14"	B-555



84627	6-1/2" x 14"	B-302
22453	10" x 14"	B-401
41017	10" x 14"	B-555

47035	7" x 14"	B-120
76066	10" x 14"	B-120
122636	7" x 10"	B-302
84632	10" x 14"	B-302
22457	7" x 10"	B-401
22458	10" x 14"	B-401
41021	7" x 10"	B-555
41022	10" x 14"	B-555

47034	7" x 14"	B-120
76067	10" x 14"	B-120
122634	7" x 10"	B-302
84630	10" x 14"	B-302
22455	7" x 10"	B-401
22456	10" x 14"	B-401
41019	7" x 10"	B-555
41020	10" x 14"	B-555

May we also suggest:

Perimeter L.E.D. Exit Signs

- An economical alternative to traditional, incandescent or fluorescent exit signs.
- Listed to UL 924 and in compliance with OSHA, NEC® and NFP standard
- Include a 90-minute nickel cadmium battery back-up assembly for power failure
- Standard input voltages are 120 or 277AC

Catalog #	Description	Color	Size
56905	Perimeter LED Exit Sign	Black/Red	7-1/2" x 12-1/4" x 2-1/2"
56907	Perimeter LED Exit Sign	White/Red	7-1/2" x 12-1/4" x 2-1/2"
56908	Perimeter LED Exit Sign	White/Green	7-1/2" x 12-1/4" x 2-1/2"

Exit and Directional Signs (Continued)

90966	7" x 10"	B-347

84685	7" x 10"	B-302
84686	10" x 14"	B-302
22499	7" x 10"	B-401
22500	10" x 14"	B-401
41063	7" x 10"	B-555
41064	10" x 14"	B-555

73542	7" x 10"	B-324
80247	10" x 14"	B-324
85480	7" x 10"	B-347
85481	10" x 14"	B-347

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

90105	7" x 10"	B-324
90619	10" x 14"	B-324
90947	7" x 10"	B-347
90631	10" x 14"	B-347

90492	3-1/2" x 10"	B-324

73545	7" x 10"	B-324
80250	10" x 14"	B-324
85484	7" x 10"	B-347
85523	10" x 14"	B-347

71015	7" x 10"	B-120
71016	10" x 14"	B-120
84687	7" x 10"	B-302
84688	10" x 14"	B-302
22501	7" x 10"	B-401
22502	10" x 14"	B-401
41065	7" x 10"	B-555
41066	10" x 14"	B-555

70460	6-1/2" x 14"	B-120
84642	6-1/2" x 14"	B-302
22466	10" x 14"	B-401
41030	10" x 14"	B-555



73417	6-1/2" x 14"	B-120
84641	6-1/2" x 14"	B-302
22465	10" x 14"	B-401
41029	10" x 14"	B-555



84644	6-1/2" x 14"	B-302
22468	10" x 14"	B-401
41032	10" x 14"	B-555



73467	6-1/2" x 14"	B-120
84643	6-1/2" x 14"	B-302
22467	10" x 14"	B-401
41031	10" x 14"	B-555

80253	2-1/2" x 7"	B-324
85528	2-1/2" x 7"	B-347

90929	5" x 14"	B-347

80254	2-1/2" x 7"	B-324
85540	2-1/2" x 7"	B-347

90611	5" x 14"	B-324
90939	5" x 14"	B-347

90928	5" x 14"	B-347



84648	6-1/2" x 14"	B-302
22470	10" x 14"	B-401
41034	10" x 14"	B-555



84647	6-1/2" x 14"	B-302
22469	10" x 14"	B-401
41033	10" x 14"	B-555

132188	7" x 10"	B-120
132189	10" x 14"	B-120
132190	7" x 10"	B-302
132191	10" x 14"	B-302
132184	7" x 10"	B-401
132185	10" x 14"	B-401
132186	7" x 10"	B-555
132187	10" x 14"	B-555

123799	10" x 7"	B-302
123802	14" x 10"	B-302
123798	10" x 7"	B-401
123801	14" x 10"	B-401
123797	10" x 7"	B-555
123800	14" x 10"	B-555
132186	7" x 10"	B-555
132187	10" x 14"	B-555

123793	10" x 7"	B-302
123796	14" x 10"	B-302
123792	10" x 7"	B-401
123795	14" x 10"	B-401
123791	10" x 7"	B-555
123794	14" x 10"	B-555

90550	10" x 7"	B-324
90183	14" x 10"	B-324
90714	10" x 7"	B-347
90776	14" x 10"	B-347

73473	6-1/2" x 14"	B-120
22472	10" x 14"	B-401
41036	10" x 14"	B-555

70525	6-1/2" x 14"	B-120
22471	10" x 14"	B-401
41035	10" x 14"	B-555

90936	5" x 14"	B-347

80255	10" x 14"	B-324
85541	7" x 10"	B-347
85545	10" x 14"	B-347

80261	10" x 14"	B-324
80027	7" x 10"	B-347
80028	10" x 14"	B-347

Exit and Directional Signs (Continued)

90931	5" x 14"	B-347

80259	10" x 14"	B-324
85601	7" x 10"	B-347

80256	7" x 10"	B-324
80257	10" x 14"	B-324
85546	7" x 10"	B-347

127100	7" x 10"	B-302
127103	10" x 14"	B-302
127099	7" x 10"	B-401
127102	10" x 14"	B-401
127098	7" x 10"	B-555
127101	10" x 14"	B-555

90713	7" x 10"	B-347
90775	10" x 14"	B-347

84689	7" x 10"	B-302
84690	10" x 14"	B-302
22503	7" x 10"	B-401
22504	10" x 14"	B-401
41067	7" x 10"	B-555
41068	10" x 14"	B-555

71373	6-1/2" x 14"	B-120
84654	6-1/2" x 14"	B-302
22476	10" x 14"	B-401

71366	6-1/2" x 14"	B-120
84653	6-1/2" x 14"	B-302
22475	10" x 14"	B-401

80264	3-1/2" x 10"	B-324
80040	3-1/2" x 10"	B-347
80041	5" x 14"	B-347

80262	3-1/2" x 10"	B-324
80029	3-1/2" x 10"	B-347
80035	5" x 14"	B-347

84652	6-1/2" x 14"	B-302
41038	10" x 14"	B-555

70550	6-1/2" x 14"	B-120
84651	6-1/2" x 14"	B-302
22473	10" x 14"	B-401
41037	10" x 14"	B-555

90553	7" x 10"	B-324
90186	10" x 14"	B-324
90717	7" x 10"	B-347

90185	10" x 14"	B-324

87651	7" x 10"	B-120
59388	7" x 10"	B-302
59389	7" x 10"	B-401

59391	7" x 10"	B-302

90551	10" x 7"	B-324
90184	14" x 10"	B-324
90777	14" x 10"	B-347

80266	2-1/2" x 7"	B-324
80048	2-1/2" x 7"	B-347

Hassle Free Custom Signs at www.BradyID.com!

- Customize a sign for no additional cost – same as stock pricing
- No minimums or set-up fees
- Most signs ship same day or next day
- Choose from top selling materials and sizes from 3"x 5" to 24" x 36"
- New Custom Team created to manage and respond to your more complex custom projects fast
- Contact customer service for more information and preferred pricing, or customize instantly online at www.BradyID.com



Create custom signs like these for your facility!

At www.BradyID.com online customizing is easy as 1, 2, 3!

1) Select your category
2) Customize your product
3 Add to your shopping cart.

BradyGlo™ Exit Signs

IBC/IFC Compliant BradyGlo™ Directional Exit Signs

- Doors opening to corridors where such corridors act as required exit passageways connecting two vertical exits
- Doors serving as horizontal exits or stairwell exits
- Transfer levels and wherever egress direction is not clear

Sign Materials

B-984 - BradyGlo™ Self-Sticking Polyester
B-985 - BradyGlo™ Polystyrene
B-986 - BradyGlo™ Aluminum
View all sign materials on page 25.

114685	7" x 15"	B-984
114686	7" x 15"	B-985
114687	7" x 15"	B-986

114691	7" x 15"	B-984
114692	7" x 15"	B-985
114693	7" x 15"	B-986

114688	7" x 15"	B-984
114689	7" x 15"	B-985
114690	7" x 15"	B-986

114673	7" x 15"	B-984
114674	7" x 15"	B-985
114675	7" x 15"	B-986

114679	7" x 15"	B-984
114680	7" x 15"	B-985
114681	7" x 15"	B-986

114676	7" x 15"	B-984
114677	7" x 15"	B-985
114678	7" x 15"	B-986

114660	7" x 21"	B-986
114658	7" x 21"	B-984
114659	7" x 21"	B-985

114664	7" x 21"	B-984
114665	7" x 21"	B-985
114666	7" x 21"	B-986

114661	7" x 21"	B-984
114662	7" x 21"	B-985
114663	7" x 21"	B-986

114649	7" x 21"	B-984
114650	7" x 21"	B-985
114651	7" x 21"	B-986

114655	7" x 21"	B-984
114656	7" x 21"	B-985
114657	7" x 21"	B-986

114652	7" x 21"	B-984
114653	7" x 21"	B-985
114654	7" x 21"	B-986

114646	10" x 22"	B-984
114647	10" x 22"	B-985
114648	10" x 22"	B-986

114643	10" x 22"	B-984
114644	10" x 22"	B-985
114645	10" x 22"	B-986

114637	14" x 10"	B-984
114638	14" x 10"	B-985
114639	14" x 10"	B-986

114640	14" x 10"	B-984
114641	14" x 10"	B-985
114642	14" x 10"	B-986

IBC/IFC Compliant BradyGlo™ Door Handle Markers

Plastic Push Bar Door Marker

Catalog #	Description	Legend	Size
114912	Plastic Push Bar Door Marker	Push	2" x 30"
114913	Plastic Push Bar Door Marker	Blank	2" x 30"
114914	Plastic Push Bar Door Marker	Push	1.5" x 18"
114915	Plastic Push Bar Door Marker	Blank	1.5" x 18"
114697	B-984 Self-Sticking Adhesive	4.125" x 4.125"	

Vertical Plastic Door Handle Markers

Catalog #	Description	Legend	Size
114917	Plastic Door Handle Marker - Vertical	Exit	7" x 10"
114918	Plastic Door Handle Marker - Vertical	Blank	7" x 10"



Horizontal Plastic Door Handle Markers

Catalog #	Description	Legend	Size
114919	Plastic Door Handle Marker - Horizontal	Exit	7" x 10"
114921	Plastic Door Handle Marker - Horizontal	Blank	7" x 10"

BradyGlo™ Exit Signs

IBC/IFC, NYC Compliant BradyGlo™ High Performance Photoluminescent Exit Sign

- Compliant to NFPA Life Safety Code 101 and 2012 IBC regulation and current building codes
- Energy efficient, non-electric, non toxic, non-radioactive and may qualify for LEED credits
- 50ft visibility, 100% reliable and virtually maintenance free
- 3 configurations which can be attached on a surface, ceiling or flag mounted

Framed Wall Mount Exit Sign

Mounting Brackets

Catalog #	Description	Size	
B-355 Framed Single Face Wall Mount Sign			
37851B	Single Face Wall Mount	8-1/4" x 15-1/4"	Black
90885B	Single Face Wall Mount	8-1/4" x 15-1/4"	Red
90887B	Single Face Wall Mount	8-1/4" x 15-1/4"	Green
80753B	Single Face Wall Mount	8-1/4" x 15-1/4"	White
112653B	Single Face Wall Mount	8-1/4" x 15-1/4"	Silver
B-355 Framed Single Face Sign w/ Bracket			
38097B	Single Face w/ Bracket	8-1/4" x 15-1/4"	Black
90839B	Single Face w/ Bracket	8-1/4" x 15-1/4"	Red
90841B	Single Face w/ Bracket	8-1/4" x 15-1/4"	Green
80754B	Single Face w/ Bracket	8-1/4" x 15-1/4"	White
112654B	Single Face w/ Bracket	8-1/4" x 15-1/4"	Silver
B-355 Framed Double Face Sign w/ Bracket			
38098B	Double Face w/ Bracket	8-1/4" x 15-1/4"	Black
90840B	Double Face w/ Bracket	8-1/4" x 15-1/4"	Red
90842B	Double Face w/ Bracket	8-1/4" x 15-1/4"	Green
80755B	Double Face w/ Bracket	8-1/4" x 15-1/4"	White
112655B	Double Face w/ Bracket	8-1/4" x 15-1/4"	Silver
B-355 Extra Mounting Bracket			
38099B	Mounting Bracket		Black
90886B	Mounting Bracket		Red
90888B	Mounting Bracket		Green
80756B	Mounting Bracket		White
112656B	Mounting Bracket		Silver

BradyGlo™ Kick Plate Exit Sign

Catalog #	Description	Size
B-355 Kick Plate Sign		
113063B	Kick Plate Exit Sign	10" x 34"

Frameless BradyGlo™ Exit Signs

Catalog #	Description	Size
B-374 Frameless Sign		
87807B	Frameless Red Exit Sign	8-1/2" x 15"
87808B	Frameless Green Exit Sign	8-1/2" x 15"



Evacuation Frames

- Holders display your custom evacuation maps
- Clear acrylic frames hold your custom maps and allow you to easily change them when updates are needed

Catalog #	Description	Size	Material
102857	Emergency Evacuation Frame	17-1⁄2" X 15"	Luminous
102852	Evacuation Map Frame	17-1⁄2" X 15"	Standard
102851	Evacuation Map Frame	11-1⁄2" X 11"	Luminous
102853	Evacuation Map Frame	17-1⁄2" X 15"	Luminous

Evacuation Map Display Holder

- Easy-to-see acrylic board
- Quickly shows viewers the best evacuation route from their work area

Catalog #	Description	Size
45381	Evacuation Map Display Holder	15" x 11"



Evacuation Plan Insert Holder

- Simply print and insert your evacuation map
- Accommodates standard 17" x 11" insert Non-glare, scratch-resistant finish
- Vivid red border with raised white lettering
- 2 adhesive mounting strips on back for easy installation

Catalog #	Description	Size
102849	Evacuation Plan Insert Holder	17-1⁄2" x 13-1⁄2"

Fire Safety Signs

Brady fire signs help you quickly identify fire exits, fire extinguishers and other fire suppression equipment in your facility. With exit standard red/white and glow-in-the-dark fire signs, you can clearly indicate flammable materials and mark your entire facility for emergency safety.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

73458	10" x 14"	B-120
89104	7" x 10"	B-302
89105	10" x 14"	B-302
25640	7" x 10"	B-401
25641	10" x 14"	B-401
43217	7" x 10"	B-555
43218	10" x 14"	B-555

89106	7" x 10"	B-302
89107	10" x 14"	B-302
25642	7" x 10"	B-401
25643	10" x 14"	B-401
43220	10" x 14"	B-555

89110	7" x 10"	B-302
85148	10" x 14"	B-302
25644	7" x 10"	B-401
25645	10" x 14"	B-401
43221	7" x 10"	B-555
43222	10" x 14"	B-555

70225	14" x 20"	B-120
85151	7" x 10"	B-302
85152	10" x 14"	B-302
25646	7" x 10"	B-401
25647	10" x 14"	B-401
43223	7" x 10"	B-555
43224	10" x 14"	B-555

73440	10" x 14"	B-120
86033	7" x 10"	B-302
86034	10" x 14"	B-302
23215	7" x 10"	B-401
23216	10" x 14"	B-401
41889	7" x 10"	B-555
41890	10" x 14"	B-555

85197	7" x 10"	B-302
85198	10" x 14"	B-302
25676	7" x 10"	B-401
25677	10" x 14"	B-401
43254	10" x 14"	B-555

69511	10" x 14"	B-120
85199	7" x 10"	B-302
85200	10" x 14"	B-302
25678	7" x 10"	B-401
25679	10" x 14"	B-401
43255	7" x 10"	B-555
43256	10" x 14"	B-555

71715	14" x 20"	B-120
85294	10" x 14"	B-302
22688	7" x 10"	B-401
22689	10" x 14"	B-401
41252	7" x 10"	B-555
41253	10" x 14"	B-555

OSHA Regulations

Flammable: Keep Fire Away 1910.106(d)(3)(ii)
Storage cabinets in which you keep flammable liquids, such as gasoline, must be labeled in conspicuous lettering, "Flammable – Keep Fire Away."

Fire Extinguisher Marking 1910.157(c)(1)
If you are using portable fire extinguishers, you must mount, locate and identify them so that they are readily accessible to employees.

Fire Hose 1910.158(c)(1)
Where reels or cabinets are provided to contain fire hose, the employer must be sure that they are conspicuously identified and used only for fire equipment.

122832	7" x 10"	B-120
71708	10" x 14"	B-120
122651	7" x 10"	B-302
85206	10" x 14"	B-302
25680	7" x 10"	B-401
25681	10" x 14"	B-401
43257	7" x 10"	B-555
43258	10" x 14"	B-555

127346	7" x 10"	B-302
127349	10" x 14"	B-302
127345	7" x 10"	B-401
127348	10" x 14"	B-401
127344	7" x 10"	B-555
127347	10" x 14"	B-555

70410	10" x 14"	B-120
85639	10" x 14"	B-302
22798	7" x 10"	B-401
22799	10" x 14"	B-401
41362	7" x 10"	B-555
41363	10" x 14"	B-555

85209	7" x 10"	B-302
85210	10" x 14"	B-302

80007	10" x 14"	B-302
80017	10" x 14"	B-401
80009	10" x 14"	B-555

127352	7" x 10"	B-302
127355	10" x 14"	B-302
127351	7" x 10"	B-401
127354	10" x 14"	B-401
127350	7" x 10"	B-555
127353	10" x 14"	B-555

127358	7" x 10"	B-302
127361	10" x 14"	B-302
127357	7" x 10"	B-401
127360	10" x 14"	B-401
127356	7" x 10"	B-555
127359	10" x 14"	B-555

127370	7" x 10"	B-302
127373	10" x 14"	B-302
127369	7" x 10"	B-401
127372	10" x 14"	B-401
127368	7" x 10"	B-555
127371	10" x 14"	B-555

69582	10" x 14"	B-120
85219	7" x 10"	B-302
85220	10" x 14"	B-302
25690	7" x 10"	B-401
25691	10" x 14"	B-401
43267	7" x 10"	B-555
43268	10" x 14"	B-555

69583	10" x 14"	B-120
85221	7" x 10"	B-302
85222	10" x 14"	B-302
25692	7" x 10"	B-401
25693	10" x 14"	B-401
43269	7" x 10"	B-555

127364	7" x 10"	B-302
127367	10" x 14"	B-302
127363	7" x 10"	B-401
127366	10" x 14"	B-401
127362	7" x 10"	B-555
127365	10" x 14"	B-555

Fire Safety Signs (Continued)

127112	7" x 10"	B-302
127115	10" x 14"	B-302
127111	7" x 10"	B-401
127114	10" x 14"	B-401
127110	7" x 10"	B-555
127113	10" x 14"	B-555

127118	7" x 10"	B-302
127121	10" x 14"	B-302
127117	7" x 10"	B-401
127120	10" x 14"	B-401
127116	7" x 10"	B-555
127119	10" x 14"	B-555

127136	7" x 10"	B-302
127139	10" x 14"	B-302
127135	7" x 10"	B-401
127138	10" x 14"	B-401
127134	7" x 10"	B-555
127137	10" x 14"	B-555

127124	7" x 10"	B-302
127127	10" x 14"	B-302
127123	7" x 10"	B-401
127126	10" x 14"	B-401
127122	7" x 10"	B-555
127125	10" x 14"	B-555



127130	7" x 10"	B-302
127133	10" x 14"	B-302
127129	7" x 10"	B-401
127132	10" x 14"	B-401
127128	7" x 10"	B-555
127131	10" x 14"	B-555

127142	7" x 10"	B-302
127145	10" x 14"	B-302
127141	7" x 10"	B-401
127144	10" x 14"	B-401
127140	7" x 10"	B-555
127143	10" x 14"	B-555

85225	10" x 14"	B-302
43272	10" x 14"	B-555

90103	7" x 10"	B-324
90617	10" x 14"	B-324
90629	10" x 14"	B-347

85228	5" x 14"	B-302

69168	10" x 14"	B-120
85231	10" x 14"	B-302
25696	7" x 10"	B-401
43274	10" x 14"	B-555

127148	7" x 10"	B-302
127151	10" x 14"	B-302
127147	7" x 10"	B-401
127150	10" x 14"	B-401
127146	7" x 10"	B-555
127149	10" x 14"	B-555

127166	7" x 10"	B-302
127169	10" x 14"	B-302
127165	7" x 10"	B-401
127168	10" x 14"	B-401
127164	7" x 10"	B-555
127167	10" x 14"	B-555

127154	7" x 10"	B-302
127157	10" x 14"	B-302
127153	7" x 10"	B-401
127156	10" x 14"	B-401
127152	7" x 10"	B-555
127155	10" x 14"	B-555



85236	7" x 10"	B-302
85237	10" x 14"	B-302
25700	7" x 10"	B-401
25701	10" x 14"	B-401
43277	7" x 10"	B-555
43278	10" x 14"	B-555

69202	10" x 14"	B-120
85239	10" x 14"	B-302
25702	7" x 10"	B-401
43279	7" x 10"	B-555

127160	10" x 7"	B-302
127163	14" x 10"	B-302
127159	10" x 7"	B-401
127162	14" x 10"	B-401
127158	10" x 7"	B-555
127161	14" x 10"	B-555

51545	10" x 14"	B-555

122870	7" x 10"	B-120
122731	10" x 14"	B-120
90372	7" x 10"	B-302
122585	10" x 14"	B-302
122535	7" x 10"	B-401
122481	10" x 14"	B-401
122426	7" x 10"	B-555
122360	10" x 14"	B-555

69206	24" x 4"	B-120
85240	14" x 5"	B-302
25703	14" x 10"	B-401

85241	7" x 10"	B-302
85242	10" x 14"	B-302
25704	7" x 10"	B-401
25705	10" x 14"	B-401
43281	7" x 10"	B-555
43282	10" x 14"	B-555

95504	10" x 14"	B-555
95505	14" x 20"	B-555

127178	7" x 10"	B-302
127181	10" x 14"	B-302
127177	7" x 10"	B-401
127180	10" x 14"	B-401
127176	7" x 10"	B-555
127179	10" x 14"	B-555

127172	7" x 10"	B-302
127175	10" x 14"	B-302
127171	7" x 10"	B-401
127174	10" x 14"	B-401
127170	7" x 10"	B-555
127173	10" x 14"	B-555

90379	3-1/2" x 3-1/2"	B-302

47273	7" x 10"	B-120
85243	7" x 10"	B-302
85244	10" x 14"	B-302
25706	7" x 10"	B-401
25707	10" x 14"	B-401
43283	7" x 10"	B-555
43284	10" x 14"	B-555



90968	7" x 10"	B-347

127184	7" x 10"	B-302
127187	10" x 14"	B-302
127183	7" x 10"	B-401
127186	10" x 14"	B-401
127182	7" x 10"	B-555
127185	10" x 14"	B-555

Fire Safety Signs

www.BradyID.com

Fire Safety Signs (Continued)

127190	7" x 10"	B-302
127193	10" x 14"	B-302
127189	7" x 10"	B-401
127192	10" x 14"	B-401
127188	7" x 10"	B-555
127191	10" x 14"	B-555

127340	7" x 10"	B-302
127343	10" x 14"	B-302
127339	7" x 10"	B-401
127342	10" x 14"	B-401
127338	7" x 10"	B-555
127341	10" x 14"	B-555

BradyGlo

122873	7" x 10"	B-120
69071	14" x 10"	B-120
122665	7" x 10"	B-302
86090	14" x 10"	B-302
80161	14" x 10"	B-324
80292	14" x 10"	B-347
122538	7" x 10"	B-401
25708	14" x 10"	B-401
122429	7" x 10"	B-555
43285	14" x 10"	B-555
95147	14" x 10"	B-997

BradyGlo

103599	14" x 3-1/2"	B-302
90366	14" x 5"	B-302
103598	14" x 3-1/2"	B-324
80223	14" x 5"	B-324
80291	14" x 5"	B-347

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

90976	5" x 14"	B-347

90376	14" x 5"	B-302

127196	7" x 10"	B-302
127199	10" x 14"	B-302
127195	7" x 10"	B-401
127198	10" x 14"	B-401
127194	7" x 10"	B-555
127197	10" x 14"	B-555

51546	10" x 14"	B-555

123775	10" x 7"	B-302
123778	14" x 10"	B-302
123774	10" x 7"	B-401
123777	14" x 10"	B-401
123773	10" x 7"	B-555
123776	14" x 10"	B-555

85248	7" x 10"	B-302
85249	10" x 14"	B-302
25709	7" x 10"	B-401
25710	10" x 14"	B-401
43286	7" x 10"	B-555
43287	10" x 14"	B-555

127226	7" x 10"	B-302
127229	10" x 14"	B-302
127225	7" x 10"	B-401
127228	10" x 14"	B-401
127224	7" x 10"	B-555
127227	10" x 14"	B-555

90100	7" x 10"	B-324
90942	7" x 10"	B-347
90626	10" x 14"	B-347

90101	7" x 10"	B-324
90943	7" x 10"	B-347
90627	10" x 14"	B-347

132148	7" x 10"	B-120
132149	10" x 14"	B-120
132150	7" x 10"	B-302
132151	10" x 14"	B-302
132144	7" x 10"	B-401
132145	10" x 14"	B-401
132146	7" x 10"	B-555
132147	10" x 14"	B-555

127214	7" x 10"	B-302
127217	10" x 14"	B-302
127213	7" x 10"	B-401
127216	10" x 14"	B-401
127212	7" x 10"	B-555
127215	10" x 14"	B-555

85253	7" x 10"	B-302
85254	10" x 14"	B-302
25711	7" x 10"	B-401
25712	10" x 14"	B-401
43288	7" x 10"	B-555
43289	10" x 14"	B-555

90377	14" x 5"	B-302

90937	5" x 14"	B-347

90625	10" x 14"	B-324
90637	10" x 14"	B-347
90953	10" x 14"	B-347

90952	7" x 10"	B-347
90636	10" x 14"	B-347

BradyGlo

84681	3-1/2" x 14"	B-302
80225	3-1/2" x 10"	B-324
80294	3-1/2" x 10"	B-347
22495	10" x 14"	B-401
41059	10" x 14"	B-555

90946	7" x 10"	B-347
90630	10" x 14"	B-347

127232	7" x 10"	B-302
127235	10" x 14"	B-302
127231	7" x 10"	B-401
127234	10" x 14"	B-401
127230	7" x 10"	B-555
127233	10" x 14"	B-555

132140	7" x 10"	B-120
132141	10" x 14"	B-120
132142	7" x 10"	B-302
132143	10" x 14"	B-302
132136	7" x 10"	B-401
132137	10" x 14"	B-401
132138	7" x 10"	B-555
132139	10" x 14"	B-555

84682	7" x 10"	B-302
84683	10" x 14"	B-302
22496	7" x 10"	B-401
22497	10" x 14"	B-401
41060	7" x 10"	B-555
41061	10" x 14"	B-555

80229	3-1/2" x 10"	B-324
80298	3-1/2" x 10"	B-347
80299	5" x 14"	B-347

Fire Safety Signs (Continued)

80233	3-1/2" x 10"	B-324
80234	5" x 14"	B-324

47247	3-1/2" x 14"	B-120
84635	3-1/2" x 14"	B-302
22461	7" x 10"	B-401
41025	7" x 10"	B-555

80227	3-1/2" x 10"	B-324
80296	3-1/2" x 10"	B-347
80297	5" x 14"	B-347

80231	3-1/2" x 10"	B-324
80232	5" x 14"	B-324

47246	3-1/2" x 14"	B-120
84636	3-1/2" x 14"	B-302
22462	7" x 10"	B-401
41026	7" x 10"	B-555



BradyGlo

71649	5" x 14"	B-120
85256	3-1/2" x 10"	B-302
85257	5" x 14"	B-302
80235	3-1/2" x 10"	B-324
80167	3-1/2" x 10"	B-347

122892	7" x 10"	B-120
122752	10" x 14"	B-120
122688	7" x 10"	B-302
122610	10" x 14"	B-302
25714	7" x 10"	B-401
122491	10" x 14"	B-401
43291	7" x 10"	B-555
122377	10" x 14"	B-555

71643	5" x 14"	B-120
85255	5" x 14"	B-302
25713	7" x 10"	B-401
43290	7" x 10"	B-555

91020	7" x 10"	B-324

123769	10" x 7"	B-302
123772	14" x 10"	B-302
123768	10" x 7"	B-401
123771	14" x 10"	B-401
123767	10" x 7"	B-555
123770	14" x 10"	B-555

69246	10" x 14"	B-120
85262	7" x 10"	B-302
85263	10" x 14"	B-302
25719	7" x 10"	B-401
25720	10" x 14"	B-401
43297	10" x 14"	B-555

123757	10" x 7"	B-302
123760	14" x 10"	B-302
124567	18" x 4"	B-302
123756	10" x 7"	B-401
123759	14" x 10"	B-401
124566	18" x 4"	B-401
123755	10" x 7"	B-555
123758	14" x 10"	B-555

124565	18" x 4"	B-555

51555	18" x 4"	B-302
51556	18" x 4"	B-401

Package includes 6 identical signs.

90371	7" x 10"	B-302

85264	7" x 10"	B-302
85265	10" x 14"	B-302

86092	14" x 10"	B-302
25721	10" x 14"	B-401
43298	10" x 14"	B-555

80242	5" x 14"	B-324

85267	3-1/2" x 10"	B-302
85268	5" x 14"	B-302

127202	7" x 10"	B-302
127205	10" x 14"	B-302
127201	7" x 10"	B-401
127204	10" x 14"	B-401
127200	7" x 10"	B-555
127203	10" x 14"	B-555

73433	5" x 14"	B-120
85269	5" x 14"	B-302
25722	7" x 10"	B-401
43299	7" x 10"	B-555

127208	7" x 10"	B-302
127211	10" x 14"	B-302
127207	7" x 10"	B-401
127210	10" x 14"	B-401
127206	7" x 10"	B-555
127209	10" x 14"	B-555

122790	7" x 10"	B-120
122702	10" x 14"	B-120
122632	7" x 10"	B-302
90383	14" x 10"	B-302
122463	10" x 14"	B-401
122392	7" x 10"	B-555
122337	10" x 14"	B-555

123781	10" x 7"	B-302
123784	14" x 10"	B-302
123780	10" x 7"	B-401
123783	14" x 10"	B-401
123779	10" x 7"	B-555
123782	14" x 10"	B-555

69243	7" x 7"	B-120
88504	7" x 7"	B-302
25169	7" x 10"	B-401
42746	7" x 10"	B-555

90967	7" x 10"	B-347

Fire Safety Signs

www.BradyID.com

Fire Safety Signs (Continued)

123763	10" x 7"	B-302
123766	14" x 10"	B-302
123762	10" x 7"	B-401
123765	14" x 10"	B-401
123761	10" x 7"	B-555
123764	14" x 10"	B-555

124570	18" x 4"	B-302
124569	18" x 4"	B-401
124568	18" x 4"	B-555

90373	7" x 10"	B-302

BradyGlo

47039	14" x 3-1/2"	B-120
71655	24" x 4"	B-120
85261	14" x 3-1/2"	B-302
90367	14" x 5"	B-302
80241	14" x 5"	B-324
80460	14" x 5"	B-347

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

122775	10" x 7"	B-120
122710	14" x 10"	B-120
122627	10" x 7"	B-302
122570	14" x 10"	B-302
122471	14" x 10"	B-401
25718	10" x 7"	B-401
43295	10" x 7"	B-555
122345	14" x 10"	B-555

BradyGlo

69074	14" x 10"	B-120
86091	14" x 10"	B-302
80162	14" x 10"	B-324
80174	14" x 10"	B-347
25717	14" x 10"	B-401
43294	14" x 10"	B-555
95146	14" x 10"	B-997

90369	14" x 28"	B-302

When wrapped around columns the word "Fire Extinguisher" is repeated 4 times. Or can be cut into four 14" x 7" single signs.

90975	5" x 14"	B-347

25914	10" x 14"	B-401
43491	10" x 14"	B-555

78260	14" x 10"	B-324
80173	14" x 10"	B-347

85258	3-1/2" x 14"	B-302
25715	7" x 10"	B-401
43292	7" x 10"	B-555

85259	3-1/2" x 14"	B-302
25716	7" x 10"	B-401
43293	7" x 10"	B-555

80237	3-1/2" x 10"	B-324

90560	5" x 14"	B-324

BradyGlo

80243	5" x 14"	B-324
47279	3-1/2" x 10"	B-120
71688	5" x 14"	B-120
85275	3-1/2" x 10"	B-302
85276	5" x 14"	B-302
43305	7" x 10"	B-555

122794	7" x 10"	B-120
73434	10" x 14"	B-120
85277	7" x 10"	B-302
85278	10" x 14"	B-302
25729	7" x 10"	B-401
122466	10" x 14"	B-401
43306	7" x 10"	B-555
122340	10" x 14"	B-555



91031	7" x 10"	B-324
90969	7" x 10"	B-347

88505	7" x 7"	B-302
25170	7" x 10"	B-401
42747	7" x 10"	B-555

127220	7" x 10"	B-302
127223	10" x 14"	B-302
127219	7" x 10"	B-401
127222	10" x 14"	B-401
127218	7" x 10"	B-555
127221	10" x 14"	B-555

122706	10" x 14"	B-120
122566	10" x 14"	B-302
122465	10" x 14"	B-401
122339	10" x 14"	B-555

May we also suggest:

Fire-Changeable Arrow Sign

- Self-sticking arrow and sign offers the flexibility to place arrow in desired direction

Catalog #	Size	Description
70855	12" x 9"	Fiberglass Sign & Self-Sticking Arrow
89149	12" x 9"	Self-Sticking Sign and Arrow
43355	14" x 10"	Alluminum Sign and Arrow
38082	4" dia.	Self-Sticking Replacement Arrow

Fire Safety Signs (Continued)

122774	10" x 7"	B-120
122626	10" x 7"	B-302
25723	10" x 7"	B-401
43300	10" x 7"	B-555

73483	24" x 4"	B-120
85270	14" x 5"	B-302
80244	14" x 5"	B-324
85476	14" x 5"	B-347

90384	14" x 10"	B-302

80160	14" x 10"	B-324
85463	14" x 10"	B-347

90558	5" x 14"	B-324
90977	5" x 14"	B-347

73481	10" x 14"	B-120
85273	7" x 10"	B-302
43303	7" x 10"	B-555
43304	10" x 14"	B-555

71046	10" x 14"	B-120
85271	7" x 10"	B-302
85272	10" x 14"	B-302
43302	10" x 14"	B-555

71732	10" x 14"	B-120
85279	7" x 10"	B-302
85280	10" x 14"	B-302
25730	7" x 10"	B-401
43307	7" x 10"	B-555

90370	7" x 10"	B-302

90106	7" x 10"	B-324
90620	10" x 14"	B-324
90948	7" x 10"	B-347
90632	10" x 14"	B-347

90576	5" x 14"	B-324
90895	5" x 14"	B-347

127244	7" x 10"	B-302
127247	10" x 14"	B-302
127243	7" x 10"	B-401
127246	10" x 14"	B-401
127242	7" x 10"	B-555
127245	10" x 14"	B-555

90988	5" x 14"	B-347

90994	5" x 14"	B-347

127250	7" x 10"	B-302
127253	10" x 14"	B-302
127249	7" x 10"	B-401
127252	10" x 14"	B-401
127248	7" x 10"	B-555
127251	10" x 14"	B-555

127262	7" x 10"	B-302
127265	10" x 14"	B-302
127261	7" x 10"	B-401
127264	10" x 14"	B-401
127260	7" x 10"	B-555
127263	10" x 14"	B-555

127238	7" x 10"	B-302
127241	10" x 14"	B-302
127237	7" x 10"	B-401
127240	10" x 14"	B-401
127236	7" x 10"	B-555
127239	10" x 14"	B-555

127268	7" x 10"	B-302
127271	10" x 14"	B-302
127267	7" x 10"	B-401
127270	10" x 14"	B-401
127266	7" x 10"	B-555
127269	10" x 14"	B-555

127274	10" x 7"	B-302
127277	14" x 10"	B-302
127273	10" x 7"	B-401
127276	14" x 10"	B-401
127272	10" x 7"	B-555
127275	14" x 10"	B-555

90930	5" x 14"	B-347

90107	7" x 10"	B-324
90781	7" x 10"	B-347
90719	10" x 14"	B-347

90554	10" x 7"	B-324
90187	14" x 10"	B-324
90718	10" x 7"	B-347
90780	14" x 10"	B-347

76870	7" x 7"	B-120
122707	10" x 14"	B-120
84684	7" x 7"	B-302
122567	10" x 14"	B-302
22498	7" x 10"	B-401
122467	10" x 14"	B-401
41062	7" x 10"	B-555
122341	10" x 14"	B-555



90380	5" x 7"	B-302

127256	7" x 10"	B-302
127259	10" x 14"	B-302
127255	7" x 10"	B-401
127258	10" x 14"	B-401
127254	7" x 10"	B-555
127257	10" x 14"	B-555

Fire Safety Signs (Continued)

127280	7" x 10"	B-302
127283	10" x 14"	B-302
127279	7" x 10"	B-401
127282	10" x 14"	B-401
127278	7" x 10"	B-555
127281	10" x 14"	B-555

127286	7" x 10"	B-302
127289	10" x 14"	B-302
127285	7" x 10"	B-401
127288	10" x 14"	B-401
127284	7" x 10"	B-555
127287	10" x 14"	B-555

127292	7" x 10"	B-302
127295	10" x 14"	B-302
127291	7" x 10"	B-401
127294	10" x 14"	B-401
127290	7" x 10"	B-555
127293	10" x 14"	B-555

71985	14" x 20"	B-120

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

127298	7" x 10"	B-302
127301	10" x 14"	B-302
127297	7" x 10"	B-401
127300	10" x 14"	B-401
127296	7" x 10"	B-555
127299	10" x 14"	B-555

90993	5" x 14"	B-347

51547	10" x 14"	B-555

127304	10" x 7"	B-302
127307	14" x 10"	B-302
127303	10" x 7"	B-401
127306	14" x 10"	B-401
127302	10" x 7"	B-555
127305	14" x 10"	B-555

69500	10" x 14"	B-120
85297	7" x 10"	B-302
85298	10" x 14"	B-302
22690	7" x 10"	B-401
22691	10" x 14"	B-401
41254	7" x 10"	B-555
41255	10" x 14"	B-555

90573	5" x 14"	B-324
90992	5" x 14"	B-347

127310	7" x 10"	B-302
127313	10" x 14"	B-302
127309	7" x 10"	B-401
127312	10" x 14"	B-401
127308	7" x 10"	B-555
127311	10" x 14"	B-555

51549	10" x 14"	B-555

90996	5" x 14"	B-347

90368	7" x 10"	B-302

85299	3-1/2" x 10"	B-302
22692	7" x 10"	B-401
41256	7" x 10"	B-555

71779	10" x 14"	B-120
22693	7" x 10"	B-401
41257	7" x 10"	B-555

127322	7" x 10"	B-302
127325	10" x 14"	B-302
127321	7" x 10"	B-401
127324	10" x 14"	B-401
127320	7" x 10"	B-555
127323	10" x 14"	B-555

127316	7" x 10"	B-302
127319	10" x 14"	B-302
127315	7" x 10"	B-401
127318	10" x 14"	B-401
127314	7" x 10"	B-555
127317	10" x 14"	B-555

127328	7" x 10"	B-302
127331	10" x 14"	B-302
127327	7" x 10"	B-401
127330	10" x 14"	B-401
127326	7" x 10"	B-555
127329	10" x 14"	B-555

85305	10" x 14"	B-302
22695	7" x 10"	B-401
41260	10" x 14"	B-555

127334	7" x 10"	B-302
127337	10" x 14"	B-302
127333	7" x 10"	B-401
127336	10" x 14"	B-401
127332	7" x 10"	B-555
127335	10" x 14"	B-555

90553	7" x 10"	B-324
90186	10" x 14"	B-324
90717	7" x 10"	B-347

90185	10" x 14"	B-324

90386	5" x 14"	B-302

First Aid Signs

Brady first aid signs identify safety equipment and first aid stations. Designed with pictograms, bold text and bright colors, Brady's first aid signs clearly indicate the locations of first aid kits, safety showers, eyewash stations and other safety equipment. First aid signs reinforce safe work practices and ensure that your employees are prepared for accidents and emergencies.

OSHA Regulation

First Aid 1910.252(f)(13), 1910.151(b) (Informational Marking): First aid supplies... shall be readily available.

Emergency Eyewash and Shower 1910.151(c) (Informational Marking: Suitable facilities for quick drenching or flushing of the eyes and body must be provided in the work area for emergency use if workers are exposed to injurious corrosive materials.

Appendix A (non-mandatory appendix) to 1910.1450: The National Research Council Recommendations Concerning Chemical Hygiene in Laboratories, recommends that location signs for safety showers, eyewash stations and other safety and first aid equipment be posted.

Respirators 1910.134(f)(5)(i): Respirators placed at stations and work areas for emergency use should be quickly accessible at all times and should be stored in compartments built for this purpose. The compartments should be clearly marked.

74940	14" x 20"	B-120
85308	10" x 14"	B-302
22632	7" x 10"	B-401
22633	10" x 14"	B-401
41197	10" x 14"	B-555

70227	10" x 14"	B-120
85309	7" x 10"	B-302
85310	10" x 14"	B-302
22635	10" x 14"	B-401
41198	7" x 10"	B-555

85311	7" x 10"	B-302
85312	10" x 14"	B-302
22636	7" x 10"	B-401
22637	10" x 14"	B-401
41200	7" x 10"	B-555
41201	10" x 14"	B-555

127394	7" x 10"	B-302
127397	10" x 14"	B-302
127393	7" x 10"	B-401
127396	10" x 14"	B-401
127392	7" x 10"	B-555
127395	10" x 14"	B-555

127412	7" x 10"	B-302
127415	10" x 14"	B-302
127411	7" x 10"	B-401
127414	10" x 14"	B-401
127410	7" x 10"	B-555
127413	10" x 14"	B-555

127400	7" x 10"	B-302
127403	10" x 14"	B-302
127399	7" x 10"	B-401
127402	10" x 14"	B-401
127398	7" x 10"	B-555
127401	10" x 14"	B-555

127418	7" x 10"	B-302
127421	10" x 14"	B-302
127417	7" x 10"	B-401
127420	10" x 14"	B-401
127416	7" x 10"	B-555
127419	10" x 14"	B-555

127406	7" x 10"	B-302
127409	10" x 14"	B-302
127405	7" x 10"	B-401
127408	10" x 14"	B-401
127404	7" x 10"	B-555
127407	10" x 14"	B-555

69463	7" x 17"	B-120

69088	7" x 17"	B-120

74097	10" x 14"	B-120
74966	14" x 20"	B-120
85315	7" x 10"	B-302
85316	10" x 14"	B-302
22638	7" x 10"	B-401
22639	10" x 14"	B-401
41202	7" x 10"	B-555
41203	10" x 14"	B-555

85321	7" x 10"	B-302
85322	10" x 14"	B-302
22642	7" x 10"	B-401
22643	10" x 14"	B-401
41206	7" x 10"	B-555
41207	10" x 14"	B-555

47044	14" x 10"	B-120
85323	10" x 7"	B-302
85324	14" x 10"	B-302
22644	10" x 7"	B-401
22645	14" x 10"	B-401
41208	10" x 7"	B-555
41209	14" x 10"	B-555

127430	7" x 10"	B-302
127433	10" x 14"	B-302
127429	7" x 10"	B-401
127432	10" x 14"	B-401
127428	7" x 10"	B-555
127431	10" x 14"	B-555

75962	10" x 7"	B-120
75963	14" x 10"	B-120
85325	10" x 7"	B-302
85326	14" x 10"	B-302
22646	10" x 7"	B-401
22647	14" x 10"	B-401
41210	10" x 7"	B-555
41211	14" x 10"	B-555

85327	7" x 10"	B-302
85328	10" x 14"	B-302
22648	7" x 10"	B-401
22649	10" x 14"	B-401
41213	10" x 14"	B-555

127424	7" x 10"	B-302
127427	10" x 14"	B-302
127423	7" x 10"	B-401
127426	10" x 14"	B-401
127422	7" x 10"	B-555
127425	10" x 14"	B-555

First Aid Signs

www.BradyID.com

First Aid Signs (Continued)

127436	7" x 10"	B-302
127439	10" x 14"	B-302
127435	7" x 10"	B-401
127438	10" x 14"	B-401
127434	7" x 10"	B-555
127437	10" x 14"	B-555

122722	10" x 14"	B-120
85331	7" x 10"	B-302
85332	10" x 14"	B-302
22650	7" x 10"	B-401
22651	10" x 14"	B-401
41214	7" x 10"	B-555
41215	10" x 14"	B-555

85333	7" x 10"	B-302
85334	10" x 14"	B-302
22652	7" x 10"	B-401
22653	10" x 14"	B-401
41217	10" x 14"	B-555

22654	7" x 10"	B-401
22655	10" x 14"	B-401
73493	14" x 20"	B-120
85337	7" x 10"	B-302
85338	10" x 14"	B-302
41218	7" x 10"	B-555
41219	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

127442	7" x 10"	B-302
127445	10" x 14"	B-302
127441	7" x 10"	B-401
127444	10" x 14"	B-401
127440	7" x 10"	B-555
127443	10" x 14"	B-555

127448	7" x 10"	B-302
127451	10" x 14"	B-302
127447	7" x 10"	B-401
127450	10" x 14"	B-401
127446	7" x 10"	B-555
127449	10" x 14"	B-555

99326	10" x 14"	B-120
85343	7" x 10"	B-302
85344	10" x 14"	B-302
22656	7" x 10"	B-401
41220	7" x 10"	B-555
41221	10" x 14"	B-555

73442	5" x 14"	B-120
85346	5" x 14"	B-302
22659	10" x 14"	B-401
41223	10" x 14"	B-555

87662	10" x 14"	B-120
29067	7" x 10"	B-302
29079	10" x 14"	B-302
29069	7" x 10"	B-401
29081	10" x 14"	B-401
29076	7" x 10"	B-555
29082	10" x 14"	B-555

43511	10" x 14"	B-555

43511	10" x 14"	B-555
122853	7" x 10"	B-120
72700	10" x 14"	B-120
87785	3-1/2" x 5"	B-302
85349	7" x 10"	B-302
85350	10" x 14"	B-302
22661	7" x 10"	B-401
22662	10" x 14"	B-401
41225	7" x 10"	B-555
41226	10" x 14"	B-555

122872	7" x 10"	B-120
122733	10" x 14"	B-120
88502	7" x 7"	B-302
122663	7" x 10"	B-302
122587	10" x 14"	B-302
25167	7" x 10"	B-401
122483	10" x 14"	B-401
42744	7" x 10"	B-555
122362	10" x 14"	B-555

122871	7" x 10"	B-120
122732	10" x 14"	B-120
122662	7" x 10"	B-302
122586	10" x 14"	B-302
122536	7" x 10"	B-401
122482	10" x 14"	B-401
122427	7" x 10"	B-555
122361	10" x 14"	B-555



72708	10" x 14"	B-120
85352	7" x 10"	B-302
85353	10" x 14"	B-302
22663	7" x 10"	B-401
22664	10" x 14"	B-401
41227	7" x 10"	B-555

72722	7" x 10"	B-120
122720	10" x 14"	B-120
87786	3-1/2" x 5"	B-302
85354	7" x 10"	B-302
85355	10" x 14"	B-302
22665	7" x 10"	B-401
122473	10" x 14"	B-401
41229	7" x 10"	B-555
122349	10" x 14"	B-555

122911	7" x 10"	B-120
69232	7" x 17"	B-120
122734	10" x 14"	B-120
122664	7" x 10"	B-302
122588	10" x 14"	B-302
122537	7" x 10"	B-401
25904	10" x 14"	B-401
122428	7" x 10"	B-555
43481	10" x 14"	B-555

First Aid Signs (Continued)

85356	3-1/2" x 10"	B-302
22666	7" x 10"	B-401
41230	7" x 10"	B-555

69250	7" x 17"	B-120

85359	3-1/2" x 10"	B-302
22669	7" x 10"	B-401
41233	7" x 10"	B-555

73538	3-1/2" x 10"	B-324
80245	5" x 14"	B-324
85478	5" x 14"	B-347

70345	3-1/2" x 10"	B-120
85360	3-1/2" x 10"	B-302
22670	7" x 10"	B-401

122902	7" x 10"	B-120
122764	10" x 14"	B-120
85361	3-1/2" x 10"	B-302
122694	7" x 10"	B-302
122618	10" x 14"	B-302
22671	7" x 10"	B-401
122495	10" x 14"	B-401
122451	7" x 10"	B-555
122382	10" x 14"	B-555

123751	10" x 7"	B-302
123754	14" x 10"	B-302
123750	10" x 7"	B-401
123753	14" x 10"	B-401
123749	10" x 7"	B-555
123752	14" x 10"	B-555

70347	10" x 14"	B-120
85362	7" x 10"	B-302
85363	10" x 14"	B-302
22672	7" x 10"	B-401
22673	10" x 14"	B-401
41236	7" x 10"	B-555
41237	10" x 14"	B-555



85358	3-1/2" x 14"	B-302
22668	7" x 10"	B-401
41232	7" x 10"	B-555

85357	5" x 14"	B-302
22667	7" x 10"	B-401
41231	7" x 10"	B-555



85370	7" x 10"	B-302
85371	10" x 14"	B-302
22680	7" x 10"	B-401
22681	10" x 14"	B-401
41244	7" x 10"	B-555
41245	10" x 14"	B-555



76095	7" x 10"	B-120
76096	10" x 14"	B-120
85368	7" x 10"	B-302
85369	10" x 14"	B-302
22678	7" x 10"	B-401
22679	10" x 14"	B-401
41243	10" x 14"	B-555

127376	10" x 7"	B-302
127379	14" x 10"	B-302
127375	10" x 7"	B-401
127378	14" x 10"	B-401
127374	10" x 7"	B-555
127377	14" x 10"	B-555

85375	10" x 14"	B-302
22684	7" x 10"	B-401
22685	10" x 14"	B-401
41248	7" x 10"	B-555
41249	10" x 14"	B-555

122858	7" x 10"	B-120
72897	7" x 20"	B-120
72883	10" x 14"	B-120
85377	7" x 10"	B-302
85378	10" x 14"	B-302
22686	7" x 10"	B-401
122475	10" x 14"	B-401
41250	7" x 10"	B-555
122351	10" x 14"	B-555

88528	7" x 7"	B-302
42766	7" x 10"	B-555

127388	7" x 10"	B-302
127391	10" x 14"	B-302
127387	7" x 10"	B-401
127390	10" x 14"	B-401
127386	7" x 10"	B-555
127389	10" x 14"	B-555

127382	10" x 7"	B-302
127385	14" x 10"	B-302
127381	10" x 7"	B-401
127384	14" x 10"	B-401
127380	10" x 7"	B-555
127383	14" x 10"	B-555

90607	5" x 14"	B-324
90935	5" x 14"	B-347

Floor Signs

Brady floor safety signs are a durable, highly visible way to communicate important safety and warning messages in your facility. Safety floor decals can be used to provide direction, point to exits, and provide warnings for enhanced workplace safety. Brady floor signs feature a strong adhesive backing that sticks to almost any dry, clean surface, as well as a clear anti-slip surface that helps prevent accidental falls. These floor signs are 17 inches in diameter and available in a variety of colors and messages.

Floor Sign Materials

B-808 - BradyGlo™ Anti-Slip Polyester Floor Sign
B-819 - Anti-Slip Vinyl Floor Sign
View all sign materials on page 25.

OSHA Regulation

Phosphorescent Floor Signs address section 4.2.1 Floor Mounted Markings
The ASTM guide for recommended uses of Photoluminescent safety markings describes recommended uses and information on installation of photoluminescent safety markings to supplement emergency lighting.

97616 17" dia. B-819

13284 17" dia. B-819

92400 17" dia. B-819



49057 17" dia. B-808
49058 17" dia. B-819

47437 17" dia. B-819

49806 17" dia. B-808
49805 17" dia. B-819

49801 17" dia. B-819

92405 17" dia. B-819

49067 17" dia. B-819

49068 17" dia. B-819



49061 17" dia. B-808
49060 17" dia. B-819

92406 17" dia. B-819

97609 17" dia. B-819

49065 17" dia. B-819



49062 17" dia. B-808
49064 17" dia. B-819

49066 17" dia. B-819

29294 17" dia. B-819

49063 17" dia. B-819

92407 17" dia. B-819

97610 17" dia. B-819

97611 17" dia. B-819

97613 17" dia. B-819

92408 17" dia. B-819

29296 17" dia. B-819

97614 17" dia. B-819

97615 17" dia. B-819

92404 17" dia. B-819

49807 17" dia. B-819

Toughstripe® Floor Marking Signs

Toughstripe B-534 polyester floor signs resist harsh chemicals and are specifically designed to alert workers of potential dangers and enforce protective equipment requirements.

- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- 3 mil thickness; Service temperature range of 0°F – 129°F
- Black areas of signs are coated with anti-skid tread
- Custom signs available
- US Patent No: 8,302,337

104489 17" dia. B-534

104495 17" dia. B-534

104496 17" dia. B-534

104490 17" dia. B-534

104492 17" dia. B-534

104493 17" dia. B-534

104494 17" dia. B-534

104509 17" dia. B-534

104501 17" dia. B-534

104512 17" dia. B-534

104513 17" dia. B-534

104486 17" dia. B-534

104487 17" dia. B-534

104507 17" dia. B-534

104511 17" dia. B-534

104508 17" dia. B-534

104488 14" x 18" B-534

104491 14" x 18" B-534

104497 14" x 18" B-534

104498 14" x 18" B-534

104499 14" x 18" B-534

104500 14" x 18" B-534

104502 14" x 18" B-534

104503 14" x 18" B-534

104504 14" x 18" B-534

104505 14" x 18" B-534

104506 14" x 18" B-534

104510 14" x 18" B-534

Watch Toughstripe® Floor Marking Material in Action

ToughStripe® Floor Marking Tape is test-proven to withstand forklift traffic better than other tape-based floor marking products. That means less tearing. Less lifting. And less time re-applying your floor marking.

Visit **www.BradyID.com/toughstripe** to view the video.

Funny Signs

www.BradyID.com

Funny Signs

Brady funny signs are a great way to bring a bit of humor into your office or facility. These funny signs look exactly like our traditional sign products, but feature humorous messages, pictures, and sayings that are bound to make you laugh. Funny signs are a perfect gift for fellow employees and can lighten the mood in the office.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

38083 7" x 10" B-401

38040 10" x 7" B-401

38052 7" x 10" B-401

38055 7" x 10" B-401

38047 7" x 10" B-401

38067 7" x 10" B-401

38056 7" x 10" B-401

38062 7" x 10" B-401

38061 7" x 10" B-401

49035 7" x 10" B-401

38065 10" x 7" B-401

38086 7" x 10" B-401

38084 7" x 10" B-401

38069 7" x 10" B-401

38085 10" x 7" B-401

38068 10" x 7" B-401

38071 7" x 10" B-401

38077 10" x 7" B-401

38075 10" x 7" B-401

38076 10" x 7" B-401



38073 7" x 10" B-401

38072 14" x 10" B-401

38087 7" x 10" B-401

Create Your Own Funny Sign!

With Brady's "same-as-stock" pricing, you can create your own funny sign for the same price as a stock sign. That means whether you order a sign with one of our standard legends, or with text, graphics and colors of your choice, they're the same low price.

For more information visit www.BradyID.com/signs

High Visibility Signs

Brady high visibility signs feature bright colors, graphics and pictograms to effectively communicate a safety message or identify the location of tornado shelters, safety showers and first aid kits. These high visibility "V" and "L" shaped signs are designed to be seen from all access points in your facility.

High Visibility Sign Styles

L-Style 90° and V-Style 45° High Visibility signs are used to clearly mark fire safety equipment for quick and easy access in an emergency situation.



L-Style 90° Angle
(Legend appears on both sides)



V-Style 45° Angle
(Legend repeated on outward facing side)



60499 12" x 18" B-450

L0AE01A 8" x 8" Silk Screened

V1AE01A 6" x 9" x 4" Acrylic

132239 6" x 9" x 4" Acrylic

V1DS24A 6" x 9" x 4" Acrylic

V1EP24A 6" x 9" x 4" Acrylic

45369 5-1/2" x 10" x 4" B-493

V1ESG1G 6" x 9" x 4" Acrylic

45379 12" x 18" x 8" B-493

50684 4" x 12" B-401

V2EX01A 8" x 15" x 6" Acrylic

45422 12" x 9" B-450

94022 12" x 9" B-347

45363 5-1/2" x 10" x 4" B-493
80704 12" x 18" x 8" B-493

L0EW03A 8" x 8" Silk Screened
49041 12" x 9" B-450

V1EW03A 6" x 9" x 4" Acrylic
49044 12" x 18" B-450

V1EWG1G 6" x 9" x 4" Acrylic

V3EW03A 11" x 12" x 5" Acrylic



BradyGlo

94027 12" x 9" B-347
70997 12" x 9" B-450

96907 12" x 18" B-450

BradyGlo

50784 18" x 7-1/2" B-347
50783 18" x 7-1/2" B-401

45365 5-1/2" x 10" x 4" B-493

L0FL15A 8" x 8" Silk Screened

V1FL15A 6" x 9" x 4" Acrylic

BradyGlo

50688 12" x 4" B-347
50689 18" x 14" B-401

BradyGlo

50778 18" x 7-1/2" B-347
50777 18" x 7-1/2" B-401

BradyGlo

50786 18" x 7-1/2" B-347
50785 18" x 7-1/2" B-401

SP184L 18" x 4-1/2" Acrylic

SP818V 18" x 8-1/2" x 3-1/4" Acrylic

High Visibility Signs

www.BradyID.com

High Visibility Signs (Continued)

94008	12" x 9"	B-347
70998	12" x 9"	B-450

96908	12" x 18"	B-450

94044	12" x 9"	B-347

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

45366	5-1/2" x 10" x 4"	B-493
80702	8" x 14-1/2" x 6"	B-493

45368	5-1/2" x 10" x 4"	B-493
80703	8" x 14-1/2" x 6"	B-493

L0FEG1G	8" x 8"	Silk Screened

V1FEG1G	6" x 9" x 4"	Acrylic

L0FE15A	8" x 8"	Silk Screened

V1FE15A	6" x 8" x 4"	Acrylic

BradyGlo

50692	12" x 4"	B-347
50694	18" x 4"	B-347
50691	12" x 4"	B-401
50693	18" x 4"	B-401

L3FE15A	11" x 17"	Acrylic

V3FE15A	11" x 12" x 5"	Acrylic



132222	6" x 9" x 4"	Acrylic

94029	12" x 9"	B-347

70999	12" x 9"	B-450

V1FHG1G	6" x 9" x 4"	Acrylic

BradyGlo

50696	12" x 4"	B-347
50698	18" x 4"	B-347
50695	12" x 4"	B-401
50697	18" x 4"	B-401

94054	12" x 9"	B-347

94014	12" x 9"	B-347
45370	5-1/2" x 10" x 4"	B-493

50685	4" x 12"	B-401

45367	5-1/2" x 10" x 4"	B-493

45375	8" x 14-1/2" x 6"	B-493

V1LS01A	6" x 9" x 4"	Acrylic

L0ME02A	8" x 8"	Silk Screened

V1ME02A	6" x 9" x 4"	Acrylic

V2MS24A	8" x 15" x 6"	Acrylic

High Visibility Signs (Continued)

V2MS21A 8" x 14-1/2" x 6" B-494

45378 8" x 14-1/2" x 6" B-493

V1MS03A 6" x 9" x 4" Acrylic
49045 12.5" x 18" B-450

L0MS03A 8" x 8" Silk Screened
49042 12.5" x 9" B-450

V1CP45A 6" x 9" x 4" Acrylic

45376 8" x 14-1/2" x 6" B-493

L0PH02A 8" x 8" Silk Screened

V1PH02A 6" x 9" x 4" Acrylic

V1RR02A 6" x 9" x 4" Acrylic

V1RR45A 6" x 9" x 4" Acrylic

45377 8" x 14-1/2" x 6" B-493

80705 12" x 18" x 8" B-493

L0SS03A 8" x 8" Silk Screened

V1SS03A 6" x 9" x 4" Acrylic
49043 12" x 18" B-450

V1SSG4G 6" x 9" x 4" Acrylic

L0SWG4G 8" x 8" Silk Screened

V1SWG4G 6" x 9" x 4" Acrylic

L0SR03A 8" x 8" Silk Screened

V1SR03A 6" x 9" x 4" Acrylic

V2SS24A 8" x 15" x 6" Acrylic

V1TOG1G 6" x 9" x 4" Acrylic

L0TS024A 8" x 8" Silk Screened

V1TS024A 6" x 9" x 4" Acrylic

V1WH45A 6" x 9" x 4" Acrylic

45373 5-1/2" x 10" x 4" B-493

L0WO02A 8" x 8" Silk Screened

V1WO45A 6" x 9" x 4" Acrylic

Hospital Signs

Brady hospital signs feature universal wayfinding symbols for visitors of all languages to clearly direct visitors to their destination. Hospital wayfinding signs are a great alternative to bi/trilingual signs, which are often difficult to read. Brady wayfinding signs can be customized by size, color and text and are available in aluminum, plastic and self-sticking materials.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25

10" x 7"

142647	4" x 4"	B-302
142593	8" x 8"	B-302
142539	10" x 7"	B-302
142485	10" x 7"	B-401
142431	10" x 7"	B-555

10" x 7"

142621	4" x 4"	B-302
142567	8" x 8"	B-302
142513	10" x 7"	B-302
142459	10" x 7"	B-401
142405	10" x 7"	B-555

10" x 7"

142644	4" x 4"	B-302
142590	8" x 8"	B-302
142536	10" x 7"	B-302
142482	10" x 7"	B-401
142428	10" x 7"	B-555

10" x 7"

142640	4" x 4"	B-302
142586	8" x 8"	B-302
142532	10" x 7"	B-302
142478	10" x 7"	B-401
142424	10" x 7"	B-555

10" x 7"

142649	4" x 4"	B-302
142595	8" x 8"	B-302
142541	10" x 7"	B-302
142487	10" x 7"	B-401
142433	10" x 7"	B-555

10" x 7"

142633	4" x 4"	B-302
142579	8" x 8"	B-302
142525	10" x 7"	B-302
142471	10" x 7"	B-401
142417	10" x 7"	B-555

10" x 7"

142612	4" x 4"	B-302
142558	8" x 8"	B-302
142504	10" x 7"	B-302
142450	10" x 7"	B-401
142396	10" x 7"	B-555



10" x 7"

142664	4" x 4"	B-302
142610	8" x 8"	B-302
142556	10" x 7"	B-302
142502	10" x 7"	B-401
142448	10" x 7"	B-555

10" x 7"

142657	4" x 4"	B-302
142603	8" x 8"	B-302
142549	10" x 7"	B-302
142495	10" x 7"	B-401
142441	10" x 7"	B-555

10" x 7"

142654	4" x 4"	B-302
142600	8" x 8"	B-302
142546	10" x 7"	B-302
142492	10" x 7"	B-401
142438	10" x 7"	B-555



10" x 7"

142663	4" x 4"	B-302
142609	8" x 8"	B-302
142555	10" x 7"	B-302
142501	10" x 7"	B-401
142447	10" x 7"	B-555

10" x 7"

142639	4" x 4"	B-302
142585	8" x 8"	B-302
142531	10" x 7"	B-302
142477	10" x 7"	B-401
142423	10" x 7"	B-555

10" x 7"

142628	4" x 4"	B-302
142574	8" x 8"	B-302
142520	10" x 7"	B-302
142466	10" x 7"	B-401
142412	10" x 7"	B-555

10" x 7"

142617	4" x 4"	B-302
142563	8" x 8"	B-302
142509	10" x 7"	B-302
142455	10" x 7"	B-401
142401	10" x 7"	B-555

10" x 7"

142629	4" x 4"	B-302
142575	8" x 8"	B-302
142521	10" x 7"	B-302
142467	10" x 7"	B-401
142413	10" x 7"	B-555

10" x 7"

142643	4" x 4"	B-302
142589	8" x 8"	B-302
142535	10" x 7"	B-302
142481	10" x 7"	B-401
142427	10" x 7"	B-555

10" x 7"

142618	4" x 4"	B-302
142564	8" x 8"	B-302
142510	10" x 7"	B-302
142456	10" x 7"	B-401
142402	10" x 7"	B-555

10" x 7"

142637	4" x 4"	B-302
142583	8" x 8"	B-302
142529	10" x 7"	B-302
142475	10" x 7"	B-401
142421	10" x 7"	B-555

10" x 7"

142651	4" x 4"	B-302
142597	8" x 8"	B-302
142543	10" x 7"	B-302
142489	10" x 7"	B-401
142435	10" x 7"	B-555

10" x 7"

142611	4" x 4"	B-302
142557	8" x 8"	B-302
142503	10" x 7"	B-302
142449	10" x 7"	B-401
142395	10" x 7"	B-555

10" x 7"

142660	4" x 4"	B-302
142606	8" x 8"	B-302
142552	10" x 7"	B-302
142498	10" x 7"	B-401
142444	10" x 7"	B-555

10" x 7"

142619	4" x 4"	B-302
142565	8" x 8"	B-302
142511	10" x 7"	B-302
142457	10" x 7"	B-401
142403	10" x 7"	B-555

10" x 7"

142638	4" x 4"	B-302
142584	8" x 8"	B-302
142530	10" x 7"	B-302
142476	10" x 7"	B-401
142422	10" x 7"	B-555



10" x 7"

142614	4" x 4"	B-302
142560	8" x 8"	B-302
142506	10" x 7"	B-302
142452	10" x 7"	B-401
142398	10" x 7"	B-555

10" x 7"

142613	4" x 4"	B-302
142559	8" x 8"	B-302
142505	10" x 7"	B-302
142451	10" x 7"	B-401
142397	10" x 7"	B-555



10" x 7"

142631	4" x 4"	B-302
142577	8" x 8"	B-302
142523	10" x 7"	B-302
142469	10" x 7"	B-401
142415	10" x 7"	B-555



10" x 7"

142652	4" x 4"	B-302
142598	8" x 8"	B-302
142544	10" x 7"	B-302
142490	10" x 7"	B-401
142436	10" x 7"	B-555

10" x 7"

142632	4" x 4"	B-302
142578	8" x 8"	B-302
142524	10" x 7"	B-302
142470	10" x 7"	B-401
142416	10" x 7"	B-555

10" x 7"

142622	4" x 4"	B-302
142568	8" x 8"	B-302
142514	10" x 7"	B-302
142460	10" x 7"	B-401
142406	10" x 7"	B-555

10" x 7"

142656	4" x 4"	B-302
142602	8" x 8"	B-302
142548	10" x 7"	B-302
142494	10" x 7"	B-401
142440	10" x 7"	B-555

10" x 7"

142650	4" x 4"	B-302
142596	8" x 8"	B-302
142542	10" x 7"	B-302
142488	10" x 7"	B-401
142434	10" x 7"	B-555

10" x 7"

142648	4" x 4"	B-302
142594	8" x 8"	B-302
142540	10" x 7"	B-302
142486	10" x 7"	B-401
142432	10" x 7"	B-555

10" x 7"

142626	4" x 4"	B-302
142572	8" x 8"	B-302
142518	10" x 7"	B-302
142464	10" x 7"	B-401
142410	10" x 7"	B-555

10" x 7"

142661	4" x 4"	B-302
142607	8" x 8"	B-302
142553	10" x 7"	B-302
142499	10" x 7"	B-401
142445	10" x 7"	B-555



10" x 7"

142658	4" x 4"	B-302
142604	8" x 8"	B-302
142550	10" x 7"	B-302
142496	10" x 7"	B-401
142442	10" x 7"	B-555

10" x 7"

142627	4" x 4"	B-302
142573	8" x 8"	B-302
142519	10" x 7"	B-302
142465	10" x 7"	B-401
142411	10" x 7"	B-555

Hospital Signs (Continued)

Picto Only

10" x 7"

142620	4" x 4"	B-302
142566	8" x 8"	B-302
142512	10" x 7"	B-302
142458	10" x 7"	B-401
142404	10" x 7"	B-555

Picto Only

10" x 7"

142635	4" x 4"	B-302
142581	8" x 8"	B-302
142527	10" x 7"	B-302
142473	10" x 7"	B-401
142419	10" x 7"	B-555

Picto Only

10" x 7"

142624	4" x 4"	B-302
142570	8" x 8"	B-302
142516	10" x 7"	B-302
142462	10" x 7"	B-401
142408	10" x 7"	B-555

Picto Only

10" x 7"

142625	4" x 4"	B-302
142571	8" x 8"	B-302
142517	10" x 7"	B-302
142463	10" x 7"	B-401
142409	10" x 7"	B-555

Picto Only

10" x 7"

142615	4" x 4"	B-302
142561	8" x 8"	B-302
142507	10" x 7"	B-302
142453	10" x 7"	B-401
142399	10" x 7"	B-555

Picto Only

10" x 7"

142623	4" x 4"	B-302
142569	8" x 8"	B-302
142515	10" x 7"	B-302
142461	10" x 7"	B-401
142407	10" x 7"	B-555

Picto Only

10" x 7"

142636	4" x 4"	B-302
142582	8" x 8"	B-302
142528	10" x 7"	B-302
142474	10" x 7"	B-401
142420	10" x 7"	B-555

Picto Only

10" x 7"

142662	4" x 4"	B-302
142608	8" x 8"	B-302
142554	10" x 7"	B-302
142500	10" x 7"	B-401
142446	10" x 7"	B-555

Picto Only

10" x 7"

142616	4" x 4"	B-302
142562	8" x 8"	B-302
142508	10" x 7"	B-302
142454	10" x 7"	B-401
142400	10" x 7"	B-555

Picto Only

10" x 7"

142642	4" x 4"	B-302
142588	8" x 8"	B-302
142534	10" x 7"	B-302
142480	10" x 7"	B-401
142426	10" x 7"	B-555

Picto Only

10" x 7"

142655	4" x 4"	B-302
142601	8" x 8"	B-302
142547	10" x 7"	B-302
142493	10" x 7"	B-401
142439	10" x 7"	B-555

Picto Only

10" x 7"

142645	4" x 4"	B-302
142591	8" x 8"	B-302
142537	10" x 7"	B-302
142483	10" x 7"	B-401
142429	10" x 7"	B-555

Picto Only

10" x 7"

142630	4" x 4"	B-302
142576	8" x 8"	B-302
142522	10" x 7"	B-302
142468	10" x 7"	B-401
142414	10" x 7"	B-555

Picto Only

10" x 7"

142653	4" x 4"	B-302
142599	8" x 8"	B-302
142545	10" x 7"	B-302
142491	10" x 7"	B-401
142437	10" x 7"	B-555

Picto Only

10" x 7"

142641	4" x 4"	B-302
142587	8" x 8"	B-302
142533	10" x 7"	B-302
142479	10" x 7"	B-401
142425	10" x 7"	B-555

Picto Only

10" x 7"

142659	4" x 4"	B-302
142605	8" x 8"	B-302
142551	10" x 7"	B-302
142497	10" x 7"	B-401
142443	10" x 7"	B-555

Picto Only

10" x 7"

142646	4" x 4"	B-302
142592	8" x 8"	B-302
142538	10" x 7"	B-302
142484	10" x 7"	B-401
142430	10" x 7"	B-555

Picto Only

10" x 7"

142634	4" x 4"	B-302
142580	8" x 8"	B-302
142526	10" x 7"	B-302
142472	10" x 7"	B-401
142418	10" x 7"	B-555

IMO (International Maritime Organization) Evacuation Signs

Brady IMO signs are designed to meet the needs of the marine and shipping industry. In the event of an emergency, IMO signs help warn, instruct and advise passengers of proper evacuation procedures. These IMO signs are highly visible to help facilitate a safe and efficient onboard ship evacuation and comply with the IMO (International Maritime Organization) resolution A.752 (18).

Material Information

B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
View all sign materials on page 25.

59289	6" x 6"	B-324

59293	6" x 6"	B-324

59109	6" x 6"	B-347

59335	6" x 6"	B-324
59336	6" x 6"	B-347

59283	6" x 6"	B-324

59122	6" x 6"	B-324

59111	6" x 6"	B-347

59114	6" x 6"	B-324

59112	6" x 6"	B-324

59102	6" x 6"	B-324

59341	6" x 6"	B-324
59342	6" x 6"	B-347

59345	6" x 6"	B-324
59346	6" x 6"	B-347

80899	6" x 6"	B-324

80903	6" x 6"	B-324



80885	6" x 6"	B-324

80735	6" x 6"	B-324

59277	6" x 6"	B-324

59349	6" x 6"	B-324
59350	6" x 6"	B-347



Catalog #	Legend	Size	Material
B-324 Material			
59299	Number 1	6 x 3	B-324
59301	Number 2	6 x 3	B-324
59303	Number 3	6 x 3	B-324
59305	Number 4	6 x 3	B-324
59307	Number 5	6 x 3	B-324
B-347 Material			
59302	Number 2	6 x 3	B-347
59304	Number 3	6 x 3	B-347
59306	Number 4	6 x 3	B-347
59308	Number 5	6 x 3	B-347
59310	Number 6	6 x 3	B-347
59312	Number 7	6 x 3	B-347
59314	Number 8	6 x 3	B-347
59316	Number 9	6 x 3	B-347
59298	Number 0	6 x 3	B-347

Lockout/Tagout Signs

www.BradyID.com

Lockout/Tagout Signs

Brady lockout tagout signs are high quality, industrial-strength safety signs for identifying machinery and equipment that require lockout. These lockout tagout signs can identify energy sources, provide lockout instructions, and serve as a reminder for safe lockout tagout procedures. In addition, lockout tagout signs create a safer and a more efficient workplace for employees.

Popular Sign Materials

- **B-120** - Premium Fiberglass
- **B-302** - Self-Sticking Polyester
- **B-401** - Plastic
- **B-555** - Aluminum
- **B-811** - Magnetic Vinyl
- **B-946** - Self-Sticking Vinyl

View all sign materials on page 25.

69763	10" x 14"	B-120
85754	7" x 10"	B-302
85755	10" x 14"	B-302

127484	7" x 10"	B-302
127487	10" x 14"	B-302
127483	7" x 10"	B-401
127486	10" x 14"	B-401
127482	7" x 10"	B-555
127485	10" x 14"	B-555

127490	7" x 10"	B-302
127493	10" x 14"	B-302
127489	7" x 10"	B-401
127492	10" x 14"	B-401
127488	7" x 10"	B-555
127491	10" x 14"	B-555

60175	2-1/4" x 4-1/2"	B-946

127496	7" x 10"	B-302
127499	10" x 14"	B-302
127495	7" x 10"	B-401
127498	10" x 14"	B-401
127494	7" x 10"	B-555
127497	10" x 14"	B-555

60162	2" x 2"	B-946

127502	7" x 10"	B-302
127505	10" x 14"	B-302
127501	7" x 10"	B-401
127504	10" x 14"	B-401
127500	7" x 10"	B-555
127503	10" x 14"	B-555

127508	7" x 10"	B-302
127511	10" x 14"	B-302
127507	7" x 10"	B-401
127510	10" x 14"	B-401
127506	7" x 10"	B-555
127509	10" x 14"	B-555

127514	7" x 10"	B-302
127517	10" x 14"	B-302
127513	7" x 10"	B-401
127516	10" x 14"	B-401
127512	7" x 10"	B-555
127515	10" x 14"	B-555

65571	10" x 7"	B-120
65570	14" x 10"	B-120
85846	5" x 3-1/2"	B-302
85847	7" x 5"	B-302
85848	10" x 7"	B-302
85849	14" x 10"	B-302
22909	10" x 7"	B-401
22910	14" x 10"	B-401
42432	10" x 7"	B-555
42433	14" x 10"	B-555

60176	2-1/4" x 4-1/2"	B-946

127526	7" x 10"	B-302
127529	10" x 14"	B-302
127525	7" x 10"	B-401
127528	10" x 14"	B-401
127524	7" x 10"	B-555
127527	10" x 14"	B-555

127520	7" x 10"	B-302
127523	10" x 14"	B-302
127519	7" x 10"	B-401
127522	10" x 14"	B-401
127518	7" x 10"	B-555
127521	10" x 14"	B-555

60178	2-1/4" x 4-1/2"	B-946

60173	2-1/4" x 4-1/2"	B-946

60172	2-1/4" x 4-1/2"	B-946

127532	7" x 10"	B-302
127535	10" x 14"	B-302
127531	7" x 10"	B-401
127534	10" x 14"	B-401
127530	7" x 10"	B-555
127533	10" x 14"	B-555

122776	10" x 7"	B-120
65516	14" x 10"	B-120
85890	5" x 3-1/2"	B-302
85891	7" x 5"	B-302
122628	10" x 7"	B-302
85893	14" x 10"	B-302
22931	10" x 7"	B-401
22932	14" x 10"	B-401
42454	10" x 7"	B-555
42455	14" x 10"	B-555

60170	2-1/4" x 4-1/2"	B-946

65575	10" x 7"	B-120
65576	14" x 10"	B-120
85911	5" x 3-1/2"	B-302
85912	7" x 5"	B-302
85913	10" x 7"	B-302
22943	10" x 7"	B-401

66004	5" x 3-1/2"	B-811
66005	7" x 5"	B-811

127544	7" x 10"	B-302
127547	10" x 14"	B-302
127543	7" x 10"	B-401
127546	10" x 14"	B-401
127542	7" x 10"	B-555
127545	10" x 14"	B-555

66006	5" x 3-1/2"	B-811
66007	7" x 5"	B-811

66008	5" x 3-1/2"	B-811
66009	7" x 5"	B-811
50269	7" x 10"	B-401

Lockout/Tagout Signs (Continued)

50269	7" x 10"	B-401

127550	7" x 10"	B-302
127553	10" x 14"	B-302
127549	7" x 10"	B-401
127552	10" x 14"	B-401
127548	7" x 10"	B-555
127551	10" x 14"	B-555

62436	7" x 10"	B-120
83902	3-1/2" x 5"	B-302
83681	7" x 10"	B-302
21729	7" x 10"	B-401
26549	10" x 14"	B-401
46647	7" x 10"	B-555
46691	10" x 14"	B-555

127556	7" x 10"	B-302
127559	10" x 14"	B-302
127555	7" x 10"	B-401
127558	10" x 14"	B-401
127554	7" x 10"	B-555
127557	10" x 14"	B-555

127562	7" x 10"	B-302
127565	10" x 14"	B-302
127561	7" x 10"	B-401
127564	10" x 14"	B-401
127560	7" x 10"	B-555
127563	10" x 14"	B-555

127574	7" x 10"	B-302
127577	10" x 14"	B-302
127573	7" x 10"	B-401
127576	10" x 14"	B-401
127572	7" x 10"	B-555
127575	10" x 14"	B-555

123637	7" x 10"	B-302
123640	10" x 14"	B-302
123636	7" x 10"	B-401
123639	10" x 14"	B-401
123635	7" x 10"	B-555
123638	10" x 14"	B-555

127538	7" x 10"	B-302
127541	10" x 14"	B-302
127537	7" x 10"	B-401
127540	10" x 14"	B-401
127536	7" x 10"	B-555
127539	10" x 14"	B-555

127568	7" x 10"	B-302
127571	10" x 14"	B-302
127567	7" x 10"	B-401
127570	10" x 14"	B-401
127566	7" x 10"	B-555
127569	10" x 14"	B-555



60180	7" x 10"	B-946



60179	7" x 10"	B-946

122799	7" x 10"	B-120
122778	14" x 10"	B-120
65511	20" x 14"	B-120
122638	7" x 10"	B-302
122629	14" x 10"	B-302
122506	7" x 10"	B-401
25922	14" x 10"	B-401
122395	7" x 10"	B-555
43519	14" x 10"	B-555

127580	7" x 10"	B-302
127583	10" x 14"	B-302
127579	7" x 10"	B-401
127582	10" x 14"	B-401
127578	7" x 10"	B-555
127581	10" x 14"	B-555

127592	7" x 10"	B-302
127595	10" x 14"	B-302
127591	7" x 10"	B-401
127594	10" x 14"	B-401
127590	7" x 10"	B-555
127593	10" x 14"	B-555

60177	2-1/4" x 4-1/2"	B-946



127586	7" x 10"	B-302
127589	10" x 14"	B-302
127585	7" x 10"	B-401
127588	10" x 14"	B-401
127584	7" x 10"	B-555
127587	10" x 14"	B-555

60174	2-1/4" x 4-1/2"	B-946

65682	10" x 7"	B-120
89093	7" x 5"	B-302
25876	10" x 7"	B-401
25877	14" x 10"	B-401
43454	14" x 10"	B-555

88302	2-1/4" x 4-1/2"	B-302

88303	2-1/4" x 4-1/2"	B-302

88304	2-1/4" x 4-1/2"	B-302
122667	7" x 10"	B-302
122590	10" x 14"	B-302

88316	2-1/4" x 4-1/2"	B-302

60167	2-1/4" x 4-1/2"	B-946

88320	2-1/4" x 4-1/2"	B-302



60161	2" x 2"	B-946

Machine and Operational Signs

Brady machine safety signs communicate warning messages about the potential dangers of operating machinery and equipment in your facility. These signs remind employees about safety, risks, proper operating instructions, and other restrictions.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

85757	10" x 14"	B-302
22861	7" x 10"	B-401
22862	10" x 14"	B-401
42385	10" x 14"	B-555

127598	7" x 10"	B-302
127601	10" x 14"	B-302
127597	7" x 10"	B-401
127600	10" x 14"	B-401
127596	7" x 10"	B-555
127599	10" x 14"	B-555

124276	7" x 10"	B-302
124279	10" x 14"	B-302
124275	7" x 10"	B-401
124278	10" x 14"	B-401
124274	7" x 10"	B-555
124277	10" x 14"	B-555

124219	7" x 10"	B-302
124222	10" x 14"	B-302
124218	7" x 10"	B-401
124221	10" x 14"	B-401
124217	7" x 10"	B-555
124220	10" x 14"	B-555

127604	7" x 10"	B-302
127607	10" x 14"	B-302
127603	7" x 10"	B-401
127606	10" x 14"	B-401
127602	7" x 10"	B-555
127605	10" x 14"	B-555

127610	7" x 10"	B-302
127613	10" x 14"	B-302
127609	7" x 10"	B-401
127612	10" x 14"	B-401
127608	7" x 10"	B-555
127611	10" x 14"	B-555

85777	7" x 10"	B-302
85778	10" x 14"	B-302
22863	7" x 10"	B-401
22864	10" x 14"	B-401
42386	7" x 10"	B-555
42387	10" x 14"	B-555

69068	10" x 14"	B-120
85779	7" x 10"	B-302
85780	10" x 14"	B-302
22865	7" x 10"	B-401
42388	7" x 10"	B-555
42389	10" x 14"	B-555

85781	7" x 10"	B-302
22867	7" x 10"	B-401
42391	10" x 14"	B-555

69090	10" x 14"	B-120
85783	7" x 10"	B-302
22870	10" x 14"	B-401

127634	7" x 10"	B-302
127637	10" x 14"	B-302
127633	7" x 10"	B-401
127636	10" x 14"	B-401
127632	7" x 10"	B-555
127635	10" x 14"	B-555

22873	7" x 10"	B-401
22874	10" x 14"	B-401
42396	7" x 10"	B-555
42397	10" x 14"	B-555

70278	10" x 14"	B-120
85791	7" x 10"	B-302
85792	10" x 14"	B-302
22875	7" x 10"	B-401
22876	10" x 14"	B-401
42398	7" x 10"	B-555

47058	7" x 10"	B-120
85793	7" x 10"	B-302
22877	7" x 10"	B-401
22878	10" x 14"	B-401
42400	7" x 10"	B-555
42401	10" x 14"	B-555

47060	7" x 10"	B-120
122716	10" x 14"	B-120
87791	3-1/2" x 5"	B-302
85797	7" x 10"	B-302
122576	10" x 14"	B-302
22879	7" x 10"	B-401
22880	10" x 14"	B-401
42402	7" x 10"	B-555

70280	10" x 14"	B-120
85799	7" x 10"	B-302
42404	7" x 10"	B-555

127628	7" x 10"	B-302
127631	10" x 14"	B-302
127627	7" x 10"	B-401
127630	10" x 14"	B-401
127626	7" x 10"	B-555
127629	10" x 14"	B-555

127616	7" x 10"	B-302
127619	10" x 14"	B-302
127615	7" x 10"	B-401
127618	10" x 14"	B-401
127614	7" x 10"	B-555
127617	10" x 14"	B-555

127622	7" x 10"	B-302
127625	10" x 14"	B-302
127621	7" x 10"	B-401
127624	10" x 14"	B-401
127620	7" x 10"	B-555
127623	10" x 14"	B-555

22891	7" x 10"	B-401
22892	10" x 14"	B-401
42414	7" x 10"	B-555
42415	10" x 14"	B-555

70322	10" x 14"	B-120
85813	7" x 10"	B-302
42416	7" x 10"	B-555

132082	7" x 10"	B-120
132083	10" x 14"	B-120
132080	7" x 10"	B-302
132081	10" x 14"	B-302
132078	7" x 10"	B-401
132079	10" x 14"	B-401
132076	7" x 10"	B-555
132077	10" x 14"	B-555

85819	7" x 10"	B-302
85820	10" x 14"	B-302
22895	7" x 10"	B-401
22896	10" x 14"	B-401
42418	7" x 10"	B-555
42419	10" x 14"	B-555

127640	7" x 10"	B-302
127643	10" x 14"	B-302
127639	7" x 10"	B-401
127642	10" x 14"	B-401
127638	7" x 10"	B-555
127641	10" x 14"	B-555

Machine and Operational Signs (Continued)

122874	7" x 10"	B-120
122735	10" x 14"	B-120
122666	7" x 10"	B-302
122589	10" x 14"	B-302
122539	7" x 10"	B-401
122484	10" x 14"	B-401
122430	7" x 10"	B-555
43500	10" x 14"	B-555

69031	10" x 14"	B-120
85828	10" x 14"	B-302
22897	7" x 10"	B-401
22898	10" x 14"	B-401
42420	7" x 10"	B-555
42421	10" x 14"	B-555

124243	7" x 10"	B-302
124246	10" x 14"	B-302
124242	7" x 10"	B-401
124245	10" x 14"	B-401
124241	7" x 10"	B-555
124244	10" x 14"	B-555

129086	10" x 7"	B-302
129089	14" x 10"	B-302
129085	10" x 7"	B-401
129088	14" x 10"	B-401
129084	10" x 7"	B-555
129087	14" x 10"	B-555

127646	7" x 10"	B-302
127649	10" x 14"	B-302
127645	7" x 10"	B-401
127648	10" x 14"	B-401
127644	7" x 10"	B-555
127647	10" x 14"	B-555

85831	7" x 10"	B-302
22901	7" x 10"	B-401
22902	10" x 14"	B-401
42424	7" x 10"	B-555
42425	10" x 14"	B-555

127652	7" x 10"	B-302
127655	10" x 14"	B-302
127651	7" x 10"	B-401
127654	10" x 14"	B-401
127650	7" x 10"	B-555
127653	10" x 14"	B-555

70406	10" x 14"	B-120
85838	7" x 10"	B-302
22903	7" x 10"	B-401
42427	10" x 14"	B-555

70409	10" x 14"	B-120
85844	7" x 10"	B-302
22907	7" x 10"	B-401
42430	7" x 10"	B-555
42431	10" x 14"	B-555

85854	7" x 10"	B-302
85855	10" x 14"	B-302
22913	7" x 10"	B-401
22914	10" x 14"	B-401
42436	7" x 10"	B-555
42437	10" x 14"	B-555

134179	7" x 10"	B-555
134180	10" x 14"	B-555
134181	18" x 24"	B-555
134182	24" x 36"	B-555

75126	10" x 14"	B-120
85856	7" x 10"	B-302
85857	10" x 14"	B-302
22915	7" x 10"	B-401
22916	10" x 14"	B-401
42438	7" x 10"	B-555
42439	10" x 14"	B-555

122843	7" x 10"	B-120
74270	10" x 14"	B-120
87790	3-1/2" x 5"	B-302
85858	7" x 10"	B-302
85859	10" x 14"	B-302
22917	7" x 10"	B-401
22918	10" x 14"	B-401
42440	7" x 10"	B-555
42441	10" x 14"	B-555

132090	7" x 10"	B-120
132091	10" x 14"	B-120
132088	7" x 10"	B-302
132089	10" x 14"	B-302
132086	7" x 10"	B-401
132087	10" x 14"	B-401
132084	7" x 10"	B-555
132085	10" x 14"	B-555

85860	7" x 10"	B-302
85861	10" x 14"	B-302
22919	7" x 10"	B-401
22920	10" x 14"	B-401
42442	7" x 10"	B-555
42443	10" x 14"	B-555

127658	7" x 10"	B-302
127661	10" x 14"	B-302
127657	7" x 10"	B-401
127660	10" x 14"	B-401
127656	7" x 10"	B-555
127659	10" x 14"	B-555

127664	7" x 10"	B-302
127667	10" x 14"	B-302
127663	7" x 10"	B-401
127666	10" x 14"	B-401
127662	7" x 10"	B-555
127665	10" x 14"	B-555

69404	10" x 14"	B-120
85083	7" x 10"	B-302
85084	10" x 14"	B-302
25596	7" x 10"	B-401
25597	10" x 14"	B-401
43173	7" x 10"	B-555
43174	10" x 14"	B-555

129056	7" x 10"	B-302
129059	10" x 14"	B-302
129055	7" x 10"	B-401
129058	10" x 14"	B-401
129054	7" x 10"	B-555
129057	10" x 14"	B-555

85866	7" x 10"	B-302
85867	10" x 14"	B-302
22921	7" x 10"	B-401
22922	10" x 14"	B-401
42444	7" x 10"	B-555
42445	10" x 14"	B-555

129062	7" x 10"	B-302
129065	10" x 14"	B-302
129061	7" x 10"	B-401
129064	10" x 14"	B-401
129060	7" x 10"	B-555
129063	10" x 14"	B-555

73444	10" x 14"	B-120
84708	7" x 10"	B-302
22517	7" x 10"	B-401
22518	10" x 14"	B-401
41081	7" x 10"	B-555
41082	10" x 14"	B-555

127670	7" x 10"	B-302
127673	10" x 14"	B-302
127669	7" x 10"	B-401
127672	10" x 14"	B-401
127668	7" x 10"	B-555
127671	10" x 14"	B-555

122845	7" x 10"	B-120
70470	10" x 14"	B-120
85870	7" x 10"	B-302
85871	10" x 14"	B-302
22923	7" x 10"	B-401
22924	10" x 14"	B-401
122409	7" x 10"	B-555
42447	10" x 14"	B-555

Machine and Operational Signs

Machine and Operational Signs (Continued)

127676	7" x 10"	B-302
127679	10" x 14"	B-302
127675	7" x 10"	B-401
127678	10" x 14"	B-401
127674	7" x 10"	B-555
127677	10" x 14"	B-555

127682	7" x 10"	B-302
127685	10" x 14"	B-302
127681	7" x 10"	B-401
127684	10" x 14"	B-401
127680	7" x 10"	B-555
127683	10" x 14"	B-555

127688	7" x 10"	B-302
127691	10" x 14"	B-302
127687	7" x 10"	B-401
127690	10" x 14"	B-401
127686	7" x 10"	B-555
127689	10" x 14"	B-555

70527	7" x 10"	B-120
70528	10" x 14"	B-120
87783	3-1/2" x 5"	B-302
85085	7" x 10"	B-302
85086	10" x 14"	B-302
25598	7" x 10"	B-401
25599	10" x 14"	B-401
43175	7" x 10"	B-555
43176	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

132074	7" x 10"	B-120
132075	10" x 14"	B-120
132072	7" x 10"	B-302
132073	10" x 14"	B-302
132070	7" x 10"	B-401
132071	10" x 14"	B-401
132068	7" x 10"	B-555
132069	10" x 14"	B-555

129068	7" x 10"	B-302
129071	10" x 14"	B-302
129067	7" x 10"	B-401
129070	10" x 14"	B-401
129066	7" x 10"	B-555
129069	10" x 14"	B-555

47124	10" x 14"	B-120
87784	3-1/2" x 5"	B-302
85087	7" x 10"	B-302
85088	10" x 14"	B-302
25600	7" x 10"	B-401
25601	10" x 14"	B-401
43177	7" x 10"	B-555
43178	10" x 14"	B-555

70529	7" x 17"	B-120

132066	7" x 10"	B-120
132067	10" x 14"	B-120
132064	7" x 10"	B-302
132065	10" x 14"	B-302
132062	7" x 10"	B-401
132063	10" x 14"	B-401
132060	7" x 10"	B-555
132061	10" x 14"	B-555

129074	7" x 10"	B-302
129077	10" x 14"	B-302
129073	7" x 10"	B-401
129076	10" x 14"	B-401
129072	7" x 10"	B-555
129075	10" x 14"	B-555

41083	7" x 10"	B-555

127694	7" x 10"	B-302
127697	10" x 14"	B-302
127693	7" x 10"	B-401
127696	10" x 14"	B-401
127692	7" x 10"	B-555
127695	10" x 14"	B-555

127700	7" x 10"	B-302
127703	10" x 14"	B-302
127699	7" x 10"	B-401
127702	10" x 14"	B-401
127698	7" x 10"	B-555
127701	10" x 14"	B-555

74350	7" x 10"	B-120
85886	7" x 10"	B-302
85887	10" x 14"	B-302
22929	7" x 10"	B-401
22930	10" x 14"	B-401
42452	7" x 10"	B-555
42453	10" x 14"	B-555

85091	7" x 10"	B-302
85092	10" x 14"	B-302
25604	7" x 10"	B-401
25605	10" x 14"	B-401
43181	7" x 10"	B-555
43182	10" x 14"	B-555

127706	7" x 10"	B-302
127709	10" x 14"	B-302
127705	7" x 10"	B-401
127708	10" x 14"	B-401
127704	7" x 10"	B-555
127707	10" x 14"	B-555

85896	7" x 10"	B-302
85897	10" x 14"	B-302
22933	7" x 10"	B-401
42457	10" x 14"	B-555

69531	10" x 14"	B-120
85898	7" x 10"	B-302
22935	7" x 10"	B-401
42458	7" x 10"	B-555
42459	10" x 14"	B-555

74385	10" x 14"	B-120
85093	7" x 10"	B-302
85094	10" x 14"	B-302
25606	7" x 10"	B-401
25607	10" x 14"	B-401
43183	7" x 10"	B-555
43184	10" x 14"	B-555

Machine and Operational Signs (Continued)

70563	10" x 14"	B-120
85900	7" x 10"	B-302
85901	10" x 14"	B-302
22937	7" x 10"	B-401

85902	3-1/2" x 5"	B-302

43185	7" x 10"	B-555
43186	10" x 14"	B-555
74680	7" x 10"	B-120
85095	7" x 10"	B-302
85096	10" x 14"	B-302
25608	7" x 10"	B-401
25609	10" x 14"	B-401

129092	10" x 7"	B-302
129095	14" x 10"	B-302
129091	10" x 7"	B-401
129094	14" x 10"	B-401
129090	10" x 7"	B-555
129093	14" x 10"	B-555

122848	7" x 10"	B-120
122718	10" x 14"	B-120
122652	7" x 10"	B-302
122577	10" x 14"	B-302
122521	7" x 10"	B-401
25906	10" x 14"	B-401
122411	7" x 10"	B-555
43483	10" x 14"	B-555

127712	7" x 10"	B-302
127715	10" x 14"	B-302
127711	7" x 10"	B-401
127714	10" x 14"	B-401
127710	7" x 10"	B-555
127713	10" x 14"	B-555

70577	7" x 17"	B-120

74442	14" x 20"	B-120
85903	7" x 10"	B-302
85904	10" x 14"	B-302
22939	7" x 10"	B-401
22940	10" x 14"	B-401
42462	7" x 10"	B-555
42463	10" x 14"	B-555

70579	10" x 14"	B-120
85905	7" x 10"	B-302
22941	7" x 10"	B-401
22942	10" x 14"	B-401
42464	7" x 10"	B-555
42465	10" x 14"	B-555

70580	7" x 17"	B-120
25907	10" x 14"	B-401
43484	10" x 14"	B-555

127718	7" x 10"	B-302
127721	10" x 14"	B-302
127717	7" x 10"	B-401
127720	10" x 14"	B-401
127716	7" x 10"	B-555
127719	10" x 14"	B-555

74455	10" x 14"	B-120
87782	3-1/2" x 5"	B-302
85097	7" x 10"	B-302
85098	10" x 14"	B-302
25610	7" x 10"	B-401
25611	10" x 14"	B-401
43187	7" x 10"	B-555
43188	10" x 14"	B-555

132098	7" x 10"	B-120
132099	10" x 14"	B-120
132096	7" x 10"	B-302
132097	10" x 14"	B-302
132094	7" x 10"	B-401
132095	10" x 14"	B-401
132092	7" x 10"	B-555
132093	10" x 14"	B-555

69551	7" x 17"	B-120

129080	7" x 10"	B-302
129083	10" x 14"	B-302
129079	7" x 10"	B-401
129082	10" x 14"	B-401
129078	7" x 10"	B-555
129081	10" x 14"	B-555

70587	7" x 17"	B-120

74509	10" x 14"	B-120
85099	7" x 10"	B-302
85100	10" x 14"	B-302
25612	7" x 10"	B-401
25613	10" x 14"	B-401
43189	7" x 10"	B-555
43190	10" x 14"	B-555

Create Custom Signs Online

- Customize a sign for no additional cost – same as stock pricing
- No minimums or set-up fees
- Most signs ship same day or next day
- Choose from top selling materials and sizes from 3"x 5" to 24" x 36"
- Contact customer service for more information and preferred pricing, or customize instantly online at **www.BradyID.com**.

Machine and Operational Signs

Machine and Operational Signs (Continued)

127802	7" x 10"	B-302
127805	10" x 14"	B-302
127801	7" x 10"	B-401
127804	10" x 14"	B-401
127800	7" x 10"	B-555
127803	10" x 14"	B-555

73009	10" x 14"	B-120
85919	7" x 10"	B-302
85920	10" x 14"	B-302
22945	7" x 10"	B-401
22946	10" x 14"	B-401
42468	7" x 10"	B-555
42469	10" x 14"	B-555

127820	7" x 10"	B-302
127823	10" x 14"	B-302
127819	7" x 10"	B-401
127822	10" x 14"	B-401
127818	7" x 10"	B-555
127821	10" x 14"	B-555

127814	7" x 10"	B-302
127817	10" x 14"	B-302
127813	7" x 10"	B-401
127816	10" x 14"	B-401
127812	7" x 10"	B-555
127815	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

69046	10" x 14"	B-120
85921	7" x 10"	B-302
22948	10" x 14"	B-401
42471	10" x 14"	B-555

73052	14" x 20"	B-120
85923	7" x 10"	B-302
85924	10" x 14"	B-302
22949	7" x 10"	B-401
22950	10" x 14"	B-401
42472	7" x 10"	B-555
42473	10" x 14"	B-555

85925	7" x 10"	B-302
85926	10" x 14"	B-302

73058	10" x 14"	B-120
85927	7" x 10"	B-302
85928	10" x 14"	B-302
22951	7" x 10"	B-401
22952	10" x 14"	B-401
42474	7" x 10"	B-555
42475	10" x 14"	B-555

69075	10" x 14"	B-120
85101	7" x 10"	B-302
85102	10" x 14"	B-302
25614	7" x 10"	B-401
25615	10" x 14"	B-401
43191	7" x 10"	B-555
43192	10" x 14"	B-555

127808	7" x 10"	B-302
127811	10" x 14"	B-302
127807	7" x 10"	B-401
127810	10" x 14"	B-401
127806	7" x 10"	B-555
127809	10" x 14"	B-555

85942	10" x 14"	B-302
22953	7" x 10"	B-401
42476	7" x 10"	B-555

73086	7" x 10"	B-120
22955	7" x 10"	B-401
22956	10" x 14"	B-401
42478	7" x 10"	B-555

69131	7" x 17"	B-120

127856	7" x 10"	B-302
127859	10" x 14"	B-302
127855	7" x 10"	B-401
127858	10" x 14"	B-401
127854	7" x 10"	B-555
127857	10" x 14"	B-555

127868	7" x 10"	B-302
127871	10" x 14"	B-302
127867	7" x 10"	B-401
127870	10" x 14"	B-401
127866	7" x 10"	B-555
127869	10" x 14"	B-555

127838	7" x 10"	B-302
127841	10" x 14"	B-302
127837	7" x 10"	B-401
127840	10" x 14"	B-401
127836	7" x 10"	B-555
127839	10" x 14"	B-555

69144	10" x 14"	B-120
85949	7" x 10"	B-302
22957	7" x 10"	B-401
22958	10" x 14"	B-401
42480	7" x 10"	B-555
42481	10" x 14"	B-555

127862	7" x 10"	B-302
127865	10" x 14"	B-302
127861	7" x 10"	B-401
127864	10" x 14"	B-401
127860	7" x 10"	B-555
127863	10" x 14"	B-555

22960	10" x 14"	B-401

69148	10" x 14"	B-120
22961	7" x 10"	B-401
22962	10" x 14"	B-401
42485	10" x 14"	B-555

74111	10" x 14"	B-120
85959	7" x 10"	B-302
85960	10" x 14"	B-302
22963	7" x 10"	B-401
22964	10" x 14"	B-401
42486	7" x 10"	B-555
42487	10" x 14"	B-555

127844	7" x 10"	B-302
127847	10" x 14"	B-302
127843	7" x 10"	B-401
127846	10" x 14"	B-401
127842	7" x 10"	B-555
127845	10" x 14"	B-555

Machine and Operational Signs (Continued)

127832	7" x 10"	B-302
127835	10" x 14"	B-302
127831	7" x 10"	B-401
127834	10" x 14"	B-401
127830	7" x 10"	B-555
127833	10" x 14"	B-555

43497	7" x 10"	B-555

127850	7" x 10"	B-302
127853	10" x 14"	B-302
127849	7" x 10"	B-401
127852	10" x 14"	B-401
127848	7" x 10"	B-555
127851	10" x 14"	B-555

69170	10" x 14"	B-120
85973	7" x 10"	B-302
85974	10" x 14"	B-302
22968	10" x 14"	B-401
42490	7" x 10"	B-555
42491	10" x 14"	B-555

122824	7" x 10"	B-120
74132	10" x 14"	B-120
85971	7" x 10"	B-302
85972	10" x 14"	B-302
22965	7" x 10"	B-401
22966	10" x 14"	B-401
42488	7" x 10"	B-555
42489	10" x 14"	B-555

70290	7" x 10"	B-120
85975	7" x 10"	B-302
22970	10" x 14"	B-401
42492	7" x 10"	B-555
42493	10" x 14"	B-555

85979	7" x 10"	B-302
22971	7" x 10"	B-401
22972	10" x 14"	B-401
42494	7" x 10"	B-555
42495	10" x 14"	B-555

85119	7" x 10"	B-302
85120	10" x 14"	B-302
25623	10" x 14"	B-401
43200	10" x 14"	B-555

85985	7" x 10"	B-302
85986	10" x 14"	B-302
22973	7" x 10"	B-401
22974	10" x 14"	B-401
42496	7" x 10"	B-555
42497	10" x 14"	B-555

69237	10" x 14"	B-120
85987	7" x 10"	B-302
85988	10" x 14"	B-302
22975	7" x 10"	B-401
22976	10" x 14"	B-401
42498	7" x 10"	B-555
42499	10" x 14"	B-555

122814	7" x 10"	B-120
70340	10" x 14"	B-120
85989	7" x 10"	B-302
85990	10" x 14"	B-302
22977	7" x 10"	B-401
22978	10" x 14"	B-401
42500	7" x 10"	B-555
42501	10" x 14"	B-555

70363	10" x 14"	B-120
85995	7" x 10"	B-302
42502	7" x 10"	B-555
42503	10" x 14"	B-555

73460	7" x 10"	B-120
85997	7" x 10"	B-302
85998	10" x 14"	B-302
22981	7" x 10"	B-401
22982	10" x 14"	B-401
42504	7" x 10"	B-555
42505	10" x 14"	B-555

122840	7" x 10"	B-120
74187	10" x 14"	B-120
88101	7" x 10"	B-302
88102	10" x 14"	B-302
22983	7" x 10"	B-401
22984	10" x 14"	B-401
42506	7" x 10"	B-555
42507	10" x 14"	B-555

127874	7" x 10"	B-302
127877	10" x 14"	B-302
127873	7" x 10"	B-401
127876	10" x 14"	B-401
127872	7" x 10"	B-555
127875	10" x 14"	B-555

122816	7" x 10"	B-120
74609	10" x 14"	B-120
87788	3-1/2" x 5"	B-302
88107	7" x 10"	B-302
88108	10" x 14"	B-302
22985	7" x 10"	B-401
22986	10" x 14"	B-401
42508	7" x 10"	B-555
42509	10" x 14"	B-555

131877	7" x 10"	B-120
131878	10" x 14"	B-120
131875	7" x 10"	B-302
131876	10" x 14"	B-302
131873	7" x 10"	B-401
131874	10" x 14"	B-401
131871	7" x 10"	B-555
131872	10" x 14"	B-555

123727	7" x 10"	B-302
123730	10" x 14"	B-302
123726	7" x 10"	B-401
123729	10" x 14"	B-401
123725	7" x 10"	B-555
123728	10" x 14"	B-555

70393	10" x 14"	B-120
88109	7" x 10"	B-302
22987	7" x 10"	B-401
42510	7" x 10"	B-555
42511	10" x 14"	B-555

69028	7" x 17"	B-120

127880	7" x 10"	B-302
127883	10" x 14"	B-302
127879	7" x 10"	B-401
127882	10" x 14"	B-401
127878	7" x 10"	B-555
127881	10" x 14"	B-555

69317	10" x 14"	B-120
88115	7" x 10"	B-302
88116	10" x 14"	B-302
22989	7" x 10"	B-401

88117	7" x 10"	B-302
42514	7" x 10"	B-555
42515	10" x 14"	B-555

127886	7" x 10"	B-302
127889	10" x 14"	B-302
127885	7" x 10"	B-401
127888	10" x 14"	B-401
127884	7" x 10"	B-555
127887	10" x 14"	B-555

74226	7" x 10"	B-120
88119	7" x 10"	B-302
88120	10" x 14"	B-302
22993	7" x 10"	B-401
22994	10" x 14"	B-401
42516	7" x 10"	B-555

127892	7" x 10"	B-302
127895	10" x 14"	B-302
127891	7" x 10"	B-401
127894	10" x 14"	B-401
127890	7" x 10"	B-555
127893	10" x 14"	B-555

88123	7" x 10"	B-302
88124	10" x 14"	B-302
22995	7" x 10"	B-401
22996	10" x 14"	B-401
42518	7" x 10"	B-555
42519	10" x 14"	B-555

22998	10" x 14"	B-401
42521	10" x 14"	B-555

Machine and Operational Signs (Continued)

69344	10" x 14"	B-120
88127	7" x 10"	B-302
88128	10" x 14"	B-302
23000	10" x 14"	B-401
42522	7" x 10"	B-555
42523	10" x 14"	B-555

123745	7" x 10"	B-302
123748	10" x 14"	B-302
123744	7" x 10"	B-401
123747	10" x 14"	B-401
123743	7" x 10"	B-555
123746	10" x 14"	B-555

74264	10" x 14"	B-120
88131	7" x 10"	B-302
88132	10" x 14"	B-302
23001	7" x 10"	B-401
23002	10" x 14"	B-401
42524	7" x 10"	B-555
42525	10" x 14"	B-555

25911	10" x 14"	B-401
43488	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

23003	7" x 10"	B-401
23004	10" x 14"	B-401
42526	7" x 10"	B-555
42527	10" x 14"	B-555

73415	14" x 20"	B-120
88135	7" x 10"	B-302
23005	7" x 10"	B-401
23006	10" x 14"	B-401
42528	7" x 10"	B-555
42529	10" x 14"	B-555

127898	7" x 10"	B-302
127901	10" x 14"	B-302
127897	7" x 10"	B-401
127900	10" x 14"	B-401
127896	7" x 10"	B-555
127899	10" x 14"	B-555

70422	10" x 14"	B-120
88137	7" x 10"	B-302
88138	10" x 14"	B-302
23007	7" x 10"	B-401
23008	10" x 14"	B-401
42530	7" x 10"	B-555
42531	10" x 14"	B-555

88141	7" x 10"	B-302
88142	10" x 14"	B-302
23009	7" x 10"	B-401
23010	10" x 14"	B-401
42533	10" x 14"	B-555

122827	7" x 10"	B-120
47022	10" x 14"	B-120
87793	3-1/2" x 5"	B-302
88143	7" x 10"	B-302
88144	10" x 14"	B-302
23011	7" x 10"	B-401
23012	10" x 14"	B-401
42534	7" x 10"	B-555
42535	10" x 14"	B-555

71118	20" x 14"	B-120
88146	14" x 10"	B-302
23013	10" x 7"	B-401
23014	14" x 10"	B-401
42536	10" x 7"	B-555

71120	20" x 14"	B-120
42539	14" x 10"	B-555
23015	10" x 7"	B-401
23016	14" x 10"	B-401

127904	7" x 10"	B-302
127907	10" x 14"	B-302
127903	7" x 10"	B-401
127906	10" x 14"	B-401
127902	7" x 10"	B-555
127905	10" x 14"	B-555

88152	7" x 10"	B-302
88153	10" x 14"	B-302
23019	7" x 10"	B-401
23020	10" x 14"	B-401
42542	7" x 10"	B-555
42543	10" x 14"	B-555

127910	7" x 10"	B-302
127913	10" x 14"	B-302
127909	7" x 10"	B-401
127912	10" x 14"	B-401
127908	7" x 10"	B-555
127911	10" x 14"	B-555

88158	7" x 10"	B-302
23021	7" x 10"	B-401
23022	10" x 14"	B-401

70437	7" x 10"	B-120
88155	10" x 14"	B-302
25815	10" x 14"	B-401
43392	10" x 14"	B-555

70438	14" x 20"	B-120
25816	10" x 14"	B-401

127916	7" x 10"	B-302
127919	10" x 14"	B-302
127915	7" x 10"	B-401
127918	10" x 14"	B-401
127914	7" x 10"	B-555
127917	10" x 14"	B-555

123739	7" x 10"	B-302
123742	10" x 14"	B-302
123738	7" x 10"	B-401
123741	10" x 14"	B-401
123737	7" x 10"	B-555
123740	10" x 14"	B-555

74299	7" x 10"	B-120
85115	7" x 10"	B-302
85116	10" x 14"	B-302
25618	7" x 10"	B-401
25619	10" x 14"	B-401
43195	7" x 10"	B-555
43196	10" x 14"	B-555

74305	10" x 14"	B-120
85117	7" x 10"	B-302
85118	10" x 14"	B-302
25620	7" x 10"	B-401
25621	10" x 14"	B-401
43197	7" x 10"	B-555
43198	10" x 14"	B-555

Machine and Operational Signs (Continued)

69413	10" x 14"	B-120
25625	10" x 14"	B-401
43202	10" x 14"	B-555

70467	7" x 10"	B-120
70468	10" x 14"	B-120
88160	7" x 10"	B-302
88161	10" x 14"	B-302
23023	7" x 10"	B-401
23024	10" x 14"	B-401
42546	7" x 10"	B-555
42547	10" x 14"	B-555

69417	10" x 14"	B-120
88162	7" x 10"	B-302
88163	10" x 14"	B-302
23025	7" x 10"	B-401
23026	10" x 14"	B-401
42548	7" x 10"	B-555
42549	10" x 14"	B-555

88164	7" x 10"	B-302
88165	10" x 14"	B-302
23027	7" x 10"	B-401
23028	10" x 14"	B-401
42550	7" x 10"	B-555
42551	10" x 14"	B-555

127826	7" x 10"	B-302
127829	10" x 14"	B-302
127825	7" x 10"	B-401
127828	10" x 14"	B-401
127824	7" x 10"	B-555
127827	10" x 14"	B-555

127922	7" x 10"	B-302
127925	10" x 14"	B-302
127921	7" x 10"	B-401
127924	10" x 14"	B-401
127920	7" x 10"	B-555
127923	10" x 14"	B-555

122882	7" x 10"	B-120
122743	10" x 14"	B-120
122678	7" x 10"	B-302
122601	10" x 14"	B-302
122547	7" x 10"	B-401
25913	10" x 14"	B-401
122438	7" x 10"	B-555
43490	10" x 14"	B-555

127928	7" x 10"	B-302
127931	10" x 14"	B-302
127927	7" x 10"	B-401
127930	10" x 14"	B-401
127926	7" x 10"	B-555
127929	10" x 14"	B-555

69475	10" x 14"	B-120
23029	7" x 10"	B-401
23030	10" x 14"	B-401

87669	7" x 10"	B-120
87670	10" x 14"	B-120
59506	7" x 10"	B-302
21335	10" x 14"	B-302
59507	7" x 10"	B-401
26923	10" x 14"	B-401
59508	7" x 10"	B-555
21338	10" x 14"	B-555

47159	7" x 10"	B-120
88172	3-1/2" x 5"	B-302
88173	7" x 10"	B-302
88174	10" x 14"	B-302
23031	7" x 10"	B-401
23032	10" x 14"	B-401
42554	7" x 10"	B-555
42555	10" x 14"	B-555

69504	7" x 17"	B-120

60576	10" x 14"	B-302
60538	10" x 14"	B-401
60509	10" x 14"	B-555

88175	7" x 10"	B-302
88176	10" x 14"	B-302
23033	7" x 10"	B-401
23034	10" x 14"	B-401
42556	7" x 10"	B-555
42557	10" x 14"	B-555

60575	10" x 14"	B-302
60537	10" x 14"	B-401
60508	10" x 14"	B-555

69510	14" x 20"	B-120
88182	10" x 14"	B-302
23035	7" x 10"	B-401
23036	10" x 14"	B-401
42559	10" x 14"	B-555

70547	7" x 10"	B-120
88183	7" x 10"	B-302
88184	10" x 14"	B-302
23037	7" x 10"	B-401
23038	10" x 14"	B-401
42560	7" x 10"	B-555

127934	7" x 10"	B-302
127937	10" x 14"	B-302
127933	7" x 10"	B-401
127936	10" x 14"	B-401
127932	7" x 10"	B-555
127935	10" x 14"	B-555

47160	7" x 10"	B-120
47192	10" x 14"	B-120
87792	3-1/2" x 5"	B-302
88185	7" x 10"	B-302
88186	10" x 14"	B-302
23039	7" x 10"	B-401
23040	10" x 14"	B-401
42562	7" x 10"	B-555
42563	10" x 14"	B-555

123685	7" x 10"	B-302
123688	10" x 14"	B-302
123684	7" x 10"	B-401
123687	10" x 14"	B-401
123683	7" x 10"	B-555
123686	10" x 14"	B-555

131869	7" x 10"	B-120
131870	10" x 14"	B-120
131867	7" x 10"	B-302
131868	10" x 14"	B-302
131865	7" x 10"	B-401
131866	10" x 14"	B-401
131863	7" x 10"	B-555
131864	10" x 14"	B-555

Machine and Operational Signs

Machine and Operational Signs (Continued)

69540	10" x 14"	B-120
88187	7" x 10"	B-302
88188	10" x 14"	B-302
23041	7" x 10"	B-401
42564	7" x 10"	B-555

69541	10" x 14"	B-120
88189	7" x 10"	B-302
23043	7" x 10"	B-401
42566	7" x 10"	B-555
42567	10" x 14"	B-555

47161	7" x 10"	B-120
88191	7" x 10"	B-302
88192	10" x 14"	B-302
23045	7" x 10"	B-401
23046	10" x 14"	B-401
42568	7" x 10"	B-555
42569	10" x 14"	B-555

127940	7" x 10"	B-302
127943	10" x 14"	B-302
127939	7" x 10"	B-401
127942	10" x 14"	B-401
127938	7" x 10"	B-555
127941	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

47162	7" x 10"	B-120
75928	14" x 20"	B-120
88193	7" x 10"	B-302
88194	10" x 14"	B-302
23047	7" x 10"	B-401
23048	10" x 14"	B-401
42570	7" x 10"	B-555
42571	10" x 14"	B-555

128792	7" x 10"	B-302
128795	10" x 14"	B-302
128791	7" x 10"	B-401
128794	10" x 14"	B-401
128790	7" x 10"	B-555
128793	10" x 14"	B-555

129110	7" x 10"	B-302
129113	10" x 14"	B-302
129109	7" x 10"	B-401
129112	10" x 14"	B-401
129108	7" x 10"	B-555
129111	10" x 14"	B-555

128402	7" x 10"	B-302
128405	10" x 14"	B-302
128401	7" x 10"	B-401
128404	10" x 14"	B-401
128400	7" x 10"	B-555
128403	10" x 14"	B-555

128396	7" x 10"	B-302
128399	10" x 14"	B-302
128395	7" x 10"	B-401
128398	10" x 14"	B-401
128394	7" x 10"	B-555
128397	10" x 14"	B-555

88199	7" x 10"	B-302
23051	7" x 10"	B-401
23052	10" x 14"	B-401

127724	7" x 10"	B-302
127727	10" x 14"	B-302
127723	7" x 10"	B-401
127726	10" x 14"	B-401
127722	7" x 10"	B-555
127725	10" x 14"	B-555

69162	10" x 14"	B-120
88205	7" x 10"	B-302
88206	10" x 14"	B-302
23054	10" x 14"	B-401
42576	7" x 10"	B-555
42577	10" x 14"	B-555

127730	7" x 10"	B-302
127733	10" x 14"	B-302
127729	7" x 10"	B-401
127732	10" x 14"	B-401
127728	7" x 10"	B-555
127731	10" x 14"	B-555

128408	7" x 10"	B-302
128411	10" x 14"	B-302
128407	7" x 10"	B-401
128410	10" x 14"	B-401
128406	7" x 10"	B-555
128409	10" x 14"	B-555

69196	10" x 14"	B-120
88208	10" x 14"	B-302
23055	7" x 10"	B-401
23056	10" x 14"	B-401
42578	7" x 10"	B-555
42579	10" x 14"	B-555

88209	10" x 7"	B-302
23057	10" x 7"	B-401
23058	14" x 10"	B-401

127736	7" x 10"	B-302
127739	10" x 14"	B-302
127735	7" x 10"	B-401
127738	10" x 14"	B-401
127734	7" x 10"	B-555
127737	10" x 14"	B-555

123565	7" x 10"	B-302
123568	10" x 14"	B-302
123564	7" x 10"	B-401
123567	10" x 14"	B-401
123563	7" x 10"	B-555
123566	10" x 14"	B-555

69350	7" x 10"	B-120
88215	7" x 10"	B-302
88216	10" x 14"	B-302
23059	7" x 10"	B-401
23060	10" x 14"	B-401
42582	7" x 10"	B-555
42583	10" x 14"	B-555

*Call Customer Service or visit **www.BradyID.com** to create custom signs such as this for your facility.*

Machine and Operational Signs (Continued)

88217	7" x 10"	B-302
88218	10" x 14"	B-302
23061	7" x 10"	B-401
23062	10" x 14"	B-401
42584	7" x 10"	B-555
42585	10" x 14"	B-555

70446	7" x 17"	B-120

70448	7" x 17"	B-120

129116	7" x 10"	B-302
129119	10" x 14"	B-302
129115	7" x 10"	B-401
129118	10" x 14"	B-401
129114	7" x 10"	B-555
129117	10" x 14"	B-555

70546	10" x 14"	B-120
88221	7" x 10"	B-302
23063	7" x 10"	B-401
23064	10" x 14"	B-401
42587	10" x 14"	B-555

129122	7" x 10"	B-302
129125	10" x 14"	B-302
129121	7" x 10"	B-401
129124	10" x 14"	B-401
129120	7" x 10"	B-555
129123	10" x 14"	B-555

73450	7" x 10"	B-120
88225	7" x 10"	B-302
88226	10" x 14"	B-302
23065	7" x 10"	B-401
23066	10" x 14"	B-401
42588	7" x 10"	B-555
42589	10" x 14"	B-555

127742	7" x 10"	B-302
127745	10" x 14"	B-302
127741	7" x 10"	B-401
127744	10" x 14"	B-401
127740	7" x 10"	B-555
127743	10" x 14"	B-555

127748	7" x 10"	B-302
127751	10" x 14"	B-302
127747	7" x 10"	B-401
127750	10" x 14"	B-401
127746	7" x 10"	B-555
127749	10" x 14"	B-555

69149	10" x 14"	B-120
88231	7" x 10"	B-302
23069	7" x 10"	B-401
23070	10" x 14"	B-401
42592	7" x 10"	B-555

88234	10" x 14"	B-302
23071	7" x 10"	B-401
42594	7" x 10"	B-555
42595	10" x 14"	B-555

127754	7" x 10"	B-302
127757	10" x 14"	B-302
127753	7" x 10"	B-401
127756	10" x 14"	B-401
127752	7" x 10"	B-555
127755	10" x 14"	B-555

127760	7" x 10"	B-302
127763	10" x 14"	B-302
127759	7" x 10"	B-401
127762	10" x 14"	B-401
127758	7" x 10"	B-555
127761	10" x 14"	B-555

85133	7" x 10"	B-302
85134	10" x 14"	B-302
25630	7" x 10"	B-401
25631	10" x 14"	B-401
43208	10" x 14"	B-555

88237	7" x 10"	B-302
88238	10" x 14"	B-302
23074	10" x 14"	B-401

128444	7" x 10"	B-302
128447	10" x 14"	B-302
128443	7" x 10"	B-401
128446	10" x 14"	B-401
128442	7" x 10"	B-555
128445	10" x 14"	B-555

85135	7" x 10"	B-302
85136	10" x 14"	B-302
25632	7" x 10"	B-401
25633	10" x 14"	B-401
43209	7" x 10"	B-555
43210	10" x 14"	B-555

129128	7" x 10"	B-302
129131	10" x 14"	B-302
129127	7" x 10"	B-401
129130	10" x 14"	B-401
129126	7" x 10"	B-555
129129	10" x 14"	B-555

69561	10" x 14"	B-120
88243	7" x 10"	B-302
88244	10" x 14"	B-302
23077	7" x 10"	B-401
23078	10" x 14"	B-401
42600	7" x 10"	B-555
42601	10" x 14"	B-555

69577	10" x 14"	B-120
88245	7" x 10"	B-302
88246	10" x 14"	B-302
23079	7" x 10"	B-401
25026	10" x 14"	B-401
42602	7" x 10"	B-555
42603	10" x 14"	B-555

69576	10" x 14"	B-120
88247	7" x 10"	B-302
88248	10" x 14"	B-302
25027	7" x 10"	B-401
25028	10" x 14"	B-401
42604	7" x 10"	B-555
42605	10" x 14"	B-555

127766	7" x 10"	B-302
127769	10" x 14"	B-302
127765	7" x 10"	B-401
127768	10" x 14"	B-401
127764	7" x 10"	B-555
127767	10" x 14"	B-555

127772	7" x 10"	B-302
127775	10" x 14"	B-302
127771	7" x 10"	B-401
127774	10" x 14"	B-401
127770	7" x 10"	B-555
127773	10" x 14"	B-555

69588	10" x 14"	B-120
88251	7" x 10"	B-302
88252	10" x 14"	B-302
25029	7" x 10"	B-401
25030	10" x 14"	B-401
42606	7" x 10"	B-555
42607	10" x 14"	B-555

69590	10" x 14"	B-120
88253	7" x 10"	B-302
88254	10" x 14"	B-302
25031	7" x 10"	B-401
25032	10" x 14"	B-401
42608	7" x 10"	B-555
42609	10" x 14"	B-555

69594	10" x 14"	B-120
88255	7" x 10"	B-302
88256	10" x 14"	B-302
25033	7" x 10"	B-401
25034	10" x 14"	B-401
42610	7" x 10"	B-555
42611	10" x 14"	B-555

127778	7" x 10"	B-302
127781	10" x 14"	B-302
127777	7" x 10"	B-401
127780	10" x 14"	B-401
127776	7" x 10"	B-555
127779	10" x 14"	B-555

69595	10" x 14"	B-120
88257	7" x 10"	B-302
88258	10" x 14"	B-302
25035	7" x 10"	B-401
42612	7" x 10"	B-555
42613	10" x 14"	B-555

69596	10" x 14"	B-120
88259	7" x 10"	B-302
88260	10" x 14"	B-302
25037	7" x 10"	B-401
25038	10" x 14"	B-401
42614	7" x 10"	B-555
42615	10" x 14"	B-555

127784	7" x 10"	B-302
127787	10" x 14"	B-302
127783	7" x 10"	B-401
127786	10" x 14"	B-401
127782	7" x 10"	B-555
127785	10" x 14"	B-555

Machine and Operational Signs

Machine and Operational Signs (Continued)

127790	7" x 10"	B-302
127793	10" x 14"	B-302
127789	7" x 10"	B-401
127792	10" x 14"	B-401
127788	7" x 10"	B-555
127791	10" x 14"	B-555

129140	7" x 10"	B-302
129143	10" x 14"	B-302
129139	7" x 10"	B-401
129142	10" x 14"	B-401
129138	7" x 10"	B-555
129141	10" x 14"	B-555

69608	10" x 14"	B-120
85139	7" x 10"	B-302
85140	10" x 14"	B-302
25634	7" x 10"	B-401
25635	10" x 14"	B-401
43211	7" x 10"	B-555
43212	10" x 14"	B-555

69609	10" x 14"	B-120
85141	7" x 10"	B-302
85142	10" x 14"	B-302
25636	7" x 10"	B-401
25637	10" x 14"	B-401
43213	7" x 10"	B-555
43214	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

69611	10" x 14"	B-120
88267	7" x 10"	B-302
88268	10" x 14"	B-302
25039	7" x 10"	B-401
25040	10" x 14"	B-401
42616	7" x 10"	B-555
42617	10" x 14"	B-555

69614	10" x 14"	B-120
85143	7" x 10"	B-302
85144	10" x 14"	B-302
25638	7" x 10"	B-401
25639	10" x 14"	B-401
43215	7" x 10"	B-555
43216	10" x 14"	B-555

127796	7" x 10"	B-302
127799	10" x 14"	B-302
127795	7" x 10"	B-401
127798	10" x 14"	B-401
127794	7" x 10"	B-555
127797	10" x 14"	B-555

123953	10" x 7"	B-302
123958	14" x 10"	B-302
123952	10" x 7"	B-401
123955	14" x 10"	B-401
123951	10" x 7"	B-555
123954	14" x 10"	B-555

88275	7" x 10"	B-302
88276	10" x 14"	B-302
69791	10" x 14"	B-120
25041	7" x 10"	B-401
42618	7" x 10"	B-555

128216	7" x 10"	B-302
128219	10" x 14"	B-302
128215	7" x 10"	B-401
128218	10" x 14"	B-401
128214	7" x 10"	B-555
128217	10" x 14"	B-555

128342	7" x 10"	B-302
128345	10" x 14"	B-302
128341	7" x 10"	B-401
128344	10" x 14"	B-401
128340	7" x 10"	B-555
128343	10" x 14"	B-555

69080	10" x 10"	B-120
88494	10" x 10"	B-302
42737	10" x 14"	B-555

88281	7" x 10"	B-302
25043	10" x 14"	B-401
42619	7" x 10"	B-555
42620	10" x 14"	B-555

90524	10" x 7"	B-324

88283	3-1/2" x 10"	B-302

88285	3-1/2" x 10"	B-302

127952	7" x 10"	B-302
127955	10" x 14"	B-302
127951	7" x 10"	B-401
127954	10" x 14"	B-401
127950	7" x 10"	B-555
127953	10" x 14"	B-555

70315	7" x 10"	B-120
88288	7" x 10"	B-302
25044	7" x 10"	B-401
25045	10" x 14"	B-401
42621	7" x 10"	B-555
42622	10" x 14"	B-555

123853	7" x 10"	B-302
123856	10" x 14"	B-302
123852	7" x 10"	B-401
123855	10" x 14"	B-401
123851	7" x 10"	B-555
123854	10" x 14"	B-555

127958	7" x 10"	B-302
127961	10" x 14"	B-302
127957	7" x 10"	B-401
127960	10" x 14"	B-401
127956	7" x 10"	B-555
127959	10" x 14"	B-555

88298	10" x 7"	B-302
88299	14" x 10"	B-302
25048	10" x 7"	B-401
25049	14" x 10"	B-401
42626	14" x 10"	B-555

128360	7" x 10"	B-302
128363	10" x 14"	B-302
128359	7" x 10"	B-401
128362	10" x 14"	B-401
128358	7" x 10"	B-555
128361	10" x 14"	B-555

128348	7" x 10"	B-302
128351	10" x 14"	B-302
128347	7" x 10"	B-401
128350	10" x 14"	B-401
128346	7" x 10"	B-555
128349	10" x 14"	B-555

128354	7" x 10"	B-302
128357	10" x 14"	B-302
128353	7" x 10"	B-401
128356	10" x 14"	B-401
128352	7" x 10"	B-555
128355	10" x 14"	B-555

129146	10" x 7"	B-302
129149	14" x 10"	B-302
129145	10" x 7"	B-401
129148	14" x 10"	B-401
129144	10" x 7"	B-555
129147	14" x 10"	B-555

Machine and Operational Signs (Continued)

123865	7" x 10"	B-302
123868	10" x 14"	B-302
123864	7" x 10"	B-401
123867	10" x 14"	B-401
123863	7" x 10"	B-555
123866	10" x 14"	B-555

88513	7" x 7"	B-302
25177	7" x 10"	B-401
42754	7" x 10"	B-555

129152	10" x 7"	B-302
129155	14" x 10"	B-302
129151	10" x 7"	B-401
129154	14" x 10"	B-401
129150	10" x 7"	B-555
129153	14" x 10"	B-555

88305	3-1/2" x 10"	B-302

69416	10" x 14"	B-120
88310	7" x 10"	B-302
88311	10" x 14"	B-302
25050	7" x 10"	B-401
25051	10" x 14"	B-401
42627	7" x 10"	B-555
42628	10" x 14"	B-555

127964	7" x 10"	B-302
127967	10" x 14"	B-302
127963	7" x 10"	B-401
127966	10" x 14"	B-401
127962	7" x 10"	B-555
127965	10" x 14"	B-555

128288	7" x 10"	B-302
128291	10" x 14"	B-302
128287	7" x 10"	B-401
128290	10" x 14"	B-401
128286	7" x 10"	B-555
128289	10" x 14"	B-555

123841	10" x 7"	B-302
123844	14" x 10"	B-302
123840	10" x 7"	B-401
123843	14" x 10"	B-401
123839	10" x 7"	B-555
123842	14" x 10"	B-555

128390	7" x 10"	B-302
128393	10" x 14"	B-302
128389	7" x 10"	B-401
128392	10" x 14"	B-401
128388	7" x 10"	B-555
128391	10" x 14"	B-555



88307	3-1/2" x 10"	B-302

128324	10" x 7"	B-302
128327	14" x 10"	B-302
128323	10" x 7"	B-401
128326	14" x 10"	B-401
128322	10" x 7"	B-555
128325	14" x 10"	B-555

69460	10" x 14"	B-120
88314	7" x 10"	B-302
88315	10" x 14"	B-302
42632	10" x 14"	B-555

123847	7" x 10"	B-302
123850	10" x 14"	B-302
123846	7" x 10"	B-401
123849	10" x 14"	B-401
123845	7" x 10"	B-555
123848	10" x 14"	B-555

123835	7" x 10"	B-302
123838	10" x 14"	B-302
123834	7" x 10"	B-401
123837	10" x 14"	B-401
123833	7" x 10"	B-555
123836	10" x 14"	B-555

69430	10" x 10"	B-120
88521	10" x 10"	B-302
25183	10" x 14"	B-401
42760	10" x 14"	B-555

69456	10" x 14"	B-120
88312	7" x 10"	B-302
25052	7" x 10"	B-401
25053	10" x 14"	B-401
42630	10" x 14"	B-555

127946	7" x 10"	B-302
127949	10" x 14"	B-302
127945	7" x 10"	B-401
127948	10" x 14"	B-401
127944	7" x 10"	B-555
127947	10" x 14"	B-555

88323	3-1/2" x 10"	B-302

88317	3-1/2" x 10"	B-302

88318	7" x 10"	B-302

128366	7" x 10"	B-302
128369	10" x 14"	B-302
128365	7" x 10"	B-401
128368	10" x 14"	B-401
128364	7" x 10"	B-555
128367	10" x 14"	B-555

128378	7" x 10"	B-302
128381	10" x 14"	B-302
128377	7" x 10"	B-401
128380	10" x 14"	B-401
128376	7" x 10"	B-555
128379	10" x 14"	B-555

128372	7" x 10"	B-302
128375	10" x 14"	B-302
128371	7" x 10"	B-401
128374	10" x 14"	B-401
128370	7" x 10"	B-555
128373	10" x 14"	B-555

85145	3-1/2" x 10"	B-302

74415	7" x 10"	B-120
88324	7" x 10"	B-302
88325	10" x 14"	B-302
25058	10" x 14"	B-401
42634	7" x 10"	B-555
42635	10" x 14"	B-555

74429	10" x 14"	B-120
88326	3-1/2" x 10"	B-302
88327	7" x 10"	B-302
88328	10" x 14"	B-302
42636	7" x 10"	B-555

88329	7" x 10"	B-302
88330	10" x 14"	B-302

85147	3-1/2" x 10"	B-302

69238	10" x 10"	B-120
88503	10" x 10"	B-302
25168	10" x 14"	B-401
42745	10" x 14"	B-555

Maintenance Signs

Brady maintenance signs remind employees to follow good housekeeping practices and help manage and sustain a clean and safe workplace. Brady offers more than 250 maintenance signs, each featuring a unique legend or pictogram.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

69783	10" x 14"	B-120
85572	7" x 10"	B-302
85573	10" x 14"	B-302
25747	7" x 10"	B-401
25748	10" x 14"	B-401
43324	7" x 10"	B-555
43325	10" x 14"	B-555

85580	7" x 10"	B-302
85581	10" x 14"	B-302
25751	7" x 10"	B-401
25752	10" x 14"	B-401
43328	7" x 10"	B-555
43329	10" x 14"	B-555

69307	10" x 14"	B-120
85582	7" x 10"	B-302
85583	10" x 14"	B-302
25753	7" x 10"	B-401
25754	10" x 14"	B-401
43331	10" x 14"	B-555

73443	10" x 14"	B-120
85584	7" x 10"	B-302
25755	7" x 10"	B-401
43332	7" x 10"	B-555
43333	10" x 14"	B-555

25758	10" x 14"	B-401

47115	10" x 14"	B-120
85592	7" x 10"	B-302
85593	10" x 14"	B-302
25759	7" x 10"	B-401
25760	10" x 14"	B-401
43336	7" x 10"	B-555
43337	10" x 14"	B-555

122835	7" x 10"	B-120
72975	10" x 14"	B-120
85598	7" x 10"	B-302
85599	10" x 14"	B-302
22772	7" x 10"	B-401
22773	10" x 14"	B-401
41336	7" x 10"	B-555
41337	10" x 14"	B-555

73439	18" x 12"	B-120

85604	7" x 10"	B-302
85605	10" x 14"	B-302
22776	7" x 10"	B-401
22777	10" x 14"	B-401

69087	10" x 14"	B-120
85606	7" x 10"	B-302
85607	10" x 14"	B-302
41342	7" x 10"	B-555

85610	7" x 10"	B-302
22780	7" x 10"	B-401

85614	7" x 10"	B-302
22782	7" x 10"	B-401

85620	7" x 10"	B-302
22785	10" x 14"	B-401
41348	7" x 10"	B-555
41349	10" x 14"	B-555

128414	7" x 10"	B-302
128417	10" x 14"	B-302
128413	7" x 10"	B-401
128416	10" x 14"	B-401
128412	7" x 10"	B-555
128415	10" x 14"	B-555

69012	10" x 14"	B-120
85629	10" x 14"	B-302
22790	7" x 10"	B-401

69013	10" x 14"	B-120
85631	10" x 14"	B-302
22793	10" x 14"	B-401
41357	10" x 14"	B-555

OSHA Regulations

Appendix A to 1910.1450
Recommends that signs designating areas where food and beverages can be consumed and stored be posted.

Do Not Enter Lunchroom - 29 CFR 1926.62(i)(4)
The employer shall assure that employees do not enter lunchroom facilities or eating areas with protective work clothing or equipment unless surface lead dust has been removed by vacuuming, downdraft booth, other cleaning method that limits dispersion of lead dust.

Housekeeping, Keeping the Aisles Clean - 29 CFR 1910.22(a)(1)-(2)
Every workplace, including aisles, storerooms and service rooms must be kept clean and orderly, and in a sanitary condition. Work room floors should be kept dry, with adequate drainage provided.

No Food or Drink Beyond This Point 1910.141(g)
No employee shall be allowed to consume food or beverages in an area exposed to toxic material or in a toilet room.

Load Rating Plate 1910.22(d)
In every building or structure used for mercantile, business, industrial or storage purposes, the loads approved by the building official shall be marked on plates of approved design and shall be affixed by the owner of the building, or his authorized agent, in a conspicuous place in each space to which they relate.

Maintenance Signs (Continued)

	7" x 10"	B-302
85633	10" x 14"	B-302
22794	7" x 10"	B-401
22795	10" x 14"	B-401
41359	10" x 14"	B-555

85634	7" x 10"	B-302
22796	7" x 10"	B-401
22797	10" x 14"	B-401
41360	7" x 10"	B-555

128420	7" x 10"	B-302
128423	10" x 14"	B-302
128419	7" x 10"	B-401
128422	10" x 14"	B-401
128418	7" x 10"	B-555
128421	10" x 14"	B-555

85642	7" x 10"	B-302
85643	10" x 14"	B-302
22800	7" x 10"	B-401
22801	10" x 14"	B-401
41364	7" x 10"	B-555
41365	10" x 14"	B-555

70442	10" x 14"	B-120
85644	7" x 10"	B-302
85645	10" x 14"	B-302
22802	7" x 10"	B-401
22803	10" x 14"	B-401
41366	7" x 10"	B-555
41367	10" x 14"	B-555

69425	10" x 14"	B-120
85211	7" x 10"	B-302
85212	10" x 14"	B-302
25687	10" x 14"	B-401

85648	7" x 10"	B-302
85649	10" x 14"	B-302
22804	7" x 10"	B-401
22805	10" x 14"	B-401
41368	7" x 10"	B-555
41369	10" x 14"	B-555

85650	7" x 10"	B-302
22806	7" x 10"	B-401
22807	10" x 14"	B-401
41370	7" x 10"	B-555
41371	10" x 14"	B-555

69455	10" x 14"	B-120
85652	7" x 10"	B-302
85653	10" x 14"	B-302
22808	7" x 10"	B-401
22809	10" x 14"	B-401
41372	7" x 10"	B-555
41373	10" x 14"	B-555

47337	14" x 10"	B-120
85654	10" x 7"	B-302
85655	14" x 10"	B-302
22810	10" x 7"	B-401
22811	14" x 10"	B-401
41374	10" x 7"	B-555
41375	14" x 10"	B-555

122856	7" x 10"	B-120
72623	10" x 14"	B-120
122655	7" x 10"	B-302
85659	10" x 14"	B-302
122524	7" x 10"	B-401
22813	10" x 14"	B-401
122416	7" x 10"	B-555
42336	10" x 14"	B-555

85662	7" x 10"	B-302
85663	10" x 14"	B-302

87715	10" x 14"	B-120
56691	10" x 14"	B-302
30544	10" x 14"	B-401

85664	7" x 10"	B-302
22816	7" x 10"	B-401
42339	7" x 10"	B-555
43352	10" x 14"	B-555

87716	10" x 14"	B-120
47526	10" x 14"	B-302
47518	10" x 14"	B-401

72808	7" x 10"	B-120
85667	10" x 14"	B-302
85666	7" x 10"	B-302
22817	7" x 10"	B-401
22818	10" x 14"	B-401
42340	7" x 10"	B-555
42341	10" x 14"	B-555

87717	10" x 14"	B-120
47550	10" x 14"	B-302
47532	10" x 14"	B-401
47533	10" x 14"	B-555

42341	10" x 14"	B-555
85668	7" x 10"	B-302
85669	10" x 14"	B-302
22819	7" x 10"	B-401
22820	10" x 14"	B-401
42342	7" x 10"	B-555
42343	10" x 14"	B-555

78227	14" x 20"	B-120
85670	7" x 10"	B-302
85671	10" x 14"	B-302
22821	7" x 10"	B-401
22822	10" x 14"	B-401
42344	7" x 10"	B-555
42345	10" x 14"	B-555

87736	10" x 14"	B-120
47618	10" x 14"	B-401

128432	7" x 10"	B-302
128435	10" x 14"	B-302
128431	7" x 10"	B-401
128434	10" x 14"	B-401
128430	7" x 10"	B-555
128433	10" x 14"	B-555

128438	7" x 10"	B-302
128441	10" x 14"	B-302
128437	7" x 10"	B-401
128440	10" x 14"	B-401
128436	7" x 10"	B-555
128439	10" x 14"	B-555

22823	7" x 10"	B-401
22824	10" x 14"	B-401
42346	7" x 10"	B-555

69143	10" x 14"	B-120
85686	7" x 10"	B-302
85687	10" x 14"	B-302
22825	7" x 10"	B-401

69282	10" x 14"	B-120
85692	7" x 10"	B-302
22828	7" x 10"	B-401
22829	10" x 14"	B-401

69364	10" x 14"	B-120
85690	7" x 10"	B-302
85691	10" x 14"	B-302
22827	7" x 10"	B-401
42350	7" x 10"	B-555

128192	7" x 10"	B-302
128195	10" x 14"	B-302
128191	7" x 10"	B-401
128194	10" x 14"	B-401
128190	7" x 10"	B-555
128193	10" x 14"	B-555

128198	7" x 10"	B-302
128201	10" x 14"	B-302
128197	7" x 10"	B-401
128200	10" x 14"	B-401
128196	7" x 10"	B-555
128199	10" x 14"	B-555

128204	7" x 10"	B-302
128207	10" x 14"	B-302
128203	7" x 10"	B-401
128206	10" x 14"	B-401
128202	7" x 10"	B-555
128205	10" x 14"	B-555

128222	7" x 10"	B-302
128225	10" x 14"	B-302
128221	7" x 10"	B-401
128224	10" x 14"	B-401
128220	7" x 10"	B-555
128223	10" x 14"	B-555

Maintenance Signs (Continued)

128210	7" x 10"	B-302
128213	10" x 14"	B-302
128209	7" x 10"	B-401
128212	10" x 14"	B-401
128208	7" x 10"	B-555
128211	10" x 14"	B-555

47116	14" x 10"	B-120
85694	10" x 7"	B-302
42353	10" x 7"	B-555
42354	14" x 10"	B-555

69044	10" x 14"	B-120
85696	7" x 10"	B-302
85697	10" x 14"	B-302
22832	7" x 10"	B-401

85703	10" x 14"	B-302
22833	7" x 10"	B-401
42356	7" x 10"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

128228	7" x 10"	B-302
128231	10" x 14"	B-302
128227	7" x 10"	B-401
128230	10" x 14"	B-401
128226	7" x 10"	B-555
128229	10" x 14"	B-555

128234	10" x 7"	B-302
128237	14" x 10"	B-302
128233	10" x 7"	B-401
128236	14" x 10"	B-401
128232	10" x 7"	B-555
128235	14" x 10"	B-555

128240	7" x 10"	B-302
128243	10" x 14"	B-302
128239	7" x 10"	B-401
128242	10" x 14"	B-401
128238	7" x 10"	B-555
128241	10" x 14"	B-555

85706	7" x 10"	B-302
85707	10" x 14"	B-302
22834	7" x 10"	B-401
42357	7" x 10"	B-555

72655	14" x 20"	B-120
85708	7" x 10"	B-302
85709	10" x 14"	B-302
22835	7" x 10"	B-401
22836	10" x 14"	B-401

128246	7" x 10"	B-302
128249	10" x 14"	B-302
128245	7" x 10"	B-401
128248	10" x 14"	B-401
128244	7" x 10"	B-555
128247	10" x 14"	B-555

128252	7" x 10"	B-302
128255	10" x 14"	B-302
128251	7" x 10"	B-401
128254	10" x 14"	B-401
128250	7" x 10"	B-555
128253	10" x 14"	B-555

128258	10" x 7"	B-302
128261	14" x 10"	B-302
128257	10" x 7"	B-401
128260	14" x 10"	B-401
128256	10" x 7"	B-555
128259	14" x 10"	B-555

128264	7" x 10"	B-302
128267	10" x 14"	B-302
128263	7" x 10"	B-401
128266	10" x 14"	B-401
128262	7" x 10"	B-555
128265	10" x 14"	B-555

69008	10" x 14"	B-120
85710	7" x 10"	B-302
42360	7" x 10"	B-555

70378	7" x 10"	B-120
85717	10" x 14"	B-302
22839	7" x 10"	B-401
42362	7" x 10"	B-555

128270	7" x 10"	B-302
128273	10" x 14"	B-302
128269	7" x 10"	B-401
128272	10" x 14"	B-401
128268	7" x 10"	B-555
128271	10" x 14"	B-555

72752	7" x 10"	B-120
22840	7" x 10"	B-401
22841	10" x 14"	B-401
42363	7" x 10"	B-555

128276	7" x 10"	B-302
128279	10" x 14"	B-302
128275	7" x 10"	B-401
128278	10" x 14"	B-401
128274	7" x 10"	B-555
128277	10" x 14"	B-555

72800	7" x 10"	B-120
122721	10" x 14"	B-120
85720	7" x 10"	B-302
85721	10" x 14"	B-302
22842	7" x 10"	B-401
122474	10" x 14"	B-401
42365	7" x 10"	B-555
122350	10" x 14"	B-555

85722	3-1/2" x 10"	B-302

128282	7" x 10"	B-302
128285	10" x 14"	B-302
128281	7" x 10"	B-401
128284	10" x 14"	B-401
128280	7" x 10"	B-555
128283	10" x 14"	B-555

122860	7" x 10"	B-120
70436	10" x 14"	B-120
85723	7" x 10"	B-302
85724	10" x 14"	B-302
22843	7" x 10"	B-401
22844	10" x 14"	B-401
122417	7" x 10"	B-555
42367	10" x 14"	B-555

22845	7" x 10"	B-401
22846	10" x 14"	B-401
42368	7" x 10"	B-555
42369	10" x 14"	B-555

73419	7" x 10"	B-120
85730	10" x 14"	B-302
22847	7" x 10"	B-401

85733	7" x 10"	B-302
22849	7" x 10"	B-401
22850	10" x 14"	B-401
42372	7" x 10"	B-555
42373	10" x 14"	B-555

128294	7" x 10"	B-302
128297	10" x 14"	B-302
128293	7" x 10"	B-401
128296	10" x 14"	B-401
128292	7" x 10"	B-555
128295	10" x 14"	B-555

Maintenance Signs (Continued)

128300	7" x 10"	B-302
128303	10" x 14"	B-302
128299	7" x 10"	B-401
128302	10" x 14"	B-401
128298	7" x 10"	B-555
128301	10" x 14"	B-555

128306	7" x 10"	B-302
128309	10" x 14"	B-302
128305	7" x 10"	B-401
128308	10" x 14"	B-401
128304	7" x 10"	B-555
128307	10" x 14"	B-555

69444	10" x 14"	B-120
85737	7" x 10"	B-302
85738	10" x 14"	B-302
22851	7" x 10"	B-401
22852	10" x 14"	B-401
42375	10" x 14"	B-555

85741	7" x 10"	B-302
22853	7" x 10"	B-401
22854	10" x 14"	B-401

85745	7" x 10"	B-302
85746	10" x 14"	B-302

72949	10" x 14"	B-120
22855	7" x 10"	B-401
22856	10" x 14"	B-401
42378	7" x 10"	B-555

85750	7" x 10"	B-302
85751	10" x 14"	B-302
22857	7" x 10"	B-401
42380	7" x 10"	B-555

85752	7" x 10"	B-302
85753	10" x 14"	B-302
22858	7" x 10"	B-401
42381	7" x 10"	B-555

128336	7" x 10"	B-302
128339	10" x 14"	B-302
128335	7" x 10"	B-401
128338	10" x 14"	B-401
128334	7" x 10"	B-555
128337	10" x 14"	B-555

128318	10" x 7"	B-302
128321	14" x 10"	B-302
128317	10" x 7"	B-401
128320	14" x 10"	B-401
128316	10" x 7"	B-555
128319	14" x 10"	B-555

No Cellular Phones Signs

Brady “No Cellular Phones” signs prohibit cell phones and two-way radios where the radio frequency, noise or distraction is a concern including blasting areas, quiet rooms, hospitals and other sensitive areas.

95501	10" x 14"	B-401

95500	10" x 14"	B-401

95499	10" x 14"	B-401

95498	10" x 14"	B-401

132039	7" x 10"	B-120
132040	10" x 14"	B-120
132037	7" x 10"	B-302
132038	10" x 14"	B-302
132036	7" x 10"	B-401
132034	7" x 10"	B-555
132035	10" x 14"	B-555

122877	7" x 10"	B-120
122738	10" x 14"	B-120
122673	7" x 10"	B-302
122596	10" x 14"	B-302
122542	7" x 10"	B-401
95503	10" x 14"	B-401
95410	14" x 10"	B-401
122433	7" x 10"	B-555
122365	10" x 14"	B-555

122878	7" x 10"	B-120
122739	10" x 14"	B-120
122674	7" x 10"	B-302
122597	10" x 14"	B-302
122543	7" x 10"	B-401
95502	10" x 14"	B-401
122434	7" x 10"	B-555
122366	10" x 14"	B-555

132032	7" x 10"	B-120
132033	10" x 14"	B-120
132030	7" x 10"	B-302
132031	10" x 14"	B-302
132029	7" x 10"	B-401
132027	7" x 10"	B-555
132028	10" x 14"	B-555
122366	10" x 14"	B-555

No Smoking Signs

www.BradyID.com

No Smoking Signs

Brady “No Smoking” signs communicate to employees and visitors areas where smoking is prohibited. As state smoking bans increase in the U.S., Brady “No Smoking” signs are compliant with your state’s smoking regulations and laws. Brady has more than 60 different “No Smoking” signs in various sizes and materials for indoor and outdoor use.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

128108	7" x 10"	B-302
128111	10" x 14"	B-302
128107	7" x 10"	B-401
128110	10" x 14"	B-401
128106	7" x 10"	B-555
128109	10" x 14"	B-555

72285	14" x 20"	B-120
88345	7" x 10"	B-302
88346	10" x 14"	B-302
25060	7" x 10"	B-401
25061	10" x 14"	B-401
42637	7" x 10"	B-555
42638	10" x 14"	B-555

72072	14" x 20"	B-120
88347	7" x 10"	B-302
88348	10" x 14"	B-302
25062	7" x 10"	B-401
25063	10" x 14"	B-401
42639	7" x 10"	B-555
42640	10" x 14"	B-555

128102	7" x 10"	B-302
128105	10" x 14"	B-302
128101	7" x 10"	B-401
128104	10" x 14"	B-401
128100	7" x 10"	B-555
128103	10" x 14"	B-555

88351	7" x 10"	B-302
88352	10" x 14"	B-302
25064	7" x 10"	B-401
25065	10" x 14"	B-401
42641	7" x 10"	B-555
42642	10" x 14"	B-555

128132	7" x 10"	B-302
128135	10" x 14"	B-302
128131	7" x 10"	B-401
128134	10" x 14"	B-401
128130	7" x 10"	B-555
128133	10" x 14"	B-555

OSHA Regulations

No Smoking 1910.106(e)(6)
Adequate precautions shall be taken to prevent the ignition of flammable vapors. Sources of ignition include but are not limited to open flames; lightning; smoking…

Battery Charging Area 1910.178(g)
Battery charging installations shall be located in areas designated for that purpose.

1910.103(b)(1)
Hydrogen gas is generated in battery charging areas. Smoking shall be prohibited in the charging area.

No Smoking, No Open Flames, No Water Reactive Materials 1910.106(d)(7)
Open flames and smoking shall not be permitted in flammable or combustible liquid storage areas. Water reactive materials may not be stored in the same room with flammable or combustible liquids

128120	7" x 10"	B-302
128123	10" x 14"	B-302
128119	7" x 10"	B-401
128122	10" x 14"	B-401
128118	7" x 10"	B-555
128121	10" x 14"	B-555

128138	7" x 10"	B-302
128141	10" x 14"	B-302
128137	7" x 10"	B-401
128140	10" x 14"	B-401
128136	7" x 10"	B-555
128139	10" x 14"	B-555

128126	7" x 10"	B-302
128129	10" x 14"	B-302
128125	7" x 10"	B-401
128128	10" x 14"	B-401
128124	7" x 10"	B-555
128127	10" x 14"	B-555

73437	10" x 14"	B-120
85189	7" x 10"	B-302
85190	10" x 14"	B-302
25672	7" x 10"	B-401
25673	10" x 14"	B-401
43249	7" x 10"	B-555
43250	10" x 14"	B-555

88363	10" x 7"	B-302
88364	14" x 10"	B-302
25073	14" x 10"	B-401
42649	10" x 7"	B-555
42650	14" x 10"	B-555

47171	7" x 10"	B-120
47010	10" x 14"	B-120
88369	3-1/2" x 5"	B-302
88370	7" x 10"	B-302
88371	10" x 14"	B-302
25076	7" x 10"	B-401
25077	10" x 14"	B-401
42653	7" x 10"	B-555
42654	10" x 14"	B-555

95269	7" x 17"	B-120

132003	7" x 10"	B-120
132004	10" x 14"	B-120
132001	7" x 10"	B-302
132002	10" x 14"	B-302
132000	7" x 10"	B-401
25912	10" x 14"	B-401
131999	7" x 10"	B-555
43489	10" x 14"	B-555

73416	7" x 17"	B-120

72083	14" x 20"	B-120
88374	7" x 10"	B-302
88375	10" x 14"	B-302
25078	7" x 10"	B-401
25079	10" x 14"	B-401
42655	7" x 10"	B-555
42656	10" x 14"	B-555

70452	7" x 17"	B-120

131785	7" x 10"	B-120
131786	10" x 14"	B-120
131783	7" x 10"	B-302
131784	10" x 14"	B-302
131781	7" x 10"	B-401
131782	10" x 14"	B-401
131779	7" x 10"	B-555
131780	10" x 14"	B-555

No Smoking Signs (Continued)

87797	3-1/2" x 5"	B-302

128144	7" x 10"	B-302
128147	10" x 14"	B-302
128143	7" x 10"	B-401
128146	10" x 14"	B-401
128142	7" x 10"	B-555
128145	10" x 14"	B-555

122817	7" x 10"	B-120
47203	10" x 14"	B-120
75670	14" x 20"	B-120
88376	7" x 10"	B-302
88377	10" x 14"	B-302
25080	7" x 10"	B-401
25081	10" x 14"	B-401
42657	7" x 10"	B-555
42658	10" x 14"	B-555
95154	10" x 14"	B-997

131737	7" x 10"	B-120
131738	10" x 14"	B-120
131735	7" x 10"	B-302
131736	10" x 14"	B-302
131733	7" x 10"	B-401
131734	10" x 14"	B-401
131731	7" x 10"	B-555
131732	10" x 14"	B-555

122818	7" x 10"	B-120
72118	10" x 14"	B-120
87796	3-1/2" x 5"	B-302
88378	7" x 10"	B-302
88379	10" x 14"	B-302
25082	7" x 10"	B-401
25083	10" x 14"	B-401
42659	7" x 10"	B-555
42660	10" x 14"	B-555

43504	10" x 14"	B-555

72133	14" x 20"	B-120
88380	7" x 10"	B-302
88381	10" x 14"	B-302
25084	7" x 10"	B-401
25085	10" x 14"	B-401
42661	7" x 10"	B-555
42662	10" x 14"	B-555

73466	10" x 14"	B-120
88382	7" x 10"	B-302
88383	10" x 14"	B-302
25086	7" x 10"	B-401
25087	10" x 14"	B-401
42663	7" x 10"	B-555
42664	10" x 14"	B-555

128150	7" x 10"	B-302
128153	10" x 14"	B-302
128149	7" x 10"	B-401
128152	10" x 14"	B-401
128148	7" x 10"	B-555
128151	10" x 14"	B-555

128156	7" x 10"	B-302
128159	10" x 14"	B-302
128155	7" x 10"	B-401
128158	10" x 14"	B-401
128154	7" x 10"	B-555
128157	10" x 14"	B-555

88384	7" x 10"	B-302
25088	7" x 10"	B-401
25089	10" x 14"	B-401
42665	7" x 10"	B-555
42666	10" x 14"	B-555

70509	7" x 17"	B-120

72342	10" x 14"	B-120
88449	7" x 10"	B-302
88450	10" x 14"	B-302
25132	7" x 10"	B-401
25133	10" x 14"	B-401
42710	10" x 14"	B-555

132011	7" x 10"	B-120
132012	10" x 14"	B-120
132009	7" x 10"	B-302
132010	10" x 14"	B-302
132007	7" x 10"	B-401
132008	10" x 14"	B-401
132005	7" x 10"	B-555
132006	10" x 14"	B-555

88386	7" x 10"	B-302
88387	10" x 14"	B-302
25090	7" x 10"	B-401
25091	10" x 14"	B-401
42667	7" x 10"	B-555

128162	7" x 10"	B-302
128165	10" x 14"	B-302
128161	7" x 10"	B-401
128164	10" x 14"	B-401
128160	7" x 10"	B-555
128163	10" x 14"	B-555

88388	7" x 10"	B-302
88389	10" x 14"	B-302
25092	7" x 10"	B-401
25093	10" x 14"	B-401
42669	7" x 10"	B-555
42670	10" x 14"	B-555

72328	7" x 10"	B-120
72329	10" x 14"	B-120
88392	7" x 10"	B-302
88393	10" x 14"	B-302
25094	7" x 10"	B-401
25095	10" x 14"	B-401
42671	7" x 10"	B-555
42672	10" x 14"	B-555

128168	7" x 10"	B-302
128171	10" x 14"	B-302
128167	7" x 10"	B-401
128170	10" x 14"	B-401
128166	7" x 10"	B-555
128169	10" x 14"	B-555

73427	10" x 14"	B-120
84177	7" x 10"	B-302
84178	10" x 14"	B-302
22179	7" x 10"	B-401
22180	10" x 14"	B-401
40744	10" x 14"	B-555

88394	7" x 10"	B-302
25097	10" x 14"	B-401
42674	10" x 14"	B-555

No Smoking Signs

www.BradyID.com

No Smoking Signs (Continued)

69568	10" x 14"	B-120
88396	7" x 10"	B-302
88397	10" x 14"	B-302
25098	7" x 10"	B-401
25099	10" x 14"	B-401
42675	7" x 10"	B-555
42676	10" x 14"	B-555

69599	10" x 14"	B-120
88400	7" x 10"	B-302
88401	10" x 14"	B-302
25100	7" x 10"	B-401
25101	10" x 14"	B-401
42677	7" x 10"	B-555
42678	10" x 14"	B-555

69601	10" x 14"	B-120
88402	7" x 10"	B-302
88403	10" x 14"	B-302
25102	7" x 10"	B-401
25103	10" x 14"	B-401
42679	7" x 10"	B-555
42680	10" x 14"	B-555

128174	7" x 10"	B-302
128177	10" x 14"	B-302
128173	7" x 10"	B-401
128176	10" x 14"	B-401
128172	7" x 10"	B-555
128175	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

128186	7" x 10"	B-302
128189	10" x 14"	B-302
128185	7" x 10"	B-401
128188	10" x 14"	B-401
128184	7" x 10"	B-555
128187	10" x 14"	B-555

69600	10" x 14"	B-120
88404	7" x 10"	B-302
88405	10" x 14"	B-302
25104	7" x 10"	B-401
25105	10" x 14"	B-401
42681	7" x 10"	B-555
42682	10" x 14"	B-555

128180	7" x 10"	B-302
128183	10" x 14"	B-302
128179	7" x 10"	B-401
128182	10" x 14"	B-401
128178	7" x 10"	B-555
128181	10" x 14"	B-555

69792	7" x 7"	B-120
88520	7" x 7"	B-302
25182	7" x 10"	B-401
42759	7" x 10"	B-555

88410	3-1/2" x 10"	B-302

122906	7" x 10"	B-120
46990	10" x 14"	B-120
88411	7" x 10"	B-302
88412	10" x 14"	B-302
25108	7" x 10"	B-401
122496	10" x 14"	B-401
42685	7" x 10"	B-555
122384	10" x 14"	B-555

127994	10" x 7"	B-302
127997	14" x 10"	B-302
127993	10" x 7"	B-401
127996	14" x 10"	B-401
127992	10" x 7"	B-555
127995	14" x 10"	B-555

127988	7" x 10"	B-302
127991	10" x 14"	B-302
127987	7" x 10"	B-401
127990	10" x 14"	B-401
127986	7" x 10"	B-555
127989	10" x 14"	B-555

127976	7" x 10"	B-302
127979	10" x 14"	B-302
127975	7" x 10"	B-401
127978	10" x 14"	B-401
127974	7" x 10"	B-555
127977	10" x 14"	B-555

127970	7" x 10"	B-302
127973	10" x 14"	B-302
127969	7" x 10"	B-401
127972	10" x 14"	B-401
127968	7" x 10"	B-555
127971	10" x 14"	B-555

127982	7" x 10"	B-302
127985	10" x 14"	B-302
127981	7" x 10"	B-401
127984	10" x 14"	B-401
127980	7" x 10"	B-555
127983	10" x 14"	B-555

72255	14" x 20"	B-120
88413	14" x 20"	B-302
88414	10" x 14"	B-302
25109	7" x 10"	B-401
42686	7" x 10"	B-555

87677	14" x 10"	B-120

72009	5" x 14"	B-120
88421	3-1/2" x 10"	B-302
88422	5" x 14"	B-302
25114	7" x 10"	B-401
42691	7" x 10"	B-555

88423	7" x 10"	B-302
88424	10" x 14"	B-302
25115	7" x 10"	B-401
25116	10" x 14"	B-401
42692	7" x 10"	B-555
42693	10" x 14"	B-555

80248	7" x 10"	B-324
80249	10" x 14"	B-324
85482	7" x 10"	B-347
85483	10" x 14"	B-347

72022	7" x 10"	B-120
72024	10" x 14"	B-120
89176	3-1/2" x 5"	B-302
89154	5" x 14"	B-302
88425	7" x 10"	B-302
88426	10" x 14"	B-302
25117	7" x 10"	B-401
25118	10" x 14"	B-401
42694	7" x 10"	B-555
42695	10" x 14"	B-555

88418	5" x 14"	B-120
72040	5" x 14"	B-302
25110	7" x 10"	B-401
42687	7" x 10"	B-555

No Smoking Signs (Continued)

141944	10" x 14"	B-120
141949	14" x 20"	B-120
141945	10" x 14"	B-302
141950	14" x 20"	B-302
141948	10" x 14"	B-401
141953	14" x 20"	B-401
141946	10" x 14"	B-555
141951	14" x 20"	B-555
141947	10" x 14"	B-946
141952	14" x 20"	B-946

73487	10" x 14"	B-120
88443	7" x 10"	B-302
88444	10" x 14"	B-302

72293	10" x 7"	B-120
73486	14" x 10"	B-120
72295	20" x 14"	B-120
87795	3-1/2" x 5"	B-302
88427	10" x 7"	B-302
88428	14" x 10"	B-302
25119	10" x 7"	B-401
25120	14" x 10"	B-401
42696	10" x 7"	B-555
42697	14" x 10"	B-555

72049	14" x 20"	B-120
88429	7" x 10"	B-302
88430	10" x 14"	B-302
25121	7" x 10"	B-401
42698	7" x 10"	B-555

70450	14" x 20"	B-120
88432	10" x 14"	B-302
25122	7" x 10"	B-401
42699	7" x 10"	B-555

141939	10" x 7"	B-120
141940	10" x 7"	B-401
141943	10" x 7"	B-401
141941	10" x 7"	B-555
141942	10" x 7"	B-946

141919	10" x 14"	B-120
141920	10" x 14"	B-401
141923	10" x 14"	B-401
141921	10" x 14"	B-555
141922	10" x 14"	B-946

72055	5" x 14"	B-120
88433	3-1/2" x 10"	B-302
88434	5" x 14"	B-302

25123	7" x 10"	B-401
25884	10" x 14"	B-401
42700	7" x 10"	B-555
43461	10" x 14"	B-555

88435	7" x 10"	B-302
88436	10" x 14"	B-302
25124	7" x 10"	B-401
42701	7" x 10"	B-555

141924	10" x 7"	B-120
141925	10" x 7"	B-401
141928	10" x 7"	B-401
141926	10" x 7"	B-555
141928	10" x 7"	B-946

46993	10" x 14"	B-120
88437	7" x 10"	B-302
88438	10" x 14"	B-302
42702	7" x 10"	B-555

128006	10" x 7"	B-302
128009	14" x 10"	B-302
128005	10" x 7"	B-401
128008	14" x 10"	B-401
128004	10" x 7"	B-555
128007	14" x 10"	B-555

72091	14" x 20"	B-120
88439	7" x 10"	B-302
88440	10" x 14"	B-302
25126	7" x 10"	B-401
42703	7" x 10"	B-555

128000	10" x 7"	B-302
128003	14" x 10"	B-302
127999	10" x 7"	B-401
128002	14" x 10"	B-401
127998	10" x 7"	B-555
128001	14" x 10"	B-555

128036	7" x 10"	B-302
128039	10" x 14"	B-302
128035	7" x 10"	B-401
128038	10" x 14"	B-401
128034	7" x 10"	B-555
128037	10" x 14"	B-555

141964	10" x 14"	B-120
141969	14" x 20"	B-120
141965	10" x 14"	B-302
141970	14" x 20"	B-302
141968	10" x 14"	B-401
141973	14" x 20"	B-401
141966	10" x 14"	B-555
141971	14" x 20"	B-555
141967	10" x 14"	B-946
141972	14" x 20"	B-946

141954	10" x 14"	B-120
141955	10" x 14"	B-302
141957	10" x 14"	B-401
141956	10" x 14"	B-555
141958	10" x 14"	B-946

72097	14" x 20"	B-120
88441	7" x 10"	B-302
88442	10" x 14"	B-302
25127	7" x 10"	B-401
42704	7" x 10"	B-555

47172	7" x 10"	B-120
88445	7" x 10"	B-302
88446	7" x 10"	B-302
88447	10" x 14"	B-302
25130	10" x 14"	B-401
42706	7" x 10"	B-555
42707	10" x 14"	B-555

141959	10" x 7"	B-120
141960	10" x 7"	B-401
141963	10" x 7"	B-401
141961	10" x 7"	B-555
141962	10" x 7"	B-946

No Smoking Signs

www.BradyID.com

No Smoking Signs (Continued)

123893	10" x 7"	B-302
123896	14" x 10"	B-302
123892	10" x 7"	B-401
123895	14" x 10"	B-401
123891	10" x 7"	B-555
123894	14" x 10"	B-555

128012	10" x 7"	B-302
128015	14" x 10"	B-302
128011	10" x 7"	B-401
128014	14" x 10"	B-401
128010	10" x 7"	B-555
128013	14" x 10"	B-555

128024	7" x 10"	B-302
128027	10" x 14"	B-302
128023	7" x 10"	B-401
128026	10" x 14"	B-401
128022	7" x 10"	B-555
128025	10" x 14"	B-555

123941	10" x 7"	B-302
123944	14" x 10"	B-302
123940	10" x 7"	B-401
123943	14" x 10"	B-401
123939	10" x 7"	B-555
123942	14" x 10"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

88448	5" x 14"	B-302

25131	7" x 10"	B-401
42708	7" x 10"	B-555

128030	7" x 10"	B-302
128033	10" x 14"	B-302
128029	7" x 10"	B-401
128032	10" x 14"	B-401
128028	7" x 10"	B-555
128031	10" x 14"	B-555

122795	7" x 10"	B-120
72148	10" x 14"	B-120
88451	7" x 10"	B-302
88452	10" x 14"	B-302
25134	7" x 10"	B-401
25135	10" x 14"	B-401
42711	7" x 10"	B-555
42712	10" x 14"	B-555

128042	7" x 10"	B-302
128045	10" x 14"	B-302
128041	7" x 10"	B-401
128044	10" x 14"	B-401
128040	7" x 10"	B-555
128043	10" x 14"	B-555

128018	10" x 7"	B-302
128021	14" x 10"	B-302
128017	10" x 7"	B-401
128020	14" x 10"	B-401
128016	10" x 7"	B-555
128019	14" x 10"	B-555

110977	10" x 7"	B-120
110976	14" x 10"	B-120
110978	10" x 7"	B-302
110979	14" x 10"	B-302
110975	10" x 7"	B-401
110973	10" x 7"	B-555
110972	14" x 10"	B-555

122703	10" x 14"	B-120
72155	14" x 20"	B-120
88453	7" x 10"	B-302
88454	7" x 10"	B-302
25136	7" x 10"	B-401
25137	10" x 14"	B-401
42713	7" x 10"	B-555
42714	10" x 14"	B-555

123917	7" x 10"	B-302
123920	10" x 14"	B-302
123916	7" x 10"	B-401
123919	10" x 14"	B-401
123915	7" x 10"	B-555
123918	10" x 14"	B-555

128048	7" x 10"	B-302
128051	10" x 14"	B-302
128047	7" x 10"	B-401
128050	10" x 14"	B-401
128046	7" x 10"	B-555
128049	10" x 14"	B-555

124642	10" x 3-1/2"	B-302
124641	10" x 3-1/2"	B-401
124640	10" x 3-1/2"	B-555

128054	10" x 7"	B-302
128057	14" x 10"	B-302
128053	10" x 7"	B-401
128056	14" x 10"	B-401
128052	10" x 7"	B-555
128055	14" x 10"	B-555

75972	7" x 10"	B-120
75973	10" x 14"	B-120
88457	7" x 10"	B-302
88458	10" x 14"	B-302
25139	7" x 10"	B-401
25140	10" x 14"	B-401
42716	7" x 10"	B-555
42717	10" x 14"	B-555

128072	7" x 10"	B-302
128075	10" x 14"	B-302
128071	7" x 10"	B-401
128074	10" x 14"	B-401
128070	7" x 10"	B-555
128073	10" x 14"	B-555

70730	10" x 14"	B-120

122796	7" x 10"	B-120
72176	10" x 14"	B-120
88467	7" x 10"	B-302
88468	10" x 14"	B-302
25144	7" x 10"	B-401
122468	10" x 14"	B-401
42721	7" x 10"	B-555
122342	10" x 14"	B-555

128060	10" x 7"	B-302
128063	14" x 10"	B-302
128059	10" x 7"	B-401
128062	14" x 10"	B-401
128058	10" x 7"	B-555
128061	14" x 10"	B-555

123899	10" x 7"	B-302
123902	14" x 10"	B-302
123898	10" x 7"	B-401
123901	14" x 10"	B-401
123897	10" x 7"	B-555
123900	14" x 10"	B-555

No Smoking Signs (Continued)

128066	10" x 7"	B-302
128069	14" x 10"	B-302
128065	10" x 7"	B-401
128068	14" x 10"	B-401
128064	10" x 7"	B-555
128067	14" x 10"	B-555

72296	10" x 7"	B-120
72297	14" x 10"	B-120
72298	20" x 14"	B-120
88469	10" x 7"	B-302
88470	14" x 10"	B-302
25145	10" x 7"	B-401
42722	10" x 7"	B-555
42723	14" x 10"	B-555

122797	7" x 10"	B-120
72336	10" x 14"	B-120
88471	7" x 10"	B-302
88472	10" x 14"	B-302
25147	7" x 10"	B-401
25148	10" x 14"	B-401
42724	7" x 10"	B-555
42725	10" x 14"	B-555

128078	7" x 10"	B-302
128081	10" x 14"	B-302
128077	7" x 10"	B-401
128080	10" x 14"	B-401
128076	7" x 10"	B-555
128079	10" x 14"	B-555

123905	10" x 7"	B-302
123908	14" x 10"	B-302
123904	10" x 7"	B-401
123907	14" x 10"	B-401
123903	10" x 7"	B-555
123906	14" x 10"	B-555

128084	7" x 10"	B-302
128087	10" x 14"	B-302
128083	7" x 10"	B-401
128086	10" x 14"	B-401
128082	7" x 10"	B-555
128085	10" x 14"	B-555

87691	10" x 14"	B-120
87684	7" x 10"	B-302
87685	10" x 14"	B-302
87687	10" x 14"	B-401
87688	7" x 10"	B-555
87689	10" x 14"	B-555

72341	10" x 14"	B-120
72343	7" x 10"	B-302
72344	10" x 14"	B-302
72347	7" x 10"	B-401
72348	10" x 14"	B-401
72345	7" x 10"	B-555
72346	10" x 14"	B-555

141929	10" x 14"	B-120
141934	14" x 20"	B-120
141930	10" x 14"	B-302
141935	14" x 20"	B-302
141933	10" x 14"	B-401
141938	14" x 20"	B-401
141931	10" x 14"	B-555
141936	14" x 20"	B-555
141932	10" x 14"	B-946
141937	14" x 20"	B-946

128090	7" x 10"	B-302
128093	10" x 14"	B-302
128089	7" x 10"	B-401
128092	10" x 14"	B-401
128088	7" x 10"	B-555
128091	10" x 14"	B-555

123923	10" x 7"	B-302
123926	14" x 10"	B-302
123922	10" x 7"	B-401
123925	14" x 10"	B-401
123921	10" x 7"	B-555
123924	14" x 10"	B-555

123911	7" x 10"	B-302
123914	10" x 14"	B-302
123910	7" x 10"	B-401
123913	10" x 14"	B-401
123909	7" x 10"	B-555
123912	10" x 14"	B-555

123929	7" x 10"	B-302
123932	10" x 14"	B-302
123928	7" x 10"	B-401
123931	10" x 14"	B-401
123927	7" x 10"	B-555
123930	10" x 14"	B-555

72349	7" x 10"	B-120
72355	7" x 10"	B-302
72395	10" x 14"	B-302
72398	7" x 10"	B-401
72399	10" x 14"	B-401
72396	7" x 10"	B-555
72397	10" x 14"	B-555

128096	7" x 10"	B-302
128099	10" x 14"	B-302
128095	7" x 10"	B-401
128098	10" x 14"	B-401
128094	7" x 10"	B-555
128097	10" x 14"	B-555

123935	10" x 7"	B-302
123938	14" x 10"	B-302
123934	10" x 7"	B-401
123937	14" x 10"	B-401
123933	10" x 7"	B-555
123936	14" x 10"	B-555

128114	10" x 7"	B-302
128117	14" x 10"	B-302
128113	10" x 7"	B-401
128116	14" x 10"	B-401
128112	10" x 7"	B-555
128115	14" x 10"	B-555

Hassle Free Custom Signs at www.BradyID.com!

- Customize a sign for no additional cost – same as stock pricing
- No minimums or set-up fees
- Most signs ship same day or next day
- Choose from top selling materials and sizes from 3”x 5” to 24” x 36”
- New Custom Team created to manage and respond to your more complex custom projects fast
- Contact customer service for more information and preferred pricing, or customize instantly online at www.BradyID.com.

Create custom signs like these for your facility!

At www.BradyID.com online customizing is easy as 1, 2, 3!

1) Select your category
2) Customize your product
3 Add to your shopping cart.

Personal Hygiene Signs

www.BradyID.com

Personal Hygiene Signs

Brady personal hygiene signs remind and encourage employees to use appropriate sanitary methods such as hand washing and use of hair nets before returning to work.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

30705	10" x 14"	B-302
30707	10" x 14"	B-401

47579	10" x 14"	B-401

128456	10" x 7"	B-302
128459	14" x 10"	B-302
128455	10" x 7"	B-401
128458	14" x 10"	B-401
128454	10" x 7"	B-555
128457	14" x 10"	B-555

122789	7" x 10"	B-120
73474	10" x 14"	B-120
88475	7" x 10"	B-302
88476	10" x 14"	B-302
25149	7" x 10"	B-401
25150	10" x 14"	B-401
42726	7" x 10"	B-555
42727	10" x 14"	B-555

72988	14" x 20"	B-120
88477	7" x 10"	B-302
88478	10" x 14"	B-302
25151	7" x 10"	B-401
25152	10" x 14"	B-401
42728	7" x 10"	B-555
42729	10" x 14"	B-555

88479	7" x 10"	B-302
88480	10" x 14"	B-302
25153	7" x 10"	B-401
25154	10" x 14"	B-401
42730	7" x 10"	B-555
42731	10" x 14"	B-555

69567	10" x 14"	B-120
88485	7" x 10"	B-302
88486	10" x 14"	B-302
25155	7" x 10"	B-401
25156	10" x 14"	B-401
42732	7" x 10"	B-555
42733	10" x 14"	B-555

88516	7" x 7"	B-302
25178	7" x 10"	B-401
42755	7" x 10"	B-555

88530	7" x 7"	B-302
25191	7" x 10"	B-401
42768	7" x 10"	B-555

128450	10" x 7"	B-302
128453	14" x 10"	B-302
128449	10" x 7"	B-401
128452	14" x 10"	B-401
128448	10" x 7"	B-555
128451	14" x 10"	B-555

87732	10" x 14"	B-120
30911	10" x 14"	B-302
30913	10" x 14"	B-401
30914	10" x 14"	B-555

47636	10" x 7"	B-302
47638	10" x 7"	B-401
47639	10" x 7"	B-555

47587	10" x 14"	B-302
57079	10" x 14"	B-555

47593	10" x 14"	B-302
47595	10" x 14"	B-401

47606	10" x 14"	B-302
47612	10" x 14"	B-401
57080	10" x 14"	B-555

128312	10" x 7"	B-302
128315	14" x 10"	B-302
128311	10" x 7"	B-401
128314	14" x 10"	B-401
128310	10" x 7"	B-555
128313	14" x 10"	B-555

128330	7" x 10"	B-302
128333	10" x 14"	B-302
128329	7" x 10"	B-401
128332	10" x 14"	B-401
128328	7" x 10"	B-555
128331	10" x 14"	B-555

87738	10" x 14"	B-120
57084	10" x 14"	B-302
47632	10" x 14"	B-401

31218	10" x 14"	B-401
31219	10" x 14"	B-555

88682	7" x 10"	B-302
88683	10" x 14"	B-302
25250	7" x 10"	B-401
25251	10" x 14"	B-401
42828	10" x 14"	B-555

128384	7" x 10"	B-302
128387	10" x 14"	B-302
128383	7" x 10"	B-401
128386	10" x 14"	B-401
128382	7" x 10"	B-555
128385	10" x 14"	B-555

47649	10" x 7"	B-302
47651	10" x 7"	B-401
47652	10" x 7"	B-555

88684	3-1/2" x 10"	B-302

Personal Protection Signs

Brady's full line of personal protection signs remind employees and floor workers about areas that require a hardhat, ear protection, face shields, eye protection or other garment. Brady personal protection signs are a strong and noticeable reminder for your employees to maintain a safe work atmosphere.

22575	7" x 10"	B-401
22576	10" x 14"	B-401

129032	7" x 10"	B-302
129035	10" x 14"	B-302
129031	7" x 10"	B-401
129034	10" x 14"	B-401
129030	7" x 10"	B-555
129033	10" x 14"	B-555

124225	10" x 7"	B-302
124228	14" x 10"	B-302
124224	10" x 7"	B-401
124227	14" x 10"	B-401
124223	10" x 7"	B-555
124226	14" x 10"	B-555

129038	7" x 10"	B-302
129041	10" x 14"	B-302
129037	7" x 10"	B-401
129040	10" x 14"	B-401
129036	7" x 10"	B-555
129039	10" x 14"	B-555

131949	7" x 10"	B-120
131950	10" x 14"	B-120
131947	7" x 10"	B-302
131948	10" x 14"	B-302
131945	7" x 10"	B-401
131946	10" x 14"	B-401
131943	7" x 10"	B-555
131944	10" X 14"	B-555

128516	7" x 10"	B-302
128519	10" x 14"	B-302
128515	7" x 10"	B-401
128518	10" x 14"	B-401
128514	7" x 10"	B-555
128517	10" x 14"	B-555

69041	10" x 14"	B-120
84971	7" x 10"	B-302
84972	10" x 14"	B-302
22577	7" x 10"	B-401
22578	10" x 14"	B-401
41141	7" x 10"	B-555
41142	10" x 14"	B-555

131941	7" x 10"	B-120
131942	10" x 14"	B-120
131939	7" x 10"	B-302
131940	10" x 14"	B-302
131937	7" x 10"	B-401
131938	10" x 14"	B-401
131935	7" x 10"	B-555
131936	10" x 14"	B-555

47056	7" x 10"	B-120
47094	10" x 14"	B-120
84973	7" x 10"	B-302
22579	7" x 10"	B-401
22580	10" x 14"	B-401
41143	7" x 10"	B-555

47059	7" x 10"	B-120
84975	7" x 10"	B-302
84976	10" x 14"	B-302
22581	7" x 10"	B-401
25773	10" x 14"	B-401
41145	7" x 10"	B-555
43350	10" x 14"	B-555

70286	10" x 14"	B-120
85079	7" x 10"	B-302
85080	10" x 14"	B-302
25594	7" x 10"	B-401
25595	10" x 14"	B-401
43171	7" x 10"	B-555
43172	10" x 14"	B-555

74542	20" x 14"	B-120
84977	10" x 7"	B-302
22582	10" x 7"	B-401
22583	14" x 10"	B-401
41146	10" x 7"	B-555

70288	7" x 10"	B-120
25192	7" x 10"	B-401
25193	10" x 14"	B-401
42769	7" x 10"	B-555

105729	14" x 10"	B-120

128522	7" x 10"	B-302
128525	10" x 14"	B-302
128521	7" x 10"	B-401
128524	10" x 14"	B-401
128520	7" x 10"	B-555
128523	10" x 14"	B-555

88543	7" x 10"	B-302
88544	10" x 14"	B-302
25194	7" x 10"	B-401
25195	10" x 14"	B-401
42771	7" x 10"	B-555
42772	10" x 14"	B-555

OSHA Regulations

Ear Protection Required
1910.145(c)(2)
Caution signs are to be posted to indicate a possible hazard against which proper precautions should be taken. Whenever exposure to sound levels exceedes the levels prescribed by OSHA, the employer must ensure that hearing protection is worn. This informational marking serves to remind employees that they have entered an area where hearing protection must be worn.

Eye Protection Required
1910.145(c)(2)
Caution signs are to be posted to indicate a possible hazard against which proper precautions should be taken.

1910.242(b)
Compressed air may only be used for cleaning purposes when the pressure is reduced to less than 30 p.s.i. and then only when effective chip guarding and personal protective equipment is used.

Fall Protection
Accident Prevention
1910.145(c)(2)
Caution signs shall be used only to warn against potential hazards or to caution against unsafe practices. All employees shall be instructed that caution signs indicate a possible hazard against which proper precaution should be taken.

Personal Protection Signs (Continued)

84774	7" x 10"	B-302
84775	10" x 14"	B-302
25454	7" x 10"	B-401
43032	10" x 14"	B-555

128528	7" x 10"	B-302
128531	10" x 14"	B-302
128527	7" x 10"	B-401
128530	10" x 14"	B-401
128526	7" x 10"	B-555
128529	10" x 14"	B-555

70299	20" x 14"	B-120
84776	10" x 7"	B-302
84777	14" x 10"	B-302
25456	10" x 7"	B-401
25457	14" x 10"	B-401
43033	10" x 7"	B-555
43034	14" x 10"	B-555

84778	7" x 10"	B-302
84779	10" x 14"	B-302
25459	10" x 14"	B-401
43035	7" x 10"	B-555
43036	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

25891	10" x 14"	B-401
43468	10" x 14"	B-555

70303	7" x 17"	B-120

70305	10" x 14"	B-120
84780	7" x 10"	B-302
25460	7" x 10"	B-401
25461	10" x 14"	B-401
43037	7" x 10"	B-555
43038	10" x 14"	B-555

70302	10" x 14"	B-120
84782	7" x 10"	B-302
84783	10" x 14"	B-302
25462	7" x 10"	B-401
25463	10" x 14"	B-401
43039	7" x 10"	B-555
43040	10" x 14"	B-555

69226	10" x 14"	B-120
88545	7" x 10"	B-302
88546	10" x 14"	B-302
25196	7" x 10"	B-401
25197	10" x 14"	B-401
42773	7" x 10"	B-555
42774	10" x 14"	B-555

76070	10" x 14"	B-120
88547	7" x 10"	B-302
88548	10" x 14"	B-302
25198	7" x 10"	B-401
25199	10" x 14"	B-401
42775	7" x 10"	B-555
42776	10" x 14"	B-555

69229	10" x 14"	B-120
88551	7" x 10"	B-302
88552	10" x 14"	B-302
25200	7" x 10"	B-401
25201	10" x 14"	B-401
42777	7" x 10"	B-555
42778	10" x 14"	B-555

70335	7" x 17"	B-120

47061	7" x 10"	B-120
47050	10" x 14"	B-120
87769	3-1/2" x 5"	B-302
84529	7" x 10"	B-302
84530	10" x 14"	B-302
22399	7" x 10"	B-401
22400	10" x 14"	B-401
40964	10" x 14"	B-555

122900	7" x 10"	B-120
122762	10" x 14"	B-120
122692	7" x 10"	B-302
122616	10" x 14"	B-302
122557	7" x 10"	B-401
25892	10" x 14"	B-401
122449	7" x 10"	B-555
43469	10" x 14"	B-555

73457	7" x 17"	B-120

47100	10" x 14"	B-120
84981	7" x 10"	B-302
84982	10" x 14"	B-302
22584	7" x 10"	B-401
22585	10" x 14"	B-401
41148	7" x 10"	B-555
41149	10" x 14"	B-555

84531	7" x 10"	B-302
84532	10" x 14"	B-302
22402	10" x 14"	B-401
40965	7" x 10"	B-555
40966	10" x 14"	B-555

122839	7" x 10"	B-120
70339	10" x 14"	B-120
84983	7" x 10"	B-302
84984	10" x 14"	B-302
22586	7" x 10"	B-401
22587	10" x 14"	B-401
41150	7" x 10"	B-555
41151	10" x 14"	B-555

128534	7" x 10"	B-302
128537	10" x 14"	B-302
128533	7" x 10"	B-401
128536	10" x 14"	B-401
128532	7" x 10"	B-555
128535	10" x 14"	B-555

124261	7" x 10"	B-302
124264	10" x 14"	B-302
124260	7" x 10"	B-401
124263	10" x 14"	B-401
124259	7" x 10"	B-555
124262	10" x 14"	B-555

129044	7" x 10"	B-302
129047	10" x 14"	B-302
129043	7" x 10"	B-401
129046	10" x 14"	B-401
129042	7" x 10"	B-555
129045	10" x 14"	B-555

129050	7" x 10"	B-302
129053	10" x 14"	B-302
129049	7" x 10"	B-401
129052	10" x 14"	B-401
129048	7" x 10"	B-555
129051	10" x 14"	B-555

Personal Protection Signs (Continued)

65039	10" x 14"	B-120
89091	7" x 10"	B-302
89090	10" x 14"	B-302
25416	7" x 10"	B-401
25417	10" x 14"	B-401
42993	7" x 10"	B-555
42994	10" x 14"	B-555

70352	7" x 17"	B-120

128618	10" x 7"	B-302
128621	14" x 10"	B-302
128617	10" x 7"	B-401
128620	14" x 10"	B-401
128616	10" x 7"	B-555
128619	14" x 10"	B-555

122841	7" x 10"	B-120
70358	10" x 14"	B-120
87770	3-1/2" x 5"	B-302
84533	7" x 10"	B-302
84534	10" x 14"	B-302
22403	7" x 10"	B-401
22404	10" x 14"	B-401
40967	7" x 10"	B-555
40968	10" x 14"	B-555

131933	7" x 10"	B-120
131934	10" x 14"	B-120
131931	7" x 10"	B-302
131932	10" x 14"	B-302
131929	7" x 10"	B-401
131930	10" x 14"	B-401
131927	7" x 10"	B-555
131928	10" x 14"	B-555

124294	7" x 10"	B-302
124297	10" x 14"	B-302
124293	7" x 10"	B-401
124296	10" x 14"	B-401
124292	7" x 10"	B-555
124295	10" x 14"	B-555

128540	7" x 10"	B-302
128543	10" x 14"	B-302
128539	7" x 10"	B-401
128542	10" x 14"	B-401
128538	7" x 10"	B-555
128541	10" x 14"	B-555

70359	7" x 17"	B-120

122833	7" x 10"	B-120
74581	10" x 14"	B-120
87771	3-1/2" x 5"	B-302
84535	7" x 10"	B-302
84536	10" x 14"	B-302
122520	7" x 10"	B-401
22406	10" x 14"	B-401
122408	7" x 10"	B-555
40970	10" x 14"	B-555

131925	7" x 10"	B-120
131926	10" x 14"	B-120
131923	7" x 10"	B-302
131924	10" x 14"	B-302
131922	7" x 10"	B-401
25893	10" x 14"	B-401
131921	7" x 10"	B-555
43470	10" x 14"	B-555

124249	7" x 10"	B-302
124252	10" x 14"	B-302
124248	7" x 10"	B-401
124251	10" x 14"	B-401
124247	7" x 10"	B-555
124250	10" x 14"	B-555

128552	7" x 10"	B-302
128555	10" x 14"	B-302
128551	7" x 10"	B-401
128554	10" x 14"	B-401
128550	7" x 10"	B-555
128553	10" x 14"	B-555

128546	7" x 10"	B-302
128549	10" x 14"	B-302
128545	7" x 10"	B-401
128548	10" x 14"	B-401
128544	7" x 10"	B-555
128547	10" x 14"	B-555

122834	7" x 10"	B-120
47101	10" x 14"	B-120
75900	14" x 20"	B-120
87778	3-1/2" x 5"	B-302
84784	7" x 10"	B-302
84785	10" x 14"	B-302
25464	7" x 10"	B-401
25465	10" x 14"	B-401
43041	7" x 10"	B-555
43042	10" x 14"	B-555

47064	7" x 10"	B-120
47018	10" x 14"	B-120
75914	14" x 20"	B-120
87772	3-1/2" x 5"	B-302
84537	7" x 10"	B-302
84538	10" x 14"	B-302
22407	7" x 10"	B-401
22408	10" x 14"	B-401
40971	7" x 10"	B-555
40972	10" x 14"	B-555

131913	7" x 10"	B-120
131914	10" x 14"	B-120
131911	7" x 10"	B-302
131912	10" x 14"	B-302
131910	7" x 10"	B-401
25894	10" x 14"	B-401
131909	7" x 10"	B-555
43471	10" x 14"	B-555

84788	7" x 10"	B-302
84789	10" x 14"	B-302
25466	7" x 10"	B-401
25467	10" x 14"	B-401
43043	7" x 10"	B-555
43044	10" x 14"	B-555

87664	10" x 14"	B-120
33656	10" x 14"	B-302
33659	10" x 14"	B-555

75919	7" x 10"	B-120
84790	7" x 10"	B-302
84791	10" x 14"	B-302
25468	7" x 10"	B-401
25469	10" x 14"	B-401
43045	7" x 10"	B-555
43046	10" x 14"	B-555

128558	7" x 10"	B-302
128561	10" x 14"	B-302
128557	7" x 10"	B-401
128560	10" x 14"	B-401
128556	7" x 10"	B-555
128559	10" x 14"	B-555

128570	7" x 10"	B-302
128573	10" x 14"	B-302
128569	7" x 10"	B-401
128572	10" x 14"	B-401
128568	7" x 10"	B-555
128571	10" x 14"	B-555

Personal Protection Signs

www.BradyID.com

Personal Protection Signs (Continued)

129170	7" x 10"	B-302
129173	10" x 14"	B-302
129169	7" x 10"	B-401
129172	10" x 14"	B-401
129168	7" x 10"	B-555
129171	10" x 14"	B-555

84792	10" x 7"	B-302
84793	14" x 10"	B-302
25470	10" x 7"	B-401
25471	14" x 10"	B-401
43047	10" x 7"	B-555
43048	14" x 10"	B-555

128564	7" x 10"	B-302
128567	10" x 14"	B-302
128563	7" x 10"	B-401
128566	10" x 14"	B-401
128562	7" x 10"	B-555
128565	10" x 14"	B-555

70383	10" x 14"	B-120
84794	7" x 10"	B-302
84795	10" x 14"	B-302
25472	7" x 10"	B-401
25473	10" x 14"	B-401
43049	7" x 10"	B-555
43050	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

73461	10" x 14"	B-120
84796	7" x 10"	B-302
84797	10" x 14"	B-302
25474	7" x 10"	B-401
25475	10" x 14"	B-401
43051	7" x 10"	B-555
43052	10" x 14"	B-555

69331	10" x 14"	B-120
84987	7" x 10"	B-302
22588	7" x 10"	B-401
22589	10" x 14"	B-401
41152	7" x 10"	B-555
41153	10" x 14"	B-555

128576	7" x 10"	B-302
128579	10" x 14"	B-302
128575	7" x 10"	B-401
128578	10" x 14"	B-401
128574	7" x 10"	B-555
128577	10" x 14"	B-555

128582	7" x 10"	B-302
128585	10" x 14"	B-302
128581	7" x 10"	B-401
128584	10" x 14"	B-401
128580	7" x 10"	B-555
128583	10" x 14"	B-555

70475	10" x 14"	B-120
88571	7" x 10"	B-302
88572	10" x 14"	B-302
25204	7" x 10"	B-401
25205	10" x 14"	B-401
42781	7" x 10"	B-555
42782	10" x 14"	B-555

131990	10" x 14"	B-120
131989	10" x 14"	B-302
131988	10" x 14"	B-401
131987	10" x 14"	B-555

131997	7" x 10"	B-120
131998	10" x 14"	B-120
131995	7" x 10"	B-302
131996	10" x 14"	B-302
131993	7" x 10"	B-401
131994	10" x 14"	B-401
131991	7" x 10"	B-555
131992	10" x 14"	B-555

131966	10" x 14"	B-120
131965	10" x 14"	B-302
131964	10" x 14"	B-401
131963	10" x 14"	B-555

131974	10" x 14"	B-120
131973	10" x 14"	B-302
131972	10" x 14"	B-401
131971	10" x 14"	B-555

131970	10" x 14"	B-120
131969	10" x 14"	B-302
131968	10" x 14"	B-401
131967	10" x 14"	B-555

131986	10" x 14"	B-120
131985	10" x 14"	B-302
131984	10" x 14"	B-401
131983	10" x 14"	B-555

131982	10" x 14"	B-120
131981	10" x 14"	B-302
131980	10" x 14"	B-401
131979	10" x 14"	B-555

131962	10" x 14"	B-120
131961	10" x 14"	B-302
131960	10" x 14"	B-401
131959	10" x 14"	B-555

131978	10" x 14"	B-120
131977	10" x 14"	B-302
131976	10" x 14"	B-401
131975	10" x 14"	B-555

122846	7" x 10"	B-120
73470	10" x 14"	B-120
84545	7" x 10"	B-302
84546	10" x 14"	B-302
22415	7" x 10"	B-401
22416	10" x 14"	B-401
122410	7" x 10"	B-555
40980	10" x 14"	B-555

65916	14" x 10"	B-120
65917	20" x 14"	B-120
84547	14" x 10"	B-302
22417	14" x 10"	B-401
40981	14" x 10"	B-555

131957	7" x 10"	B-120
131958	10" x 14"	B-120
131955	7" x 10"	B-302
131956	10" x 14"	B-302
131953	7" x 10"	B-401
131954	10" x 14"	B-401
131951	7" x 10"	B-555
131952	10" x 14"	B-555

128588	7" x 10"	B-302
128591	10" x 14"	B-302
128587	7" x 10"	B-401
128590	10" x 14"	B-401
128586	7" x 10"	B-555
128589	10" x 14"	B-555

122847	7" x 10"	B-120
70506	10" x 14"	B-120
84556	7" x 10"	B-302
84557	10" x 14"	B-302
22418	7" x 10"	B-401
22419	10" x 14"	B-401
40982	7" x 10"	B-555
40983	10" x 14"	B-555

75042	14" x 20"	B-120
84989	7" x 10"	B-302
84990	10" x 14"	B-302
22590	7" x 10"	B-401
22591	10" x 14"	B-401
41154	7" x 10"	B-555
41155	10" x 14"	B-555

Personal Protection Signs (Continued)

74630	14" x 20"	B-120
84991	7" x 10"	B-302
84992	10" x 14"	B-302
22592	7" x 10"	B-401
22593	10" x 14"	B-401
41156	7" x 10"	B-555
41157	10" x 14"	B-555

84993	7" x 10"	B-302
84994	10" x 14"	B-302
22594	7" x 10"	B-401
22595	10" x 14"	B-401
41158	7" x 10"	B-555
41159	10" x 14"	B-555

128594	7" x 10"	B-302
128597	10" x 14"	B-302
128593	7" x 10"	B-401
128596	10" x 14"	B-401
128592	7" x 10"	B-555
128595	10" x 14"	B-555

75976	7" x 10"	B-120
75977	10" x 14"	B-120
84995	7" x 10"	B-302
84996	10" x 14"	B-302
22596	7" x 10"	B-401
22597	10" x 14"	B-401
41160	7" x 10"	B-555
41161	10" x 14"	B-555

131919	7" x 10"	B-120
131920	10" x 14"	B-120
131917	7" x 10"	B-302
131918	10" x 14"	B-302
131916	7" x 10"	B-401
25895	10" x 14"	B-401
131915	7" x 10"	B-555

25895	10" x 14"	B-401
43472	10" x 14"	B-555

128600	7" x 10"	B-302
128603	10" x 14"	B-302
128599	7" x 10"	B-401
128602	10" x 14"	B-401
128598	7" x 10"	B-555
128601	10" x 14"	B-555

122767	10" x 14"	B-120
122455	7" x 10"	B-555
122383	10" x 14"	B-555

128606	7" x 10"	B-302
128609	10" x 14"	B-302
128605	7" x 10"	B-401
128608	10" x 14"	B-401
128604	7" x 10"	B-555
128607	10" x 14"	B-555

128612	7" x 10"	B-302
128615	10" x 14"	B-302
128611	7" x 10"	B-401
128614	10" x 14"	B-401
128610	7" x 10"	B-555
128613	10" x 14"	B-555

122836	7" x 10"	B-120

128660	7" x 10"	B-302
128663	10" x 14"	B-302
128659	7" x 10"	B-401
128662	10" x 14"	B-401
128658	7" x 10"	B-555
128661	10" x 14"	B-555

128666	7" x 10"	B-302
128669	10" x 14"	B-302
128665	7" x 10"	B-401
128668	10" x 14"	B-401
128664	7" x 10"	B-555
128667	10" x 14"	B-555

84798	7" x 10"	B-302
84799	10" x 14"	B-302
25476	7" x 10"	B-401
25477	10" x 14"	B-401
43053	7" x 10"	B-555
43054	10" x 14"	B-555

25908	10" x 14"	B-401
43485	10" x 14"	B-555

84997	7" x 10"	B-302
84998	10" x 14"	B-302
22599	10" x 14"	B-401
41162	7" x 10"	B-555
41163	10" x 14"	B-555

25909	10" x 14"	B-401
43486	10" x 14"	B-555

128648	7" x 10"	B-302
128651	10" x 14"	B-302
128647	7" x 10"	B-401
128650	10" x 14"	B-401
128646	7" x 10"	B-555
128649	10" x 14"	B-555

128636	7" x 10"	B-302
128639	10" x 14"	B-302
128635	7" x 10"	B-401
128638	10" x 14"	B-401
128634	7" x 10"	B-555
128637	10" x 14"	B-555

84999	7" x 10"	B-302
85000	10" x 14"	B-302
22600	7" x 10"	B-401
22601	10" x 14"	B-401
41164	7" x 10"	B-555
41165	10" x 14"	B-555

85001	7" x 10"	B-302
85002	10" x 14"	B-302
22602	7" x 10"	B-401
22603	10" x 14"	B-401
41166	7" x 10"	B-555
41167	10" x 14"	B-555

128630	7" x 10"	B-302
128633	10" x 14"	B-302
128629	7" x 10"	B-401
128632	10" x 14"	B-401
128628	7" x 10"	B-555
128631	10" x 14"	B-555

124255	10" x 7"	B-302
124258	14" x 10"	B-302
124254	10" x 7"	B-401
124257	14" x 10"	B-401
124253	10" x 7"	B-555
124256	14" x 10"	B-555

128654	7" x 10"	B-302
128657	10" x 14"	B-302
128653	7" x 10"	B-401
128656	10" x 14"	B-401
128652	7" x 10"	B-555
128655	10" x 14"	B-555

128642	7" x 10"	B-302
128645	10" x 14"	B-302
128641	7" x 10"	B-401
128644	10" x 14"	B-401
128640	7" x 10"	B-555
128643	10" x 14"	B-555

122837	7" x 10"	B-120
74740	10" x 14"	B-120
88583	7" x 10"	B-302
88584	10" x 14"	B-302
25206	7" x 10"	B-401
25207	10" x 14"	B-401
42783	7" x 10"	B-555
42784	10" x 14"	B-555

128672	7" x 10"	B-302
128675	10" x 14"	B-302
128671	7" x 10"	B-401
128674	10" x 14"	B-401
128670	7" x 10"	B-555
128673	10" x 14"	B-555

74764	10" x 14"	B-120
88585	7" x 10"	B-302
88586	10" x 14"	B-302
25208	7" x 10"	B-401
25209	10" x 14"	B-401
42785	7" x 10"	B-555

Personal Protection Signs

www.BradyID.com

Personal Protection Signs (Continued)

129098	7" x 10"	B-302
129101	10" x 14"	B-302
129097	7" x 10"	B-401
129100	10" x 14"	B-401
129096	7" x 10"	B-555
129099	10" x 14"	B-555

40651	7" x 10"	B-555
40652	10" x 14"	B-555

128702	7" x 10"	B-302
128705	10" x 14"	B-302
128701	7" x 10"	B-401
128704	10" x 14"	B-401
128700	7" x 10"	B-555
128703	10" x 14"	B-555

70273	10" x 14"	B-120
85003	7" x 10"	B-302
22605	10" x 14"	B-401

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

128720	7" x 10"	B-302
128723	10" x 14"	B-302
128719	7" x 10"	B-401
128722	10" x 14"	B-401
128718	7" x 10"	B-555
128721	10" x 14"	B-555

85007	7" x 10"	B-302
85008	10" x 14"	B-302
22606	7" x 10"	B-401
22607	10" x 14"	B-401
41170	7" x 10"	B-555
41171	10" x 14"	B-555

128714	7" x 10"	B-302
128717	10" x 14"	B-302
128713	7" x 10"	B-401
128716	10" x 14"	B-401
128712	7" x 10"	B-555
128715	10" x 14"	B-555

128708	7" x 10"	B-302
128711	10" x 14"	B-302
128707	7" x 10"	B-401
128710	10" x 14"	B-401
128706	7" x 10"	B-555
128709	10" x 14"	B-555

70287	20" x 14"	B-120
85011	7" x 10"	B-302
22608	10" x 7"	B-401
22609	14" x 10"	B-401
41172	10" x 7"	B-555
41173	14" x 10"	B-555

70298	7" x 17"	B-120

69184	10" x 14"	B-120
84802	7" x 10"	B-302
84803	10" x 14"	B-302
25478	7" x 10"	B-401
25479	10" x 14"	B-401
43055	7" x 10"	B-555
43056	10" x 14"	B-555

25896	10" x 14"	B-401
43473	10" x 14"	B-555

84804	7" x 10"	B-302
84805	10" x 14"	B-302
25480	7" x 10"	B-401
43057	7" x 10"	B-555
43058	10" x 14"	B-555

73456	10" x 14"	B-120
84806	7" x 10"	B-302
84807	10" x 14"	B-302
25482	7" x 10"	B-401
43059	7" x 10"	B-555
43060	10" x 14"	B-555

85015	7" x 10"	B-302
85016	10" x 14"	B-302
22612	7" x 10"	B-401
22613	10" x 14"	B-401
41176	7" x 10"	B-555
41177	10" x 14"	B-555

128732	7" x 10"	B-302
128735	10" x 14"	B-302
128731	7" x 10"	B-401
128734	10" x 14"	B-401
128730	7" x 10"	B-555
128733	10" x 14"	B-555

128726	7" x 10"	B-302
128729	10" x 14"	B-302
128725	7" x 10"	B-401
128728	10" x 14"	B-401
128724	7" x 10"	B-555
128727	10" x 14"	B-555

128738	7" x 10"	B-302
128741	10" x 14"	B-302
128737	7" x 10"	B-401
128740	10" x 14"	B-401
128736	7" x 10"	B-555
128739	10" x 14"	B-555

128696	7" x 10"	B-302
128699	10" x 14"	B-302
128695	7" x 10"	B-401
128698	10" x 14"	B-401
128694	7" x 10"	B-555
128697	10" x 14"	B-555

129104	7" x 10"	B-302
129107	10" x 14"	B-302
129103	7" x 10"	B-401
129106	10" x 14"	B-401
129102	7" x 10"	B-555
129105	10" x 14"	B-555

47158	7" x 10"	B-120
47189	10" x 14"	B-120
88611	7" x 10"	B-302
88612	10" x 14"	B-302
25216	7" x 10"	B-401
25217	10" x 14"	B-401
42793	7" x 10"	B-555
42794	10" x 14"	B-555

128744	7" x 10"	B-302
128747	10" x 14"	B-302
128743	7" x 10"	B-401
128746	10" x 14"	B-401
128742	7" x 10"	B-555
128745	10" x 14"	B-555

Personal Protection Signs (Continued)

75979	7" x 10"	B-120
75980	10" x 14"	B-120
42791	7" x 10"	B-555
42792	10" x 14"	B-555
25214	7" x 10"	B-401
25215	10" x 14"	B-401
88609	7" x 10"	B-302
88610	10" x 14"	B-302

128750	7" x 10"	B-302
128753	10" x 14"	B-302
128749	7" x 10"	B-401
128752	10" x 14"	B-401
128748	7" x 10"	B-555
128751	10" x 14"	B-555

123679	7" x 10"	B-302
123682	10" x 14"	B-302
123678	7" x 10"	B-401
123681	10" x 14"	B-401
123677	7" x 10"	B-555
123680	10" x 14"	B-555

128756	7" x 10"	B-302
128759	10" x 14"	B-302
128755	7" x 10"	B-401
128758	10" x 14"	B-401
128754	7" x 10"	B-555
128757	10" x 14"	B-555

128762	7" x 10"	B-302
128765	10" x 14"	B-302
128761	7" x 10"	B-401
128764	10" x 14"	B-401
128760	7" x 10"	B-555
128763	10" x 14"	B-555

128768	7" x 10"	B-302
128771	10" x 14"	B-302
128767	7" x 10"	B-401
128770	10" x 14"	B-401
128766	7" x 10"	B-555
128769	10" x 14"	B-555

128774	7" x 10"	B-302
128777	10" x 14"	B-302
128773	7" x 10"	B-401
128776	10" x 14"	B-401
128772	7" x 10"	B-555
128775	10" x 14"	B-555

69469	10" x 14"	B-120
88617	7" x 10"	B-302
88618	10" x 14"	B-302
25218	7" x 10"	B-401
25219	10" x 14"	B-401
42795	7" x 10"	B-555
42796	10" x 14"	B-555

69472	10" x 14"	B-120
88619	7" x 10"	B-302
88620	10" x 14"	B-302
25220	7" x 10"	B-401
25221	10" x 14"	B-401
42797	7" x 10"	B-555
42798	10" x 14"	B-555

128780	7" x 10"	B-302
128783	10" x 14"	B-302
128779	7" x 10"	B-401
128782	10" x 14"	B-401
128778	7" x 10"	B-555
128781	10" x 14"	B-555

128786	7" x 10"	B-302
128789	10" x 14"	B-302
128785	7" x 10"	B-401
128788	10" x 14"	B-401
128784	7" x 10"	B-555
128787	10" x 14"	B-555

70515	10" x 14"	B-120
87780	3-1/2" x 5"	B-302
85017	7" x 10"	B-302
85018	10" x 14"	B-302
22614	7" x 10"	B-401
22615	10" x 14"	B-401
41178	7" x 10"	B-555

70517	7" x 17"	B-120

69486	7" x 17"	B-120

85021	7" x 10"	B-302
23049	7" x 10"	B-401
22619	10" x 14"	B-401

128798	7" x 10"	B-302
128801	10" x 14"	B-302
128797	7" x 10"	B-401
128800	10" x 14"	B-401
128796	7" x 10"	B-555
128799	10" x 14"	B-555

70588	10" x 14"	B-120
85027	7" x 10"	B-302
85028	10" x 14"	B-302
22620	7" x 10"	B-401
22621	10" x 14"	B-401
41184	7" x 10"	B-555

128804	7" x 10"	B-302
128807	10" x 14"	B-302
128803	7" x 10"	B-401
128806	10" x 14"	B-401
128802	7" x 10"	B-555
128805	10" x 14"	B-555

Personal Protection Signs

www.BradyID.com

Personal Protection Signs (Continued)

128810	7" x 10"	B-302
128813	10" x 14"	B-302
128809	7" x 10"	B-401
128812	10" x 14"	B-401
128808	7" x 10"	B-555
128811	10" x 14"	B-555

74948	14" x 20"	B-120
85029	7" x 10"	B-302
85030	10" x 14"	B-302
22622	7" x 10"	B-401
22623	10" x 14"	B-401
41186	7" x 10"	B-555
41187	10" x 14"	B-555

85032	10" x 14"	B-302
22624	7" x 10"	B-401
22625	10" x 14"	B-401
41188	7" x 10"	B-555

128816	7" x 10"	B-302
128819	10" x 14"	B-302
128815	7" x 10"	B-401
128818	10" x 14"	B-401
128814	7" x 10"	B-555
128817	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

123577	7" x 10"	B-302
123580	10" x 14"	B-302
123576	7" x 10"	B-401
123579	10" x 14"	B-401
123575	7" x 10"	B-555
123578	10" x 14"	B-555

70279	10" x 14"	B-120
84808	7" x 10"	B-302
84809	10" x 14"	B-302
25484	7" x 10"	B-401
25485	10" x 14"	B-401
43061	7" x 10"	B-555
43062	10" x 14"	B-555

69179	10" x 14"	B-120
88641	7" x 10"	B-302
25224	7" x 10"	B-401
25225	10" x 14"	B-401
42801	7" x 10"	B-555
42802	10" x 14"	B-555

69183	10" x 14"	B-120
84810	7" x 10"	B-302
84811	10" x 14"	B-302
25486	7" x 10"	B-401
25487	10" x 14"	B-401
43063	7" x 10"	B-555
43064	10" x 14"	B-555

128822	7" x 10"	B-302
128825	10" x 14"	B-302
128821	7" x 10"	B-401
128824	10" x 14"	B-401
128820	7" x 10"	B-555
128823	10" x 14"	B-555

84812	7" x 10"	B-302
84813	10" x 14"	B-302
25488	7" x 10"	B-401
25489	10" x 14"	B-401
43065	7" x 10"	B-555
43066	10" x 14"	B-555

128828	7" x 10"	B-302
128831	10" x 14"	B-302
128827	7" x 10"	B-401
128830	10" x 14"	B-401
128826	7" x 10"	B-555
128829	10" x 14"	B-555

128834	7" x 10"	B-302
128837	10" x 14"	B-302
128833	7" x 10"	B-401
128836	10" x 14"	B-401
128832	7" x 10"	B-555
128835	10" x 14"	B-555

128840	7" x 10"	B-302
128843	10" x 14"	B-302
128839	7" x 10"	B-401
128842	10" x 14"	B-401
128838	7" x 10"	B-555
128841	10" x 14"	B-555

128846	7" x 10"	B-302
128849	10" x 14"	B-302
128845	7" x 10"	B-401
128848	10" x 14"	B-401
128844	7" x 10"	B-555
128847	10" x 14"	B-555

128852	7" x 10"	B-302
128855	10" x 14"	B-302
128851	7" x 10"	B-401
128854	10" x 14"	B-401
128850	7" x 10"	B-555
128853	10" x 14"	B-555

128858	7" x 10"	B-302
128861	10" x 14"	B-302
128857	7" x 10"	B-401
128860	10" x 14"	B-401
128856	7" x 10"	B-555
128859	10" x 14"	B-555

70362	10" x 14"	B-120
88643	7" x 10"	B-302
88644	10" x 14"	B-302
25226	7" x 10"	B-401
25227	10" x 14"	B-401
42803	7" x 10"	B-555
42804	10" x 14"	B-555

128864	7" x 10"	B-302
128867	10" x 14"	B-302
128863	7" x 10"	B-401
128866	10" x 14"	B-401
128862	7" x 10"	B-555
128865	10" x 14"	B-555

128870	7" x 10"	B-302
128873	10" x 14"	B-302
128869	7" x 10"	B-401
128872	10" x 14"	B-401
128868	7" x 10"	B-555
128871	10" x 14"	B-555

128948	10" x 7"	B-302
128951	14" x 10"	B-302
128947	10" x 7"	B-401
128950	14" x 10"	B-401
128946	10" x 7"	B-555
128949	14" x 10"	B-555

70370	10" x 14"	B-120
88645	7" x 10"	B-302
88646	10" x 14"	B-302
25228	7" x 10"	B-401
25229	10" x 14"	B-401
42806	10" x 14"	B-555

60579	10" x 14"	B-302
60540	10" x 14"	B-401
60511	10" x 14"	B-555

70368	10" x 14"	B-120
88647	7" x 10"	B-302
88648	10" x 14"	B-302
25230	7" x 10"	B-401
25231	10" x 14"	B-401
42807	7" x 10"	B-555
42808	10" x 14"	B-555

128876	7" x 10"	B-302
128879	10" x 14"	B-302
128875	7" x 10"	B-401
128878	10" x 14"	B-401
128874	7" x 10"	B-555
128877	10" x 14"	B-555

47305	7" x 10"	B-120
47332	10" x 14"	B-120
87777	3-1/2" x 5"	B-302
84814	7" x 10"	B-302
84815	10" x 14"	B-302
25490	7" x 10"	B-401
25491	10" x 14"	B-401
43067	7" x 10"	B-555
43068	10" x 14"	B-555

128882	7" x 10"	B-302
128885	10" x 14"	B-302
128881	7" x 10"	B-401
128884	10" x 14"	B-401
128880	7" x 10"	B-555
128883	10" x 14"	B-555

84816	7" x 10"	B-302
84817	10" x 14"	B-302
25493	10" x 14"	B-401
43070	10" x 14"	B-555

128888	7" x 10"	B-302
128891	10" x 14"	B-302
128887	7" x 10"	B-401
128890	10" x 14"	B-401
128886	7" x 10"	B-555
128889	10" x 14"	B-555

Personal Protection Signs (Continued)

84818	7" x 10"	B-302
25494	7" x 10"	B-401
25495	10" x 14"	B-401
43072	10" x 14"	B-555

128894	7" x 10"	B-302
128897	10" x 14"	B-302
128893	7" x 10"	B-401
128896	10" x 14"	B-401
128892	7" x 10"	B-555
128895	10" x 14"	B-555

70495	10" x 14"	B-120
88649	7" x 10"	B-302
25232	7" x 10"	B-401
25233	10" x 14"	B-401
42809	7" x 10"	B-555
42810	10" x 14"	B-555

123571	7" x 10"	B-302
123574	10" x 14"	B-302
123570	7" x 10"	B-401
123573	10" x 14"	B-401
123569	7" x 10"	B-555
123572	10" x 14"	B-555

70507	7" x 17"	B-120

128906	7" x 10"	B-302
128909	10" x 14"	B-302
128905	7" x 10"	B-401
128908	10" x 14"	B-401
128904	7" x 10"	B-555
128907	10" x 14"	B-555

128912	7" x 10"	B-302
128915	10" x 14"	B-302
128911	7" x 10"	B-401
128914	10" x 14"	B-401
128910	7" x 10"	B-555
128913	10" x 14"	B-555

128900	7" x 10"	B-302
128903	10" x 14"	B-302
128899	7" x 10"	B-401
128902	10" x 14"	B-401
128898	7" x 10"	B-555
128901	10" x 14"	B-555

47307	7" x 10"	B-120
47334	10" x 14"	B-120
87779	3-1/2" x 5"	B-302
85035	7" x 10"	B-302
85036	10" x 14"	B-302
22626	7" x 10"	B-401
22627	10" x 14"	B-401
41190	7" x 10"	B-555
41191	10" x 14"	B-555

47333	10" x 14"	B-120
87781	3-1/2" x 5"	B-302
85038	10" x 14"	B-302
22628	7" x 10"	B-401
22629	10" x 14"	B-401
41192	7" x 10"	B-555
41193	10" x 14"	B-555

70523	7" x 17"	B-120

128918	7" x 10"	B-302
128921	10" x 14"	B-302
128917	7" x 10"	B-401
128920	10" x 14"	B-401
128916	7" x 10"	B-555
128919	10" x 14"	B-555

69487	10" x 14"	B-120
88651	7" x 10"	B-302
88652	10" x 14"	B-302
25234	7" x 10"	B-401
25235	10" x 14"	B-401
42811	7" x 10"	B-555
42812	10" x 14"	B-555

69494	10" x 14"	B-120
85039	7" x 10"	B-302
85040	10" x 14"	B-302
22630	7" x 10"	B-401
22631	10" x 14"	B-401
41194	7" x 10"	B-555
41195	10" x 14"	B-555

128426	7" x 10"	B-302
128429	10" x 14"	B-302
128425	7" x 10"	B-401
128428	10" x 14"	B-401
128424	7" x 10"	B-555
128427	10" x 14"	B-555

74337	10" x 14"	B-120
85041	7" x 10"	B-302
85042	10" x 14"	B-302
25570	7" x 10"	B-401
25571	10" x 14"	B-401
43147	7" x 10"	B-555
43148	10" x 14"	B-555

128924	7" x 10"	B-302
128927	10" x 14"	B-302
128923	7" x 10"	B-401
128926	10" x 14"	B-401
128922	7" x 10"	B-555
128925	10" x 14"	B-555

69546	10" x 14"	B-120
85129	7" x 10"	B-302
85130	10" x 14"	B-302
25626	7" x 10"	B-401
25627	10" x 14"	B-401
43203	7" x 10"	B-555
43204	10" x 14"	B-555

128930	7" x 10"	B-302
128933	10" x 14"	B-302
128929	7" x 10"	B-401
128932	10" x 14"	B-401
128928	7" x 10"	B-555
128931	10" x 14"	B-555

128936	7" x 10"	B-302
128939	10" x 14"	B-302
128935	7" x 10"	B-401
128938	10" x 14"	B-401
128934	7" x 10"	B-555
128937	10" x 14"	B-555

88656	10" x 14"	B-302
42816	10" x 14"	B-555

128942	7" x 10"	B-302
128945	10" x 14"	B-302
128941	7" x 10"	B-401
128944	10" x 14"	B-401
128940	7" x 10"	B-555
128943	10" x 14"	B-555

73475	10" x 14"	B-120

69182	10" x 14"	B-120
25496	7" x 10"	B-401

73455	14" x 20"	B-120
85045	7" x 10"	B-302
85046	10" x 14"	B-302
25574	7" x 10"	B-401
25575	10" x 14"	B-401
43151	7" x 10"	B-555
43152	10" x 14"	B-555

70336	14" x 20"	B-120
85049	7" x 10"	B-302
85050	10" x 14"	B-302
25576	7" x 10"	B-401
25577	10" x 14"	B-401
43153	7" x 10"	B-555
43154	10" x 14"	B-555

70338	7" x 10"	B-120
85051	7" x 10"	B-302
85052	10" x 14"	B-302
25578	7" x 10"	B-401
25579	10" x 14"	B-401
43155	7" x 10"	B-555
43156	10" x 14"	B-555

47375	7" x 10"	B-120
69255	10" x 14"	B-120
88659	7" x 10"	B-302
88660	10" x 14"	B-302
25241	10" x 14"	B-401
42817	7" x 10"	B-555

Personal Protection Signs

www.BradyID.com

Personal Protection Signs (Continued)

69215	10" x 14"	B-120
88661	7" x 10"	B-302
88662	10" x 14"	B-302
25243	10" x 14"	B-401
42819	7" x 10"	B-555
42820	10" x 14"	B-555

123829	7" x 10"	B-302
123832	10" x 14"	B-302
123828	7" x 10"	B-401
123831	10" x 14"	B-401
123827	7" x 10"	B-555
123830	10" x 14"	B-555

69481	10" x 14"	B-120
88663	7" x 10"	B-302
88664	10" x 14"	B-302
25244	7" x 10"	B-401
25245	10" x 14"	B-401
42821	7" x 10"	B-555
42822	10" x 14"	B-555

128966	7" x 10"	B-302
128969	10" x 14"	B-302
128965	7" x 10"	B-401
128968	10" x 14"	B-401
128964	7" x 10"	B-555
128967	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

85053	7" x 10"	B-302
85054	10" x 14"	B-302
25581	10" x 14"	B-401
43157	7" x 10"	B-555
43158	10" x 14"	B-555

122859	7" x 10"	B-120
74479	10" x 14"	B-120
85055	7" x 10"	B-302
85056	10" x 14"	B-302
122526	7" x 10"	B-401
25583	10" x 14"	B-401
43159	7" x 10"	B-555
43160	10" x 14"	B-555

128954	7" x 10"	B-302
128957	10" x 14"	B-302
128953	7" x 10"	B-401
128956	10" x 14"	B-401
128952	7" x 10"	B-555
128955	10" x 14"	B-555

128960	10" x 7"	B-302
128963	14" x 10"	B-302
128959	10" x 7"	B-401
128962	14" x 10"	B-401
128958	10" x 7"	B-555
128961	14" x 10"	B-555

128972	7" x 10"	B-302
128975	10" x 14"	B-302
128971	7" x 10"	B-401
128974	10" x 14"	B-401
128970	7" x 10"	B-555
128973	10" x 14"	B-555

69579	10" x 14"	B-120
84822	7" x 10"	B-302
84823	10" x 14"	B-302
25498	7" x 10"	B-401
25499	10" x 14"	B-401
43075	7" x 10"	B-555
43076	10" x 14"	B-555

128978	7" x 10"	B-302
128981	10" x 14"	B-302
128977	7" x 10"	B-401
128980	10" x 14"	B-401
128976	7" x 10"	B-555
128979	10" x 14"	B-555

128984	7" x 10"	B-302
128987	10" x 14"	B-302
128983	7" x 10"	B-401
128986	10" x 14"	B-401
128982	7" x 10"	B-555
128985	10" x 14"	B-555

69581	10" x 14"	B-120
85057	7" x 10"	B-302
85058	10" x 14"	B-302
25584	7" x 10"	B-401
25585	10" x 14"	B-401
43161	7" x 10"	B-555
43162	10" x 14"	B-555

129134	7" x 10"	B-302
129137	10" x 14"	B-302
129133	7" x 10"	B-401
129136	10" x 14"	B-401
129132	7" x 10"	B-555
129135	10" x 14"	B-555

69584	10" x 14"	B-120
88669	7" x 10"	B-302
88670	10" x 14"	B-302
25246	7" x 10"	B-401
25247	10" x 14"	B-401
42823	7" x 10"	B-555
42824	10" x 14"	B-555

128990	7" x 10"	B-302
128993	10" x 14"	B-302
128989	7" x 10"	B-401
128992	10" x 14"	B-401
128988	7" x 10"	B-555
128991	10" x 14"	B-555

128996	7" x 10"	B-302
128999	10" x 14"	B-302
128995	7" x 10"	B-401
128998	10" x 14"	B-401
128994	7" x 10"	B-555
128997	10" x 14"	B-555

129002	7" x 10"	B-302
129005	10" x 14"	B-302
129001	7" x 10"	B-401
129004	10" x 14"	B-401
129000	7" x 10"	B-555
129003	10" x 14"	B-555

129008	7" x 10"	B-302
129011	10" x 14"	B-302
129007	7" x 10"	B-401
129010	10" x 14"	B-401
129006	7" x 10"	B-555
129009	10" x 14"	B-555

129020	7" x 10"	B-302
129023	10" x 14"	B-302
129019	7" x 10"	B-401
129022	10" x 14"	B-401
129018	7" x 10"	B-555
129021	10" x 14"	B-555

129014	7" x 10"	B-302
129017	10" x 14"	B-302
129013	7" x 10"	B-401
129016	10" x 14"	B-401
129012	7" x 10"	B-555
129015	10" x 14"	B-555

90720	10" x 14"	B-347

85066	3-1/2" x 10"	B-302

90649	10" x 7"	B-347
90731	10" x 14"	B-347

90139	10" x 7"	B-324
90650	10" x 7"	B-347
90732	10" x 14"	B-347

90121	7" x 10"	B-324

69799	7" x 7"	B-120
84551	2-1/4" x 2-1/4"	B-302
88495	7" x 7"	B-302
25161	7" x 10"	B-401
42738	7" x 10"	B-555

Personal Protection Signs (Continued)

73410	10" x 14"	B-120
84824	7" x 10"	B-302
84825	10" x 14"	B-302
43078	10" x 14"	B-555

128462	7" x 10"	B-302
128465	10" x 14"	B-302
128461	7" x 10"	B-401
128464	10" x 14"	B-401
128460	7" x 10"	B-555
128463	10" x 14"	B-555

69800	7" x 7"	B-120
25166	7" x 10"	B-401
42743	7" x 10"	B-555

84549	2-1/4" x 2-1/4"	B-302

90196	10" x 14"	B-324
90645	10" x 7"	B-347
90727	10" x 14"	B-347

90644	10" x 7"	B-347
90726	10" x 14"	B-347

85069	3-1/2" x 10"	B-302

74982	10" x 14"	B-120
25589	7" x 10"	B-401

74170	7" x 10"	B-120
85070	7" x 10"	B-302
85071	10" x 14"	B-302
25591	7" x 10"	B-401
25592	10" x 14"	B-401
43168	7" x 10"	B-555

84552	2-1/4" x 2-1/4"	B-302

90960	7" x 10"	B-347

128468	7" x 10"	B-302
128471	10" x 14"	B-302
128467	7" x 10"	B-401
128470	10" x 14"	B-401
128466	7" x 10"	B-555
128469	10" x 14"	B-555

84550	2-1/4" x 2-1/4"	B-302

84555	2-1/4" x 2-1/4"	B-302

128474	7" x 10"	B-302
128477	10" x 14"	B-302
128473	7" x 10"	B-401
128476	10" x 14"	B-401
128472	7" x 10"	B-555
128475	10" x 14"	B-555

70366	10" x 14"	B-120
88677	7" x 10"	B-302
88678	10" x 14"	B-302
25248	7" x 10"	B-401
42826	10" x 14"	B-555

69006	7" x 7"	B-120
88511	7" x 7"	B-302
25175	7" x 10"	B-401
42752	7" x 10"	B-555

60573	10" x 14"	B-302
25899	10" x 14"	B-401
43476	10" x 14"	B-555

84548	2-1/4" x 2-1/4"	B-302

128480	7" x 10"	B-302
128483	10" x 14"	B-302
128479	7" x 10"	B-401
128482	10" x 14"	B-401
128478	7" x 10"	B-555
128481	10" x 14"	B-555

128486	7" x 10"	B-302
128489	10" x 14"	B-302
128485	7" x 10"	B-401
128488	10" x 14"	B-401
128484	7" x 10"	B-555
128487	10" x 14"	B-555

90723	10" x 14"	B-347

84826	3-1/2" x 10"	B-302

124624	5" x 14"	B-302
124623	5" x 14"	B-401
124622	5" x 14"	B-555

90584	5" x 14"	B-324

128492	7" x 10"	B-302
128495	10" x 14"	B-302
128491	7" x 10"	B-401
128494	10" x 14"	B-401
128490	7" x 10"	B-555
128493	10" x 14"	B-555

Personal Protection Signs

www.BradyID.com

Personal Protection Signs (Continued)

123823	10" x 7"	B-302
123826	14" x 10"	B-302
123822	10" x 7"	B-401
123825	14" x 10"	B-401
123821	10" x 7"	B-555
123824	14" x 10"	B-555

90587	5" x 14"	B-324
90785	5" x 14"	B-347

84554	2-1/4" x 2-1/4"	B-302

69470	7" x 7"	B-120
88525	7" x 7"	B-302
25186	7" x 10"	B-401
42763	7" x 10"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

128498	7" x 10"	B-302
128501	10" x 14"	B-302
128497	7" x 10"	B-401
128500	10" x 14"	B-401
128496	7" x 10"	B-555
128499	10" x 14"	B-555

90112	7" x 10"	B-324

84553	2-1/4" x 2-1/4"	B-302

88527	7" x 7"	B-302
25188	7" x 10"	B-401
42765	7" x 10"	B-555

128678	18" x 18"	B-302
128681	24" x 24"	B-302
128677	18" x 18"	B-401
128680	24" x 24"	B-401
128676	18" x 18"	B-555
128679	24" x 24"	B-555

128690	18" x 18"	B-302
128693	24" x 24"	B-302
128689	18" x 18"	B-401
128692	24" x 24"	B-401
128688	18" x 18"	B-555
128691	24" x 24"	B-555

128684	18" x 18"	B-302
128687	24" x 24"	B-302
128683	18" x 18"	B-401
128686	24" x 24"	B-401
128682	18" x 18"	B-555
128685	24" x 24"	B-555

90722	14" x 10"	B-347

90646	14" x 10"	B-347

85072	3-1/2" x 10"	B-302

85076	3-1/2" x 10"	B-302

90643	10" x 7"	B-347
90725	14" x 10"	B-347

90128	10" x 7"	B-324
90721	14" x 10"	B-347

85074	3-1/2" x 10"	B-302

85075	3-1/2" x 10"	B-302

90729	14" x 10"	B-347

90199	14" x 10"	B-324

128504	7" x 10"	B-302
128507	10" x 14"	B-302
128503	7" x 10"	B-401
128506	10" x 14"	B-401
128502	7" x 10"	B-555
128505	10" x 14"	B-555

128510	7" x 10"	B-302
128513	10" x 14"	B-302
128509	7" x 10"	B-401
128512	10" x 14"	B-401
128508	7" x 10"	B-555
128511	10" x 14"	B-555

Radiation & Laser Signs

Brady radiation signs can help you comply with OSHA's regulations for radiation safety and laser warnings. These radiation signs offer messages for radiation danger, microwave warning signs and other radioactive warning safety signs. Radiation signs can be placed around your facility where radiation and x-ray safety are concerns.

OSHA Regulations

Radioactive Materials

1910.1096(e)(5) A sign or signs bearing the radiation caution symbol and the words: "Caution Radioactive Materials" must be posted.

High Radiation Area

1910.96(e)(3)(i) Each high radiation area must be posted with a sign or signs bearing the radiation caution symbol and the words "High Radiation Area".

129158	7" x 10"	B-302
129161	10" x 14"	B-302
129157	7" x 10"	B-401
129160	10" x 14"	B-401
129156	7" x 10"	B-555
129159	10" x 14"	B-555

129278	10" x 7"	B-302
129281	14" x 10"	B-302
129277	10" x 7"	B-401
129280	14" x 10"	B-401
129276	10" x 7"	B-555
129279	14" x 10"	B-555

129242	7" x 10"	B-302
129245	10" x 14"	B-302
129241	7" x 10"	B-401
129244	10" x 14"	B-401
129240	7" x 10"	B-555
129243	10" x 14"	B-555



88691	7" x 10"	B-302
25254	7" x 10"	B-401
25255	10" x 14"	B-401

129164	7" x 10"	B-302
129167	10" x 14"	B-302
129163	7" x 10"	B-401
129166	10" x 14"	B-401
129162	7" x 10"	B-555
129165	10" x 14"	B-555

129176	7" x 10"	B-302
129179	10" x 14"	B-302
129175	7" x 10"	B-401
129178	10" x 14"	B-401
129174	7" x 10"	B-555
129177	10" x 14"	B-555

76082	10" x 14"	B-120
88699	7" x 10"	B-302
88700	10" x 14"	B-302
25256	7" x 10"	B-401
25257	10" x 14"	B-401
42833	7" x 10"	B-555
42834	10" x 14"	B-555

88702	10" x 14"	B-302

129236	7" x 10"	B-302
129239	10" x 14"	B-302
129235	7" x 10"	B-401
129238	10" x 14"	B-401
129234	7" x 10"	B-555
129237	10" x 14"	B-555

129230	7" x 10"	B-302
129233	10" x 14"	B-302
129229	7" x 10"	B-401
129232	10" x 14"	B-401
129228	7" x 10"	B-555
129231	10" x 14"	B-555

129182	7" x 10"	B-302
129185	10" x 14"	B-302
129181	7" x 10"	B-401
129184	10" x 14"	B-401
129180	7" x 10"	B-555
129183	10" x 14"	B-555

129248	7" x 10"	B-302
129251	10" x 14"	B-302
129247	7" x 10"	B-401
129250	10" x 14"	B-401
129246	7" x 10"	B-555
129249	10" x 14"	B-555

129188	7" x 10"	B-302
129191	10" x 14"	B-302
129187	7" x 10"	B-401
129190	10" x 14"	B-401
129186	7" x 10"	B-555
129189	10" x 14"	B-555

62950	10" x 14"	B-120
62953	7" x 10"	B-302
62954	10" x 14"	B-302
62951	7" x 10"	B-401
62952	10" x 14"	B-401
62955	7" x 10"	B-555
67992	10" x 14"	B-555

129260	7" x 10"	B-302
129263	10" x 14"	B-302
129259	7" x 10"	B-401
129262	10" x 14"	B-401
129258	7" x 10"	B-555
129261	10" x 14"	B-555

42835	7" x 10"	B-555
42836	10" x 14"	B-555
88707	7" x 10"	B-302
88708	10" x 14"	B-302
25258	7" x 10"	B-401
25259	10" x 14"	B-401

70416	10" x 14"	B-120
88709	7" x 10"	B-302
88710	10" x 14"	B-302
25260	7" x 10"	B-401
25261	10" x 14"	B-401
42837	7" x 10"	B-555
42838	10" x 14"	B-555

129266	7" x 10"	B-302
129269	10" x 14"	B-302
129265	7" x 10"	B-401
129268	10" x 14"	B-401
129264	7" x 10"	B-555
129267	10" x 14"	B-555

25263	10" x 14"	B-401
42840	10" x 14"	B-555

129254	7" x 10"	B-302
129257	10" x 14"	B-302
129253	7" x 10"	B-401
129256	10" x 14"	B-401
129252	7" x 10"	B-555
129255	10" x 14"	B-555

76081	10" x 14"	B-120
88715	7" x 10"	B-302
25264	7" x 10"	B-401
25265	10" x 14"	B-401
42841	7" x 10"	B-555
42842	10" x 14"	B-555

88717	7" x 10"	B-302
88718	10" x 14"	B-302
25266	7" x 10"	B-401
25267	10" x 14"	B-401
42843	7" x 10"	B-555

88725	7" x 10"	B-302
88726	10" x 14"	B-302
25268	7" x 10"	B-401
25269	10" x 14"	B-401
42845	7" x 10"	B-555
42846	10" x 14"	B-555

Radiation & Laser Signs

Radiation & Laser Signs (Continued)

129272	7" x 10"	B-302
129275	10" x 14"	B-302
129271	7" x 10"	B-401
129274	10" x 14"	B-401
129270	7" x 10"	B-555
129273	10" x 14"	B-555

129284	7" x 10"	B-302
129287	10" x 14"	B-302
129283	7" x 10"	B-401
129286	10" x 14"	B-401
129282	7" x 10"	B-555
129285	10" x 14"	B-555

129290	7" x 10"	B-302
129293	10" x 14"	B-302
129289	7" x 10"	B-401
129292	10" x 14"	B-401
129288	7" x 10"	B-555
129291	10" x 14"	B-555

129296	7" x 10"	B-302
129299	10" x 14"	B-302
129295	7" x 10"	B-401
129298	10" x 14"	B-401
129294	7" x 10"	B-555
129297	10" x 14"	B-555

Popular Sign Materials

- **B-120** - Premium Fiberglass
- **B-302** - Self-Sticking Polyester
- **B-324** - BradyGlo™ Self-Sticking Polyester
- **B-347** - BradyGlo™ Plastic
- **B-401** - Plastic
- **B-555** - Aluminum

View all sign materials on page 25.

129302	7" x 10"	B-302
129305	10" x 14"	B-302
129301	7" x 10"	B-401
129304	10" x 14"	B-401
129300	7" x 10"	B-555
129303	10" x 14"	B-555

69437	10" x 14"	B-120
84583	7" x 10"	B-302
22443	7" x 10"	B-401
41007	7" x 10"	B-555
41008	10" x 14"	B-555

129308	10" x 7"	B-302
129311	14" x 10"	B-302
129307	10" x 7"	B-401
129310	14" x 10"	B-401
129306	10" x 7"	B-555
129309	14" x 10"	B-555

84586	10" x 14"	B-302
22445	7" x 10"	B-401
22446	10" x 14"	B-401

129320	7" x 10"	B-302
129323	10" x 14"	B-302
129319	7" x 10"	B-401
129322	10" x 14"	B-401
129318	7" x 10"	B-555
129321	10" x 14"	B-555

129314	10" x 7"	B-302
129317	14" x 10"	B-302
129313	10" x 7"	B-401
129316	14" x 10"	B-401
129312	10" x 7"	B-555
129315	14" x 10"	B-555

129326	7" x 10"	B-302
129329	10" x 14"	B-302
129325	7" x 10"	B-401
129328	10" x 14"	B-401
129324	7" x 10"	B-555
129327	10" x 14"	B-555

129332	7" x 10"	B-302
129335	10" x 14"	B-302
129331	7" x 10"	B-401
129334	10" x 14"	B-401
129330	7" x 10"	B-555
129333	10" x 14"	B-555

129338	7" x 10"	B-302
129341	10" x 14"	B-302
129337	7" x 10"	B-401
129340	10" x 14"	B-401
129336	7" x 10"	B-555
129339	10" x 14"	B-555

124183	10" x 7"	B-302
124186	14" x 10"	B-302
124182	10" x 7"	B-401
124185	14" x 10"	B-401
124181	10" x 7"	B-555
124184	14" x 10"	B-555

124300	10" x 7"	B-302
124303	14" x 10"	B-302
124299	10" x 7"	B-401
124302	14" x 10"	B-401
124298	10" x 7"	B-555
124301	14" x 10"	B-555

88731	7" x 10"	B-302
25270	7" x 10"	B-401

88733	10" x 7"	B-302
88734	14" x 10"	B-302
25272	10" x 7"	B-401
25273	14" x 10"	B-401
42849	10" x 7"	B-555
42850	14" x 10"	B-555



88736	7" x 10"	B-302
88737	10" x 14"	B-302
25274	7" x 10"	B-401
25275	10" x 14"	B-401

122777	10" x 7"	B-120
74829	14" x 10"	B-120
88738	10" x 7"	B-302
88739	14" x 10"	B-302
25276	10" x 7"	B-401
25277	14" x 10"	B-401
42853	10" x 7"	B-555
42854	14" x 10"	B-555

74837	7" x 10"	B-120
88741	7" x 10"	B-302
88742	10" x 14"	B-302
25278	7" x 10"	B-401
25279	10" x 14"	B-401
42855	7" x 10"	B-555
42856	10" x 14"	B-555

88740	3-1/2" x 10"	B-302

74844	14" x 20"	B-120
88743	7" x 10"	B-302
25280	7" x 10"	B-401
25281	10" x 14"	B-401
42857	7" x 10"	B-555
42858	10" x 14"	B-555

124231	10" x 7"	B-302
124234	14" x 10"	B-302
124230	10" x 7"	B-401
124233	14" x 10"	B-401
124229	10" x 7"	B-555
124232	14" x 10"	B-555

74850	14" x 20"	B-120
88746	7" x 10"	B-302
88747	10" x 14"	B-302
25282	7" x 10"	B-401
25283	10" x 14"	B-401
42859	7" x 10"	B-555
42860	10" x 14"	B-555

89112	2-1/4" x 2-1/4"	B-302
88750	3-1/2" x 10"	B-302
88751	5" x 14"	B-302

74855	7" x 10"	B-120
122717	10" x 14"	B-120
88748	7" x 10"	B-302
88749	10" x 14"	B-302
25284	7" x 10"	B-401
25285	10" x 14"	B-401
42861	7" x 10"	B-555
42862	10" x 14"	B-555

88745	2-1/4" x 2-1/4"	B-302

89171	2-1/4" x 2-1/4"	B-302
88752	3-1/2" x 10"	B-302

Radiation & Laser Signs (Continued)

74900	14" x 20"	B-120
25286	7" x 10"	B-401
42863	7" x 10"	B-555

74886	5" x 14"	B-120
122849	7" x 10"	B-120
122719	10" x 14"	B-120
88762	5" x 14"	B-302
122653	7" x 10"	B-302
122578	10" x 14"	B-302
122522	7" x 10"	B-401
25288	10" x 14"	B-401
42865	10" x 14"	B-555

88767	7" x 10"	B-302
88768	10" x 14"	B-302
25289	7" x 10"	B-401
74907	7" x 10"	B-120
42867	10" x 14"	B-555

129200	7" x 10"	B-302
129203	10" x 14"	B-302
129199	7" x 10"	B-401
129202	10" x 14"	B-401
129198	7" x 10"	B-555
129201	10" x 14"	B-555



88769	10" x 7"	B-302
88770	14" x 10"	B-302
25291	10" x 7"	B-401
25292	14" x 10"	B-401
42868	10" x 7"	B-555
42869	14" x 10"	B-555

88936	2-1/4" x 9"	B-302
88937	3-1/2" x 10"	B-302
88938	5" x 14"	B-302



129206	10" x 7"	B-302
129209	14" x 10"	B-302
129205	10" x 7"	B-401
129208	14" x 10"	B-401
129204	10" x 7"	B-555
129207	14" x 10"	B-555

129212	10" x 7"	B-302
129215	14" x 10"	B-302
129211	10" x 7"	B-401
129214	14" x 10"	B-401
129210	10" x 7"	B-555
129213	14" x 10"	B-555

129218	10" x 7"	B-302
129221	14" x 10"	B-302
129217	10" x 7"	B-401
129220	14" x 10"	B-401
129216	10" x 7"	B-555
129219	14" x 10"	B-555

129224	7" x 10"	B-302
129227	10" x 14"	B-302
129223	7" x 10"	B-401
129226	10" x 14"	B-401
129222	7" x 10"	B-555
129225	10" x 14"	B-555

129344	18" x 18"	B-302
129343	18" x 18"	B-401
129342	18" x 18"	B-555

Nuclear-Insert Signs

- Insert signs capable of holding multiple messages
- Durable subsurface printed on polycarbonate material
- Sharply contrasting magenta on yellow “Caution” header with radiation symbol
- Thumb notch at pocket opening allows for easy removal of the insert
- Snap-in “dimple” design holds inserts lightly
- Available with nylon clamps for hanging or brass grommets for wall mounting

Catalog #	Size	Description	Qty/Pkg
(See Below)	1-11/16” x 8”	Polycarbonate Sign Inserts (Legends Below)	5
93600	12” x 8”	3-Pocket “Caution” Insert Holder	1
93602	16” x 8”	5-Pocket “Caution” Insert Holder	1

Nuclear-Insert Signs provide precise hazard warning by enabling you to include up to 5 messages per sign.

93634 1-11/16” x 8”

93620 1-11/16” x 8”

93636 1-11/16” x 8”

93625 1-11/16” x 8”

93637 1-11/16” x 8”

93619 1-11/16” x 8”

93629 1-11/16” x 8”

93631 1-11/16” x 8”

93640 1-11/16” x 8”

93627 1-11/16” x 8”

93616 1-11/16” x 8”

93638 1-11/16” x 8”

93621 1-11/16” x 8”

93611 1-11/16” x 8”

Recycle & Environment Signs

Brady offers a full line of recycling signs for an environmentally responsible facility. Recycle signs can be placed in designated areas for recycling.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

73478	10" x 14"	B-120
86023	7" x 10"	B-302
86024	10" x 14"	B-302
25943	7" x 10"	B-401
25944	10" x 14"	B-401

129389	10" x 7"	B-302
129392	14" x 10"	B-302
129388	10" x 7"	B-401
129391	14" x 10"	B-401
129387	10" x 7"	B-555
129390	14" x 10"	B-555

86027	7" x 10"	B-302
25947	7" x 10"	B-401
41972	7" x 10"	B-555

129353	10" x 7"	B-302
129356	14" x 10"	B-302
129352	10" x 7"	B-401
129355	14" x 10"	B-401
129351	10" x 7"	B-555
129354	14" x 10"	B-555

129359	10" x 7"	B-302
129362	14" x 10"	B-302
129358	10" x 7"	B-401
129361	14" x 10"	B-401
129357	10" x 7"	B-555
129360	14" x 10"	B-555

129365	10" x 7"	B-302
129368	14" x 10"	B-302
129364	10" x 7"	B-401
129367	14" x 10"	B-401
129363	10" x 7"	B-555
129366	14" x 10"	B-555

129347	7" x 10"	B-302
129350	10" x 14"	B-302
129346	7" x 10"	B-401
129349	10" x 14"	B-401
129345	7" x 10"	B-555
129348	10" x 14"	B-555



129371	10" x 7"	B-302
129374	14" x 10"	B-302
129370	10" x 7"	B-401
129373	14" x 10"	B-401
129369	10" x 7"	B-555
129372	14" x 10"	B-555

123516	7" x 10"	B-302
123519	10" x 14"	B-302
123515	7" x 10"	B-401
123518	10" x 14"	B-401
123514	7" x 10"	B-555
123517	10" x 14"	B-555

76879	12" x 12"	B-120
22451	7" x 10"	B-401

123947	7" x 10"	B-302
123950	10" x 14"	B-302
123946	7" x 10"	B-401
123949	10" x 14"	B-401
123945	7" x 10"	B-555
123948	10" x 14"	B-555

123559	10" x 7"	B-302
123562	14" x 10"	B-302
123558	10" x 7"	B-401
123561	14" x 10"	B-401
123557	10" x 7"	B-555
123560	14" x 10"	B-555



129377	10" x 7"	B-302
129380	14" x 10"	B-302
129376	10" x 7"	B-401
129379	14" x 10"	B-401
129375	10" x 7"	B-555
129378	14" x 10"	B-555



129383	10" x 7"	B-302
129386	14" x 10"	B-302
129382	10" x 7"	B-401
129385	14" x 10"	B-401
129381	10" x 7"	B-555
129384	14" x 10"	B-555

86025	7" x 10"	B-302
25945	7" x 10"	B-401
25946	10" x 14"	B-401

129395	10" x 7"	B-302
129398	14" x 10"	B-302
129394	10" x 7"	B-401
129397	14" x 10"	B-401
129393	10" x 7"	B-555
129396	14" x 10"	B-555

86029	7" x 10"	B-302
25950	10" x 14"	B-401

123967	10" x 7"	B-302
123970	14" x 10"	B-302
123966	10" x 7"	B-401
123969	14" x 10"	B-401
123965	10" x 7"	B-555
123968	14" x 10"	B-555

73477	10" x 14"	B-120
86013	7" x 10"	B-302
86014	10" x 14"	B-302
25933	7" x 10"	B-401
25934	10" x 14"	B-401
41959	10" x 14"	B-555

73426	7" x 10"	B-120
70612	10" x 14"	B-120
86011	7" x 10"	B-302
86012	10" x 14"	B-302
41956	7" x 10"	B-555

70617	7" x 10"	B-120
86018	10" x 14"	B-302
41963	10" x 14"	B-555

70609	7" x 10"	B-120
70610	10" x 14"	B-120
86009	7" x 10"	B-302
86010	10" x 14"	B-302
25929	7" x 10"	B-401
25930	10" x 14"	B-401

70608	10" x 14"	B-120
86007	7" x 10"	B-302
86008	10" x 14"	B-302
25927	7" x 10"	B-401
25928	10" x 14"	B-401
41952	7" x 10"	B-555
41953	10" x 14"	B-555

84601	10" x 14"	B-302

84602	10" x 14"	B-302

84603	10" x 14"	B-302

84604	10" x 14"	B-302

84605	10" x 14"	B-302

70616	10" x 14"	B-120
86015	7" x 10"	B-302
86016	10" x 14"	B-302
25936	10" x 14"	B-401
41961	10" x 14"	B-555

123961	10" x 7"	B-302
123964	14" x 10"	B-302
123960	10" x 7"	B-401
123963	14" x 10"	B-401
123959	10" x 7"	B-555
123962	14" x 10"	B-555



124633	3-1/2" x 10"	B-302
124632	3-1/2" x 10"	B-401
124631	3-1/2" x 10"	B-555

76290	1" x 2-1/4"	B-946

Restroom Signs

Brady's restroom signs easily identify your facility's restrooms. These restroom signs feature bold lettering and universal pictograms. Brady has over 20 different pictogram and stock legends for restroom signs in various sizes, color, languages and materials, including restroom signs that identify handicap access.

129401	10" x 7"	B-302
129404	14" x 10"	B-302
129400	10" x 7"	B-401
129403	14" x 10"	B-401
129399	10" x 7"	B-555
129402	14" x 10"	B-555

123979	7" x 10"	B-302
123982	10" x 14"	B-302
123978	7" x 10"	B-401
123981	10" x 14"	B-401
123977	7" x 10"	B-555
123980	10" x 14"	B-555

123985	7" x 10"	B-302
123988	10" x 14"	B-302
123984	7" x 10"	B-401
123987	10" x 14"	B-401
123983	7" x 10"	B-555
123986	10" x 14"	B-555

123973	7" x 10"	B-302
123976	10" x 14"	B-302
123972	7" x 10"	B-401
123975	10" x 14"	B-401
123971	7" x 10"	B-555
123974	10" x 14"	B-555

84234	3-1/2" x 10"	B-302

132100	7" x 10"	B-120
47668	7" x 10"	B-302
47670	7" x 10"	B-401
47671	7" x 10"	B-555

47699	7" x 10"	B-302
47701	7" x 10"	B-401
47708	7" x 10"	B-555

47725	10" x 7"	B-302
47727	10" x 7"	B-401
47728	10" x 7"	B-555

70426	4" x 12"	B-120

25917	10" x 14"	B-401
43493	10" x 14"	B-555

124639	3-1/2" x 10"	B-302
124638	3-1/2" x 10"	B-401
124637	3-1/2" x 10"	B-555

124636	3-1/2" x 10"	B-302
124635	3-1/2" x 10"	B-401
124634	3-1/2" x 10"	B-555

47685	7" x 10"	B-302
47690	7" x 10"	B-401
47691	7" x 10"	B-555

70508	4" x 12"	B-120

25918	10" x 14"	B-401
43494	10" x 14"	B-555

91319	6" x 12"	B-120
89128	6" x 12"	B-302

123881	7" x 10"	B-302
123884	10" x 14"	B-302
123880	7" x 10"	B-401
123883	10" x 14"	B-401
123879	7" x 10"	B-555
123882	10" x 14"	B-555

87719	10" x 14"	B-120
47538	10" x 14"	B-302
47551	10" x 14"	B-401
47555	10" x 14"	B-555

87718	10" x 14"	B-120
47546	10" x 14"	B-302
47540	10" x 14"	B-401

132101	7" x 10"	B-120
47674	7" x 10"	B-302
47676	7" x 10"	B-401
47677	7" x 10"	B-555

47713	7" x 10"	B-302
47721	7" x 10"	B-401
47722	7" x 10"	B-555

47731	10" x 7"	B-302
47733	10" x 7"	B-401
47734	10" x 7"	B-555

70593	4" x 12"	B-120

25919	10" x 14"	B-401
43495	10" x 14"	B-555

Braille (ADA) Restroom Signs Also Available!

Brady also offers restroom signs that comply with requirements set under the Americans with Disabilites Act (ADA). These signs feature a true dome-shaped Braille dot to meet ICC / ANSI 117.1 specifications.

View page 53 for all Braille Restroom Signs.

Safety Banners

Brady safety banners promote and motivate employees on the importance of workplace safety and preparedness. These safety banners are large, highly visible and can be hung throughout your facility to visually remind employees about safe work practices. Made of a heavy-duty polyethlene, Brady safety banners can withstand tough, industrial work environments and can be easily hung from workplace walls or ceilings.

Banner Material

Banners are constructed of heavy duty 10 mil vinyl and are recommended for indoor use only.

106313 3.5' x 10' vinyl



106312 3.5' x 10' vinyl

106333 3' x 5' vinyl

50908 3.5' x 10' vinyl

50905 3.5' x 10' vinyl

106315 3.5' x 10' vinyl

50904 3.5' x 10' vinyl

106316 3.5' x 10' vinyl

94412 3.5' x 10' vinyl

106334 3' x 5' vinyl
106318 3.5' x 10' vinyl

50910 3.5' x 10' vinyl

106321 3.5' x 10' vinyl

106309 3.5' x 10' vinyl

56973 3' x 5' vinyl

56972 3' x 5' vinyl

106322 3.5' x 10' vinyl

50906 3.5' x 10' vinyl

106323 3.5' x 10' vinyl

Safety Banners (Continued)

106326 3.5' x 10' vinyl

106324 3.5' x 10' vinyl

106325 3.5' x 10' vinyl

106327 3.5' x 10' vinyl

106328 3.5' x 10' vinyl

56970 3' x 5' vinyl



106298 3.5' x 10' vinyl

106332 3' x 5' vinyl

106329 3' x 5' vinyl

106291 3.5' x 10' vinyl

106292 3.5' x 10' vinyl

106293 3.5' x 10' vinyl

106294 3.5' x 10' vinyl

106330 3' x 5' vinyl

50909 3.5' x 10' vinyl

106295 3.5' x 10' vinyl

106296 3.5' x 10' vinyl



106331 3' x 5' vinyl
106297 3.5' x 10' vinyl

50907 3.5' x 10' vinyl

106299 3.5' x 10' vinyl

106300 3.5' x 10' vinyl

Safety Banners (Continued)

106303 3.5' x 10' vinyl



50900 3.5' x 10' vinyl

Banner Material

Banners are constructed of heavy duty 10 mil vinyl and are recommended for indoor use only.

50911 3.5' x 10' vinyl

106304 3.5' x 10' vinyl

106305 3.5' x 10' vinyl

106306 3.5' x 10' vinyl

56968 3' x 5' vinyl

50902 3.5' x 10' vinyl

50912 3.5' x 10' vinyl

50901 3.5' x 10' vinyl

106308 3.5' x 10' vinyl

106307 3.5' x 10' vinyl

106310 3.5' x 10' vinyl

106311 3.5' x 10' vinyl

50903 3.5' x 10' vinyl



Safety Posters

Brady safety banners are concise, easy to understand safety posters that are designed to provide continued reinforcement of your ongoing safety programs.

Poster Material

Posters are laminated on both sides and are recommended for indoor use only.



PS125E	Bloodborne Pathogens Poster - English	18" x 24"	Laminated
PS125S	Bloodborne Pathogens Poster - Spanish	18" x 24"	Laminated



CSP	Confined Space Safety Poster - English	18" x 24"	Laminated

PS128E	Emergency First Aid Poster - English	18" x 24"	Laminated



FESP	Fire Extinguisher Safety Poster - English	18" x 24"	Laminated

5WG14	Forklift Safety Poster - English	18" x 24"	Laminated



PS135E	Haz-Mat Warning Labels Poster - English	18" x 24"	Laminated

53202	Hazardous Materials Poster - English	22" x 26"	Laminated
53203	Hazardous Materials Poster - Spanish	22" x 26"	Laminated

BLSP	Lift It Safely Poster - English	18" x 24"	Laminated



LOSP8	Lockout Safety Poster - English	18" x 24"	Laminated
LOSP8SP	Lockout Safety Poster - Spanish	18" x 24"	Laminated

Safety Posters

www.BradyID.com

Safety Posters (Continued)



MSSP	Machine Safety Poster - English	18" x 24"	Laminated

PS127E	Protect Yourself PPE Poster - Engllish	18" x 24"	Laminated



PS139E	Right To Know Poster - English	18" x 24"	Laminated
PS139S	Right To Know Poster - Spanish	18" x 24"	Laminated

OSHA Safety Poster

Thia laminated poster provides all the postings, notices, and information that the government requires general industry employers to have in their facility. Our unique All-On-One format saves wall space and resolves clutter. It eliminates the need to purchase individual safety posters addressing the most commonly cited OSHA Standards. Poster comes with a laminated First Aid At-A-Glance sheet and a Good Faith Safety Compliance certificate.

Catalog #	Description	Size	Qty.
106434	OSHA Safety Poster	25-1/2" x 39-1/2"	1 set

GHS Reference Center Poster

- This all-inclusive, large format poster gets worker's attention and combines many of the most important changes into one easy-to-read format
- Includes detailed information on:
  - Safety Data Sheet (SDS) format
  - GHS-formatted label elements
  - GHS Hazard Pictograms

Catalog #	Description	Size	Qty.
133209	GHS Reference Center Poster	25.5" x 39.5"	1 each

GHS Intro Poster Pack

- Set of 3 informational posters puts critical GHS information in different parts of your facility and promotes employee understanding
- Posters outline:
  - An overview of the Globally Harmonized System of Classification and Labeling of Chemicals
  - Information regarding the new Safety Data Sheets format and outline
  - Information regarding the new GHS-formatted label elements

Catalog #	Description	Size	Qty.
133207	GHS Intro Posters	17" x 22"	1 set of 3

May we also suggest:

Sign Holder For Posters

Clear plexi-glass poster holder allows you to store different posters and to rotate the display according to your safety program.

Catalog #	Description	Size	Color	Qty.
SH1824	Sign Holder For Posters	18" x 24"	Clear	1



Safety Slogan Signs

Brady safety awareness signs will promote safety and teamwork in your facility while helping you comply with OSHA regulations for accident prevention. Brady safety awareness signs are highly noticeable and available in a wide array of sizes and materials and available for almost any application.

Popular Sign Materials

- **B-120** - Premium Fiberglass
- **B-302** - Self-Sticking Polyester
- **B-324** - BradyGlo™ Self-Sticking Polyester
- **B-347** - BradyGlo™ Plastic
- **B-401** - Plastic
- **B-555** - Aluminum

View all sign materials on page 25.

OSHA Regulations

Safety Instruction Signs 1910.145(c)(3)
Safety instruction signs shall be used where there is a need for general instructions and suggestions relative to safety measures.

72605	14" x 20"	B-120
88791	10" x 14"	B-302
25295	7" x 10"	B-401

25297	7" x 10"	B-401
25298	10" x 14"	B-401
88806	7" x 10"	B-302
42874	7" x 10"	B-555

25299	7" x 10"	B-401
25300	10" x 14"	B-401
42876	7" x 10"	B-555
88810	7" x 10"	B-302
88811	10" x 14"	B-302

72936	14" x 20"	B-120
88814	7" x 10"	B-302
88815	10" x 14"	B-302
25301	7" x 10"	B-401
25302	10" x 14"	B-401
42879	10" x 14"	B-555

88830	7" x 10"	B-302
88831	10" x 14"	B-302
25307	7" x 10"	B-401

25688	7" x 10"	B-401
25689	10" x 14"	B-401
43265	7" x 10"	B-555

69755	10" x 14"	B-120
88834	7" x 10"	B-302
88835	10" x 14"	B-302
25309	7" x 10"	B-401
25310	10" x 14"	B-401
42887	10" x 14"	B-555

69173	10" x 14"	B-120
88838	7" x 10"	B-302
88839	10" x 14"	B-302
25311	7" x 10"	B-401
25312	10" x 14"	B-401
42888	7" x 10"	B-555
42889	10" x 14"	B-555

88840	7" x 10"	B-302
25313	7" x 10"	B-401
25314	10" x 14"	B-401
42891	10" x 14"	B-555

88842	7" x 10"	B-302
88843	10" x 14"	B-302
25315	7" x 10"	B-401
25316	10" x 14"	B-401
42893	10" x 14"	B-555

69333	10" x 14"	B-120
88846	7" x 10"	B-302
25317	7" x 10"	B-401
42895	10" x 14"	B-555

69352	10" x 14"	B-120
88848	7" x 10"	B-302
88849	10" x 14"	B-302
25319	7" x 10"	B-401
25320	10" x 14"	B-401
42896	7" x 10"	B-555
42897	10" x 14"	B-555

87682	7" x 10"	B-120
35478	10" x 14"	B-302
35480	10" x 14"	B-401

73471	7" x 10"	B-120

69464	10" x 14"	B-120
88852	7" x 10"	B-302
88853	10" x 14"	B-302
25323	7" x 10"	B-401
25324	10" x 14"	B-401
42900	7" x 10"	B-555
42901	10" x 14"	B-555

88860	7" x 10"	B-302
88861	10" x 14"	B-302
42902	7" x 10"	B-555
42903	10" x 14"	B-555
70205	10" x 14"	B-120
25325	7" x 10"	B-401
25326	10" x 14"	B-401

73449	10" x 14"	B-120
88864	7" x 10"	B-302
88865	10" x 14"	B-302
25327	7" x 10"	B-401
25328	10" x 14"	B-401
42904	7" x 10"	B-555
42905	10" x 14"	B-555

70293	10" x 14"	B-120
88866	7" x 10"	B-302
25329	7" x 10"	B-401
25330	10" x 14"	B-401
42906	7" x 10"	B-555
42907	10" x 14"	B-555

73464	10" x 14"	B-120
88870	7" x 10"	B-302
88871	10" x 14"	B-302
25331	7" x 10"	B-401
25332	10" x 14"	B-401
42909	10" x 14"	B-555

70462	10" x 14"	B-120
88872	7" x 10"	B-302
88873	10" x 14"	B-302
25333	7" x 10"	B-401
25334	10" x 14"	B-401
42910	7" x 10"	B-555
42911	10" x 14"	B-555

69414	10" x 14"	B-120
88874	7" x 10"	B-302
88875	10" x 14"	B-302
25335	7" x 10"	B-401
25336	10" x 14"	B-401
42912	7" x 10"	B-555
42913	10" x 14"	B-555

25337	7" x 10"	B-401
25338	10" x 14"	B-401
42914	7" x 10"	B-555
42915	10" x 14"	B-555
88876	7" x 10"	B-302
88877	10" x 14"	B-302

Safety Slogan Signs (Continued)

69515	10" x 14"	B-120
88878	7" x 10"	B-302
88879	10" x 14"	B-302
25339	7" x 10"	B-401
25340	10" x 14"	B-401
42916	7" x 10"	B-555
42917	10" x 14"	B-555

88880	7" x 10"	B-302
25341	7" x 10"	B-401
25342	10" x 14"	B-401
42918	7" x 10"	B-555
88881	10" x 14"	B-946

70578	10" x 14"	B-120
25343	7" x 10"	B-401
25344	10" x 14"	B-401
42920	7" x 10"	B-555
42921	10" x 14"	B-555

25346	10" x 14"	B-401
42923	10" x 14"	B-555

Popular Sign Materials

- **B-120** - Premium Fiberglass
- **B-302** - Self-Sticking Polyester
- **B-324** - BradyGlo™ Self-Sticking Polyester
- **B-347** - BradyGlo™ Plastic
- **B-401** - Plastic
- **B-555** - Aluminum

View all sign materials on page 25.

69785	14" x 20"	B-120
88898	7" x 10"	B-302
88899	10" x 14"	B-302
25347	7" x 10"	B-401
42924	7" x 10"	B-555

70518	10" x 14"	B-120
88905	7" x 10"	B-302
25348	7" x 10"	B-401
25349	10" x 14"	B-401
42925	7" x 10"	B-555
42926	10" x 14"	B-555

73423	20" x 28"	B-120

90786	5" x 14"	B-347

76093	10" x 14"	B-120
88908	7" x 10"	B-302
88909	10" x 14"	B-302
25350	7" x 10"	B-401
25351	10" x 14"	B-401
42928	10" x 14"	B-555

88910	7" x 10"	B-302
88911	10" x 14"	B-302
42929	7" x 10"	B-555

Scoreboards Signs

Brady safety scoreboards help you track your facility's safety performance, and motivate your employees to maintain safe work practices. Brady safety scoreboards are made of durable 18 gauge steel and are available in three different styles: Deluxe Scoreboards, Department Scoreboards and Daily Dial Scoreboards.

49113 28" x 20" 20 Gauge Steel

49117 28" x 20" 20 Gauge Steel

49117 28" x 20" 20 Gauge Steel

49112 28" x 20" 20 Gauge Steel

49114 28" x 20" 20 Gauge Steel

49111 28" x 20" 20 Gauge Steel

49115 28" x 20" 20 Gauge Steel

Security Signs

Brady security signs deter unwanted visitors and keep your facility safe with a variety of messages, including: video surveillance, restricted areas, and “no trespassing” notices.

129407	7" x 10"	B-302
129410	10" x 14"	B-302
129406	7" x 10"	B-401
129409	10" x 14"	B-401
129405	7" x 10"	B-555
129408	10" x 14"	B-555

95418	10" x 14"	B-401

95462	14" x 20"	B-120

123595	7" x 10"	B-302
123598	10" x 14"	B-302
123594	7" x 10"	B-401
123597	10" x 14"	B-401
123593	7" x 10"	B-555
123596	10" x 14"	B-555

132047	7" x 10"	B-120
132048	10" x 14"	B-120
132045	7" x 10"	B-302
132046	10" x 14"	B-302
132043	7" x 10"	B-401
132044	10" x 14"	B-401
132041	7" x 10"	B-555
132042	10" x 14"	B-555

123601	10" x 7"	B-302
123604	14" x 10"	B-302
123600	10" x 7"	B-401
123603	14" x 10"	B-401
123599	10" x 7"	B-555
123602	14" x 10"	B-555

123589	7" x 10"	B-302
123592	10" x 14"	B-302
123588	7" x 10"	B-401
123591	10" x 14"	B-401
123587	7" x 10"	B-555
123590	10" x 14"	B-555

122865	7" x 10"	B-120
122727	10" x 14"	B-120
122658	7" x 10"	B-302
122581	10" x 14"	B-302
122531	7" x 10"	B-401
95465	10" x 14"	B-401
122422	7" x 10"	B-555
122356	10" x 14"	B-555

95466	10" x 14"	B-401

95467	10" x 14"	B-401

122869	7" x 10"	B-120
122730	10" x 14"	B-120
122661	7" x 10"	B-302
122584	10" x 14"	B-302
122534	7" x 10"	B-401
95468	10" x 14"	B-401
122425	7" x 10"	B-555
122359	10" x 14"	B-555

95469	10" x 14"	B-401

122875	7" x 10"	B-120
122736	10" x 14"	B-120
122671	7" x 10"	B-302
122594	10" x 14"	B-302
122540	7" x 10"	B-401
95470	10" x 14"	B-401
122431	7" x 10"	B-555
122363	10" x 14"	B-555

95471	10" x 14"	B-401

95472	10" x 14"	B-401

95473	10" x 14"	B-401

95474	10" x 14"	B-401

95475	10" x 14"	B-401

95476	10" x 14"	B-401

95477	10" x 14"	B-401

95478	10" x 14"	B-401

95479	10" x 14"	B-401

123528	7" x 10"	B-302
123531	10" x 14"	B-302
123527	7" x 10"	B-401
123530	10" x 14"	B-401
123526	7" x 10"	B-555
123529	10" x 14"	B-555

122866	7" x 10"	B-120
122728	10" x 14"	B-120
122659	7" x 10"	B-302
122582	10" x 14"	B-302
122532	7" x 10"	B-401
122480	10" x 14"	B-401
95481	14" x 20"	B-401
122423	7" x 10"	B-555
122357	10" x 14"	B-555

95483	14" x 20"	B-401

95484	14" x 20"	B-401

95485	14" x 20"	B-401

95486	14" x 20"	B-401

95487	14" x 20"	B-401

95488	14" x 20"	B-401

Security Signs

www.BradyID.com

Security Signs (Continued)

95489	14" x 20"	B-401

122886	7" x 10"	B-120
122746	10" x 14"	B-120
122682	7" x 10"	B-302
122604	10" x 14"	B-302
122550	7" x 10"	B-401
122486	10" x 14"	B-401
95491	14" x 20"	B-401
122441	7" x 10"	B-555
122372	10" x 14"	B-555

95492	14" x 20"	B-401

95493	14" x 20"	B-401

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-324 - BradyGlo™ Self-Sticking Polyester
B-347 - BradyGlo™ Plastic
B-401 - Plastic
B-555 - Aluminum
View all sign materials on page 25.

122888	7" x 10"	B-120
122748	10" x 14"	B-120
122684	7" x 10"	B-302
122606	10" x 14"	B-302
122552	7" x 10"	B-401
122487	10" x 14"	B-401
95494	14" x 20"	B-401
122443	7" x 10"	B-555
122374	10" x 14"	B-555

95495	14" x 20"	B-401

122889	7" x 10"	B-120
122749	10" x 14"	B-120
122685	7" x 10"	B-302
122607	10" x 14"	B-302
122553	7" x 10"	B-401
122488	10" x 14"	B-401
95496	14" x 20"	B-401
122444	7" x 10"	B-555
122375	10" x 14"	B-555

95426	10" x 14"	B-401

95427	10" x 14"	B-401

95428	10" x 14"	B-401

95461	14" x 20"	B-120

95459	14" x 20"	B-120

132025	7" x 10"	B-120
132026	10" x 14"	B-120
132023	7" x 10"	B-302
132024	10" x 14"	B-302
132022	7" x 10"	B-401
132020	7" x 10"	B-555
132021	10" x 14"	B-555

122867	7" x 10"	B-120
122729	10" x 14"	B-120
122660	7" x 10"	B-302
122583	10" x 14"	B-302
122533	7" x 10"	B-401
95411	10" x 14"	B-401
122424	7" x 10"	B-555
122358	10" x 14"	B-555



95412	10" x 14"	B-401

40782	10" x 14"	B-555

95431	10" x 14"	B-401

95432	10" x 14"	B-401

95458	14" x 20"	B-120

95433	10" x 14"	B-401

95434	10" x 14"	B-401

95435	10" x 14"	B-401

With "same-as-stock" custom pricing, you can create a custom security sign to fit your facility needs with no additional cost.

95436	10" x 14"	B-401

95463	14" x 20"	B-120

122876	7" x 10"	B-120
122737	10" x 14"	B-120
122672	7" x 10"	B-302
122595	10" x 14"	B-302
122541	7" x 10"	B-401
95413	10" x 14"	B-401
122432	7" x 10"	B-555
122364	10" x 14"	B-555

122879	7" x 10"	B-120
122740	10" x 14"	B-120
122675	7" x 10"	B-302
122598	10" x 14"	B-302
122544	7" x 10"	B-401
95414	10" x 14"	B-401
122435	7" x 10"	B-555
122367	10" x 14"	B-555

Security Signs (Continued)

122880	7" x 10"	B-120
122741	10" x 14"	B-120
122676	7" x 10"	B-302
122599	10" x 14"	B-302
122545	7" x 10"	B-401
95415	10" x 14"	B-401
122436	7" x 10"	B-555
122368	10" x 14"	B-555

95416	10" x 14"	B-401

90498	14" x 20"	B-120

95417	10" x 14"	B-401

123485	10" x 7"	B-302
123488	14" x 10"	B-302
123484	10" x 7"	B-401
123487	14" x 10"	B-401
123483	10" x 7"	B-555
123486	14" x 10"	B-555

129413	7" x 10"	B-302
129416	10" x 14"	B-302
129412	7" x 10"	B-401
129415	10" x 14"	B-401
129411	7" x 10"	B-555
129414	10" x 14"	B-555

95457	14" x 20"	B-120

90499	14" x 20"	B-120

95456	14" x 20"	B-120

123522	10" x 7"	B-302
123525	14" x 10"	B-302
123521	10" x 7"	B-401
123524	14" x 10"	B-401
123520	10" x 7"	B-555
123523	14" x 10"	B-555

122881	7" x 10"	B-120
122742	10" x 14"	B-120
95452	24" x 18"	B-120
122677	7" x 10"	B-302
122600	10" x 14"	B-302
122546	7" x 10"	B-401
95429	20" x 14"	B-401
122437	7" x 10"	B-555
122369	10" x 14"	B-555

95420	10" x 14"	B-401

95453	24" x 18"	B-120
95430	20" x 14"	B-401

122885	7" x 10"	B-120
122745	10" x 14"	B-120
122681	7" x 10"	B-302
122603	10" x 14"	B-302
122549	7" x 10"	B-401
95421	10" x 14"	B-401
122440	7" x 10"	B-555
122371	10" x 14"	B-555

95438	10" x 14"	B-401

95437	10" x 14"	B-401

129419	7" x 10"	B-302
129422	10" x 14"	B-302
129418	7" x 10"	B-401
129421	10" x 14"	B-401
129417	7" x 10"	B-555
129420	10" x 14"	B-555

123482	24" x 36"	B-302
123481	24" x 36"	B-401
123480	24" x 36"	B-555

95027	11" x 11"	B-401

122887	7" x 10"	B-120
122747	10" x 14"	B-120
122683	7" x 10"	B-302
122605	10" x 14"	B-302
122551	7" x 10"	B-401
95424	10" x 14"	B-401
122442	7" x 10"	B-555
122373	10" x 14"	B-555

90540	14" x 20"	B-120

95450	24" x 18"	B-120

123534	10" x 7"	B-302
123537	14" x 10"	B-302
123533	10" x 7"	B-401
123536	14" x 10"	B-401
123532	10" x 7"	B-555
123535	14" x 10"	B-555

95451	24" x 18"	B-120

95423	10" x 14"	B-401

95455	14" x 20"	B-120

May we also suggest:

Homeland Security Signs

Security signs with easily changeable panels to indicate the threat level so everyone is prepared and alerted.

103644	30" x 24"	Steel

132451	24" x 24"	Aluminum

132449	24" x 24"	Aluminum

Temporary Signs

Brady temporary signs communicate short term messages in specific areas. Temporary signs are ideal for temporary parking control, temporary traffic control, work area safety notifications or short-term construction projects. Brady's temporary signs are especially helpful for solving seasonal parking issues or during parking lot repaving. Available in a variety of sizes, Brady temporary signs are constructed of corrugated polypropylene

Material Information

B-836 is a lightweight corrugated plastic sign material for indoor use or secured outdoor use.

View the full sign materials index on page 25.



78037 18" x 24" B-836

78035 18" x 24" B-836

78036 18" x 24" B-836

78031 18" x 24" B-836

78033 18" x 24" B-836

78055 18" x 24" B-836

78002 18" x 24" B-836

78014 18" x 24" B-836

78003 18" x 24" B-836

78011 18" x 24" B-836

78004 18" x 24" B-836

78013 18" x 24" B-836

78009 18" x 24" B-836

78015 18" x 24" B-836

78007 18" x 24" B-836

78016 18" x 24" B-836

78010 18" x 24" B-836

78018 18" x 24" B-836

78019 18" x 24" B-836

78000 18" x 24" B-836



45431 5" x 7" B-836

78047 18" x 12" B-836

78049 18" x 12" B-836

Construction Signs

Brady construction signs warn employees, pedestrians and visitors of the potential dangers of road or parking lot construction areas. These roll-up bright orange construction signs indicate temporary road closings, detours, shoulder work and more. Offered in a variety of sizes, these construction signs are also available in mesh or reflective vinyl.

Non-Reflective Mesh

57023	36" x 36"

Reflective Vinyl

57026	48" x 48"

Reflective Vinyl

56795	36" x 36"

Non-Reflective Mesh

56699	36" x 36"
56727	48" x 48"

Reflective Vinyl

56726	36" x 36"

Reflective Vinyl

56750	36" x 36"

Non-Reflective Mesh

56767	48" x 48"

Reflective Vinyl

56789	48" x 48"

Reflective Vinyl

56791	36" x 36"

Non-Reflective Mesh

56798	36" x 36"
56800	48" x 48"

Reflective Vinyl

56799	36" x 36"

Reflective Vinyl

56818	48" x 48"

Reflective Vinyl

56750	36" x 36"

Non-Reflective Mesh

57001	48" x 48"

Reflective Vinyl

57002	48" x 48"

Non-Reflective Mesh

57005	48" x 48"

Reflective Vinyl

57004	36" x 36"
57006	48" x 48"

** Stands and flags accessories sold separately.*

Reflective Vinyl

57014	48" x 48"

Non-Reflective Mesh

57017	48" x 48"

Reflective Vinyl

57016	36" x 36"
57018	48" x 48"

Non-Reflective Mesh

57021	48" x 48"

Reflective Vinyl

57020	36" x 36"
57022	48" x 48"

Non-Reflective Mesh

57029	48" x 48"

Reflective Vinyl

57030	48" x 48"

Non-Reflective Mesh

57031	36" x 36"
57033	48" x 48"

Reflective Vinyl

57032	36" x 36"
57034	48" x 48"

Non-Reflective Mesh

57037	48" x 48"
57036	36" x 36"

Reflective Vinyl

57038	48" x 48"
57034	48" x 48"

Handicapped Parking Signs

www.BradyID.com

Handicapped Parking Signs

Brady handicap signs are designed with bright colors and pictograms to clearly identify accommodations for those with disabilities or special needs. These handicap signs meet state and federal MUTCD guidelines.

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-401 - Plastic
B-555 - Aluminum
B-959 - Reflective Aluminum
View all sign materials on page 25.

ADA Handicapped Parking Guideline

Parking Spaces Per Lot	Min Number of Reserved Spaces
1 to 25	1
26 to 50	2
51 to 75	3
76 to 100	4
101 to 150	5
151 to 200	6
201 to 300	7
301 to 400	8
401 to 500	9
501 to 1,000	2% of total
More than 1,000	20 plus 1 for every 100 over 1,000

94336	6" x 6"	B-120
91324	9" x 9"	B-120
94112	12" x 12"	B-120
91370	14" x 10"	B-302
94174	12" x 12"	B-959

91372	14" x 10"	B-302
91352	18" x 12"	B-959

91371	14" x 10"	B-302
91351	18" x 12"	B-959

69277	9" x 9"	B-120
88509	9" x 9"	B-302
25173	10" x 14"	B-401

91326	6" x 12"	B-959

91010	6" x 12"	B-959

80049	6" x 12"	B-959

112500	6" x 12"	B-959

91354	18" x 12"	B-959

91378	12" x 18"	B-120
91376	10" x 14"	B-302
91377	12" x 18"	B-959

90018	18" x 12"	B-959

123876	18" x 18"	B-401
123878	24" x 24"	B-401
123875	18" x 18"	B-555
123877	24" x 24"	B-555

91331	12" x 18"	B-120
91357	12" x 18"	B-959

91332	9" x 9"	B-120
91333	12" x 12"	B-120
76871	18" x 18"	B-120
91358	12" x 12"	B-959
91359	18" x 18"	B-959

80110	18" x 12"	B-959

91334	18" x 12"	B-120
91360	18" x 12"	B-959

Handicapped Parking Signs (Continued)

123874	18" x 12"	B-302
123873	18" x 12"	B-401
123872	18" x 12"	B-555

91356	18" x 12"	B-959

91336	18" x 12"	B-120
91362	18" x 12"	B-959

127469	18" x 12"	B-302
127468	18" x 12"	B-401
127467	18" x 12"	B-555

123887	18" x 12"	B-302
123886	18" x 12"	B-401
123885	18" x 12"	B-555

127475	18" x 12"	B-302
127474	18" x 12"	B-401
127473	18" x 12"	B-555

127454	18" x 12"	B-302
127453	18" x 12"	B-401
127452	18" x 12"	B-555

94175	18" x 12"	B-959

123890	18" x 12"	B-302
123889	18" x 12"	B-401
123888	18" x 12"	B-555

127457	18" x 12"	B-302
127456	18" x 12"	B-401
127455	18" x 12"	B-555

127460	18" x 12"	B-302
127459	18" x 12"	B-401
127458	18" x 12"	B-555

127472	18" x 12"	B-302
127471	18" x 12"	B-401
127470	18" x 12"	B-555

127466	18" x 12"	B-302
127465	18" x 12"	B-401
127464	18" x 12"	B-555

91386	24" x 18"	B-120
91388	18" x 12"	B-959
91389	24" x 18"	B-959

127481	10" x 14"	B-302
127480	10" x 14"	B-401
127479	10" x 14"	B-555

91387	6" x 12"	B-959
91384	6" x 12"	B-959

123871	18" x 12"	B-302
123870	18" x 12"	B-401
123869	18" x 12"	B-555

127463	18" x 12"	B-302
127462	18" x 12"	B-401
127461	18" x 12"	B-555

91375	14" x 10"	B-302
91363	18" x 12"	B-959

Rail Signs

Railroad specific signs are highly durable and visible in day or night conditions. Made in both blue and red, these new signs help you comply with the Federal Railroad Administration and OSHA regulations. In the railroad industry, blue is the traditional color for “STOP”, and has been used in the rail industry to indicate protection of parked rail cars and the crews working on them. Red is also acceptable for OSHA compliance, as some states and local railroad regulations require red signs on industrial sidings (a low-speed track section).

Rail Sign Material

Rail Signs are made of .080” thick B-959 engineer grade reflective aluminum
View all sign materials on page 25.



134193 12" x 15" B-959



134194 12" x 15" B-959

134177 12" x 15" B-959

134178 12" x 15" B-959

134189 12" x 15" B-959

134190 12" x 15" B-959

134187 12" x 15" B-959

134184 12" x 15" B-959

134183 12" x 15" B-959

134188 12" x 15" B-959

134186 12" x 15" B-959

134185 12" x 15" B-959

134191 12" x 15" B-959

134192 12" x 15" B-959

Create Custom Signs at www.BradyID.com!

- Customize a sign for no additional cost – same as stock pricing
- No minimums or set-up fees
- Most signs ship same day or next day
- Choose from top selling materials and sizes from 3”x 5” to 24” x 36”
- Contact customer service for more information and preferred pricing, or customize instantly online at www.BradyID.com.

At www.BradyID.com online customizing is easy as 1, 2, 3!

1) Select your category
2) Customize your product
3 Add to your shopping cart.

Traffic Control Signs

Brady traffic signs provide clear, concise direction to traffic inside and outside your building. Brady traffic signs are designed to meet MUTCD specifications, so they can be used in almost any application. These traffic signs guide vehicle traffic, inform employees about areas under repair and improve safety and productivity throughout your property. Available in a variety of sizes and materials, Brady traffic signs can be used in crosswalks, parking lots and more.

A New Manual on Uniform Traffic Control Devices (MUTCD) Eff. 2009

Federal MUTCD Standard:
No person shall install or maintain in any area of private property used by the public any sign, signal, marking or other device intended to regulate, warn or guide traffic unless it conforms to the MUTCD.

All traffic and parking signs must be reflective and meet minimum reflective standards
Minimum reflective standards required, no more non-reflective signs allowed.
Day/night inspection and maintenance of all signs is required
All signs must conform to the standard sizes, shapes and colors called for in MUTCD

All posts used for mounting must be breakaway style and mounted at new minimum mounting heights
All supports require breakaway sockets or posts
Minimum mounting height is 5' from the bottom of the sign to the top of the ground in rural or low-volume areas
Minimum mounting height is 7' from the bottom of the sign in urban or heavily traveled areas

69100	10" x 14"	B-120
22052	10" x 14"	B-401
40616	10" x 14"	B-555

70223	10" x 14"	B-120
25792	10" x 14"	B-401
43369	10" x 14"	B-555

75082	10" x 14"	B-120
25795	10" x 14"	B-401
43372	10" x 14"	B-555

75118	10" x 14"	B-120
25798	10" x 14"	B-401
43375	10" x 14"	B-555

129503	7" x 10"	B-302
129506	10" x 14"	B-302
129502	7" x 10"	B-401
129505	10" x 14"	B-401
129501	7" x 10"	B-555
129504	10" x 14"	B-555

124207	10" x 7"	B-302
124210	14" x 10"	B-302
124206	10" x 7"	B-401
124209	14" x 10"	B-401
124205	10" x 7"	B-555
124208	14" x 10"	B-555

25801	10" x 14"	B-401
43378	10" x 14"	B-555

124189	10" x 7"	B-302
124192	14" x 10"	B-302
124188	10" x 7"	B-401
124191	14" x 10"	B-401
124187	10" x 7"	B-555
124190	14" x 10"	B-555

129509	7" x 10"	B-302
129512	10" x 14"	B-302
129508	7" x 10"	B-401
129511	10" x 14"	B-401
129507	7" x 10"	B-555
129510	10" x 14"	B-555

124195	7" x 10"	B-302
124198	10" x 14"	B-302
124194	7" x 10"	B-401
124197	10" x 14"	B-401
124193	7" x 10"	B-555
124196	10" x 14"	B-555

129515	7" x 10"	B-302
129518	10" x 14"	B-302
129514	7" x 10"	B-401
129517	10" x 14"	B-401
129513	7" x 10"	B-555
129516	10" x 14"	B-555

85427	7" x 10"	B-302
85428	10" x 14"	B-302
22719	7" x 10"	B-401
22720	10" x 14"	B-401
41283	7" x 10"	B-555
41284	10" x 14"	B-555

63208	2" x 24"	B-946

63203	10" x 14"	B-946

63204	14" x 10"	B-946

Traffic Control Signs (Continued)

122903	7" x 10"	B-120
122765	10" x 14"	B-120
70255	24" x 36"	B-120
122695	7" x 10"	B-302
122619	10" x 14"	B-302
122559	7" x 10"	B-401
25805	10" x 14"	B-401
122452	7" x 10"	B-555
43382	10" x 14"	B-555

129521	7" x 10"	B-302
129524	10" x 14"	B-302
129520	7" x 10"	B-401
129523	10" x 14"	B-401
129519	7" x 10"	B-555
129522	10" x 14"	B-555

69176	10" x 14"	B-120
25806	10" x 14"	B-401
43383	10" x 14"	B-555

129527	7" x 10"	B-302
129530	10" x 14"	B-302
129526	7" x 10"	B-401
129529	10" x 14"	B-401
129525	7" x 10"	B-555
129528	10" x 14"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-401 - Plastic
B-555 - Aluminum
B-959 - Reflective Aluminum
View all sign materials on page 25.

75115	14" x 20"	B-120
25807	10" x 14"	B-401
43384	10" x 14"	B-555

129455	7" x 10"	B-302
129458	10" x 14"	B-302
129454	7" x 10"	B-401
129457	10" x 14"	B-401
129453	7" x 10"	B-555
129456	10" x 14"	B-555

73405	10" x 14"	B-120
70212	14" x 20"	B-120
25819	10" x 14"	B-401
43396	10" x 14"	B-555

89129	7" x 10"	B-302
43464	10" x 14"	B-555

70247	10" x 14"	B-120
25823	10" x 14"	B-401
43400	10" x 14"	B-555

69050	10" x 14"	B-120
25824	10" x 14"	B-401
43401	10" x 14"	B-555

69133	10" x 14"	B-120
25825	10" x 14"	B-401
43402	10" x 14"	B-555

75096	14" x 20"	B-120
25826	10" x 14"	B-401
43403	10" x 14"	B-555

129533	7" x 10"	B-302
129536	10" x 14"	B-302
129532	7" x 10"	B-401
129535	10" x 14"	B-401
129531	7" x 10"	B-555
129534	10" x 14"	B-555

75123	14" x 20"	B-120
25828	10" x 14"	B-401
43405	10" x 14"	B-555

122855	7" x 10"	B-120
47329	10" x 14"	B-120
89133	7" x 10"	B-302
89134	10" x 14"	B-302
122523	7" x 10"	B-401
25829	10" x 14"	B-401
122415	7" x 10"	B-555
43406	10" x 14"	B-555

70457	10" x 14"	B-120
25830	10" x 14"	B-401
43407	10" x 14"	B-555

25831	10" x 14"	B-401
43408	10" x 14"	B-555

25832	10" x 14"	B-401
43409	10" x 14"	B-555

129539	7" x 10"	B-302
129542	10" x 14"	B-302
129538	7" x 10"	B-401
129541	10" x 14"	B-401
129537	7" x 10"	B-555
129540	10" x 14"	B-555

89155	7" x 10"	B-302
25833	10" x 14"	B-401
43410	10" x 14"	B-555

69539	10" x 14"	B-120
25834	10" x 14"	B-401
43411	10" x 14"	B-555

25835	10" x 14"	B-401
43412	10" x 14"	B-555

73424	10" x 14"	B-120
25836	10" x 14"	B-401
43413	10" x 14"	B-555

75234	10" x 14"	B-120
25838	10" x 14"	B-401
43415	10" x 14"	B-555

75147	14" x 20"	B-120
25839	10" x 14"	B-401
43416	10" x 14"	B-555

75103	14" x 20"	B-120
25860	10" x 14"	B-401
43437	10" x 14"	B-555

25861	10" x 14"	B-401
43438	10" x 14"	B-555

Traffic Control Signs (Continued)

75137	14" x 20"	B-120
25868	10" x 14"	B-401
43445	10" x 14"	B-555

69562	7" x 17"	B-120

129545	7" x 10"	B-302
129548	10" x 14"	B-302
129544	7" x 10"	B-401
129547	10" x 14"	B-401
129543	7" x 10"	B-555
129546	10" x 14"	B-555

129551	7" x 10"	B-302
129554	10" x 14"	B-302
129550	7" x 10"	B-401
129553	10" x 14"	B-401
129549	7" x 10"	B-555
129552	10" x 14"	B-555

129557	7" x 10"	B-302
129560	10" x 14"	B-302
129556	7" x 10"	B-401
129559	10" x 14"	B-401
129555	7" x 10"	B-555
129558	10" x 14"	B-555

45474	14" x 20"	B-120
25874	10" x 14"	B-401
43451	10" x 14"	B-555



80055	9" x 12"	B-959



75063	5" x 14"	B-120

80060	9" x 12"	B-959

80101	24" x 6"	B-959
80103	24" x 6"	B-959
80102	36" x 12"	B-959
80104	36" x 12"	B-959

94234	24" x 24"	B-959
94235	30" x 30"	B-959



80061	9" x 12"	B-959

94163	24" x 24"	B-959

75066	24" x 24"	B-120

132055	7" x 10"	B-120
132056	10" x 14"	B-120
132053	7" x 10"	B-302
132054	10" x 14"	B-302
132051	7" x 10"	B-401
132052	10" x 14"	B-401
132049	7" x 10"	B-555
132050	10" x 14"	B-555

94307	30" x 30"	B-959

80070	30" x 30"	B-959
80068	24" x 24"	B-995
80067	30" x 30"	B-995

94222	24" x 24"	B-959

OSHA Requirements

Notice: Chock Rear Wheels
1910.178(k) and (m)
When trucks are loaded and unloaded, OSHA requires the brakes to be set and wheel chocks to be placed under the rear wheels to prevent the trucks from rolling while they are boarded with a forklift or other powered industrial truck.

Traffic Control Signs (Continued)

129644	18" x 12"	B-302
129643	18" x 12"	B-401
129642	18" x 12"	B-555

124388	18" x 12"	B-302
124387	18" x 12"	B-401
124386	18" x 12"	B-555

124580	18" x 18"	B-401
124582	24" x 24"	B-401
124579	18" x 18"	B-555
124581	24" x 24"	B-555

129563	18" x 12"	B-302
129562	18" x 12"	B-401
129561	18" x 12"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-401 - Plastic
B-555 - Aluminum
B-959 - Reflective Aluminum
View all sign materials on page 25.

124621	7" x 17"	B-302
124620	7" x 17"	B-401
124619	7" x 17"	B-555

129653	18" x 12"	B-302
129652	18" x 12"	B-401
129651	18" x 12"	B-555

43421	10" x 14"	B-555

70218	18" x 24"	B-120
25845	10" x 14"	B-401
43422	10" x 14"	B-555

25846	10" x 14"	B-401
43423	10" x 14"	B-555

80097	18" x 12"	B-959

129566	18" x 12"	B-302
129565	18" x 12"	B-401
129564	18" x 12"	B-555

129647	18" x 12"	B-302
129646	18" x 12"	B-401
129645	18" x 12"	B-555

129656	18" x 12"	B-302
129655	18" x 12"	B-401
129654	18" x 12"	B-555

129686	18" x 12"	B-302
129685	18" x 12"	B-401
129684	18" x 12"	B-555

129470	18" x 12"	B-302
129469	18" x 12"	B-401
129468	18" x 12"	B-555

70230	14" x 20"	B-120

124463	18" x 12"	B-302
124462	18" x 12"	B-401
124461	18" x 12"	B-555

46979	7" x 10"	B-120
87301	10" x 14"	B-120
89131	7" x 10"	B-302
89132	10" x 14"	B-302
43465	10" x 14"	B-555

94225	24" x 24"	B-959

124340	18" x 12"	B-302
124339	18" x 12"	B-401
124338	18" x 12"	B-555

129569	18" x 12"	B-302
129568	18" x 12"	B-401
129567	18" x 12"	B-555

129650	18" x 12"	B-302
129649	18" x 12"	B-401
129648	18" x 12"	B-555

124592	18" x 18"	B-401
124594	24" x 24"	B-401
124591	18" x 18"	B-555
124593	24" x 24"	B-555

124201	10" x 7"	B-302
124204	14" x 10"	B-302
124200	10" x 7"	B-401
124203	14" x 10"	B-401
124199	10" x 7"	B-555
124202	14" x 10"	B-555

80100	18" x 12"	B-959

124273	24" x 36"	B-302
124272	24" x 36"	B-401
124271	24" x 36"	B-555

129713	18" x 12"	B-302
129712	18" x 12"	B-401
129711	18" x 12"	B-555

Traffic Control Signs (Continued)

70257	10" x 14"	B-120
25889	10" x 14"	B-401
43466	10" x 14"	B-555

129431	18" x 12"	B-302
129430	18" x 12"	B-401
129429	18" x 12"	B-555

129428	18" x 12"	B-302
129427	18" x 12"	B-401
129426	18" x 12"	B-555

75086	12" x 18"	B-120
25847	10" x 14"	B-401
43424	10" x 14"	B-555

129572	18" x 12"	B-302
129571	18" x 12"	B-401
129570	18" x 12"	B-555

129479	12" x 18"	B-302
129478	12" x 18"	B-401
129477	12" x 18"	B-555

129485	7" x 10"	B-302
129488	10" x 14"	B-302
129484	7" x 10"	B-401
129487	10" x 14"	B-401
129483	7" x 10"	B-555
129486	10" x 14"	B-555

129716	18" x 12"	B-302
129715	18" x 12"	B-401
129714	18" x 12"	B-555

129578	18" x 12"	B-302
129577	18" x 12"	B-401
129576	18" x 12"	B-555

124355	18" x 12"	B-302
124354	18" x 12"	B-401
124353	18" x 12"	B-555



75091	10" x 14"	B-120
25848	10" x 14"	B-401
43425	10" x 14"	B-555

129452	18" x 12"	B-302
129451	18" x 12"	B-401
129450	18" x 12"	B-555

75094	24" x 24"	B-120

75093	30" x 30"	B-120
80076	24" x 24"	B-959
94150	30" x 30"	B-959

High intensity reflective aluminum

95041	30" x 30"	

124328	18" x 12"	B-302
124327	18" x 12"	B-401
124326	18" x 12"	B-555

129620	18" x 12"	B-302
129619	18" x 12"	B-401
129618	18" x 12"	B-555

129473	18" x 12"	B-302
129472	18" x 12"	B-401
129471	18" x 12"	B-555

124460	18" x 12"	B-302
124459	18" x 12"	B-401
124458	18" x 12"	B-555

129719	18" x 12"	B-302
129718	18" x 12"	B-401
129717	18" x 12"	B-555

63207	10" x 14"	B-946

75097	10" x 14"	B-120
25849	10" x 14"	B-401
43426	10" x 14"	B-555

63210	10" x 14"	B-946

129584	18" x 12"	B-302
129583	18" x 12"	B-401
129582	18" x 12"	B-555

Handicapped Parking Signs available on page 156.

129725	18" x 12"	B-302
129724	18" x 12"	B-401
129723	18" x 12"	B-555

129581	18" x 12"	B-302
129580	18" x 12"	B-401
129579	18" x 12"	B-555

129671	18" x 12"	B-302
129670	18" x 12"	B-401
129669	18" x 12"	B-555

Traffic Control Signs (Continued)

75101	12" x 18"	B-120

129674	18" x 12"	B-302
129673	18" x 12"	B-401
129672	18" x 12"	B-555

80094	18" x 18"	B-959

94180	18" x 18"	B-959

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-401 - Plastic
B-555 - Aluminum
B-959 - Reflective Aluminum
View all sign materials on page 25.

94181	18" x 18"	B-959

80091	18" x 18"	B-959

75110	18" x 18"	B-120

75111	18" x 18"	B-120
94183	18" x 18"	B-959

75113	18" x 18"	B-120
94185	18" x 18"	B-959

124406	18" x 12"	B-302
124405	18" x 12"	B-401
124404	18" x 12"	B-555

124358	18" x 12"	B-302
124357	18" x 12"	B-401
124356	18" x 12"	B-555

129491	7" x 10"	B-302
129494	10" x 14"	B-302
129490	7" x 10"	B-401
129493	10" x 14"	B-401
129489	7" x 10"	B-555
129492	10" x 14"	B-555

124608	18" x 18"	B-401
124610	24" x 24"	B-401
124607	18" x 18"	B-555
124609	24" x 24"	B-555

124352	18" x 12"	B-302
124351	18" x 12"	B-401
124350	18" x 12"	B-555

124346	18" x 12"	B-302
124345	18" x 12"	B-401
124344	18" x 12"	B-555

124349	18" x 12"	B-302
124348	18" x 12"	B-401
124347	18" x 12"	B-555

129617	18" x 12"	B-302
129616	18" x 12"	B-401
129615	18" x 12"	B-555

129587	18" x 12"	B-302
129586	18" x 12"	B-401
129585	18" x 12"	B-555

70376	18" x 12"	B-120
43427	14" x 10"	B-555

129677	18" x 12"	B-302
129676	18" x 12"	B-401
129675	18" x 12"	B-555

69301	10" x 14"	B-120
25851	10" x 14"	B-401
43428	10" x 14"	B-555

129623	18" x 12"	B-302
129622	18" x 12"	B-401
129621	18" x 12"	B-555

94190	24" x 18"	B-959

129464	18" x 12"	B-302
129463	18" x 12"	B-401
129462	18" x 12"	B-555

129590	18" x 12"	B-302
129589	18" x 12"	B-401
129588	18" x 12"	B-555

124364	18" x 12"	B-302
124363	18" x 12"	B-401
124362	18" x 12"	B-555

70428	10" x 14"	B-120
25852	10" x 14"	B-401
43429	10" x 14"	B-555

129722	18" x 12"	B-302
129721	18" x 12"	B-401
129720	18" x 12"	B-555

Traffic Control Signs (Continued)

80108	18" x 12"	B-959

124415	12" x 18"	B-302
124414	12" x 18"	B-401
124413	12" x 18"	B-555

124412	18" x 12"	B-302
124411	18" x 12"	B-401
124410	18" x 12"	B-555

124427	18" x 12"	B-302
124426	18" x 12"	B-401
124425	18" x 12"	B-555

89136	7" x 10"	B-302
25890	10" x 14"	B-401
43467	10" x 14"	B-555

124596	18" x 18"	B-401
124598	24" x 24"	B-401
124595	18" x 18"	B-555
124597	24" x 24"	B-555

71178	7" x 10"	B-120
25854	10" x 14"	B-401
43431	10" x 14"	B-555

25853	7" x 10"	B-401
43430	7" x 10"	B-555

75140	18" x 12"	B-120
94116	18" x 12"	B-959
94117	24" x 18"	B-959

124379	18" x 12"	B-302
124378	18" x 12"	B-401
124377	18" x 12"	B-555

124382	18" x 12"	B-302
124381	18" x 12"	B-401
124380	18" x 12"	B-555

75071	14" x 20"	B-120
25855	10" x 14"	B-401
43432	10" x 14"	B-555

94105	18" x 12"	B-120

75141	18" x 12"	B-120
94119	18" x 12"	B-959
94120	18" x 12"	B-959

75142	18" x 12"	B-120
94124	18" x 12"	B-959

124319	18" x 12"	B-302
124318	18" x 12"	B-401
124317	18" x 12"	B-555

129626	18" x 12"	B-302
129625	18" x 12"	B-401
129624	18" x 12"	B-555

129698	18" x 12"	B-302
129697	18" x 12"	B-401
129696	18" x 12"	B-555

124394	18" x 12"	B-302
124393	18" x 12"	B-401
124392	18" x 12"	B-555

124310	18" x 12"	B-302
124309	18" x 12"	B-401
124308	18" x 12"	B-555

129689	18" x 12"	B-302
129688	18" x 12"	B-401
129687	18" x 12"	B-555

129692	18" x 12"	B-302
129691	18" x 12"	B-401
129690	18" x 12"	B-555

124334	18" x 12"	B-302
124333	18" x 12"	B-401
124332	18" x 12"	B-555

75143	18" x 12"	B-120

124325	18" x 12"	B-302
124324	18" x 12"	B-401
124323	18" x 12"	B-555

124322	18" x 12"	B-302
124321	18" x 12"	B-401
124320	18" x 12"	B-555

129734	18" x 12"	B-302
129733	18" x 12"	B-401
129732	18" x 12"	B-555

94127	18" x 12"	B-959

Traffic Control Signs (Continued)

129737	18" x 12"	B-302
129736	18" x 12"	B-401
129735	18" x 12"	B-555

124313	18" x 12"	B-302
124312	18" x 12"	B-401
124311	18" x 12"	B-555

75144	18" x 12"	B-120
94130	18" x 12"	B-959

129695	18" x 12"	B-302
129694	18" x 12"	B-401
129693	18" x 12"	B-555

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-401 - Plastic
B-555 - Aluminum
B-959 - Reflective Aluminum
View all sign materials on page 25.

129746	18" x 12"	B-302
129745	18" x 12"	B-401
129744	18" x 12"	B-555

129749	18" x 12"	B-302
129748	18" x 12"	B-401
129747	18" x 12"	B-555

129632	18" x 12"	B-302
129631	18" x 12"	B-401
129630	18" x 12"	B-555

124576	18" x 18"	B-401
124578	24" x 24"	B-401
124575	18" x 18"	B-555
124577	24" x 24"	B-555

129629	18" x 12"	B-302
129628	18" x 12"	B-401
129627	18" x 12"	B-555

124337	18" x 12"	B-302
124336	18" x 12"	B-401
124335	18" x 12"	B-555

129437	18" x 12"	B-302
129436	18" x 12"	B-401
129435	18" x 12"	B-555

124403	18" x 12"	B-302
124402	18" x 12"	B-401
124401	18" x 12"	B-555

89135	3-1/2" x 5"	B-302

25857	10" x 14"	B-401
43434	10" x 14"	B-555

129476	18" x 12"	B-302
129475	18" x 12"	B-401
129474	18" x 12"	B-555

129635	18" x 12"	B-302
129634	18" x 12"	B-401
129633	18" x 12"	B-555

129482	18" x 12"	B-302
129481	18" x 12"	B-401
129480	18" x 12"	B-555

25858	7" x 10"	B-401
43435	7" x 10"	B-555

80098	24" x 18"	B-959

124409	12" x 18"	B-302
124408	12" x 18"	B-401
124407	12" x 18"	B-555

80105	6" x 12"	B-959

80109	18" x 12"	B-959

129638	18" x 12"	B-302
129637	18" x 12"	B-401
129636	18" x 12"	B-555

94192	24" x 24"	B-959

124457	12" x 18"	B-302
124456	12" x 18"	B-401
124455	12" x 18"	B-555

124442	18" x 12"	B-302
124441	18" x 12"	B-401
124440	18" x 12"	B-555

80095	18" x 12"	B-959

Traffic Control Signs (Continued)



70458	14" x 20"	B-120
25859	10" x 14"	B-401
43436	10" x 14"	B-555

124505	18" x 12"	B-302
124504	18" x 12"	B-401
124503	18" x 12"	B-555

129740	18" x 12"	B-302
129739	18" x 12"	B-401
129738	18" x 12"	B-555

129701	12" x 18"	B-302
129700	12" x 18"	B-401
129699	12" x 18"	B-555

75161	24" x 18"	B-120
94195	24" x 18"	B-959

75162	24" x 18"	B-120
94197	24" x 18"	B-959

94199	24" x 18"	B-959

129659	18" x 12"	B-302
129658	18" x 12"	B-401
129657	18" x 12"	B-555

129743	18" x 12"	B-302
129742	18" x 12"	B-401
129741	18" x 12"	B-555

129683	18" x 12"	B-302
129682	18" x 12"	B-401
129681	18" x 12"	B-555

129707	18" x 12"	B-302
129706	18" x 12"	B-401
129705	18" x 12"	B-555

75166	18" x 12"	B-120

129710	18" x 12"	B-302
129709	18" x 12"	B-401
129708	18" x 12"	B-555

25862	10" x 14"	B-401
43439	10" x 14"	B-555

94237	18" x 24"	B-959

129434	18" x 12"	B-302
129433	18" x 12"	B-401
129432	18" x 12"	B-555

129440	12" x 18"	B-302
129439	12" x 18"	B-401
129438	12" x 18"	B-555

129596	18" x 12"	B-302
129595	18" x 12"	B-401
129594	18" x 12"	B-555

124391	18" x 12"	B-302
124390	18" x 12"	B-401
124389	18" x 12"	B-555

129662	18" x 12"	B-302
129661	18" x 12"	B-401
129660	18" x 12"	B-555

124307	18" x 12"	B-302
124306	18" x 12"	B-401
124305	18" x 12"	B-555

129641	18" x 12"	B-302
129640	18" x 12"	B-401
129639	18" x 12"	B-555

76087	10" x 14"	B-120

129680	12" x 18"	B-302
129679	12" x 18"	B-401
129678	12" x 18"	B-555

124367	18" x 12"	B-302
124366	18" x 12"	B-401
124365	18" x 12"	B-555

80077	18" x 12"	B-959

75178	18" x 18"	B-120
80106	18" x 12"	B-959

129602	18" x 12"	B-302
129601	18" x 12"	B-401
129600	18" x 12"	B-555

75180	14" x 20"	B-120
43440	10" x 14"	B-555

Traffic Control Signs (Continued)

129599	18" x 12"	B-302
129598	18" x 12"	B-401
129597	18" x 12"	B-555

124475	12" x 18"	B-302
124474	12" x 18"	B-401
124473	12" x 18"	B-555

75155	14" x 20"	B-120
25864	10" x 14"	B-401

70503	10" x 28"	B-120

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-401 - Plastic
B-555 - Aluminum
B-959 - Reflective Aluminum
View all sign materials on page 25.



75183	7" x 20"	B-120

129608	18" x 12"	B-302
129607	18" x 12"	B-401
129606	18" x 12"	B-555

129731	18" x 12"	B-302
129730	18" x 12"	B-401
129729	18" x 12"	B-555

129728	18" x 12"	B-302
129727	18" x 12"	B-401
129726	18" x 12"	B-555

124370	18" x 12"	B-302
124369	18" x 12"	B-401
124368	18" x 12"	B-555

124331	18" x 12"	B-302
124330	18" x 12"	B-401
124329	18" x 12"	B-555

129605	18" x 12"	B-302
129604	18" x 12"	B-401
129603	18" x 12"	B-555

129611	18" x 12"	B-302
129610	18" x 12"	B-401
129609	18" x 12"	B-555

25865	10" x 14"	B-401
43442	10" x 14"	B-555

129755	18" x 12"	B-302
129754	18" x 12"	B-401
129753	18" x 12"	B-555

75190	12" x 18"	B-120

22253	10" x 14"	B-401
40816	7" x 10"	B-555
40817	10" x 14"	B-555

124385	18" x 12"	B-302
124384	18" x 12"	B-401
124383	18" x 12"	B-555

129665	18" x 12"	B-302
129664	18" x 12"	B-401
129663	18" x 12"	B-555

129443	18" x 12"	B-302
129442	18" x 12"	B-401
129441	18" x 12"	B-555

75156	14" x 20"	B-120
25869	10" x 14"	B-401

124499	7" x 10"	B-302
124502	10" x 14"	B-302
124498	7" x 10"	B-401
124501	10" x 14"	B-401
124497	7" x 10"	B-555
124500	10" x 14"	B-555

124493	7" x 10"	B-302
124496	10" x 14"	B-302
124492	7" x 10"	B-401
124495	10" x 14"	B-401
124491	7" x 10"	B-555
124494	10" x 14"	B-555

132103	10" x 14"	B-120
75198	14" x 20"	B-120
25870	10" x 14"	B-401
43447	10" x 14"	B-555

70526	10" x 28"	B-120

129446	12" x 18"	B-302
129445	12" x 18"	B-401
129444	12" x 18"	B-555

80099	24" x 24"	B-959

124466	18" x 12"	B-302
124465	18" x 12"	B-401
124464	18" x 12"	B-555

Traffic Control Signs (Continued)

94240	24" x 18"	B-959

124436	18" x 12"	B-302
124435	18" x 12"	B-401
124434	18" x 12"	B-555

129425	18" x 12"	B-302
129424	18" x 12"	B-401
129423	18" x 12"	B-555

124424	18" x 12"	B-302
124423	18" x 12"	B-401
124422	18" x 12"	B-555

124490	18" x 12"	B-302
124489	18" x 12"	B-401
124488	18" x 12"	B-555

124487	18" x 12"	B-302
124486	18" x 12"	B-401
124485	18" x 12"	B-555

124584	18" x 18"	B-401
124586	24" x 24"	B-401
124583	18" x 18"	B-555
124585	24" x 24"	B-555

75199	24" x 18"	B-120
94210	24" x 18"	B-959

75200	24" x 18"	B-120
94211	24" x 18"	B-959

75201	24" x 18"	B-120
94212	24" x 18"	B-959

76088	24" x 18"	B-120
94213	24" x 18"	B-959

75203	24" x 18"	B-120
94209	24" x 18"	B-959

124343	18" x 12"	B-302
124342	18" x 12"	B-401
124341	18" x 12"	B-555

70536	10" x 14"	B-120

70537	10" x 14"	B-120

75205	18" x 18"	B-120
75206	24" x 24"	B-120
75207	30" x 30"	B-120
94142	18" x 18"	B-959
94143	24" x 24"	B-959
94144	30" x 30"	B-959
94145	36" x 36"	B-959

High intensity reflective aluminum

95043	18" x 18"
95044	24" x 24"
95045	30" x 30"
95046	36" x 36"

80073	18" x 18"	B-959
80074	30" x 30"	B-959
80075	36" x 36"	B-959

124439	18" x 12"	B-302
124438	18" x 12"	B-401
124437	18" x 12"	B-555

124531	18" x 18"	B-401
124533	24" x 24"	B-401
124530	18" x 18"	B-555
124532	24" x 24"	B-555

124451	18" x 12"	B-302
124450	18" x 12"	B-401
124449	18" x 12"	B-555

124535	18" x 18"	B-401
124537	24" x 24"	B-401
124534	18" x 18"	B-555
124536	24" x 24"	B-555

124555	18" x 18"	B-401
124557	24" x 24"	B-401
124554	18" x 18"	B-555
124556	24" x 24"	B-555

124421	18" x 12"	B-302
124420	18" x 12"	B-401
124419	18" x 12"	B-555

124433	18" x 18"	B-302
124432	18" x 12"	B-401
124431	18" x 12"	B-555

124539	18" x 18"	B-401
124541	24" x 24"	B-401
124538	18" x 18"	B-555
124540	24" x 24"	B-555

124551	18" x 18"	B-401
124553	24" x 24"	B-401
124550	18" x 18"	B-555
124552	24" x 24"	B-555

Traffic Control Signs (Continued)

129461	18" x 12"	B-302
129460	18" x 12"	B-401
129459	18" x 12"	B-555

124448	18" x 12"	B-302
124447	18" x 12"	B-401
124446	18" x 12"	B-555

124511	18" x 18"	B-401
124513	24" x 24"	B-401
124510	18" x 18"	B-555
124512	24" x 24"	B-555

76090	12" x 15"	B-120

Popular Sign Materials

B-120 - Premium Fiberglass
B-302 - Self-Sticking Polyester
B-401 - Plastic
B-555 - Aluminum
B-959 - Reflective Aluminum
View all sign materials on page 25.

124519	18" x 18"	B-401
124521	24" x 24"	B-401
124518	18" x 18"	B-555
124520	24" x 24"	B-555

124397	18" x 12"	B-302
124396	18" x 12"	B-401
124395	18" x 12"	B-555

124523	18" x 18"	B-401
124525	24" x 24"	B-401
124522	18" x 18"	B-555
124524	24" x 24"	B-555

124527	18" x 18"	B-401
124529	24" x 24"	B-401
124526	18" x 18"	B-555
124528	24" x 24"	B-555

124430	18" x 12"	B-302
124429	18" x 12"	B-401
124428	18" x 12"	B-555

124515	18" x 18"	B-401
124517	24" x 24"	B-401
124514	18" x 18"	B-555
124516	24" x 24"	B-555

124559	18" x 18"	B-401
124561	24" x 24"	B-401
124558	18" x 18"	B-555
124560	24" x 24"	B-555

124543	18" x 18"	B-401
124545	24" x 24"	B-401
124542	18" x 18"	B-555
124544	24" x 24"	B-555

124507	18" x 18"	B-401
124509	24" x 24"	B-401
124506	18" x 18"	B-555
124508	24" x 24"	B-555

122897	7" x 10"	B-120
75211	10" x 14"	B-120
122691	7" x 10"	B-302
122614	10" x 14"	B-302
122493	10" x 14"	B-401
122447	7" x 10"	B-555
122379	10" x 14"	B-555

75212	12" x 15"	B-120

124547	18" x 18"	B-401
124549	24" x 24"	B-401
124546	18" x 18"	B-555
124548	24" x 24"	B-555

129752	18" x 12"	B-302
129751	18" x 12"	B-401
129750	18" x 12"	B-555

129467	12" x 18"	B-302
129466	12" x 18"	B-401
129465	12" x 18"	B-555

129668	18" x 12"	B-302
129667	18" x 12"	B-401
129666	18" x 12"	B-555

129704	18" x 12"	B-302
129703	18" x 12"	B-401
129702	18" x 12"	B-555

124481	18" x 12"	B-302
124480	18" x 12"	B-401
124479	18" x 12"	B-555

124484	18" x 12"	B-302
124483	18" x 12"	B-401
124482	18" x 12"	B-555

124478	18" x 12"	B-302
124477	18" x 12"	B-401
124476	18" x 12"	B-555

94106	6" x 12"	B-120
94123	6" x 12"	B-959



75215	10" x 14"	B-120
25871	10" x 14"	B-401
43448	10" x 14"	B-555



70562	14" x 20"	B-120
25872	10" x 14"	B-401
43449	10" x 14"	B-555

124418	12" x 18"	B-302
124417	12" x 18"	B-401
124416	12" x 18"	B-555

129614	18" x 12"	B-302
129613	18" x 12"	B-401
129612	18" x 12"	B-555

Traffic Control Signs (Continued)

94218	18" x 24"	B-959

124469	12" x 18"	B-302
124468	12" x 18"	B-401
124467	12" x 18"	B-555

124472	12" x 18"	B-302
124471	12" x 18"	B-401
124470	12" x 18"	B-555

124600	18" x 18"	B-401
124602	24" x 24"	B-401
124599	18" x 18"	B-555
124601	24" x 24"	B-555

124445	18" x 12"	B-302
124444	18" x 12"	B-401
124443	18" x 12"	B-555

129497	7" x 10"	B-302
129500	10" x 14"	B-302
129496	7" x 10"	B-401
129499	10" x 14"	B-401
129495	7" x 10"	B-555
129498	10" x 14"	B-555

129449	12" x 18"	B-302
129448	12" x 18"	B-401
129447	12" x 18"	B-555

75219	14" x 20"	B-120
43450	10" x 14"	B-555

124316	18" x 12"	B-302
124315	18" x 12"	B-401
124314	18" x 12"	B-555

75226	12" x 18"	B-120

124376	18" x 12"	B-302
124375	18" x 12"	B-401
124374	18" x 12"	B-555

124373	18" x 12"	B-302
124372	18" x 12"	B-401
124371	18" x 12"	B-555

80078	18" x 12"	B-959

75227	18" x 12"	B-120

124588	18" x 18"	B-401
124590	24" x 24"	B-401
124587	18" x 18"	B-555
124589	24" x 24"	B-555

124604	18" x 18"	B-401
124606	24" x 24"	B-401
124603	18" x 18"	B-555
124605	24" x 24"	B-555

124454	18" x 12"	B-302
124453	18" x 12"	B-401
124452	18" x 12"	B-555

75157	10" x 14"	B-120
75158	14" x 20"	B-120
25875	10" x 14"	B-401
43452	10" x 14"	B-555

94152	18" x 30"	B-959

High intensity reflective aluminum

95040	18" x 30"

75062	30"	B-120
80071	18"	B-959
94148	22" x 22"	B-959
80072	30"	B-959

High intensity reflective aluminum

95039	30" x 30"
95042	36" x 36"

124616	18"	B-401
124618	24"	B-401
124615	18"	B-959
124617	24"	B-959

124400	18" x 12"	B-302
124399	18" x 12"	B-401
124398	18" x 12"	B-555

124612	18"	B-401
124614	24"	B-401
124611	18"	B-959
124613	24"	B-959

Sign Accessories

www.BradyID.com



Street Sign 4-Way Cross Piece

- Mount on top of another street sign for additional sign

Catalog #	Description
56681	4-Way Cross Piece



Tuff-N-Light U-Channel Post

- Ideal for traffic and industrial signage
- Closed profile posts are 6 times torsionally stronger than steel posts
- Open profile for up to 12”x18” signs

Catalog #	Description	Size	Color
97208	Closed profile	8’	White
97210	Closed profile	8’	Green
97207	Open profile	8’	White
97209	Open profile	8’	Green

Mounting Tape

- Indoor/Outdoor B-156 double-faced foam tape
- Bonds well to rough, irregular surfaces
- Service range: 50°F to 180°F
- Roll mounted 1⁄16” thick foam tape

Catalog #	Description	Size
78273	Mounting Tape	3/4” x 36 yds.
19811	Mounting Tape	1” x 36 yds.



Galvanized Posts

- Galvanized steel posts are manufactured of a high tensile steel and finished with uniform coatings of zinc and clear acrylic to resist corrosion
- Posts have 7/6” diameter holes on 1” centers that run the full length of the post on all four sides.

Catalog #	Description	Size
78998	Square Post	14 gauge, 2” x 2” tube size, 8’ Length

Movable Sign Posts

- 35 pound cast iron base with 1-1/2” diameter post
- Post is pre-drilled for signs that are 18”x18”, 24”x18”, or 24”x24”

Catalog #	Description
86336	14” iron sign base and 48” post kit black
86345	17” iron sign base and 48” post kit black

Vandal-Proof Tufnut™

- Plated steel nut secures tightly to prevent sign theft
- 5⁄16” nut for use with U-Channel Sign Posts (sold above)

Catalog #	Description
97211	2 Bolts, 2 Washers, 3 Tufnuts™

U-Channel Sign Posts

- Baked green enamel finish on hot-rolled, high-tensile strength steel
- Weight: two pounds per linear foot
- 3⁄8” holes, 1” on center
- Hardware sold separately below

Catalog #	Description	Size
95047	U-Channel Sign Post	6’
97204	U-Channel Sign Post	8’
97205	U-Channel Sign Post	10’
97206	U-Channel Sign Post	12’
87982	Post Driver	-

Sign Base

- Securely mounts with three expansion bolts and accepts U-channel Posts
- Cast aluminum base is 15” in diameter and includes post mount stub and hardware

Catalog #	Description
86339	15” Diameter, Cast Aluminum

Fence Sign Support Brackets

- Easily attaches signs to fences
- Brackets are constructed of 14 gauge steel with a green baked enamel finish
- 17” bracket fits signs 18”x12” or 18”x18”

Catalog #	Description
86337	17” Bracket w/ hardware

• Same as stock pricing!

• Custom text

• Custom colors

• Custom graphics

• Common sizes

• Choice of materials

• No minimum order

• Fast turnaround

New Custom Sign Pricing Offers You Big Savings

We've eliminated custom sign pricing in favor of one low "same-as-stock" price for our custom signs. That means whether you order a sign with one of our standard legends, or with text, graphics and colors of your choice, they're the same low price.

With nearly 10,000 signs and unlimited custom options to choose from we've got you covered. We've also added design and proofing staff to provide a fast response.

Create Your Own Custom Signs

Can't find what you need from thousands of stock images? Or need something specific to your facility? Brady has made strides to offer you a wide selection of stock signs to meet many standard applications. But sometimes you need a sign that is unique to your own facility. Brady's wide variety of custom sign options give you the ability to create a sign with exactly the message you need.

Two easy ways to order Custom Signs:

Customize & Order Through Your Distributor

- Customize your signs with your logo or other custom graphics
- Make signs up to 80" wide
- Print banners with full-color photos
- Print on special order materials up to 1.5" thick
- UV ink with 5-7 year life span

- or -

Customize & Order Instantly Online at www.BradyID.com

Create made-to-order signs with this easy-to-use application. Order your signs in seconds and avoid paying any set-up charges.

- Customize and order signs 24 hours a day
- 11 Headers in English & Spanish
- 9 Categories of Pictograms
- 5 Material Choices: Polyester, Vinyl, Plastic, Aluminum, Fiberglass

Online Customizing is easy as 1, 2, 3!

1) Select your category

2) Customize your product

3 Add to your shopping cart.

Create custom signs unique to your facility!

Custom Sign Pictograms

Pictograms provide a universal way to communicate warnings to all employees and visitors, regardless of language or demographic and can provide a better understanding of hazards. Pictograms provide an easy-to-understand alternative to bi/tri-lingual signs, which can often be difficult to read. Use the following pictograms on your custom signs to communicate the right message for your application.

Custom Sign Pictograms (Continued)

Custom Signs Order Form

www.BradyID.com

Custom Sign Order Form

❑ Order ❑ Quote ❑ Artwork Attached Ship Via. _____ P.O. # or Request # _____

Customer Information

Company Name: _____ Name: _____

Address1: _____ Phone #: _____

Address2: _____ Fax #: _____

City: _____ State: _____ Zip: _____

Email: _____

Distributor Information

Distributor: _____ Contact Name: _____

Account: _____ Fax #: _____ Phone #: _____

Sign Specifications

Sign Material

❑ B-120 Premium Fiberglass
❑ B-302 Self-Sticking Polyester
❑ B-324 Self-Sticking BradyGlo™
❑ B-347 BradyGlo™ Plastic
❑ B-401 Plastic
❑ B-555 Aluminum
❑ Other: B-_____
(View all sign materials on page 25)

Size and Quantity *(H x W)*

❑ 3-1/2"x5"	Qty. _____	❑ 10"x14"	Qty. _____
❑ 4"x6"	Qty. _____	❑ 12"x18"	Qty. _____
❑ 5"x7"	Qty. _____	❑ 14"x20"	Qty. _____
❑ 7"x10"	Qty. _____	❑ 18"x24"	Qty. _____
❑ 9"x12"	Qty. _____	❑ ___"x___"	Qty. _____

Sign Content

Sign Header

❑ CAUTION ❑ DANGER ❑ NOTICE ❑ WARNING ❑ SAFETY FIRST

❑ PRECAUCION ❑ PELIGRO ❑ AVISO ❑ ADVERTENCIA ❑ SEGURIDAD PRIMERO

❑ **No Header** *(Fill in below)*

Background Color: _____

Lower Text Color: _____

(Lower text will be black unless specified)

❑ **Pictogram #** _____

(View Previous Page For Available Pictograms)

Finishing:

❑ No Holes
❑ 4 Corner Holes
❑ Foam Tape
❑ 2 Post Holes
❑ 2 Side Holes
❑ Other
(Show placement in box)

Draw sign layout and text in box below:

Please Include The Following Three Items:
1. Header 2. Picto Placement (If applicable) 3. Finishing Hole Placement

Custom Tank & Vessel Signs Order Form

When ordering a Custom GHS Tank & Vessel Sign from Brady, please have a Safety Data Sheet (SDS) in hand to fill in the form. The SDS, supplied from your chemical manufacturer must be up-to-date with GHS elements. All required label elements that are needed to fill this form out are found in sections 1-3 in your chemical SDS. (Once label has been created a proof is required.) Once complete, return this form to BradyUSAQuotes@BradyCorp.com or fax to 1-800-292-2289.

Customer Information

Company Name: _____ Name: _____

Address1: _____ Phone #: _____

Address2: _____ Fax #: _____

City: _____ State: _____ Zip: _____

Email: _____

Distributor Information

Distributor: _____ Contact Name: _____

Account: _____ Fax #: _____ Phone #: _____

Sign Specifications

Sign Material

- ❑ B-120 Fiberglass
- ❑ B-302 Self-Sticking
- ❑ B-401 Vinyl Plastic

Quantity and Size

- ❑ 7” x 5” Qty. _____
- ❑ 14” x 10” Qty. _____
- ❑ 20” x 14” Qty. _____

Sign Format

❑ GHS Format 1

❑ GHS Format 2

❑ GHS Format 3

Sign Content

Tank #: _____

Chemical Name: _____

Signal Word: _____
(DANGER or WARNING)

Hazard Statements:
Located on your Safety Data Sheet, please include H-Code if available. i.e. H100

_____

_____

Precautionary Statements/First Aid:
Located on your Safety Data Sheet, please include P-Code if available. i.e. P100

_____

_____

_____

GHS Pictograms:
Located on your Safety Data Sheet, indicate pictogram number below:
1 Minimum / Maximum 4

Diamond 1: _____ Diamond 3: _____

Diamond 2: _____ Diamond 4: _____

1. Corrosive *2. Severe Toxic* *3. Explosive* *4. Flammable* *5. Environmental*

6. Acute Toxic *7. Oxidizing* *8. Gas Pressure* *9. Health*

NFPA Rating:
Health _____ Fire _____ Instability _____ Specific _____

HMIG Rating:
Health _____ Fire _____ Instability _____ Specific _____

Protective Equipment Required Pictograms:
Choose up to 6 icons.

PPE 1: _____ PPE 3: _____ PPE 5: _____

PPE 2: _____ PPE 4: _____ PPE 6: _____



A. Safety Glasses *B. Rubber Gloves* *C. Face Shield* *D. Chemical Goggles* *E. S.C.B.A* *F. Dust Mask*



G. Rubber Boots *H. Apron* *I. Respirator* *J. Chemical Suit* *K. Boots/ Gloves* *L. Eyewash/ Shower*

Additional Sign Content:

DOT Class: _____

DOT ID #: _____

CAS #: _____

Reach Authorization #: _____

Internal Reference #: _____

Chemical Manufacturer: _____

Chemical Manufacturer Name: _____

Chemical Manufacturer Address: _____

_____

Emergency Contact Phone #: _____

Confined Space Entry Permit Required? ❑ Yes ❑ No

Globally Harmonized System (GHS)

www.BradyID.com/ghs

Hazard Communication OSHA Standards and GHS (Globally Harmonized System) Compliance

The Occupational Safety and Health Administration (OSHA) Federal Hazard Communication Standard 29 CFR 1910.1200 has become known as the "Right-To-Know" law. This standard gives both employers and employees a right-to-know about the hazardous chemicals they use in the workplace. It is designed to reduce the incidence of chemical source injury and illness in the workplace. In order to accomplish this, employers are required to:

1. Have Safety Data Sheets (SDS) on file for every hazardous chemical in the workplace available to all employees during their work shift.
2. Train employees about the potential hazards, how to identify and safely work with hazardous chemicals and the proper personal protection necessary when working with hazardous chemicals. Employees must be trained before they start a work assignment.
3. Identify and list all of the hazardous chemicals in the workplace.
4. Have a written hazard communication program available for employees, OSHA and outside contractors who enter the workplace.
5. Have labels on all hazardous chemical containers that:
   - List the name and address of the manufacturer
   - List the chemical name
   - List the hazardous and pre-cautionary statements that exist
   - Show applicable health or chemical pictograms
   - Are easily related to the appropriate SDS on file
6. Maintain reports, records and logs for the entire program.
7. Certain states require that you report all of this information to a state agency, department of labor, health department or fire department depending on the state law in effect.

Hard work is necessary to come into compliance with the law. Brady offers a wide variety of products to keep your work to a minimum, while enabling you to implement a complete program that will bring your company into compliance with the Hazard Communication Standard.

Custom GHS Labels Available

All organizations that ship, receive, handle, and maintain potentially hazardous chemicals are impacted by the GHS standard.

- Create your own GHS-compliant labels through your MarkWare™ software on printers such as the Globalmark®2 Industrial Printer and the BBP®31 Sign & Label Printer.
- Brady will also create and print custom GHS labels to your specific labeling requirements:
  - Create labels in English, Spanish, French and more
  - Available in a variety of sizes to fit your needs
  - Contact us at: 1-888-250-3082

GHS (Globally Harmonized System) Compliance

GHS is an acronym for the The Globally Harmonized System of Classification and Labelling of Chemicals. The GHS standard is an international standard created by the United Nations for the purpose of classifying and labellling hazardous chemicals. A majority of countries globally have adopted and are enforcing most elements of the GHS with their regulatory agencies having jurisdiction for this public safety concern.

GHS Status in the U.S.

OSHA published an update to it's Hazard Communication Standard in 2012 that incorporates the major elements of the GHS. A transitional period allows companies' time to fully implement the new standards in their facilities by June 1, 2016.

GHS Status around the World

The European Union is already well along the path to full implementation of GHS (referred to as CLP, Classification for Labelling & Packaging, by the EU), and countries in Asia are quickly following in its footsteps.

GHS Workshops Available!

Brady's 3-day GHS Workshops engage participants to visually transform a focus area from current hazcomm labeling into a GHS-compliant area. During these workshops, Brady compliance experts will lead your employees through:

- GHS regulations and pictograms education
- Defining and creating labels using the new standard
- Training on new label requirements and SDS format

There's More Online! www.BradyID.com/GHS

Visit www.BradyID.com/GHS for these free GHS informational downloads!

- Introduction to the Globally Harmonized System Whitepaper
- Safety Data Sheet (SDS) Requirements Document
- Five Steps to Compliant Hazard Communication Program Whitepaper
- Hazard Communication FAQ
- GHS Pictorgram and Quick Tips

Globally Harmonized System (GHS)

www.BradyID.com/ghs

GHS Pictograms

- Pre-printed die cut labels identify hazardous products for chemical risks, health risks and environmental risks in accordance to the United Nations' universal approach to classifying and communicating chemical hazards.

GHS Explosive

- Explosives, self-reactives, organic peroxides

Explosive Legend

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118815	5/8"	B-7569 Vinyl	39/card
118816	1"	B-7569 Vinyl	16/card
118817	2"	B-7569 Vinyl	4/card
B-235 Paper			
118869	5/8"	B-235 Paper	39/card
118870	1"	B-235 Paper	16/card
118871	2"	B-235 Paper	4/card

GHS Flammable

- Flammable gases, liquids, and solids; pyrophorics; self-reactives; self-heating

Flammable Legend

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118821	5/8"	B-7569 Vinyl	39/card
118822	1"	B-7569 Vinyl	16/card
118823	2"	B-7569 Vinyl	4/card
B-235 Paper			
118875	5/8"	B-235 Paper	39/card
118876	1"	B-235 Paper	16/card
118877	2"	B-235 Paper	4/card

GHS Oxidizing

- Oxidizers, organic peroxides

Oxidizing Legend

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118827	5/8"	B-7569 Vinyl	39/card
118828	1"	B-7569 Vinyl	16/card
118829	2"	B-7569 Vinyl	4/card
B-235 Paper			
118881	5/8"	B-235 Paper	39/card
118882	1"	B-235 Paper	16/card
118883	2"	B-235 Paper	4/card

GHS Gas Pressure

- Gases under pressure

Gas Pressure Legend

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118833	5/8"	B-7569 Vinyl	39/card
118834	1"	B-7569 Vinyl	16/card
118835	2"	B-7569 Vinyl	4/card
B-235 Paper			
118887	5/8"	B-235 Paper	39/card
118888	1"	B-235 Paper	16/card
118889	2"	B-235 Paper	4/card

GHS Corrosive

- Corrosives

Corrosive Legend

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118839	5/8"	B-7569 Vinyl	39/card
118840	1"	B-7569 Vinyl	16/card
118841	2"	B-7569 Vinyl	4/card
B-235 Paper			
118893	5/8"	B-235 Paper	39/card
118894	1"	B-235 Paper	16/card
118895	2"	B-235 Paper	4/card

GHS Severe Toxic

- Severe toxicity

Severe Toxic Legend

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118845	5/8"	B-7569 Vinyl	39/card
118846	1"	B-7569 Vinyl	16/card
118847	2"	B-7569 Vinyl	4/card
B-235 Paper			
118899	5/8"	B-235 Paper	39/card
118900	1"	B-235 Paper	16/card
118901	2"	B-235 Paper	4/card

GHS Health Danger

- Carcinogens, respiratory sensitizers, reproductive toxicity, target organ toxicity, germ cell mutagens

Health Danger Legend

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118851	5/8"	B-7569 Vinyl	39/card
118852	1"	B-7569 Vinyl	16/card
118853	2"	B-7569 Vinyl	4/card
B-235 Paper			
118905	5/8"	B-235 Paper	39/card
118906	1"	B-235 Paper	16/card
118907	2"	B-235 Paper	4/card

GHS Acute Toxic

- Acute toxicity, skin and eye irritation, skin sensitizers

Acute Toxic Legend

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118857	5/8"	B-7569 Vinyl	39/card
118858	1"	B-7569 Vinyl	16/card
118859	2"	B-7569 Vinyl	4/card
B-235 Paper			
118911	5/8"	B-235 Paper	39/card
118912	1"	B-235 Paper	16/card
118913	2"	B-235 Paper	4/card

GHS Environmental

- Aquatic toxicity

Environmental Legend

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118863	5/8"	B-7569 Vinyl	39/card
118864	1"	B-7569 Vinyl	16/card
118865	2"	B-7569 Vinyl	4/card
B-235 Paper			
118917	5/8"	B-235 Paper	39/card
118918	1"	B-235 Paper	16/card
118919	2"	B-235 Paper	4/card

MarkWare™ Software now includes a GHS / CLP Label Module

- 18 pre-formatted label layouts and approved GHS symbols are built-in
- User selects approved pre-worded hazard statements and GHS symbols which then automatically populates into layout – no need to type everything in
- Prompts for additional variable data which then auto-populates into layout
- Choose a second language and MarkWare auto-populates in the second language
- Contains templates for Globalmark®, BBP®31 and BBP®33 Label Printers

Catalog #	Descripion
20700	MarkWare ™ Software

Already a MarkWare Software user? Upgrade your current MarkWare by visiting ***www.BradyID.com/markware*** *and going to "Software Downloads"*

NEW!

Hazard Communications Training Programs

OSHA is mandating that all employees covered under the 29 CFR 1910.1200 regulation to have initial training on the new hazard communication changes and the GHS elements by December 1, 2013. Brady has now launched two DVD-based training programs to help you fulfill that requirement.

GHS Hazcom Training Program

- 2 video program on the new GHS elements can help fullfill an initial training requirement by focusing on:
  - Understanding the new GHS label elements
  - Identifing the new GHS pictograms
  - Reading and interpreting GHS Safety Data Sheets
- Includes: DVD with 2 videos (14 min GHS Labeling Video and 10 min GHS Safety Data Sheets Video), instructor's guide, employee quiz, PowerPoint presentations and 5 Employee Handbooks

Catalog #	Description	Qty.
132428	GHS Hazcom Training Program Kit	1
133160	Bilingual GHS Hazcom Training Program Kit - English/Spanish presentations - English-only handbook (hardcopy format) - Spanish-only handbook (printable PDF format)	1
132429	Additional GHS Hazcom Training Employee Handbooks (English)	5

Hazcom Comprehensive Training Program

- Fully comprehensive training program on OSHA's Hazard Communication Regulation (1910.1200) including GHS
- Can be used to fulfill a typical annual refresher requirement
- Program is intended to ensure employees:
  - understand types of hazardous materials are in the workplace
  - are able to read and understand labels and Safety Data Sheets
  - are able to understand how to safety use hazardous materials
- Includes: DVD, instructor's guide, employee quiz, PowerPoint presentations, and 5 Employee Handbooks

Catalog #	Description	Qty.
132457	Hazcom Comprehensive Training Program Kit	1
132458	Additional Hazcom Comprehensive Training Employee Handbooks	5

NEW!



GHS Reference Center Poster

- This all-inclusive, large format poster gets worker's attention and combines many of the most important changes into one easy-to-read format
- Includes detailed information on:
  - Safety Data Sheet (SDS) format
  - GHS-formatted label elements
  - GHS Hazard Pictograms

Catalog #	Description	Size	Qty.
133209	GHS Reference Center Poster	25.5" x 39.5"	1 each

NEW!

GHS Pictograms Wallet Cards

- Wallet Cards outline all 9 of the new GHS Hazard Pictograms
- A great training aid to help employees become familiar with the new hazard pictograms, and as a handy reference for when the new GHS labels are entering your facility
- Made of laminated cardstock

Catalog #	Description	Size	Qty.
133208	GHS Pictograms Wallet Card	2.1" x 3.4"	10/pk

NEW!

GHS Intro Poster Pack

- Set of 3 informational posters puts critical GHS information in different parts of your facility and promotes employee understanding
- Posters outline:
  - An overview of the Globally Harmonized System of Classification and Labeling of Chemicals
  - Information regarding the new Safety Data Sheets format and outline
  - Information regarding the new GHS-formatted label elements

Catalog #	Description	Size	Qty.
133207	GHS Intro Posters	17" x 22"	1 set of 3

Custom GHS Labels Order Form

www.BradyID.com/ghs

Custom GHS Label Form

When ordering a Custom GHS Label from Brady, please have a Safety Data Sheet (SDS) in hand to fill in the form. The SDS, supplied from your chemical manufacturer must be up-to-date with GHS elements. All required label elements that are needed to fill this form out are found in sections 1-3 in your chemical SDS. (Once label has been created a proof is required.)
Once complete, return this form to BradyUSAQuotes@BradyCorp.com or fax to 1-800-292-2289.

Customer Information

Company Name: _____ Name: _____

Address1: _____ Phone #: _____

Address2: _____ Fax #: _____

City: _____ State: _____ Zip: _____

Email: _____

Distributor Information

Distributor: _____ Contact Name: _____

Account: _____ Fax #: _____ Phone #: _____

Label Specifications

Label Material

- ❑ B-235 Coated Paper
- ❑ B-302 Self-Sticking Polyester
- ❑ B-7569 Self-Sticking Vinyl

Quantity and Size
(minimum order qty. of 25)

- ❑ 3" x 5" Qty. _____
- ❑ 4" x 6" Qty. _____
- ❑ 4.5" x 7" Qty. _____

Label Package

- ❑ Roll Form
- ❑ Individual Labels

Label Content

Chemical/Product Name:

_____

Signal Word: _____
(DANGER or WARNING)

Capacity: _____

Units: _____

Hazard Statements:
Located on your Safety Data Sheet, please include H-Code if available. i.e. H100

_____

_____

_____

Precautionary Statements/First Aid:
Located on your Safety Data Sheet, please include P-Code if available. i.e. P100

_____

_____

_____

GHS Pictograms:
Locate on your Safety Data Sheet and indicate pictogram number below:
1 Minimum / Maximum 4

Diamond 1: _____ Diamond 3: _____

Diamond 2: _____ Diamond 4: _____

1. Corrosive *2. Severe Toxic* *3. Explosive* *4. Flammable* *5. Environmental*

6. Acute Toxic *7. Oxidizing* *8. Gas Pressure* *9. Health*

Additional Label Content:

EC #: _____

CAS #: _____

Index #: _____

Reach Authorization #: _____

Internal Reference #: _____

Chemical Manufacturer Name: _____

Chemical Manufacturer Address: _____

_____

Emergency Contact Phone #: _____

Multiple Languages Requested* _____

** Please indicate languages requested, then provide the necessary translations to the customer service representative after you have received the initial English proof.*

Custom Tank & Vessel Signs Order Form

When ordering a Custom GHS Tank & Vessel Sign from Brady, please have a Safety Data Sheet (SDS) in hand to fill in the form. The SDS, supplied from your chemical manufacturer must be up-to-date with GHS elements. All required label elements that are needed to fill this form out are found in sections 1-3 in your chemical SDS. (Once label has been created a proof is required.) Once complete, return this form to BradyUSAQuotes@BradyCorp.com or fax to 1-800-292-2289.

Customer Information

Company Name: _____ Name: _____

Address1: _____ Phone #: _____

Address2: _____ Fax #: _____

City: _____ State: _____ Zip: _____

Email: _____

Distributor Information

Distributor: _____ Contact Name: _____

Account: _____ Fax #: _____ Phone #: _____

Sign Specifications

Sign Material

- ❑ B-120 Fiberglass
- ❑ B-302 Self-Sticking
- ❑ B-401 Vinyl Plastic

Quantity and Size

- ❑ 7" x 5" Qty. _____
- ❑ 14" x 10" Qty. _____
- ❑ 20" x 14" Qty. _____

Sign Format

❑ Format 1

❑ Format 2

❑ Format 3

Sign Content

Tank #: _____

Chemical Name: _____

Signal Word: _____
(DANGER or WARNING)

Hazard Statements:
Located on your Safety Data Sheet, please include H-Code if available. i.e. H100

_____

_____

Precautionary Statements/First Aid:
Located on your Safety Data Sheet, please include P-Code if available. i.e. P100

_____

_____

_____

GHS Pictograms:
Located on your Safety Data Sheet, indicate pictogram number below:
1 Minimum / Maximum 4

Diamond 1: _____ Diamond 3: _____

Diamond 2: _____ Diamond 4: _____

1. Corrosive *2. Severe Toxic* *3. Explosive* *4. Flammable* *5. Environmental*

6. Acute Toxic *7. Oxidizing* *8. Gas Pressure* *9. Health*

NFPA Rating:
Health ____ Fire ____ Instability ____ Specific ____

HMIG Rating:
Health ____ Fire ____ Instability ____ Specific ____

Protective Equipment Required Pictograms:
Choose up to 6 icons.

PPE 1: _____ PPE 3: _____ PPE 5: _____

PPE 2: _____ PPE 4: _____ PPE 6: _____

A. Safety Glasses *B. Rubber Gloves* *C. Face Shield* *D. Chemical Goggles* *E. S.C.B.A* *F. Dust Mask*

G. Rubber Boots *H. Apron* *I. Respirator* *J. Chemical Suit* *K. Boots/ Gloves* *L. Eyewash/ Shower*

Additional Sign Content:

DOT Class: _____

DOT ID #: _____

CAS #: _____

Reach Authorization #: _____

Internal Reference #: _____

Chemical Manufacturer: _____

Chemical Manufacturer Name: _____

Chemical Manufacturer Address: _____

_____

Emergency Contact Phone #: _____

Confined Space Entry Permit Required? ❑ Yes ❑ No

Hazard Communication (RTK)

www.BradyID.com



NFPA

HMIG Color Bar

5” x 3” Container Labels

- Economical option for secondary container labeling
- Choose from paper or vinyl materials in NFPA Diamond or HMIG Color Bar formats

Catalog #	Material	Format	Qty.
99175	Paper	HMIG Color Bar	500
121164	Vinyl	HMIG Color Bar	500
99195	Paper	NFPA	500
121146	Vinyl	NFPA	500



Blank NFPA Placards

- Meets NFPA’s Code No. 704M and Federal Standard 313
- Place directly on tanks, tanks and vessels, feed hoppers, pipelines and other potentially hazardous equipment
- Use with Gothic style Quik-Align® numbers and letters (sold separately)

Catalog #	Description	Size	Qty.
58656	B-120 Fiberglass	11” sq.	1
58510	B-120 Fiberglass	16” sq.	1
58501	B-946 Vinyl	5” sq.	10
58502	B-946 Vinyl	7-1⁄2”sq.	10
58503	B-946 Vinyl	10” sq.	10
58504	B-946 Vinyl	15” sq.	10

HMIG Labels Station

- Acrylic Station has six 3/4” pockets for holding sheet labels, one 5” dowel to hold label rolls and a pen holder
- Provides hazard rating information printed on board

Catalog #	Description	Size	Qty.
PD674E	Large HMIG Label Station	11” x 18”	1



NFPA

HMIG Color Bar

2” x 1-1⁄4” Lab Labels

- Paper or vinyl materials in NFPA Diamond or HMIG Color Bar formats
- Write-on labels allow you to customize your message.

Catalog #	Material	Format	Qty.
58268	Paper	HMIG Color Bar	500
121161	Vinyl	HMIG Color Bar	500
99199	Paper	NFPA	500
121163	Vinyl	NFPA	500

NFPA Placard Kits

- Vinyl kits includes:10 blank NFPA placards, and 10 characters each of 0 – 4, W, ☢, OXY, ACID, COR and ALK
- Fiberglass kits includes: 1 blank NFPA placard, and 10 characters each of 0 – 4, W, ☢, OXY, ACID, COR and ALK

Catalog #	Description	Size	Qty.
50053	B946 Vinyl	10” sq	4”
50055	B120 Fiberglass	11” sq	4”
50054	B946 Vinyl	15” sq	6”
50056	B120 Fiberglass	16” sq	6”



HMIG Self-Laminating Labels

- Label and overlay all-in-one self-adhesive polyester label includes polyester laminate cover
- Write in the rating on the left side. Right side shows the index for required ppe

Catalog #	Description	Size	Qty.
60332	Self-Lam Label	2” x 3-1⁄2”	25
60333	Self-Lam Label	3” x 5”	25



3” x 5” Write-On RTK Labels

- Customize these Blank R-T-K Labels by writing your own message on them and adding R-T-K pictograms.

Catalog #	Material	Format	Qty.
121056	Vinyl	NFPA	50

NFPA Diamond Labels

- Available in rolls of 500

Catalog #	Description	Size	Qty.
53072	Vinyl	6” x 6”	500



NFPA Information Placards

- Placards graphically explain the NFPA Hazard Identification Coding System

Catalog #	Description	Size	Qty.
78788	B-120 Fiberglass	10” x 14”	1



RTK Wallet Card

- Handy reference of the NFPA Hazard identification Coding System
- Ideal for distribution to employees following formal hazard communication training

Catalog #	Description	Size	Qty.
58515	English	2-1⁄8” x 3-3⁄8”	25
89257	Spanish	2-1⁄8” x 3-3⁄8”	25

Hazardous Waste Labels

- Labels comply with all current Federal regulations regarding identification of hazardous waste materials for transportation off-site

Catalog #	Description	Material	Size	Qty.
121155	Hazardous Waste	Vinyl	6" x 6"	50
121151	Hazardous Waste	Vinyl	6" x 6"	100
121158	Non-Regulated Waste	Vinyl	6" x 6"	50
121153	Non-Regulated Waste	Vinyl	6" x 6"	100
121159	Non-Hazardous Waste	Vinyl	6" x 6"	50
121154	Non-Hazardous Waste	Vinyl	6" x 6"	100
121064	Hazardous Waste	Vinyl	4" x 6"	50
121063	Hazardous Waste	Vinyl	4" x 6"	100

PCB Markers

- Use PCB warning labels and signs to satisfy EPA 40 CFR Part 761 Subpart C for identification of PCB contaminated equipment or to mark PCB waste
- Made of B-946 self-sticking vinyl



Catalog #	Description	Size	Qty.
87028	EPA Reference 761.44(a)	6"x6" VInyl	50

Universal Waste Labels

- Meet universal waste requirements, 40 CFR 273.14
- Standard package: 100 labels

Catalog #	Description	Size	Qty.
60362	Universal Waste Labels	6" x 6" Paper	100

Asbestos Labels

- Made of self-adhesive vinyl
- Standard package: 100 labels

Catalog #	Description	Size	Qty.
121061	Asbestos Labels	4" x 4"	100

• Waste Disposal Labels

- Use to easily identify and sort waste
- Available in B-7569 self-sticking vinyl or B-235 economical paper
- Choose from Standard Labels, if you want to write in your own nformation, or Custom Labels, if you would like us to pre-print them



Catalog #	Description	Qty.
121432	6" x 6" Vinyl	100



Catalog #	Description	Qty.
121140	6" x 6" Vinyl	100

Catalog #	Description	Qty.
60364	6" x 6" Paper	100

Catalog #	Description	Qty.
63240	6" x 6" Vinyl	100

www.BradyID.com

Over 30,000 products now at your fingertips.

Visit the new BradyID.com, your online resource for:

- Full Product Offerings
- Product Info & Literature
- Product Demos
- Creat Custom Products
- e-Learning Training Courses
- Whitepapers
- Webinars
- And so much more!

Hazardous Material Shipping

www.BradyID.com

Hazardous Material Shipping Labels

- Meets D.O.T. requirements HM-181 Regulation
- Composite plastic material offers extreme weatherability so label colors stay bright
- Super tacky adhesive back permanently bonds to most surfaces (including low energy surfaces such as polyethylene bags).
- Labels withstand temperatures of -50°



Catalog #	Legend	Material	Size	Qty.
121065	Non-Flammable Gas 2	Vinyl	4" x 4"	500
121066	Flammable Gas 2	Vinyl	4" x 4"	500
121067	Flammable Liquid 3	Vinyl	4" x 4"	500
121070	Corrosive 8	Vinyl	4" x 4"	500
121141	Misc. Hazardous Materials (Stripes) 9	Vinyl	4" x 4"	500

Vehicle Placards

- Placards meet D.O.T. Requirements HM-181 requirements
- B-946 self-sticking vinyl may be applied directly to vehicle and provide over 5 years outdoor durability
- B-101 Economical 1.75 lb. polycoated tagboard (exceed D.O.T.'s 30 day weather requirement)
- Placards have square corners and no holes

Catalog #	Legend	Material	Size	Qty.
B-946 Self-Sticking Vinyl				
63407	Non-Flammable Gas 2	B-946 Vinyl	10-3/4" x 10-3/4"	1
63409	Flammable 3	B-946 Vinyl	10-3/4" x 10-3/4"	1
60378	Flammable (Blank) 3	B-946 Vinyl	10-3/4" x 10-3/4"	1
63420	Corrosive 8	B-946 Vinyl	10-3/4" x 10-3/4"	1
63332	Explosives 1.4S 1	B-946 Vinyl	10-3/4" x 10-3/4"	1
B-101 Polycoated Tagboard				
63441	Non-Flammable Gas 2	B-101 Tagboard	10-3/4" x 10-3/4"	1
63443	Flammable 3	B-101 Tagboard	10-3/4" x 10-3/4"	1
60394	Flammable (Blank) 3	B-101 Tagboard	10-3/4" x 10-3/4"	1
63454	Corrosive 8	B-101 Tagboard	10-3/4" x 10-3/4"	1

Additional D.O.T. Placards avaiilable on page 67.

Custom Hazard Materials Shipping Labels Available

Custom Hazard Material Shipping Labels Available. Brady offers a variety of stock and custom hazard material shipping labels to fit your applications. Visit **www.BradyID.com** for the full product line.

Brady also offers a variety of other custom products including; signs, labels, tags, banners, display boards and pipe markers. Contact Brady Customer Service for more information.

GHS SDS Centers

- 20"H x 14"W x 4.5"D center offered in English and English/Spanish
- Includes 1.5" SDS binder, "Right To Know Compliance Center" backboard, and yellow wire rack

Catalog #	Description
121370	SDS Center – English
121371	SDS Center – English/Spanish

GHS SDS Binders

- Complies with OSHA regulations
- 1.5" dia. ring holds 275-300 sheets
  3" dia. ring holds 600 sheets
- Durable polyethylene cover, a 36" chain and a pair of sheet lifters

Catalog #	Description
121183	1.5" SDS Binder, English
121184	3" SDS Binder, English
121185	1.5" SDS Binder, English/Spanish
121186	3" SDS Binder, English/Spanish
121187	3" SDS Binder, English/French



Standard MSDS Binders

- 1-1/2" dia. rings hold 275-300 sheets
  2-1/2" dia. ring holds 400-500 sheets
  3" dia. ring holds 600 sheets
- Durable polyethylene cover, 36" chain and pair of sheet lifters

Catalog #	Description
2023	1.5" MSDS Binder
2024	2.5" MSDS Binder
2025	3.0" MSDS Binder
2026	1.5" Bilingual MSDS Binder
2027	2.5" Bilingual MSDS Binder
2028	3.0" Bilingual MSDS Binder

**Insert is catalog #BR801B*

Right To Know Compliance Center

- 20"H x 14"W x 4-1/2"D compliance center includes red polystyrene board, binder rack and MSDS binder (2023)
- 1.5" MSDS binder w/ 300 sheet capacity

Catalog #	Description
2010	Compliance Center
RK018A	Compliance Center w/inserts
2010NB	Compliance Center w/o binder
2010SP*	Spanish Compliance Center

**Board is Spanish with Bilingual Binder (2026)*

Double Right To Know Compliance Center

- This center includes red polystyrene board, 2 binder racks and two MSDS binders
- Center size: 20"H x 29"W x 4-1/2"D

Catalog #	Description
2010DB	Double RTK Compliance Center
2010DBSP	Spanish Double RTK Center*

**Board is Spanish with Bilingual Binder (2026)*

Economy Right To Know Center

- Includes MSDS "V" sign, 8"H x 14-1/2"W x 6"D
- 1.5" MSDS binder with 300 sheet capacity

Catalog #	Description
2007	Economy RTK Center
RK085A	Rack & Binder w/inserts
2005	Rack & Binder Only

Job Site Center

- Includes Job Site binder with fold away handles
- Binder has 2 sets of 1" nylon rings that will hold approximately 400 pgs
- PVC coated wire rack can be mounted anywhere you need it
- Center size: 12-1/2"H x 14"W x 4-3/4"D

Catalog #	Description
2032	Job Site Center
2022	Job Site Binder Only

Information Centers

- Rugged poly backboard comes with white PVC coated wire basket, allowing for high visibility and convenience fo holding important papers
- Tear resistant 3-ring binder holds approx. 300 sheets and includes chain and mounting hardware
- Center Size: 20"H x 14W

Catalog #	Description
IC326E	Emergency Information Center

Standard Operating Procedures Center

- Poly backboard w/ white PVC coated wire basket
- Rugged binder holds approximately 300 sheets and comes with an attached chain
- Binders are available separately

Catalog #	Description
SM681A	Procedures Center
SM682A	Double Standard Operation Procedures Center

Safety Information Centers

www.BradyID.com/safetycenters

MSDS Metal Cabinet

- Made of 20 gauge powder coated steel
- Wall mountable
- Front panel pulls down to reveal a guide to Haz-Mat labels
- Equipped center includes:
  - 2 - 2-1/2" MSDS Binders (2024)
  - 25 - Right To Know training booklets (2101)
  - 1 - Binder training insert (BR801B)
- Cabinet size: 22-1/2"H x 26-1/2"W x 6"D

Catalog #	Description
RK623E	MSDS Metal Cabinet

MSDS Training Binder Insert

- This detailed binder insert package contains:
  - OSHA Haz-Com Standard highlights and overview of program requirements
  - Compliance checklist
  - Two 15 page RTK training booklets,
  - Mini RTK poster (Spanish/English)
  - 50 clear sheet protectors
  - A-Z index tabs
  - Binders sold separately

Catalog #	Description
BR801B	Binder Insert

Standard Right To Know Center

- Tough acrylic RTK board can hold up to 100 training booklets and our largest MSDS binder
- Includes our 1-1/2" binder and 10 training booklets
- Center size: 30"H x 24"W x 4-1/2"D

Catalog #	Description
2001	Standard Right to Know Center
2012	Board Only
2002	Bilingual version*

**includes 5 English booklets, 5 Spanish booklets and a bilingual binder*

MSDS/Job Site Safety Document Center

- Table top or wall mount center holds one 3-ring binder in a weather resistant and lockable polystyrene case
- Size: 13-1/2"H x 13-1/2"W x 4-3/4"D

Catalog #	Description
JS1	MSDS/Job Site Center

Binder Holders

- PVC coated steel racks designed for holding binders up to 3" ring diameter
- Size: 9"H x 14"W x 4-1/2"D

Catalog #	Description
2014	Yellow Binder Holder
2014W	White Binder Holder

Suggestion Box

- Wall or table mount black acrylic box w/ a lockable top & side pocket
- Box: 12"H x 11-3/4"W x 4-3/4"D
  Pocket: 5"H x 4"W x 13/8"D
  Top drop slot: 9" W

Catalog #	Description
MC111E	Suggestion Box

Bloodborne Pathogen Compliance Center

- Highly visible display also includes a 1-1/2" diameter 3 ring binder holds up to 300 pages of your exposure control plans (not included)
- Wall mount only
- Center size: 20"H x 14"W x 4-1/2"D

Catalog #	Description
BH2010	Compliance Center

Lockout Procedure Station

- Backboard made from durable polystyrene
- Includes pre-drilled holes and hardware for wall mounting
- 3-ring, 1.5" binder made from 55 gauge polyethylene
- Backboard dimensions: 20"H x 14"W x 4.5"D

Catalog #	Description
LOSP22	Station With Binder & 25 Forms
99289	Lockout Procedure Station With Binder Only
LOSB1	Lockout Procedure Binder Only

Sign/Permit Holder & Entry Permits

- Provides a confined space warning and easy access to permits
- Made of durable polycarbonate material
- Holds 8-1⁄2" x 11" forms
  Holder dimensions: 12" x 19"
- Permits/forms sold separately

Catalog #	Description
65903	Permit Holder
65937	2-ply Carbonless (25/pk)

Safe-T-Grip® Fuse Pullers

- Provides maximum convenience when removing or replacing cartridge fuses
- Notched handles for no-slip grip
- Clearly marked amperage ranges
- Exceeds MIL specifications

Catalog #	Description
65280	(C) For 0-100A, 250V & 600V: 7-1⁄2" long

E-Z Check® Plus GFI Circuit Tester

- Checks for the following conditions: correct wiring, open ground, reverse polarity, open hot, open neutral, hot on neutral, hot and ground reversed with open hot, and ground fault interruption

Catalog #	Description
65273	E-Z Check® Plus GFI Circuit Tester

Battery Cleaning & Charging Safety Kit

- Help minimize the risk of employee acid burns or shocks while charging batteries
- Fully equipped portable kit includes:
  - (1) pair of large unsupported neoprene over natural rubber gloves
  - (1) pair of clear chemical goggles with indirect ventilation
  - (1) 45" x 35" black rubber apron
  - (1) 8" synthetic brush
  - (2) 9-1/4" x 14-1/2" chemical sorbent pads for small spills
  - (1) quart neutralizing and cleaning agent with trigger sprayer
  - (1) laminated instruction card

Catalog #	Description
BCK	Battery cleaning & charging kit

Number & Letter Labels

www.BradyID.com

15 Series Numbers & Letters (B-946)

- B-946 premium outdoor grade vinyl with permanent pressure sensitive adhesive
- Designed for permanent applications in severe outdoor environments as well as indoors. Special acrylic adhesive adheres strongly, making marker removal difficult

Catalog #	Card Size	Character Height	Markers Per Card
1530-*	1-1/2" x 7/8"	1"	10
1534-*	2-1/4" x 7/8"	1-15/16"	10
1550-*	3-1/2" x 1-1/2"	2-15/16"	6

Indoor Numbers & Letters Combo Packs

- B-498 plastic coated cloth tape with pressure sensitive adhesive
- Number packs contain all numbers from 0-9; number of cards vary according to their frequency of use
- Standard package: 25 assorted cards; 32 markers per card

Catalog #	Description	Card Size	Char. Height
3420-LTR KIT	Letters	3/4" x 9/16"	5/8"
3420-# KIT	Numbers	3/4" x 9/16"	5/8"

Aluminum Utility Panels

- Twenty mil. (.020") aluminum panels are designed for ruggedness, yet are flexible to conform to pole curve
- Recommended use with B-946 vinyl or B-997 reflective sheeting markers
- 7-1/4" panel holds up to eight vinyl or reflective markers
- 12" panel holds up to eleven reflective markers or twelve vinyl markers

Catalog #	Panel Size	Marking Size	Qty.
97198	1-3/4" x 7-1/4"	1-3/4" x 6-1/2"	25
97199	1-3/4" x 12"	1-3/4" x 11-1/4"	25

Outdoor Numbers & Letters Combo Packs

- B-946 premium outdoor grade vinyl with permanent pressure sensitive adhesive
- Black characters on a yellow bkgnd
- Standard package: 25 assorted cards, 10 markers per card

Catalog #	Description	Card Size	Char. Height
1530-LTR KIT	Letters	1-1/2" x 7/8"	1"
1530-# KIT	Numbers	1-1/2" x 7/8"	1"

Indoor Numbers & Letters (B-498)

- B-498 plastic coated cloth numbers & letters with pressure sensitive adhesive
- Permanent or Repositionable: once applied, numbers & letters are there to stay...unless you want to change them
- Black characters on a yellow background

Catalog #	Card Size	Character Height	Markers Per Card
3410-*	1/2" x 1-1/32"	3/8"	78
3420-*	3/4" x 9/16"	5/8"	32
3430-*	1-1/2" x 7/8"	1"	10
3440-*	2-1/4" x 7/8"	1-15/16"	10
3450-*	3-1/2" x 1-1/2"	2-15/16"	6
3460-*	5" x 1-3/4"	3-7/8"	5

To order: replace the asteresk (*) with the desired number (0-9), capital letter (A-Z), dash (DSH) or blank (BLNK). Arrows also available.

Magnetic Numbers

- Number height is 1-1/2"
- Perfect for safety scoreboards
- 15 each of 0-3, 8 each of 4-9

Catalog #	Size	Qty.
57624	1-1/2"	108

ToughStripe® Floor Marking Numbers & Letters

- Easy to view 6"W x 8"H numbers and letters come in packs of 20
- Ideal for marking aisle-ways, shipping and receiving docks, distribution centers, or other areas of your facility

	Black 20/pk	White 20/pk	Red 20/pk	Green 20/pk	Blue 20/pk	Yellow 20/pk
A	121691	121692	121693	121694	121695	121696
B	121697	121698	121699	121700	121701	121702
C	121703	121704	121705	121706	121707	121708
D	121709	121710	121711	121712	121713	121714
E	121715	121716	121717	121718	121719	121720
F	121721	121722	121723	121724	121725	121726
G	121727	121728	121729	121730	121731	121732
H	121733	121734	121735	121736	121737	121738
I	121739	121740	121741	121742	121743	121744
J	121745	121746	121747	121748	121749	121750
K	121751	121752	121753	121754	121755	121756
L	121757	121758	121759	121760	121761	121762
M	121763	121764	121765	121766	121767	121768
N	121769	121770	121771	121772	121773	121774
O	121775	121776	121777	121778	121779	121780
P	121781	121782	121783	121784	121785	121786
Q	121787	121788	121789	121790	121791	121792
R	121793	121794	121795	121796	121797	121798
S	121799	121800	121801	121802	121803	121804
T	121805	121806	121807	121808	121809	121810
U	121811	121812	121813	121814	121815	121816

	Black 20/pk	White 20/pk	Red 20/pk	Green 20/pk	Blue 20/pk	Yellow 20/pk
V	121817	121818	121819	121820	121821	121822
W	121823	121824	121825	121826	121827	121828
X	121829	121830	121831	121832	121833	121834
Y	121835	121836	121837	121838	121839	121840
Z	121841	121842	121843	121844	121845	121846
0	121847	121848	121849	121850	121851	121852
1	121853	121854	121855	121856	121857	121858
2	121859	121860	121861	121862	121863	121864
3	121865	121866	121867	121868	121869	121870
4	121871	121872	121873	121874	121875	121876
5	121877	121878	121879	121880	121881	121882
6	121883	121884	121885	121886	121887	121888
7	121889	121890	121891	121892	121893	121894
8	121895	121896	121897	121898	121899	121900
9	121901	121902	121903	121904	121905	121906
Punct. Set*	121907	121908	121909	121910	121911	121912

** 20 Punctuation Sets per package. Each set includes: two periods, one comma, one exclamation point, one question mark, one forward slash, one dash, and one ampersand (&).*

Bradylite® Reflective Numbers & Letters (B-997)

- Made from Engineering Grade B-997 Bradylite® Reflective Material - reflects light 100 times brighter than a plain white surface
- Will perform despite storms, snow, humidity and other tough environmental conditions
- For Low Temperature Applications can be applied at temperatures as low as 10°F
- Standard package: 25

Catalog #	Marker Size	Character Height	Color
5890-*	1-7/8" x 1-3/8"	1-1/2"	YL/Blk
5000-*	2-7/8" x 1-3/4"	2-1/2"	YL/Blk
5905-*	1-1/2" x 1"	1"	YL/Blk
5910-*	1-1/2" x 1"	1"	Blk/Orange

To order: replace the asteresk (*) with the desired number (0-9), capital letter (A-Z), dash (DSH) or blank (BLNK). Arrows also available.

Indoor/Outdoor Numbers & Letters (B-946)

- Black Helvetica Medium characters on a white background
- Superior chemical resistance - resists oil, grease, water and mild solvents
- UV resistance
- Designed for permanent applications in outdoor environments as well as indoors.
- Superior abrasion resistance
- Stock cards: numbers 0-9; capital letters A-Z; dash

Catalog #	Card Size	Character Height	Markers Per Card
9712-*	3/4" x 2-1/32"	5/8"	20
9713-*	1-1/2" x 1-1/16"	1"	10
9714-*	2-1/4" x 1-13/16"	1-15/16"	5

To order: replace the asteresk (*) with the desired number (0-9), capital letter (A-Z), dash (DSH) or blank (BLNK). Arrows also available.

3-Series Glow-in-the-Dark/ Ultra Reflective Numbers & Letters

- 7x more reflective than other reflective materials
- Black characters w/ glow-in-the-dark border on a highly reflective silver background
- Glow-in-the-dark boarder illuminates character for distinct definition in blackout conditions
- Designed for permanent application in severe outdoor environments as well as indoors.

Catalog #	Marker Size	Character Size	Qty
3000-*	2-7/8" x 1-1/2"	2"	10
3010-*	3-1/2" x 2-1/2"	3"	10
3020-*	6" x 3"	5"	10

To order: replace the asteresk (*) with the desired number (0-9), capital letter (A-Z), dash (DSH) or blank (BLNK). Arrows also available.

Gothic Quik-Align® Kits

- B-7569 vinyl film w/ permanent adhesive
- Self-spacing, self-aligning diecut characters
- Industrial grade vinyl resists temperature extremes, abrasion and common solvents
- Each kit contains: 20 each of A, E, I, L, N, O, R, S, T, and numbers 0-9; 10 each of remaining letters; and 5 each of $, & and punctuation

Catalog #	Size	Color
52203	1"	Black
52207	2"	Black
52211	3"	Black
52215	4"	Black

BradyGlo™ Gothic Quik-Align Numbers and Letters

- Self-sticking and self-aligning characters
- BradyGlo™ photoluminescent material on blue peel off liner charges in 5 minutes at 1000 Lux for 10+ hours of glow time
- Letters and numbers will have a consistent glow life and unlimited rechargability
- Complies with ASTM 2030-99: Recommended Uses of Photoluminescent Safety Markings

Catalog #	Character Size	Qty
6001-*	1"	25
6002-*	2"	25
6003-*	3"	25
6004-*	4"	25

To order: replace the asteresk (*) with the desired number (0-9) or capital letter (A-Z).

Gothic Quick-Align® Ten Packs

- B-7569 vinyl film w/ permanent adhesive
- Order in 10 packs only, no broken packages
- Standard package: 10 identical characters or arrows per pack; five $, & and punctuation per pack
- Refill your Quick-Align Kit (sold to left)

Catalog #	Size	Color
5010-*	1"	Black
5050-*	2"	Black
5100-*	3"	Black
5140-*	4"	Black
5180-*	6"	Black

Arc Flash Labels

www.BradyID.com/arcflash

NFPA70 National Electric Code

110.16 Flash Protection
Switchboards, panelboards, industrial control panels, meter socket enclosures, and motor control centers that are in other than dwelling occupancies and are likely to require examination, adjustment, servicing, or maintenance while energized shall be field marked to warn qualified persons of potential electric arc flash hazards. The marking shall be located so as to be clearly visible to qualified persons before examination, adjustment, servicing, or maintenance of the equipment.

NEW!

FPN No. 1: NFPA 70E-2012, Standard for Electrical Safety in the Workplace, provides assistance in determining severity of potential exposure, planning safe work practices, and selecting personal protective equipment.

FPN No. 2: ANSI Z535.4-1998, Product Safety Signs and Labels, provides guidelines for the design of safety signs and labels for application to products.

Arc Flash Labels with Pre-printed Hazard Categories

- Labels come with the hazard category and PPE requirements preprinted
- Write-in areas for specifics such as minimum arc rating, flash protection boundary, etc.
- B-7569 vinyl can be written on with pen or marker
- Updated for the NFPA 70E 2012 edition



4" x 6" Arc flash hazard

Catalog #	Header	Hazard	Size	Quantity
121095	Warning	0	4" x 6"	5/pack
121097	Warning	1	4" x 6"	5/pack
121099	Warning	2	4" x 6"	5/pack
121101	Warning	3	4" x 6"	5/pack
121103	Warning	4	4" x 6"	5/pack
121096	Danger	0	4" x 6"	5/pack
121098	Danger	1	4" x 6"	5/pack
121100	Danger	2	4" x 6"	5/pack
121102	Danger	3	4" x 6"	5/pack
121104	Danger	4	4" x 6"	5/pack



5" x 7 " Arc flash & shock hazard

Catalog #	Header	Hazard	Size	Quantity
121083	Warning	0	5" x 7"	5/pack
121085	Warning	1	5" x 7"	5/pack
121087	Warning	2	5" x 7"	5/pack
121091	Warning	3	5" x 7"	5/pack
121093	Warning	4	5" x 7"	5/pack
121084	Danger	0	5" x 7"	5/pack
121086	Danger	1	5" x 7"	5/pack
121088	Danger	2	5" x 7"	5/pack
121092	Danger	3	5" x 7"	5/pack
121094	Danger	4	5" x 7"	5/pack

Write-On Arc Flash Labels

- Write-in areas for equipment-specific information like flash protection boundary, hazard category, and required PPE.
- B-7569 vinyl can be written on with pen or marker
- Updated for the NFPA 70E 2012 edition

4" x 6" Arc flash hazard

Catalog #	Header	Size	Quantity
121079	Warning	4" x 6"	5/pack
121080	Danger	4" x 6"	5/pack

5" x 7" Arc flash & shock hazard

Catalog #	Header	Size	Quantity
121077	Warning	5" x 7"	5/pack
121078	Danger	5" x 7"	5/pack

Print Your Own Arc Flash Labels

The BBP®31 Sign & Label Printer can take on all your arc flash labeling needs! View page 308 for more information.

Promote awareness of the dangers associated with arc flash accidents and make sure your workers know how to protect themselves!

Poster

Poster

- Highlights the common causes of arc flash and provides safe work practices and personal protection equipment requirements
- Laminated on both sides to stand up to industrial environments
- Full-color printing and eye-catching graphics for optimum visual impact
- Poster reflects all changes from NFPA 70E-2012 regulation

Catalog #	Description	Quantity
104571	18" x 24" Poster	1 each



Sign



Label

Sign & Label

- Post signs and labels in the work area and near electrical equipment to boost awareness and compliance
- Signs and labels specify the personal protection equipment required for each arc flash hazard category
- Sign and label reflects all changes from NFPA 70E-2012 regulation
- Sign: BradyTuff™ B-401 rigid plastic, laminated graphics
  Label: Self-sticking B-302 polyester with overlaminate

Catalog #	Description	Quantity
102523	7" x 10" Sign	1 each
102524	3.5" x 5" Label	5/pack



Work Permit

Work Permit

- Meets NFPA 70E 130.1(A) requirements which mandate the use of a written permit when performing live electrical work
- 2-ply carbonless copy paper

Catalog #	Description	Quantity
99287	8.5" x 11" Permit	25/pack



Wallet Card Front



Wallet Card Back

Wallet Card

- Ensure compliance and safety by providing each employee with their own arc flash wallet card
- Card specifies the personal protection equipment required for each arc flash hazard category
- Made of laminated cardstock, two-sided printing
- Wallereflects all changes from NFPA 70E-2012 regulation

Catalog #	Description	Quantity
102525	2.1" x 3.4" Card	25/pack

Learn more with our Arc Flash Whitepaper

Download the Arc Flash Labeling Whitepaper to learn more details about compliance regulations, labeling standards, best practices and more.

Visit **www.BradyID.com/arcflash** to download.

Write-On Inspection Labels

- Made of durable, write-on polyester
- Label size: 5⁄8" x 1-1⁄2"
- 364 identical labels per package

82586 5/8"x1-1/2" B-744 364/pk



82589 5/8"x1-1/2" B-744 364/pk



82592 5/8"x1-1/2" B-744 364/pk



42211 5/8"x1-1/2" B-744 364/pk

82594 5/8"x1-1/2" B-744 364/pk

42217 5/8"x1-1/2" B-744 364/pk

82590 5/8"x1-1/2" B-744 364/pk

82587 5/8"x1-1/2" B-744 364/pk



42221 5/8"x1-1/2" B-744 364/pk

82591 5/8"x1-1/2" B-744 364/pk



82593 5/8"x1-1/2" B-744 364/pk

82588 5/8"x1-1/2" B-744 364/pk

Warning Labels

- High quality vinyl labels call attention to hazards on paperwork, equipment and packages
- Labels depict the shapes and colors accepted and recoginzed worldwide
- Available in two styles: Prohibition and Warning
- Labels made of B-946 pressure sensative vinyl

Do Not Throw Switch

60236	2" x 2"	B-946	5/pk

Do Not Touch

60238	2" x 2"	B-946	5/pk

No Fire or Open Flame

60239	2" x 2"	B-946	5/pk

No Smoking

60237	2" x 2"	B-946	5/pk

Acid

60184	1/2" x 1/2"	B-946	10/pk
60195	1" x 1"	B-946	10/pk
60206	2" x 2"	B-946	10/pk
60217	4" x 4"	B-946	3/pk
60228	8" x 8"	B-946	1/pk

Battery Hazard

60186	1/2" x 1/2"	B-946	10/pk
60197	1" x 1"	B-946	10/pk
60208	2" x 2"	B-946	10/pk
60219	4" x 4"	B-946	3/pk
60230	8" x 8"	B-946	1/pk

Electrical Voltage

60235	1/2" x 1/2"	B-946	10/pk
60191	1" x 1"	B-946	10/pk
60202	2" x 2"	B-946	10/pk
60213	4" x 4"	B-946	3/pk
60224	8" x 8"	B-946	1/pk

Explosive Atmosphere

60189	1/2" x 1/2"	B-946	10/pk
60200	1" x 1"	B-946	10/pk
60211	2" x 2"	B-946	10/pk
60222	4" x 4"	B-946	3/pk
60233	8" x 8"	B-946	1/pk

Explosive Material

60182	1/2" x 1/2"	B-946	10/pk
60193	1" x 1"	B-946	10/pk
60204	2" x 2"	B-946	10/pk
60215	4" x 4"	B-946	3/pk
60226	8" x 8"	B-946	1/pk

Flammable Material

60181	1/2" x 1/2"	B-946	10/pk
60192	1" x 1"	B-946	10/pk
60203	2" x 2"	B-946	10/pk
60214	4" x 4"	B-946	3/pk
60225	8" x 8"	B-946	1/pk

Hazardous Area

60188	1/2" x 1/2"	B-946	10/pk
60199	1" x 1"	B-946	10/pk
60210	2" x 2"	B-946	10/pk
60221	4" x 4"	B-946	3/pk
60232	8" x 8"	B-946	1/pk

Laser Beam

60187	1/2" x 1/2"	B-946	10/pk
60198	1" x 1"	B-946	10/pk
60209	2" x 2"	B-946	10/pk
60220	4" x 4"	B-946	3/pk
60231	8" x 8"	B-946	1/pk

Radioactive Material

60185	1/2" x 1/2"	B-946	10/pk
60196	1" x 1"	B-946	10/pk
60207	2" x 2"	B-946	10/pk
60218	4" x 4"	B-946	3/pk
60229	8" x 8"	B-946	1/pk

Static Sensitive Devices

60190	1/2" x 1/2"	B-946	10/pk
60201	1" x 1"	B-946	10/pk
60212	2" x 2"	B-946	10/pk
60223	4" x 4"	B-946	3/pk
60234	8" x 8"	B-946	1/pk

Toxic Material

60183	1/2" x 1/2"	B-946	10/pk
60194	1" x 1"	B-946	10/pk
60205	2" x 2"	B-946	10/pk
60216	4" x 4"	B-946	3/pk
60227	8" x 8"	B-946	1/pk

Fire Extinguisher Labels

- Fire Extinguisher labels use the most recently recommended pictorial design from NAFED (National Association of Fire Equipment Distributors)
- Label style meets the NFPA 10, 1084 Standard for Portable Fire Extinguishers Labels

45193 1-1/2"x1-1/2" B-927 6/card
95218 3" x 3" B-927 3/card

45194 1-1/2"x1-1/2" B-927 6/card
95219 3" x 3" B-927 3/card

45195 1-1/2"x1-1/2" B-927 6/card
95220 3" x 3" B-927 3/card

45196 1-1/2"x1-1/2" B-927 6/card
95221 3" x 3" B-927 3/card

95222 1-1/2" x 6" B-927 6/card

95223 1-1/2" x 6" B-927 6/card

95224 1-1/2" x 6" B-927 6/card

95225 1-1/2" x 6" B-927 6/card

95226 1-1/2" x 6" B-927 6/card

95227 1-1/2" x 6" B-927 6/card

95228 1-1/2" x 6" B-927 6/card



76303 1-1/2" x 3" B-927 3/card

"A" water based extinguishers

76299 2" x 5" B-927 5/card



"B/C" extinguishers, Carbon Dioxide, Halon 1211 and 1301, Dry Chemical.

76301 2" x 5" B-927 5/card

"A/B" extinguishers, AFFF, Foam

76300 2" x 5" B-927 5/card



"A/B/C" extinguishers, Halon 1211, Multi-Purpose Dry Chemical.

76302 2" x 5" B-927 5/card

CEMA Conveyor Safety Labels

- Conveyor Equipment Safety Labels help make your conveying equipment operations safer
- Made of B-302 high performance vinyl

96160 2-1/5" x 5" B-302 5/pk

96168 2-1/5" x 5" B-302 5/pk

96167 2-1/5" x 5" B-302 5/pk

96171 2-1/5" x 5" B-302 5/pk

96162 2-1/5" x 5" B-302 5/pk

96158 2-1/5" x 5" B-302 5/pk

96157 2-1/5" x 5" B-302 5/pk

96170 2-1/5" x 5" B-302 5/pk

96156 2-1/5" x 5" B-302 5/pk

96164 2-1/5" x 5" B-302 5/pk

96155 2-1/5" x 5" B-302 5/pk

96165 2-1/5" x 5" B-302 5/pk

96159 2-1/5" x 5" B-302 5/pk



96163 2-1/5" x 5" B-302 5/pk



96173 2-1/5" x 5" B-302 5/pk



96175 6" x 3" B-302 5/pk

96179 6" x 3" B-302 5/pk

96177 6" x 3" B-302 5/pk

96180 6" x 3" B-302 5/pk

96178 6" x 3" B-302 5/pk

Machine & Equipment Labels

- Labels communicate dangers and messages to those close to or working around machinery and equipment.
- Place these small labels on equipment to increase safety
- Made of B-302 self-sticking polyester

86271 3-1/2" x 5" B-302 5/pk

86864 3-1/2" x 5" B-302 5/pk

86841 3-1/2" x 5" B-302 5/pk

86842 3-1/2" x 5" B-302 5/pk

86843 3-1/2" x 5" B-302 5/pk



86844 3-1/2" x 5" B-302 5/pk

86846 3-1/2" x 5" B-302 5/pk



86889 3-1/2" x 5" B-302 5/pk

86866 3-1/2" x 5" B-302 5/pk



86850 3-1/2" x 5" B-302 5/pk

86847 3-1/2" x 5" B-302 5/pk



86853 3-1/2" x 5" B-302 5/pk



81963 3-1/2" x 5" B-302 5/pk

86857 3-1/2" x 5" B-302 5/pk

86260 3-1/2" x 5" B-302 5/pk



86870 3-1/2" x 5" B-302 5/pk



60372 3-1/2" x 5" B-302 5/pk



86784 3-1/2" x 5" B-302 5/pk



86786 3-1/2" x 5" B-302 5/pk



86785 3-1/2" x 5" B-302 5/pk



86783 3-1/2" x 5" B-302 5/pk



86789 3-1/2" x 5" B-302 5/pk

86895 3-1/2" x 5" B-302 5/pk

86898 3-1/2" x 5" B-302 5/pk

86913 3-1/2" x 5" B-302 5/pk

Machine & Equipment Labels (Continued)

86792 3-1/2" x 5" B-302 5/pk



86793 3-1/2" x 5" B-302 5/pk

86882 3-1/2" x 5" B-302 5/pk

86796 3-1/2" x 5" B-302 5/pk

86797 3-1/2" x 5" B-302 5/pk



86869 3-1/2" x 5" B-302 5/pk

86899 3-1/2" x 5" B-302 5/pk



86798 3-1/2" x 5" B-302 5/pk

86799 3-1/2" x 5" B-302 5/pk



86801 3-1/2" x 5" B-302 5/pk

86896 3-1/2" x 5" B-302 5/pk

86804 3-1/2" x 5" B-302 5/pk



86861 3-1/2" x 5" B-302 5/pk

86871 5" x 3-1/2" B-302 5/pk



86860 3-1/2" x 5" B-302 5/pk



86877 5" x 3-1/2" B-302 5/pk

86862 3-1/2" x 5" B-302 5/pk

86808 3-1/2" x 5" B-302 5/pk

86811 3-1/2" x 5" B-302 5/pk

86891 3-1/2" x 5" B-302 5/pk

86886 5" x 3-1/2" B-302 5/pk

86894 3-1/2" x 5" B-302 5/pk

86874 3-1/2" x 5" B-302 5/pk

86885 3-1/2" x 5" B-302 5/pk



86868 3-1/2" x 5" B-302 5/pk

86867 3-1/2" x 5" B-302 5/pk

86813 3-1/2" x 5" B-302 5/pk



86863 3-1/2" x 5" B-302 5/pk



86148 3-1/2" x 5" B-302 5/pk



60373 3-1/2" x 5" B-302 5/pk

86817 3-1/2" x 5" B-302 5/pk

86887 5" x 3-1/2" B-302 5/pk

86818 3-1/2" x 5" B-302 5/pk

86235 5" x 3-1/2" B-302 5/pk

86234 5" x 3-1/2" B-302 5/pk

Machine & Equipment Labels (Continued)

86865 3-1/2" x 5" B-302 5/pk

86248 3-1/2" x 5" B-302 5/pk

86250 3-1/2" x 5" B-302 5/pk

86194 3-1/2" x 5" B-302 5/pk

86905 3-1/2" x 5" B-302 5/pk

86859 3-1/2" x 5" B-302 5/pk

86193 3-1/2" x 5" B-302 5/pk

86909 3-1/2" x 5" B-302 5/pk

86890 3-1/2" x 5" B-302 5/pk



86879 3-1/2" x 5" B-302 5/pk

86302 3-1/2" x 5" B-302 5/pk

86880 3-1/2" x 5" B-302 5/pk



86900 3-1/2" x 5" B-302 5/pk

86901 3-1/2" x 5" B-302 5/pk

86826 3-1/2" x 5" B-302 5/pk

86828 3-1/2" x 5" B-302 5/pk

86830 3-1/2" x 5" B-302 5/pk

86832 3-1/2" x 5" B-302 5/pk

86878 3-1/2" x 5" B-302 5/pk



86902 3-1/2" x 5" B-302 5/pk

86837 3-1/2" x 5" B-302 5/pk

86903 3-1/2" x 5" B-302 5/pk

86838 3-1/2" x 5" B-302 5/pk

86839 3-1/2" x 5" B-302 5/pk

86266 5" x 3-1/2" B-302 5/pk

86243 3-1/2" x 5" B-302 5/pk

Machine & Equipment Labels (Continued)



86199 3-1/2" x 5" B-302 5/pk

86218 3-1/2" x 5" B-302 5/pk

86203 3-1/2" x 5" B-302 5/pk

86246 3-1/2" x 5" B-302 5/pk

86198 3-1/2" x 5" B-302 5/pk



86275 3-1/2" x 5" B-302 5/pk

86270 3-1/2" x 5" B-302 5/pk



86261 3-1/2" x 5" B-302 5/pk

86245 3-1/2" x 5" B-302 5/pk

86204 3-1/2" x 5" B-302 5/pk

86216 3-1/2" x 5" B-302 5/pk



86240 5" x 3-1/2" B-302 5/pk

86213 3-1/2" x 5" B-302 5/pk

86267 5" x 3-1/2" B-302 5/pk

86225 3-1/2" x 5" B-302 5/pk

Gas Cylinder Labels

- Promote safety and safe handling of gas cylinders by posting these labels around cylinders and cylinder storage area
- Labels remove cleanly, leaving no residue on surface
- Made of B-235 self-adhesive paper

60311 3" x 5" B-235 10/pk

60312 3" x 5" B-235 10/pk

60309 3" x 5" B-235 10/pk

60313 3" x 5" B-235 10/pk



60310 3" x 5" B-235 10/pk

60314 3" x 5" B-235 10/pk



60307 3" x 5" B-235 10/pk



60308 3" x 5" B-235 10/pk



60315 3" x 5" B-235 10/pk

Cabinet Labels

- Clearly identify cabinets containing chemicals and safety equipment
- Specially designed for placement on any size cabinet, including one-door and low capacity cabinets
- Made of B-302 self-adhesive laminated polyester

60284	3-1/2" x 12	B-302	1/pk
60261	7" x 24"	B-302	1/pk

60285	3-1/2" x 12	B-302	1/pk
60262	7" x 24"	B-302	1/pk

60286	3-1/2" x 12	B-302	1/pk
60263	7" x 24"	B-302	1/pk

60287	3-1/2" x 12	B-302	1/pk
60264	7" x 24"	B-302	1/pk

60288	3-1/2" x 12	B-302	1/pk
60265	7" x 24"	B-302	1/pk

60289	3-1/2" x 12	B-302	1/pk
60266	7" x 24"	B-302	1/pk



60290	3-1/2" x 12	B-302	1/pk
60267	7" x 24"	B-302	1/pk



60291	3-1/2" x 12	B-302	1/pk
60268	7" x 24"	B-302	1/pk

60292	3-1/2" x 12	B-302	1/pk
60269	7" x 24"	B-302	1/pk

60294	3-1/2" x 12	B-302	1/pk
60271	7" x 24"	B-302	1/pk

60295	3-1/2" x 12	B-302	1/pk
60272	7" x 24"	B-302	1/pk

60296	3-1/2" x 12	B-302	1/pk
60273	7" x 24"	B-302	1/pk

60297	3-1/2" x 12	B-302	1/pk
60274	7" x 24"	B-302	1/pk

60298	3-1/2" x 12	B-302	1/pk
60275	7" x 24"	B-302	1/pk

60299	3-1/2" x 12	B-302	1/pk
60276	7" x 24"	B-302	1/pk

60300	3-1/2" x 12	B-302	1/pk
60277	7" x 24"	B-302	1/pk

60301	3-1/2" x 12	B-302	1/pk
60278	7" x 24"	B-302	1/pk

60302	3-1/2" x 12	B-302	1/pk
60279	7" x 24"	B-302	1/pk

60303	3-1/2" x 12	B-302	1/pk
60280	7" x 24"	B-302	1/pk

60293	3-1/2" x 12	B-302	1/pk
60270	7" x 24"	B-302	1/pk

60304	3-1/2" x 12	B-302	1/pk
60281	7" x 24"	B-302	1/pk

60305	3-1/2" x 12	B-302	1/pk
60282	7" x 24"	B-302	1/pk

60306	3-1/2" x 12	B-302	1/pk
60283	7" x 24"	B-302	1/pk

Container Labels

- Boldly pre-printed labels leave no doubt as to the contents of containers
- Self-adhesive polyester labels are constructed from laminated polyester
- Chemically resistant for longer lable life

60243 3" x 7" 25/pk

60244 3" x 7" 25/pk

60245 3" x 7" 25/pk

60246 3" x 7" 25/pk

60247 3" x 7" 25/pk

60248 3" x 7" 25/pk

60249 3" x 7" 25/pk

60250 3" x 7" 25/pk

60251 3" x 7" 25/pk

60252 3" x 7" 25/pk

60253 3" x 7" 25/pk

60254 3" x 7" 25/pk

60255 3" x 7" 25/pk

60256 3" x 7" 25/pk

60257 3" x 7" 25/pk

60258 3" x 7" 25/pk

60259 3" x 7" 25/pk

60260 3" x 7" 25/pk

45331

49581

49554

Hard Hat Emblems

- Self-sticking and card-mounted
- B-946 indoor/outdoor vinyl film
- (4) 2" diameter labels per card

Catalog #	Description	Qty.
45331	2" Dia. Hard Hat Emblem	4
49581	2" Dia. Hard Hat Emblem	4
49554	2" Dia. Hard Hat Emblem	4

B-997 Silver Reflective Hard Hat Stripes

- (50) 1-1⁄4" x 5" stripes per package

Catalog #	Description	Qty.
95229	1-1⁄4" x 5" stripes	50

Mr. Ouch Labels

- National Electrical Manufacturers Association (NEMA) recommends use of "Mr. Ouch" labels on transformers in public
- Meets NEMA Standard and Underwriters Laboratory Performance Standard #969
- Made from B-927 tamper-resistant film

Catalog #	Description	Qty.
46347	8" x 4-1/2" Mr. Ouch Label	1

Voltage Labels

- Orange markers meet ASME (ANSI) Standard ZG3.22
  - Style A: (1) 2-1⁄4" x 9" Marker Per Card
  - Style B: (4) 1-1⁄8" x 4-1/8" Markers Per Card
  - Style C: (18) 1⁄2" x 2-1⁄4" Markers Per Card

Legend	Style A	Style B	Style C
120 Volts	44104	44204	44304
120/208 Volts	44159	44259	44359
240 Volts	44110	44210	44310
277/480 Volts	44160	44260	44360
480 Volts	44115	44215	44315
Single Phase	44129	44229	44329
Three Phase	44131	44231	44331

Gauge Marking Labels

- Color code your gauges to easily identify acceptable or dangerous levels.
- Transparent, adhesive polyester label sheets
- Standard Package: one 9" x 10" sheet

Catalog #	Description	Color	Qty.
30697	9"x10" sheet	Red	1
30698	9"x10" sheet	Green	1
30699	9"x10" sheet	Yellow	1

Write-On Magnetic Labels

- Re-useable labels with a water-soluble pen that wipes off with a wet cloth
- For a permanent label, use our permanent marking pen (87052)

Catalog #	Size	Color
56957	1" x 50'	Blue
56958	1" x 50'	Green
56959	1" x 50'	Orange
56960	1" x 50'	Red
56961	1" x 50'	White
56962	1" x 50'	Yellow

Accident Prevention Tags

- B-837 - Heavy Duty Laminated Polyester tags meet OSHA's 50 lb. pull force requirement for Tagout and have superior chemical resistance. These plastic tags are encapsulated in matte polyester laminate for superior durability. Nylon ties included.
- B-851 - Economy Polyester tags meet OSHA's 50 lb. pull force requirement for Tagout and have moderate chemical resistance. Nylon ties included.

  ** Designates tags that have a self-adhesive, clear overlaminate flap which is pressed over the face of the tag for permanent protection.*

  † Designates tags that have a larger hole without a grommet to accommodate padlocks.
- B-853 - Cardstock tags provide an economical, yet durable material option. Attachment strings included.



65372	3"x5-3/4"	B-851	25/pk
76198	3"x5-3/4"	B-851*	25/pk
65349	3"x5-3/4"	B-851†	25/pk



65373	3"x5-3/4"	B-851	25/pk
76197	3"x5-3/4"	B-851*	25/pk
65350	3"x5-3/4"	B-851†	25/pk

76168	3"x5-3/4"	B-851	25/pk
76193	3"x5-3/4"	B-851*	25/pk
65348	3"x5-3/4"	B-851†	25/pk



86433	5-3/4" x 3"	B-837	10/pk
86494	7" x 4"	B-837	10/pk
86552	5-3/4" x 3"	B-851	10/pk
86607	7" x 4"	B-851	10/pk
86662	5-3/4" x 3"	B-853	10/pk
86717	7" x 4"	B-853	10/pk

86427	5-3/4" x 3"	B-837	10/pk
86488	7" x 4"	B-837	10/pk
86546	5-3/4" x 3"	B-851	10/pk
86601	7" x 4"	B-851	10/pk
86656	5-3/4" x 3"	B-853	100/pk
86711	7" x 4"	B-853	100/pk

86426	5-3/4" x 3"	B-837	10/pk
86487	7" x 4"	B-837	10/pk
86545	5-3/4" x 3"	B-851	10/pk
86600	7" x 4"	B-851	10/pk
86655	5-3/4" x 3"	B-853	100/pk
86710	7" x 4"	B-853	100/pk

86428	5-3/4" x 3"	B-837	10/pk
86489	7" x 4"	B-837	10/pk
86547	5-3/4" x 3"	B-851	10/pk
86602	7" x 4"	B-851	10/pk
86657	5-3/4" x 3"	B-853	100/pk
86712	7" x 4"	B-853	100/pk

86425	5-3/4" x 3"	B-837	10/pk
86486	7" x 4"	B-837	10/pk
86544	5-3/4" x 3"	B-851	10/pk
86599	7" x 4"	B-851	10/pk
86654	5-3/4" x 3"	B-853	100/pk
86709	7" x 4"	B-853	100/pk

86424	5-3/4" x 3"	B-837	10/pk
86485	7" x 4"	B-837	10/pk
86543	5-3/4" x 3"	B-851	10/pk
86598	7" x 4"	B-851	10/pk
86653	5-3/4" x 3"	B-853	100/pk
86608	7" x 4"	B-853	100/pk

86430	5-3/4" x 3"	B-837	10/pk
86491	7" x 4"	B-837	10/pk
86549	5-3/4" x 3"	B-851	10/pk
86604	7" x 4"	B-851	10/pk
86659	5-3/4" x 3"	B-853	100/pk
86714	7" x 4"	B-853	100/pk

76171	3"x5-3/4"	B-851	25/pk
76192	3"x5-3/4"	B-851*	25/pk
65347	3"x5-3/4"	B-851†	25/pk

86420	5-3/4" x 3"	B-837	10/pk
86481	7" x 4"	B-837	10/pk
86539	5-3/4" x 3"	B-851	10/pk
86594	7" x 4"	B-851	10/pk
86649	5-3/4" x 3"	B-853	100/pk
86704	7" x 4"	B-853	100/pk

86421	5-3/4" x 3"	B-837	10/pk
86482	7" x 4"	B-837	10/pk
86540	5-3/4" x 3"	B-851	10/pk
86595	7" x 4"	B-851	10/pk
86650	5-3/4" x 3"	B-853	100/pk
86705	7" x 4"	B-853	100/pk

86431	5-3/4" x 3"	B-837	10/pk
86492	7" x 4"	B-837	10/pk
86550	5-3/4" x 3"	B-851	10/pk
86605	7" x 4"	B-851	10/pk
86660	5-3/4" x 3"	B-853	100/pk
86715	7" x 4"	B-853	100/pk

86404	5-3/4" x 3"	B-837	10/pk
86465	7" x 4"	B-837	10/pk
86523	5-3/4" x 3"	B-851	10/pk
86578	7" x 4"	B-851	10/pk
86633	5-3/4" x 3"	B-853	100/pk
86688	7" x 4"	B-853	100/pk

Accident Prevention Tags (Continued)

86407	5-3/4" x 3"	B-837	10/pk
86468	7" x 4"	B-837	10/pk
86526	5-3/4" x 3"	B-851	10/pk
86581	7" x 4"	B-851	10/pk
86636	5-3/4" x 3"	B-853	100/pk
86691	7" x 4"	B-853	100/pk

86406	5-3/4" x 3"	B-837	10/pk
86467	7" x 4"	B-837	10/pk
86525	5-3/4" x 3"	B-851	10/pk
86580	7" x 4"	B-851	10/pk
86635	5-3/4" x 3"	B-853	100/pk
86690	7" x 4"	B-853	100/pk

86409	5-3/4" x 3"	B-837	10/pk
86470	7" x 4"	B-837	10/pk
86528	5-3/4" x 3"	B-851	10/pk
86583	7" x 4"	B-851	10/pk
86638	5-3/4" x 3"	B-853	100/pk
86693	7" x 4"	B-853	100/pk

86414	5-3/4" x 3"	B-837	10/pk
86475	7" x 4"	B-837	10/pk
86533	5-3/4" x 3"	B-851	10/pk
86588	7" x 4"	B-851	10/pk
86643	5-3/4" x 3"	B-853	100/pk
86698	7" x 4"	B-853	100/pk

86403	5-3/4" x 3"	B-837	10/pk
86464	7" x 4"	B-837	10/pk
86522	5-3/4" x 3"	B-851	10/pk
86577	7" x 4"	B-851	10/pk
86632	5-3/4" x 3"	B-853	100/pk
86687	7" x 4"	B-853	100/pk

86411	5-3/4" x 3"	B-837	10/pk
86472	7" x 4"	B-837	10/pk
86530	5-3/4" x 3"	B-851	10/pk
86585	7" x 4"	B-851	10/pk
86640	5-3/4" x 3"	B-853	100/pk
86695	7" x 4"	B-853	100/pk

86422	5-3/4" x 3"	B-837	10/pk
86483	7" x 4"	B-837	10/pk
86541	5-3/4" x 3"	B-851	10/pk
86596	7" x 4"	B-851	10/pk
86651	5-3/4" x 3"	B-853	100/pk
86706	7" x 4"	B-853	100/pk



86423	5-3/4" x 3"	B-837	10/pk
86484	7" x 4"	B-837	10/pk
86542	5-3/4" x 3"	B-851	10/pk
86597	7" x 4"	B-851	10/pk
86652	5-3/4" x 3"	B-853	100/pk
86707	7" x 4"	B-853	100/pk

86415	5-3/4" x 3"	B-837	10/pk
86476	7" x 4"	B-837	10/pk
86534	5-3/4" x 3"	B-851	10/pk
86589	7" x 4"	B-851	10/pk
86644	5-3/4" x 3"	B-853	100/pk
86699	7" x 4"	B-853	100/pk

86429	5-3/4" x 3"	B-837	10/pk
86490	7" x 4"	B-837	10/pk
86548	5-3/4" x 3"	B-851	10/pk
86603	7" x 4"	B-851	10/pk
86658	5-3/4" x 3"	B-853	100/pk
86713	7" x 4"	B-853	100/pk

86408	5-3/4" x 3"	B-837	10/pk
86469	7" x 4"	B-837	10/pk
86527	5-3/4" x 3"	B-851	10/pk
86582	7" x 4"	B-851	10/pk
86637	5-3/4" x 3"	B-853	100/pk
86692	7" x 4"	B-853	100/pk

86410	5-3/4" x 3"	B-837	10/pk
86471	7" x 4"	B-837	10/pk
86529	5-3/4" x 3"	B-851	10/pk
86584	7" x 4"	B-851	10/pk
86639	5-3/4" x 3"	B-853	100/pk
86694	7" x 4"	B-853	100/pk

86432	5-3/4" x 3"	B-837	10/pk
86493	7" x 4"	B-837	10/pk
86551	5-3/4" x 3"	B-851	10/pk
86606	7" x 4"	B-851	10/pk
86661	5-3/4" x 3"	B-853	100/pk
86716	7" x 4"	B-853	100/pk

86416	5-3/4" x 3"	B-837	10/pk
86477	7" x 4"	B-837	10/pk
86535	5-3/4" x 3"	B-851	10/pk
86590	7" x 4"	B-851	10/pk
86645	5-3/4" x 3"	B-853	100/pk
86700	7" x 4"	B-853	100/pk

86413	5-3/4" x 3"	B-837	10/pk
86474	7" x 4"	B-837	10/pk
86532	5-3/4" x 3"	B-851	10/pk
86587	7" x 4"	B-851	10/pk
86642	5-3/4" x 3"	B-853	100/pk
86697	7" x 4"	B-853	100/pk



86417	5-3/4" x 3"	B-837	10/pk
86478	7" x 4"	B-837	10/pk
86536	5-3/4" x 3"	B-851	10/pk
86591	7" x 4"	B-851	10/pk
86646	5-3/4" x 3"	B-853	100/pk
86701	7" x 4"	B-853	100/pk

86405	5-3/4" x 3"	B-837	10/pk
86466	7" x 4"	B-837	10/pk
86524	5-3/4" x 3"	B-851	10/pk
86579	7" x 4"	B-851	10/pk
86634	5-3/4" x 3"	B-853	100/pk
86689	7" x 4"	B-853	100/pk

86495	7" x 4"	B-837	10/pk
86553	5-3/4" x 3"	B-851	10/pk
86708	7" x 4"	B-851	10/pk
86663	5-3/4" x 3"	B-853	100/pk
86718	7" x 4"	B-853	100/pk

86434	5-3/4" x 3"	B-837	10/pk
86496	7" x 4"	B-837	10/pk
86554	5-3/4" x 3"	B-851	10/pk
86609	7" x 4"	B-851	10/pk
86664	5-3/4" x 3"	B-853	100/pk
86719	7" x 4"	B-853	100/pk

86418	5-3/4" x 3"	B-837	10/pk
86479	7" x 4"	B-837	10/pk
86537	5-3/4" x 3"	B-851	10/pk
86592	7" x 4"	B-851	10/pk
86647	5-3/4" x 3"	B-853	100/pk
86702	7" x 4"	B-853	100/pk

Confined Space Tags

- Tags meet OSHA Standard 1910.146 for identifying confined spaces
- B-837 Heavy Duty Laminated Polyester tags meet OSHA's 50 lb. pull force requirement for Tagout and have superior chemical resistance. These plastic tags are encapsulated in matte polyester laminate for superior durability. Nylon ties included.
- B-851 Economy Polyester tags meet OSHA's 50 lb. pull force requirement for Tagout and have moderate chemical resistance. Nylon ties included.
- B-853 Cardstock tags provide an economical, yet durable material option. Attachment strings included.



49228	5-3/4" x 3"	B-851	25/pk
49234	5-3/4" x 3"	B-837	25/pk



49227	5-3/4" x 3"	B-851	25/pk
50275	5-3/4" x 3"	B-837	25/pk



66322	5-3/4" x 3"	B-837	25/pk
66324	5-3/4" x 3"	B-851	25/pk
65457	5-3/4" x 3"	B-853	25/pk

50282	5-3/4" x 3"	B-851	25/pk
50248	5-3/4" x 3"	B-837	25/pk

50286	5-3/4" x 3"	B-851	25/pk
50287	5-3/4" x 3"	B-837	25/pk

50290	5-3/4" x 3"	B-851	25/pk
50291	5-3/4" x 3"	B-837	25/pk

65299	5-3/4" x 3"	B-837	25/pk
65270	5-3/4" x 3"	B-851	25/pk
65456	5-3/4" x 3"	B-853	25/pk

Isolation Blind Tags

- Made from 10-mil polyester (B-851) and has excellent outdoor weather resistance
- 3" x 5-3/4" tag with 3/8" dia. hole with rolled brass eyelet
- Exceeds OSHA 50-lb pull strength requirement for Tagout
- Includes 25 nylon cable ties

132421	5-3/4" x 3"	B-851	25/pk

132422	5-3/4" x 3"	B-851	25/pk

132424	5-3/4" x 3"	B-851	25/pk

132423	5-3/4" x 3"	B-851	25/pk

132425	5-3/4" x 3"	B-851	25/pk

Customize It! Flag-Style Blind Notification Tags can be customized with text, serialization, and perforation (for safe record keeping).

Call Brady Customer Service to get a quote today!

Flag Style Blind Tag

- Made from 10-mil polyester (B-851)
- 3/8" diameter hole with rolled brass eyelet
- Excellent outdoor weather resistance, highly visual for safety warnings
- Exceeds OSHA 50-lb pull strength requirement for Tagout
- Includes 25 nylon cable ties

Catalog #	Legend	Size	Color	Qty.
132452	Install Blind Here	2" x 20"	Black on Green	25
132453	Isolation Blind	2" x 20"	Black on Red	25
132454	Blind Installed	2" x 20"	Black on Red	25

Inspection / Material Control Tags

- Tags meet OSHA Standard 1910.145 for accident prevention
- B-837 Heavy Duty Laminated Polyester tags meet OSHA's 50 lb. pull force requirement for Tagout and have superior chemical resistance. These plastic tags are encapsulated in matte polyester laminate for superior durability. Nylon ties included.
- B-851 Economy Polyester tags meet OSHA's 50 lb. pull force requirement for Tagout and have moderate chemical resistance. Nylon ties included.
- B-853 Cardstock tags provide an economical, yet durable material option. Attachment strings included.

Recharge Maintenance / Inspection Tags



76222 5-3/4" x 3" B-851 25/pk



65371 5-3/4" x 3" B-851 25/pk



86435	5-3/4" x 3"	B-837	10/pk
86497	7" x 4"	B-837	10/pk
86562	5-3/4" x 3"	B-851	10/pk
86617	7" x 4"	B-851	10/pk
86672	5-3/4" x 3"	B-853	100/pk
86727	7" x 4"	B-853	100/pk



86446	5-3/4" x 3"	B-837	10/pk
86508	7" x 4"	B-837	10/pk
86560	5-3/4" x 3"	B-851	10/pk
86615	7" x 4"	B-851	10/pk
86670	5-3/4" x 3"	B-853	100/pk
86725	7" x 4"	B-853	100/pk



86437	5-3/4" x 3"	B-837	10/pk
86499	7" x 4"	B-837	10/pk
86564	5-3/4" x 3"	B-851	10/pk
86619	7" x 4"	B-851	10/pk
86674	5-3/4" x 3"	B-853	100/pk
86729	7" x 4"	B-853	100/pk



86444	5-3/4" x 3"	B-837	10/pk
86506	7" x 4"	B-837	10/pk
86558	5-3/4" x 3"	B-851	10/pk
86613	7" x 4"	B-851	10/pk
86668	5-3/4" x 3"	B-853	100/pk
86723	7" x 4"	B-853	100/pk

86438	5-3/4" x 3"	B-837	10/pk
86500	7" x 4"	B-837	10/pk
86565	5-3/4" x 3"	B-853	100/pk
86620	7" x 4"	B-851	10/pk
86675	5-3/4" x 3"	B-853	100/pk
86730	7" x 4"	B-853	100/pk



86441	5-3/4" x 3"	B-837	10/pk
86503	7" x 4"	B-837	10/pk
86555	5-3/4" x 3"	B-851	10/pk
86610	7" x 4"	B-851	10/pk
86665	5-3/4" x 3"	B-853	100/pk
86720	7" x 4"	B-853	100/pk

86447	5-3/4" x 3"	B-837	10/pk
86509	7" x 4"	B-837	10/pk
86561	5-3/4" x 3"	B-851	10/pk
86616	7" x 4"	B-851	10/pk
86671	5-3/4" x 3"	B-853	100/pk
86726	7" x 4"	B-853	100/pk

86445	5-3/4" x 3"	B-837	10/pk
86507	7" x 4"	B-837	10/pk
86559	5-3/4" x 3"	B-851	10/pk
86614	7" x 4"	B-851	10/pk
86669	5-3/4" x 3"	B-853	100/pk
86724	7" x 4"	B-853	100/pk

86449	5-3/4" x 3"	B-837	10/pk
86511	7" x 4"	B-837	10/pk
86569	5-3/4" x 3"	B-851	10/pk
86624	7" x 4"	B-851	10/pk
86679	5-3/4" x 3"	B-853	100/pk
86734	7" x 4"	B-853	100/pk

86442	5-3/4" x 3"	B-837	10/pk
86504	7" x 4"	B-837	10/pk
86556	5-3/4" x 3"	B-851	10/pk
86611	7" x 4"	B-851	10/pk
86666	5-3/4" x 3"	B-853	100/pk
86721	7" x 4"	B-853	100/pk

86443	5-3/4" x 3"	B-837	10/pk
86505	7" x 4"	B-837	10/pk
86557	5-3/4" x 3"	B-851	10/pk
86612	7" x 4"	B-851	10/pk
86667	5-3/4" x 3"	B-853	100/pk
86722	7" x 4"	B-853	100/pk

86439	5-3/4" x 3"	B-837	10/pk
86501	7" x 4"	B-837	10/pk
86566	5-3/4" x 3"	B-851	10/pk
86621	7" x 4"	B-851	10/pk
86676	5-3/4" x 3"	B-853	100/pk
86731	7" x 4"	B-853	100/pk

86450	5-3/4" x 3"	B-837	10/pk
86512	7" x 4"	B-837	10/pk
86570	5-3/4" x 3"	B-851	10/pk
86625	7" x 4"	B-851	10/pk
86680	5-3/4" x 3"	B-853	100/pk
86735	7" x 4"	B-853	100/pk

86436	5-3/4" x 3"	B-837	10/pk
86498	7" x 4"	B-837	10/pk
86563	5-3/4" x 3"	B-851	10/pk
86618	7" x 4"	B-851	10/pk
86673	5-3/4" x 3"	B-853	100/pk
86728	7" x 4"	B-853	100/pk



86451	5-3/4" x 3"	B-837	10/pk
86513	7" x 4"	B-837	10/pk
86571	5-3/4" x 3"	B-851	10/pk
86626	7" x 4"	B-851	10/pk
86681	5-3/4" x 3"	B-853	100/pk
86736	7" x 4"	B-853	100/pk

86448	5-3/4" x 3"	B-837	10/pk
86510	7" x 4"	B-837	10/pk
86568	5-3/4" x 3"	B-851	10/pk
86623	7" x 4"	B-851	10/pk
86678	5-3/4" x 3"	B-853	100/pk
86733	7" x 4"	B-853	100/pk

Tags

www.BradyID.com



Self-Laminating Tags

- Self-laminating tags can be personalized by writing on special instructions, hazards or warning. Then protect and seal your message with the clear adhesive overlay.
- Constructed of B-851 Economy Polyester with a 1 mil polyester overlay
- Meet OSHA's 50 lb. pull force requirement for Tagout and have moderate chemical resistance. Nylon ties included.

86455	5-3/4" x 3"	B-851	10/pk
81991	7" x 4"	B-851	10/pk

86460	5-3/4" x 3"	B-851	10/pk
86518	7" x 4"	B-851	10/pk

86458	5-3/4" x 3"	B-851	10/pk
86516	7" x 4"	B-851	10/pk

65501	5-3/4" x 3"	B-851	10/pk
96222	7" x 4"	B-851	10/pk

86461	5-3/4" x 3"	B-851	10/pk
86519	7" x 4"	B-851	10/pk

86459	5-3/4" x 3"	B-851	10/pk
86517	7" x 4"	B-851	10/pk

86456	5-3/4" x 3"	B-851	10/pk
86514	7" x 4"	B-851	10/pk

86457	5-3/4" x 3"	B-851	10/pk
86515	7" x 4"	B-851	10/pk

Additional Lockout Tags

For additional Lockout Tags, view page 404

Self-Laminating Blank Tags

- Flexible and versatile tags perform multiple roles in URD and related-cable marking
- These 10 mil polyester tags flex and conform easily to cable of any size
- Clear self-laminating overlay protects written information from water

Catalog #	Size	Color	Qty.
101991	2" x 3"	White	25/pk
102015	2.5" x 4"	White	25/pk
101973	3" x 1.5"	White	25/pk
102003	3" x 3"	White	25/pk
101997	4" x 2"	White	25/pk
101979	5" x 1.5"	White	25/pk
102016	5" x 2.5"	White	25/pk
102009	5" x 3.25"	White	25/pk
101992	2" x 3"	Yellow	25/pk
101974	3" x 1.5"	Yellow	25/pk
102004	3" x 3"	Yellow	25/pk
101998	4" x 2"	Yellow	25/pk
101980	5" x 1.5"	Yellow	25/pk
102017	5" x 2.5"	Yellow	25/pk
102010	5" x 3.25"	Yellow	25/pk
101995	2" x 3"	Blue	25/pk
101977	3" x 1.5"	Blue	25/pk
102007	3" x 3"	Blue	25/pk
102001	4" x 2"	Blue	25/pk
101983	5" x 1.5"	Blue	25/pk
102020	5" x 2.5"	Blue	25/pk
102013	5" x 3.25"	Blue	25/pk

Catalog #	Size	Color	Qty.
101994	2" x 3"	Green	25/pk
101976	3" x 1.5"	Green	25/pk
102006	3" x 3"	Green	25/pk
102000	4" x 2"	Green	25/pk
101982	5" x 1.5"	Green	25/pk
102019	5" x 2.5"	Green	25/pk
102012	5" x 3.25"	Green	25/pk
101996	2" x 3"	Orange	25/pk
101978	3" x 1.5"	Orange	25/pk
102008	3" x 3"	Orange	25/pk
102002	4" x 2"	Orange	25/pk
101984	5" x 1.5"	Orange	25/pk
102021	5" x 2.5"	Orange	25/pk
102014	5" x 3.25"	Orange	25/pk
101993	2" x 3"	Red	25/pk
101975	3" x 1.5"	Red	25/pk
102005	3" x 3"	Red	25/pk
101999	4" x 2"	Red	25/pk
101981	5" x 1.5"	Red	25/pk
102018	5" x 2.5"	Red	25/pk
102011	5" x 3.25"	Red	25/pk

Production Status Tags

- Designed to help you monitor and control production and equipment maintenance
- Made of durable B-853 cardstock with 3⁄8" metal grommet. String attachments included
- All tag backs are blank



86775 3" x 5-3⁄4" B-853 100/pk

86774 3" x 5-3⁄4" B-853 100/pk



86743 3" x 5-3⁄4" B-853 100/pk

86750 3" x 5-3⁄4" B-853 100/pk

86753 3" x 5-3⁄4" B-853 100/pk



86754 3" x 5-3⁄4" B-853 100/pk



86756 3" x 5-3⁄4" B-853 100/pk



86763 3" x 5-3⁄4" B-853 100/pk

86762 3" x 5-3⁄4" B-853 100/pk

86746 3" x 5-3⁄4" B-853 100/pk



86747 3" x 5-3⁄4" B-853 100/pk



86752 3" x 5-3⁄4" B-853 100/pk

86748 3" x 5-3⁄4" B-853 100/pk

86749 3" x 5-3⁄4" B-853 100/pk



86740 3" x 5-3⁄4" B-853 100/pk



86772 3" x 5-3⁄4" B-853 100/pk



86768 3" x 5-3⁄4" B-853 100/pk



86779 3" x 5-3⁄4" B-853 100/pk

86773 3" x 5-3⁄4" B-853 100/pk

86761 3" x 5-3⁄4" B-853 100/pk



86760 3" x 5-3⁄4" B-853 100/pk



86751 3" x 5-3⁄4" B-853 100/pk



86757 3" x 5-3⁄4" B-853 100/pk



86769 3" x 5-3⁄4" B-853 100/pk



86771 3" x 5-3⁄4" B-853 100/pk

86744 3" x 5-3⁄4" B-853 100/pk

86745 3" x 5-3⁄4" B-853 100/pk

86780 3" x 5-3⁄4" B-853 100/pk



86781 3" x 5-3⁄4" B-853 100/pk



86755 3" x 5-3⁄4" B-853 100/pk



86776 3" x 5-3⁄4" B-853 100/pk



86777 3" x 5-3⁄4" B-853 100/pk



86778 3" x 5-3⁄4" B-853 100/pk

86767 3" x 5-3⁄4" B-853 100/pk



86765 3" x 5-3⁄4" B-853 100/pk



86764 3" x 5-3⁄4" B-853 100/pk



86766 3" x 5-3⁄4" B-853 100/pk

86759 3" x 5-3⁄4" B-853 100/pk



86758 3" x 5-3⁄4" B-853 100/pk



86741 3" x 5-3⁄4" B-853 100/pk

86770 3" x 5-3⁄4" B-853 100/pk



86742 3" x 5-3⁄4" B-853 100/pk

Scaffolding Tags

www.BradyID.com

Scafftag® Scaffolding Tags

- 5-3⁄4" x 3" tags feature two chamfered corners and a 3/8" grommeted hole
- Available in a variety of materials:
  - B-837 - Heavy Duty Laminated Polyester (10/pack with nylon fasteners)
  - B-851 - Economy Polyester (10/pack with nylon fasteners)
  - B-853 - Cardstock (100/pack with string fasteners)

86452	5-3⁄4" x 3"	B-837	10/pk
89017	7" x 4"	B-837	10/pk
86572	5-3⁄4" x 3"	B-851	10/pk
86627	7" x 4"	B-851	10/pk
86682	5-3⁄4" x 3"	B-853	100/pk
86737	7" x 4"	B-853	100/pk

86453	5-3⁄4" x 3"	B-837	10/pk
89018	7" x 4"	B-837	10/pk
86573	5-3⁄4" x 3"	B-851	10/pk
86628	7" x 4"	B-851	10/pk
86683	5-3⁄4" x 3"	B-853	100/pk
86738	7" x 4"	B-853	100/pk

86454	5-3⁄4" x 3"	B-837	10/pk
86502	7" x 4"	B-837	10/pk
86574	5-3⁄4" x 3"	B-851	10/pk
86629	7" x 4"	B-851	10/pk
86684	5-3⁄4" x 3"	B-853	100/pk
86739	7" x 4"	B-853	100/pk

Scaffolding Tag Holder

- 0.060" thick plastic tag holder with clear front pocket
- 12" x 4-1⁄2" holder accommodates tags with a size of 5-3⁄4" x 3"

Catalog #	Description
48111	Holder Only
48112	Holder Kit (holder + 3 tags)

Scafftag® Scaffolding Tags

- Provides system, procedural and legal compliance for scaffolds on worksites
- Provides a clear inspection trail giving integrity and control of work carried out
- Essential for companies working with ISO9000 clients

Catalog #	Description	Size	Color	Qty.
SCAF-STH132	Holders	11-3/4" x 3-1/2"	White	10/box
SCAF-STH146	Holders	11-3/4" x 3-1/2"	Red	10/box
SCAF-STSI593	Inspection Inserts	3-1/4" x 7-5/8"	Green	100/pkg
SCAF-STSI594	Caution Inserts	3-1/4" x 7-5/8"	Yellow	100/pkg
SCAF-STH132A	Standard Kit*	-	White	1 kit
SCAF2-STHUSA	Scafftag II Holder	11-1/2" x 6"	White	10/box
SCAF-STSI751	Inspection Inserts	5-3/4" x 7-5/8"	Green	100/pkg
SCAF2-STHUSAA	Scafftag II Kit*	-	White	1 kit

Kits include 10 Holders, 20 Inserts and 1 Pen

LadderTags™

LADDERTAG™ is a complete ladder safety management system. Regulations require ladders to be checked for damage, faults and wear before use by an authorized user, and may assist with the requirements of CFR 1926.1053 (a) (12), (b) (17) (i) (ii) and CFR 1910.25 (d) (1) (X)

Catalog #	Description	Size	Color	Qty.
LAD-EITH12	Holders	2-1/4" x 8-1/4"	White	10/box
LAD-EITL521	Inserts	2" x 6-1/2"	Yellow	100/pkg
LAD-EITH/L12	Kit*	-	White	1 kit

Kit includes 10 holders, 10 inserts and 1 pen

Micro Tag

A safety system which is particularly useful for identifying small plant, equipment, lifting gear and safety harnesses. Color coded and date qualified, the system also has the facility to render equipment in a 'prohibition status' should it be found to be faulty between inspection dates. Meets the requirements for OSHA CFR 1926.502 (d) (21) Personal Fall Arrest systems.

Catalog #	Description	Size	Color	Qty.
MIC-MTIGPI G	Next Inspection Date Due	1-7/8" x 1-1/4"	Green	100
MIC-MTIGPI R	Next Inspection Date Due	1-7/8" x 1-1/4"	Red	100
MIC-MTIGPI Y	Next Inspection Date Due	1-7/8" x 1-1/4"	Yellow	100
MIC-MTHSTD04	Microtag Kit*			1

**Kit includes 20 holders, 40 cables ties and 1 pen*

Forklift™ Tag

Assists with the requirements of 1910.178 (q) (7) pre-use preventative maintenance and safety inspection for forklift trucks. The FORKLIFT™ holder is permanently attached to the cage of the forklift truck and displays the prohibition sign and the script "DO NOT USE". The FORKLIFT™ insert shows in written and graphic format the daily or pre-shift, inspections be carried out by the first user.

Catalog #	Description	Size	Color	Qty.
FLT-ETSH9	Forklift Holder	11-1/2" x 6"	White	10
FLT-ETSI51	Forklift Inserts	5-3/4" x 7-5/8"	Blue/Yellow	100
FLT-ETSH9A	Forklift Kit*			1

**Kit includes 10 holders, 10 status inserts and 1 pen*

MultiTag®

Assists with the identification and preventative maintenance requirements of a range of equipment, and may assist with the requirements of CFR 1926.1053 (a) (12), (b) (17) (i) (ii) and CFR 1910.25 (d) (1) (X). US Patent # 314,016

Catalog #	Description	Size	Color	Qty.
MUL-EITHUSA01	Multitag Holder	2-1/4" x 8-1/4"	White	10
MUL-EITL535	Multitag Inserts	2" x 6-1/2"	Green	100
MUL-EITHUSA01A	Multitag Kit			1

**Kit includes 10 holders, 10 inserts and 1 pen*

EntryTag®

Works in conjunction with existing permit to work systems and assist with the requirements of CFR 1910.146 (c) (2), (d) (11) and (f) (2). ENTRYTAG® is a visual reminder to authorized personnel and assists in instructing non authorized personnel of the critical requirements contained within the permit to work. The system clearly states the minimum requirements of entry to the confined space or whether the area is in prohibition and cannot be entered.

Catalog #	Description	Size	Color	Qty.
ENT-ETSH157	Entrytag Holder	11-1/4" x 6"	White	10
ENT-ETSI532	Standard Inserts	5-3/4" x 7-5/8"	Green	100
MUL-EITL 230	Man In Tank Tag	2" x 6-1/2"	Yellow	100
ENT-ETSH157A	Entry Tag Kit*			1

**Kit includes 10 holders, 20 status inserts and 1 pen*

Cylinder Status Tags

- Clearly inform user of status of cylinder contents
- Available in a the following materials:
  - B-851 - Economy Polyester (10/pack with nylon fasteners)
  - B-853 - Cardstock (100/pack with string fasteners)



17926	5-3/4" x 3"	B-851	10/pk
17925	5-3/4" x 3"	B-853	100/pk



17928	5-3/4" x 3"	B-851	10/pk
17927	5-3/4" x 3"	B-853	100/pk

17928	5-3/4" x 3"	B-851	10/pk
17927	5-3/4" x 3"	B-853	100/pk

Aluminum Write-On Tags

- B-184 Dead Soft Aluminum Foil laminated to a cardboard backing (includes plastic lock-on ties)
- Long-lasting indoor performance for handwritten or typed images (Not intended for outdoor use)

Catalog #	Description	Qty.
23199	3-1/2" x 1/8" Aluminum Write-On Tags	25/pk

Color-Coded Plasti-Tags

- Smooth write-on surface
- Rigid 10 mil blank tags with nylon ties
- Available in both square and round varieties

Catalog #	Size	Color	Qty.
56927	2-1/5" x 3-1/2"	White	25/pk
56932	3" Round	White	25/pk
56926	2-1/5" x 3-1/2"	Yellow	25/pk
56931	3" Round	Yellow	25/pk
56928	2-1/5" x 3-1/2"	Blue	25/pk
56933	3" Round	Blue	25/pk
56929	2-1/5" x 3-1/2"	Green	25/pk
56934	3" Round	Green	25/pk
56930	2-1/5" x 3-1/2"	Red	25/pk
56935	3" Round	Red	25/pk

Color-Coded Lock-On Tags

- Long-lasting plastic tags lock onto itself
- Resists moisture, grease and dirt

Catalog #	Size	Color	Qty.
30680	5-4/5" x 3-1/4"	White	25/pk
30684	5-4/5" x 3-1/4"	Yellow	25/pk
30682	5-4/5" x 3-1/4"	Blue	25/pk
30683	5-4/5" x 3-1/4"	Green	25/pk
30681	5-4/5" x 3-1/4"	Red	25/pk

Metal Write-On Tags

- Durable metal accepts most marking pens and includes nylon tie
- Metal can be bent and straightened without cracking

Catalog #	Size	Color	Qty.
56937	5" x 3"	White	1 ea
56936	5" x 3"	Yellow	1 ea
56938	5" x 3"	Blue	1 ea
56939	5" x 3"	Green	1 ea
56940	5" x 3"	Red	1 ea

1-Pocket Economy Tag Holder

- Compact, clear plastic holder is designed to hold 50 tags, ties and a marking pen
- Comes with adhesive strips, magnetic strips, and screws for mounting in a variety of ways
- Dimensions: 7-1/2"H x 4-1/2"W x 1-1/2"D
- Tags and pen not included

Catalog #	Description
TH2	1-Pocket Economy Tag Holder

Pocket Premium Tag Center

- Acrylic center features 8 pockets for displaying and dispensing tags
- Each polystyrene pocket holds up to 30 tags
- Four pre-drilled holes for wall mounting
- Dimensions: 15-3/4"H x 23-1/2"W x 2"D
- Tags not included

Catalog #	Description
TC8	8-Pocket Premium Tag Center

10-Pocket Tag Safety Station

- Made of rugged polycarbonate
- Four pre-drilled holes for wall mounting
- Dimensions: 22"H x 16-1/2"W x 2-1/4"D
- Tags not included

Catalog #	Description
81773	10-Pocket Tag Safety Station



Tag Fasteners

- Three fastener styles available to meet every application
- Nylon fasteners meet OSHA requirements for attaching tagout devices

Catalog #	Description	Qty.
81760	12" 26 Gauge Wire	100
81761	8" Reusable Beaded Ties	100
81762	8" Nylon Fasteners	100

Magnetic Backed Envelope Open-Ended

Magnetic-Backed Protective Envelopes

- Transparent, durable vinyl construction protects against weather damage and soiling
- Ideal for indoor or outdoor use
- Protects tags and data cards on machinery, valves, switches, controls, and more

Catalog #	Size	Qty.
81769	4-1/2" x 6-1/2"	10
81770	5-1/2" x 8-1/2"	10

Zip Lock Envelope

Zip-Lock Protective Envelopes

- Transparent, durable vinyl construction protects against weather damage and soiling
- Ideal for indoor or outdoor use
- Protects tags and data cards on machinery, valves, switches, controls, and more

Catalog #	Size	Qty.
81765	4-1/2" x 6-1/2" (w/o grommet)	10
81766	4-1/2" x 6-1/2" (w/grommet)	10
81767	5-1/2" x 8-1/2" (w/o grommet)	10
81768	5-1/2" x 8-1/2" (w/grommet)	10

Valve Tags

www.BradyID.com

ASME A13.1

Recommends the use of a permanently legible tag for identification of materials in pipes less than 3⁄4" (19mm) in diameter.

B-418 Durable Plastic Tags

- Durable Plastic Tags are lightweight, non-corrosive, non-conductive and impact resistant
- Tag withstands temperatures between -40°F to 260°F
- Rounded corners and hole punched

Catalog #	3"x1-1/2"	4"x2-1/2"
White	87696	87697
Orange	87694	87695
Red	41924	41925
Yellow	41922	41923
Black	41920	41921
Blue	41926	41927
Brown	87710	87711
Tan	87712	87713
Grey	87698	87699
Green	41928	41929
Variety Pack	142133	

** Variety Pack combines 30 tags including at least one of each size and color. Perfect for evaluating which sizes and colors you need.*

B-919 Blank Stainless Steel Tags

- Ideal for harsh environments or where a stainless steel material is specified
- Tag hole is 3⁄16"

Catalog #	Size	Qty.
44400	1-1⁄2" Round	25
44401	1-1⁄2" Square	25
44402	2" Round	25
44403	2" Square	25

B-906 Blank Aluminum Tags

- Anodized aluminum is dyed to offer color-coding options not available with brass tags
- Choose from 1-1⁄2" or 2" round styles
- Standard package: 25 tags

Catalog #	2" Round	2" Square	1-1/2" Round	1-1/2" Square
Black	87612	87637	87605	87619
Blue	49907	87641	49902	87629
Gold	87608	87633	87601	87615
Green	49908	87642	49903	87630
Light Blue	87613	87638	87606	87620
Natural	49909	87643	49904	87631
Olive Drab	87609	87634	87602	87616
Orange	87611	87636	87604	87618
Pink	87610	87635	87603	87617
Red	49906	87640	49901	87628
Violet	87607	87632	87600	87614
Yellow	49905	87639	49900	87627

B-907 Stamped Brass Valve Tags

- 1-1⁄2" diameter stamped valve tags constructed from 19 gauge cartridge brass (40 mils thick)

Catalog #	Bottom Line Number Sequence	Qty.
23200	1 - 25	25
23201	26 - 50	25
23202	51 - 75	25
23203	76 - 100	25

B-907 Blank Brass Valve Tags

- Standard package: 25 identical tags
- Customize your own brass tags with Brady steel stamps

Catalog #	Description
23210	1-1⁄2" Round Brass Tag
23211	2" Round Brass Tag
23212	1-1⁄2" Square Brass Tag
23213	2" Square Brass Tag

Valve Chart Frames

- Rugged extruded, clear anodized aluminum frame comes with clear plastic window to display your valve tag charts
- Use valve tag chart to list up to 50 locations
- Frame holds 8" x 11" valve tag charts

Catalog #	Description
23309	Valve Chart Frame

Print your own heavy-duty tags with the new BBP®31 Sign & Label Printer.

View page 308 for more information.

Solid Brass "S" Hooks

- Standard package: 100 "S" Hooks, sold in full packages only

Catalog #	Description	For Valve Stems Up To	Qty.
23305	1-3/4" O.D. Brass	1/2"	100
23304	1-1/2" O.D. Brass	3/8"	100
23303	1-1/4" O.D. Brass	1/4"	100

#16 Jack Chain

- Approximately 25 links per foot
- Standard package: 50 feet of chain, sold in full packages only

Catalog #	Description	Qty.
23308	Brass #16	50' of chain
98859	Stainless Steel	50' of chain

4-1/2" Beaded Chain

- Extremely flexible 4-1/2" bead chain with locking link.
- Standard package contains 100 chains. sold in full packages only

Catalog #	Description	Qty.
23306	4-1/2" long #6 Brass chain	100



Lead Seals

- 12" wires with pre-fitted lead seals fit easily around pipes or valves
- Use with Hand Sealing Press (not included)

Catalog #	Description	Qty.
23301	Copper Lead Seals	250



Zinc Wire Clamps - Double Ferrule Design

- Use to secure or splice stainless steel wire

Catalog #	Description	Qty.
38090	Zinc Wire Clamps	50



Stainless Wire (48 mil)

- Stranded 48 mil stainless steel wire comes in a standard package of a 30' roll. For secure attachment, use with Brady's Zinc Clamps.

Catalog #	Description	Qty.
38091	Stainless Steel Wire (48 mil)	30'

Create Custom Valve Tags Online

Design your facility's Valve Tags with this easy-to-use design tool. Enter multiple lines of custom text, and choose from a variety of styles, sizes and materials.

- Choose Stamped or Engraved
- Up to 5 Material Choices
- Color and Numbering Options Available

Try the Custom Design Tool at www.BradyID.com!

Easy as 1, 2, 3!
1) Select your category
2) Customize your product
3) Add to your shopping cart

Create custom products in minutes!

Ships in 24-48 hours!

Pipe Identification

www.BradyID.com/pipemarkers

ASME (ANSI) Standard A13.1-2007

The ASME (ANSI) Standard for pipe identification is a widely used guideline in determining pipe identification requirements. The purpose of the standard is to:

- "assist in identification of hazardous materials conveyed in piping systems and their hazards when released into the environment."
- "Pipes are defined as conduits for the transport of gases, liquids, semi-liquids or fine particulate dust."

Brady Pipe Marking Systems Meet the ASME (ANSI) A13.1-2007 Standard
The Brady Pipe Marking System instantly tells you all you need to know… pipe contents…direction of flow…whether hazardous or safe.

Brady Pipe Marking Systems Meet the ASME (ANSI) Size Recommendations
The A13.1-2007 standard also makes recommendations as to the size of letter height and length of color field for various pipe diameters. These recommendations are shown in the table.

Brady Pipe Marking Systems Meet ASME (ANSI) Color Recommendations
Unmarked pipes mean danger – to both life and property. Numerous injuries have occurred through ignorance of pipe contents, particularly when outside agencies are called in under emergency conditions.

Brady Pipe Marking Systems Meet the ASME (ANSI) A13.1-2007 Standard
Visibility "Markers shall be located so that they are readily visible to plant personnel from the point of normal approach." Brady Pipe Markers instantly tell you all you need to know about pipe contents, direction of flow and whether hazardous or safe.

Outside Diameter of Pipe or Covering	Length of Color Field	Size of Letters
3/4" to 1-1/4"	5"	1/2"
1-1/2" to 2"	8"	3/4"
2 1/2" to 6"	12"	1-1/4"
8" to 10"	24"	2-1/2"
Over 10"	32"	3-1/2"

NOTE: For pipes less than 3/4" in diameter, a permanently legible tag is recommended.

Pipe Classification	Color Scheme
Fire Quenching Fluids	White On Red
Toxic & Corrosive Fluids	Black On Orange
Flammable Fluids	Black On Yellow
Combustible Fluids	White On Brown
Potable, Cooling, Boiler Feed, and Other Water	White On Green
Compressed Air	White On Blue

NOTE: White on brown available upon request.

Brady Recommendations for Marker Placement:





Online Custom Design Tool

Design AMSE (ANSI) compliant Pipe Markers that meet the exact specification of your facility's pipes. Choose your style, size, color and custom text.

Try the Custom Design Tool at www.BradyID.com!

Easy as 1, 2, 3!

1) Select your category
2) Customize your product
3) Add to your shopping cart

Create custom products in minutes!

Ships in 24-48 hours!

Pipe Marker Material Descriptions

	HARSH ENVIRONMENT Mechanically Applied		General Purpose Mechanically Applied	General Purpose Self-Sticking	
Characteristic	**B-689 Wrap-Around Polyester**	**B-681/B-883 High Performance High Visibility**	**B-915 BradySnap-On™ and Strap-On Vinyl**	**B-946 Self-Sticking Vinyl**	**B-736 Self-Sticking Plastic Film**
Plant Environment					
Indoor	Good	Good	Good	Good	Good
Avg. Outdoor Durability (yrs.)	5-8	5-8	5-8	3-5	2-3
Surface Abrasion Resistance	Good	Good	NR	NR	NR
Temperatures					
Min. Installation Temperature	40˚F, 5˚C	—	—	0˚F, -18˚C	50˚F, 10˚C
Upper Temperature Limit	248˚F, 120˚C	230˚F, 110˚C	180˚F, 82˚C	180˚F, 82˚C	212ºF, 100˚C
Lower Temperature Limit	-40˚F, -40˚C	-40˚F, -40˚C	-40˚F, -40˚C	-40˚F, -40˚C	-40˚F, -40˚C
Pipe Surface					
Dirty, Dusty	Good	Good	Good	NR	NR
Rough	Good	Good	Good	Good	NR
Insulated	Good	Good	Good	Good	Good
Wet	Good	Good	Good	NR	NR
Greasy, Oily	Good	Good	Good	NR	NR
Chemical Resistance					
Organic Solvents (MEK, Acetone, Toluene)	NR	NR	NR	NR	NR
Acids (Sulfuric, HCL, Acetic)	Good	Good	NR	NR	Good
Alkalis (Sodium Hydroxide)	Good	Good	NR	NR	NR
Alcohols (Methanol, Isopropanol)	Good	Good	Good	Good	Good
Grease/Oils (SAE 20, ASTM #3)	Good	Good	Good	Good	Good
Special Properties					
Low PVC - Pipe contact point	Yes	Yes	No	No	No
Low PVC - Whole marker	No	Yes	No	No	No
Low Halogen - Pipe contact point	Yes	Yes	No	No	No
Low Halogen - Whole marker	No	Yes	No	No	No
Meets ASME (ANSI) A13.1	Yes	Yes	Yes	Yes	Yes

n/a = data not available *NR = marker not recommended for environment listed* *Good = marker suitable for environment listed*

Self-Sticking Pipe Markers



Self-Sticking Vinyl Pipe Markers
Factory applied industrial grade adhesives simplify marker installation. Simply peel the release coated paper backing from the marker and press the marker in place. Banding each end of the marker with Arrow Tape is recommended to indicate contents flow direction and to secure markers to the pipe.

- **B-946 Self-Sticking Vinyl**
  A premium indoor/outdoor grade self-sticking marker product.

Mechanically Applied Pipe Markers

BradySnap-On™ and Strap-On Vinyl
Unlike installing self-sticking markers, there's no need to clean pipe surfaces. Installation time is reduced. Markers are simply snapped, strapped or wrapped in place.

- **B-915 BradySnap-On™ and Strap-On Vinyl**
  A mechanically applied, surface printed vinyl pipe marker. Snap-ons are used for pipes less than 6" outside diameter. Strap-ons are designed for pipes from 6" and greater

High Performance Pipe Markers
Brady High Performance Markers are designed for use in harsh environments where there's significant exposure to sunlight, heat, and/or chemicals.

- **B-689 High Performance Polyester**
  PVF overlaminated polyester with sealed-in graphics. Markers are resistant to abrasion, chemicals, high humidity, and outdoor weathering. Supplied precoiled for easy wrap-around installation on pipes up to 7-7/8" in diameter
- **B-681/B-883 High Performance High Visibility**
  B-681 labels are factory applied to our B-883 FRP carrier. Directional arrows are applied by the installer. Markers are fastened to the pipe with Stainless Steel Strapping, sold separately

IIAR Pipe Markers

www.BradyID.com/pipemarkers

Did You Know? IIAR Pipe Markers - Ammonia Refrigeration Pipe Markers

The International Institute of Ammonia Refrigeration (IIAR) standardized ammonia pipe labeling when it published its bulletin #114, "Guidelines for Identification of Ammonia Refrigeration Piping and System Components."

Brady offers a variety of ammonia pipe markers that comply with the IIAR's established guidelines, including self-adhesive markers, snap-around marker styles, and pipe markers recommended for harsh environments (both indoors and outside).

IIAR Pipe Marker should have the following sections:

Directional Arrows
Use arrow tape to indicate flow direction

Ammonia Piping Abbreviation
*See below

Physical State
the physical state of the refrigerant located to the left of "Ammonia":

If Liquid – "LIQ" black or white on orange backgroung

If Vapor – "VAP" black or white on sky blue background

If Both – "LIQ" "VAP" both printed in colors above

Marker Body
"Ammonia" - black letters on yellow background

Pressure Level
the pressure level of the refrigerant located to the right of "Ammonia":

If High – "HIGH" black or white on red background

If Low – LOW" black or white on green background

If Both – "LIQ" "VAP" both printed in colors above

Directional Arrows
Use arrow tape to indicate flow direction

Ammonia Piping Abbreviations:

Abbr.	Systeam
BD	Booster Discharge
CD	Condenser
DC	Defrost Condensate
EQ*	Equalizer
ES	Economizer Suction
HGD	Hot Gas Defrost
HPL	High Pressure Liquid
HSD	High Stage Discharge
HSS	High Stage Suction
HTS*	High Temperature Suction
HTRL	High Temperature Recirculated Liquid
HTRS	High Temperature Recirculated Suction
LTRL	Low Temperature Recirculated Liquid
LTS*	Low Temperature Suction
LTRS	Low Temperature Recirculated Suction
LIC	Liquid Injection Cooling
LSS	Low Stage Suction
PO*	Pump Out
PU*	Purge
RV	Relief Vent
TSR	Thermosyphon Return
TSS	Thermosyphon Supply

Not currently covered in the IIAR standard

IIAR Pipe Markers

- Meets IIAR Standard and is recommended for use in labeling ammonia piping and its contents
- Choose the material that best meets your application requirements: High Performance Polyester or Indoor/Outdoor Self-Sticking Vinyl
- Create custom IIAR Pipe Markers on the spot utilizing the GlobalMark™ Industrial Labeling System (sold separately)

Example of B-689 High Performance Pipe Markers

Example of B-681/B883 HPHV Pipe Markers

Example of B-946 Self-Sticking Vinyl Pipe Markers

IIAR B-689 High Performance Wrap-Around Pipe Markers Style and Size Chart

Style Code		Outside Dia.	Letter Height	Max Char.
Style: I	VALVE	1-1/2" to 2-3/8"	3/4"	13
Style: II	VALVE	2-1/2" to 7-7/8"	1-1/4"	13

IIAR B-681/B883 HPHV Pipe Markers Style and Size Chart

Style Code		Outside Dia.	Letter Height	Max Char.
Style: HPHV	HOT WATER	8" or larger	3-1/2"	16

B-946 Self-Sticking Vinyl Pipe Markers Style and Size Chart

Style Code	Outside Diameter	Letter Height	Style Description	Style Example
Style: 1	2-1⁄2" to 7-7⁄8"	2"	One 2-1⁄4" x 14" marker per card	HEATING RETURN
Style: 1HV	8" or greater	3-1⁄2"	One 4" x 24" marker per card	HEATING RETURN
Style: 3C	less than 3⁄4"	1⁄2"	Three 2-1⁄4" x 2-3⁄4" markers per card plus 8 strips of Arrow Tape	GAS
Style: 4	3⁄4" to 2-3⁄8"	3⁄4"	Four 1-1⁄8" x 7" markers per card	FIRE AUTO SPRINKLERS

IIAR Pipe Markers

				B-689 Wrap-Around		B-681/B-883	B-946 Self-Sticking Vinyl		
IIAR Abbr.	Physical State	Pressure Level	Legend	Style I	Style II	Style HPHV	Style 1HV	Style 1	Style 4
BD	VAP	LOW	Ammonia	57960	57980	59919	90440	90400	90420
CD	LIQ	HIGH	Ammonia	57961	57981	59920	90441	90401	90421
DC	LIQ	HIGH	Ammonia	57962	57982	59921	90442	90402	90422
ES	VAP	LOW	Ammonia	57963	57983	59922	90443	90403	90423
EQ	LIQ/VAP	LOW	Ammonia	58014	58017	59982	90486	90484	90485
HG	VAP	HIGH	Ammonia	57964	57984	59923	90444	90404	90424
HGD	VAP	HIGH	Ammonia	57965	57985	59924	90445	90405	90425
HPL	LIQ	HIGH	Ammonia	57966	57986	59925	90446	90406	90426
HSD	VAP	HIGH	Ammonia	57967	57987	59926	90447	90407	90427
HSS	VAP	LOW	Ammonia	57968	57988	59927	90448	90408	90428
HTRL	LIQ	LOW	Ammonia	57969	57989	59928	90449	90409	90429
HTRS	LIQ/VAP	LOW	Ammonia	57970	57990	59929	90450	90410	90430
HTS	VAP	LOW	Ammonia	57971	57991	59930	90451	90411	90431
LIC	LIQ	HIGH	Ammonia	57972	57992	59931	90452	90412	90432
LSS	VAP	LOW	Ammonia	57973	57993	59932	90453	90413	90433
LTRL	LIQ	LOW	Ammonia	57974	57994	59933	90454	90414	90434
LTRS	LIQ/VAP	LOW	Ammonia	57975	57995	59934	90455	90415	90435
LTS	VAP	LOW	Ammonia	57976	57996	59935	90456	90416	90436
PO	LIQ	LOW	Ammonia	58012	58015	59980	90480	90478	90479
PU	LIQ	HIGH	Ammonia	58013	58016	59981	90483	90481	90482
RV	VAP	HIGH	Ammonia	57977	57997	59936	90457	90417	90437
TSR	LIQ/VAP	HIGH	Ammonia	57978	57998	59937	90458	90418	90438
TSS	LIQ	HIGH	Ammonia	57979	57999	59938	90459	90419	90439
BLANK	LIQ	HIGH	Ammonia	58000	58006	59939	90462	90460	90461
BLANK	VAP	HIGH	Ammonia	58001	58007	59940	90468	90466	90467
BLANK	LIQ/VAP	HIGH	Ammonia	58002	58008	59941	90474	90472	90473
BLANK	LIQ	LOW	Ammonia	58003	58009	59942	90465	90463	90464
BLANK	VAP	LOW	Ammonia	58004	58010	59943	90471	90469	90470
BLANK	LIQ/VAP	LOW	Ammonia	58005	58011	59944	90477	90475	90476

Self-Sticking Pipe Markers

www.BradyID.com/pipemarkers

B-946 Self-Sticking Vinyl Pipe Markers

- Markers meet the requirements of the ASME (ANSI) A13.1 Standard for the identification of piping system contents when used with Directional Flow Arrow Tape
- Durable B-946 material ideal for indoor and outdoor environments
- Supplied on a coated backing material that makes handling and installation easy
- Recommended to use Directional Flow Arrow Tape to indicate flow direction

How to order:

1. Choose the desired pipe marker legend below.
2. Replace the asterisk (*) with the style code from the chart on the right (1, 1HV, 3C or 4) to indicate your desired pipe marker size and style. (Example: Air = 7005-3C)

Style and Size Chart

Style Code	Outside Diameter	Letter Height	Style Description	Style Example
Style: 1	2-1/2" to 7-7/8"	2"	One 2-1/4" x 14" marker per card	HEATING RETURN
Style: 1HV	8" or greater	3-1/2"	One 4" x 24" marker per card	HEATING RETURN
Style: 3C	less than 3/4"	1/2"	Three 2-1/4" x 2-3/4" markers per card plus 8 strips of Arrow Tape	GAS
Style: 4	3/4" to 2-3/8"	3/4"	Four 1-1/8" x 7" markers per card	FIRE AUTO SPRINKLERS

Self-Sticking Legends Chart

Catalog Number	Legend	Bkgd Color
7005 –*	AIR	Yellow
7006 –*	AIR	Blue
7007 –*	AIR	Green
7010 –*	AIR SUPPLY	Blue
7014 –*	AMMONIA	Yellow
7015 –*	ARGON	Green
7017 –*	ASBESTOS FREE	Blue
7018 –*	ASBESTOS FREE INSULATION	Blue
7019 –*	ASBESTOS INSULATION	Yellow
7025 –*	BLANK	Yellow
7045 –*	CHILLED WATER	Green
7046 –*	CHILLED WATER RETURN	Green
7047 –*	CHILLED WATER SUPPLY	Green
7054 –*	CITY WATER	Green
7055 –*	COLD WATER	Green
7058 –*	COMPRESSED AIR	Yellow
7059 –*	COMPRESSED AIR	Green
7060 –*	COMPRESSED AIR	Blue
7061 –*	CONDENSATE	Yellow
7062 –*	CONDENSATE DRAIN	Yellow
7063 –*	CONDENSATE DRAIN	Green
7065 –*	CONDENSATE RETURN	Yellow
7067 –*	CONDENSER WATER	Green
7068 –*	CONDENSER WATER RETURN	Green
7069 –*	CONDENSER WATER SUPPLY	Green
7070 –*	COOLING WATER	Green
7071 –*	COOLING WATER RETURN	Green
7073 –*	DEIONIZED WATER	Green
7084 –*	DOMESTIC COLD WATER	Green
7086 –*	DOMESTIC COLD WATER SUPPLY	Green
7087 –*	DOMESTIC HOT WATER	Yellow
7088 –*	DOMESTIC HOT WATER RETURN	Yellow
7089 –*	DOMESTIC HOT WATER SUPPLY	Yellow
7090 –*	DRAIN	Green
7107 –*	FIRE AUTO SPRINKLERS	Red
7110 –*	FIRE PROTECTION WATER	Red
7115 –*	FUEL OIL	Yellow
7119 –*	GAS	Yellow
7121 –*	GLYCOL	Yellow
7122 –*	GLYCOL RETURN	Yellow
7123 –*	GLYCOL SUPPLY	Yellow
7125 –*	HEATING RETURN	Yellow
7127 –*	HEATING SUPPLY	Yellow
7128 –*	HEATING WATER	Yellow
7129 –*	HEATING WATER RETURN	Yellow
7130 –*	HEATING WATER SUPPLY	Yellow
7137 –*	HIGH PRESSURE CONDENSATE	Yellow
7146 –*	HOT WATER	Yellow
7147 –*	HOT WATER RECIRCULATION	Yellow
7148 –*	HOT WATER RETURN	Yellow
7149 –*	HOT WATER SUPPLY	Yellow
7163 –*	INDUSTRIAL WATER	Green
7175 –*	LOW PRESSURE CONDENSATE	Yellow
7179 –*	LOW PRESSURE STEAM	Yellow
7184–*	MEDICAL AIR	Yellow
7186–*	MEDICAL VACUUM	White
7190 –*	MEDIUM PRESSURE NATURAL GAS	Yellow
7196 –*	NATURAL GAS	Yellow
7198 –*	NITROGEN	Green
7200 –*	NITROGEN	Blue
7203 –*	NON-POTABLE WATER	Yellow
7208 –*	OVERFLOW	Yellow
7210 –*	OXYGEN	Green
7209 –*	OXYGEN	Yellow
7212 –*	PLANT AIR	Yellow
7218 –*	POTABLE WATER	Yellow
7224 –*	PROCESS WATER	Green
7227 –*	PROPANE GAS	Yellow
7229 –*	RAIN WATER	Green
7235 –*	REFRIGERANT LIQUID	Yellow
7242 –*	RETURN	Green
7244 –*	RETURN	Yellow
7247 –*	ROOF DRAIN	Green
7250 –*	SANITARY SEWER	Green
7251 –*	SANITARY SEWER	Yellow
7252 –*	SANITARY VENT	Yellow
7253 –*	SANITARY WASTE	Yellow
7267 –*	SPRINKLER	Red
7268 –*	SPRINKLER FIRE	Red
7269 –*	SPRINKLER WATER	Red
7270 –*	STEAM	Yellow
7273 –*	STORM DRAIN	Green
7274 –*	STORM SEWER	Green
7282 –*	SUPPLY	Green
7311 –*	SUPPLY	Yellow
7283 –*	TEMPERED WATER	Yellow
7285 –*	TOWER WATER	Green
7291 –*	VACUUM	Yellow
7292 –*	VACUUM	Green
7295 –*	VENT	Yellow
7296 –*	VENT	Green
7298 –*	WASTE	Yellow
7299 –*	WASTE	Green
7303 –*	WATER	Yellow
7304 –*	WATER	Green

Spanish Legends Chart

Legend	Bkgd Color	Style 1HV	Style 1	Style 4	Style 3C
AGUA	Green	83596	83540	83576	83615
AGUA DE REFRIGERACION	Green	83484	83424	83460	-
AGUA FRIA	Green	-	83418	83453	83498
AGUA POTABLE	Yellow	-	83522	83558	-
AGUA REFRIGERADA	Green	83477	83414	83449	-
AGUA PROTEC. PAPA INCENDIOS	Red	-	83430	83466	-
AIRE	Blue	-	83400	83436	-
AIRE COMPRIMIDO	Blue	-	83421	83456	83501
AIRE USO MEDICO	Yellow	-	83514	83550	83599
CAUSTICA	Yellow	-	83413	83448	83496
DESAGUE SANITARIO	Green	83589	83527	83563	-
GAS	Yellow	83489	83432	83468	83505
GAS NATURAL	Yellow	83585	83517	83553	83601
HIDROGENO	Yellow	-	83510	83545	83598
OXIGENO	Green	-	83520	83556	83604
RESPIRADERO	Yellow	-	83537	83573	83612
RETORNO DE AGUA REFRIGERADA	Green	83478	83415	83450	-
SUMINISTRO AGUA REFRIGERADA	Green	83479	83416	83451	-
VACIO USO MEDICO	White		83515	83551	83600
VAPOR	Yellow	83590	83530	83566	83607

BradySnap-On™ Pipe Markers

- Designed for general purpose pipe identification on pipes that have an outside diameter between ¾" and 6" (including insulation)
- May be applied to dirty, oily, greasy or rough surfaces
- Meet ASME (ANSI) Standard
- Lightweight coiled plastic can removed and reapplied

Strap-On Pipe Markers

- Designed for general purpose pipe identification on pipes that have a 6" or larger diameter (including insulation)
- May be applied to dirty, oily, greasy or rough surfaces
- Can be removed and reapplied in other areas
- Strap-On Pipe Marker styles F - H include nylon straps

How to order:

1. Choose the desired pipe marker legend below.
2. Replace the asterisk (*) with the style code (A, B, C, D, F, G or H) from the size charts below to indicate your desired pipe marker size and style. (Example: Air = 4001-H)

BradySnap-On™ Pipe Marker Style and Size Chart

Style Code		Outside Diameter	Letter Height
Style: A	VALVE	3/4" to 1-3/8"	1/2"
Style: B	VALVE	1-1/2" to 2-3/8"	3/4"
Style: C	VALVE	2-1/2" to 3-7/8"	1-1/4"
Style: D	VALVE	4" to 6"	1-1/4"

Strap-On Pipe Marker Style and Size Chart

Style Code		Outside Diameter	Letter Height
Style: F	AIR	6" to 7-7/8"	1-1/4"
Style: G	AIR	8" to 9-7/8"	2-1/2"
Style: H	AIR	10" to 15"	3-1/2"

BradySnap-On™ and Strap-On Markers Legend Chart

Catalog Number	Legend	Bkgd Color
4001 – *	AIR	Green
4002 – *	AIR	Blue
4003 – *	AIR	Yellow
4162 – *	ARGON	Blue
4006 – *	ARGON	Green
4007 – *	ASBESTOS FREE	Blue
4010-A	(BLANK)	Yellow
4012-A	(BLANK)	Red
4019 – *	CARBON DIOXIDE	Yellow
4020 – *	CAUSTIC	Yellow
4022 – *	CHILLED WATER	Green
4023 – *	CHILLED WATER RETURN	Green
4024 – *	CHILLED WATER SUPPLY	Green
4028 – *	CITY WATER	Green
4029 – *	COLD WATER	Green
4032 – *	COMPRESSED AIR	Yellow
4033 – *	COMPRESSED AIR	Green
4034 – *	COMPRESSED AIR	Blue
4035 – *	CONDENSATE	Yellow
4036 – *	CONDENSATE DRAIN	Yellow
4037 – *	CONDENSATE RETURN	Yellow
4043 – *	COOLING WATER RETURN	Green
4044 – *	COOLING WATER SUPPLY	Green
4046 – *	DEIONIZED WATER	Green
4172 – *	DEIONIZED WATER RETURN	Green
4173 – *	DEIONIZED WATER SUPPLY	Green
4048 – *	DOMESTIC COLD WATER	Green
4050 – *	DOMESTIC COLD WATER SUPPLY	Green
4051 – *	DOMESTIC HOT WATER	Yellow
4052 – *	DOMESTIC HOT WATER RETURN	Yellow
4053 – *	DOMESTIC HOT WATER SUPPLY	Yellow
4055 – *	DRAIN	Green
4059 – *	FIRE AUTO SPRINKLERS	Red
4185 – *	FIRE MAIN	Red
4060 – *	FIRE PROTECTION WATER	Red
4064 – *	FUEL OIL RETURN	Yellow
4065 – *	FUEL OIL SUPPLY	Yellow
4067 – *	GAS	Yellow
4070 – *	HEATING RETURN	Yellow
4071 – *	HEATING SUPPLY	Yellow
4072 – *	HEATING WATER RETURN	Yellow
4073 – *	HEATING WATER SUPPLY	Yellow
4074 – *	HELIUM	Green
4075 – *	HIGH PRESSURE AIR	Yellow
4076 – *	HIGH PRESSURE CONDENSATE	Yellow
4077 – *	HIGH PRESSURE STEAM	Yellow
4078 – *	HIGH PRESSURE WATER	Yellow
4197 – *	HOT	Yellow
4079 – *	HOT WATER	Yellow
4081 – *	HOT WATER RETURN	Yellow
4082 – *	HOT WATER SUPPLY	Yellow
4083 – *	HYDRAULIC LINE	Yellow
4199 – *	HYDRAULIC OIL	Yellow
4085 – *	HYDROCHLORIC ACID	Yellow
4086 – *	HYDROGEN	Yellow
4089 – *	INSTRUMENT AIR	Blue
4225 – *	LAB VENT	Yellow
4226 – *	LAB WASTE	Yellow
4091 – *	LOW PRESSURE CONDENSATE	Yellow
4092 – *	LOW PRESSURE STEAM	Yellow
4097 – *	NATURAL GAS	Yellow
4247 – *	NITRIC ACID	Yellow
4098 – *	NITROGEN	Yellow
4099 – *	NITROGEN	Green
4100 – *	NITROGEN	Blue
4102 – *	NON-POTABLE WATER	Yellow
4103 – *	OIL	Yellow
4105 – *	OXYGEN	Yellow
4106 – *	OXYGEN	Green
4107 – *	OXYGEN	Blue
4108 – *	PLANT AIR	Yellow
4110 – *	PLUMBING VENT	Green
4111 – *	POTABLE WATER	Green
4113 – *	PROCESS WATER	Green
4114 – *	PROPANE GAS	Yellow
4119 – *	RETURN	Yellow
4121 – *	ROOF DRAIN	Green
4122 – *	SANITARY DRAIN	Green
4123 – *	SANITARY SEWER	Green
4270 – *	SERVICE WATER	Green
4124 – *	SODIUM HYPOCHLORITE	Yellow
4127 – *	SPRINKLER FIRE	Red
4128 – *	SPRINKLER WATER	Red
4129 – *	STEAM	Yellow
4132 – *	STORM DRAIN	Green
4134 – *	STORM WATER	Green
4136 – *	SULFURIC ACID	Yellow
4140 – *	TEMPERED WATER	Yellow
4143 – *	TOWER WATER RETURN	Green
4146 – *	VACUUM	Yellow
4147 – *	VACUUM	Green
4148 – *	VENT	Yellow
4150 – *	VENT	Green
4151 – *	WASTE	Yellow
4152 – *	WASTE WATER	Yellow
4153 – *	WASTE WATER	Green
4155 – *	WATER	Green

High Performance Pipe Markers

www.BradyID.com/pipemarkers

B-689 High Performance Pipe Markers

- PVF overlaminated polyester construction seals in and protects graphics
- Markers resist abrasion, chemicals, high humidity and outdoor weathering
- Pre-coiled for easy wrap-around installation on pipe up to 7-7⁄8" in diameter

B-681/B-883 High Performance, High Visibility (HPHV) Markers

- Ideal for pipes 8" and larger in diameter
- Overlaminated graphics are factory applied to a fiberglass plastic carrier
- Easy strap-on installation of fiberglass plastic carrier
- Includes two Heavy-Duty Mounting Clips that apply to pipe using Continuous Stainless Steel Strapping (sold separately)

How to order:

1. Choose the desired pipe marker legend below.
2. Replace the asterisk (*) with the style code (0, I, II, or HPHV) from the size charts below to indicate your desired pipe marker size and style. (Example: Air = 5625-II)

High Performance Pipe Markers Style and Size Chart

Style Code		Outside Dia.	Letter Height	Max Char.
Style: 0	VALVE	1/2" to 1-3/8"	1/2"	22
Style: I	VALVE	1-1/2" to 2-3/8"	3/4"	13
Style: II	VALVE	2-1/2" to 7-7/8"	1-1/4"	13

HPHV Pipe Markers Style and Size Chart

Style Code		Outside Dia.	Letter Height	Max Char.
Style: HPHV	HOT WATER	8" or larger	3-1/2"	16

High Performance Pipe Markers

Catalog Number	Legend	Bkgd Color
5600 – *	(BLANK LABEL)	Blue
5601 – *	(BLANK LABEL)	Green
5602 – *	(BLANK LABEL)	Red
5603 – *	(BLANK LABEL)	Yellow
5609 – *	60# STEAM	Yellow
5614 – *	150# STEAM	Yellow
5625 – *	AIR	Blue
5631 – *	anhydrous ammonia	Yellow
5634 – *	BLACK LIQUOR	Yellow
5636 – *	BOILER BLOWDOWN	Yellow
5637 – *	BOILER FEED WATER	Yellow
5643 – *	CAUSTIC	Yellow
5645 – *	CHEMICAL FEED	Yellow
5646 – *	CHILLED WATER	Green
5647 – *	CHILLED WATER RETURN	Green
5648 – *	CHILLED WATER SUPPLY	Green
5655 – *	CITY WATER	Green
5660 – *	COMPRESSED AIR	Blue
5661 – *	COMPRESSED AIR	Yellow
5662 – *	CONDENSATE	Yellow
5663 – *	CONDENSATE DRAIN	Green
5664 – *	CONDENSATE RETURN	Yellow
5665 – *	CONDENSER WATER RETURN	Green
5668 – *	COOLING WATER	Green
5672 – *	DEMIN. WATER	Green
5673 – *	DOMESTIC COLD WATER	Green
5675 – *	DOMESTIC HOT WATER	Yellow
5676 – *	DOMESTIC HOT WATER RETURN	Yellow
5678 – *	DRAIN	Green
5679 – *	DRAIN	Yellow
5688 – *	FIRE PROTECTION	Red
5689 – *	FIRE PROTECTION WATER	Red
5690 – *	FLOOR DRAIN	Yellow
5691 – *	FOUL CONDENSATE	Yellow
5694 – *	#6 FUEL OIL	Yellow
5695 – *	FUEL OIL	Yellow
5696 – *	FUEL OIL RETURN	Yellow
5697 – *	FUEL OIL SUPPLY	Yellow
5699 – *	GREEN LIQUOR	Yellow
5701 – *	HEATING SUPPLY	Yellow
5702 – *	HEATING WATER RETURN	Yellow
5703 – *	HEATING WATER SUPPLY	Yellow
5706 – *	HIGH PRESSURE STEAM	Yellow
5707 – *	HOT WATER	Yellow
5711 – *	HYDRAULIC OIL	Yellow
5716 – *	INSTRUMENT AIR	Blue
5719 – *	LOW PRESSURE CONDENSATE	Yellow
5720 – *	LOW PRESSURE STEAM	Yellow
5722 – *	MAKE-UP WATER	Green
5723 – *	MEDIUM PRESSURE STEAM	Yellow
5724 – *	MILL AIR	Blue
5725 – *	MILL WATER	Green
5726 – *	NATURAL GAS	Yellow
5727 – *	NITRIC ACID	Yellow
5728 – *	NITROGEN	Green
5729 – *	NITROGEN	Yellow
5730 – *	NON-POTABLE WATER	Yellow
5736 – *	OXYGEN	Yellow
5738 – *	PLANT AIR	Yellow
5739 – *	PLANT WATER	Green
5744 – *	POTABLE WATER	Green
5746 – *	PROCESS WATER	Yellow
5747 – *	PROCESS WATER	Green
5750 – *	RAW WATER	Green
5754 – *	ROOF DRAIN	Green
5755 – *	SANITARY SEWER	Yellow
5758 – *	SEAL WATER	Green
5761 – *	SODIUM HYPOCHLORITE	Yellow
5765 – *	SPRINKLER WATER	Red
5767 – *	STEAM	Yellow
5769 – *	STORM DRAIN	Green
5774 – *	SULFURIC ACID	Yellow
5776 – *	TURPENTINE	Yellow
5777 – *	VACUUM	Green
5780 – *	VENT	Green
5781 – *	VENT	Yellow
5782 – *	WARM MILL WATER	Green
5784 – *	WASTE WATER	Yellow
5786 – *	WATER	Green
5787 – *	WATER	Yellow
5790 – *	Well Water	Green

OSHA Federal Regulation 29 CFR 1910.261

"Pulp, Paper and Paperboard Mills" - This regulation applies to plants where pulp, paper and paperboard are converted. "All chlorine, caustic and acid lines shall be marked for positive identification in accordance with ASME (ANSI) Standard A13.1.

Self Sticking Vinyl Arrows

- Durable B-946 material withstands the elements indoors or out
- Mounted on easy-to-use cards

	1-1/8" x 7" (4/Card)	2-1/2" x 7" (2/Card)	4" x 12" (2/Card)
Single Direction Legend			
Blk/Ylw	93242	76507	93390
Wht/Blu	93247	76502	93392
Wht/Red	93252	76505	93394
Wht/Grn	93257	76503	93396
Blk/Org	93262	76504	-
Blk/Wht	93267	76506	-
Blk/Alum	93272	76501	-
Double Direction Legend			
Blk/Ylw	93243	76514	93391
Wht/Blu	93248	76509	-
Wht/Red	-	76512	93395
Wht/Grn	93258	76510	93397

Directional Flow Arrow Tape

- Durable B-946 material withstands the elements indoors or out
- Provides 360° visibility
- Supplied in liner-mounted rolled form - use two bands per marker

Color	1"x 30 yds (1440 Arrows)	2" x 30 yds (720 Arrows)	4" x 30 yds (270 Arrows)
Blk/Ylw	91424	91420	91287
Wht/Grn	91425	91421	91290
Wht/Rd	91426	91422	91288
Wht/Blu	91427	91423	91289
Blk/Grn	91412	91416	91408
Blk/Wht	91413	91417	91409
Blk/Org	91414	91418	91410
Blk/Gry	91415	91419	91411

Solid Color Banding Tape

- Durable B-946 material withstands the elements indoors or out
- Meets ASME color field size recommendation when used in combination with worded legends and directional flow arrows
- Supplied in liner-mounted rolled form
- Use two bands per marker

Color	1" x 30 yds	2" x 30 yds	4" x 30 yds
Yellow	36301	55260	36287
Green	36304	55263	36290
Red	36302	55261	36288
Blue	36303	55262	36289
Orange	91428	91430	91432
White	91429	91431	91433
Brown	36305	36310	36315
Black	36306	36311	36316
Gray	36307	36312	36317
Purple	36308	36313	36318
Clear	36309	36314	36319

Reflective Pipe Banding

- Increase night time visibility throughout your facility
- Made of 5 mil vinyl
- Withstands temperature of -40°F (-40°C) to 180°F (82°C) degrees.
- Exceeds Federal Spec. C-S-300, Class I and FP-79 type II

Color	1"x 30 yds	2" x 30 yds	4" x 30 yds
Yellow	105976	105982	105988
Green	105973	105979	105985
Red	105974	105980	105986
Blue	105972	105978	105984
Orange	105971	105977	105983
White	105975	105981	105987

ISO 14726 Pipe Banding Tape

- Help reduce accidents and damage to machinery
- Provides 360˚ visibility
- ISO14726 Marine Standard defines the principle colors for identifying pipes - each color indicates a certain gauge of substances

Color	1" x 30 yds	2" x 30 yds	4" x 30 yds
Yellow	36301	55260	36287
Red	36302	55261	—
Orange	91428	91430	—
Silver	105579	—	—

Stock Economy Pipe Banding Tape

- B-88 self-wound, non-printable plastic backed cloth tape
- Stock Economy Pipe Banding Tape is ideal for use in indoor color coding applications.

Color	2" x 60 yds
Yellow	80184
Blue	80187
Black	80191

Pipe Marker Accessories

www.BradyID.com/pipemarkers



Blank HPHV Carrier

- Ideal for marking custom markers on the spot
- Fiberglass carrier is blank (no label) and comes with two clips for installation
- Sized to accommodate the largest ASME (ANSI) equirements, 4.25” x 32”

Catalog #	Description
59918	Blank HPHV Carrier



Stainless Steel Strapping

- Type 316 Stainless Steel Strapping is highly corrosion and heat resistant
- Ideal for HPHV pipe markers, HEET Tags or for your own purpose
- Continuous form requires separate stainless steel heads for uses other than HPHV pipe marker installation (sold separately)

Catalog #	Description
42331	1/4” x 100’ steel strapping
42332	1/4” x 250’ steel strapping



Stainless Steel Banding Heads

- Use with Continuous Strapping to create secure closures
- Stainless steel heads fit 1⁄4” strapping (sold separately)

Catalog #	Description	Qty.
90910	Type 316 Stainless Steel	100



Heavy-Duty Mounting Clips

- For use with HPHV pipe markers

Catalog #	Description
42335	Heavy Duty Clip

Tape Strip Rolls

- Use to re-secure wrap-around pipe markers should they become damaged need to be moved

Catalog #	Description
59945	2” x 10 yards Tape Strip Roll
59946	2” x 30 yards Tape Strip Roll

Bradylock™ Fastener

- Self-locking heavy duty plastic fastener for Strap-On Markers
- Excellent chemical resistance

Catalog #	Description
41772	1/2” x 150’ Bradylock Fastener

Fastening Devices

- 32 mil stainless steel safety wire to be used with wire twister pliers.

Catalog #	Description	Length
15424	Stainless Steel Safety Wire	1800 ft

Quik-Apply™ Nylon Straps

- Standard fastener for Quik-Apply™ pipe marker sizes Q1-Q4
- Can be used with a variety of tags including valve and lockout/tagouts

Catalog #	Outside Dia.	Strap Length
91165	1”	6”
91166	2”	7”

Can’t find what you need?

See our complete line of pipemarking solutions at **www.BradyID.com**.

Custom Pipe Marker Order Form (Fax completed form to your local distributor)

❑ Order ❑ Quote ❑ Artwork Attached Ship Via: _____ P.O. # or Request # :_____

Customer Information

Company Name: _____ Name: _____

Address1: _____ Phone #: _____

Address2: _____ Fax #: _____

City: _____ State: _____ Zip: _____

Email: _____

Distributor Information

Distributor: _____ Contact Name: _____

Account: _____ Fax #: _____ Phone #: _____

Pipe Marker Options

B-946 Self-Sticking	
Style Code	Pipe Outside Diameter
3c - (3mrks/card)	Less than 3/4" OD
4 - (4mrks/card)	3/4" to 2-3/8"
1	2-1/2 to 7-7/8" OD
1HV	8" or larger OD

Arrows sold separately.

Brady Snap-On	
Style Code	Pipe Outside Diameter
A	3/4" to 1-3/8" OD
B	1-1/2" to 2-3/8" OD
C	2-1/2" to 3-7/8" OD
D	4" to 6" OD
F	6 to 7-7/8" OD
G	8" to 9-7/8" OD
H	10" to 15" OD

B-689 High Performance	
Style Code	Pipe Outside Diameter
O	1/2" to 1-3/8" OD
I	1-1/2" to 2-3/8" OD
II	2-1/2" to 7-7/8" OD
III	8" to 10" OD
IV	10" or larger to 16" OD
V	16" or larger to 22" OD
VI	22" or larger to 26" OD

B-946 Semi Conductor & Chemical	
Style Code	Marker Size
28	1/2" x 2-1/4"

Cable Style	
Style Code	Pipe Outside Diameter
CABLE	3/4" to 5/8" OD

B-681 / B-883 High Performance (HPHV)	
Style Code	Pipe Outside Diameter
HPHV	8" or larger OD

Markers printed with arrows.

Custom Orders

	Legend Line 1	Color* (Text / Bkgd)	Pipe Marker Style Code	Material	Quantity
1.					
2.					
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					

** Brady standard pipe markers colors are: Yellow, Green, Red, Blue, White, Grey, Brown, Orange, Black, Purple and Clear. Custom colors are available.*

Lean / Visual Workplace

www.BradyID.com/visualworkplace

Markware™ Lean Tools Software

MarkWare Lean Tools software lets you easily create signs, labels, tags and other visuals right on your computer. Post critical information at the point of need to ensure that best practices remain readily visible, clearly understood, and consistently adhered to. Perfect for use in 5S, Standard Work, Total Productive Maintenance and other lean initiatives.

Additional Features:

- Includes over 1,000 safety and industrial pictograms
- Select from 15 different bar code symbologies
- Import logos, photos, and other graphics
- Merge data from spreadsheets and databases

Built-in library with over 1000 high-quality, scalable symbols and pictograms

Warning *Prohibition* *Mandatory* *Tools* *First Aid* *Fire Safety* *Haz Chem* *Public Info.* *Multi-Lingual Headers*

Want more information?

For more informatio visit **www.BradyID.com/Markware** or call a Brady Representative at 1-888-311-0775.

Tool Storage

Part Management

Process Identification

Work Instructions



PM Instructions

MarkWare Lean Tools software also includes templates that allow you to quickly create multicolor gauge labels, lube instructions, oil level indicators and more.*

** Multi-color labels and cut out lables available only on GlobalMark® Color & Cut and Multicolor models. Single-color labels available on GlobalMark monocolor and BBP®31 model printers*

Link360™ Software

Link360 Software is a cloud-based platform used to manage the visual information on and around equipment and machines. It assists in creating and maintaining a safe working environment for employees, while maintaining optimal performance levels.

- Creates clear and easy-to-follow, visually instructive procedures
- Quickly scales and deploys standardized procedures, tags and checkpoints

Link360™ Software includes two program centers:

- **Lockout Tagout Center:** Users can create and manage visually instructive lockout procedures, tags, and energy source labels for printing and posting on equipment.
- **Reliability Center:** Manages the creation and access to visually instructive maintenance procedures that assist operators, engineers, and technicians in maintaining machine and equipment performance levels.

Want more information?

Visit **www.BradyID.com/link360** for more information or call a Brady Representative at 1-888-311-0775.

1. Design

2. Post

3. Monitor

ToughJet® Durable Adhesive Sheets for Inkjet Printers

Just print, peel and stick! Create durable, professional-looking safety signs, procedures and charts with your inkjet printer! With Brady's new ToughJet® Durable Adhesive Sheets, there's no need for laminating, tape or docuent holders. ToughJet sheets are designed for use in the workplace, including harsh environments.

- A variety of die cut sizes to use with Avery® and Brady Markware™ Software
- For best performance, use with pigmented inks

Water Resistent

Self-adhesive Backing

B-141 with Permanent Acrylic Adhesive

Catalog #	Description	Size	Quantity
JET-35-141-25-SH	B-141 Permanent Labels	1" x 2-5/8"	25 sheets/pk
JET-36-141-25-SH	B-141 Permanent Labels	1" x 4"	25 sheets/pk
JET-27-141-25-SH	B-141 Permanent Labels	2" x 4"	25 sheets/pk
JET-39-141-25-SH	B-141 Permanent Labels	31/3" x 4"	25 sheets/pk
JET-38-141-25-SH	B-141 Permanent Labels	3½" x 5"	25 sheets/pk
JET-40-141-25-SH	B-141 Permanent Labels	7" x 10"	25 sheets/pk
JET-26-141-25-SH	B-141 Permanent Labels	8-1/2" x 11"	25 sheets/pk

B-146 with a Removable Acrylic Adhesive

Catalog #	Description	Size	Quantity
JET-35-146-25-SH	B-146 Removable Labels	1" x 2-5/8"	25 sheets/pk
JET-36-146-25-SH	B-146 Removable Labels	1" x 4"	25 sheets/pk
JET-37-146-25-SH	B-146 Removable Labels	2" x 4"	25 sheets/pk
JET-39-146-25-SH	B-146 Removable Labels	3-1/3" x 4"	25 sheets/pk
JET-38-146-25-SH	B-146 Removable Labels	3-1/2" x 5"	25 sheets/pk
JET-40-146-25-SH	B-146 Removable Labels	7" x 10"	25 sheets/pk
JET-26-146-25-SH	B-146 Removable Labels	8-1/2" x 11"	25 sheets/pk

Red Tag Signs

- Ideal to visually and effectively manage red tag program
- Conforms with ANSI Z535 standards
- Signs are available in three materials:
  B-120 - Premium Fiberglass
  B-302 - Self-Sticking Polyester
  B-401 - Plastic

122289	10" x 7"	B-120
122314	14" x 10"	B-120
122290	10" x 7"	B-302
122313	14" x 10"	B-302
122288	10" x 7"	B-401
122312	14" x 10"	B-401

122274	10" x 7"	B-120
122298	14" x 10"	B-120
122275	10" x 7"	B-302
122299	14" x 10"	B-302
122273	10" x 7"	B-401
122297	14" x 10"	B-401

122286	10" x 7"	B-120
122310	14" x 10"	B-120
122287	10" x 7"	B-302
122311	14" x 10"	B-302
122285	10" x 7"	B-401
122309	14" x 10"	B-401

122268	10" x 7"	B-120
122292	14" x 10"	B-120
122269	10" x 7"	B-302
122293	14" x 10"	B-302
122267	10" x 7"	B-401
122291	14" x 10"	B-401

122271	10" x 7"	B-120
122295	14" x 10"	B-120
122272	10" x 7"	B-302
122296	14" x 10"	B-302
122270	10" x 7"	B-401
122294	14" x 10"	B-401

122277	10" x 7"	B-120
122301	14" x 10"	B-120
122278	10" x 7"	B-302
122302	14" x 10"	B-302
122276	10" x 7"	B-401
122300	14" x 10"	B-401

122280	10" x 7"	B-120
122304	14" x 10"	B-120
122281	10" x 7"	B-302
122305	14" x 10"	B-302
122279	10" x 7"	B-401
122303	14" x 10"	B-401

122283	10" x 7"	B-120
122307	14" x 10"	B-120
122284	10" x 7"	B-302
122308	14" x 10"	B-302
122282	10" x 7"	B-401
122306	14" x 10"	B-401

Brief Red Tags

Front *Back*

Catalog #	Description	Material	Size	Qty.
121521	Brief Red Tag	Cardstock	3" x 5.75"	100

Detailed Red Tags

Front *Back*

Catalog #	Description	Material	Size	Qty.
121522	Detailed Tag	Cardstock	4" x 7"	100

Red Tag Binder Station

- Polycarbonate backboard with wire rack
- Binder: 10" W x 11" H x 2" D
  Rack: 14" W x 9" H

Catalog #	Description	Board Size	Qty.
122053	Station with binder	14" x 20"	1
122051	Station without binder	14" x 20"	1
122052	Binder Only	10" x 11" x 2"	1

Red Tag Station

- Acrylic backboard with 2 tag pockets, and 100 tags

Catalog #	Description	Board Size	Qty.
122054	Station w/ Brief Red Tags (#121521)	16" x 12"	1
122055	Station w/ Detailed Red Tags (#121522)	16" x 12"	1
122048	Station without tags	16" x 12"	1

Red Tag Station with Clipboard

- Acrylic station with clipboard, 2 tag pockets, and 100 tags

Catalog #	Description	Board Size	Qty.
122056	Station w/ Brief Red Tags (#121521)	22" x 16"	1
122057	Station w/ Detailed Red Tags (#121522)	22" x 16"	1
122049	Station without tags	22" x 16"	1
122050	Clipboard Only	9.5" x 14"	1

ToughStripe® Floor Marking

www.BradyID.com/toughstripe

Diecut Shapes

Print-On Demand

Superior Durability

Easy Application

Use ToughStripe® Floor Marking products to mark:

- Aisleways and traffic lanes
- Work Cell outlines
- Equipment storage areas
- Material storage areas
- QA inspection areas
- Defects/scrap/rework areas
- "Keep clear" zones
- Hazard areas

Superior Durability

- Withstands forklift traffic without tearing or lifting
- Low-profile design minimizes tears and scratches
- Rugged polyester with ultra-aggressive adhesive

Easy Application

- Can be easily applied by one person working alone
- Stiff polyester with liner prevents tape stretching and reduces wrinkles and wavy, uneven lines
- No special floor preparation required – just clean with common cleansers

High Visibility

- High-gloss surface shines like new paint
- Low profile minimizes debris buildup along the edges that occurs with thicker (extruded) floor tapes
- Surface resists marks and smudges
- Available in a variety of high-impact stock and custom colors

Diecut Shapes

- Dashes, dots, arrows, footprints, and corner marks
- Longer lasting markings – Minimizes the risk of damage and facilitates fast repair

Pre-Spaced Shapes

- Dots, arrows and dashes packaged in rolls and evenly spaced 18" apart on a continuous liner eliminates the need to apply markings one by one
- Quick and easy one person installation; simply lay down the line like a continuous tape, and then remove the clear transfer tape from on top of the floor markings
- Quickly lay straight, evenly spaced shapes
- Ideal for high traffic areas – if damaged only replace damaged shapes

Painless Removal

- Does not chip and flake when being removed – comes off in one piece
- Clean removal without any unsightly adhesive residue or damage to the floor

ToughStripe® Floor Tape Adhesion Rates

Floor Types



Questions about your floor type?
We recommend testing a small area before purchasing. To request a free sample, visit BradyID.com/toughstripe.

** For maximum performance, apply ToughStripe Floor Marking products to flat, non-coated concrete.*

ToughStripe® Floor Marking Tape

www.BradyID.com/toughstripe

B-514 Toughstripe Floor Marking Polyester

ToughStripe products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths.

- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- 2 mil thickness and service temperature range of 0°F – 129°F
- Resists harsh chemicals

Floor Marking Tape

	2" x 100'	3" x 100'	4" x 100'
Black	104310	104340	104370
White	104311	104341	104371
Red	104313	104343	104373
Green	104315	104345	104375
Blue	104314	104344	104374
Orange	104316	104346	104376
Yellow	104312	104342	104372
Purple	134086	134087	134088
Brown	134089	134090	134091
Grey	134092	134093	134094
Black/Yellow Striped	104317	104347	104377
Black/White Striped	104319	104349	104379
Black/Orange Striped	132433	132434	132435
Red/White Striped	104318	104348	104378
Red/Yellow Striped	132430	132431	132432
Green/White Striped	132436	132437	132438
Yellow/Blue Striped	132439	132440	132441
Black/White Checkered	121913	121914	121915
Red/White Checkered	121916	121917	121918

Pre-Spaced Shapes

	3.5" x 100' 55 dots/18" apart	2" x 5" x 100' 52 arrows/18" apart	2" x 8" x 100' 46 dashes/18" apart
Black	104525	104554	142178
White	104522	104555	142177
Red	104521	104526	142179
Green	104520	104527	142181
Blue	104524	104528	142180
Yellow	104523	104529	104556

Online Video - How to Apply Pre-Spaced Tape
www.BradyID.com/toughstripe



Dots

	3.5" Dia. 350/roll
Black	104404
White	104405
Red	104400
Green	104401
Blue	104402
Yellow	104403

Arrows

	2" x 5" 100/pack	3" x 8" 100/pack	4" x 10" 100/pack
Black	104416	104422	104428
White	104417	104423	104429
Red	104412	104418	104424
Green	104413	104419	104425
Blue	104414	104420	104426
Yellow	104415	104421	104427



Footprints

	10' x 3.5" 5 right & 5 left/pack
Black	104410
White	104411
Red	104406
Green	104407
Blue	104408
Yellow	104409

Corner "L" Marks

	2" x 5" 20/pack	3" x 8" 20/pack	4" x 10" 20/pack
Black	104434	104446	104458
White	104435	104447	104459
Red	104430	104442	104454
Green	104431	104443	104455
Blue	104432	104444	104456
Yellow	104433	104445	104457

Center "+" Marks

	2" x 5" 20/pack	3" x 8" 20/pack	4" x 10" 20/pack
Black	104470	104476	104482
White	104471	104477	104483
Red	104466	104472	104478
Green	104467	104473	104479
Blue	104468	104474	104480
Yellow	104469	104475	104481

Divider "T" Marks

	2" x 5" 20/pack	3" x 8" 20/pack	4" x 10" 20/pack
Black	104440	104452	104464
White	104441	104453	104465
Red	104436	104448	104460
Green	104437	104449	104461
Blue	104438	104450	104462
Yellow	104439	104451	104463

Customize! - Call Customer Service to order Toughstripe die-cut shapes in custom colors!

ToughStripe® Floor Marking Tape

www.BradyID.com/toughstripe

For information on Globalmark®2 Printer:
www.BradyID.com/globalmark

For information on BMP®71 Printer:
www.BradyID.com/bmp71

B-483 Print-On-Demand Floor Labels

ToughStripe® floor tape is available in printable label cartridges, which can be used to create custom floor labels. The printable labels feature the same durability and performance as ToughStripe floor marking tape, making them an ideal solution for identifying designated storage locations and providing visual instructions on the shop floor.

- Easy 3-step process: Print desired label from a select Brady printer, position on floor and apply included B-634 polyester overlaminate

GlobalMark®2 ToughStripe Floor Marking Tape With Overlaminate

	1.125" x 100'	2.25" x 100'	3" x 100'	4" x 100'
White	142155	142154	142156	142157
Black	142159	142158	-	142160
Yellow	142162	142161	142163	142164
Red	142166	142165	-	142167
Blue	142169	142168	-	142170
Green	142172	142171	-	142173
Orange	142175	142174	-	142176

** Specialty black ribbon catalog #96089 required to print on ToughStripe floor tape. Use standard white ribbon catalog #76741 for white text.*

BMP®71 ToughStripe Floor Marking Tape With Overlaminate

	1" x 50'	2" x 50'
White	M71-1000-483-WT-KT	M71-2000-483-WT-KT
Black	M71-1000-483-BK-KT	M71-2000-483-BK-KT
Yellow	M71-1000-483-YL-KT	M71-2000-483-YL-KT
Red	M71-1000-483-RD-KT	M71-2000-483-RD-KT
Blue	M71-1000-483-BL-KT	M71-2000-483-BL-KT
Green	M71-1000-483-GN-KT	M71-2000-483-GN-KT
Orange	M71-1000-483-OR-KT	M71-2000-483-OR-KT

** Specialty black ribbon catalog #M71-R6000 required to print on ToughStripe floor tape. Use standard white ribbon catalog #M71-R4400-WT for white text.*

Pre-Printed Legends and Custom ToughStripe® Tape Now Available!

- Custom colored ToughStripe tape (just supply the PMS#)
- Custom text and legends on the ToughStripe tape
  - Custom legends communicate why the area is marked or blocked off
  - Provides more of a visual workplace and helps productivity
  - 18 character limit, can also include pictograms

Call customer service at 1-888-272-3946 today to get started visually marking your facility!

Pre-printed legends

Custom legends and colors available

ToughStripe Stock Legends

	2" x 100'	3" x 100'	4" x 100'
Orange "QA Inspection Area"	121364	121365	121366
Yellow "Caution ESD Area"	121367	121368	121369

How To Apply ToughStripe® Floor Marking Tape

1. Clean Surface: Sweep and clean area and allow floor to dry completely before application.

2. Position Tape: Keeping the liner in place, position tape along entire desired path.

3. Remove Liner: Start at one end and peel the liner away from the tape while smoothing down the tape and providing lamination pressure.

**For maximum performance, apply ToughStripe floor tape to flat, non-coated, concrete.*

ToughStripe® Floor Marking Signs

www.BradyID.com/toughstripe

B-534 Floor Marking Signs with Anti-Skid Tread

Toughstripe B-534 polyester floor signs resist harsh chemicals and are specifically designed to alert workers of potential dangers and enforce protective equipment requirements.

- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- Black areas of signs are coated with anti-skid tread
- 3 mil thickness; Service temperature range of 0°F – 129°F
- Custom signs available
- US Patent No 8,302,337

Arrow Symbol
104489 - 17" dia.

Emergency Exit
104495 - 17" dia.

Emergency Stairs
104496 - 17" dia.

Exit Arrow
104490 - 17" dia.

Fire Extinguisher
104492 - 17" dia.

Fire Alarm
104493 - 17" dia.

Fire Hose
104494 - 17" dia.

Pedestrian Traffic Only
104509 - 17" dia.

Watch Out For Fork Lift
104501 - 17" dia.

Warning Forklift Traffic
104512 - 17" dia.

Production Area
104513 - 17" dia.

First Aid w/Arrow
104486 - 17" dia.

Safety Shower
104487 - 17" dia.

Eye Wash
104507 - 17" dia.

Stop
104511 - 17" dia.

Keep Aisles Clear
104508 - 17" dia.

Radiation Area
104488 - 14" x 18"

First Aid
104491 - 14" x 18"

Do Not Enter
104497 - 14" x 18"

Chemical Storage
104498 - 14" x 18"

Watch Your Step
104499 - 14" x 18"

No Smoking
104500 - 14" x 18"

Ear Protection Area
104502 - 14" x 18"

Eye Protection Area
104503 - 14" x 18"

Hard Hat Area
104504 - 14" x 18"

Safety Goggles Required
104505 - 14" x 18"

Biohazard
104506 - 14" x 18"

Safety Glasses Required
104510 - 14" x 18"

Want More Information On Floor Marking?

Download the free 5S Floor Marking Color Reference Guide to learn how strategic floor marking can stabilize operations and sustain improvements.

- Color guidelines for marking aisles, equipment areas, & safety hazards
- How-to tips for visually delineating work areas and pathways
- Best practices for identifying designated storage locations for materials, products tools and equipment

Visit **www.BradyID.com/visualworkplace** to download now.

ToughStripe® Numbers & Letters

www.BradyID.com/toughstripe

ToughStripe® Numbers and Letters

- Ideal for marking aisle-ways, shipping and receiving docks, distribution centers, or other areas of your facility
- Easy-to-see 6"W x 8"H numbers and letters available in six high visibility colors
- Each pack contains 20 sheets of the designated legend or Punctuation Set
- Each Punctuation Set includes: two periods, one comma, one exclamation point, one question mark, one forward slash, one dash, and one ampersand (&)

Legend	Black	White	Red	Green	Blue	Yellow
A	121691	121692	121693	121694	121695	121696
B	121697	121698	121699	121700	121701	121702
C	121703	121704	121705	121706	121707	121708
D	121709	121710	121711	121712	121713	121714
E	121715	121716	121717	121718	121719	121720
F	121721	121722	121723	121724	121725	121726
G	121727	121728	121729	121730	121731	121732
H	121733	121734	121735	121736	121737	121738
I	121739	121740	121741	121742	121743	121744
J	121745	121746	121747	121748	121749	121750
K	121751	121752	121753	121754	121755	121756
L	121757	121758	121759	121760	121761	121762
M	121763	121764	121765	121766	121767	121768
N	121769	121770	121771	121772	121773	121774
O	121775	121776	121777	121778	121779	121780
P	121781	121782	121783	121784	121785	121786
Q	121787	121788	121789	121790	121791	121792
R	121793	121794	121795	121796	121797	121798
S	121799	121800	121801	121802	121803	121804

Legend	Black	White	Red	Green	Blue	Yellow
T	121805	121806	121807	121808	121809	121810
U	121811	121812	121813	121814	121815	121816
V	121817	121818	121819	121820	121821	121822
W	121823	121824	121825	121826	121827	121828
X	121829	121830	121831	121832	121833	121834
Y	121835	121836	121837	121838	121839	121840
Z	121841	121842	121843	121844	121845	121846
0	121847	121848	121849	121850	121851	121852
1	121853	121854	121855	121856	121857	121858
2	121859	121860	121861	121862	121863	121864
3	121865	121866	121867	121868	121869	121870
4	121871	121872	121873	121874	121875	121876
5	121877	121878	121879	121880	121881	121882
6	121883	121884	121885	121886	121887	121888
7	121889	121890	121891	121892	121893	121894
8	121895	121896	121897	121898	121899	121900
9	121901	121902	121903	121904	121905	121906
Punctuation Set	121907	121908	121909	121910	121911	121912

Premium 5S Marking Kits with ToughStripe® Floor Marking Tape

Brady's Premium 5S Marking Kits provide everything you need to 5S your facility, enhancing workplace organization & efficiency.

Premium 5S Marking Kit includes:

- ToughStripe® Floor Marking Tape
  - 4 Rolls of 2" ToughStripe floor tape (1 yellow, 1 red, 1 blue, 1 green)
  - 4 Packages of 2" L-shaped corner marks (1 yellow, 1 red, 1 blue, 1 green)
- Toolboard / Workbench Marking Tapes
  - 4 Rolls of 12" shadow vinyl (1 black, 1 red, 1 blue, 1 green)
  - 4 Rolls of ½" border tape (1 black, 1 red, 1 blue, 1 green)
  - 4 Rolls of ½" L-shaped corner marks (1 black, 1 red, 1 blue, 1 green)

Premium 5S Kit with BMP®71 Label Printer includes:

- All contents of Premium 5S Marking Kit above, plus:
- BMP®71 Printer with hard carrying case and charger/AC power adaptor
- 3 White vinyl tape cartridges (1/2", 1", 2")
- 1 Yellow vinyl tape cartridge (2")
- 2 Ribbon cartridges (1 black, 1 red)

** Premium Kit with BMP71 Label Printer shown.*

Catalog #	Description
142109	Premium 5S Kit
142111	Premium 5S Kit with BMP71 Label Printer

Shadow Vinyl Rolls

- Quickly and easily create tool shadows to exact size and shape
- Simply place tool on vinyl, trace outline with pen and cut out with scissors

Catalog #	Size	Color
121117	12" x 12'	Red
121120	12" x 12'	Green
121121	12" x 12'	Black
121119	12" x 12'	Yellow
121118	12" x 12'	Blue

Corner Marking Tape

- Use corner marks to quickly define storage locations on workbenches, desktops & shelves
- Roll Length is 50'

Catalog #	Size	Color	Qty.
121413	1"x1" L-Shaped	Red	750/roll
121416	1"x1" L-Shaped	Green	750/roll
121417	1"x1" L-Shaped	Black	750/roll
121415	1"x1" L-Shaped	Yellow	750/roll
121414	1"x1" L-Shaped	Blue	750/roll
121418	1.5"x1" T-Shaped	Red	545/roll
121421	1.5"x1" T-Shaped	Green	545/roll
121422	1.5"x1" T-Shaped	Black	545/roll
121420	1.5"x1" T-Shaped	Yellow	545/roll
121419	1.5"x1" T-Shaped	Blue	545/roll

Border Marking Tape

- Ideal for Solid borders, dividing lines
- Place color-coded bands on tools for easy identification

Catalog #	Size	Color
121127	1/2" x 50' tape	Red
121130	1/2" x 50' tape	Green
121131	1/2" x 50' tape	Black
121129	1/2" x 50' tape	Yellow
121128	1/2" x 50' tape	Blue
121122	1/4" x 50' tape	Red
121125	1/4" x 50' tape	Green
121126	1/4" x 50' tape	Black
121124	1/4" x 50' tape	Yellow
121123	1/4" x 50' tape	Blue

Vinyl Aisle Marking Arrows

- B-7569 vinyl is ideal for floor application
- Aisle marking dots are designed for easy hand application.

Catalog #	Size	Color	Qty.
121046	2" Arrow	Yellow	100
121047	3" Arrow	Yellow	100
121048	4" Arrow	Yellow	100
121049	5" Arrow	Yellow	100

Vinyl Aisle Marking Dots

- B-7569 vinyl is ideal for floor application
- Aisle marking dots are designed for easy hand application.

Catalog #	Size	Color	Qty.
121033	2" dia. Dot	Yellow	500
121034	3" dia. Dot	Yellow	500
121139	3" dia. Dot	Red	500
121035	4" dia. Dot	Yellow	500
121036	5" dia. Dot	Yellow	500

Roll Mounted Dots

- Made of B-7569 vinyl tape
- Single roll of dots will mark over 1,000 lineal feet of aisle or passageway

Catalog #	Size	Color	Qty.
121038	3" dia.	Yellow	1,000/roll
121045	3" dia.	White	1,000/roll

Color-Coded Dots

- Pressure-sensitive paper labels
- Ideal for organizing and creating a visual workplace

Catalog #	Size	Color	Qty.
30661	1-1/2"	Blue	500
30662	1-1/2"	Red	500
30663	1-1/2"	Green	500
30664	1-1/2"	Yellow	500
30665	3"	Blue	500
30666	3"	Red	500
30667	3"	Green	500
30668	3"	Yellow	500

** Dispensers not included*

Footprints

- Made of B-7659 vinyl tape and designed for easy hand application

Catalog #	Description	Size	Qty.
121405	Yellow Left Foot	12"	1 ea.
121406	Yellow Right Foot	12"	1 ea.
31550	Removable Yellow Feet	3-3/4"x11-7/8"	5 sets

Write-On Magnetic Labels

- Re-useable labels with a water-soluble pen that wipes off with a wet cloth
- For a permanent label, use our permanent marking pen (87052)

Catalog #	Size	Color
56957	1" x 50'	Blue
56958	1" x 50'	Green
56959	1" x 50'	Orange
56960	1" x 50'	Red
56961	1" x 50'	White
56962	1" x 50'	Yellow

Visual Workplace Marking

www.BradyID.com/visualworkplace

Mark Aisles & Passageways

CFR 1910.22(b)(2): Permanent aisles and passageways must be appropriately marked.

1910.22(b)(1): Where mechanical handling equipment is used, sufficient safe clearances shall be allowed for aisles, through doorways and wherever turns or passage must be made. Aisles and passageways shall be kept clear and in good repairs, with no obstruction across or in aisles that could create a hazard.

Yellow and Black Caution Tape 29 CFR 1910.145(c)(2): Caution signage shall be used to warn against potential hazards or to caution against unsafe practices.

Reflective Tape

- Made of B-957 reflective tape
- Give an extra margin of safety in low light conditions

Catalog #	Size	Color
Solid		
78985	2" x 15'	White
78986	2" x 15'	Yellow
78989	2" x 15'	Orange
78988	3" x 15'	Yellow
Striped		
76308	2" x 15'	Black/Yellow
76309	2" x 15'	Red/White
76312	3" x 15'	Black/Yellow
76313	3" x 15'	Red/White



Stripe Anti-Skid Tape

- Rugged B-916 adhesive-backed polyester tape coated with durable aluminum oxide grit is ideal for indoor and outdoor use
- Bonds permanently to clean, dry floors and withstands grease and oil

Catalog #	Size	Color
78146	1" x 60'	Black & Yellow
78147	2" x 60'	Black & Yellow
78148	3" x 60'	Black & Yellow
78149	4" x 60'	Black & Yellow
78150	6" x 60'	Black & Yellow

Aisle Marking Tapes

- Made of long-wearing B-7569 vinyl tape
- Applies quickly and sticks tightly

Not compatible with Universal Line Applicator

Catalog #	Size	Color
Solid		
58200	2" x 36 yd.	Yellow
58201	2" x 36 yd.	Red
58202	2" x 36 yd.	Green
58203	2" x 36 yd.	White
58220	2" x 36 yd.	Blue
58250	3" x 36 yd.	Yellow
58251	3" x 36 yd.	Red
58252	3" x 36 yd.	Green
58253	3" x 36 yd.	White
58221	3" x 36 yd.	Blue
102838	4" x 36 yd.	Yellow
102836	4" x 36 yd.	Red
102834	4" x 36 yd.	Green
102837	4" x 36 yd.	White
102833	4" x 36 yd.	Blue

Warning Message Tapes

- B-950 vinyl with permanent adhesive to hold on almost any clean, dry surface.
- Colors sealed beneath protective layer of abrasion resistant clear vinyl to stand up to tough indoor conditions

Catalog #	Legend	Size
58255	Caution w/ Blk/Ylw Stripes	3" x 60'
58257	Blk/Ylw Stripes Only	3" x 60'

Heavy Duty Anti-Skid Tapes

- Aggressive adhesive withstands harsh elements such as oil, fuel and grease
- Durable "high slip resistance" with deeply textured silicon carbide grit
- Ideal for machinery, forklifts, loading docks, ramps, platforms and more

Catalog #	Size	Color
110020	2" x 60'	Black
110019	4" x 60'	Black
110018	6" x 60'	Black
110017	12" x 60'	Black

Warning Tape

- B-950 vinyl with permanent adhesive stands up to tough indoor conditions
- Colors sealed beneath protective layer of abrasion resistant clear vinyl

Catalog #	Size	Color
Striped		
55300	1" x 18 yd.	Black/Yellow
55301	1-1/2" x 18 yd.	Black/Yellow
55312	1-1/2" x 18 yd.	Magenta/Yellow
55302	2" x 18 yd.	Black/Yellow
55296	2" x 18 yd.	Red/White
552 92	2" x 18 yd.	Black/White
90019	2" x 18 yd.	Green/White
55313	2" x 18 yd.	Magenta/Yellow
55303	3" x 18 yd.	Black/Yellow
55297	3" x 18 yd.	Red/White
55293	3" x 18 yd.	Black/White
55314	3" x 18 yd.	Magenta/Yellow
Checkered		
76317	2" x 18 yd.	Black/Yellow
76316	2" x 18 yd.	Black/White

Anti-Skid Diecut Cleats

- Durable B-916 grit-coated polyester tape
- Ideal to make steps and entryways safer

Catalog #	Legend	Size	Qty.
78160	Caution	6" x 24"	24
78163	Watch Your Step	6" x 24"	24
78161	Reflective Stripe	6" x 24"	24
78162	Photo-Lum Stripe	6" x 24"	24
78192	Black	34" x 24"	50
78195	Black	6" x 24"	50

Anti-Skid Floor Tape

- B-916 adhesive-backed polyester tape coated with durable aluminum oxide grit
- Bonds permanently to clean, dry floors both indoors and outdoors

Catalog #	Size	Color
78189	1" x 60'	Black
78190	2" x 60'	Black
78198	2" x 60'	Red
78091	2" x 60'	Yellow
78188	2" x 60'	Clear
78191	4" x 60'	Black
78092	4" x 60'	Yellow
78193	6" x 60'	Black
78194	12" x 60'	Black

BradyGlo™ Egress Marking

The 2012 versions of the International Building Code (IBC), International Fire Code (IFC) and the National Fire Protection Agency's (NFPA) 101 Life Safety Code contain new provisions for the means of egress in most new and pre-existing buildings with five or more stories.

Luminous (glow-in-the-dark) egress path markings are now required for the full width of every stair and handrail, among other markings. Brady offers a complete line of egress marking products that meet the current requirements for the 2012 means of egress regulations.



BradyGlo™ Floor Tapes

- Made of B-324 phosphorescent surface printed polyester
- Designed for safe Low Level Lighting egress pathway marking during power outages and emergency situations

Catalog #	Size	Color
76432	Solid BradyGlo Tape	2" x 15'
76433	Solid BradyGlo Tape	3" x 15'

High Intensity Marking Tape

- BradyGlo™ High Intensity Self Sticking Polyester in IBC/IFC compliant or NYC approved styles
- Ideal for marking leading edges of steps and landings, door frames, and handrails

Catalog #	Size	Color
114634	IBC/IFC Compliant Marking Tape	1" x 50'
114636	IBC/IFC Compliant Anti-Slip Marking Tape	1" x 50'
81873	NYC Approved Marking Tape	1" x 50'
81729	NYC Approved Anti-Slip Marking Tape	1" x 50'

High Intensity Obstacle Tape

- BradyGlo™ High Intensity Self Sticking Polyester in IBC/IFC compliant or NYC approved styles
- Clearly marks obstacles that protrude into the egress path

Catalog #	Size	Color
114635	IBC/IFC Compliant Obstacle Tape	1" x 50'
81869	NYC Approved Obstacle Tape	1" x 50'

BradyGlo™ Arrow Tape

- BradyGloTM B-324 tapes exceed ASTM E 2072-00 standard specifications
- Designed for safe LLL (Low Level Lighting) egress pathway marking during power outages and emergency situations

Catalog #	Style	Size
90971	V-Arrow Style Tape	2" x 5 yd
90972	V-Arrow Style Tape	3" x 5 yd
90973	Arrow Style Tape	2" x 5 yd
90974	Arrow Style Tape	3" x 5 yd
76430	Striped Arrow Tape	2" x 5 yd



BradyGlo™ Handrail Covers

- Easily install onto existing handrails; adhesive can be added to make the installation permanent.
- Snap-fit over existing handrails
- Durable extruded polycarbonate
- Co-extruded photoluminescent glow channel

Catalog #	Size	Color	Qty.
114904	72" x 1.50" Square	Black	1
114906	72" x 1.50" Square	Gray	1
114908	72" x 1.75" Round	Black	1
114910	72" x 1.75" Round	Gray	1
114905	72" x 1.50" Square	Black	8
114907	72" x 1.50" Square	Gray	8
114909	72" x 1.75" Round	Black	8
114911	72" x 1.75" Round	Gray	8



BradyGlo™ Stair-Nosing

- Made from durable, 40% glass-filled polyurethane material
- Cost-effective alternative to aluminum stair-nosing
- Molded glow channel with both chemical and mechanical interference fit

Catalog #	Size	Color	Qty.
High Traffic			
114898	1.32"H x 48"W x 3"D	Black	1
114900	1.32"H x 48"W x 3"D	Gray	1
114899	1.32"H x 48"W x 3"D	Black	10
114901	1.32"H x 48"W x 3"D	Gray	10
Low Traffic			
114902	1.32"H x 48"W x 3"D	Black	1
114903	1.32"H x 48"W x 3"D	Black	10

Lean / Visual Workplace Barricades

www.BradyID.com/visualworkplace

Safety Color Code for Marking Physical Hazards

1910.144(a): Use yellow and black for physical hazards, red and white for fire protection equipment, black and white for traffic and housekeeping markings, magenta and yellow for radiation hazards.

Pennant Barricade Tape

- Tough and durable flag barricade can be used repeatedly
- Pennants are 18" x 18" triangles spaced evenly across tape

Catalog #	Legend
58388	83' Tape with 15 Pennants
58389	113' Tape with 25 Pennants

Barricade Tape

- Non-adhesive B-912 Polyethylene tapes provides fast, on-the-spot warning

Catalog #	Legend	Size	Color
91212	Caution	3" x 200'	Blk/Ylw
91224	Caution Do Not Enter	3" x 200'	Blk/Ylw
91256	Confined Space Do Not Enter	3" x 200'	Blk/Ylw
91200	Danger	3" x 200'	Blk/Red
91450	Caution	3" x 1000'	Blk/Ylw
91451	Caution Do Not Enter	3" x 1000'	Blk/Ylw
91455	Danger	3" x 1000'	Blk/Ylw
91257	Confined Space Do Not Enter	3" x 1000'	Blk/Ylw
91201	Danger	3" x 1000'	Blk/Red
102824	Do Not Enter	3" x 1000'	Blk/Red

Reinforced Barricade Tape

- Provides fast, on-the-spot warning
- Standard package: one roll
- 250 lbs tensile strength

Catalog #	Legend	Size	Color
91100	Caution	3" x 500'	Blk/Ylw
91102	Caution Do Not Enter	3" x 500'	Blk/Ylw
91104	Striped	3" x 500'	Blk/Ylw

Re-Pulpable Barricade Tape

- Made of 100% strong woven, biodegradable cotton material
- Tape will break down if accidentally introduced into the system

Catalog #	Legend	Size	Color
91083	Caution	3" x 50 yds.	Blk/Ylw
91084	Danger	3" x 50 yds.	Blk/Red

Woven Barricade Tape

- Made of B-903 polypropylene
- Contains ultraviolet inhibitors for permanent outdoor marking

Catalog #	Legend	Size
91172	3⁄4" x 150'	Black/Yellow
91173	3⁄4" x 150'	Magenta/Yellow
91175	3⁄4" x 150'	Black/Red
91176	2" x 200'	Black/Yellow
91179	2" x 200'	Black/Red

Tensabarrier™ Barricade System

- Black posts are 40" high
- Pull-out belt is 7.5' long
- 14" diameter base weighs 26 pounds

Catalog #	Legend
80125	Post w/ Black/White Stripe Belt
80127	Post w/ Black/Yellow "CAUTION-DO NOT ENTER" Belt

BradyLink Warning Posts

- Polyethylene bases and tops; polystyrene posts
- Fillable non-conductive base
- Small: 2.5" dia.; 40" tall; 14" dia. base
  Larger: 3" dia.; 41" tall; 16" dia. base

Catalog #	Size	Color	Qty.
80943	Small Post	Black	6
80944	Small Post	Yellow	6
92116	Large Post	Black	1
92117	Large Post	White	1
92118	Large Post	Yellow	1
92119	Large Post	Black	6
92120	Large Post	White	6
92121	Large Post	Yellow	6

The Brady Boys Barricades

- Made of Interlocking and high-impact polyethylene
- Each "Boy" stands 41" high and weighs 5-1/2 lbs.

Catalog #	Legend	Size	Qty.
92270	Caution-Out of Service	41" x 31"	2 "boys"

Reversible Floor Stands

- Alert people of potential floor hazards
- Made of lightweight corrugated polypropylene material (B-836)

Catalog #	Legend	Size
92280	Caution-Slippery When Wet/ Wet Floor	12"x20" (closed)
92285	Caution-Men Working Above/Below	12"x20" (closed)
92281	Caution-Men Working/ Hazardous Area	12"x20" (closed)

Striped Warning Posts

- Portable, non-rusting, polyethylene posts & chain
- Black & Yellow striped posts come with tops and fillable bases
- Not intended to support heavy weight

Catalog #	Size	Color	Qty.
80946	Sm Non-Reflective	Blk/Ylw	6
92122	Lg Non-Reflective	Blk/Ylw	1
92126	Lg Non-Reflective	Blk/Mag	1
92123	Lg Non-Reflective	Blk/Ylw	6
92127	Lg Non-Reflective	Blk/Mag	6
92125	Lg Reflective	Blk/Ylw	6

Handy Cone™ Floor Signs

- Collapsible, spring-loaded, pyramid-shaped signs set up in seconds
- Stored in a 2" diameter tube

Catalog #	Legend	Size	Qty.
47380	Warning-People Working	31"	1
47382	Caution - Wet Floor/Piso Mojado	31"	1
47372	Caution - Wet Floor	18"	1

Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of durable Polystyrene Plastic
- Printing appears on both panels

Catalog #	Legend	Size
47243	Caution - Tripping Hazard	12"x20" (closed)
47239	Danger - Persons Working Above	12"x20" (closed)



BradyLink Warning Chain

- Polyethylene chain for indoor use only
- Link design prevents kinking

Catalog #	Size	Color
78234	1-1/2" x100' Chain	Yellow
78235	1-1/2" x100' Chain	White
78238	2" x100' Chain	Yellow
78239	2" x100' Chain	White
78241	2" x100' Chain	Orange
78254	2" x100' Chain	Blk/Ylw
37860	3" x100' Chain	Yellow
78246	Box of 36, 2" Links	Yellow

Attachable sign and frame sold separately.

Bradycone™ Warning System

- Made of high impact, weather-resistant warning cones stack for easy storage

Catalog #	Description	Size
77200	"Wet Floor" Yellow Cone	25"
77202	"Wet Floor" Yellow Cone	35"
77201	"Safety First" Yellow Cone	25"
77203	"Safety First" Yellow Cone	35"
77198	Blank Yellow Cone	25"
77205	Blank Yellow Cone	35"
77199	Blank Orange Cone	25"
77204	Blank Orange Cone	35"
77208	Weight Ring	9lbs
77210	Lock-in-Frame (Face: 8-1/4" x 8-1/4")	10"

Heavy Duty Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of heavy-duty polypropylene
- Wording appears on both panels

Catalog #	Legend	Size
104808	Blank	24-1/2" (closed)
104809	Wet Floor	24-1/2" (closed)

Additional Visual Workplace Marking

www.BradyID.com/visualworkplace

Identoline® Underground Warning Tape

- Made of heavy-duty B-720 polyethylene
- Tape is 4.0 mil. thick with a tough tensile strength of 1750 psi
- Easily identified - APWA (American Public Works Association) color coding
- Overcoated graphics provide long-lasting legibility and hold color values

Catalog #	Utility Class	Size	APWA Color
91295	Electric*	3" x 1,000'	Red
91296	Electric	6" x 1,000'	Red
91297	Telephone	6" x 1,000'	Orange
91298	Water	6" x 1,000'	Blue

**Legend appears on one line*

Detectable Identoline® Warning Tape

- Made of tough B-721 metal detectable polyester; foil is 4.5 mils
- Subsurface graphics seal the legend from acids, alkalis and soil substances
- Easily identified legend on APWA color-coded background
- Meets OSHA regulation covering location or underground utility lines

Catalog #	Utility Class	Size	APWA Color
91601	Electric	2" x 1,000'	Red
91603	Water	2" x 1,000'	Blue
91600	Gas	2" x 1,000'	Yellow
91606	Fiber Optic	2" x 1,000'	Orange



Marking Flags

- Ideal for identifying possible hazards buried underground
- 4" x 5" flags are attach to a 30", 15.5 gauge steel rod
- Custom legends available, contact your local Brady distributor for more information

Catalog #	Legend	Size	Color	Qty.
98168	Buried Electric Line	4" x 5"	Black/Red	100

Bradystake™ Warning Stakes

- Blank stakes with no sign assembly
- Reinforced polymer is rugged and flexible; even when driven over, they bend, but don't break.

Catalog #	Color	Size
96950	Orange With Points	3-3/4"x66"
96951	Yellow With Points	3-3/4"x66"
96921	Yellow Without Points	3-3/4"x66"
96952	Blue With Points	3-3/4"x66"
96953	Green With Points	3-3/4"x66"
96954	White With Points	3-3/4"x66"
96955	Red With Points	3-3/4"x66"
96922	Orange on White Reflective	3-3/4"x66"
96923	Black on Yellow Reflective	3-3/4"x66"

Bradystake™ Warning Stake Labels

- Made of B-302 self-sticking polyester
- 1" blank area at bottom will accommodate separate label with company name and telephone number
- Avoid custom lead times by ordering these stock labels with Blank Bradystake™ Warning Stakes (sold separately above)

Catalog #	Legend	Size
85406	Caution Gas Pipeline Before Digging Call Collect	14" x 3"



Bradystake™ Anchors

- Made of resilient, long-lasting spring steel
- For added stability in loose and sandy soil
- Catches soil around the stake preventing unauthorized removal
- As a custom order, anchors can be attached to Bradystake™ Warning Stakes at the factory for quick field installation

Catalog #	Legend
97084	Bradystake™ Anchors

Visual Workplace Training Materials

www.BradyID.com/visualworkplace

Visual Workplace Foundations Training Kit

- A comprehensive foundation in core visual workplace concepts, principles, and tools for both novices and experts
- Produced by Dr. Gwendolyn D. Galsworth, PhD
- Covers visual techniques and best practices that are critical to any lean, 5S or kaizen initiative
- See 150 examples and listen to actual users insights and experiences
- Kit Contents:
  - 6 DVD Set (4 modules + overview)
  - 2-CD Audio Set includes additional coaching for managers and trainers
  - 1 Handbook (230 pages with 200+ photos)
  - 1 Tote Bag

Catalog #	Description
113238	Complete Training Kit
113240	2-CD Audio Set
113239	1 Associate Handbook
113244	1st DVD: Basics of Visual Thinking



Lean Machines for World-Class Manufacturing & Maintenance

- Written by Robert M. Williamson
- Explains how visual systems can be applied to simplify the interactions between people and machines
- Learn how visual controls improve equipment performance, simplify routine maintenance, plus reduce equipment training time

Catalog #	Description
113242	Lean Machines Book



Visual Workplace, Visual Thinking Book

- Written by Dr. Gwendolyn Galsworth, PhD, this book positions workplace visuality as a powerful partner on your company's lean journey.
- Provides concepts, principles, frameworks, and models for creating a fully-functioning visual enterprise through visual workplace technologies: Visual Order, Visual Standards, Visual Displays, Visual Metrics, Visual Problem Solving, Visual Controls, Visual Pull Systems, and Visual Guarantees (poka yoke devices).
- 200+ pages, with 200 full-color photographs and 50 charts.

Catalog #	Description
113241	Visual Workplace, Visual Thinking Book

Visual Systems Presentation CD-Rom

- Companion to Lean Machines book
- Powerpoint slides provide access to the many different full-color examples of visual systems referenced in the book
- Handout materials and facilitator's notes can also be printed from the CD-ROM for use in the classroom

Catalog #	Description
113243	Visual Systems Presentation CD



Work That Makes Sense Book

- At last, a book that explains workplace visuality as a comprehensive strategy for eliminating abnormalities, sustaining lean gains, and aligning and unifying the work culture. Written by Dr. Gwendolyn Galsworth, PhD, Work That Makes Sense is a complement to her Visual Workplace, Visual Thinking book which shows you how to implement, coach, support, and sustain visual inventiveness on the operator-level.

Catalog #	Description
142132	Work That Makes Sense Book

Visual Workplace e-Learning Training Courses

- Interactive features, real-life application scenarios and quizzes to facilitate learning and remembering
- Online availability eliminates the costs of off-site training
- Certificate available upon completion

Catalog #	Description
142256	Introduction to Visual Workplace (approx. 30-40mins)
142257	Visual 5S: Optimizing Workplace Organization (approx. 30-40mins)
142258	Visual TPM: Enhancing Equip. Reliability & Maint. Efficiency (approx. 30-40mins)
142259	e-Learning Bundle: (1) Intro to VW, (1) Visual 5S and (1) Visual TPM

Only available at www.BradyID.com/elearning

Security

www.BradyID.com

Stock Metal Ball Seals

- Stock Metal Ball Seals are supplied with consecutive numbering (factory chooses starting number) and the word “SEALED” already embossed

Catalog #	Description	Qty.
95197	Metal Ball Seals	100



Pull-Tite Seals

- Breaking strength of 10-14 pounds
- Pull-Tite Seals are one of the few security seals approved for use by Underwriter’s Laboratories for fire extinguishers and safety doors
- Ideal for use with courier pouches, canisters or cabinets that contain valuables or sensitive documents
- Pull-Tite Seals are embossed “SEALED DO NOT REMOVE”

Catalog #	Size	Color	Qty.
UL approved for fire extinguishers and safety doors			
95141	9”	Black	100
95143	9”	Blue	100
95144	9”	Green	100
95150	9”	Red	100
95155	9”	Yellow	100
Non-UL approved			
133481	9”	Green	100
133482	9”	Red	100
133483	9”	Yellow	100
133484	9”	Blue	100
133485	9”	Orange	100
133486	9”	White	100



Cable Lock Seals

- Heavy steel seals have a steel head with 6 serialized numbers for inventory or tracking
- Seals have imprinted letters STN
- Factory chooses the starting number

Catalog #	Description	Tensile Strength	Qty.
95166	12” x 1⁄16”	480 lbs.	100
95167	12” x 3⁄32”	800 lbs.	100



Ring-Loc Drum™ Seals

- Specifically designed to ensure fiber drum integrity
- Avoid product contamination
- Available in two materials:
  nlyon - which affords greater strength
  polupropylene - which will blush if tampered with
- Two styles - with or without shroud
- Seals are applied with two fingers and removed with a simple cutting tool

Catalog #	Description	Color	Qty.
95158	Nylon w/ Shroud	Blue	100
95159	Nylon w/o Shroud	Blue	100
95161	Nylon w/ Shroud	Red	100
95162	Polypropylene w/o Shroud	Blue	100
95163	Polypropylene w/o Shroud	Blue	100
95164	Polypropylene w/ Shroud	Red	100
95165	Polypropylene w/o Shroud	Red	100

Stock Plastic Truck Seals

- Deters entry, yet easily removed
- Tamper-resistant truck seals are embossed with the wording “Sealed” and are consecutively numbered
- Ships in mats of ten for convenience and better accountability - 100 seals total in package.

Catalog #	Size	Color	Qty.
95193	7-1/2”	Blue	100
95195	7-1/2”	Red	100
95196	7-1/2”	Yellow	100
133487	7-1/2”	Green	100
133488	7-1/2”	Orange	100

Simulated Surveillance Camera

- Deter theft and vandalism. Outwardly, these simulated surveillance cameras are indistinguishable from “live” cameras.
- A commercial quality high impact styrene camera housing for indoor or outdoor use
- Installs in minutes requiring no wiring

Catalog #	Description
95140	Stationary Simulated Surveillance Camera

One Step SecurAlert™ Badges

- Pre-assembled for your convenience
- Activated by removing the liner between the "front" badge and the "back" badge
- Badges expire after 24 hours
- 500 front & back badge parts per pack

Catalog #	Legend	Size	Qty.
95635	Visitor	2" x 3"	500
95636	Contractor	2" x 3"	500

SecurAlert™ Clip-On Badges

- Low cost clip-on alternative to self-adhesive badges
- 3" x 3" slotted cards
- 500 front & back badge pars per pack

Catalog #	Legend	Color	Size	Qty.
95643	Visitor	Red	2" x 3"	500
95644	Visitor	Blue	2" x 3"	500
95645	Visitor	Yellow	2" x 3"	500
95646	Visitor	Green	2" x 3"	500
95647	Visitor	White	2" x 3"	500
95653	Contractor	Red	2" x 3"	500
95654	Contractor	Blue	2" x 3"	500
95655	Contractor	Yellow	2" x 3"	500
95656	Contractor	Green	2" x 3"	500
95657	Contractor	White	2" x 3"	500



Self-Expiring Parking Permits

- Temporary parking permits expire during the day by progressively revealing the letters E-X-P-I-R-E-D.
- Expiration process starts once the self-adhesive cover is applied

Catalog #	Legend	Color	Qty.
Red for Hot Weather Over 80°F/25°C			
95677	Visitor	5" x 3"	500
95680	Temporary	5" x 3"	500
Blue for Moderate Weather 50°F/10°C to 80°F/25°C			
95678	Visitor	5" x 3"	500
95681	Temporary	5" x 3"	500
Purple for Cold Weather under 50°F/10°C			
95679	Visitor	5" x 3"	500
95682	Temporary	5" x 3"	500

Retractable Badge Holder

- Attach to belt or clothing
- Retractable Badge Holder with clip is the ideal alternative to bull dog clips which may damage clothing
- Clip attaches to belt or pocket while the heavy-duty nylon cable with fastener attaches to badge

Catalog #	Description	Color	Qty.
95071	Retractable Holder	Blue	1
95073	Retractable Holder	White	1
95074	Retractable Holder	Gray	1
95075	Retractable Holder	Black	1

Acetate Badge Holder with Insert

- Economical and easy to use
- Folded clip-on holders made of extra heavy PVC vinyl with open ends
- Includes white insert

Catalog #	Description	Size	Qty.
95060	Badge Holder w/Insert	4" x 3"	1

Vinyl Badge Holder with Insert

- Versatile and reusable
- Heavy duty vinyl with open top on short side
- Clip has no teeth to harm clothing
- Includes white insert

Catalog #	Description	Size	Qty.
95049	Badge Holder w/Insert	2" x 3"	1
95052	Badge Holder w/Insert	3" x 4"	1

Dispensers

www.BradyID.com

PPE Dispenser

- Store bouffants, booties, gloves, ear plugs, etc. and pull it out from the 4" round opening
- Wall or table mount

Catalog #	Size	Size
DPE	PPE Dispenser	10" x 10" x 10"

Miscellaneous PPE Dispenser

- Foam bottom
- Wall or table mount

Catalog #	Description	Size
MPPE	Misc. PPE Dispenser	9-1/2" x 11-1/2"x 9-1/2"

Head Wear Dispensers

- Middle divider makes it easy to separate
- White acrylic with see-through lid
- Table top only

Catalog #	Description	Size
PD240E	Hairnets	11-1/2" x 15-3/8" x 9"

Head Wear Dispensers

- Middle divider makes it easy to separate
- White acrylic with see-through lid
- Table top only

Catalog #	Description	Size
PD241E	Sanitary Headwear	11-1/2" x 15-3/8" x 9"

Bouffant Cap / Beard

- Table or wall mount for easy access

Catalog #	Description	Size
PD524E	Bouffant Cap Dispenser	14" x 12" x 8"
PD325E	Beard Cover Dispenser	14" x 12" x 8"

Dust Mask Dispenser

- Unique cutout design that allows you to reach in the opening to easily remove
- Holds more than 30 masks

Catalog #	Description	Size
M420	Dust Mask Dispenser	12-1/2" x 6" x 6"

Glove Dispensers

- The single, double and triple units are all vertically mounted on either wall or counter

Catalog #	Description	Size
GD01	Single	5" x 10.93" x 4.12"
GD02	Double	10" x 10.375" x 4.12"
GD03	Triple	15" x 10.375" x 4.12"

Deluxe Glove Dispenser

- The deluxe triple is mounted horizontally and allows you to change one box without affecting the others

Catalog #	Description	Size
GD03DL	Deluxe Glove Dispenser	11-13/16"x20"x4"

Deluxe Visitor Spec

- Holds approx. 20-25 glasses
- Wall mount only

Catalog #	Description	Size
MVSD	Deluxe Visitor Speck Dispenser	18"x8"x4"
MVSDL	Deluxe w/cover (not shown)	18"x8"x4"
EHMVSD	Economy Dispenser	17-1/4"x8"x4"

Large Capacity Eye Protection Dispenser

- Clear acrylic unit can be wall or table mounted
- Holds approximately 35 pairs

Catalog #	Description	Size
PD701E	Dispenser	12-1/4"x18"x9-1/4"

Safety Glasses Holder

- This compact unit holds 4-6 pairs of glasses
- Wall or table mount

Catalog #	Description	Size
2011L	Holder	3" x 9" x 6" with 6" high backplate
2011	Holder w/o Cover	3" x 9" x 6" with 6" high backplate

Eye Wash Station

- Proper usage instructions silk-screened on door
- Holds 32 oz. bottle (not included)
- Wall or table mount

Catalog #	Description	Size
PD997E	Double Bottle Station	10" x 10-1/4" x 7"
PD995E	Single Bottle Station	10"x 6-1/4"x 7"

Large Capacity Ear Plug

- Removable inner slanted shelf
- Holds 200 disposables
- Wall or table mount

Catalog #	Description	Size
PD439G	Dispenser	13" x 12" x 8"

Ear Plug Dispenser

- Holds 100 to 150 pairs
- Wall or table mount

Catalog #	Description	Size
EPD	Ear Plug Tray	13" x 6" x 8"

Divided Hearing Protection Dispenser

- Use two different kinds of hearing protection
- Table top use only

Catalog #	Description	Size
PD265E	Divided Hearing Protection	11-1/2"x15-3/8"x9"

Compact Ear Plug Dispenser

- Cushioned foam bottom
- Wall or table mount

Catalog #	Description	Size
2019L	Dispenser	3" x 9" x 6"with a 6" high backplate
2019	Dispenser w/o cover	3" x 9" x 6"with a 6" high backplate

Clear Acrylic Dispenser Tray

- Use on tabletop or mount on wall

Catalog #	Description	Size
PD205A	Dispenser tray	3" x 9" x 6" with a 6" high backplate
PD206A	Tray with lid (not shown)	3" x 9" x 6" with a 6" high backplate

Shoe Cover Dispenser

- Holds over 50 pairs of poly shoe covers
- Table top or wall mount

Catalog #	Description	Size
PD322E	Shoe Cover Dispenser	14" x 12" x 8"

Portable Printer Comparison Guide

Use the following comparison guide to quickly see which printer best fits your application needs.
Then turn to the following pages to find out more about each printer, compatible materials and print ribbons.

BMP®21 Label Printer
See page 244

IDXPERT™ v2.0 Continous Only Printer
See page 246

IDXPERT™ v2.0 ABC/Qwerty Labeling Printer
See page 246

BMP®41 Label Printer
See page 252

Printer Specifications				
Max Labels Per Day	75 labels/day	250 labels/day	250 labels/day	250 labels/day
Print Resolution	203 dpi	300 dpi	300 dpi	300 dpi
Print Technology	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal transfer
Print Speed	10 mm/sec (0.4 in/sec)	10 mm/sec (0.4 in/sec)	10 mm/sec (0.4 in/sec)	33mm/sec (1.3 in/sec)
Tape Widths (inches)	0.25", 0.375", 0.5", 0.75"	0.25", 0.318", 0.375", 0.475", 0.50", 0.625", 0.75", 1.00", 1.50"	0.25", 0.318", 0.375", 0.475", 0.50", 0.625", 0.75", 1.00", 1.50"	Various sizes from 0.235" to 1.0"
Tape Widths (mm)	6.4, 9.5, 12.7, 19.1 mm	6.4, 8.0, 9.5, 12.1, 12.7, 15.9, 19.1, 25.4, 38.1 mm	6.4, 8.0, 9.5, 12.1, 12.7, 15.9, 19.1, 25.4, 38.1 mm	Various sizes from 5.969 mm to 25.4 mm
Max Label Width	0.75" (19.1mm)	1.50" (38.1mm)	1.50" (38.1mm)	1.00" (25.4mm)
Max Print Width	N/A	1.250" (31.75mm)	1.250" (31.75mm)	-
Memory	12 labels	10 labels	10 labels	48 MB / Up to 25,000 Labels
Materials Supported	Continuous, 43 Stock Parts	Continuous, 50+ Stock Parts	Continuous, Die Cut, 140+ Stock Parts	Continuous, Die Cut, 190+ Stock Parts
Continuous vs Die Cut Labels	Continuous labels only	Continuous labels only	Continuous and die cut labels	Continuous and die cut labels
PC Connectivity	No	Yes	Yes	Optional through USB
Software Compatibility	No	LabelMark™ Software	LabelMark™ Software	Optional through USB
File Transfer from PC to printer	No	No	No	Yes
Wireless Connectivity	No	No	No	No
Stand Alone Printing	Yes	Yes	Yes	Yes
Connectivity Options	None	USB	USB	USB
Color Capability	Single Color Printing	Single Color Printing	Single Color Printing	Single Color Printing
Keyboard	ABC	ABC	ABC and QWERTY	QWERTY
Backlit Screen	Yes	No	No	2.5" x 1.5" with Backlight
Text Sizes	6 (6 to 40 point)	11 (7 to 128 point)	11 (7 to 128 point)	4 to 103 point with autosizing
Multi-Line Print	Yes	Yes	Yes	Yes
Print Rotation	No	Yes	Yes	Yes
Serialization	Yes	Yes	Yes	Yes
Barcode	39 and 128	39 and 128	39 and 128	Code 39 & 128 standalone, additional via software
Symbols	78	82	82	445
Portability	Yes	Yes	Yes	Yes
Label Types or Application Functions	Wire, Banner Portrait, Banner Landscape, Terminal Block, Patch Panel, Fixed Length	Banner Portrait, Banner Landscape, Wire, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length	Banner Portrait, Banner Landscape, Wire, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length	Clear Polyester, Metalized Polyester, Polyester, Heat Shrink Polyolefin Tubing, Polypropylene, Self-laminating Vinyl, Vinyl, Vinyl Cloth
Applications	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Wire & Cable Marking	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Wire & Cable Marking	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Wire & Cable Marking	Wire and Cable ID, Datacomm and Audio/Visual labeling, Electrical ID, Panel ID, Product ID, Facility ID, Safety and Maintenance, General ID
Power Supply	6 AA's, AC Power (optional)	6 AA's, AC Power (optional)	6 AA's, AC Power (optional)	Rechargeable NiMH Battery pack with life indicator or AC
Weight	1.66 lbs (0.75kg)	2.4 lbs (1.09kg)	2.4 lbs (1.09kg)	2.85 lbs
Warranty	12 months - See Terms and Conditions	12 months - See Terms and Conditions	12 months - See Terms and Conditions	2 years

** Test 3rd party software integration for intended application prior to purchase.*
Windows® is a registered trademark of Microsoft Corporation.

BMP®53 Label Maker
See page 258

BMP®51 Label Maker
See page 258

TLS 2200® / TLS PC Link™ Thermal Labeling System
See page 268

BMP®71 Label Printer
See page 284

Printer Specifications				
Max Labels Per Day	500 labels/day	500 labels/day	750 labels/day	1000 labels/day
Print Resolution	300 dpi	300 dpi	203 dpi	300 dpi
Print Technology	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer
Print Speed	25 mm/sec (1 in/sec)	25 mm/sec (1 in/sec)	12 mm/sec (0.47 in/sec)	38 mm/sec (1.50 in/sec)
Tape Widths (inches)	Various sizes from 0.235" to 1.50"	Various sizes from 0.235" to 1.50"	Various sizes from 0.25" to 2.00"	Various sizes from 0.25" to 2.00"
Tape Widths (mm)	6.4, 8.0, 9.5, 12.1, 12.7, 15.9, 19.1, 25.4, 38.1 mm	6.4, 8.0, 9.5, 12.1, 12.7, 15.9, 19.1, 25.4, 38.1 mm	Various sizes from 6.4 to 50.8 mm	Various sizes from 6.4 to 50.8 mm
Max Label Width	1.50" (38.1mm)	1.50" (38.1mm)	2.00" (50.8mm)	2.00"
Max Print Width	1.250" (31.75mm)	1.250" (31.75mm)	1.810" (46.0mm)	1.75"
Memory	Files saved to PC	48 MB / 25,000 labels	21,000 characters / None	200 MB
Materials Supported	Continuous, Die Cut, 140+ Stock Parts	Continuous, Die Cut, 140+ Stock Parts	Continuous, Die Cut, Bulk, Over 500 Stock Parts and Custom	Continuous, Die Cut labels, Bulk, over 400 Stock Parts and Custom
Continuous vs Die Cut Labels	Continuous and die cut labels	Continuous and die cut labels	Continuous and die cut labels	Continuous and die cut labels
PC Connectivity	Yes	Yes	Yes	Yes
Software Compatibility	LabelMark™ / CodeSoft™ Software	LabelMark™ / CodeSoft™ Software	LabelMark™ / CodeSoft™ Software	LabelMark™ / MarkWare™ Software
Data Transfer from PC to printer	Yes	Yes	No	Yes
Wireless Connectivity	Yes	Yes	No	No
Stand Alone Printing	No	Yes	Yes	Yes
Connectivity Options	USB, Bluetooth (WIFI and Ethernet optional)	USB, Bluetooth (WIFI and Ethernet optional)	Serial	USB
Color Capability	Single Color Printing	Single Color Printing	Single Color Printing	Single Color Printing
Keyboard	N/A	QWERTY	ABC / None	QWERTY
Backlit Screen	N/A	Yes	No	Yes
Text Sizes	4 to 103 point + autosizing	4 to 103 point + autosizing	1 to 19 (4 to 72 point)	4 to 174 point + autosizing
Multi-Line Print	Yes	Yes	Yes	Yes
Print Rotation	Yes	Yes	Yes	Yes
Serialization	Yes	Yes	Yes	Yes - multiple and linked
Barcode	All LabelMark Supported Barcodes	39 and 128	128, IFT 25, Codabar	39 and 128
Symbols	All LabelMark Supported Symbols	444	44 on keypad / LabelMark Supported Symbols	Over 500
Portability	Yes	Yes	Yes / No	Yes
Label Types or Application Functions	Banner Portrait, Banner Landscape, Wire, Flag Labels, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length	Banner Portrait, Banner Landscape, Wire, Flag Labels, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length, Small Pipe Markers	Banner Portrait, Banner Landscape, Wire, Patch Panel, Terminal Block, Desi Strip, Fixed Length	Banner Portrait, Banner Landscape, Wire, Flag Labels, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length, Pipe Markers, Safety Labels
Applications	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Laboratory Identification, Panel Identification, Security Identification, Wire & Cable Marking	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Laboratory Identification, Panel Identification, Security Identification, Wire & Cable Marking, Pipe Marking	Circuit Board Labeling, Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Laboratory Identification, Panel Identification, Security Identification, Wire & Cable Marking	Circuit Board Labeling, Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Security Identification, Wire & Cable Marking, Pipe Marking
Power Supply	8AA's, AC Power, Rechargeable Li-Ion battery pack (optional)	8AA's, AC Power, Rechargeable Li-Ion battery pack (optional)	Rechargeable Battery, AC Power (optional)	Rechargeable Battery, AC Power
Weight	2.8 lbs (1.27kg)	3.18 lbs (1.44kg)	2.75 lbs (1.25kg) / 2.5 lbs (1.13kg)	5.49 lbs (2.49kg)
Warranty	12 months - See Terms and Conditions	12 months - See Terms and Conditions	12 months - See Terms and Conditions	12 months - See Terms and Conditions

** Test 3rd party software integration for intended application prior to purchase.*
Windows® is a registered trademark of Microsoft Corporation.

BMP®21 Label Printer

www.BradyID.com/bmp21

Online Video!

Visit **www.BradyID.com/bmp21** for more information or to view an online printer demo video.

Your Complete Printing Solution:

BMP21 cartridges with label and print ribbon ..... page 245

BMP®21 LABEL PRINTER

MEET THE NEWEST MEMBER OF YOUR CREW

Add the BMP®21 portable label printer to your team and you'll never look back. This thermal transfer printer creates clear, legible labels with industrial-strength staying power to withstand even the harshest environments.

Simple to operate and quick to print, it's the must-have labeling tool for voice and data comm, electrical and general industrial crews. Create your labels just once, knowing they'll stay stuck and stay legible for years ahead.

Feature Include:

- Intuitive operation, large display and backlight
- Prints on PermaSleeve® heat shrink sleeves, continuous self-laminating material and more
- Advanced serialization, barcoding, symbols and terminal block and patch panel options
- Label cutter with label retention holds printed labels until you need them
- Rugged construction - withstands a 5 ft. drop

BMP®21 Label Printer & Accessories

Catalog #	Description
BMP21	BMP21 Label Printer*
BMP21-HC	BMP21 Hard Case
BMP21-MAGNET	Magnet Only Accessory
BMP21-TOOL	Multi-functional Tool Accessory**
BMP21-AC	BMP21 AC Adapter

** Printer includes M21-750-499 Label Cartridge, and Quick Start Guide and 1 year Limited Warrany.*
***Tool Accessory includes magnet, flashlight, polestrap, stand and beltloop.*

US Patent No: 8,322,936

BMP®21 Label Printer Specifications

Max Labels Per Day	75 labels/day
Print Resolution	203 dpi
Print Technology	Thermal Transfer
Print Speed	10 mm/sec (0.4 in/sec)
Tape Widths (inches)	0.25", 0.375", 0.5", 0.75"
Tape Widths (mm)	6.4, 9.5, 12.7, 19.1 mm
Max Label Width	0.75" (19.1mm)
Max Print Width	N/A
Memory	12 labels
Materials Supported	Continuous, 43 Stock Parts
Continuous vs Die Cut Labels	Continuous labels only
PC Connectivity	No
Software Compatibility	No
File Transfer from PC to printer	No
Wireless Connectivity	No
Stand Alone Printing	Yes
Connectivity Options	None
Color Capability	Single Color Printing
Keyboard	ABC
Backlit Screen	Yes
Text Sizes	6 (6 to 40 point)
Multi-Line Print	Yes
Print Rotation	No
Serialization	Yes
Barcode	39 and 128
Symbols	78
Portability	Yes
Label Types or Application Functions	Wire, Banner Portrait, Banner Landscape, Terminal Block, Patch Panel, Fixed Length
Applications	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Wire & Cable Marking
Power Supply	6 AA's, AC Power (optional)
Weight	1.66 lbs (0.75kg)
Warranty	12 months - See Terms and Conditions

An affordable label and wire marker printer designed for the tool box

Electrical Labeling

Voice & Data Communications

General ID

PermaSleeve® Wire Marking Sleeves

Self-Laminating Labels

Safety Labels ...and many more!

BMP®21 General Identification Material:

B-595 Indoor/Outdoor Vinyl Material

Super-tough and perfect for voice, data, audio, video, HVAC control, bins, safety and electrical applications.

Color	0.375" x 21' (9.530 mm x 6.400 m)	0.500" x 21' (12.700 mm x 6.400 m)	0.750" x 21' (19.050 mm x 6.400 m)
Black on White	M21-375-595-WT	M21-500-595-WT	M21-750-595-WT
Black on Yellow	M21-375-595-YL	M21-500-595-YL	M21-750-595-YL
White on Red	M21-375-595-RD	M21-500-595-RD	M21-750-595-RD
White on Blue	M21-375-595-BL	M21-500-595-BL	M21-750-595-BL
White on Green	M21-375-595-GN	M21-500-595-GN	M21-750-595-GN
Black on Orange	M21-375-595-OR	M21-500-595-OR	M21-750-595-OR

BMP®21 Wire & Cable Material:

B-427 Self-Laminating Vinyl Material

Excellent water, oil and abrasion resistance. Material has clear 'tail' to laminate and protect the printed label.

Part Number	Material	Color	Label Width
M21-750-427	B-427*	Black on White	0.75" x 14' (19.05 mm x 4.27 m)
M21-1000-427	B-427*	Black on White	1.00" x 14' (25.40 mm x 4.27 m)
M21-1250-427	B-427*	Black on White	1.25" x 14' (31.75 mm x 4.27 m)
M21-1500-427	B-427*	Black on White	1.50" x 14' (38.10 mm x 4.27 m)

**not compatible in the ID PAL™ Printer.*

BMP®21 Wire & Cable Material:

B-342 PermaSleeve® PS Polyolefin Wire Marking Sleeves

Continuous Cut-to-Length Heat Shrinkable Sleeves.

Part Number	Material	Color	Size
M21-125-C-342	B-342*	Black on White	0.235" x 7' (5.970 mm x 2.13 m)
M21-187-C-342	B-342	Black on White	0.335" x 7' (8.510 mm x 2.13 m)
M21-250-C-342	B-342	Black on White	0.439" x 7' (11.150 mm x 2.13 m)
M21-375-C-342	B-342	Black on White	0.645" x 7' (16.380 mm x 2.13 m)

**not compatible in the ID PAL™ Printer.*



BMP®21 Wire & Cable Material:

B-499 Nylon Cloth Material

Permanent adhesive for wire, cable, patch panels, faceplates and terminal blocks.

Part Number	Material	Color	Description
For wire, cable, patch panels and faceplates.			
M21-375-499	B-499	Black on White	0.375" x 16' (9.530 mm x 4.88 m)
M21-500-499	B-499	Black on White	0.500" x 16' (12.70 mm x 4.88 m)
M21-750-499	B-499	Black on White	0.750" x 16' (19.05 mm x 4.88 m)
For terminal blocks			
M21-375-499-TB	B-499	Black on White	0.375" x 16' (9.530 mm x 4.88 m)
M21-500-499-TB	B-499	Black on White	0.500" x 16' (12.70 mm x 4.88 m)

BMP®21 General Identification Material:

B-423 and B-430 Polyester Material

Excellent resistance to solvents. For instruments, racks and bins or general identification applications

Part Number	Material	Color	Description
M21-375-423	B-423	Black on White	0.375" x 21' (9.530 mm x 6.400 m)
M21-500-423	B-423	Black on White	0.500" x 21' (12.700 mm x 6.400 m)
M21-750-423	B-423	Black on White	0.750" x 21' (19.050 mm x 6.400 m)
M21-375-430	B-430	Black on Clear	0.375" x 21' (9.530 mm x 6.400 m)
M21-500-430	B-430	Black on Clear	0.500" x 21' (12.700 mm x 6.400 m)
M21-750-430	B-430	Black on Clear	0.750" x 21' (19.050 mm x 6.400 m)

BMP®21 Label Printer - Did You Know?

1. The necessary print ribbons for the BMP®21 Label Printer are self-contained within the label roll cartridge. So there's no need to order or load separate print ribbons!
2. BMP®21 consumables are also compatible with the ID Pal™ Label Printer unless otherwise noted.

IDXPERT™ Handheld Labeler

www.BradyID.com/idxpert

Online Video!

Visit **www.BradyID.com/idxpert** for more information or to view a demo video of the IDXPERT Labeler.

Your Complete Printing Solution:

IDXPERT cartridges with labels and print ribbon ..... page 248

Brady's IDXPERT™ Handheld Labeler is the ideal tool for affordable, on-the-spot labeling in datacomm, electrical, and industrial workplaces. This 300 dpi thermal transfer label printing creates die-cut labels, self-laminating labels, sleeves and continuous tape labels.

Three Versions Available:

1. "Qwerty" keyboard layout style for fast typing
2. "ABC" handheld style for maximum portability
3. "Continuous Only" version only prints on continuous lengths of material

Catalog #	Description
XPERT-ABC	Printer* - ABC Layout
XPERT-KEY	Printer* - KEYBOARD Layout
XPERT-CONT	Printer* - Continuous Printing Only
XPERT-HC-ABC	Hard Case for ABC Layout
XPERT-HC-KEY	Hard Case for KEYBOARD Layout
XPERT-AC	AC Adapter
LABXPERT-SER-USB	Serial-to-USB adapter for PC cable
PCCABLE-1	Spare PC Cable for Upgrades Only
PCK-6	Cleaning Kit
LM5STDE	LabelMark™5 Software (single user)
XPERT-ABC-KIT-LM	Printer* ABC Layout , AC Adapter and LabelMark™5 Standard Software Kit
XPERT-KEY-KIT-LM	Printer* Keyboard Layout, AC Adapter and LabelMark™5 Standard Software Kit

**Printer purchase included Hard Case, 1.5" Continuous Sample Roll Tape, PC cable, Product CD and 1 year Limited Warranty.*

IDXPERT™ HANDHELD LABELER

More Types of Labels

- Colored continuous tapes for lean, equipment and safety identification
- PermaSleeve® wire marker sleeves
- Self-laminating wire & cable markers
- Terminal block, patch panel, faceplate & outlet markers
- General-purpose industrial die-cut labels

More Sizes

- Prints from .06" up to 1.25" characters on label stock up to 1.5" wide

More Symbols

- Code 39 and 128 bar codes
- 82 symbols including electrical, voice/data, safety & protection, warning, and machine & operational

More Brains

- Drop Lock & Go™ Smart Cartridges™ are fast to install and remove
- Electronically pre-calibrated to orient the label the way you need it with no special keys to press
- Print stand-alone or from a PC (with optional Brady LabelMark™ software)
- Memory to store frequently used set-ups

Prints Clean & Fast

- Fast print speed, plus non-smearing thermal transfer print quality.
- Flexible text editing capabilities

Less Waste

- Edge-to-edge printing on continuous tapes so you don't pay for unused label material
- Die-cut labels are pre-cut to the size you need

Let the IDXPERT portable printer work for you.



Voice & Data Communications

PermaSleeve® Wire Marking Sleeves



Terminal Blocks

Self-Laminating Labels

Patch Panel & Faceplates

General ID ...and many more!

IDXPERT™ HANDHELD LABELER

Continuous Only

Only printing on continuous label tapes?

Try this economical version of Brady's popular handheld printer.

The IDXPERT™ Continuous Only Portable Label Printer is an economical version of the IDXPERT Portable Label Printer that prints on continuous labeling tape only. Ideal for datacomm, wire labeling, material handling, electrical construction and other general identification needs where the full die-cut functionality of the standard version is not needed.

Upgrade Your IDXPERT

If you own an IDXPERT™ Continuous Only Portable Label Printer but would like to upgrade to the full die-cut and continuous printing functionality of the standard IDXPERT Portable Label Printer, a downloadable upgrade is available for purchase. Simply call Brady Technical Support at 800-643-8766 and ask for the IDXPERT™ Continuous Only Portable Label Printer Upgrade.

Printer Specifications	IDXPERT™ Continuous Only Labeler	IDXPERT™ Handheld Labeler
Max Labels Per Day	250 labels/day	250 labels/day
Print Resolution	300 dpi	300 dpi
Print Technology	Thermal Transfer	Thermal Transfer
Print Speed	10 mm/sec (0.4 in/sec)	10 mm/sec (0.4 in/sec)
Tape Widths (inches)	0.25", 0.318", 0.375", 0.475", 0.50", 0.625", 0.75", 1.00", 1.50"	0.25", 0.318", 0.375", 0.475", 0.50", 0.625", 0.75", 1.00", 1.50"
Tape Widths (mm)	6.4, 8.0, 9.5, 12.1, 12.7, 15.9, 19.1, 25.4, 38.1 mm	6.4, 8.0, 9.5, 12.1, 12.7, 15.9, 19.1, 25.4, 38.1 mm
Max Label Width	1.50" (38.1mm)	1.50" (38.1mm)
Max Print Width	1.250" (31.75mm)	1.250" (31.75mm)
Memory	10 labels	10 labels
Materials Supported	Continuous, 50+ Stock Parts	Continuous, Die Cut, 140+ Stock Parts
Continuous vs Die Cut Labels	Continuous labels only	Continuous and die cut labels
PC Connectivity	Yes	Yes
Software Compatibility	LabelMark™ Software	LabelMark™ Software
File Transfer from PC to printer	No	No
Wireless Connectivity	No	No
Stand Alone Printing	Yes	Yes
Connectivity Options	USB	USB
Color Capability	Single Color Printing	Single Color Printing
Keyboard	ABC	ABC and QWERTY
Backlit Screen	No	No
Text Sizes	11 (7 to 128 point)	11 (7 to 128 point)
Multi-Line Print	Yes	Yes
Print Rotation	Yes	Yes
Serialization	Yes	Yes
Barcode	39 and 128	39 and 128
Symbols	82	82
Portability	Yes	Yes
Label Types or Application Functions	Banner Portrait, Banner Landscape, Wire, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length	Banner Portrait, Banner Landscape, Wire, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length
Applications	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Wire & Cable Marking	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Wire & Cable Marking
Power Supply	6 AA's, AC Power (optional)	6 AA's, AC Power (optional)
Weight	2.4 lbs (1.09kg)	2.4 lbs (1.09kg)
Warranty	12 months - See Terms and Conditions	12 months - See Terms and Conditions

IDXPERT™ Materials

www.BradyID.com/idxpert

IDXPERT™ General Identification Material:

Indoor/Outdoor Material for General, Lean, Facility & Safety ID

- **B-422 Polyester Material** - Permanent adhesive, good for powder-coated/textured surfaces. Best on flat surfaces. Temp. Range: -40°F to 212°F (-40°C to 100°C). UL recognized.
- **B-428 Polyester Material** - Permanent adhesive, silver finish. Temp. Range: -40°F to 176°F (-40°C to 80°C). UL recognized.
- **B-483 Polyester Material** - Permanent adhesive for powder-coated/textured surfaces. Best on flat surfaces Temp. Range: -40°F to 248°F (-40°C to 120°C). UL recognized.
- **B-499 Nylon Cloth Material** - Permanent adhesive. Pliable for rough or smooth surfaces. Temp. Range: -94°F to 194°F (-70°C to 90°C). UL recognized.
- **B-595 Indoor/Outdoor Vinyl Material** - Permanent adhesive, very pliable, good for rough surfaces and outdoor use, wide range of colors. Temp. Range: -40°F to 248°F (-40°C to 120°C). UL recognized.



Figure 29

Figure 33



Figure 46
(Includes black border)

Diagram	Part Number	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-422 Polyester Labels							
Fig. 29	X-7-422	B-422	Polyester	BK on WT	0.500 (12.7)	0.500 (12.7)	350
Fig. 29	X-19-422	B-422	Polyester	BK on WT	1.000 (25.4)	1.000 (25.4)	250
Fig. 29	X-132-422	B-422	Polyester	BK on WT	1.500 (38.1)	1.250 (13.8)	250
Fig. 29	X-30-422	B-422	Polyester	BK on WT	1.500 (38.1)	0.750 (19.1)	250
B-428 Polyester Labels							
Fig. 29	X-17-428-SV-BK	B-428	Polyester	BK on SV	1.000 (25.4)	0.500 (12.7)	500
Fig. 46	X-24-428-SVBB-BK	B-428	Polyester	BK on SV	1.130 (28.7)	0.500 (12.7)	500
Fig. 29	X-29-428-SV-BK	B-428	Polyester	BK on SV	1.500 (38.1)	0.500 (12.7)	500
Fig. 29	X-30-428-SV-BK	B-428	Polyester	BK on SV	1.500 (38.1)	0.750 (19.1)	325
Fig. 29	X-20-428-SV-BK	B-428	Polyester	BK on SV	2.000 (50.8)	1.000 (25.4)	100
B-483 Polyester Labels							
Fig. 29	X-17-483	B-483	Polyester	BK on WT	1.000 (25.4)	0.500 (12.7)	500
Fig. 29	X-20-483	B-483	Polyester	BK on WT	2.000 (50.8)	1.000 (25.4)	100
Fig. 29	X-61-483	B-483	Polyester	BK on WT	2.000 (50.8)	0.500 (12.7)	100
B-499 Nylon Cloth Labels Labels							
Fig. 33	XC-375-499	B-499	Nylon Cloth	BK on WT	0.375 (9.5)	20 ft. (6.1 m)	1 roll (cont.)
Fig. 33	XC-500-499	B-499	Nylon Cloth	BK on WT	0.500 (12.7)	20 ft. (6.1 m)	1 roll (cont.)
Fig. 29	X-11-499	B-499	Nylon Cloth	BK on WT	0.750 (19.1)	0.500 (12.7)	275
Fig. 33	XC-750-499	B-499	Nylon Cloth	BK on WT	0.750 (19.1)	20 ft. (6.1 m)	1 roll (cont.)
Fig. 29	X-84-499	B-499	Nylon Cloth	BK on WT	0.900 (22.9)	0.500 (12.7)	250
Fig. 33	XC-1000-499	B-499	Nylon Cloth	BK on WT	1.000 (25.4)	20 ft. (6.1 m)	1 roll (cont.)
Fig. 29	X-130-499	B-499	Nylon Cloth	BK on WT	1.500 (38.1)	0.750 (19.1)	300
Fig. 29	X-162-499	B-499	Nylon Cloth	BK on WT	1.500 (38.1)	0.500 (12.7)	165
B-595 Indoor/Outdoor Vinyl Film							
Fig. 33	XC-500-595-CL-BK	B-595	Vinyl	BK on CL	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	XC-750-595-CL-BK	B-595	Vinyl	BK on CL	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	XC-1000-595-CL-BK	B-595	Vinyl	BK on CL	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	XC-1500-595-CL-BK	B-595	Vinyl	BK on CL	1.500 (38.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	XC-500-595-OR-BK	B-595	Vinyl	BK on OR	0.500 (12.7)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-750-595-OR-BK	B-595	Vinyl	BK on OR	0.750 (19.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1000-595-OR-BK	B-595	Vinyl	BK on OR	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1500-595-OR-BK	B-595	Vinyl	BK on OR	1.500 (38.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-500-595-WT-BK	B-595	Vinyl	BK on WT	0.500 (12.7)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-750-595-WT-BK	B-595	Vinyl	BK on WT	0.750 (19.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1000-595-WT-BK	B-595	Vinyl	BK on WT	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1500-595-WT-BK	B-595	Vinyl	BK on WT	1.500 (38.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-500-595-YL-BK	B-595	Vinyl	BK on YL	0.500 (12.7)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-750-595-YL-BK	B-595	Vinyl	BK on YL	0.750 (19.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1000-595-YL-BK	B-595	Vinyl	BK on YL	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1500-595-YL-BK	B-595	Vinyl	BK on YL	1.500 (38.1)	30 ft. (9.1 m)	1 roll (cont.)

Indoor/Outdoor labels continued on next page.

IDXPERT™ General Identification Material:

Indoor/Outdoor Material for General, Lean, Facility & Safety ID

Continued from previous page.

Figure 33

Diagram	Part Number	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-595 Indoor/Outdoor Vinyl Film (continued)							
Fig. 33	XC-500-595-WT-RD	B-595	Vinyl	RD on WT	0.500 (12.7)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-750-595-RD-WT	B-595	Vinyl	RD on WT	0.750 (19.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1000-595-WT-RD	B-595	Vinyl	RD on WT	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1500-595-WT-RD	B-595	Vinyl	RD on WT	1.500 (38.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-500-595-BL-WT	B-595	Vinyl	WT on BL	0.500 (12.7)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-750-595-BL-WT	B-595	Vinyl	WT on BL	0.750 (19.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1000-595-BL-WT	B-595	Vinyl	WT on BL	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1500-595-BL-WT	B-595	Vinyl	WT on BL	1.500 (38.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-500-595-GN-WT	B-595	Vinyl	WT on GN	0.500 (12.7)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-750-595-GN-WT	B-595	Vinyl	WT on GN	0.750 (19.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1000-595-GN-WT	B-595	Vinyl	WT on GN	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1500-595-GN-WT	B-595	Vinyl	WT on GN	1.500 (38.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-500-595-RD-WT	B-595	Vinyl	WT on RD	0.500 (12.7)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-750-595-WT-RD	B-595	Vinyl	WT on RD	0.750 (19.1)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1000-595-RD-WT	B-595	Vinyl	WT on RD	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1500-595-RD-WT	B-595	Vinyl	WT on RD	1.500 (38.1)	30 ft. (9.1 m)	1 roll (cont.)

IDXPERT™ Wire & Cable Material:

B-498 Repositionable Vinyl Cloth Material

Printer automatically repeats your text to fill the label for maximum readability. Special adhesive stays put, but marker can be removed and reapplied if necessary. Temp Range -40°F to 175°F (-40°C to 70°C). UL Recognized.



Figure 31

Diagram	Catalog #	B#	Material	Color	Approx. Wire Gauge*	Max Wire Dia. Inch (mm)	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/ Roll
B-498 Repositionable Vinyl Cloth Labels									
Fig. 31	X-7-498	B-498	Vinyl Cloth	BK on WT	22-16	0.11 (2.8)	0.500 (12.7)	0.500 (12.7)	300
Fig. 31	X-11-498	B-498	Vinyl Cloth	BK on WT	16-10	0.16 (4.0)	0.500 (12.7)	0.750 (19.1)	275
Fig. 31	X-163-498	B-498	Vinyl Cloth	BK on WT	12-10	0.21 (5.3)	0.500 (12.7)	1.000 (25.4)	225
Fig. 31	X-19-498	B-498	Vinyl Cloth	BK on WT	12-10	0.21 (5.3)	1.000 (25.4)	1.000 (25.4)	200
Fig. 31	X-18-498	B-498	Vinyl Cloth	BK on WT	12-10	0.21 (5.3)	0.750 (19.1)	1.000 (25.4)	225
Fig. 31	X-103-498	B-498	Vinyl Cloth	BK on WT	10-4	0.27 (6.9)	1.000 (25.4)	1.250 (31.8)	200
Fig. 31	X-162-498	B-498	Vinyl Cloth	BK on WT	10-4	0.32 (6.9)	0.500 (12.7)	1.500 (38.1)	165
Fig. 31	X-31-498	B-498	Vinyl Cloth	BK on WT	10-4	0.32 (6.9)	1.000 (25.4)	1.500 (38.1)	165
Fig. 31	X-21-498	B-498	Vinyl Cloth	BK on WT	3 Gauge - 2/0	0.53 (13.5)	1.000 (25.4)	2.500 (63.5)	95
Fig. 31	X-23-498	B-498	Vinyl Cloth	BK on WT	3/0 - 400Kcmil	0.85 (21.6)	1.000 (25.4)	4.000 (101.6)	60

Approx. wire gauge based on AWG for THHN wire.

IDXPERT™ Wire & Cable Material:

B-342 PermaSleeve® PS Polyolefin Wire Marking Sleeves

3:1 heat shrinkable sleeve fits snuggly around wire for identification and protection. Fade resistant and flame retardant. Meets the following material and physical property specifications.

- SAE-AMS-DTL-23053/5 (Class 1)
- SAE-AS-81531
- MIL-STD-202
- RoHS Compliant
- UL Recognized
- Tested per: ASTM E162 and ASTM E662



Figure 44



Figure 58

Diagram	Part Number	B#	Color	Approx. Wire Gauge*	Range of Wire Dia. Inch (mm) Min.	Max.	Supplied Diameter Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Width Inch (mm)	Sleeves per Roll
B-342 PermaSleeve® PS Polyolefin Wire Marking Sleeves											
Fig. 58	XPS-125-CONT	B-342	BK on WT	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	0.235 (5.9)	8' (2.45m)
Fig. 58	XPS-125-CONT-YL-BK	B-342	BK on YL	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	0.235 (5.9)	8' (2.45m)
Fig. 58	XPS-187-CONT	B-342	BK on WT	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	0.335 (8.0)	8' (2.45m)
Fig. 58	XPS-187-CONT-YL-BK	B-342	BK on YL	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	0.335 (8.0)	8' (2.45m)
Fig. 58	XPS-250-CONT	B-342	BK on WT	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	0.439 (11.2)	8' (2.45m)
Fig. 58	XPS-250-CONT-YL-BK	B-342	BK on YL	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	0.439 (11.2)	8' (2.45m)
Fig. 58	XPS-375-CONT	B-342	BK on WT	12 to 4	0.125 (3.2)	0.320 (8.13)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	0.645 (16.4)	8' (2.45m)
Fig. 44	XPS-125-1	B-342	BK on WT	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	100
Fig. 44	XPS-187-1	B-342	BK on WT	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	100
Fig. 44	XPS-250-1	B-342	BK on WT	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	100
Fig. 44	XPS-375-1	B-342	BK on WT	12 to 4	0.125 (3.2)	0.320 (8.13)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	100

Approx. wire gauge based on AWG for THHN wire.

IDXPERT™ Materials

www.BradyID.com/idxpert

IDXPERT™ Voice & Data Comm Material:

B-427 Self-Laminating Vinyl Material

Ideal for marking wire and voice/data cabling, this marker features a clear, non-printed area which wraps around and overlaminates the printed text. Printer automatically repeats your lines of text to fill the white print area. Resistant to abrasion, water, oil and solvents. Temp range -40°F to 158°F (-40°C to 70°C), UL recognized



Figure 32

Self-Laminating Wire Markers

Diagram	Catalog #	Material	Color	Approx. Wire Gauge*	Max Wire Dia. Inch (mm)	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-On Height C Inch (mm)	Labels/ Roll
B-427 Self-Laminating Vinyl Labels									
Fig. 32	XSL-11-427	B-427	BK on WT	16-10	0.160 (4.0)	0.500 (12.7)	0.750 (19.1)	0.375 (9.5)	450
Fig. 32	XSL-96-427	B-427	BK on WT	16-10	0.160 (4.0)	1.000 (25.4)	0.750 (19.1)	0.375 (9.5)	250
Fig. 32	XSL-17-427	B-427	BK on WT	12-10	0.210 (5.3)	0.500 (12.7)	1.000 (25.4)	0.375 (9.5)	450
Fig. 32	XSL-18-427	B-427	BK on WT	12-10	0.210 (5.3)	0.750 (19.1)	1.000 (25.4)	0.375 (9.5)	250
Fig. 32	XSL-19-427	B-427	BK on WT	12-10	0.210 (5.3)	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	250
Fig. 32	XSL-102-427	B-427	BK on WT	10-4	0.270 (6.9)	0.500 (12.7)	1.250 (31.8)	0.375 (9.5)	250
Fig. 32	XSL-103-427	B-427	BK on WT	10-4	0.270 (6.9)	1.000 (25.4)	1.250 (31.8)	0.500 (12.7)	250
Fig. 32	XSL-115-427	B-427	BK on WT	10-4	0.270 (6.9)	1.500 (38.1)	1.250 (31.8)	0.500 (12.7)	250
Fig. 32	XSL-29-427	B-427	BK on WT	10-4	0.320 (8.1)	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	450
Fig. 32	XSL-30-427	B-427	BK on WT	10-4	0.320 (8.1)	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	250
Fig. 32	XSL-31-427	B-427	BK on WT	10-4	0.320 (8.1)	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	250
Fig. 32	XSL-31-427-YL-BK	B-427	BK on YL	10-4	0.320 (8.1)	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	250
Fig. 32	XSL-32-427	B-427	BK on WT	10-4	0.320 (8.1)	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	227
Fig. 32	XSL-21-427-YL-BK	B-427	BK on YL	3 Gauge-2/0	0.530 (13.5)	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	100
Fig. 32	XSL-21-427	B-427	BK on WT	3 Gauge-2/0	0.530 (13.5)	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	100
Fig. 32	XSL-116-427	B-427	BK on WT	3 Gauge-2/0	0.530 (13.5)	1.500 (38.1)	2.500 (63.5)	0.750 (19.1)	100
Fig. 32	XSL-23-427	B-427	BK on WT	3/0-400 kcmil	0.850 (22.0)	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	85
Fig. 32	XSL-23-427-YL-BK	B-427	BK on YL	3/0-400 kcmil	0.850 (22.0)	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100
Fig. 32	XSL-33-427	B-427	BK on WT	3/0-400 kcmil	0.850 (22.0)	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	85
Fig. 32	XSL-34-427	B-427	BK on WT	500-900 kcmil	1.30 (33.0)	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50

Self-Laminating Voice and Data Comm Cable Markers

Diagram	Catalog #	Material	Color	Sized To Fit	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-On Height C Inch(mm)	Labels/ Roll
B-427 Self-Laminating Vinyl Labels								
Fig. 32	XSL-19-427	B-427	BK on WT	2 pair Fiber/Coaxial, Single/Multi Mode	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	250
Fig. 32	XSL-102-427	B-427	BK on WT	CAT-5, 4 pair UTP Copper	0.500 (12.7)	1.250 (31.8)	0.375 (9.5)	250
Fig. 32	XSL-103-427	B-427	BK on WT	CAT-5, 4 pair UTP Copper, Fiber, Coaxial	1.000 (25.4)	1.250 (31.8)	0.500 (12.7)	250
Fig. 32	XSL-115-427	B-427	BK on WT	CAT-5, 4 pair UTP Copper	1.500 (38.1)	1.250 (31.8)	0.500 (12.7)	250
Fig. 32	XSL-29-427	B-427	BK on WT	CAT-5, 4 pair UTP Copper	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	500
Fig. 32	XSL-30-427	B-427	BK on WT	CAT-5, 4 pair UTP Copper	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	250
Fig. 32	XSL-31-427	B-427	BK on WT	CAT-5, 4 pair UTP Copper, Fiber, Coaxial	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	250
Fig. 32	XSL-31-427-YL-BK	B-427	BK on YL	CAT-5, 4 pair UTP Copper, Fiber, Coaxial	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	250
Fig. 32	XSL-32-427	B-427	BK on WT	CAT-5, 4 pair UTP Copper, Fiber, Coaxial	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	250
Fig. 32	XSL-21-427	B-427	BK on WT	25 pair Copper, 4-12 pair Fiber, Coaxial	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	100
Fig. 32	XSL-21-427-YL-BK	B-427	BK on YL	25 pair Copper, 4-12 pair Fiber, Coaxial	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	100
Fig. 32	XSL-116-427	B-427	BK on WT	25 pair Copper, 4-12 pair Fiber, Coaxial	1.500 (38.1)	2.500 (63.5)	0.750 (19.1)	100
Fig. 32	XSL-23-427	B-427	BK on WT	50 pair Copper, 24 pair Fiber, Backbone	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100
Fig. 32	XSL-23-427-YL-BK	B-427	BK on YL	50 pair Copper, 24 pair Fiber, Backbone	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100
Fig. 32	XSL-33-427	B-427	BK on WT	50 pair Copper, 24 pair Fiber, Backbone	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	100
Fig. 32	XSL-34-427	B-427	BK on WT	100 pair Copper, 36 pair Fiber, Backbone	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50

IDXPERT™ Voice & Data Comm Material:

B-498 Repositionable Vinyl Cloth Material

Specially designed narrow-width markers automatically set to fixed spacing and separation between leg ends and automatically rotate to top-down orientation for perfect alignment on terminal blocks. Temp Range -40°F to 175°F (-40°C to 80°C), UL Recognized



Figure 30



Diagram	Catalog #	B#	Material	Color	Width of Strip Inch (mm)	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-498 Repositionable Vinyl Cloth Labels								
Fig. 30	XC-240-498	B-498	Vinyl Cloth	BK on WT	0.240 (6.1) wide	0.240 (6.1)	20 ft. (7.9 m)	1 roll (cont.)
Fig. 30	XC-318-498	B-498	Vinyl Cloth	BK on WT	0.318 (8.1) wide	0.318 (8.1)	20 ft. (7.9 m)	1 roll (cont.)
Fig. 30	XC-375-498	B-498	Vinyl Cloth	BK on WT	0.375 (9.5) wide	0.375 (9.5)	20 ft. (7.9 m)	1 roll (cont.)

IDXPERT™ Voice & Data Comm Material:

B-422 Polyester Material

Permanent adhesive, good for powder-coated/ textured surfaces making it ideal for pat panels, outlets and faceplate identification. Best on flat surfaces. Temp. Range: -40°F to 212°F (-40°C to 100°C). UL recognized.



Figure 29



Figure 59

Diagram	Catalog #	B#	Material	Color	Sized To Fit	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels/Roll
B-422 Polyester Labels										
Fig. 59	XC-375-422	B-422	Polyester	BK on WT	Label Punch Blocks or Multiple Ports on Cont. Tape	0.375	(9.530)	30 ft.	(9.140 m)	1 roll (cont.)
Fig. 59	XC-475-422	B-422	Polyester	BK on WT	Label Punch Blocks or Multiple Ports on Cont. Tape	0.475	(12.070)	30 ft.	(9.140 m)	1 roll (cont.)
Fig. 29	X-7-422	B-422	Polyester	BK on WT	Label Each Port	0.500	(12.700)	0.500	(12.700)	350
Fig. 29	X-17-422	B-422	Polyester	BK on WT	Label Faceplate	1.000	(25.400)	0.500	(12.700)	500
Fig. 29	X-29-422	B-422	Polyester	BK on WT	Label Faceplate	1.500	(38.100)	0.500	(12.700)	500

IDXPERT™ Voice & Data Comm Material:

Racks, Bays, Frames, Public Network & Data Center ID

- **B-422 Polyester Material** - Permanent adhesive, good for powder-coated/ textured surfaces. Best on flat surfaces. Temp. Range: -40°F to 212°F (-40°C to 100°C). UL recognized.
- **B-483 Polyester Material** - Permanent adhesive for powder-coated/textured surfaces. Best on flat surfaces Temp. Range: -40°F to 248°F (-40°C to 120°C). UL recognized.
- **B-595 Indoor/Outdoor Vinyl Material** - Permanent adhesive, very pliable, good for rough surfaces and outdoor use, wide range of colors. Temp. Range: -40°F to 248°F (-40°C to 120°C). UL recognized.



Figure 29



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-422 Polyester Labels							
Fig. 29	X-17-422	B-422	Polyester	BK on WT	1.000 (25.4)	0.500 (12.7)	500
Fig. 29	X-29-422	B-422	Polyester	BK on WT	1.500 (38.1)	0.500 (12.7)	500
Fig. 29	X-30-422	B-422	Polyester	BK on WT	1.500 (38.1)	0.750 (19.1)	250
Fig. 29	X-19-422	B-422	Polyester	BK on WT	1.000 (25.4)	1.000 (25.4)	250
Fig. 33	XC-1000-422	B-422	Polyester	BK on WT	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)
B-483 Polyester Labels							
Fig. 29	X-17-483	B-483	Polyester	BK on WT	1.000 (25.4)	0.500 (12.7)	500
Fig. 29	X-61-483	B-483	Polyester	BK on WT	2.000 (50.8)	0.500 (12.7)	100
Fig. 29	X-20-483	B-483	Polyester	BK on WT	2.000 (50.8)	1.000 (25.4)	100
B-595 Indoor/Outdoor Vinyl Film							
Fig. 33	XC-500-595-YL-BK*	B-595	Vinyl	BK on YL*	0.500 (12.7)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1000-595-YL-BK*	B-595	Vinyl	BK on YL*	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1500-595-YL-BK*	B-595	Vinyl	BK on YL*	1.500 (38.1)	30 ft. (9.1 m)	1 roll (cont.)

**also available in Red, Orange, Green, Blue, White, and Clear.*

IDXPERT Print Ribbons - Did You Know?

Did you know that the necessary print ribbons for the IDXPERT™ Handheld Labeler are self-contained within the label roll cartridge? So there's no need to order or load separate print ribbons!

BMP®41 Label Printer

www.BradyID.com/bmp41

Online Video!

Visit **www.BradyID.com/bmp41** for more information or to view an online printer demo video.

Your Complete Printing Solution:

BMP41 cartridges with label and print ribbon ..... page 253

BMP®41 LABEL PRINTER

ONE AND DONE.

Print it once, print it all, get it done!

A rugged, portable solution that gives you the versatility to create pre-sized and continuous labels anywhere, anytime!

Whether you are faced with your jobs for the day or one-off tasks, the BMP®41 printer saves you time and money by printing your labels once and getting it done.

- Quick cartridge loading with already matched ribbon
- Prints up to 250 labels per day at a print speed of 1.3" per second
- Drop-tested to ensure it can withstand any environment
- Wide range of materials so you can print all your jobs on one printer
- Rugged industrial bumpers with a grab and go grip to be on the move with you
- Simple all-in-one, drop-in cartridges for quick and easy supply change and automatic label setup
- Large graphical LCD display with backlight to see exactly what you're printing
- Rechargeable battery for long lasting power supply
- Built-in wizard-based applications and graphics to help create and print labels quickly and easily

BMP®41 Label Printer & Accessories

Catalog #	Description
BMP41-KIT	BMP41 Label Printer Standard Package
BMP41-KIT-HC	BMP41 Label Printer Standard Package with Hard Case
BMP41-BATT	BMP41 Rechargeable Battery Pack
BMP41-QC	BMP41 External Battery Quick Charger
BMP41-AC	BMP41 AC Adapter / Battery Charger
BMP41-MAGNET	BMP41 Magnet Accessory
BMP41-HC	BMP41 Hard Case
BMP41-USB	BMP41 USB Cable

**Printer ships with BMP41 Rechargeable Battery Pack, MC1-1000-595-WT-BK cartridge, USB Cable, AC Adapter, Product CD, Brady Printer Drivers CD and Quick Start Guide.*

BMP®41 Label Printer Specifications

Max Labels Per Day	250 labels/day
Print Resolution	300 dpi
Print Technology	Thermal transfer
Print Speed	33mm/sec (1.3 in/sec)
Tape Widths (inches)	Various sizes from 0.235" to 1.0"
Tape Widths (mm)	Various sizes from 5.969 mm to 25.4 mm
Max Label Width	1.00" (25.4mm)
Max Print Width	-
Memory	48 MB / Up to 25,000 Labels
Materials Supported	Continuous, Die Cut, 190+ Stock Parts
Continuous vs Die Cut Labels	Continuous and die cut labels
PC Connectivity	Optional through USB
Software Compatibility	Optional through USB
File Transfer from PC to printer	Yes
Wireless Connectivity	No
Stand Alone Printing	Yes
Connectivity Options	USB
Color Capability	Single Color Printing
Keyboard	QWERTY
Backlit Screen	2.5" x 1.5" with Backlight
Text Sizes	4 to 103 point with autosizing
Multi-Line Print	Yes
Print Rotation	Yes
Serialization	Yes
Barcode	Code 39 & 128 standalone, additional via software
Symbols	445
Portability	Yes
Label Types or Application Functions	Clear Polyester, Metalized Polyester, Polyester, Heat Shrink Polyolefin Tubing, Polypropylene, Self-laminating Vinyl, Vinyl, Vinyl Cloth
Applications	Wire and Cable ID, Datacomm and Audio/Visual labeling, Electrical ID, Panel ID, Product ID, Facility ID, Safety and Maintenance, General ID
Power Supply	Rechargeable NiMH Battery pack with life indicator or AC
Weight	2.85 lbs
Warranty	2 years

Exceptional material variety and durability.

Electrical Labeling

Equipment Labeling


Self-Laminating Labels



Voice & Data Communications

PermaSleeve® Wire Marking

Indoor / Outdoor Vinyl Labels...and more!

BMP®41 Voice & Data Comm Material:

B-427 Self-Laminating Wire & Cable Markers

Feature a clear, non printable area that wraps around wires and cables to serve as an overlaminate. These markers are designed to adhere to highly curved surfaces, wires and cables.

- **B-427 Self-Laminating Vinyl Material** - Resistant to abrasion, water, oil and solvents. Temp range -40°F to 158°F (-40°C to 70°C), UL recognized.



Figure 32

Diagram	Catalog#	B#	Color	Approx. Wire Gauge*	Max Wire Dia. Inch (mm)	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-On Height C Inch (mm)	Labels/ Roll	Sized To Fit
B-427 Self-Laminating Vinyl Material										
Fig. 32	M-11-427	B-427	BK on WT	16 - 10 Gauge	0.160 (4.1)	0.500 (12.7)	0.750 (19.1)	0.375 (9.5)	360	CAT-6, 4 pair UTP Copper
Fig. 32	M-136-427	B-427	BK on WT	16 - 10 Gauge	0.160 (4.1)	1.000 (25.4)	0.750 (19.1)	0.375 (9.5)	340	CAT-6, 4 pair UTP Copper
Fig. 32	MC-750-427	B-427	BK on WT	16 - 10 Gauge	0.270 (6.7)	0.750 (19.1)	25 ft (7.6 m)	0.375 (9.5)	1 roll (cont.)	CAT-6, 4 pair UTP Copper
Fig. 32	M-47-427	B-427	BK on WT	12 - 10 Gauge	0.210 (5.3)	1.000 (25.4)	0.500 (12.7)	0.375 (9.5)	360	2 pair Fiber/Coaxial, Single/Multi-Mode
Fig. 32	M-48-427	B-427	BK on WT	12 - 10 Gauge	0.210 (5.3)	1.000 (25.4)	0.750 (19.1)	0.375 (9.5)	200	CAT-6, 4 pair UTP Copper, Fiber, Coaxial
Fig. 32	M-49-427	B-427	BK on WT	12 - 10 Gauge	0.210 (5.3)	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	260	2 pair Fiber/Coaxial, Single/Multi-Mode
Fig. 32	M-102-427	B-427	BK on WT	10 - 4 Gauge	0.270 (6.7)	0.500 (12.7)	1.250 (31.7)	0.375 (9.5)	200	CAT-6, 4 pair UTP Copper
Fig. 32	M-143-427	B-427	BK on WT	10 - 4 Gauge	0.270 (6.7)	1.000 (25.4)	1.250 (31.7)	0.500 (12.7)	200	CAT-6, 4 pair UTP Copper, Fiber, Coaxial
Fig. 32	M-89-427	B-427	BK on WT	10 - 4 Gauge	0.320 (8.1)	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	180	CAT-6, 4 pair UTP Copper
Fig. 32	M-90-427	B-427	BK on WT	10 - 4 Gauge	0.320 (8.1)	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	180	CAT-6, 4 pair UTP Copper
Fig. 32	M-91-427	B-427	BK on WT	10 - 4 Gauge	0.320 (8.1)	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	180	CAT-6, 4 pair UTP Copper, Fiber, Coaxial
Fig. 32	M-91-427-YL	B-427	BK on YL	10 - 4 Gauge	0.320 (8.1)	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	180	CAT-6, 4 pair UTP Copper, Fiber, Coaxial
Fig. 32	M-51-427	B-427	BK on WT	3 Gauge - 2/0	0.530 (13.5)	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	110	25 pair Copper, 4-12 pair Fiber, Coaxial
Fig. 32	M-51-427-YL	B-427	BK on YL	3 Gauge - 2/0	0.530 (13.5)	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	110	25 pair Copper, 4-12 pair Fiber, Coaxial
Fig. 32	M-53-427	B-427	BK on WT	3/0 - 400 kcmil	0.850 (21.6)	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	70	50 pair Copper, 24 pair Fiber, Backbone
Fig. 32	M-53-427-YL	B-427	BK on YL	3/0 - 400 kcmil	0.850 (21.6)	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	70	50 pair Copper, 24 pair Fiber, Backbone

BMP®41 Voice & Data Comm Material:

B-342 PermaSleeve® PS Wire Marking Sleeves

These heat-shrink sleeves are the ultimate in marker durability, permanence and aesthetic appearance. Fast shrink rate saves time and costs during installation. PermaSleeve® wire markers are available as individual die cut markers or continuous cut to length tubing. The 3:1 heat shrinkable sleeve fits snugly around your wire.



Figure 20b

Diagram	Catalog #	B#	Material	Color	Approx. Wire Gauge*	Max Wire Dia. Inch (mm)	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-342 – Permasleeve® PS Wire Marking Sleeves									
Fig. 20b	M-125-075-342	B-342	PermaSleeve	BK on WT	22-16 Gauge	0.046 - 0.110 (1.2 - 2.8)	0.235 (5.9)	0.750 (19.1)	80
Fig. 20b	MC-125-342	B-342	PermaSleeve	BK on WT	22-16 Gauge	0.046 - 0.110 (1.2 - 2.8)	0.235 (5.9)	7 ft (2.1 m)	1 roll (cont.)
Fig. 20b	MC-125-342-YL	B-342	PermaSleeve	BK on YL	22-16 Gauge	0.046 - 0.110 (1.2 - 2.8)	0.235 (5.9)	7 ft (2.1 m)	1 roll (cont.)
Fig. 20b	M-187-075-342	B-342	PermaSleeve	BK on WT	20-10 Gauge	0.062 - 0.150 (1.6 - 3.8)	0.335 (8.5)	0.750 (19.1)	80
Fig. 20b	MC-187-342	B-342	PermaSleeve	BK on WT	20-10 Gauge	0.062 - 0.150 (1.6 - 3.8)	0.335 (8.5)	7 ft (2.1 m)	1 roll (cont.)
Fig. 20b	MC-187-342-YL	B-342	PermaSleeve	BK on YL	20-10 Gauge	0.062 - 0.150 (1.6 - 3.8)	0.335 (8.5)	7 ft (2.1 m)	1 roll (cont.)
Fig. 20b	M-250-075-342	B-342	PermaSleeve	BK on WT	16-8 Gauge	0.094 - 0.215 (2.4 - 5.5)	0.439 (11.1)	0.750 (19.1)	80
Fig. 20b	MC-250-342	B-342	PermaSleeve	BK on WT	16-8 Gauge	0.094 - 0.215 (2.4 - 5.5)	0.439 (11.1)	7 ft (2.1 m)	1 roll (cont.)
Fig. 20b	MC-250-342-YL	B-342	PermaSleeve	BK on YL	16-8 Gauge	0.094 - 0.215 (2.4 - 5.5)	0.439 (11.1)	7 ft (2.1 m)	1 roll (cont.)
Fig. 20b	M-375-075-342	B-342	PermaSleeve	BK on WT	12-4 Gauge	0.125 - 0.320 (3.2 - 8.1)	0.645 (16.4)	0.750 (19.1)	80
Fig. 20b	MC-375-342	B-342	PermaSleeve	BK on WT	12-4 Gauge	0.125 - 0.320 (3.2 - 8.1)	0.645 (16.4)	7 ft (2.1 m)	1 roll (cont.)

BMP®41 Voice & Data Comm Material:

B-499 Nylon Cloth Cable Flags

Pre-formatted with two printable areas, allowing label to be easily folded around wires to create a two-sided, printed flag.

- **B-499 Nylon Cloth Material** - Permanent adhesive. Pliable for rough or smooth surfaces. Temp. Range: -94°F to 194°F (-70°C to 90°C). UL recognized.



Figure 63

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Non-Print Area Inch (mm)	Labels/Roll
B-499 Nylon Cloth Material								
Fig. 63	M-141-499	B-499	Nylon Cloth	BK on WT	1.000 (25.4)	1.000 (25.4)	0.250 (6.3)	90

BMP®41 Materials

www.BradyID.com/bmp41

BMP®41 Voice & Data Comm Material:

Wrap Around Wire & Cable Markers

- **B-498 Repositionable Vinyl Cloth Material** - Printer automatically repeats your text to fill the label for maximum readability. Special adhesive stays put, but marker can be removed and reapplied if necessary. Temp Range -40°F to 175°F (-40°C to 70°C). UL Recognized.



Figure 29

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Wire Gauge	Max. Wire Dia. Inch (mm)	Labels/Roll
B-498 Repositionable Vinyl Cloth Material									
Fig. 29	M-7-498	B-498	Vinyl	BK on WT	0.500 (12.7)	0.500 (12.7)	22 - 16 Gauge	0.110 (2.8)	240
Fig. 29	M-11-498	B-498	Vinyl	BK on WT	0.500 (12.7)	0.750 (19.1)	16 - 10 Gauge	0.160 (4.1)	220
Fig. 29	M-163-498	B-498	Vinyl	BK on WT	0.500 (12.7)	1.000 (25.4)	12 - 10 Gauge	0.210 (5.3)	180
Fig. 29	M-48-498	B-498	Vinyl	BK on WT	0.750 (19.1)	1.000 (25.4)	12 - 10 Gauge	0.210 (5.3)	180
Fig. 29	M-49-498	B-498	Vinyl	BK on WT	1.000 (25.4)	1.000 (25.4)	12 - 10 Gauge	0.210 (5.3)	160
Fig. 29	M-131-498	B-498	Vinyl	BK on WT	0.500 (12.7)	1.000 (25.4)	10 - 4 Gauge	0.270 (6.7)	180
Fig. 29	M-91-498	B-498	Vinyl	BK on WT	1.000 (25.4)	1.500 (38.1)	10 - 4 Gauge	0.270 (6.7)	120

BMP®41 Voice & Data Comm Material:

Patch Panel, Punch Block, Desi Strip and Faceplate Labels

Create a fully-formatted serialized punch block label to fit your equipment or label your ports, jacks and outlets with adhesive labels or slide-in strips.

- **B-412 Polypropylene Tags** - Non-Adhesive Slide-in Strips
- **B-422 Polyester Material** - Permanent adhesive, good for powder-coated/textured surfaces. Best on flat surfaces. Temp. Range: -40°F to 212°F (-40°C to 100°C). UL recognized.



Figure 29

Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-412 Polypropylene Tags							
Fig. 33	MC-375-412	B-412	Polypropylene	BK on WT	0.375 (9.5)	20 ft (6.1 m)	1 roll (cont.)
Fig. 33	MC-475-412	B-412	Polypropylene	BK on WT	0.475 (12.1)	20 ft (6.1 m)	1 roll (cont.)
Fig. 33	MC-625-412	B-412	Polypropylene	BK on WT	0.625 (15.8)	20 ft (6.1 m)	1 roll (cont.)
B-422 Polyester Material							
Fig. 33	MC-375-422	B-422	Polyester	BK on WT	0.375 (9.5)	25 ft (7.6 m)	1 roll (cont.)
Fig. 33	MC-475-422	B-422	Polyester	BK on WT	0.475 (12.1)	25 ft (7.6 m)	1 roll (cont.)
Fig. 29	M-7-422	B-422	Polyester	BK on WT	0.500 (12.7)	0.500 (12.7)	280
Fig. 29	M-89-422	B-422	Polyester	BK on WT	0.500 (12.7)	1.500 (38.1)	180
Fig. 29	M-90-422	B-422	Polyester	BK on WT	0.750 (19.1)	1.500 (38.1)	180
Fig. 29	M-47-422	B-422	Polyester	BK on WT	1.000 (25.4)	0.500 (12.7)	480

BMP®41 Voice & Data Comm Material:

Terminal Block Markers

Specially-designed markers that offer a highly unique adhesive and vinyl cloth construction for excellent holding power, while still allowing for clean removal and application. Compatible with LabelMark™ Software or Brady's mobile app to auto-serialize labels, which helps save you time.

- **B-498 Repositionable Vinyl Cloth Material** - Printer automatically repeats your text to fill the label for maximum readability. Special adhesive stays put, but marker can be removed and reapplied if necessary. Temp Range -40°F to 175°F (-40°C to 70°C). UL Recognized.



Figure 33



Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-498 – Repositionable Vinyl Cloth Labels							
Fig. 33	MC-240-498	B-498	Vinyl	BK on WT	0.240 (6.1)	16 ft (4.9 m)	1 roll (cont.)
Fig. 33	MC-318-498	B-498	Vinyl	BK on WT	0.318 (8.1)	16 ft (4.9 m)	1 roll (cont.)
Fig. 33	MC-375-498	B-498	Vinyl	BK on WT	0.375 (9.5)	16 ft (4.9 m)	1 roll (cont.)

BMP®41 Voice & Data Comm Material:

Equipment, Component, Panel and Rating Plate Labels

Equipment and component labels are long-lasting, durable materials that make it easy to identify control, electrical materials and more. Ideal for marking backer boards, DIN rail, relays, PLCs, switches and solenoids. Create serial or rating plates with barcodes, graphics and more with a flexible high-tack adhesive for easy and long-lasting adhesion.

- **B-422 Polyester Material** - Permanent adhesive, good for powder-coated/textured surfaces. Best on flat surfaces. Temp. Range: -40°F to 212°F (-40°C to 100°C). UL recognized.
- **B-428 Metalized Polyester Material** - Permanent adhesive, silver finish.Temp. Range: -40°F to 176°F (-40°C to 80°C). UL recognized.
- **B-483 Polyester Material** - Permanent adhesive for powder-coated/textured surfaces. Best on flat surfaces Temp. Range: -40°F to 248°F (-40°C to 120°C). UL recognized.
- **B-499 Nylon Cloth Material** - Permanent adhesive. Pliable for rough or smooth surfaces. Temp. Range: -94°F to 194°F (-70°C to 90°C). UL recognized.
- **B-595 Indoor/Outdoor Vinyl Material** - Permanent adhesive, very pliable, good for rough surfaces and outdoor use, wide range of colors. Temp. Range: -40°F to 248°F (-40°C to 120°C). UL recognized.



Figure 29

Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-422 – Polyester Material							
Fig. 33	MC-375-422	B-422	Polyester	BK on WT	0.375 (9.5)	25 ft (7.6 m)	1 roll (cont.)
Fig. 33	MC-475-422	B-422	Polyester	BK on WT	0.475 (12.1)	25 ft (7.6 m)	1 roll (cont.)
Fig. 29	M-7-422	B-422	Polyester	BK on WT	0.500 (12.7)	0.500 (12.7)	280
Fig. 29	M-89-422	B-422	Polyester	BK on WT	0.500 (12.7)	1.500 (38.1)	180
Fig. 33	MC-500-422	B-422	Polyester	BK on WT	0.500 (12.7)	25 ft (7.6 m)	1 roll (cont.)
Fig. 33	MC-625-42	B-422	Polyester	BK on WT	0.625 (15.8)	25 ft (7.6 m)	1 roll (cont.)
Fig. 29	M-90-422	B-422	Polyester	BK on WT	0.750 (19.1)	1.500 (38.1)	180
Fig. 29	M-47-422	B-422	Polyester	BK on WT	1.000 (25.4)	0.500 (12.7)	480
Fig. 29	M-49-422	B-422	Polyester	BK on WT	1.000 (25.4)	1.000 (25.4)	260
Fig. 33	MC1-1000-422	B-422	Polyester	BK on WT	1.000 (25.4)	25 ft (7.6 m)	1 roll (cont.)
B-428 – Metalized Polyester Material							
Fig. 29	M-92-428-BB	B-422	Polyester	Bk on SV	0.500 (12.7)	1.130 (28.7)	239
Fig. 29	M-47-428	B-422	Polyester	BK on SV	1.000 (25.4)	0.500 (12.7)	480
Fig. 29	M-60-428	B-422	Polyester	BK on SV	1.000 (25.4)	2.000 (50.8)	140
B-483 – Ultra Aggressive Adhesive Polyester							
Fig. 29	M-60-483	B-422	Polyester	BK on WT	1.000 (25.4)	2.000 (50.8)	140
B-499 – Nylon Cloth Material							
Fig. 33	MC-375-499	B-499	Nylon Cloth	BK on WT	0.375 (9.5)	16 ft (14.9 m)	1 roll (cont.)
Fig. 33	MC-500-499	B-499	Nylon Cloth	BK on WT	0.500 (12.7)	16 ft (14.9 m)	1 roll (cont.)
Fig. 33	M-11-499	B-499	Nylon Cloth	BK on WT	0.750 (19.1)	0.500 (12.7)	1 roll (cont.)
Fig. 33	MC-750-499	B-499	Nylon Cloth	BK on WT	0.750 (19.1)	16 ft (14.9 m)	1 roll (cont.)
Fig. 33	M-130-499	B-499	Nylon Cloth	BK on WT	0.825 (20.9)	0.375 (9.5)	1 roll (cont.)
Fig. 33	M-84-499	B-499	Nylon Cloth	BK on WT	0.900 (22.8)	0.500 (12.7)	1 roll (cont.)
Fig. 33	M-131-499	B-499	Nylon Cloth	BK on WT	1.000 (25.4)	0.500 (12.7)	1 roll (cont.)
Fig. 33	M-128-499	B-499	Nylon Cloth	BK on WT	1.000 (25.4)	1.900 (48.3)	1 roll (cont.)
B-595 – Indoor/Outdoor Vinyl Material							
Fig. 33	MC-500-595-OR-BK	B-595	Vinyl	BK on OR*	0.500 (12.7)	25 ft (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-OR-BK	B-595	Vinyl	BK on OR*	0.750 (19.1)	25 ft (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-OR-BK	B-595	Vinyl	BK on OR*	1.000 (25.4)	25 ft (7.6 m)	1 roll (cont.)

** For additional general purpose tapes, refer to the Indoor/Outdoor Grade Facility and Safety Labels.*

BMP®41 Magnet Accessory Available

The BMP®41 printer offers a heavy-duty magnet accessory that allows you to go hands-free. Apply the magnet to the back of your printer and then stick it to a magnetized surface or wall.

BMP®41 Materials

www.BradyID.com/bmp41

BMP®41 General Identification Material:

Bin, Storage, Reflective and General Industrial Labels

Choose from several materials and types of labels that offer an aggressive adhesive for use in commercial and industrial applications. Reflective materials can be used for low light or inclement weather conditions on outdoor utility poles and pedestals, job-site equipment and roof-top equipment.

- **B-422 Polyester Material** - Permanent adhesive, good for powder-coated/textured surfaces. Best on flat surfaces. Temp. Range: -40°F to 212°F (-40°C to 100°C). UL recognized.
- **B-483 Polyester Material** - Permanent adhesive for powder-coated/textured surfaces. Best on flat surfaces Temp. Range: -40°F to 248°F (-40°C to 120°C). UL recognized.
- **B-499 Nylon Cloth Material** - Permanent adhesive. Pliable for rough or smooth surfaces. Temp. Range: -94°F to 194°F (-70°C to 90°C). UL recognized.
- **B-584 Reflective Tape** - Reflective material shine back brightly when struck by light.
- **B-595 Indoor/Outdoor Vinyl Material** - Permanent adhesive, very pliable, good for rough surfaces and outdoor use, wide range of colors. Temp. Range: -40°F to 248°F (-40°C to 120°C). UL recognized.



Figure 29



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-422 – Polyester Material							
Fig. 33	MC-375-422	B-422	Polyester	BK on WT	0.375 (9.5)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-475-422	B-422	Polyester	BK on WT	0.475 (12.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 29	M-7-422	B-422	Polyester	BK on WT	0.500 (12.7)	0.500 (12.7)	280
Fig. 29	M-89-422	B-422	Polyester	BK on WT	0.500 (12.7)	1.500 (38.1)	180
Fig. 33	MC-500-422	B-422	Polyester	BK on WT	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-625-422	B-422	Polyester	BK on WT	0.625 (15.9)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 29	M-90-422	B-422	Polyester	BK on WT	0.750 (19.1)	1.500 (38.1)	180
Fig. 29	M-47-422	B-422	Polyester	BK on WT	1.000 (25.4)	0.500 (12.7)	480
Fig. 29	M-49-422	B-422	Polyester	BK on WT	1.000 (25.4)	1.000 (25.4)	260
Fig. 33	MC1-1000-422	B-422	Polyester	BK on WT	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)
B-483 – Ultra Aggressive Adhesive Polyester Material							
Fig. 29	M-47-483	B-483	Polyester	BK on WT	1.000 (25.4)	0.500 (12.7)	480
Fig. 29	M-60-483	B-483	Polyester	BK on WT	1.000 (25.4)	2.000 (50.8)	140
B-499 – Nylon Cloth Labels							
Fig. 29	M-130-499	B-499	Nylon Cloth	BK on WT	0.375 (9.5)	0.825 (20.9)	220
Fig. 33	MC-375-499	B-499	Nylon Cloth	BK on WT	0.375 (9.5)	16 ft (4.9 m)	1 roll (cont.)
Fig. 29	M-131-499	B-499	Nylon Cloth	BK on WT	0.500 (12.7)	1.000 (25.4)	180
Fig. 33	MC-500-499	B-499	Nylon Cloth	BK on WT	0.500 (12.7)	16 ft (4.9 m)	1 roll (cont.)
Fig. 29	M-11-499	B-499	Nylon Cloth	BK on WT	0.750 (19.1)	0.500 (12.7)	220
Fig. 33	MC-750-499	B-499	Nylon Cloth	BK on WT	0.750 (19.1)	16 ft (4.9 m)	1 roll (cont.)
Fig. 29	M-84-499	B-499	Nylon Cloth	BK on WT	0.900 (22.8)	0.500 (12.7)	200
Fig. 29	M-128-499	B-499	Nylon Cloth	BK on WT	1.000 (25.4)	1.900 (48.3)	100
B-584 – Reflective Tape							
Fig. 33	MC-500-584	B-584	Reflective	BK on WT	0.500 (12.7)	20 ft (6.1 m)	1 roll (cont.)
Fig. 33	MC-500-584-YL	B-584	Reflective	BK on YL	0.500 (12.7)	20 ft (6.1 m)	1 roll (cont.)
Fig. 33	MC-750-584	B-584	Reflective	BK on WT	0.750 (19.1)	20 ft (6.1 m)	1 roll (cont.)
Fig. 33	MC-750-584-YL	B-584	Reflective	BK on YL	0.750 (19.1)	20 ft (6.1 m)	1 roll (cont.)
B-595 – Indoor/Outdoor Vinyl Tape							
Fig. 33	MC-500-595-RD-WT	B-595	Vinyl	WT on RD*	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-RD-WT	B-595	Vinyl	WT on RD*	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-RD-WT	B-595	Vinyl	WT on RD*	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)

** For additional general purpose tapes, refer to the Indoor/Outdoor Grade Facility and Safety Labels.*

BMP®41 General Identification Material:

Indoor / Outdoor Grade Facility & Safety Labels

This low-shrink, continuous vinyl material works for a variety of applications, including 5S labels, pipe markers, chemical labels and more. Lasting up to 8-10 years outdoors, these labels offer excellent resistance to oils, detergents, dirt, grime and many solvents.

- **B-595 Indoor/Outdoor Vinyl Material** - Permanent adhesive, very pliable, good for rough surfaces and outdoor use, wide range of colors. Temp. Range: -40°F to 248°F (-40°C to 120°C). UL recognized.

Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-595 – Indoor/Outdoor Vinyl Tape							
Fig. 33	MC-500-595-WT-BK	B-595	Vinyl	BK on WT	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-WT-BK	B-595	Vinyl	BK on WT	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-WT-BK	B-595	Vinyl	BK on WT	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-500-595-YL-BK	B-595	Vinyl	BK on YL	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-YL-BK	B-595	Vinyl	BK on YL	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-YL-BK	B-595	Vinyl	BK on YL	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-500-595-OR-BK	B-595	Vinyl	BK on OR	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-OR-BK	B-595	Vinyl	BK on OR	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-OR-BK	B-595	Vinyl	BK on OR	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-500-595-BL-WT	B-595	Vinyl	WT on BL	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-BL-WT	B-595	Vinyl	WT on BL	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-BL-WT	B-595	Vinyl	WT on BL	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-500-595-RD-WT	B-595	Vinyl	WT on RD	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-RD-WT	B-595	Vinyl	WT on RD	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-RD-WT	B-595	Vinyl	WT on RD	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-500-595-GN-WT	B-595	Vinyl	WT on GN	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-GN-WT	B-595	Vinyl	WT on GN	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-GN-WT	B-595	Vinyl	WT on GN	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-500-595-WT-RD	B-595	Vinyl	RD on WT	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-WT-RD	B-595	Vinyl	RD on WT	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-WT-RD	B-595	Vinyl	RD on WT	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-500-595-BK-WT	B-595	Vinyl	WT on BK	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-BK-WT	B-595	Vinyl	WT on BK	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-BK-WT	B-595	Vinyl	WT on BK	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-500-595-CL-BK	B-595	Vinyl	BK on CL	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-CL-BK	B-595	Vinyl	BK on CL	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-CL-BK	B-595	Vinyl	BK on CL	1.000 (25.4)	20 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-500-595-CL-WT	B-595	Vinyl	WT on CL	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC-750-595-CL-WT	B-595	Vinyl	WT on CL	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)
Fig. 33	MC1-1000-595-CL-WT	B-595	Vinyl	WT on CL	1.000 (25.4)	20 ft. (7.6 m)	1 roll (cont.)

Get the job done for less with a Brady Starter Kit.

BMP®41 Starter Kits

Catalog #	Description
BMP41-KIT-VD	BMP41 DataComm Starter Kit
BMP41-KIT-EL	BMP41 Electrical Starter Kit
BMP41-KIT-GI	BMP41 Facility ID Starter Kit

**Printer ships with BMP41 Rechargeable Battery Pack, MC1-1000-595-WT-BK cartridge, USB Cable, AC Adapter, Product CD, Brady Printer Drivers CD and Quick Start Guide.*

BMP®41 DataComm Starter Kit Includes:

1 - BMP41 Label Maker Standard Package (BMP41-KIT)
1 - BMP41 Hard Case (BMP41-HC)
1 - B-427 1.0" White Label Roll (M-51-427)
1 - B-412 0.475" White Label Roll (MC-475-412)
1 - B-5951.0" Black on Yellow Label Roll (MC1-1000-595-YL-BK)
1 - B-5951.0" Black on White Label Roll (MC1-1000-595-WT-BK)

BMP®41 Electrical Starter Kit Includes:

1 - BMP41 Label Maker Standard Package (BMP41-KIT)
1 - BMP41 Hard Case (BMP41-HC)
1 - B-427 1.0" White Label Roll (M-143-427)
1 - B-498 1.0" White Label Roll (M-48-498)
1 - B-342 0.75" White Label Roll (M-187-075-342)
1 - B-595 1.0" Black on Orange Label Roll (MC1-1000-595-OR-BK)
1 - B-595 1.0" Black on White Label Roll (MC1-1000-595-WT-BK)

BMP®41 Facility ID Starter Kit Includes:

1 - BMP41 Label Maker Standard Package (BMP41-KIT)
1 - B-595 1.0" Black on Yellow Label Roll (MC1-1000-595-YL-BK)
1 - B-595 1.0" Red on White Label Roll (MC1-1000-595-WT-RD)
1 - B-595 1.0" White on Green Label Roll (MC1-1000-595-GN-WT)
1 - B-595 1.0" Black on White Label Roll (MC1-1000-595-WT-BK)
1 - B-483 1.0" White Label Roll (M-60-483)

BMP®51 and BMP®53 Label Makers

www.BradyID.com/bmp51

Made to get the **job done.**

Helps you get the job done faster, easier and with confidence. This labeler has the versatility, print capabilities and convenience to help you tackle your toughest labeling jobs in a snap.

- Fast print speed. Prints 1 inch per second!
- Material recognition and automatic label formatting
- Built-in Bluetooth® technology or optional Wi-Fi card for wireless printing via a network
- Large, graphical display with backlight
- Durable built-in cutter with label retention
- Software compatability for advanced label design
- Continuous and die-cut label materials available
- More than 20 material types and over 190 label parts
- Prints labels up to 1.5" wide (or continuous labels up to 40"!)
- Tough, durable label materials that won't fade, smear or fall off
- Ribbon and label materials in one easy to load cartridge

Don't need the keyboard or screen?

Check out the BMP®53 Label Maker - many of the same features as the BMP®51 Label Maker, minus the display screen and keyboard.

- Create labels with LabelMark™ or CodeSoft™ Software, or using a Brady Mobile App on your smart phone
- Use the same label cartridges as BMP51

View Online!

Visit **www.BradyID.com/bmp51** for more information on the BMP®51 and BMP®53 label printers.

Your Complete Printing Solution:

BMP®51 & BMP®53 cartridges with label and print ribbon..... page 260

BMP®51 & BMP®53 Label Printer Parts

Catalog #	Description
75447314707	BMP51 Printer with AC Adaptor*
75447314703	BMP51 Printer, Rechargeable Li-Ion Battery Pack and AC Adaptor/Battery Charger*
75447314705	BMP51 Printer, LabelMark™ 5 Software and AC Adaptor*
75447314708	BMP53 Peripheral Printer with AC Adaptor*
75447314704	BMP53 Printer, Rechargeable Li-Ion Battery Pack and AC Adaptor/Battery Charger*
75447314706	BMP53 Printer, LabelMark™ 5 Software and AC

* Printer ships with Hard Carrying Case, Battery Tray for AA batteries, USB Cable, Drivers CD, Product CD, Quick Start Guide, and one MC-1500-595-WT-BK.

Patents applied for:
6,732,619 and 7,070,347 on the BMP®51 and BMP®53 Label Makers
6,929,415 on the PermaSleeve® cartridges

Accessories

Catalog #	Description
M50-MAGNET	BMP®50 Series Magnet Accessory
BMP-UBP	Lithium Ion Rechargeable Battery Pack for Mobile Printers
BMP-UBP-AC	Lithium Ion Rechargeable Battery Pack with AC Adaptor/Battery Charger
NET-WIFI	Brady Network Card - Bluetooth and WIFI
NET-LAN	Brady Network Card - Ethernet only
NET- BT-WIFI-LAN	Brady Network Card - Bluetooth/WIFI/Ethernet
M50-HC	BMP®50 Series Hard Carrying Case
M50-SC	BMP®50 Series Soft Carrying Case
M50-AC	BMP®50 Series AC Adaptor/Battery Charger
M50-CABLE	BMP®50 Series USB Cable
M50-BATT-TRAY	BMP®50 Series Spare Battery Tray
LM5STDCD	LabelMark™ 5 Standard Software - CD-ROM

BRADY 360®

Brady 360® Replacement Printer Plan supplements the Limited Warranty already included with your printer purchase. This Replacement Plan allows you can return your qualified printer for a replacement printer within the first 12 months of purchase. You must purchase the replacement program at the time of printer purchase in order to receive benefits.
**Printheads are covered. *Limit of two printers in the first 12 months of initial purchase.*

Get the job done FASTER, EASIER and WITH CONFIDENCE.



Voice & Data Communications

PermaSleeve® Wire Marking Sleeves

Product Identification

Facility & Safety Identification

Laboratory Identification

General ID ...and many more!

BMP®51 and BMP®53 Label Makers

www.BradyID.com/bmp51

	BMP®53 Printer Specifications	BMP®51 Printer Specifications
Max Labels Per Day	500 labels/day	500 labels/day
Print Resolution	300 dpi	300 dpi
Print Technology	Thermal Transfer	Thermal Transfer
Print Speed	25 mm/sec (1 in/sec)	25 mm/sec (1 in/sec)
Tape Widths (inches)	Various sizes from 0.235" to 1.50"	Various sizes from 0.235" to 1.50"
Tape Widths (mm)	6.4, 8.0, 9.5, 12.1, 12.7, 15.9, 19.1, 25.4, 38.1 mm	6.4, 8.0, 9.5, 12.1, 12.7, 15.9, 19.1, 25.4, 38.1 mm
Max Label Width	1.50" (38.1mm)	1.50" (38.1mm)
Max Print Width	1.250" (31.75mm)	1.250" (31.75mm)
Memory	Files saved to PC	48 MB / 25,000 labels
Materials Supported	Continuous, Die Cut, 140+ Stock Parts	Continuous, Die Cut, 140+ Stock Parts
Continuous vs Die Cut Labels	Continuous and die cut labels	Continuous and die cut labels
PC Connectivity	Yes	Yes
Software Compatibility	LabelMark™ / CodeSoft™ Software	LabelMark™ / CodeSoft™ Software
Data Transfer from PC to printer	Yes	Yes
Wireless Connectivity	Yes	Yes
Stand Alone Printing	No	Yes
Connectivity Options	USB, Bluetooth (WIFI and Ethernet optional)	USB, Bluetooth (WIFI and Ethernet optional)
Color Capability	Single Color Printing	Single Color Printing
Keyboard	N/A	QWERTY
Backlit Screen	N/A	Yes
Text Sizes	4 to 103 point + autosizing	4 to 103 point + autosizing
Multi-Line Print	Yes	Yes
Print Rotation	Yes	Yes
Serialization	Yes	Yes
Barcode	All LabelMark Supported Barcodes	39 and 128
Symbols	All LabelMark Supported Symbols	444
Portability	Yes	Yes
Label Types or Application Functions	Banner Portrait, Banner Landscape, Wire, Flag Labels, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length	Banner Portrait, Banner Landscape, Wire, Flag Labels, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length, Small Pipe Markers
Applications	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Laboratory Identification, Panel Identification, Security Identification, Wire & Cable Marking	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Laboratory Identification, Panel Identification, Security Identification, Wire & Cable Marking, Pipe Marking
Power Supply	8AA's, AC Power, Rechargeable Li-Ion battery pack (optional)	8AA's, AC Power, Rechargeable Li-Ion battery pack (optional)
Weight	2.8 lbs (1.27kg)	3.18 lbs (1.44kg)
Warranty	12 months - See Terms and Conditions	12 months - See Terms and Conditions

Get the job done your way.

The BMP®51 and BMP®53 Label Printer ships with a Bluetooth® enabled network card that can work with your Android® powered mobile device and the Brady Mobile App.

Additional options are available to network your Brady BMP®51 Label Printer - making it quick and easy to print without physically connecting it to multiple PCs.

Network Card Options:
- Ethernet Only
- WiFi + Bluetooth®
- WiFi + Bluetooth® + Ethernet

Brady Mobile Apps

Introducing "Brady Mobile" – the first Brady apps for on-the-job label making. Simply download a free Brady Mobile app on your Android phone for instant access to quick and easy label making.

- Design a label from scratch or edit an existing label
- Create and edit label templates
- Print to your BMP®51 or BMP®53 Printer using Bluetooth® technology
- Save label files to your mobile device
- Built-in barcodes, symbols and pictograms that you can insert onto your labels
- Automatically updates when new label types, printers and materials are available

Brady Mobile Electrical Label Types:
- Flags
- Wire Markers
- Terminal Block
- General ID

Brady Mobile DataComm Label Types:
- General ID
- Flags
- Patch Panel
- Wire Markers
- 110 Block
- 66 Block
- BIX Block

To Download:

Open Google Play on your mobile device and search for "Brady Mobile."

Brady Mobile App is designed to run on Android OS Version 2.2 or higher.

LabelMark™ Software



LabelMark™5 Software can integrate data sources, label designs and batch printing into one cohesive system. This user-friendly label design and printing software is ideal for a variety of high performance labeling including applications.

New label set up and data management features
- Electrical labeling wizards for control panel, 110 Block, and wire harness assembly
- Select template for datacomm labeling by manufacturer/model
- Manage multiple files in a single job by grouping wire markers, push buttons, rating plates, and terminal block labels into one job file
- Complete integration with Microsoft Office® and AutoCAD applications

Print labels faster and more efficiently
- Print labels simultaneously on multiple printers for fast label kitting
- Design fixed text labels for quick printing or free form labels for custom label design

Android is a trademark of Google Inc.
Bluetooth® is a registered trademark of Bluetooth SIG, Inc.
Microsoft Office is a registered trademark of Microsoft Corporation.

BMP®51 and BMP®53 Materials

www.BradyID.com/bmp51

BMP®51 and BMP®53 General Identification Material:

B-584 Reflective Material

Highly reflective labels shine back brightly when struck by light.



Figure 33



Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-584 – Reflective Tape							
Fig.33	MC-500-584	B-584	Reflective Tape	BK on WT	0.500 (12.70)	20 ft. (6.09 m)	1
Fig.33	MC-750-584	B-584	Reflective Tape	BK on WT	0.750 (19.05)	20 ft. (6.09 m)	1
Fig.33	MC-1000-584	B-584	Reflective Tape	BK on WT	1.000 (25.40)	20 ft. (6.09 m)	1
Fig.33	MC-1500-584	B-584	Reflective Tape	BK on WT	1.500 (38.10)	20 ft. (6.09 m)	1
Fig.33	MC-500-584-YL	B-584	Reflective Tape	BK on YL	0.500 (12.70)	20 ft. (6.09 m)	1
Fig.33	MC-750-584-YL	B-584	Reflective Tape	BK on YL	0.750 (19.05)	20 ft. (6.09 m)	1
Fig.33	MC-1000-584-YL	B-584	Reflective Tape	BK on YL	1.000 (25.40)	20 ft. (6.09 m)	1
Fig.33	MC-1500-584-YL	B-584	Reflective Tape	BK on YL	1.500 (38.10)	20 ft. (6.09 m)	1

BMP®51 and BMP®53 General Identification Material:

B-595 Indoor / Outdoor Vinyl Material

Pliable vinyl conforms well to smooth or rough surfaces such as pipes, panels, shelving, bins, and equipment. Excellent resistance to oils, detergents, dirt, grime, and many solvents. Label last up to 8-10 years outdoors.



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-595 – Indoor / Outdoor Vinyl Tape							
Fig. 33	MC-500-595-WT-BK	B-595	Vinyl	BK on WT	0.500 (12.70)	25 ft. (7.62 m)	1
Fig. 33	MC-750-595-WT-BK	B-595	Vinyl	BK on WT	0.750 (19.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1000-595-WT-BK	B-595	Vinyl	BK on WT	1.000 (25.40)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-WT-BK	B-595	Vinyl	BK on WT	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-500-595-YL-BK	B-595	Vinyl	BK on YL	0.500 (12.70)	25 ft. (7.62 m)	1
Fig. 33	MC-750-595-YL-BK	B-595	Vinyl	BK on YL	0.750 (19.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1000-595-YL-BK	B-595	Vinyl	BK on YL	1.000 (25.40)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-YL-BK	B-595	Vinyl	BK on YL	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-500-595-OR-BK	B-595	Vinyl	BK on OR	0.500 (12.70)	25 ft. (7.62 m)	1
Fig. 33	MC-750-595-OR-BK	B-595	Vinyl	BK on OR	0.750 (19.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1000-595-OR-BK	B-595	Vinyl	BK on OR	1.000 (25.40)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-OR-BK	B-595	Vinyl	BK on OR	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-500-595-BL-WT	B-595	Vinyl	WT on BL	0.500 (12.70)	25 ft. (7.62 m)	1
Fig. 33	MC-750-595-BL-WT	B-595	Vinyl	WT on BL	0.750 (19.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1000-595-BL-WT	B-595	Vinyl	WT on BL	1.000 (25.40)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-BL-WT	B-595	Vinyl	WT on BL	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-500-595-RD-WT	B-595	Vinyl	WT on RD	0.500 (12.70)	25 ft. (7.62 m)	1
Fig. 33	MC-750-595-RD-WT	B-595	Vinyl	WT on RD	0.750 (19.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1000-595-RD-WT	B-595	Vinyl	WT on RD	1.000 (25.40)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-RD-WT	B-595	Vinyl	WT on RD	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-500-595-GN-WT	B-595	Vinyl	WT on GN	0.500 (12.70)	25 ft. (7.62 m)	1
Fig. 33	MC-750-595-GN-WT	B-595	Vinyl	WT on GN	0.750 (19.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1000-595-GN-WT	B-595	Vinyl	WT on GN	1.000 (25.40)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-GN-WT	B-595	Vinyl	WT on GN	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-500-595-WT-RD	B-595	Vinyl	RD on WT	0.500 (12.70)	25 ft. (7.62 m)	1
Fig. 33	MC-750-595-WT-RD	B-595	Vinyl	RD on WT	0.750 (19.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1000-595-WT-RD	B-595	Vinyl	RD on WT	1.000 (25.40)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-WT-RD	B-595	Vinyl	RD on WT	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-500-595-BK-WT	B-595	Vinyl	WT on BK	0.500 (12.70)	25 ft. (7.62 m)	1
Fig. 33	MC-750-595-BK-WT	B-595	Vinyl	WT on BK	0.750 (19.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1000-595-BK-WT	B-595	Vinyl	WT on BK	1.000 (25.40)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-BK-WT	B-595	Vinyl	WT on BK	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-500-595-CL-BK	B-595	Vinyl	BK on CL	0.500 (12.70)	20 ft. (6.09 m)	1
Fig. 33	MC-750-595-CL-BK	B-595	Vinyl	BK on CL	0.750 (19.10)	20 ft. (6.09 m)	1
Fig. 33	MC-1000-595-CL-BK	B-595	Vinyl	BK on CL	1.000 (25.40)	20 ft. (6.09 m)	1
Fig. 33	MC-1500-595-CL-BK	B-595	Vinyl	BK on CL	1.500 (38.10)	20 ft. (6.09 m)	1
Fig. 33	MC-500-595-CL-WT	B-595	Vinyl	WT on CL	0.500 (12.70)	20 ft. (6.09 m)	1
Fig. 33	MC-750-595-CL-WT	B-595	Vinyl	WT on CL	0.750 (19.10)	20 ft. (6.09 m)	1
Fig. 33	MC-1000-595-CL-WT	B-595	Vinyl	WT on CL	1.000 (25.40)	20 ft. (6.09 m)	1
Fig. 33	MC-1500-595-CL-WT	B-595	Vinyl	WT on CL	1.500 (38.10)	20 ft. (6.09 m)	1

BMP®51 and BMP®53 General Identification Material:

Bin, Storage, & General Industrial ID

Choose from several materials with aggressive adhesives for use in commercial/industrial applications, including low surface energy and textured surfaces.



Figure 29



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-422 – Gloss Polyester							
Fig. 29	M-7-422	B-422	Gloss Polyester	BK on WT	0.500 (12.70)	0.500 (12.70)	280
Fig. 29	M-17-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	0.500 (12.70)	360
Fig. 29	M-19-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	1.000 (25.40)	200
Fig. 29	M-29-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.500 (12.70)	360
Fig. 29	M-30-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.750 (19.05)	200
B-483 – Ultra Aggressive Polyester							
Fig. 29	M-17-483	B-483	Polyester	BK on WT	1.000 (25.40)	0.500 (12.70)	360
Fig. 29	M-61-483	B-483	Polyester	BK on WT	2.000 (50.80)	0.500 (12.70)	80
Fig. 29	M-20-483	B-483	Polyester	BK on WT	2.000 (50.80)	1.000 (25.40)	80
B-499 – Nylon Cloth							
Fig. 29	M-11-499	B-499	Nylon Cloth	BK on WT	0.750 (19.05)	0.500 (12.70)	220
Fig. 29	M-84-499	B-499	Nylon Cloth	BK on WT	0.900 (22.86)	0.500 (12.70)	200
Fig. 29	M-132-499	B-499	Nylon Cloth	BK on WT	1.250 (31.75)	1.500 (38.10)	160
Fig. 29	M-78-499	B-499	Nylon Cloth	BK on WT	1.900 (48.26)	1.000 (25.40)	100
B-595 – Indoor / Outdoor Vinyl Tape*							
Fig. 33	MC-500-595-RD-WT	B-595	Vinyl	WT on RD	0.500 (12.70)	25 ft. (7.62 m)	1
Fig. 33	MC-750-595-RD-WT	B-595	Vinyl	WT on RD	0.750 (19.05)	25 ft. (7.62 m)	1
Fig. 33	MC-1000-595-RD-WT	B-595	Vinyl	WT on RD	1.000 (25.40)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-RD-WT	B-595	Vinyl	WT on RD	1.500 (38.10)	25 ft. (7.62 m)	1

** For additional vinyl label colors, refer to the B-595 ndoor/Outdoor Grade Facility and Safety Labels on page 260.*

BMP®51 and BMP®53 Voice & Data Comm Material:

B-499 Nylon Cloth Cable Flags

Pre-formatted with two printable areas, allowing label to be easily folded around wires to create a two-sided, printed flag.



Figure 63

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Label Height C Inch (mm)	Labels/Roll	Material Notes
B-499 - Nylon Cloth									
Fig. 63	M-151-499	B-499	Nylon Cloth	BK on WT	1.000 (25.40)	1.000 (25.40)	0.250 (6.35)	90	Approx. 1.000" x 1.000" resulting flag size
Fig. 63	M-152-499	B-499	Nylon Cloth	BK on WT	1.500 (38.10)	0.500 (12.70)	0.250 (6.35)	160	Approx. .500" x 1.500" resulting flag size

BMP®51 and BMP®53 Voice & Data Comm Material:

Punch Block & Patch Panel ID

Make fully-formatted punch block strips or labels in one easy process. Using BMP®51's built-in templates, LabelMark™ 5 Software or the Brady Mobile App easily create serialized punch block labels with or without grid lines to fit your equipment.



Figure 29



Figure 33



Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll	Material Notes
B-412 – Polypropylene Tag								
Fig. 33	MC-375-412	B-412	Polypropylene Tag	BK on WT	0.375 (9.53)	20 ft (6.09 m)	1	Non-Adhesive Slide-in Strips
Fig. 33	MC-475-412	B-412	Polypropylene Tag	BK on WT	0.475 (12.07)	20 ft (6.09 m)	1	Non-Adhesive Slide-in Strips
Fig. 33	MC-625-412	B-412	Polypropylene Tag	BK on WT	0.675 (12.07)	20 ft (6.09 m)	1	Non-Adhesive Slide-in Strips
B-422 - Gloss Polyester								
Fig. 33	MC-375-422	B-422	Gloss Polyester	BK on WT	0.375 (9.53)	25 ft (7.62 m)	1	Adhesive Stick-on Strips
Fig. 33	MC-475-422	B-422	Gloss Polyester	BK on WT	0.475 (12.07)	25 ft (7.62 m)	1	Adhesive Stick-on Strips
Fig. 33	MC-625-422	B-422	Gloss Polyester	BK on WT	0.675 (12.07)	25 ft (7.62 m)	1	Adhesive Stick-on Strips
Fig. 29	M-7-422	B-422	Gloss Polyester	BK on WT	0.500 (12.70)	0.500 (12.70)	280	Individual Port Labels

BMP®51 and BMP®53 Materials

www.BradyID.com/bmp51

BMP®51 and BMP®53 Voice & Data Comm Material:

Faceplate & Outlet ID

Label your ports, jacks, and outlets with a variety of adhesive labels or slide-in strips.



Figure 29



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll	Material Notes
B-412 – Polypropylene Tag								
Fig. 33	MC-475-412	B-412	Polypropylene Tag	BK on WT	0.475 (12.07)	20 ft (6.09 m)	1	Non-Adhesive Slide-in Strips
B-422 – Gloss Polyester								
Fig. 33	MC-375-422	B-422	Gloss Polyester	BK on WT	0.375 (9.53)	25 ft (7.62 m)	1	Adhesive Stick-on Strips
Fig. 33	MC-475-422	B-422	Gloss Polyester	BK on WT	0.475 (12.07)	25 ft (7.62 m)	1	Adhesive Stick-on Strips
Fig. 29	M-7-422	B-422	Gloss Polyester	BK on WT	0.500 (12.70)	0.500 (12.70)	280	Stick-on Individual Labels
Fig. 29	M-29-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.500 (12.70)	360	Stick-on Individual Labels
Fig. 29	M-17-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	0.500 (12.70)	360	Stick-on Individual Labels
Fig. 29	M-30-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.750 (19.05)	200	Stick-on Individual Labels
B-483 – Ultra Aggressive Polyester								
Fig. 29	M-61-483	B-483	Polyester	BK on WT	2.000 (50.80)	0.500 (12.70)	80	Stick-on Individual Labels

BMP®51 and BMP®53 Voice & Data Comm Material:

Data Center Equipment ID

Durable materials with permanent adhesive. Available in a variety of sizes and colors for marking racks, bays, frames, slots, and other voice/data hardware.



Figure 29



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll	Material Notes
B-422 – Gloss Polyester								
Fig. 29	M-7-422	B-422	Gloss Polyester	BK on WT	0.500 (12.70)	0.500 (12.70)	280	For smooth or textured surfaces
Fig. 29	M-17-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	0.500 (12.70)	360	For smooth or textured surfaces
Fig. 29	M-19-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	1.000 (25.40)	200	For smooth or textured surfaces
Fig. 29	MC-1000-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	25 ft (7.62 m)	1	For smooth or textured surfaces
Fig. 29	M-29-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.500 (12.70)	360	For smooth or textured surfaces
Fig. 29	M-30-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.750 (19.05)	200	For smooth or textured surfaces
B-483 – Ultra Aggressive Polyester								
Fig. 29	M-17-483	B-483	Polyester	BK on WT	1.000 (25.40)	0.500 (12.70)	360	For smooth or textured surfaces
Fig. 29	M-61-483	B-483	Polyester	BK on WT	2.000 (50.80)	0.500 (12.70)	80	For smooth or textured surfaces
Fig. 29	M-20-483	B-483	Polyester	BK on WT	2.000 (50.80)	1.000 (25.40)	80	For smooth or textured surfaces
B-595 – Indoor / Outdoor Vinyl Tape*								
Fig. 33	MC-500-595-CL-WT	B-595	Vinyl	WT on CL	0.500 (12.70)	20 ft (6.09 m)	1	Indoor/Outdoor Vinyl
Fig. 33	MC-750-595-CL-WT	B-595	Vinyl	WT on CL	0.750 (19.05)	20 ft (6.09 m)	1	Indoor/Outdoor Vinyl
Fig. 33	MC-1000-595-CL-WT	B-595	Vinyl	WT on CL	1.000 (25.40)	20 ft (6.09 m)	1	Indoor/Outdoor Vinyl
Fig. 33	MC-1500-595-CL-WT*	B-595	Vinyl	WT on CL	1.500 (38.10)	20 ft (6.09 m)	1	Indoor/Outdoor Vinyl

** For additional vinyl label colors, refer to the B-595 ndoor/Outdoor Grade Facility and Safety Labels on page 260.*

Did You Know? Print with the Mobile App

You can create these labels and more from your Android™ phone!

With the Brady Mobile App, you can easily create labels on your Android device and print them wirelessly to your BMP®51 Label Maker.

Scan to download the app!

BMP®51 and BMP®53 Voice & Data Comm Material:

B-427 Self-Laminating Vinyl Material

Features a clear, non-printable area that wraps around the cable and serves as an overlaminate to the printed text. Offers superior resistance to abrasion, dirt, oils, solvents, and water.



Figure 42



Figure 42a (continuous)

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Write-On Area C Inch (mm)	Labels/Roll	Sized to Fit
B-427 – Self-Laminating Vinyl									
Fig. 42	M-19-427	B-427	Vinyl	BK on WT	1.000 (25.40)	1.000 (25.40)	0.375 (9.53)	200	2 pair Fiber/Coaxial, Single/Multi-Mode
Fig. 42	M-102-427	B-427	Vinyl	BK on WT	0.500 (12.70)	1.250 (31.75)	0.375 (9.53)	200	CAT-6, 4 pair UTP Copper
Fig. 42	M-115-427	B-427	Vinyl	BK on WT	1.500 (38.10)	1.250 (31.75)	0.500 (12.70)	200	CAT-6, 4 pair UTP Copper
Fig. 42	M-103-427	B-427	Vinyl	BK on WT	1.000 (25.40)	1.250 (31.75)	0.500 (12.70)	200	CAT-6, 4 pair UTP Copper, Fiber, Coaxial
Fig. 42	M-29-427	B-427	Vinyl	BK on WT	0.500 (12.70)	1.500 (38.10)	0.500 (12.70)	360	CAT-6, 4 pair UTP Copper
Fig. 42	M-30-427	B-427	Vinyl	BK on WT	0.750 (19.05)	1.500 (38.10)	0.500 (12.70)	200	CAT-6, 4 pair UTP Copper
Fig. 42	M-31-427	B-427	Vinyl	BK on WT	1.000 (25.40)	1.500 (38.10)	0.500 (12.70)	200	CAT-6, 4 pair UTP Copper, Fiber, Coaxial
Fig. 42	M-31-427-YL	B-427	Vinyl	BK on YL	1.000 (25.40)	1.500 (38.10)	0.500 (12.70)	200	CAT-6, 4 pair UTP Copper, Fiber, Coaxial
Fig. 42	M-32-427	B-427	Vinyl	BK on WT	1.500 (38.10)	1.500 (38.10)	0.500 (12.70)	180	CAT-6, 4 pair UTP Copper, Fiber, Coaxial
Fig. 42	M-21-427	B-427	Vinyl	BK on WT	1.000 (25.40)	2.500 (63.50)	0.750 (19.05)	80	25 pair Copper, 4-12 pair Fiber, Coaxial
Fig. 42	M-21-427-YL	B-427	Vinyl	BK on YL	1.000 (25.40)	2.500 (63.50)	0.750 (19.05)	80	25 pair Copper, 4-12 pair Fiber, Coaxial
Fig. 42	M-116-427	B-427	Vinyl	BK on WT	1.500 (38.10)	2.500 (63.50)	0.750 (19.05)	80	25 pair Copper, 4-12 pair Fiber, Coaxial
Fig. 42	M-23-427	B-427	Vinyl	BK on WT	1.000 (25.40)	4.000 (101.60)	1.000 (25.40)	70	50 pair Copper, 24 pair Fiber, Backbone
Fig. 42	M-23-427-YL	B-427	Vinyl	BK on YL	1.000 (25.40)	4.000 (101.60)	1.000 (25.40)	70	50 pair Copper, 24 pair Fiber, Backbone
Fig. 42	M-33-427	B-427	Vinyl	BK on WT	1.500 (38.10)	4.000 (101.60)	1.000 (25.40)	70	50 pair Copper, 24 pair Fiber, Backbone
Fig. 42	M-34-427	B-427	Vinyl	BK on WT	1.500 (38.10)	6.000 (152.40)	1.500 (38.10)	40	100 pair Copper, 36 pair Fiber, Backbone
B-427 – Continuous Self-Laminating Vinyl									
Fig. 42a	MC-1000-427	B-427	Vinyl	BK on WT	25 ft. (7.62 m)	1.000 (25.40)	0.375 (9.53)	1	CAT-6, 4 pair UTP Copper
Fig. 42a	MC-1500-427	B-427	Vinyl	BK on WT	25 ft. (7.62 m)	1.500 (38.10)	0.500 (12.70)	1	CAT-6, 4 pair UTP Copper

BMP®51 and BMP®53 Wire & Cable Material:

Automation & Electrical Component ID

Various sizes, colors and label types for marking relays, solenoids, switches, drive motors, and other components.



Figure 29



Figure 33



Figure 46

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-422 – Gloss Polyester							
Fig. 29	M-7-422	B-422	Gloss Polyester	BK on WT	0.500 (12.70)	0.500 (12.70)	280
Fig. 29	M-17-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	0.500 (12.70)	360
Fig. 29	M-19-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	1.000 (25.40)	200
Fig. 33	MC-1000-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	25ft. (7.62m)	1
Fig. 29	M-29-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.500 (12.70)	360
Fig. 29	M-30-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.750 (19.05)	200
B-428 – Metalized Polyester							
Fig. 29	M-17-428	B-428	Metalized Polyester	BK on SV	1.000 (25.40)	0.500 (12.70)	360
Fig. 46	M-24-428-BB	B-428	Metalized Polyester	BK on SV	1.130 (28.70)	0.500 (12.70)	360
Fig. 29	M-30-428	B-428	Metalized Polyester	BK on SV	1.500 (38.10)	0.750 (19.05)	260
Fig. 29	M-29-428	B-428	Metalized Polyester	BK on SV	1.500 (38.10)	0.500 (12.70)	360
Fig. 29	M-20-428	B-428	Metalized Polyester	BK on SV	2.000 (50.80)	1.000 (25.40)	80
B-483 – Ultra Aggressive Polyester							
Fig. 29	M-61-483	B-483	Polyester	BK on WT	2.000 (50.80)	0.500 (12.70)	80
Fig. 29	M-20-483	B-483	Polyester	BK on WT	2.000 (50.80)	1.000 (25.40)	80
B-499 – Nylon Cloth							
Fig. 29	M-11-499	B-499	Nylon Cloth	BK on WT	0.750 (19.05)	0.500 (12.70)	220
Fig. 29	M-84-499	B-499	Nylon Cloth	BK on WT	0.900 (22.86)	0.500 (12.70)	200
Fig. 29	M-132-499	B-499	Nylon Cloth	BK on WT	1.250 (31.75)	1.500 (38.10)	160
Fig. 29	M-78-499	B-499	Nylon Cloth	BK on WT	1.900 (48.26)	1.000 (25.40)	100
B-595 – Indoor / Outdoor Vinyl Tape*							
Fig. 33	MC-1000-595-OR-BK	B-595	Vinyl	BK on OR	1.000 (25.40)	25 ft (7.62 m)	1

** For additional vinyl label colors, refer to the B-595 ndoor/Outdoor Grade Facility and Safety Labels on page 260.*

BMP®51 and BMP®53 Materials

www.BradyID.com/bmp51

BMP®51 and BMP®53 Wire & Cable Material:

B-427 Self-Laminating Vinyl Material

Features a clear, non-printable "tail" that wraps around the wire and serves as an overlaminate to the printed text. Protected print area offers superior chemical and abrasion resistance. Available as individual die-cut markers or continuous cut-to-length labels.



Figure 42



Figure 42a (continuous)

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Write-On Area C Inch (mm)	Wire Gauge	Max. Wire Diameter	Labels/Roll
B-427 – Self-Laminating Vinyl										
Fig. 42	M-11-427	B-427	Vinyl	BK on WT	0.500 (12.70)	0.750 (19.05)	0.375 (9.53)	16 - 10 Gauge	0.160" (4.06 mm)	360
Fig. 42	M-96-427	B-427	Vinyl	BK on WT	1.000 (25.40)	0.750 (19.05)	0.375 (9.53)	16 - 10 Gauge	0.160" (4.06 mm)	200
Fig. 42	M-17-427	B-427	Vinyl	BK on WT	0.500 (12.70)	1.000 (25.40)	0.375 (9.53)	12 - 10 Gauge	0.210" (5.33 mm)	360
Fig. 42	M-18-427	B-427	Vinyl	BK on WT	0.750 (19.05)	1.000 (25.40)	0.375 (9.53)	12 - 10 Gauge	0.210" (5.33 mm)	200
Fig. 42	M-19-427	B-427	Vinyl	BK on WT	1.000 (25.40)	1.000 (25.40)	0.375 (9.53)	12 - 10 Gauge	0.210" (5.33 mm)	200
Fig. 42	M-102-427	B-427	Vinyl	BK on WT	0.500 (12.70)	1.250 (31.75)	0.375 (9.53)	10 - 4 Gauge	0.270" (6.86 mm)	200
Fig. 42	M-103-427	B-427	Vinyl	BK on WT	1.000 (25.40)	1.250 (31.75)	0.500 (12.70)	10 - 4 Gauge	0.270" (6.86 mm)	200
Fig. 42	M-115-427	B-427	Vinyl	BK on WT	1.500 (38.10)	1.250 (31.75)	0.500 (12.70)	10 - 4 Gauge	0.270" (6.86 mm)	200
Fig. 42	M-29-427	B-427	Vinyl	BK on WT	0.500 (12.70)	1.500 (38.10)	0.500 (12.70)	10 - 4 Gauge	0.320" (8.13 mm)	360
Fig. 42	M-30-427	B-427	Vinyl	BK on WT	0.750 (19.05)	1.500 (38.10)	0.500 (12.70)	10 - 4 Gauge	0.320" (8.13 mm)	200
Fig. 42	M-31-427	B-427	Vinyl	BK on WT	1.000 (25.40)	1.500 (38.10)	0.500 (12.70)	10 - 4 Gauge	0.320" (8.13 mm)	200
Fig. 42	M-31-427-YL	B-427	Vinyl	BK on YL	1.000 (25.40)	1.500 (38.10)	0.500 (12.70)	10 - 4 Gauge	0.320" (8.13 mm)	200
Fig. 42	M-32-427	B-427	Vinyl	BK on WT	1.500 (38.10)	1.500 (38.10)	0.500 (12.70)	10 - 4 Gauge	0.320" (8.13 mm)	180
Fig. 42	M-21-427	B-427	Vinyl	BK on WT	1.000 (25.40)	2.500 (63.50)	0.750 (19.05)	3 Gauge - 2/0	0.530" (13.46 mm)	80
Fig. 42	M-21-427-YL	B-427	Vinyl	BK on YL	1.000 (25.40)	2.500 (63.50)	0.750 (19.05)	3 Gauge - 2/0	0.530" (13.46 mm)	80
Fig. 42	M-116-427	B-427	Vinyl	BK on WT	1.500 (38.10)	2.500 (63.50)	0.750 (19.05)	3 Gauge - 2/0	0.530" (13.46 mm)	80
Fig. 42	M-23-427	B-427	Vinyl	BK on WT	1.000 (25.40)	4.000 (101.6)	1.000 (25.40)	3/0 - 400 kcmil	0.850" (21.59 mm)	70
Fig. 42	M-23-427-YL	B-427	Vinyl	BK on YL	1.000 (25.40)	4.000 (101.6)	1.000 (25.40)	3/0 - 400 kcmil	0.850" (21.59 mm)	70
Fig. 42	M-33-427	B-427	Vinyl	BK on WT	1.500 (38.10)	4.000 (101.6)	1.000 (25.40)	3/0 - 400 kcmil	0.850" (21.59 mm)	70
Fig. 42	M-34-427	B-427	Vinyl	BK on WT	1.500 (38.10)	6.000 (152.40)	1.500 (38.10)	500 - 900 kcmil	1.300" (33.02 mm)	40
B-427 – Continuous Self-Laminating Vinyl										
Fig. 42a	MC-750-427	B-427	Vinyl	BK on WT	25 ft. (7.62 m)	0.750 (19.05)	0.375 (9.53)	16 - 10 Gauge	0.270" (6.86 mm)	1
Fig. 42a	MC-1000-427	B-427	Vinyl	BK on WT	25 ft. (7.62 m)	1.000 (25.40)	0.375 (9.53)	12 - 10 Gauge	0.850" (21.59 mm)	1
Fig. 42a	MC-1250-427	B-427	Vinyl	BK on WT	25 ft. (7.62 m)	1.250 (31.75)	0.500 (12.70)	10 - 4 Gauge	0.530" (13.46 mm)	1
Fig. 42a	MC-1500-427	B-427	Vinyl	BK on WT	25 ft. (7.62 m)	1.500 (38.10)	0.500 (12.70)	10 - 4 Gauge	0.270" (6.86 mm)	1

** Approximate wire gauge based on AWG for THHN wire.*

BMP®51 and BMP®53 Wire & Cable Material:

B-342 PermaSleeve® PS Wire Marking Sleeve

These heat-shrink sleeves are the ultimate in marker durability, permanence and aesthetic appearance. Fast shrink rate saves time and costs during installation. Available as individual die-cut markers or continuous cut-to-length tubing.



Figure 58



Figure 20b

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Wire Gauge	Max. Wire Diameter	Labels/ Roll
B-342 – PermaSleeve® PS Wire Marking Sleeve									
Fig. 58	MC-125-342	B-342	PermaSleeve	BK on WT	0.235 (5.97)	7 ft (2.13 m)	22-16 Gauge	0.046 - 0.110 (1.20 - 2.80 mm)	1
Fig. 58	MC-125-342-YL	B-342	PermaSleeve	BK on YL	0.235 (5.97)	7 ft (2.13 m)	22-16 Gauge	0.046 - 0.110 (1.20 - 2.80 mm)	1
Fig. 58	MC-187-342	B-342	PermaSleeve	BK on WT	0.335 (8.51)	7 ft (2.13 m)	20-10 Gauge	0.062 - 0.150 (1.60 - 3.80 mm)	1
Fig. 58	MC-187-342-YL	B-342	PermaSleeve	BK on YL	0.335 (8.51)	7 ft (2.13 m)	20-10 Gauge	0.062 - 0.150 (1.60 - 3.80 mm)	1
Fig. 58	MC-250-342	B-342	PermaSleeve	BK on WT	0.439 (11.15)	7 ft (2.13 m)	16-8 Gauge	0.094 - 0.215 (2.40 - 5.50 mm)	1
Fig. 58	MC-250-342-YL	B-342	PermaSleeve	BK on YL	0.439 (11.15)	7 ft (2.13 m)	16-8 Gauge	0.094 - 0.215 (2.40 - 5.50 mm)	1
Fig. 58	MC-375-342	B-342	PermaSleeve	BK on WT	0.645 (16.38)	7 ft (2.13 m)	12-4 Gauge	0.125 - 0.320 (3.20 - 8.10 mm)	1
Fig. 20b	M-125-1-342	B-342	PermaSleeve	BK on WT	1.015 (25.78)	0.235 (5.96)	22-16 Gauge	0.046 - 0.110 (1.20 - 2.80 mm)	80
Fig. 20b	M-187-1-342	B-342	PermaSleeve	BK on WT	1.015 (25.78)	0.335 (8.50)	20-10 Gauge	0.062 - 0.150 (1.60 - 3.80 mm)	80
Fig. 20b	M-250-1-342	B-342	PermaSleeve	BK on WT	1.015 (25.78)	0.439 (11.15)	16-8 Gauge	0.094 - 0.215 (2.40 - 5.50 mm)	80
Fig. 20b	M-375-1-342	B-342	PermaSleeve	BK on WT	1.015 (25.78)	0.645 (16.38)	12-4 Gauge	0.125 - 0.320 (3.20 - 8.10 mm)	80

** Approximate wire gauge based on AWG for THHN wire.*

Get the Job Done Faster with BMP®51 Label Maker Accessories

We have a variety of accessories to speed up the label making process:

- Attach the magnet to apply printer to panel doors, metal ladders or any metal surface
- Li-Ion battery allows you to print over 3,000 labels on a single charge
- Wireless, Ethernet, USB & Bluetooth capabilities give you the flexibility to print labels however you'd like

BMP®51 and BMP®53 Wire & Cable Material:

Terminal Block ID

B-498 Vinyl Cloth Material - Specially-designed narrow-width markers. LabelMark™ 5 Software, Brady Mobile App or built-in label types in the BMP®51 can auto-serialize these labels to save you time.



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-498 – Vinyl Cloth							
Fig. 33	MC-240-498	B-498	Vinyl Cloth	BK on WT	0.240 (6.09)	16 ft. (4.87 m)	1
Fig. 33	MC-318-498	B-498	Vinyl Cloth	BK on WT	0.318 (8.07)	16 ft. (4.87 m)	1
Fig. 33	MC-375-498	B-498	Vinyl Cloth	BK on WT	0.375 (9.52)	16 ft. (4.87 m)	1

BMP®51 and BMP®53 Wire & Cable Material:

B-498 Wrap Around Vinyl Cloth Material

Durable vinyl cloth wrap around wire and cable markers made with an adhesive that allows the markers to be removed cleanly and reapplied if necessary.



Figure 29

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Wire Gauge	Max. Wire Diameter	Labels/Roll
B-498 – Vinyl Cloth									
Fig. 29	M-7-498	B-498	Vinyl Cloth	BK on WT	0.500 (12.70)	0.500 (12.70)	22 -16 Gauge	0.110" (2.80 mm)	240
Fig. 29	M-11-498	B-498	Vinyl Cloth	BK on WT	0.500 (12.70)	0.750 (19.05)	16 - 10 Gauge	0.160" (4.00 mm)	220
Fig. 29	M-163-498	B-498	Vinyl Cloth	BK on WT	0.500 (12.70)	1.000 (25.40)	12 - 10 Gauge	0.210" (5.00 mm)	180
Fig. 29	M-18-498	B-498	Vinyl Cloth	BK on WT	0.750 (19.05)	1.000 (25.40)	12 - 10 Gauge	0.210" (5.00 mm)	180
Fig. 29	M-19-498	B-498	Vinyl Cloth	BK on WT	1.000 (25.40)	1.000 (25.40)	12 - 10 Gauge	0.210" (5.00 mm)	160
Fig. 29	M-31-498	B-498	Vinyl Cloth	BK on WT	1.000 (25.40)	1.500 (38.10)	10 - 4 Gauge	0.270" (7.00 mm)	160

** Approximate wire gauge based on AWG for THHN wire.*

BMP®51 and BMP®53
Wire & Cable Material:

Wire & Cable Flags

Allow more legible information on smaller diameter wires and permits you to handle and view labels without touching the wires.



Figure 48



Figure 50



Figure 57

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-109 – Polypropylene Tag							
Fig. 57	M-12-109	B-109	Polypropylene Tag	BK on WT	0.750 (19.05)	3.000 (76.2)	80
B-145 – Polypropylene Tag							
Fig. 50	M-111-145FR-GY	B-145	Polyethylene Tag	BK on GY	0.758 (19.25)	1.206 (30.63)	80
B-425 – Polypropylene Flag							
Fig. 48	MFT-01-425	B-425	Polypropylene Label Flag	BK on WT	0.788 (20.01)	1.18 (29.97)	200

BMP®51 and BMP®53 Wire & Cable Material:

Control Panel and Electrical Panel ID

Long-lasting, durable materials to quickly identify control and electrical panels.



Figure 29

Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-428 – Metallized Polyester							
Fig. 29	M-17-428	B-428	Metallized Polyester	BK on SV	1.000 (25.40)	0.500 (12.70)	360
Fig. 29	M-29-428	B-428	Metallized Polyester	BK on SV	1.500 (38.10)	0.500 (12.70)	360
Fig. 29	M-20-428	B-428	Metallized Polyester	BK on SV	2.000 (50.80)	1.000 (25.40)	80
B-595 – Indoor / Outdoor Vinyl Tape*							
Fig. 33	MC-1500-595-WT-BK	B-595	Vinyl	BK on WT	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-YL-BK	B-595	Vinyl	BK on YL	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-OR-BK	B-595	Vinyl	BK on OR	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-BL-WT	B-595	Vinyl	WT on BL	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-RD-WT	B-595	Vinyl	WT on RD	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-GN-WT	B-595	Vinyl	WT on GN	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-WT-RD	B-595	Vinyl	RD on WT	1.500 (38.10)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-CL-WT	B-595	Vinyl	WT on CL	1.500 (38.10)	20 ft. (6.09 m)	1
Fig. 33	MC-1500-595-CL-BK	B-595	Vinyl	BK on CL	1.500 (38.10)	20 ft. (6.09 m)	1

** For additional vinyl label colors, refer to the B-595 ndoor/Outdoor Grade Facility and Safety Labels on page 260.*

BMP®51 and BMP®53 Materials

www.BradyID.com/bmp51

BMP®51 and BMP®53 Tamper-Indicating Material:

B-351 Tamper-Indicating Vinyl Material

Destructible vinyl material prohibits one piece removal of label to indicate if the label has been tampered with.



Figure 29

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-351 – Tamper Evident Vinyl							
Fig. 29	M-17-351	B-351	Vinyl	BK on WT	1.000 (25.40)	0.500 (12.70)	360
Fig. 29	M-20-351	B-351	Vinyl	BK on WT	1.000 (25.40)	2.000 (50.80)	160

BMP®51 and BMP®53 General Identification Material:

B-428 Metallized Polyester Material

Create serial or rating plates with barcodes, graphics and more. Has a metal looking finish.



Figure 29



Figure 46

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-428 – Metalized Polyester							
Fig. 46	M-24-428-BB	B-428	Metalized Polyester	BK on SV	1.130 (28.70)	0.500 (12.70)	360
Fig. 29	M-29-428	B-428	Metalized Polyester	BK on SV	1.500 (38.10)	0.500 (12.70)	360
Fig. 29	M-30-428	B-428	Metalized Polyester	BK on SV	1.500 (38.10)	0.750 (19.10)	260
Fig. 29	M-20-428	B-428	Metalized Polyester	BK on SV	2.000 (50.80)	1.000 (25.40)	80

BMP®51 and BMP®53 General Identification Material:

B-422 Gloss Polyester Material

Ideal for marking texturized or rough surfaces. Available in die-cut pieces or continuous cut to length labels.



Figure 29



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-422 – Gloss Polyester							
Fig. 33	MC-375-422	B-422	Gloss Polyester	BK on WT	0.375 (9.53)	25 ft. (7.60 m)	1
Fig. 33	MC-475-422	B-422	Gloss Polyester	BK on WT	0.475 (12.07)	25 ft. (7.60 m)	1
Fig. 29	M-7-422	B-422	Gloss Polyester	BK on WT	0.500 (12.70)	0.500 (12.70)	280
Fig. 33	MC-500-422	B-422	Gloss Polyester	BK on WT	0.500 (12.70)	25 ft. (7.60 m)	1
Fig. 29	M-17-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	0.500 (12.70)	360
Fig. 29	M-19-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	1.000 (25.40)	200
Fig. 33	MC-1000-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	25 ft. (7.60 m)	1
Fig. 29	M-30-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.750 (19.05)	200
Fig. 29	M-29-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.500 (12.70)	360

BMP®51 and BMP®53 General Identification Material:

B-483 Ultra Aggressive Polyester Material

Adheres to difficult low-surface energy items such as PVC piping, power coated surfaces, blow-molded equipment cases, ABS and recycled plastics.



Figure 29

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
B-483 – Ultra Aggressive Polyester							
Fig. 29	M-17-483	B-483	Polyester	BK on WT	1.000 (25.40)	0.500 (12.70)	360
Fig. 29	M-20-483	B-483	Polyester	BK on WT	2.000 (50.80)	1.000 (25.40)	80
Fig. 29	M-61-483	B-483	Polyester	BK on WT	2.000 (50.80)	0.500 (12.70)	80

Get the job done for less with a Brady Starter Kit.

Save 10% versus purchasing each part separately!



** BMP51 kit shown.*

Voice / Data Communications Starter Kit

Everything you need to get started with your voice/data labeling. Kit includes:

- Hard case, USB cable and AC power supply
- Self-laminating cable markers (M-21-427)
- Port, faceplate and general ID labels (M-30-422)
- Non-adhesive slide-in strips for punch blocks (MC-475-412)
- Rack and panel labels (MC-1000-595-YL-BK)
- 1.5" White label roll for general ID (MC-1500-595-WT-BK)

Catalog #	Description
75447370841	Kit with BMP51 Label Printer and Li-Ion Battery
66282098154	Kit with BMP53 Label Printer and LabelMark™ 5 Software



** BMP53 kit shown.*

Electrical Starter Kit

This kit includes a variety of wire and cable marking materials, as well as continuous tape for panel identification. Kit includes:

- Hard case, USB cable and AC power supply
- Self-laminating wire markers (M-103-427)
- Wrap around wire markers (M-18-498)
- PermaSleeve® PS heat shrink wire markers (M-187-1-342)
- Panel identification labels (MC-1500-595-OR-BK)
- 1.5" White label roll for general ID (MC-1500-595-WT-BK)

Catalog #	Description
75447370842	Kit with BMP51 Label Printer and Li-Ion Battery
66282098155	Kit with BMP53 Label Printer and LabelMark™ 5 Software

** BMP51 kit shown.*

Facility Identification Starter Kit

Kit includes a variety of our durable indoor/outdoor vinyl tapes. Kit includes:

- Hard case, USB cable and AC power supply
- 1.5" Yellow label roll with black ribbon (MC-1500-595-YL-BK)
- 1.5" White label roll with red ribbon (MC-1500-595-WT-RD)
- 1.5" Green label roll with white ribbon (MC-1500-595-GN-WT)
- 1.5" White label roll with black ribbon (MC-1500-595-WT-BK)
- 2" x 1" labels for low surface energy labeling (M-20-483)

Catalog #	Description
75447370843	Kit with BMP51 Label Printer and Li-Ion Battery
66282098156	Kit with BMP53 Label Printer and LabelMark™ 5 Software

** BMP53 kit shown.*

Lab Identification Starter Kit

Accurately identify and track samples in your lab with this lab ID starter kit. Kit includes:

- Hard case, USB cable and AC power supply
- Vial & tube labels (M-156-492)
- Microplate labels (M-81-488)
- Top & side label set for vials & tubes (M-120-492)
- Removable diecut labels for bottles, beakers, etc. (M-103-498)
- 1.5" White label roll for general ID (MC-1500-595-WT-BK)

Catalog #	Description
75447370844	Kit with BMP51 Label Printer and Li-Ion Battery
66282098157	Kit with BMP53 Label Printer and LabelMark™ 5 Software

TLS2200® Labeling System

www.BradyID.com/tls2200

TLS2200® Label Printer

A rugged, portable, and easy-to-use labeling solution with crisp, thermal-transfer quality printing and a variety of durable materials. Create custom labels for the most demanding applications including product bar code ID, electrical and datacomm marking, laboratory ID, security ID, and more.

TLS PC Link™ Label Printer

The best value desktop printing system! The small footprint and lightweight, rugged design makes it a nice fit for a variety of medium volume (approximately 500 labels per print run) applications. It connects to a PC for use with the included LabelMark™ software or other Windows based programs.

The same basic design as the TLS 2200® allows you to utilize the same consumables (including bulk rolls) in both the TLS 2200 and the TLS PC Link.

Online Video!

Visit **www.BradyID.com/tls2200** for more information or to view an online printer demo video.

Your Complete Printing Solution:

TLS Label Rolls.....page 270
TLS Print Ribbons.....page 283

TLS2200® / TLS PC Link Pritner Specifications	
Max Labels Per Day	750 labels/day
Print Resolution	203 dpi
Print Technology	Thermal Transfer
Print Speed	12 mm/sec (0.47 in/sec)
Tape Widths (inches)	Various sizes from 0.25" to 2.00"
Tape Widths (mm)	Various sizes from 6.4 to 50.8 mm
Max Label Width	2.00" (50.8mm)
Max Print Width	1.810" (46.0mm)
Memory	21,000 characters / None
Materials Supported	Continuous, Die Cut, Bulk, Over 500 Stock Parts and Custom
Continuous vs Die Cut Labels	Continuous and die cut labels
PC Connectivity	Yes
Software Compatibility	LabelMark™ / CodeSoft™ Software
File Transfer from PC to printer	No
Wireless Connectivity	No
Stand Alone Printing	Yes
Connectivity Options	Serial
Color Capability	Single Color Printing
Keyboard	ABC / None
Backlit Screen	No
Text Sizes	1 to 19 (4 to 72 point)
Multi-Line Print	Yes
Print Rotation	Yes
Serialization	Yes
Barcode	128, IFT 25, Codabar
Symbols	44 on keypad / LabelMark Supported Symbols
Portability	Yes / No
Label Types or Application Functions	Banner Portrait, Banner Landscape, Wire, Patch Panel, Terminal Block, Desi Strip, Fixed Length
Applications	Circuit Board Labeling, Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Laboratory Identification, Panel Identification, Security Identification, Wire & Cable Marking
Power Supply	Rechargeable Battery, AC Power (optional)
Weight	2.75 lbs (1.25kg) / 2.5 lbs (1.13kg)
Warranty	12 months - See Terms and Conditions

TLS2200® Printer & Accessories

Catalog #	Description
TLS2200	TLS2200 Thermal Label Printer*
113340	TLS2200 Thermal Label Printer w/ Brady®360 Plan*
TLS2200-AC	TLS2200 AC Power Supply
TLSHM-QUICKCH	TLS2200 Battery Quick Charger

**Printer purchase includes hard case, battery pack, battery charger, test labels (PTL-19-423), R6210 ribbon, cleaning strip, communications cable, manual, Quick Start Guide and 1 year Limited Warranty.*

TLS PC Link® Printer & Accessories

Catalog #	Description
TLSPC	TLS PC Link Thermal Labeling System*
TLSPC-AC	Replacement power supply/battery charger
TLSPC-BP	Rechargeable battery pack
TLSPC-CABLE	Communications cable
PCK-5	Cleaning Kit (5 cleaning cards)

**Includes LabelMark™ labeling software, rechargeable battery pack, power supply/battery charger, R6210 ribbon, sample labels (PTL-19-423), Quick Start Guide, manuals, communications cable, Windows® drivers and 1 year Limited Warranty.*

BRADY 360®

Brady 360® Replacement Printer Plan supplements the Limited Warranty already included with your printer purchase. This Replacement Plan allows you can return your qualified printer for a replacement printer within the first 12 months of purchase. You must purchase the replacement program at the time of printer purchase in order to receive benefits.

**Printheads are covered. *Limit of two printers in the first 12 months of initial purchase.*

Create Custom Labels In Seconds

Wire & Cable Labeling

Voice & Data Communications

Industrial Barcode Labels

Asset ID

Circuit Board Labels



General ID ...and many more!

TLS 2200® General Identification Materials:

B-422 Polyester Material

Color: White **Finish: Gloss**

White label stock with glossy finish and 2 mils of adhesive for rough surface applications, including low surface energy plastics. Designed to withstand solvent exposure. UL rated for surfaces commonly used in solar panel manufacturing. Also used for component identification, barcoding, and asset and inventory tracking.



Figure 29



Figure 33



Figure 34



Figure 40



Figure 54

Diagram	Catalog #	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Package	Rec. Ribbon
Fig. 34	PTL-39-422	B-422	Polyester	White	0.375 (9.5)	0.600 (15.2)	1	750	R6010
Fig. 33	PTL-46-422	B-422	Polyester	White	0.375 (9.5)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 29	PTL-44-422	B-422	Polyester	White	0.500 (12.7)	0.375 (9.5)	1	500	R6010
Fig. 29	PTL-7-422	B-422	Polyester	White	0.500 (12.7)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-5-422	B-422	Polyester	White	0.500 (12.7)	0.200 (5.1)	1	750	R6010
Fig. 33	PTL-8-422	B-422	Polyester	White	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 29	PTL-16-422	B-422	Polyester	White	1.000 (25.4)	0.375 (9.5)	1	500	R6010
Fig. 29	PTL-17-422	B-422	Polyester	White	1.000 (25.4)	0.500 (12.7)	1	500	R6010
Fig. 29	BPTL-20-422	B-422	Polyester	White	1.000 (25.4)	2.000 (50.8)	1	1000	R6010
Fig. 29	PTL-19-422	B-422	Polyester	White	1.000 (25.4)	1.000 (25.4)	1	250	R6010
Fig. 33	PTL-42-422	B-422	Polyester	White	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 40	PTPSL-17-422	B-422	Polyester	White	1.000 (25.4)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-29-422	B-422	Polyester	White	1.050 (38.1)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-45-422	B-422	Polyester	White	1.050 (38.1)	0.375 (9.5)	1	500	R6010
Fig. 29	PTL-30-422	B-422	Polyester	White	1.500 (38.1)	0.750 (19.1)	1	250	R6010
Fig. 29	PTL-32-422	B-422	Polyester	White	1.500 (38.1)	1.500 (38.1)	1	250	R6010
Fig. 54	PTL-35-422-PROP	B-422	Polyester	Gray	1.630 (41.4)	0.750 (19.1)	1	250	R6010
Fig. 33	PTL-43-422	B-422	Polyester	White	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 29	PTL-20-422	B-422	Polyester	White	2.000 (50.8)	1.000 (25.4)	1	100	R6010
Fig. 40	PTPSL-20-422	B-422	Polyester	White	2.000 (50.8)	1.000 (25.4)	1	100	R6010
Fig. 40	PTPSL-26-422	B-422	Polyester	White	2.750 (69.9)	1.250 (31.8)	1	100	R6010
Fig. 29	PTL-22-422	B-422	Polyester	White	3.000 (76.2)	1.000 (25.4)	1	100	R6010
Fig. 29	PTL-37-422	B-422	Polyester	White	3.000 (76.2)	1.900 (48.3)	1	100	R6010
Fig. 40	PTPSL-50-422	B-422	Polyester	White	3.000 (76.2)	1.650 (41.9)	1	100	R6010
Fig. 29	PTL-23-422	B-422	Polyester	White	4.000 (101.6)	1.000 (25.4)	1	100	R6010
Fig. 29	PTL-38-422	B-422	Polyester	White	4.000 (101.6)	1.900 (48.3)	1	100	R6010

Did You Know?

Bulk labels are designed for the TLS 2200 and TLS PC Link thermal labeling systems to save customers money, and provide the perfect low volume* labeling solution.

A reusable dispenser box protects labels from dust and debris and allows easy storage until the next identification job.

Watch for label catalog number that begin with “B”.
This indicates materials rolls that are “Bulk” label rolls.

** TLS 2200 and TLS PC Link printers are recommended for printing 500 or less labels per print run. Printer slowdown is possible if printing large quantities of labels at one time depending on the material, label size and amount of print coverage.*

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS2200® Materials

www.BradyID.com/tls2200

TLS 2200® General Identification Materials:

B-423 Polyester Material

Color: White **Finish: Gloss**

White polyester thermal transfer label with a glossy finish. Widely used for component identification, barcoding, asset and inventory tracking. UL rated for surfaces commonly used in solar panel manufacturing.



Figure 29



Figure 33



Figure 46
(Includes black border)



Figure 51



Figure 52



Figure 53



Figure 54

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-1-423	B-423	Polyester	White	0.250 (6.4)	0.250 (6.4)	1	750	R6010
Fig. 29	PTL-3-423	B-423	Polyester	White	0.375 (9.5)	0.375 (9.5)	1	500	R6010
Fig. 29	PTL-4-423	B-423	Polyester	White	0.400 (10.6)	0.400 (10.2)	1	500	R6010
Fig. 29	BPTL-7-423	B-423	Polyester	White	0.500 (12.7)	0.500 (12.7)	1	5000	R6010
Fig. 29	PTL-5-423	B-423	Polyester	White	0.500 (12.7)	0.200 (5.1)	1	750	R6010
Fig. 53	PTL-6-423	B-423	Polyester	White	0.500 (12.7)	0.275 (7.0)	1	750	R6010
Fig. 29	PTL-7-423	B-423	Polyester	White	0.500 (12.7)	0.500 (12.7)	1	500	R6010
Fig. 33	PTL-8-423	B-423	Polyester	White	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 29	PTL-9-423	B-423	Polyester	White	0.650 (16.5)	0.200 (5.1)	1	750	R6010
Fig. 29	PTL-10-423	B-423	Polyester	White	0.750 (19.1)	0.250 (6.4)	1	750	R6010
Fig. 29	PTL-13-423	B-423	Polyester	White	0.900 (22.9)	0.250 (6.4)	1	750	R6010
Fig. 29	BPTL-16-423	B-423	Polyester	White	1.000 (25.4)	0.375 (9.5)	1	5000	R6010
Fig. 29	BPTL-17-423	B-423	Polyester	White	1.000 (25.4)	0.500 (12.7)	1	5000	R6010
Fig. 29	BPTL-19-423	B-423	Polyester	White	1.000 (25.4)	1.000 (25.4)	1	2500	R6010
Fig. 29	BPTL-20-423	B-423	Polyester	White	1.000 (25.4)	2.000 (50.8)	1	1000	R6010
Fig. 29	PTL-14-423	B-423	Polyester	White	1.000 (25.4)	0.187 (4.8)	1	750	R6010
Fig. 29	PTL-15-423	B-423	Polyester	White	1.000 (25.4)	0.275 (7.0)	1	750	R6010
Fig. 29	PTL-16-423	B-423	Polyester	White	1.000 (25.4)	0.375 (9.5)	1	500	R6010
Fig. 29	PTL-17-423	B-423	Polyester	White	1.000 (25.4)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-19-423	B-423	Polyester	White	1.000 (25.4)	1.000 (25.4)	1	250	R6010
Fig. 46	PTL-24-423-BK	B-423	Polyester	White	1.130 (28.7)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-25-423	B-423	Polyester	White	1.250 (31.8)	0.250 (6.4)	1	750	R6010
Fig. 29	BPTL-29-423	B-423	Polyester	White	1.500 (38.1)	0.500 (12.7)	1	5000	R6010
Fig. 29	PTL-27-423	B-423	Polyester	White	1.500 (38.1)	0.125 (3.2)	1	750	R6010
Fig. 29	PTL-28-423	B-423	Polyester	White	1.500 (38.1)	0.250 (6.4)	1	750	R6010
Fig. 29	PTL-29-423	B-423	Polyester	White	1.500 (38.1)	0.500 (12.7)	1	500	R6010
Fig. 51	PTL-30-423-CALI	B-423	Polyester	White	1.500 (38.1)	0.750 (19.1)	1	250	R6010
Fig. 53	PTL-30-423-INSP	B-423	Polyester	Black on White	1.500 (38.1)	0.750 (19.1)	1	250	R6010
Fig. 52	PTL-30-423-TEST	B-423	Polyester	White	1.500 (38.1)	0.750 (19.1)	1	250	R6010
Fig. 29	PTL-31-423	B-423	Polyester	White	1.500 (38.1)	1.000 (25.4)	1	250	R6010
Fig. 29	PTL-32-423	B-423	Polyester	White	1.500 (38.1)	1.500 (38.1)	1	250	R6010
Fig. 54	PTL-35-423-PROP	B-423	Polyester	Black on Silver	1.630 (41.4)	0.750 (19.1)	1	250	R6010
Fig. 29	PTL-20-423	B-423	Polyester	White	2.000 (50.8)	1.000 (25.4)	1	100	R6010
Fig. 29	PTL-2-423	B-423	Polyester	White	2.000 (50.8)	0.250 (6.4)	1	100	R6010
Fig. 29	PTL-26-423	B-423	Polyester	White	2.750 (69.9)	1.250 (31.8)	1	100	R6010
Fig. 29	PTL-22-423	B-423	Polyester	White	3.000 (76.2)	1.000 (25.4)	1	100	R6010
Fig. 29	PTL-37-423	B-423	Polyester	White	3.000 (76.2)	1.900 (48.3)	1	100	R6010
Fig. 29	PTL-23-423	B-423	Polyester	White	4.000 (101.6)	1.000 (25.4)	1	100	R6010
Fig. 29	PTL-38-423	B-423	Polyester	White	4.000 (101.6)	1.900 (48.3)	1	100	R6010

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS 2200® General Identification Materials:

B-424 Paper Material

Color: White **Finish: Matte**

White paper material with matte finish and smooth top coat finish for thermal transfer printing. Good contrast and smear resistance for thermal barcode printing. Used for general purpose labeling applications.



Figure 29



Figure 40

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-80-424	B-424	Paper	White	0.750 (19.1)	0.900 (22.9)	1	250	R4310
Fig. 29	BPTL-20-424	B-424	Paper	White	1.000 (25.4)	2.000 (50.8)	1	1000	R4310
Fig. 40	PTPSL-17-424	B-424	Paper	White	1.000 (25.4)	0.500 (12.7)	1	500	R4310
Fig. 29	PTL-20-424	B-424	Paper	White	2.000 (50.8)	1.000 (25.4)	1	100	R4310
Fig. 40	PTPSL-20-424	B-424	Paper	White	2.000 (50.8)	1.000 (25.4)	1	100	R4310
Fig. 29	PTL-22-424	B-424	Paper	White	3.000 (76.2)	1.000 (25.4)	1	100	R4310
Fig. 29	PTL-37-424	B-424	Paper	White	3.000 (76.2)	1.900 (48.3)	1	100	R4310
Fig. 29	PTL-38-424	B-424	Paper	White	4.000 (101.6)	1.900 (48.3)	1	100	R4310

TLS 2200® General Identification Materials:

B-425 Polypropylene Material

Color: White **Finish: Matte**

White polypropylene material stock with matte/opaque finish for thermal transfer printing or write-on applications. Excellent solvent resistance and print performance; not recommended for long-term outdoor use.



Figure 29

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-10-425	B-425	Polypropylene	White	0.750 (19.1)	0.250 (6.4)	1	750	R6210

TLS 2200® General Identification Materials:

B-430 Polyester Material

Color: Clear **Finish: Gloss**

Translucent, high performance polyester material with a glossy finish. Non-colored material with permanent adhesive. Good for general purpose thermal transfer printing.



Figure 29



Figure 33



Figure 34



Figure 53

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-68-430	B-430	Polyester	Clear	0.240 (6.1)	0.150 (3.8)	1	750	R6010
Fig. 29	PTL-70-430	B-430	Polyester	Clear	0.240 (6.1)	0.200 (5.1)	1	750	R6010
Fig. 29	PTL-69-430	B-430	Polyester	Clear	0.350 (8.9)	0.150 (3.8)	1	750	R6010
Fig. 29	PTL-71-430	B-430	Polyester	Clear	0.350 (8.9)	0.200 (5.1)	1	750	R6010
Fig. 33	PTL-46-430	B-430	Polyester	Clear	0.375 (9.5)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 34	PTL-39-430	B-430	Polyester	Clear	0.375 (9.5)	0.600 (15.2)	1	750	R6010
Fig. 29	PTL-44-430	B-430	Polyester	Clear	0.500 (12.7)	0.375 (9.5)	1	500	R6010
Fig. 29	PTL-7-430	B-430	Polyester	Clear	0.500 (12.7)	0.500 (12.7)	1	500	R6010
Fig. 53	PTL-6-430	B-430	Polyester	Clear	0.500 (12.7)	0.275 (7.0)	1	750	R6010
Fig. 33	PTL-8-430	B-430	Polyester	Clear	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 29	PTL-85-430	B-430	Polyester	Clear	0.740 (18.8)	0.240 (6.1)	1	750	R6010
Fig. 29	PTL-99-430	B-430	Polyester	Clear	0.740 (18.8)	0.320 (8.1)	1	750	R6010
Fig. 29	PTL-16-430	B-430	Polyester	Clear	1.000 (25.4)	0.375 (9.5)	1	500	R6010
Fig. 29	PTL-17-430	B-430	Polyester	Clear	1.000 (25.4)	0.500 (12.7)	1	500	R6010
Fig. 33	PTL-42-430	B-430	Polyester	Clear	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 29	PTL-45-430	B-430	Polyester	Clear	1.050 (38.1)	0.375 (9.5)	1	500	R6010
Fig. 29	PTL-29-430	B-430	Polyester	Clear	1.500 (38.1)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-28-430	B-430	Polyester	Clear	1.500 (38.1)	0.250 (6.4)	1	750	R6010
Fig. 33	PTL-43-430	B-430	Polyester	Clear	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS2200® Materials

www.BradyID.com/tls2200

TLS 2200® General Identification Materials:

B-432 Polyester Material

Color: Clear **Finish: Gloss**

Translucent, high performance polyester material with a glossy finish. Very similar to B-430, but has a thicker layer of acrylic adhesive for better adherence to rough surface applications.



Figure 29



Figure 33

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 33	PTL-101-432	B-432	Polyester	Clear	0.250 (6.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 29	PTL-7-432	B-432	Polyester	Clear	0.500 (12.7)	0.500 (12.7)	1	500	R6010
Fig. 33	PTL-8-432	B-432	Polyester	Clear	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 29	PTL-10-432	B-432	Polyester	Clear	0.750 (19.1)	0.250 (6.4)	1	750	R6010
Fig. 29	PTL-11-432	B-432	Polyester	Clear	0.750 (19.1)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-17-432	B-432	Polyester	Clear	1.000 (25.4)	0.500 (12.7)	1	500	R6010
Fig. 33	PTL-42-432	B-432	Polyester	Clear	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-100-432	B-432	Polyester	Clear	1.300 (33.0)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-43-432	B-432	Polyester	Clear	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010

TLS 2200® General Identification Materials:

B-439 Vinyl Material

Color: Various **Finish: Matte**

Colored vinyl material for thermal transfer printing. Ideal for rating plates, finished product identification, and general purpose labeling. Available in white, silver, gold, purple, yellow, orange, green, light blue and black.

Figure 33

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 33	PTL-8-439	B-439	Vinyl	White	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-42-439	B-439	Vinyl	White	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-43-439	B-439	Vinyl	White	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-8-439-YL	B-439	Vinyl	Yellow	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-42-439-YL	B-439	Vinyl	Yellow	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-43-439-YL	B-439	Vinyl	Yellow	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-8-439-BK	B-439	Vinyl	Black	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R4410-WT
Fig. 33	PTL-42-439-BK	B-439	Vinyl	Black	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R4410-WT
Fig. 33	PTL-43-439-BK	B-439	Vinyl	Black	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R4410-WT
Fig. 33	PTL-8-439-BL	B-439	Vinyl	Blue	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R4410-WT
Fig. 33	PTL-42-439-BL	B-439	Vinyl	Blue	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R4410-WT
Fig. 33	PTL-43-439-BL	B-439	Vinyl	Blue	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R4410-WT
Fig. 33	PTL-8-439-GR	B-439	Vinyl	Green	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-42-439-GR	B-439	Vinyl	Green	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-43-439-GR	B-439	Vinyl	Green	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-8-439-OR	B-439	Vinyl	Orange	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-42-439-OR	B-439	Vinyl	Orange	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-43-439-OR	B-439	Vinyl	Orange	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-8-439-RD	B-439	Vinyl	Red	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-42-439-RD	B-439	Vinyl	Red	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-43-439-RD	B-439	Vinyl	Red	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010

Did You Know? www.BradyID.com

Visit BradyID.com for online ordering and instant access to:

- Product Info
- Product Demos
- Custom Orders
- Whitepapers
- Webinars
- And More!

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS 2200® General Identification Materials:

B-483 Polyester Material

Color: White **Finish: Gloss**

White polyester thermal transfer material with glossy finish and aggressive adhesive specifically designed for powder coated surfaces.

Figure 28



Figure 29



Figure 33



Figure 53



Figure 46
(Includes black border)



Figure 72

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 33	PTL-101-483	B-483	Polyester	White	0.250 (6.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-8-483	B-483	Polyester	White	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 29	PTL-16-483	B-483	Polyester	White	1.000 (25.4)	0.375 (9.5)	1	500	R6010
Fig. 29	PTL-17-483	B-483	Polyester	White	1.000 (25.4)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-19-483	B-483	Polyester	White	1.000 (25.4)	1.000 (25.4)	1	250	R6010
Fig. 33	PTL-42-483	B-483	Polyester	White	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 33	PTL-100-483	B-483	Polyester	White	1.300 (33.0)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 29	PTL-65-483	B-483	Polyester	White	1.375 (34.9)	1.000 (25.4)	1	250	R6010
Fig. 29	PTL-29-483	B-483	Polyester	White	1.500 (38.1)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-30-483	B-483	Polyester	White	1.500 (38.1)	0.750 (19.1)	1	250	R6010
Fig. 29	PTL-31-483	B-483	Polyester	White	1.500 (38.1)	1.000 (25.4)	1	250	R6010
Fig. 29	PTL-32-483	B-483	Polyester	White	1.500 (38.1)	1.500 (38.1)	1	250	R6010
Fig. 33	PTL-43-483	B-483	Polyester	White	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R6010
Fig. 29	PTL-20-483	B-483	Polyester	White	2.000 (50.8)	1.000 (25.4)	1	100	R6010
Fig. 28	PTL-61-483	B-483	Polyester	White	2.000 (50.8)	0.500 (12.7)	1	100	R6010
Fig. 29	PTL-37-483	B-483	Polyester	White	3.000 (76.2)	1.900 (48.3)	1	100	R6010
Fig. 29	PTL-23-483	B-483	Polyester	White	4.000 (101.6)	1.000 (25.4)	1	100	R6010

B-483 Pre-Printed Die Cut Polyester Labels

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 53	PTL-62-483	B-483	Polyester	White	4.000 (101.6)	0.750 (19.1)	1	50	R6010
Fig. 53	PTL-63-483	B-483	Polyester	White	4.000 (101.6)	0.750 (19.1)	1	50	R6010
Fig. 46	PTL-24-483-BK	B-483	Polyester	White	1.130 (28.7)	0.500 (12.7)	1	500	R6010
Fig. 72	PTL-37-483-DANGER	B-483	Polyester	Red on White*	3.000 (76.2)	1.900 (48.3)	1	100	R6010
Fig. 72	PTL-37-483-WARNING	B-483	Polyester	Orange/Black on White*	3.000 (76.2)	1.900 (48.3)	1	100	R6010
Fig. 72	PTL-38-483-DANGER	B-483	Polyester	Red on White*	4.000 (101.6)	1.900 (48.3)	1	100	R6010
Fig. 72	PTL-38-483-WARNING	B-483	Polyester	Orange/Black on White*	4.000 (101.6)	1.900 (48.3)	1	100	R6010

TLS 2200® General Identification Materials:

B-488 Polyester Material

Color: White **Finish: Matte**

White polyester thermal transfer material with matte finish. Ideal for component identification, barcoding, and asset and inventory tracking. A matte version of B-423.



Figure 29

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-80-488	B-488	Polyester	White	0.750 (19.1)	0.900 (22.9)	1	250	R4310
Fig. 29	PTL-97-488	B-488	Polyester	White	0.900 (22.9)	0.900 (22.9)	1	250	R4310
Fig. 29	PTL-78-488	B-488	Polyester	White	1.900 (48.3)	1.000 (25.4)	1	250	R4310
Fig. 29	PTL-81-488	B-488	Polyester	White	1.900 (48.3)	0.250 (6.3)	1	750	R4310

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS2200® Materials

www.BradyID.com/tls2200

B-489 Polyester Labels

Color: White **Finish: Matte**

White polyester thermal transfer label with matte finish and aggressive adhesive. Specifically designed for powder coated surfaces. A matte version of B-483.



Figure 29



Figure 33

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 33	PTL-101-489	B-489	Polyester	White	0.250 (6.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R4310
Fig. 33	PTL-8-489	B-489	Polyester	White	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R4310
Fig. 29	PTL-16-489	B-489	Polyester	White	1.000 (25.4)	0.375 (9.5)	1	500	R4310
Fig. 29	PTL-17-489	B-489	Polyester	White	1.000 (25.4)	0.500 (12.7)	1	500	R4310
Fig. 29	PTL-19-489	B-489	Polyester	White	1.000 (25.4)	1.000 (25.4)	1	250	R4310
Fig. 33	PTL-42-489	B-489	Polyester	White	1.000 (25.4)	50 ft. (15.2 m)	1	1 Roll Cont.	R4310
Fig. 33	PTL-100-489	B-489	Polyester	White	1.300 (33.0)	50 ft. (15.2 m)	1	1 Roll Cont.	R4310
Fig. 29	PTL-29-489	B-489	Polyester	White	1.500 (38.1)	0.500 (12.7)	1	500	R4310
Fig. 29	PTL-30-489	B-489	Polyester	White	1.500 (38.1)	0.750 (19.1)	1	250	R4310
Fig. 29	PTL-31-489	B-489	Polyester	White	1.500 (38.1)	1.000 (25.4)	1	250	R4310
Fig. 29	PTL-32-489	B-489	Polyester	White	1.500 (38.1)	1.500 (38.1)	1	250	R4310
Fig. 33	PTL-43-489	B-489	Polyester	White	1.900 (48.3)	50 ft. (15.2 m)	1	1 Roll Cont.	R4310
Fig. 29	PTL-20-489	B-489	Polyester	White	2.000 (50.8)	1.000 (25.4)	1	100	R4310
Fig. 29	PTL-37-489	B-489	Polyester	White	3.000 (76.2)	1.900 (48.3)	1	100	R4310
Fig. 29	PTL-38-489	B-489	Polyester	White	4.000 (101.6)	1.900 (48.3)	1	100	R4310

TLS 2200® General Identification Materials:

B-489 Polyester Material

Color: White **Finish: Matte**

White polyester thermal transfer material with matte finish and aggressive adhesive. Specifically designed for powder coated surfaces. A matte version of B-483.



Figure 29

Figure 33



Figure 40



Figure 46
(Includes black border)



Figure 51



Figure 52



Figure 53



Figure 54

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 33	PTL-8-428	B-428	Polyester	Silver	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R4310
Fig. 29	BPTL-17-428	B-428	Polyester	Silver	1.000 (25.4)	0.500 (12.7)	1	5000	R4310
Fig. 29	BPTL-20-428	B-428	Polyester	Silver	1.000 (25.4)	2.000 (50.8)	1	1000	R4310
Fig. 29	PTL-15-428	B-428	Polyester	Silver	1.000 (25.4)	0.275 (7.0)	1	750	R4310
Fig. 29	PTL-17-428	B-428	Polyester	Silver	1.000 (25.4)	0.500 (12.7)	1	500	R4310
Fig. 40	PTPSL-17-428	B-428	Polyester	Silver	1.000 (25.4)	0.500 (12.7)	1	500	R4310
Fig. 46	PTL-24-428-BK	B-428	Polyester	Silver	1.130 (28.7)	0.500 (12.7)	1	500	R4310
Fig. 29	PTL-29-428	B-428	Polyester	Silver	1.500 (38.1)	0.500 (12.7)	1	500	R4310
Fig. 51	PTL-30-428-CALI	B-428	Polyester	White	1.500 (38.1)	0.750 (19.1)	1	250	R4310
Fig. 53	PTL-30-428-INSP	B-428	Polyester	Black on White	1.500 (38.1)	0.750 (19.1)	1	250	R4310
Fig. 52	PTL-30-428-TEST	B-428	Polyester	White	1.500 (38.1)	0.750 (19.1)	1	250	R4310
Fig. 54	PTL-35-428-PROP	B-428	Polyester	Silver	1.630 (41.4)	0.750 (19.1)	1	250	R4310
Fig. 29	PTL-20-428	B-428	Polyester	Silver	2.000 (50.8)	1.000 (25.4)	1	100	R4310
Fig. 40	PTPSL-20-428	B-428	Polyester	Silver	2.000 (50.8)	1.000 (25.4)	1	100	R4310
Fig. 29	PTL-26-428	B-428	Polyester	Silver	2.750 (69.9)	1.250 (31.8)	1	100	R4310
Fig. 40	PTPSL-26-428	B-428	Polyester	Silver	2.750 (69.9)	1.250 (31.8)	1	100	R4310
Fig. 29	PTL-22-428	B-428	Polyester	Silver	3.000 (76.2)	1.000 (25.4)	1	100	R4310
Fig. 29	PTL-37-428	B-428	Polyester	Silver	3.000 (76.2)	1.900 (48.3)	1	100	R4310
Fig. 40	PTPSL-50-428	B-428	Polyester	Silver	3.000 (76.2)	1.650 (41.9)	1	100	R4310
Fig. 29	PTL-38-428	B-428	Polyester	Silver	4.000 (101.6)	1.900 (48.3)	1	100	R4310

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS 2200® Asset Tracking Materials:

B-435 Polyester Material

Color: Silver Metallic **Finish: Gloss**

Metallized polyester with glossy finish withstands numerous solvents and variable temps. Ideal for serial and rating plate applications with name-plate quality and a metal looking finish.



Figure 29



Figure 54

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-16-435	B-435	Polyester	Silver	1.000 (25.4)	0.375 (9.5)	1	500	R6010
Fig. 29	PTL-17-435	B-435	Polyester	Silver	1.000 (25.4)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-19-435	B-435	Polyester	Silver	1.000 (25.4)	1.000 (25.4)	1	250	R6010
Fig. 29	PTL-29-435	B-435	Polyester	Silver	1.500 (38.1)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-30-435	B-435	Polyester	Silver	1.500 (38.1)	0.750 (19.1)	1	250	R6010
Fig. 29	PTL-31-435	B-435	Polyester	Silver	1.500 (38.1)	1.000 (25.4)	1	250	R6010
Fig. 29	PTL-32-435	B-435	Polyester	Silver	1.500 (38.1)	1.500 (38.1)	1	250	R6010
Fig. 54	PTL-35-435-PROP	B-435	Polyester	Silver	1.630 (41.4)	0.750 (19.1)	1	250	R6010
Fig. 29	PTL-20-435	B-435	Polyester	Silver	2.000 (50.8)	1.000 (25.4)	1	100	R6010
Fig. 29	PTL-37-435	B-435	Polyester	Silver	3.000 (76.2)	1.900 (48.3)	1	100	R6010
Fig. 29	PTL-38-435	B-435	Polyester	Silver	4.000 (101.6)	1.900 (48.3)	1	100	R6010

TLS 2200® Asset Tracking Materials:

B-486 Polyester Material

Color: Silver Metallic **Finish: Matte**

Metallized polyester material designed for high adhesion to textured metals, powder coated surfaces and low surface energy plastics. Withstands numerous solvents and variable temps.



Figure 29



Figure 46
(Includes black border)

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-16-486	B-486	Polyester	Silver	1.000 (25.4)	0.375 (9.5)	1	500	R4310
Fig. 29	PTL-17-486	B-486	Polyester	White	1.000 (25.4)	0.500 (12.7)	1	500	R4310
Fig. 29	PTL-19-486	B-486	Polyester	Silver	1.000 (25.4)	1.000 (25.4)	1	250	R4310
Fig. 46	PTL-24-486-BK	B-486	Polyester	Silver/Black Border	1.130 (28.7)	0.500 (12.7)	1	500	R4310
Fig. 29	PTL-29-486	B-486	Polyester	Silver	1.500 (38.1)	0.500 (12.7)	1	500	R4310
Fig. 29	PTL-30-486	B-486	Polyester	Silver	1.500 (38.1)	0.750 (19.1)	1	250	R4310
Fig. 29	PTL-31-486	B-486	Polyester	Silver	1.500 (38.1)	1.000 (25.4)	1	250	R4310
Fig. 29	PTL-32-486	B-486	Polyester	Silver	1.500 (38.1)	1.500 (38.1)	1	250	R4310
Fig. 29	PTL-20-486	B-486	Polyester	Silver	2.000 (50.8)	1.000 (25.4)	1	100	R4310
Fig. 29	PTL-37-486	B-486	Polyester	Silver	3.000 (76.2)	1.900 (48.3)	1	100	R4310
Fig. 29	PTL-38-483	B-486	Polyester	White	4.000 (101.6)	1.900 (48.3)	1	100	R6010
Fig. 29	PTL-38-486	B-486	Polyester	Silver	4.000 (101.6)	1.900 (48.3)	1	100	R4310

TLS 2200® Wire & Cable Materials:

B-109 Polyethylene Tag Material

Color: White **Finish: Matte**

Excellent multi-purpose tag for identifying multiconductor cables, inventory, safety warning repair and work-in-processing manufacturing. Good weatherability, humidity resistance and legibility after solvent exposure.



Figure 45



Figure 56

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 45	PTL-36-109	B-109	Polyethylene	White	1.125 (28.6)	1.750 (44.5)	1	250	R4310
Fig. 56	PTL-12-109	B-109	Polyethylene	White	3.000 (76.2)	0.750 (19.1)	1	100	R4310
Fig. 56	BPTL-12-109	B-109	Polyethylene	White	3.000 (76.2)	0.750 (19.1)	1	1000	R4310

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS2200® Materials

www.BradyID.com/tls2200

TLS 2200® Wire & Cable Materials:

B-342 PermaSleeve® Single-Sided Polyolefin Wire Marking Sleeves

3:1 heat shrinkable sleeve fits snuggly around wire for identification and protection. Fade resistant and flame retardant. Meets the following material and physical property specifications.

- SAE-AMS-DTL-23053/5C (Class 1)
- SAE-AS-81531
- MIL-STD-202
- RoHS Compliant
- UL Recognized

Tested per:
- ASTM E162
- ASTM E662

Part Number	Sleeves Per Roll	Approx. Wire Gauge	Range of Wire Diameter Inch (mm) Min.	Range of Wire Diameter Inch (mm) Max.	Supplied Diameter Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Sleeve Width Inch (mm)	Rec. Ribbon
PSPT-094-1-WT	100	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-094-1-*	100	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-094-175-WT	100	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-094-175-*	100	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
BPSPT-094-1-WT	2500	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
BPSPT-094-175-WT	2500	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-125-1-WT	100	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-125-1-*	100	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-125-175-WT	100	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-125-175-*	100	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	R4310
BPSPT-125-1-WT	1000	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	R4310
BPSPT-125-175-WT	1000	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-187-1-WT	100	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-187-1-*	100	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-187-175-WT	100	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-187-175-*	100	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	R4310
BPSPT-187-1-WT	1000	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	R4310
BPSPT-187-175-WT	1000	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-250-1-WT	100	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-250-1-*	100	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-250-175-WT	100	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-250-175-*	100	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
BPSPT-250-1-WT	1000	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
BPSPT-250-175-WT	1000	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-375-1-WT	100	12 to 4	0.125 (3.2)	0.320 (8.13)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-375-1-*	100	12 to 4	0.125 (3.2)	0.320 (8.13)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-375-175-WT	100	12 to 4	0.125 (3.2)	0.320 (8.13)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-375-175-*	100	12 to 4	0.125 (3.2)	0.320 (8.13)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
BPSPT-375-1-WT	1000	12 to 4	0.125 (3.2)	0.320 (8.13)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
BPSPT-375-175-WT	1000	12 to 4	0.125 (3.2)	0.320 (8.13)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-500-1-WT	100	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-500-1-*	100	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-500-175-WT	100	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-500-175-*	100	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
BPSPT-500-1-WT	1000	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	R4310
BPSPT-500-175-WT	1000	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-1000-1-WT	50	2 to 0.950 dia.	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-1000-1-*	50	2 to 0.950 dia.	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) ± .003 (0.07)	1.015 (25.8)	R4310
PSPT-1000-175-WT	50	2 to 0.950 dia.	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) ± .003 (0.07)	1.765 (44.8)	R4310
PSPT-1000-175-*	50	2 to 0.950 dia.	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) ± .003 (0.07)	1.765 (44.8)	R4310
BPSPT-1000-175-WT	500	2 to 0.950 dia.	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) ± .003 (0.07)	1.765 (44.8)	R4310

***Choose Your PermaSleeve Color:**

You may also choose to order your sleeves in the colors listed below. Replace the singular asterisk (*) with the abbreviation of the desired color.
Example: PSPT-187-175- becomes PSPT-187-175-YL*

Available colors: WT=White, YL=Yellow, BK=Black, BL=Blue, BR=Brown, GR-Green, GY-Gray, OR-Orange, PK=Pink, RD=Red, VT=Violet



See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS 2200® Data Comm Materials:

B-412 Polypropylene Tag Material

Color: White Finish: Matte

Thick polypropylene material used for equipment identification. Offers high print legibility and high tensile strength.

Figure 28



Figure 55

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 28	PTL-55-412	B-412	Polypropylene	White	0.230 (5.8)	50 ft. (15.2 m)	1	1 Roll Cont.	R6210
Fig. 28	PTL-56-412	B-412	Polypropylene	White	0.375 (9.5)	50 ft. (15.2 m)	1	1 Roll Cont.	R6210
Fig. 28	PTL-57-412	B-412	Polypropylene	White	0.500 (12.7)	50 ft. (15.2 m)	1	1 Roll Cont.	R6210
Fig. 28	PTL-58-412	B-412	Polypropylene	White	0.535 (13.6)	50 ft. (15.2 m)	1	1 Roll Cont.	R6210
Fig. 28	PTL-59-412	B-412	Polypropylene	White	0.785 (19.9)	50 ft. (15.2 m)	1	1 Roll Cont.	R6210
Fig. 55	PTL-40-412	B-412	Polypropylene	White	1.938 (49.2)	0.375 (9.5)	1	750	R6210
Fig. 55	BPTL-40-412	B-412	Polypropylene	White	1.938 (49.2)	0.375 (9.5)	1	5000	R6210

TLS 2200® Data Comm Materials:

B-427 Self-Laminating Vinyl Material

Color: White/ Transclucent

Finish: Matte Printable Zone/ Transclucent Wrap

Brady's most popular wire and cable marker. Self-laminating vinyl features white printable area with a clear "tail" that wraps around marker. Tail serves as overlaminate to protect the print. Superior resistance to abrasion, solvents, water, oil and dirt.



Figure 32

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Write On Area (Height)	Approx. Wire Gauge*	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-105-427-AW	B-427	Vinyl	White	1.100 (27.9)	0.250 (6.4)	0.250 (6.4)	All White	1	750	R4310
Fig. 32	PTL-10-427	B-427	Vinyl	White	0.250 (6.4)	0.750 (19.1)	0.375 (9.5)	16 to 10	1	750	R4310
Fig. 32	BPTL-11-427	B-427	Vinyl	White	0.500 (12.7)	0.750 (19.1)	0.375 (9.5)	16 to 10	1	5000	R4310
Fig. 32	PTL-11-427	B-427	Vinyl	White	0.500 (12.7)	0.750 (19.1)	0.375 (9.5)	16 to 10	1	500	R4310
Fig. 32	PTL-96-427	B-427	Vinyl	White	1.000 (25.4)	0.750 (19.1)	0.375 (9.5)	16 to 10	1	250	R4310
Fig. 29	PTL-30-427-AW	B-427	Vinyl	White	1.500 (38.1)	0.750 (19.1)	0.750 (19.1)	All White	1	250	R4310
Fig. 32	BPTL-17-427	B-427	Vinyl	White	0.500 (12.7)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	5000	R4310
Fig. 32	PTL-17-427	B-427	Vinyl	White	0.500 (12.7)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	500	R4310
Fig. 32	BPTL-18-427	B-427	Vinyl	White	0.750 (19.1)	1.000 (25.4)	0.375 (9.5)	10 to 4	1	2500	R4310
Fig. 32	PTL-18-427	B-427	Vinyl	White	0.750 (19.1)	1.000 (25.4)	0.375 (9.5)	10 to 4	1	250	R4310
Fig. 32	PTL-19-427	B-427	Vinyl	White	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	BPTL-19-427	B-427	Vinyl	White	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	2500	R4310
Fig. 32	PTL-19-642	B-427	Vinyl	White	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	PTL-104-427	B-427	Vinyl	White	1.500 (38.1)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	PTL-87-427	B-427	Vinyl	White	1.750 (44.5)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 29	PTL-78-427-AW	B-427	Vinyl	White	1.900 (48.3)	1.000 (25.4)	1.000 (25.4)	All White	1	250	R4310
Fig. 32	PTL-102-427	B-427	Vinyl	White	0.500 (12.7)	1.250 (31.8)	0.375 (9.5)	10 to 4	1	250	R4310
Fig. 32	PTL-103-427	B-427	Vinyl	White	1.000 (25.4)	1.250 (31.8)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-28-427	B-427	Vinyl	White	0.250 (6.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	750	R4310
Fig. 32	BPTL-29-427	B-427	Vinyl	White	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	5000	R4310
Fig. 32	PTL-29-427	B-427	Vinyl	White	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	500	R4310
Fig. 32	BPTL-30-427	B-427	Vinyl	White	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	2500	R4310
Fig. 32	PTL-30-427	B-427	Vinyl	White	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-31-427	B-427	Vinyl	White	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	BPTL-31-427	B-427	Vinyl	White	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	2500	R4310
Fig. 32	PTL-31-642	B-427	Vinyl	White	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	BPTL-32-427	B-427	Vinyl	White	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	1000	R4310
Fig. 32	PTL-32-427	B-427	Vinyl	White	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-88-427	B-427	Vinyl	White	1.750 (44.5)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	BPTL-107-427	B-427	Vinyl	White	2.000 (50.8)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	1000	R4310
Fig. 32	PTL-107-427	B-427	Vinyl	White	2.000 (50.8)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	100	R4310
Fig. 27	PTL-74-427	B-427	Vinyl	White	0.500 (12.7)	2.200 (55.8)	0.750 (19.1)	Cables	1	100	R4310
Fig. 32	PTL-21-427	B-427	Vinyl	White	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	Cables	1	100	R4310
Fig. 32	BPTL-21-427	B-427	Vinyl	White	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	Cables	1	1000	R4310
Fig. 32	PTL-21-642	B-427	Vinyl	White	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	Cables	1	100	R4310

B-427 Self-Laminating Vinyl Labels continue on next page.

**Approx. wire gauge based on AWG for THHN wire.*

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS2200® Materials

www.BradyID.com/tls2200

TLS 2200® Wire & Cable Materials:

B-427 Self-Laminating Vinyl Material

Color: White/ Transclucent Finish: Matte/ Transclucent Wrap

Continued from previous page.



Figure 29



Figure 32



Figure 27

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Write On Area (Height)	Approx. Wire Gauge*	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 32	PTL-157-427	B-427	Vinyl	White	1.500 (38.1)	2.500 (63.5)	0.750 (19.1)	Cables	1	100	R4310
Fig. 42	PTL-75-427	B-427	Vinyl	White	1.000 (25.4)	2.625 (66.7)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-66-427	B-427	Vinyl	White	1.938 (49.2)	3.150 (80.0)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-77-461	B-427	Vinyl	White	1.500 (38.1)	3.500 (88.9)	1.250 (31.8)	Cables	1	100	R4310
Fig. 43	PTL-64-427	B-427	Vinyl	White	1.000 (25.4)	3.375 (85.7)	1.125 (28.6)	Cables	1	100	R4310
Fig. 43	BPTL-64-427	B-427	Vinyl	White	1.000 (25.4)	3.375 (85.7)	1.125 (28.6)	Cables	1	1000	R4310
Fig. 32	PTL-23-427	B-427	Vinyl	White	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	BPTL-23-427	B-427	Vinyl	White	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	Cables	1	1000	R4310
Fig. 32	PTL-33-427	B-427	Vinyl	White	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	BPTL-33-427	B-427	Vinyl	White	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	Cables	1	500	R4310
Fig. 32	BPTL-109-427	B-427	Vinyl	White	1.500 (38.1)	4.000 (101.6)	1.500 (38.1)	Cables	1	500	R4310
Fig. 56	PTL-109-427	B-427	Vinyl	White	1.500 (38.1)	4.000 (101.6)	1.500 (38.1)	Cables	1	100	R4310
Fig. 32	PTL-34-427	B-427	Vinyl	White	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	Cables	1	50	R4310
Fig. 32	BPTL-34-427	B-427	Vinyl	White	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	Cables	1	500	R4310
Fig. 32	PTL-10-427-YL	B-427	Vinyl	Yellow	0.250 (6.4)	0.750 (19.1)	0.375 (9.5)	16 to 10	1	750	R4310
Fig. 32	PTL-11-427-YL	B-427	Vinyl	Yellow	0.500 (12.7)	0.750 (19.1)	0.375 (9.5)	16 to 10	1	500	R4310
Fig. 32	PTL-17-427-YL	B-427	Vinyl	Yellow	0.500 (12.7)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	500	R4310
Fig. 32	PTL-18-427-YL	B-427	Vinyl	Yellow	0.750 (19.1)	1.000 (25.4)	0.375 (9.5)	10 to 4	1	250	R4310
Fig. 32	PTL-19-427-YL	B-427	Vinyl	Yellow	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	PTL-28-427-YL	B-427	Vinyl	Yellow	0.250 (6.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	750	R4310
Fig. 32	PTL-29-427-YL	B-427	Vinyl	Yellow	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	500	R4310
Fig. 32	PTL-30-427-YL	B-427	Vinyl	Yellow	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-31-427-YL	B-427	Vinyl	Yellow	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-32-427-YL	B-427	Vinyl	Yellow	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-21-427-YL	B-427	Vinyl	Yellow	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	Cables	1	100	R4310
Fig. 32	PTL-23-427-YL	B-427	Vinyl	Yellow	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-33-427-YL	B-427	Vinyl	Yellow	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-34-427-YL	B-427	Vinyl	Yellow	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	Cables	1	50	R4310
Fig. 32	PTL-19-427-BL	B-427	Vinyl	Blue	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	PTL-28-427-BL	B-427	Vinyl	Blue	0.250 (6.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	750	R4310
Fig. 32	PTL-29-427-BL	B-427	Vinyl	Blue	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	500	R4310
Fig. 32	PTL-30-427-BL	B-427	Vinyl	Blue	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-31-427-BL	B-427	Vinyl	Blue	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-32-427-BL	B-427	Vinyl	Blue	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-21-427-BL	B-427	Vinyl	Blue	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	Cables	1	100	R4310
Fig. 32	PTL-23-427-BL	B-427	Vinyl	Blue	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-33-427-BL	B-427	Vinyl	Blue	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-34-427-BL	B-427	Vinyl	Blue	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	Cables	1	50	R4310
Fig. 32	PTL-19-427-BR	B-427	Vinyl	Brown	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	PTL-28-427-BR	B-427	Vinyl	Brown	0.250 (6.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	750	R4310
Fig. 32	PTL-29-427-BR	B-427	Vinyl	Brown	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	500	R4310
Fig. 32	PTL-30-427-BR	B-427	Vinyl	Brown	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-31-427-BR	B-427	Vinyl	Brown	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-32-427-BR	B-427	Vinyl	Brown	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-21-427-BR	B-427	Vinyl	Brown	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	Cables	1	100	R4310
Fig. 32	PTL-23-427-BR	B-427	Vinyl	Brown	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-33-427-BR	B-427	Vinyl	Brown	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-34-427-BR	B-427	Vinyl	Brown	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	Cables	1	50	R4310
Fig. 32	PTL-19-427-GY	B-427	Vinyl	Gray	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	PTL-28-427-GY	B-427	Vinyl	Gray	0.250 (6.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	750	R4310
Fig. 32	PTL-29-427-GY	B-427	Vinyl	Gray	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	500	R4310
Fig. 32	PTL-30-427-GY	B-427	Vinyl	Gray	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-31-427-GY	B-427	Vinyl	Gray	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-32-427-GY	B-427	Vinyl	Gray	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-21-427-GY	B-427	Vinyl	Gray	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	Cables	1	100	R4310
Fig. 32	PTL-23-427-GY	B-427	Vinyl	Gray	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-33-427-GY	B-427	Vinyl	Gray	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-34-427-GY	B-427	Vinyl	Gray	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	Cables	1	50	R4310

*Approx. wire gauge based on AWG for THHN wire.

B-427 Self-Laminating Vinyl Labels continue on next page.

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS 2200® Wire & Cable Materials:

B-427 Self-Laminating Vinyl Material

Color: White/ Transclucent Finish: Matte/ Transclucent Wrap

Continued from previous page.



Figure 42



Figure 43



Figure 56

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Write On Area (Height)	Approx. Wire Gauge*	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 32	PTL-19-427-GR	B-427	Vinyl	Green	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	PTL-28-427-GR	B-427	Vinyl	Green	0.250 (6.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	750	R4310
Fig. 32	PTL-29-427-GR	B-427	Vinyl	Green	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	500	R4310
Fig. 32	PTL-30-427-GR	B-427	Vinyl	Green	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-31-427-GR	B-427	Vinyl	Green	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-32-427-GR	B-427	Vinyl	Green	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-21-427-GR	B-427	Vinyl	Green	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	Cables	1	100	R4310
Fig. 32	PTL-23-427-GR	B-427	Vinyl	Green	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-33-427-GR	B-427	Vinyl	Green	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-34-427-GR	B-427	Vinyl	Green	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	Cables	1	50	R4310
Fig. 32	PTL-19-427-OR	B-427	Vinyl	Orange	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	PTL-28-427-OR	B-427	Vinyl	Orange	0.250 (6.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	750	R4310
Fig. 32	PTL-29-427-OR	B-427	Vinyl	Orange	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	500	R4310
Fig. 32	PTL-30-427-OR	B-427	Vinyl	Orange	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-31-427-OR	B-427	Vinyl	Orange	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-32-427-OR	B-427	Vinyl	Orange	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-21-427-OR	B-427	Vinyl	Orange	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	Cables	1	100	R4310
Fig. 32	PTL-23-427-OR	B-427	Vinyl	Orange	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-33-427-OR	B-427	Vinyl	Orange	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-34-427-OR	B-427	Vinyl	Orange	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	Cables	1	50	R4310
Fig. 32	PTL-19-427-PL	B-427	Vinyl	Purple	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	PTL-28-427-PL	B-427	Vinyl	Purple	0.250 (6.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	750	R4310
Fig. 32	PTL-29-427-PL	B-427	Vinyl	Purple	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	500	R4310
Fig. 32	PTL-30-427-PL	B-427	Vinyl	Purple	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-31-427-PL	B-427	Vinyl	Purple	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-32-427-PL	B-427	Vinyl	Purple	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-21-427-PL	B-427	Vinyl	Purple	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	Cables	1	100	R4310
Fig. 32	PTL-23-427-PL	B-427	Vinyl	Purple	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-33-427-PL	B-427	Vinyl	Purple	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-34-427-PL	B-427	Vinyl	Purple	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	Cables	1	50	R4310
Fig. 32	PTL-19-427-RD	B-427	Vinyl	Red	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	PTL-28-427-RD	B-427	Vinyl	Red	0.250 (6.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	750	R4310
Fig. 32	PTL-29-427-RD	B-427	Vinyl	Red	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	500	R4310
Fig. 32	PTL-30-427-RD	B-427	Vinyl	Red	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-31-427-RD	B-427	Vinyl	Red	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-32-427-RD	B-427	Vinyl	Red	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-21-427-RD	B-427	Vinyl	Red	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	Cables	1	100	R4310
Fig. 32	PTL-23-427-RD	B-427	Vinyl	Red	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-33-427-RD	B-427	Vinyl	Red	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	Cables	1	100	R4310
Fig. 32	PTL-34-427-RD	B-427	Vinyl	Red	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	Cables	1	50	R4310

**Approx. wire gauge based on AWG for THHN wire.*

Finding the correct label height for your Self Laminating labels.

If you know your wire diameter or wire circumference, you can easily determine the correct label height by using the formula below.

Step 1: wire diameter x 3.147 (pi) = wire circumference
Step 2: wire circumference x 1.5 (allowing label to wrap 1.5 times around wire) = total label length

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS2200® Materials

www.BradyID.com/tls2200

TLS 2200® Wire & Cable Materials:

B-498 Repositionable Vinyl Cloth Material

Color: White **Finish: Semi-Gloss**

Repositionable vinyl cloth material for wire, cable, and component marking. Adhesive and cloth backing offers excellent holding power, while easily being repositioned and removed.



Figure 31



Figure 37



Figure 30

B-498 Material for General Applications

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Approx. Wire Gauge	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 37	PTL-15-498	B-498	Vinyl	White	1.000 (25.4)	0.275 (7.0)	22 to 16	1	750	R6210
Fig. 37	PTL-7-498	B-498	Vinyl	White	0.500 (12.7)	0.500 (12.7)	22 to 16	1	500	R6210
Fig. 37	PTL-17-498	B-498	Vinyl	White	1.000 (25.4)	0.500 (12.7)	12 to 10	1	500	R6210
Fig. 31	PTL-10-498	B-498	Vinyl	White	0.250 (6.4)	0.750 (19.1)	16 to 10	1	750	R6210
Fig. 31	BPTL-11-498	B-498	Vinyl	White	0.500 (12.7)	0.750 (19.1)	16 to 10	1	5000	R6210
Fig. 31	PTL-11-498	B-498	Vinyl	White	0.500 (12.7)	0.750 (19.1)	16 to 10	1	500	R6210
Fig. 31	PTL-16-498	B-498	Vinyl	White	0.375 (9.5)	1.000 (25.4)	12 to 10	1	500	R6210
Fig. 31	BPTL-18-498	B-498	Vinyl	White	0.750 (19.1)	1.000 (25.4)	12 to 10	1	2500	R6210
Fig. 31	PTL-18-498	B-498	Vinyl	White	0.750 (19.1)	1.000 (25.4)	12 to 10	1	250	R6210
Fig. 37	BPTL-19-498	B-498	Vinyl	White	1.000 (25.4)	1.000 (25.4)	12 to 10	1	2500	R6210
Fig. 37	PTL-19-498	B-498	Vinyl	White	1.000 (25.4)	1.000 (25.4)	12 to 10	1	250	R6210
Fig. 31	PTL-28-498	B-498	Vinyl	White	0.250 (6.4)	1.500 (38.1)	10 to 4	1	750	R6210
Fig. 31	BPTL-29-498	B-498	Vinyl	White	0.500 (12.7)	1.500 (38.1)	10 to 4	1	5000	R6210
Fig. 31	PTL-30-498	B-498	Vinyl	White	0.750 (19.1)	1.500 (38.1)	10 to 4	1	250	R6210
Fig. 31	PTL-31-498	B-498	Vinyl	White	1.000 (25.4)	1.500 (38.1)	10 to 4	1	250	R6210
Fig. 37	PTL-32-498	B-498	Vinyl	White	1.500 (38.1)	1.500 (38.1)	10 to 4	1	250	R6210
Fig. 31	PTL-21-498	B-498	Vinyl	White	1.000 (25.4)	2.500 (63.5)	Cables	1	100	R6210
Fig. 31	PTL-23-498	B-498	Vinyl	White	1.000 (25.4)	4.000 (101.6)	Cables	1	100	R6210
Fig. 31	PTL-33-498	B-498	Vinyl	White	1.500 (38.1)	4.000 (101.6)	Cables	1	100	R6210
Fig. 31	PTL-34-498	B-498	Vinyl	White	1.500 (38.1)	6.000 (152.4)	Cables	1	50	R6210

B-498 Material for Terminal Block Applications

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Approx. Wire Gauge	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 30	PTLTB-498-318	B-498	Vinyl	White	0.318 (8.1)	30 ft. (9.1 m)	-	1	1 Roll Cont.	R6210
Fig. 30	PTLTB-498-375	B-498	Vinyl	White	0.375 (9.5)	30 ft. (9.1 m)		1	1 Roll Cont.	R6210
Fig. 30	BPTLTB-498-240	B-498	Vinyl	White	0.240 (6.1)	300 ft. (91.4 m)	-	1	1 Roll Cont.	R6210
Fig. 30	BPTLTB-498-318	B-498	Vinyl	White	0.318 (8.1)	300 ft. (91.4 m)	-	1	1 Roll Cont.	R6210
Fig. 30	BPTLTB-498-375	B-498	Vinyl	White	0.375 (9.5)	300 ft. (91.4 m)	-	1	1 Roll Cont.	R6210

TLS 2200® Wire & Cable Materials:

B-499 Nylon Cloth Material

Color: White **Finish: Matte**

Nylon cloth with permanent adhesive for environments with heat, cold, oil and dirt. Ideal for wire and cable marking, electronic component marking, and general ID.



Figure 29



Figure 31



Figure 37

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Approx. Wire Gauge	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-81-499	B-499	Nylon	Yellow	1.900 (48.3)	0.250 (6.3)	-	1	750	R4310
Fig. 37	PTL-7-499	B-499	Nylon	White	0.500 (12.7)	0.500 (12.7)	22 to 16	1	500	R4310
Fig. 29	PTL-84-499	B-499	Nylon	White	0.900 (22.9)	0.500 (12.7)	-	1	500	R4310
Fig. 31	BPTL-11-499	B-499	Nylon	White	0.500 (12.7)	0.750 (19.1)	16 to 10	1	5000	R4310
Fig. 31	PTL-11-499	B-499	Nylon	White	0.500 (12.7)	0.750 (19.1)	16 to 10	1	500	R4310
Fig. 31	PTL-16-499	B-499	Nylon	White	0.375 (9.5)	1.000 (25.4)	12 to 10	1	500	R4310
Fig. 31	PTL-18-499	B-499	Nylon	White	0.750 (19.1)	1.000 (25.4)	12 to 10	1	250	R4310
Fig. 37	PTL-19-499	B-499	Nylon	White	1.000 (25.4)	1.000 (25.4)	12 to 10	1	250	R4310
Fig. 29	PTL-78-499	B-499	Nylon	White	1.900 (48.3)	1.000 (25.4)	-	1	250	R4310
Fig. 31	PTL-28-499	B-499	Nylon	White	0.250 (6.4)	1.500 (38.1)	10 to 4	1	750	R4310
Fig. 31	PTL-29-498	B-499	Nylon	White	0.500 (12.7)	1.500 (38.1)	10 to 4	1	500	R6210
Fig. 31	PTL-29-499	B-499	Nylon	White	0.500 (12.7)	1.500 (38.1)	10 to 4	1	500	R4310
Fig. 31	PTL-30-499	B-499	Nylon	White	0.750 (19.1)	1.500 (38.1)	10 to 4	1	250	R4310
Fig. 31	PTL-31-499	B-499	Nylon	White	1.000 (25.4)	1.500 (38.1)	10 to 4	1	250	R4310
Fig. 31	PTL-87-499	B-499	Nylon	White	1.000 (25.4)	1.750 (44.5)	-	1	250	R4310
Fig. 31	PTL-160-499	B-499	Nylon	White	1.750 (44.5)	1.875 (47.6)	-	1	100	R4310
Fig. 31	PTL-21-499	B-499	Nylon	White	1.000 (25.4)	2.500 (63.5)	Cables	1	100	R4310
Fig. 31	PTL-161-499	B-499	Nylon	White	1.930 (49.0)	3.000 (76.2)	-	1	100	R4310
Fig. 31	PTL-23-499	B-499	Nylon	White	1.000 (25.4)	4.000 (101.6)	Cables	1	100	R4310

**Approx. wire gauge based on AWG for THHN wire.*

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS 2200® Raised Panel Push Button Materials:

B-593 Foam Backed Polyester Material

Color: White, Black, Red, Yellow, Green, Silver
Finish: Gloss

Glossy, foam-backed polyester with permanent adhesive, coined a "raised panel" label. Ideal for external push-buttons, switches, and internal connection points. Can be printed with alphanumerics for use as rating and serial plates. Available in white, black, yellow, red, green and silver.



Figure 49

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Hole Dia. Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 49	PTLEP-167-593	B-593	Polyester	White	1.200 (30.5)	1.500 (38.1)	0.886 (22.5)	1	100	R6010
Fig. 49	PTLEP-168-593	B-593	Polyester	White	1.200 (30.5)	1.900 (48.3)	0.886 (22.5)	1	100	R6010
Fig. 49	PTLEP-169-593	B-593	Polyester	White	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	1	100	R6010
Fig. 49	PTLEP-167-593-YL	B-593	Polyester	Yellow	1.200 (30.5)	1.500 (38.1)	0.886 (22.5)	1	100	R6010
Fig. 49	PTLEP-168-593-YL	B-593	Polyester	Yellow	1.200 (30.5)	1.900 (48.3)	0.886 (22.5)	1	100	R6010
Fig. 49	PTLEP-169-593-YL	B-593	Polyester	Yellow	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	1	100	R6010
Fig. 49	PTLEP-167-593-BK	B-593	Polyester	Black	1.200 (30.5)	1.500 (38.1)	0.886 (22.5)	1	100	R4410-WT
Fig. 49	PTLEP-168-593-BK	B-593	Polyester	Black	1.200 (30.5)	1.900 (48.3)	0.886 (22.5)	1	100	R4410-WT
Fig. 49	PTLEP-169-593-BK	B-593	Polyester	Black	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	1	100	R4410-WT
Fig. 49	PTLEP-167-593-GN	B-593	Polyester	Green	1.200 (30.5)	1.500 (38.1)	0.886 (22.5)	1	100	R4410-WT
Fig. 49	PTLEP-168-593-GN	B-593	Polyester	Green	1.200 (30.5)	1.900 (48.3)	0.886 (22.5)	1	100	R4410-WT
Fig. 49	PTLEP-169-593-GN	B-593	Polyester	Green	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	1	100	R4410-WT
Fig. 49	PTLEP-167-593-RD	B-593	Polyester	Red	1.200 (30.5)	1.500 (38.1)	0.886 (22.5)	1	100	R4410-WT
Fig. 49	PTLEP-168-593-RD	B-593	Polyester	Red	1.200 (30.5)	1.900 (48.3)	0.886 (22.5)	1	100	R4410-WT
Fig. 49	PTLEP-169-593-RD	B-593	Polyester	Red	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	1	100	R4410-WT

TLS 2200® Raised Panel Push Button Materials:

B-593 Foam Backed Polyester Material

Color: White, Black, Red, Yellow, Green, Silver
Finish: Gloss

Glossy, foam-backed polyester with permanent adhesive, coined a "raised panel" label. Ideal for external push-buttons, switches, and internal connection points. Can be printed with alphanumerics for use as rating and serial plates. Available in white, black, yellow, red, green and silver.



Figure 29

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTLEP-171-593	B-593	Polyester	White	1.060 (26.9)	0.490 (12.5)	1	200	R6010
Fig. 29	PTLEP-173-593	B-593	Polyester	White	2.000 (50.8)	1.000 (25.4)	1	100	R6010
Fig. 29	PTLEP-176-593	B-593	Polyester	White	3.000 (76.2)	1.000 (25.4)	1	50	R6010
Fig. 29	PTLEP-174-593	B-593	Polyester	White	4.000 (101.6)	1.000 (25.4)	1	50	R6010
Fig. 29	PTLEP-171-593-YL	B-593	Polyester	Yellow	1.060 (26.9)	0.490 (12.5)	1	200	R6010
Fig. 29	PTLEP-173-593-YL	B-593	Polyester	Yellow	2.000 (50.8)	1.000 (25.4)	1	100	R6010
Fig. 29	PTLEP-176-593-YL	B-593	Polyester	Yellow	3.000 (76.2)	1.000 (25.4)	1	50	R6010
Fig. 29	PTLEP-174-593-YL	B-593	Polyester	Yellow	4.000 (101.6)	1.000 (25.4)	1	50	R6010
Fig. 29	PTLEP-171-593-BK	B-593	Polyester	Black	1.060 (26.9)	0.490 (12.5)	1	200	R4410-WT
Fig. 29	PTLEP-173-593-BK	B-593	Polyester	Black	2.000 (50.8)	1.000 (25.4)	1	100	R4410-WT
Fig. 29	PTLEP-176-593-BK	B-593	Polyester	Black	3.000 (76.2)	1.000 (25.4)	1	50	R4410-WT
Fig. 29	PTLEP-174-593-BK	B-593	Polyester	Black	4.000 (101.6)	1.000 (25.4)	1	50	R4410-WT
Fig. 29	PTLEP-171-593-GN	B-593	Polyester	Green	1.060 (26.9)	0.490 (12.5)	1	200	R4410-WT
Fig. 29	PTLEP-173-593-GN	B-593	Polyester	Green	2.000 (50.8)	1.000 (25.4)	1	100	R4410-WT
Fig. 29	PTLEP-176-593-GN	B-593	Polyester	Green	3.000 (76.2)	1.000 (25.4)	1	50	R4410-WT
Fig. 29	PTLEP-174-593-GN	B-593	Polyester	Green	4.000 (101.6)	1.000 (25.4)	1	50	R4410-WT
Fig. 29	PTLEP-171-593-RD	B-593	Polyester	Red	1.060 (26.9)	0.490 (12.5)	1	200	R4410-WT
Fig. 29	PTLEP-173-593-RD	B-593	Polyester	Red	2.000 (50.8)	1.000 (25.4)	1	100	R4410-WT
Fig. 29	PTLEP-176-593-RD	B-593	Polyester	Red	3.000 (76.2)	1.000 (25.4)	1	50	R4410-WT
Fig. 29	PTLEP-174-593-RD	B-593	Polyester	Red	4.000 (101.6)	1.000 (25.4)	1	50	R4410-WT
Fig. 29	PTLEP-171-593-SL	B-593	Polyester	Silver	1.060 (26.9)	0.490 (12.5)	1	200	R6010
Fig. 29	PTLEP-173-593-SL	B-593	Polyester	Silver	2.000 (50.8)	1.000 (25.4)	1	100	R6010
Fig. 29	PTLEP-174-593-SL	B-593	Polyester	Silver	4.000 (101.6)	1.000 (25.4)	1	50	R6010

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS2200® Materials

www.BradyID.com/tls2200

TLS 2200® Tamper Indicating Materials:

B-351 Destructible Vinyl Material

Color: White **Finish: Matte**

White matte vinyl material with permanent adhesive. Material fractures to show signs of tampering and prevent one-piece label removal. Use caution when removing from liner as material is fragile.



Figure 29

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-17-351	B-351	Vinyl	White	1.000 (25.4)	0.500 (12.7)	1	500	R6210
Fig. 29	PTL-31-351	B-351	Vinyl	White	1.500 (38.1)	1.000 (25.4)	1	250	R6210
Fig. 29	PTL-20-351	B-351	Vinyl	White	2.000 (50.8)	1.000 (25.4)	1	100	R6210
Fig. 29	PTL-37-351	B-351	Vinyl	White	3.000 (76.2)	1.900 (48.3)	1	100	R6210

TLS 2200® Tamper Indicating Materials:

B-352 Destructible Vinyl Material

Color: Silver **Finish: Matte**

Metallized matte vinyl material with permanent adhesive. Material fractures to show signs of tampering and prevent one-piece label removal. Use caution when removing from liner as material is fragile.



Figure 29

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-17-352	B-352	Vinyl	Silver	1.000 (25.4)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-31-352	B-352	Vinyl	Silver	1.500 (38.1)	1.000 (25.4)	1	250	R6010
Fig. 29	PTL-20-352	B-352	Vinyl	Silver	2.000 (50.8)	1.000 (25.4)	1	100	R6010
Fig. 29	PTL-37-352	B-352	Vinyl	Silver	3.000 (76.2)	1.900 (48.3)	1	100	R6010

TLS 2200® Tamper Indicating Materials:

B-7546 VOID Footprint Polyester Material

Color: White **Finish: Gloss**

White glossy polyester tamper-indicating material leaves a “VOID” footprint when label is removed to prevent reuse. Adhesive doesn’t allow repositioning and requires minimal handling in order to prevent a premature “VOID” pattern.



Figure 29

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-17-7546	B-7546	Polyester	White	1.000 (25.4)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-31-7546	B-7546	Polyester	White	1.500 (38.1)	1.000 (25.4)	1	250	R6010
Fig. 29	PTL-20-7546	B-7546	Polyester	White	2.000 (50.8)	1.000 (25.4)	1	100	R6010
Fig. 29	PTL-37-7546	B-7546	Polyester	White	3.000 (76.2)	1.900 (48.3)	1	100	R6010
Fig. 29	PTL-17-7566	B-7546	Polyester	Clear	1.000 (25.4)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-30-7566	B-7546	Polyester	Clear	1.500 (38.1)	0.750 (19.1)	1	250	R6010
Fig. 29	PTL-31-7566	B-7546	Polyester	Clear	1.500 (38.1)	1.000 (25.4)	1	250	R6010
Fig. 29	PTL-17-7576	B-7546	Polyester	Silver	1.000 (25.4)	0.500 (12.7)	1	500	R6010
Fig. 29	PTL-31-7576	B-7546	Polyester	Silver	1.500 (38.1)	1.000 (25.4)	1	250	R6010
Fig. 29	PTL-20-7576	B-7546	Polyester	Silver	2.000 (50.8)	1.000 (25.4)	1	100	R6010
Fig. 29	PTL-37-7576	B-7546	Polyester	Silver	3.000 (76.2)	1.900 (48.3)	1	100	R6010

See all TLS2200® and PC Link™ Ribbon parts on page 283.

TLS 2200® & TLS PC Link™ Printer Ribbons

Note: Black Ribbon R6210 included with TLS 2200 printer purchase.

Part Number	Description	Size
R4310	Black Ribbon	75' (22.90 m)
R6010	Black Ribbon	75' (22.90 m)
R6210	Black Ribbon	75' (22.90 m)
R4410-BL	Blue Ribbon	75' (22.90 m)
R4410-RD	Red Ribbon	75' (22.90 m)
R4410-WT	White Ribbon	75' (22.90 m)

TLS 2200® & TLS PC Link™ Print Ribbon / Material Compatibility

B-Number	Material	R4310 (Black)	R6010 (Black)	R6210 (Black)	R4410 (Colors)
B-109	Polyethylene	●	●	–	–
B-145	Polyethylene	–	–	●	–
B-321	Polyolefin	–	–	–	●
B-342	Polyolefin	●	–	–	–
B-351	Vinyl	–	–	–	●
B-352	Vinyl	–	–	●	–
B-390	Polypropylene	–	●	–	–
B-412	Polypropylene	–	–	–	●
B-422	Polyester	–	▲	● UL/CSA	▲
B-423	Polyester	–	▲	● UL/CSA/AGA	▲
B-424	Paper	●	–	–	–
B-425	Polypropylene	● UL	–	● UL/CSA	–
B-426	Polyimide	●	–	–	–
B-427	Vinyl	● UL	–	–	▲
B-428	Polyester	● UL/CSA/AGA	–	–	–
B-430	Polyester	–	▲	● UL/CSA	▲
B-432	Polyester	–	▲	● UL/CSA	–
B-435	Polyester	–	–	● UL/CSA	–
B-439	Vinyl	–	▲	●	▲
B-449	Polypropylene	●	–	●	–
B-457	Polyimide	–	–	● UL	–
B-459	Polyester	–	▲UL	● UL/CSA	–
B-461	Polyester	●	–	–	▲
B-473	Polyester	–	–	● UL/CSA	▲
B-477	Polyimide	–	–	● UL	▲
B-478	Polyimide	–	–	● UL	–
B-479	Polyimide	–	–	● UL	–
B-483	Polyester	–	▲	● UL/CSA	▲
B-486	Polyester	● UL/CSA	–		–
B-488	Polyester	● UL/CSA/AGA	–		● UL/CSA
B-489	Polyester	● UL/CSA	–		–
B-490	Polyester	●	–	▲	–
B-498	Vinyl Cloth	▲	–		●
B-499	Nylon Cloth	● UL/CSA	–		▲
B-593	Polyester	–	● UL/cUL	–	● UL/cUL
B-7546	Polyester	–	–	● UL/CSA	–
B-7566	Polyester	–	▲	●	–
B-7576	Polyester	–	▲	● UL	–
B-8425	Polyolefin	–	▲	● UL	–

● Rec. Ribbon for use with respective material.
▲ Acceptable ribbon for use with respective material.
UL These materials are UL recognized with its respective ribbon.
cUL These materials have been evaluated to Canadian safety requirements.
CSA These materials are approved with its respective ribbon.
AGA These materials are AGA approved.

For more information on Brady materials, visit www.BradyID.com/techdata.

How Many Labels Per Ribbon?

Have you ever wondered approximately how many labels you can print from one TLS 2200 Ribbon? Try this formula: (Note: Our standard TLS2200 ribbons are 900 inches long (75 ft).)

Step 1: label height + 0.10 = X
Step 2: 900 inches ÷ X = total labels per ribbon

Example: Part Number PLT-19-422 is 1.0" tall.
1.0 inch label height + 0.10 = 1.10
900 inches ÷ 1.10 = 818 labels per ribbon

BMP®71 Label Printer

www.BradyID.com/bmp71

BMP®71 LABEL PRINTER

Thousands Of Applications. Hundreds Of Labels. One Label Printer.

The most versatile portable printer in our offering. Painless setup, robust label offering and intuitive interface come together in our top-of-the-line portable printer.

Online Video!

Visit **www.BradyID.com/bmp71** for more information or to view an online printer demo video.

Text and Print Options:

- 100's Of Symbols
- Reverse Print
- Subscripts
- Auto Font Size
- Barcodes
- Time/Date Stamps
- Underline/Italics/Bold
- Serialization
- Vertical Printing
- And more!

Your Complete Printing Solution:

BMP®71 Label Rolls .....Page 286
BMP®71 Print Ribbons.....Page 297

Catalog #	Description
BMP71	BMP71 Printer*
BMP71-LM	BMP71 Printer* w/ LabelMark™ Software
BMP71-MW	BMP71 Printer* w/ Markware Lean Software
BMP71-360-KIT	BMP71 Printer* w/ Brady360® Replacement Program
BMP71-QC	BMP71 Printer* w/ Quick Charger
BMP71-SC	BMP71 Printer* w/ Soft Case
BMP71-SC-QC	BMP71 Printer* w/ Soft Case & Quick Charger
M71-AC-BC	BMP71 AC/Battery Adaptor
M71-ADAPT	TLS/Handimark Media Adaptor
M71-BATT	BMP71 Battery Pack
M71-CABLE	BMP71 USB Cable
M71-CLEAN	BMP71 Cleaning Kit
M71-HC	BMP71 Hardcase
M71-QC	BMP71 Quick Charger
M71-SC	BMP71 Softcase
BMP71-360	Brady360® Replacement Plan

**Printer ships with Hardcase, Charger/AC Adapter, (1) Roll of M71-31-423 White Die Cut Labels, (1) M71-R6000 Black Ribbon Cartridge, Media Adapter, Rechargeable Battery, USB Cable, Quickstart Guide, drivers CD, Users Guide, Tutorial and 1 year Limited Warranty.*

U.S. Patent No. 7,999,836; 8,328,442; 8,333,524.

Did You Know?

The BMP®71 printer can also print on TLS2200® and HandiMark® consumables using the included Media Adaptor!

BMP®71 Printer Specifications	
Max Labels Per Day	1000 labels/day
Print Resolution	300 dpi
Print Technology	Thermal Transfer
Print Speed	38 mm/sec (1.50 in/sec)
Tape Widths (inches)	Various sizes from 0.25" to 2.00"
Tape Widths (mm)	Various sizes from 6.4 to 50.8 mm
Max Label Width	2.00"
Max Print Width	1.75"
Memory	200 MB
Materials Supported	Continuous, Die Cut labels, Bulk, over 400 Stock Parts and Custom
Continuous vs Die Cut Labels	Continuous and die cut labels
PC Connectivity	Yes
Software Compatibility	LabelMark™ / MarkWare™ Software
File Transfer from PC to printer	Yes
Wireless Connectivity	No
Stand Alone Printing	Yes
Connectivity Options	USB
Color Capability	Single Color Printing
Keyboard	QWERTY
Backlit Screen	Yes
Text Sizes	4 to 174 point
Multi-Line Print	Yes
Print Rotation	Yes
Serialization	Yes - multiple and linked
Barcode	39 and 128
Symbols	Over 500
Portability	Yes
Label Types or Application Functions	Banner Portrait, Banner Landscape, Wire, Flag Labels, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length, Pipe Markers, Safety Labels
Applications	Wire & Cable Marking, Circuit Board Labeling, Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Security Identification, Pipe Marking
Power Supply	Rechargeable Battery, AC Power
Weight	5.49 lbs (2.49kg)
Warranty	12 months - See Terms and Conditions

Brady 360® Replacement Printer Plan supplements the Limited Warranty already included with your printer purchase. This Replacement Plan allows you can return your qualified printer for a replacement printer within the first 12 months of purchase. You must purchase the replacement program at the time of printer purchase in order to receive benefits.

**Printheads are covered. *Limit of two printers in the first 12 months of initial purchase.*

The one way to faster, easier label printing.

Electrical Labeling

Voice & Data Communications

General Identification

PermaSleeve® Wire Marking Sleeves

Self-Laminating Labels

Safety Labels ...and many more!

U.S. Patent No. 7,999,836.

BMP®71 General Identification Materials:

General Industrial, Lean & Safety ID

- **B-529 Economy Polypropylene Material** - For use indoors on smooth, flat surfaces.
- **B-595 Indoor/Outdoor Vinyl Material** - Aggressive permanent adhesive, very pliable, conforms to rough surfaces, excellent resistance to oils, detergents, dirt, and many solvents.



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-595 Indoor/Outdoor Vinyl Film										
Fig. 33	M71C-500-595-WT	B-595	Vinyl	White	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-WT	B-595	Vinyl	White	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-WT	B-595	Vinyl	White	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-YL	B-595	Vinyl	Yellow	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-YL	B-595	Vinyl	Yellow	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-YL	B-595	Vinyl	Yellow	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-BK	B-595	Vinyl	Black	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-BK	B-595	Vinyl	Black	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-BK	B-595	Vinyl	Black	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-BL	B-595	Vinyl	Blue	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-BL	B-595	Vinyl	Blue	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-BL	B-595	Vinyl	Blue	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-BR	B-595	Vinyl	Brown	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-BR	B-595	Vinyl	Brown	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-BR	B-595	Vinyl	Brown	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-CL	B-595	Vinyl	Clear	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-CL	B-595	Vinyl	Clear	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-CL	B-595	Vinyl	Clear	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-GD	B-595	Vinyl	Gold	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-GD	B-595	Vinyl	Gold	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-GD	B-595	Vinyl	Gold	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-GN	B-595	Vinyl	Green	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-GN	B-595	Vinyl	Green	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-GN	B-595	Vinyl	Green	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-GY	B-595	Vinyl	Gray	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-GY	B-595	Vinyl	Gray	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-GY	B-595	Vinyl	Gray	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-LB	B-595	Vinyl	Light Blue	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-LB	B-595	Vinyl	Light Blue	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-LB	B-595	Vinyl	Light Blue	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-OC	B-595	Vinyl	Ochre	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-OC	B-595	Vinyl	Ochre	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-OC	B-595	Vinyl	Ochre	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-OR	B-595	Vinyl	Orange	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-OR	B-595	Vinyl	Orange	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-OR	B-595	Vinyl	Orange	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-PK	B-595	Vinyl	Pink	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-PK	B-595	Vinyl	Pink	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-PK	B-595	Vinyl	Pink	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-PL	B-595	Vinyl	Purple	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-PL	B-595	Vinyl	Purple	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-PL	B-595	Vinyl	Purple	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-RD	B-595	Vinyl	Red	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-RD	B-595	Vinyl	Red	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-RD	B-595	Vinyl	Red	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-SB	B-595	Vinyl	Sky Blue	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-SB	B-595	Vinyl	Sky Blue	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-SB	B-595	Vinyl	Sky Blue	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-TN	B-595	Vinyl	Tan	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-TN	B-595	Vinyl	Tan	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-TN	B-595	Vinyl	Tan	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
B-529 Economy Polypropylene Tape										
Fig. 33	M71C-1000-529	B-529	Polypropylene	White	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-529	B-529	Polypropylene	White	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000

See all BMP®71 Print Ribbon parts on page 297.

BMP®71 Label Materials

www.BradyID.com/bmp71

BMP®71 General Identification Materials:

General Identification and Rating Plates

Choose from several materials with aggressive adhesives for use in commercial/industrial applications.

- **B-424 Paper Material** - White matte paper material
- **B-430 Polyester Material** - Clear glossy polyester
- **B-459 Polyester Material** - White matte polyester
- **B-483 Polyester Material** - White glossy polyester with an aggressive adhesive
- **B-486 Polyester Material -** Metallized matte polyester
- **B-488 Polyester Material -** White matte polyester with an aggressive adhesive
- **B-489 Polyester Material -** White matte polyester with an aggressive adhesive



Figure 29



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-424 Paper Labels										
Fig. 29	BM71-20-424	B-424	Paper	White	2.000	(50.8)	1.000	(25.4)	1000	M71-R4300
Fig. 29	M71-20-424	B-424	Paper	White	2.000	(50.8)	1.000	(25.4)	100	M71-R4300
B-430 Clear Glossy Polyester Labels										
Fig. 29	M71-68-430	B-430	Polyester	Clear	0.240	(6.0)	0.150	(3.8)	750	M71-R6000
Fig. 29	M71-71-430	B-430	Polyester	Clear	0.350	(8.9)	0.200	(5.1)	750	M71-R6000
Fig. 33	M71C-375-430	B-430	Polyester	Clear	0.375	(9.5)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-430	B-430	Polyester	Clear	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 29	M71-16-430	B-430	Polyester	Clear	1.000	(25.4)	0.375	(9.5)	500	M71-R6000
Fig. 29	M71-17-430	B-430	Polyester	Clear	1.000	(25.4)	0.500	(12.7)	500	M71-R6000
Fig. 33	M71C-1000-430	B-430	Polyester	Clear	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 29	M71-45-430	B-430	Polyester	Clear	1.050	(38.1)	0.375	(9.5)	500	M71-R6000
Fig. 33	M71C-1900-430	B-430	Polyester	Clear	1.900	(48.3)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
B-459 Matte Polyester Labels										
Fig. 29	M71-29-459	B-459	Polyester	White	1.500	(38.1)	0.500	(12.7)	500	M71-R6000
Fig. 29	M71-30-459	B-459	Polyester	White	1.500	(38.1)	0.750	(19.1)	250	M71-R6000
Fig. 29	M71-20-459	B-459	Polyester	White	2.000	(50.8)	1.000	(25.4)	100	M71-R6000
B-483 Gloss Polyester Labels with an Aggressive Adhesive										
Fig. 33	M71C-500-483	B-483	Polyester	White	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 29	M71-16-483	B-483	Polyester	White	1.000	(25.4)	0.375	(9.5)	500	M71-R6000
Fig. 29	M71-17-483	B-483	Polyester	White	1.000	(25.4)	0.500	(12.7)	500	M71-R6000
Fig. 29	M71-19-483	B-483	Polyester	White	1.000	(25.4)	1.000	(25.4)	250	M71-R6000
Fig. 33	M71C-1000-483	B-483	Polyester	White	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 29	M71-65-483	B-483	Polyester	White	1.375	(34.9)	1.000	(25.4)	250	M71-R6000
Fig. 29	M71-29-483	B-483	Polyester	White	1.500	(38.1)	0.500	(12.7)	500	M71-R6000
Fig. 29	M71-30-483	B-483	Polyester	White	1.500	(38.1)	0.750	(19.1)	250	M71-R6000
Fig. 29	M71-31-483	B-483	Polyester	White	1.500	(38.1)	1.000	(25.4)	250	M71-R6000
Fig. 33	M71C-1900-483	B-483	Polyester	White	1.900	(48.3)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 29	M71-61-483	B-483	Polyester	White	2.000	(50.8)	0.500	(12.7)	100	M71-R6000
Fig. 29	M71-20-483	B-483	Polyester	White	2.000	(50.8)	1.000	(25.4)	100	M71-R6000
Fig. 29	M71-37-483	B-483	Polyester	White	3.000	(76.2)	1.900	(48.3)	100	M71-R6000
Fig. 29	M71-23-483	B-483	Polyester	White	4.000	(101.6)	1.000	(25.4)	100	M71-R6000
Fig. 29	M71-38-483	B-483	Polyester	White	4.000	(101.6)	1.900	(48.3)	100	M71-R6000
B-486 Metallized Polyester Labels with an Aggressive Adhesive										
Fig. 29	M71-17-486	B-486	Polyester	Silver	1.000	(25.4)	0.500	(12.7)	500	M71-R4300
Fig. 29	M71-29-486	B-486	Polyester	Silver	1.500	(38.1)	0.500	(12.7)	500	M71-R4300
Fig. 29	M71-30-486	B-486	Polyester	Silver	1.500	(38.1)	0.750	(19.1)	250	M71-R4300
Fig. 29	M71-20-486	B-486	Polyester	Silver	2.000	(50.8)	1.000	(25.4)	100	M71-R4300
Fig. 29	M71-37-486	B-486	Polyester	Silver	3.000	(76.2)	1.900	(48.3)	100	M71-R4300
B-488 Matte Polyester Labels										
Fig. 29	M71-80-488	B-488	Polyester	White	0.750	(19.1)	0.900	(22.9)	250	M71-R4300
Fig. 29	M71-97-488	B-488	Polyester	White	0.900	(22.9)	0.900	(22.9)	250	M71-R4300
Fig. 29	M71-81-488	B-488	Polyester	White	1.900	(48.3)	0.250	(6.4)	750	M71-R4300
B-489 Matte Polyester Labels with an Aggressive Adhesive										
Fig. 29	M71-29-489	B-489	Polyester	White	1.500	(38.1)	0.500	(12.7)	500	M71-R4300
Fig. 29	M71-32-489	B-489	Polyester	White	1.500	(38.1)	1.500	(38.1)	250	M71-R4300
Fig. 29	M71-38-489	B-489	Polyester	White	4.000	(101.6)	1.900	(48.3)	100	M71-R4300
Fig. 29	M71-17-489	B-489	Polyester	White	1.000	(25.4)	0.500	(12.7)	500	M71-R4300

See all BMP®71 Print Ribbon parts on page 297.

BMP®71 General Identification Materials:

B-854 and B-855 ToughWash™ Material

- Withstands pressures of high heat, harsh chemicals and numerous washdown cycles
- B-854 offers metal detectable layer to detect foreign debris in food stream
- Legible and long-lasting for even the toughest washdown cycles
- Ideal for use in the Food & Beverage industry



Figure 33



Figure 73

Notice: B-854 and B-855 ToughWash™ materials are not compatible in the TLS®2200 or the HandiMark® Printers.

Diagram	Catalog #	B#	Legend	Label Width A Inch (mm)	Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-854 ToughWash™ Metal Detectable Material							
Fig. 33	BM71C-1000-854-WT	B-854		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-854-WT	B-854		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-854-YL	B-854		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-854-YL	B-854		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 73	BM71C-2000-854-CAU	B-854	CAUTION	2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-854-DAN	B-854	DANGER	2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-854-WAR	B-854	WARNING	2.000 (50.8)	4.125 (104.8)	225	M71-R6000
B-855 ToughWash™ Material							
Fig. 33	BM71C-1000-855-WT	B-855		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-855-WT	B-855		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-855-YL	B-855		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-855-YL	B-855		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 73	BM71C-2000-855-CAU	B-855	CAUTION	2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-855-DAN	B-855	DANGER	2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-855-WAR	B-855	WARNING	2.000 (50.8)	4.125 (104.8)	225	M71-R6000

BMP®71 General Identification Materials:

Temporary/Removable Material

Designed with special adhesive to easily remove and re-apply.

- **B-581 Repositionable Vinyl Material** - Indoor/outdoor marking film is a high gloss, durable, flexible, pressure sensitive adhesive product



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
Fig. 33	M71C-500-581-WT	B-581	Vinyl	White	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-581-YL	B-581	Vinyl	Yellow	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-581-WT	B-581	Vinyl	White	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-581-YL	B-581	Vinyl	Yellow	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-581-WT	B-581	Vinyl	White	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-581-YL	B-581	Vinyl	Yellow	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000

BMP®71 General Identification Materials:

Reflective / Low Light Material

- **B-582 BradyGlo™ Phosphorescent Polyester Material** - Light absorbing and will glow for 10 hours.
- **B-584 Reflective Material** - Helps illuminate the labels when light is shined on the surface.

Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-582 BradyGlo™ Phosphorescent Polyester										
Fig. 33	BM71C-1000-582	B-582	Phosphorescent	Phosphorescent	1.000	(25.4)	75 ft.	(22.8 m)	1 Roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-582	B-582	Phosphorescent	Phosphorescent	2.000	(50.8)	75 ft.	(22.8 m)	1 Roll (cont.)	M71-R6000
B-584 Reflective Tape										
Fig. 33	BM71C-1000-584-OR	B-584	Reflective Tape	Orange	1.000	(25.4)	75 ft.	(22.8 m)	1 Roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-584-WT	B-584	Reflective Tape	Silver	1.000	(25.4)	75 ft.	(22.8 m)	1 Roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-584-YL	B-584	Reflective Tape	Yellow	1.000	(25.4)	75 ft.	(22.8 m)	1 Roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-584-OR	B-584	Reflective Tape	Orange	2.000	(50.8)	75 ft.	(22.8 m)	1 Roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-584-WT	B-584	Reflective Tape	Silver	2.000	(50.8)	75 ft.	(22.8 m)	1 Roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-584-YL	B-584	Reflective Tape	Yellow	2.000	(50.8)	75 ft.	(22.8 m)	1 Roll (cont.)	M71-R6000

See all BMP®71 Print Ribbon parts on page 297.

BMP®71 Label Materials

www.BradyID.com/bmp71

BMP®71 General Identification Materials:

ToughStripe® Print-On-Demand Floor Material

- Create floor labels using with the same durability and performance as ToughStripe® Floor Marking Tape
- Easy 3-step process: print label, position on floor, apply included overlaminate
- **B-483 Polyester Material** - high adhesion to flat, non-coated concrete

Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Width B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-483 Polyester								
Fig. 33	M71-1000-483-WT-KT	B-483	Polyester	White	1.0 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-WT-KT	B-483	Polyester	White	2.0 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71-1000-483-YL-KT	B-483	Polyester	Yellow	1.0 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-YL-KT	B-483	Polyester	Yellow	2.0 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71-1000-483-BK-KT	B-483	Polyester	Black	1.0 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-2000-483-BK-KT	B-483	Polyester	Black	2.0 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-1000-483-BL-KT	B-483	Polyester	Blue	1.0 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-BL-KT	B-483	Polyester	Blue	2.0 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71-1000-483-GN-KT	B-483	Polyester	Green	1.0 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-GN-KT	B-483	Polyester	Green	2.0 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71-1000-483-OR-KT	B-483	Polyester	Orange	1.0 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-OR-KT	B-483	Polyester	Orange	2.0 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71-1000-483-RD-KT	B-483	Polyester	Red	1.0 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-RD-KT	B-483	Polyester	Red	2.0 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000

BMP®71 General Identification Materials:

Pre-Printed Die Cut Material

- **B-423 Polyester Material** - UL Recognized for outdoor use on glass, thermoset polyester plastic and polyvinyl fluoride plastic.
- **B-428 Polyester Material** - For barcodes, alphanumerics and graphics that require nameplate-like quality.
- **B-483 Polyester Material** - Permanent adhesive for powder-coated/textured surfaces. Best on flat surfaces.



Figure 29



Figure 51



Figure 52



Figure 54

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-423 Permanent Polyester										
Fig. 52	M71-30-423-TEST	B-423	Polyester	White	1.500	(38.1)	0.750	(19.1)	250	M71-R6000
B-428 Metallized Polyester										
Fig. 51	M71-30-428-CALI	B-428	Polyester	White	1.500	(38.1)	0.750	(19.1)	250	M71-R4300
Fig. 54	M71-35-428-PROP	B-428	Polyester	White	1.630	(41.4)	0.750	(19.1)	250	M71-R4300
B-483 Polyester Labels										
Fig. 29	M71-38-483-CAUT	B-483	Polyester	White	4.000	(101.6)	1.900	(48.7)	100	M71-R6000
Fig. 29	M71-38-483-DANG	B-483	Polyester	White	4.000	(101.6)	1.900	(48.7)	100	M71-R6000
Fig. 29	M71-38-483-NOTI	B-483	Polyester	White	4.000	(101.6)	1.900	(48.7)	100	M71-R6000
Fig. 29	M71-38-483-WARN	B-483	Polyester	White	4.000	(101.6)	1.900	(48.7)	100	M71-R6000

See all BMP®71 Print Ribbon parts on page 297.

BMP®71 Wire & Cable Materials:

Printable Tag Material

- **B-145 Polyethylene Tags and B-145FR Fire Retardant Polyethylene Tag Material** - 9.5 mil cross laminated polyethylene film with a thermal transfer printable topcoat. Used for a variety of tag applications including ID of multiconductor cables and equipment.
- **B-109 Polyethylene Tag Material** - Multipurpose tag that can be used for a variety of applications including identification of multiconductor cables, inventory, equipment, lockout and work-in-progress. Extremely tear resistant and superior cold-weather tag.



Figure 45



Figure 56



Figure 50

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-109 Polyethylene Tags										
Fig. 45	M71-36-109	B-109	Polyethylene	White	1.125	(28.6)	1.750	(44.5)	250	M71-R4300
Fig. 56	M71-12-109	B-109	Polyethylene	White	3.000	(76.2)	0.750	(19.1)	100	M71-R4300
Fig. 56	BM71-12-109	B-109	Polyethylene	White	3.000	(76.2)	0.750	(19.1)	1000	M71-R4300
B-145 Polyethylene Tags										
Fig. 50	BM71-111-145-GY	B-145	Polyethylene	Gray	1.206	(30.6)	0.758	(19.3)	1000	M71-R6000
Fig. 50	M71-111-145-GY	B-145	Polyethylene	Gray	1.206	(30.6)	0.758	(19.3)	100	M71-R6000
Fig. 50	BM71-110-145-GY	B-145	Polyethylene	Gray	1.750	(44.5)	1.000	(25.4)	1000	M71-R6000
Fig. 50	M71-110-145-GY	B-145	Polyethylene	Gray	1.750	(44.5)	1.000	(25.4)	100	M71-R6000
Fig. 50	M71-111-145FR-GY	B-145FR	Polyethylene	Gray	1.206	(30.6)	0.758	(19.3)	100	M71-R6000
Fig. 50	M71-110-145FR-GY	B-145FR	Polyethylene	Gray	1.750	(44.5)	1.000	(25.4)	100	M71-R6000

BMP®71 Wire & Cable Materials:

Fiber Optic Flag Material

Allows more legible information on smaller diameter wires and permits you to handle and view labels without touching the wires.

- **B-425 Polypropylene Material** - Excellent solvent resistance and print performance.



Figure 47



Figure 48



Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-425 Polypropylene Labels										
Fig. 47	M71FP-1-425	B-425	Polypropylene	White	1.180	(30.0)	0.788	(20.0)	250	M71-R4300
Fig. 48	M71FT-1-425	B-425	Polypropylene	White	1.180	(30.0)	0.788	(20.0)	250	M71-R4300
Fig. 47	M71FP-2-425	B-425	Polypropylene	White	1.750	(44.5)	1.000	(25.4)	100	M71-R4300

Did You Know? www.BradyID.com

Visit BradyID.com for online ordering and instant access to:

- Product Info
- Product Demos
- Custom Orders
- Whitepapers
- Webinars
- And More!

See all BMP®71 Print Ribbon parts on page 297.

BMP®71 Label Materials

www.BradyID.com/bmp71

BMP®71 Wire & Cable Materials:

General Adhesive Wire and Cable Markers

- **B-498 Repositionable Vinyl Cloth Material** - Industrial strength and ideal for curved surfaces. Firm adhesive can be removed cleanly and reapplied.
- **B-499 Permanent Nylon Cloth Material** - Durable industrial strength and designed to conform to curved surfaces.



Figure 29



Figure 33

Diagram	Catalog #	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)		Label Height B Inch (mm)		Labels Per Roll	Rec. Ribbon
B-498 Repositionable Vinyl Cloth Labels										
Fig. 29	M71-7-498	B-498	White	16-10	0.500	(12.7)	0.500	(12.7)	500	M71-R6200
Fig. 29	M71-17-498	B-498	White	12-10	1.000	(25.4)	0.500	(12.7)	500	M71-R6200
Fig. 29	M71-10-498	B-498	White	16-10	0.250	(6.4)	0.750	(19.1)	750	M71-R6200
Fig. 29	BM71-11-498	B-498	White	16-10	0.500	(12.7)	0.750	(19.1)	5000	M71-R6200
Fig. 29	M71-11-498	B-498	White	16-10	0.500	(12.7)	0.750	(19.1)	500	M71-R6200
Fig. 29	M71-16-498	B-498	White	12-10	0.375	(9.5)	1.000	(25.4)	500	M71-R6200
Fig. 29	BM71-18-498	B-498	White	12-10	0.750	(19.1)	1.000	(25.4)	2500	M71-R6200
Fig. 29	M71-18-498	B-498	White	12-10	0.750	(19.1)	1.000	(25.4)	250	M71-R6200
Fig. 29	BM71-19-498	B-498	White	12-10	1.000	(25.4)	1.000	(25.4)	2500	M71-R6200
Fig. 29	M71-19-498	B-498	White	12-10	1.000	(25.4)	1.000	(25.4)	250	M71-R6200
Fig. 29	BM71-29-498	B-498	White	10-4	0.500	(12.7)	1.500	(38.1)	5000	M71-R6200
Fig. 29	M71-29-498	B-498	White	10-4	0.500	(12.7)	1.500	(38.1)	500	M71-R6200
Fig. 29	M71-30-498	B-498	White	10-4	0.750	(19.1)	1.500	(38.1)	250	M71-R6200
Fig. 29	M71-31-498	B-498	White	10-4	1.000	(25.4)	1.500	(38.1)	250	M71-R6200
Fig. 29	M71-32-498	B-498	White	10-4	1.500	(38.1)	1.500	(38.1)	250	M71-R6200
Fig. 29	M71-21-498	B-498	White	Cables	1.000	(25.4)	2.500	(63.5)	100	M71-R6200
Fig. 29	M71-33-498	B-498	White	Cables	1.500	(38.1)	4.000	(101.6)	100	M71-R6200
Fig. 33	M71C-240-498	B-498	White	–	0.240	(6.1)	30 ft.	(9.1 m)	1 Roll (cont.)	M71-R6200
Fig. 33	M71C-318-498	B-498	White	–	0.318	(8.1)	30 ft.	(9.1 m)	1 Roll (cont.)	M71-R6200
Fig. 33	M71C-375-498	B-498	White	–	0.375	(9.5)	30 ft.	(9.1 m)	1 Roll (cont.)	M71-R6200
Fig. 33	M71C-500-498	B-498	White	–	0.500	(12.7)	30 ft.	(9.1 m)	1 Roll (cont.)	M71-R6200
Fig. 33	M71C-1000-498	B-498	White	–	1.000	(25.4)	30 ft.	(9.1 m)	1 Roll (cont.)	M71-R6200
Fig. 33	M71C-1900-498	B-498	White	–	1.900	(48.3)	30 ft.	(9.1 m)	1 Roll (cont.)	M71-R6200
Fig. 33	BM71C-240-498	B-498	White	–	0.240	(6.1)	275 ft.	(83.8 m)	1 Roll (cont.)	M71-R6200
Fig. 33	BM71C-318-498	B-498	White	–	0.318	(8.1)	275 ft.	(83.8 m)	1 Roll (cont.)	M71-R6200
Fig. 33	BM71C-375-498	B-498	White	–	0.375	(9.5)	275 ft.	(83.8 m)	1 Roll (cont.)	M71-R6200
B-499 Nylon Cloth Labels										
Fig. 29	M71-7-499	B-499	White	16-10	0.500	(12.7)	0.500	(12.7)	500	M71-R4300
Fig. 29	BM71-11-499	B-499	White	16-10	0.500	(12.7)	0.750	(19.1)	5000	M71-R4300
Fig. 29	M71-11-499	B-499	White	16-10	0.500	(12.7)	0.750	(19.1)	500	M71-R4300
Fig. 29	M71-16-499	B-499	White	12-10	0.375	(9.5)	1.000	(25.4)	500	M71-R4300
Fig. 29	M71-18-499	B-499	White	12-10	0.750	(19.1)	1.000	(25.4)	250	M71-R4300
Fig. 29	M71-19-499	B-499	White	12-10	1.000	(25.4)	1.000	(25.4)	250	M71-R4300
Fig. 29	M71-78-499	B-499	White	12-10	1.900	(48.3)	1.000	(25.4)	250	M71-R4300
Fig. 29	M71-28-499	B-499	White	10-4	0.250	(6.4)	1.500	(38.1)	750	M71-R4300
Fig. 29	M71-29-499	B-499	White	10-4	0.500	(12.7)	1.500	(38.1)	500	M71-R4300
Fig. 29	M71-30-499	B-499	White	10-4	0.750	(19.1)	1.500	(38.1)	250	M71-R4300
Fig. 29	M71-31-499	B-499	White	10-4	1.000	(25.4)	1.500	(38.1)	250	M71-R4300
Fig. 29	M71-21-499	B-499	White	Cables	1.000	(25.4)	2.500	(63.5)	100	M71-R4300
Fig. 33	M71C-500-499	B-499	White	–	0.500	(12.7)	30 ft.	(9.1 m)	1 Roll (cont.)	M71-R4300
Fig. 33	M71C-1000-499	B-499	White	–	1.000	(25.4)	30 ft.	(9.1 m)	1 Roll (cont.)	M71-R4300
Fig. 33	M71C-1900-499	B-499	White	–	1.900	(48.3)	30 ft.	(9.1 m)	1 Roll (cont.)	M71-R4300

** Approx. wire gauge based on AWG for THHN wire.*

Finding the correct label height for your Self Laminating labels

If you know your wire diameter or wire circumference, you can easily determine the correct label height by using the formula below.

Step 1: Wire Diameter
x 3.14 (pi)
= Wire Circumference

Step 2: Wire Circumference
x 1.5 (allowing label to wrap 1.5 times around wire)
= Total Label Length



See all BMP®71 Print Ribbon parts on page 297.

BMP®71 Wire & Cable Materials:

Self Laminating Wire Markers

- **B-427 Self-Laminating Vinyl Material**
  Wire markers with superior chemical and abrasion resistance. Non-printed clear area that wraps around to overlaminate the printed text. UL recognized and Rohs compliant.



Figure 29



Figure 42



Figure 43

Diagram	Catalog #	B#	Color	Approx. Wire Gauge	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Print-On Height C Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-427 Self-Laminating Vinyl Labels												
Fig. 32	M71-21-427	B-427	White	Cables	1.000	(25.400)	2.500	(63.500)	0.750	(19.050)	100	M71-R4300
Fig. 32	M71-21-427-YL	B-427	Yellow	Cables	1.000	(25.400)	2.500	(63.500)	0.750	(19.050)	100	M71-R4300
Fig. 32	BM71-21-427	B-427	White	Cables	1.000	(25.400)	2.500	(63.500)	0.750	(19.050)	1000	M71-R4300
Fig. 32	M71-66-427	B-427	White	Cables	1.938	(49.230)	3.150	(80.000)	1.000	(25.400)	100	M71-R4300
Fig. 43	M71-64-427	B-427	White	Cables	1.000	(25.400)	3.375	(85.730)	1.125	(28.580)	100	M71-R4300
Fig. 43	BM71-64-427	B-427	White	Cables	1.000	(25.400)	3.375	(85.730)	1.125	(28.580)	1000	M71-R4300
Fig. 32	M71-23-427	B-427	White	Cables	1.000	(25.400)	4.000	(101.600)	1.000	(25.400)	100	M71-R4300
Fig. 32	M71-109-427	B-427	White	Cables	1.500	(38.100)	4.000	(101.600)	1.500	(38.100)	100	M71-R4300
Fig. 32	M71-33-427	B-427	White	Cables	1.500	(38.100)	4.000	(101.600)	1.000	(25.400)	100	M71-R4300
Fig. 32	M71-33-427-YL	B-427	Yellow	Cables	1.500	(38.100)	4.000	(101.600)	1.000	(25.400)	100	M71-R4300
Fig. 32	BM71-109-427	B-427	White	Cables	1.500	(38.100)	4.000	(101.600)	1.500	(38.100)	500	M71-R4300
Fig. 32	BM71-33-427	B-427	White	Cables	1.500	(38.100)	4.000	(101.600)	1.000	(25.400)	500	M71-R4300
Fig. 32	BM71-23-427	B-427	White	Cables	1.000	(25.400)	4.000	(101.600)	1.000	(25.400)	1000	M71-R4300
Fig. 32	M71-34-427	B-427	White	Cables	1.500	(38.100)	6.000	(152.400)	1.500	(38.100)	50	M71-R4300
Fig. 32	BM71-34-427	B-427	White	Cables	1.500	(38.100)	6.000	(152.400)	1.500	(38.100)	500	M71-R4300
Fig. 32	M71-96-427	B-427	White	16-10	1.000	(25.400)	0.750	(19.050)	0.375	(9.530)	250	M71-R4300
Fig. 32	M71-11-427	B-427	White	16-10	0.500	(12.700)	0.750	(19.050)	0.375	(9.530)	500	M71-R4300
Fig. 32	M71-10-427	B-427	White	16-10	0.250	(6.350)	0.750	(19.050)	0.375	(9.530)	750	M71-R4300
Fig. 32	BM71-11-427	B-427	White	16-10	0.500	(12.700)	0.750	(19.050)	0.375	(9.530)	5000	M71-R4300
Fig. 32	M71-19-427	B-427	White	12-10	1.000	(25.400)	1.000	(25.400)	0.375	(9.530)	250	M71-R4300
Fig. 32	M71-19-427-YL	B-427	Yellow	12-10	1.000	(25.400)	1.000	(25.400)	0.375	(9.530)	250	M71-R4300
Fig. 32	M71-104-427	B-427	White	12-10	1.500	(38.100)	1.000	(25.400)	0.375	(9.530)	250	M71-R4300
Fig. 32	M71-17-427	B-427	White	12-10	0.500	(12.700)	1.000	(25.400)	0.375	(9.530)	500	M71-R4300
Fig. 32	BM71-19-427	B-427	White	12-10	1.000	(25.400)	1.000	(25.400)	0.375	(9.530)	2500	M71-R4300
Fig. 32	BM71-17-427	B-427	White	12-10	0.500	(12.700)	1.000	(25.400)	0.375	(9.530)	5000	M71-R4300
Fig. 29	M71-30-427-AW	B-427	White	10-4	1.500	(38.100)	0.750	(19.050)	-	-	250	M71-R4300
Fig. 32	M71-18-427	B-427	White	10-4	0.750	(19.050)	1.000	(25.400)	0.375	(9.530)	250	M71-R4300
Fig. 32	BM71-18-427	B-427	White	10-4	0.750	(19.050)	1.000	(25.400)	0.375	(9.530)	2500	M71-R4300
Fig. 32	M71-103-427	B-427	White	10-4	1.000	(25.400)	1.250	(31.750)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-107-427	B-427	White	10-4	2.000	(50.800)	1.500	(38.100)	0.500	(12.700)	100	M71-R4300
Fig. 32	M71-30-427	B-427	White	10-4	0.750	(19.050)	1.500	(38.100)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-30-427-BL	B-427	Blue	10-4	0.750	(19.050)	1.500	(38.100)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-30-427-PL	B-427	Purple	10-4	0.750	(19.050)	1.500	(38.100)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-30-427-RD	B-427	Red	10-4	0.750	(19.050)	1.500	(38.100)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-31-427	B-427	White	10-4	1.000	(25.400)	1.500	(38.100)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-31-427-GN	B-427	Green	10-4	1.000	(25.400)	1.500	(38.100)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-31-427-RD	B-427	Red	10-4	1.000	(25.400)	1.500	(38.100)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-31-427-YL	B-427	Yellow	10-4	1.000	(25.400)	1.500	(38.100)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-32-427	B-427	White	10-4	1.500	(38.100)	1.500	(38.100)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-32-427-YL	B-427	Yellow	10-4	1.500	(38.100)	1.500	(38.100)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-88-427	B-427	White	10-4	1.750	(44.450)	1.500	(38.100)	0.500	(12.700)	250	M71-R4300
Fig. 32	M71-29-427	B-427	White	10-4	0.500	(12.700)	1.500	(38.100)	0.500	(12.700)	500	M71-R4300
Fig. 32	M71-28-427	B-427	White	10-4	0.250	(6.350)	1.500	(38.100)	0.500	(12.700)	750	M71-R4300
Fig. 32	BM71-32-427	B-427	White	10-4	1.500	(38.100)	1.500	(38.100)	0.500	(12.700)	1000	M71-R4300
Fig. 32	BM71-107-427	B-427	White	10-4	2.000	(50.800)	1.500	(38.100)	0.500	(12.700)	1000	M71-R4300
Fig. 32	BM71-30-427	B-427	White	10-4	0.750	(19.050)	1.500	(38.100)	0.500	(12.700)	2500	M71-R4300
Fig. 32	BM71-31-427	B-427	White	10-4	1.000	(25.400)	1.500	(38.100)	0.500	(12.700)	2500	M71-R4300
Fig. 32	BM71-29-427	B-427	White	10-4	0.500	(12.700)	1.500	(38.100)	0.500	(12.700)	5000	M71-R4300

** Approx. wire gauge based on AWG for THHN wire.*

See all BMP®71 Print Ribbon parts on page 297.

BMP®71 Label Materials

www.BradyID.com/bmp71

BMP®71 Wire & Cable Materials:

PermaSleeve® Wire Marking Sleeves

B-342 PermaSleeve® PS Polyolefin Wire Marking Sleeves

3:1 heat shrinkable sleeve fits snuggly around wire for identification and protection. Fade resistant and flame retardant. Meets the following material and physical property specifications.

- SAE-AMS-DTL-23053/5C (Class 1)
- SAE-AS-81531
- MIL-STD-202
- RoHS Compliant
- UL Recognized
- **Tested per:** ASTM E162 and ASTM E662



Figure 58



Figure 44

Diagram	Catalog #	Sleeves Per Roll	Approx. Wire Gauge	Range of Wire Dia. Inch (mm) Min.	Max	Supplied Diameter Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Sleeve Width Inch (mm)	Rec. Ribbon
B-342 PermaSleeve® PS Polyolefin Wire Marking Sleeves										
Fig. 44	M71-94-1-342	100	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-94-1-342YL	100	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	BM71-94-175-342	2500	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	BM71-94-175-342YL	2500	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-94-175-342	100	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-94-175-342YL	100	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 58	BM71C-125-342	1 Roll (cont.)	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	0.235 (6.0)	M71-R4300
Fig. 44	BM71-125-1-342	1000	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-125-1-342	100	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-125-1-342YL	100	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	BM71-125-175-342	1000	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	BM71-125-175-342YL	1000	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-125-175-342	100	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-125-175-342YL	100	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 58	BM71C-187-342	1 Roll (cont.)	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	0.335 (8.5)	M71-R4300
Fig. 44	BM71-187-1-342	1000	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	BM71-187-1-342YL	1000	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-187-1-342	100	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-187-1-342YL	100	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	BM71-187-175-342	1000	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	BM71-187-175-342YL	1000	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-187-175-342	100	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-187-175-342YL	100	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 58	BM71C-250-342	1 Roll (cont.)	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	0.439 (11.2)	M71-R4300
Fig. 44	BM71-250-1-342	1000	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-250-1-342	100	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-250-1-342YL	100	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	BM71-250-175-342	1000	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	BM71-250-175-342YL	1000	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-250-175-342	100	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-250-175-342YL	100	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 58	BM71C-375-342	1 Roll (cont.)	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	0.645 (16.4)	M71-R4300
Fig. 44	BM71-375-1-342	1000	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-375-1-342	100	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-375-1-342YL	100	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	BM71-375-175-342	1000	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-375-175-342	100	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-375-175-342YL	100	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 58	BM71C-500-342	1 Roll (cont.)	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	0.851 (21.6)	M71-R4300
Fig. 44	BM71-500-1-342	1000	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	BM71-500-1-342YL	1000	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-500-1-342	100	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-500-1-342YL	100	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	BM71-500-175-342	1000	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	BM71-500-175-342YL	1000	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-500-175-342	100	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-500-175-342YL	100	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-1000-1-342	50	2 to 0.950 dia.	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 44	M71-1000-1-342YL	50	2 to 0.950 dia.	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) ± .003 (0.07)	1.015 (25.8)	M71-R4300
Fig. 58	BM71C-1000-342	1 Roll (cont.)	2 to 0.950 dia.	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) ± .003 (0.07)	1.660 (42.2)	M71-R4300
Fig. 44	BM71-1000-175-342	500	2 to 0.950 dia.	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-1000-175-342	50	2 to 0.950 dia.	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) ± .003 (0.07)	1.765 (44.8)	M71-R4300
Fig. 44	M71-1000-175-342YL	50	2 to 0.950 dia.	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) ± .003 (0.07)	1.765 (44.8)	M71-R4300

** Approx. wire gauge based on AWG for THHN wire.*

See all BMP®71 Print Ribbon parts on page 297.

BMP®71 Wire & Cable Materials:

Self-Extinguishing Materials

- **B-642 Material** - Self-extinguishing material used for wire & cable marking applications, particularly in aerospace, defense and mass transit industries.
- **B-472 Polyimide Material** - Polyimide material specifically designed to self-extinguish and prevent flames from propagating.



Figure 29



Figure 32



Diagram	Catalog #	B#	Material	Color	Approx. Wire Gauge	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Print-On Height C Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-642 Matte Tedlar® Material													
Fig 32	M71-19-642	B-642	Tedlar	White	12 to 10	1.000	(25.400)	1.000	(25.400)	0.375	(9.530)	250	M71-R4300
Fig 32	M71-31-642	B-642	Tedlar	White	10 to 4	1.000	(25.400)	1.500	(38.100)	0.500	(12.700)	250	M71-R6200
Fig 32	M71-21-642	B-642	Tedlar	White	25 Pair Copper	1.000	(25.400)	2.500	(63.500)	0.750	(38.1)	100	M71-R6200
B-472 Matte Polyimide Material													
Fig 29	M71-9-472	B-472	Polyimide	White	16-10	0.200	(5.1)	0.650	(25.4)	-	-	750	M71-R4300
Fig 29	M71-10-472	B-472	Polyimide	White	16-10	0.250	(6.4)	0.750	(25.4)	-	-	750	M71-R4300
Fig 29	M71-30-472	B-472	Polyimide	White	16-10	1.500	(38.1)	0.750	(38.1)	-	-	250	M71-R4300
Fig 29	M71-15-472	B-472	Polyimide	White	12-10	0.275	(7.0)	1.000	(25.4)	-	-	750	M71-R4300
Fig 29	M71-17-472	B-472	Polyimide	White	12-10	0.500	(12.7)	1.000	(25.4)	-	-	500	M71-R4300
Fig 29	M71-19-472	B-472	Polyimide	White	12-10	1.000	(25.4)	1.000	(25.4)	-	-	250	M71-R4300
Fig 29	M71-21-472	B-472	Polyimide	White	12-10	2.500	(63.5)	1.000	(38.1)	-	-	100	M71-R4300
Fig 29	M71-29-472	B-472	Polyimide	White	10-4	0.500	(12.7)	1.500	(19.1)	-	-	500	M71-R4300
Fig 29	M71-31-472	B-472	Polyimide	White	10-4	1.000	(25.4)	1.500	(16.5)	-	-	250	M71-R4300
Fig 33	M71C-1000-472	B-472	Polyimide	White	-	1.000	(25.4)	50 ft.	(15.2 m)	-	-	1 Roll (cont.)	M71-R4300
Fig 33	M71C-1000-472-YL	B-472	Polyimide	Yellow	-	1.000	(38.1)	50 ft.	(15.2 m)	-	-	1 Roll (cont.)	M71-R4300
Fig 33	M71C-1500-472	B-472	Polyimide	White	-	1.500	(38.1)	50 ft.	(15.2 m)	-	-	1 Roll (cont.)	M71-R4300
Fig 33	M71C-1500-472-YL	B-472	Polyimide	Yellow	-	1.500	(50.8)	50 ft.	(15.2 m)	-	-	1 Roll (cont.)	M71-R4300
Fig 33	M71C-2000-472	B-472	Polyimide	White	-	2.000	(50.8)	50 ft.	(15.2 m)	-	-	1 Roll (cont.)	M71-R4300
Fig 33	M71C-2000-472-YL	B-472	Polyimide	Yellow	-	2.000	(38.1)	50 ft.	(15.2 m)	-	-	1 Roll (cont.)	M71-R4300

Approx. wire gauge based on AWG for THHN wire.
TEDLAR® is a registered trademark of DuPont.

BMP®71 Wire & Cable Materials:

Voice/Data Comm Materials

Durable materials with permanent adhesive in a variety of sizes for marking racks, bays, frames, slots, and other voice/data equipment.

- **B-412 Polypropylene Tag Material** - Designed for high legibility and tensile strength.
- **B-422 Polyester Material** - Permanent adhesive, good for powder-coated/textured surfaces. Best on flat surfaces. Temp. Range: -40°F to 212°F (-40°C to 100°C). UL recognized.



Figure 28



Figure 29



Figure 33



Figure 55

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-412 Polypropylene Tag										
Fig. 28	M71C-230-412	B-412	Polyethylene	White	0.230	(5.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6200
Fig. 28	M71C-375-412	B-412	Polyethylene	White	0.375	(9.5)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6200
Fig. 33	M71C-475-412	B-412	Polyethylene	White	0.475	(12.1)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6200
Fig. 28	M71C-500-412	B-412	Polyethylene	White	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6200
Fig. 33	M71C-625-412	B-412	Polyethylene	White	0.625	(15.9)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6200
Fig. 28	M71C-785-412	B-412	Polyethylene	White	0.785	(19.9)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6200
Fig. 55	BM71-40-412	B-412	Polyethylene	White	1.938	(49.2)	0.375	(9.5)	5000	M71-R6200
Fig. 55	M71-40-412	B-412	Polyethylene	White	1.938	(49.2)	0.375	(9.5)	750	M71-R6200
B-422 Polyester Labels										
Fig. 33	M71C-375-422	B-422	Polyester	White	0.375	(9.5)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-475-422	B-422	Polyester	White	0.475	(12.1)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-500-422	B-422	Polyester	White	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-625-422	B-422	Polyester	White	0.625	(15.9)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-422	B-422	Polyester	White	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 29	M71-45-422	B-422	Polyester	White	1.500	(38.1)	0.375	(9.5)	500	M71-R6000
Fig. 29	M71-30-422	B-422	Polyester	White	1.500	(38.1)	0.750	(19.1)	250	M71-R6000
Fig. 33	M71C-1900-422	B-422	Polyester	White	1.900	(48.3)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 29	BM71-20-422	B-422	Polyester	White	2.000	(50.8)	1.000	(25.4)	1000	M71-R6000
Fig. 29	M71-37-422	B-422	Polyester	White	3.000	(76.2)	1.900	(48.3)	100	M71-R6000

See all BMP®71 Print Ribbon parts on page 297.

BMP®71 Label Materials

www.BradyID.com/bmp71

BMP®71 Raised Panel Materials:

Rectangular Raised Panel Materials

- **B-593 Foam Backed Polyester Material** - Customized legend plates with less hassle and wasted time than engraved plates. RoHS compliant and UL approved. Aggressive adhesive and solvent resistance makes them a great replacement for engraved tags.



Figure 29

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-593 Foam Backed Polyester Label										
Fig. 29	M71EP-171-593	B-593	Polyester	White	1.060	(26.9)	0.490	(12.5)	200	M71-R6000
Fig. 29	M71EP-173-593	B-593	Polyester	White	2.000	(50.8)	1.000	(25.4)	100	M71-R6000
Fig. 29	M71EP-176-593	B-593	Polyester	White	3.000	(76.2)	1.000	(25.4)	50	M71-R6000
Fig. 29	M71EP-174-593	B-593	Polyester	White	4.000	(101.6)	1.000	(25.4)	50	M71-R6000
Fig. 29	M71EP-171-593-YL	B-593	Polyester	Yellow	1.060	(26.9)	0.490	(12.5)	200	M71-R6000
Fig. 29	M71EP-173-593-YL	B-593	Polyester	Yellow	2.000	(50.8)	1.000	(25.4)	100	M71-R6000
Fig. 29	M71EP-176-593-YL	B-593	Polyester	Yellow	3.000	(76.2)	1.000	(25.4)	50	M71-R6000
Fig. 29	M71EP-174-593-YL	B-593	Polyester	Yellow	4.000	(101.6)	1.000	(25.4)	50	M71-R6000
Fig. 29	M71EP-171-593-BK	B-593	Polyester	Black	1.060	(26.9)	0.490	(12.5)	200	M71-R4400-WT
Fig. 29	M71EP-173-593-BK	B-593	Polyester	Black	2.000	(50.8)	1.000	(25.4)	100	M71-R4400-WT
Fig. 29	M71EP-176-593-BK	B-593	Polyester	Black	3.000	(76.2)	1.000	(25.4)	50	M71-R4400-WT
Fig. 29	M71EP-174-593-BK	B-593	Polyester	Black	4.000	(101.6)	1.000	(25.4)	50	M71-R4400-WT
Fig. 29	M71EP-171-593-GN	B-593	Polyester	Green	1.060	(26.9)	0.490	(12.5)	200	M71-R4400-WT
Fig. 29	M71EP-173-593-GN	B-593	Polyester	Green	2.000	(50.8)	1.000	(25.4)	100	M71-R4400-WT
Fig. 29	M71EP-176-593-GN	B-593	Polyester	Green	3.000	(76.2)	1.000	(25.4)	50	M71-R4400-WT
Fig. 29	M71EP-174-593-GN	B-593	Polyester	Green	4.000	(101.6)	1.000	(25.4)	50	M71-R4400-WT
Fig. 29	M71EP-171-593-RD	B-593	Polyester	Red	1.060	(26.9)	0.490	(12.5)	200	M71-R4400-WT
Fig. 29	M71EP-173-593-RD	B-593	Polyester	Red	2.000	(50.8)	1.000	(25.4)	100	M71-R4400-WT
Fig. 29	M71EP-176-593-RD	B-593	Polyester	Red	3.000	(76.2)	1.000	(25.4)	50	M71-R4400-WT
Fig. 29	M71EP-174-593-RD	B-593	Polyester	Red	4.000	(101.6)	1.000	(25.4)	50	M71-R4400-WT
Fig. 29	M71EP-171-593-SL	B-593	Polyester	Silver	1.060	(26.9)	0.490	(12.5)	200	M71-R6000
Fig. 29	M71EP-173-593-SL	B-593	Polyester	Silver	2.000	(50.8)	1.000	(25.4)	100	M71-R6000
Fig. 29	M71EP-174-593-SL	B-593	Polyester	Silver	4.000	(101.6)	1.000	(25.4)	50	M71-R6000

BMP®71 Raised Panel Materials:

Push Button Control Raised Panel Materials

- **B-593 Foam Backed Polyester Material** - Customized legend plates with less hassle and wasted time than engraved plates. RoHS compliant and UL approved. Aggressive adhesive and solvent resistance makes them a great replacement for engraved tags.



Figure 49

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Hole Diameter C Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-593 Foam Backed Polyester Label												
Fig. 49	M71EP-167-593	B-593	Polyester	White	1.200	(30.480)	1.500	(38.1)	0.890	(22.5)	100	M71-R6000
Fig. 49	M71EP-168-593	B-593	Polyester	White	1.200	(30.480)	1.900	(48.3)	0.890	(22.5)	100	M71-R6000
Fig. 49	M71EP-169-593	B-593	Polyester	White	1.800	(45.720)	1.800	(45.7)	1.200	(30.5)	100	M71-R6000
Fig. 49	M71EP-167-593-YL	B-593	Polyester	Yellow	1.200	(30.480)	1.500	(38.1)	0.890	(22.5)	100	M71-R6000
Fig. 49	M71EP-168-593-YL	B-593	Polyester	Yellow	1.200	(30.480)	1.900	(48.3)	0.890	(22.5)	100	M71-R6000
Fig. 49	M71EP-169-593-YL	B-593	Polyester	Yellow	1.800	(45.720)	1.800	(45.7)	1.200	(30.5)	100	M71-R6000
Fig. 49	M71EP-167-593-BK	B-593	Polyester	Black	1.200	(30.480)	1.500	(38.1)	0.890	(22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-BK	B-593	Polyester	Black	1.200	(30.480)	1.900	(48.3)	0.890	(22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-BK	B-593	Polyester	Black	1.800	(45.720)	1.800	(45.7)	1.200	(30.5)	100	M71-R4400-WT
Fig. 49	M71EP-167-593-GN	B-593	Polyester	Green	1.200	(30.480)	1.500	(38.1)	0.890	(22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-GN	B-593	Polyester	Green	1.200	(30.480)	1.900	(48.3)	0.890	(22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-GN	B-593	Polyester	Green	1.800	(45.720)	1.800	(45.7)	1.200	(30.5)	100	M71-R4400-WT
Fig. 49	M71EP-167-593-RD	B-593	Polyester	Red	1.200	(30.480)	1.500	(38.1)	0.890	(22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-RD	B-593	Polyester	Red	1.200	(30.480)	1.900	(48.3)	0.890	(22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-RD	B-593	Polyester	Red	1.800	(45.720)	1.800	(45.7)	1.200	(30.5)	100	M71-R4400-WT

See all BMP®71 Print Ribbon parts on page 297.

BMP®71 Circuit Board Identification Materials:

Circuit Board & Component ID Materials

Various materials for relays, solenoids, PCB's, electronic components and more.

- **B-423 Polyester Material -** White glossy polyester
- **B-426 Polyimide Material -** Amber matte polyimide with permanent adhesive; can survive on the top or bottom side of PCB's through the solder process
- **B-428 Polyester Material -** metallized matte polyester
- **B-457 Polyimide Material -** white glossy polyimide with permanent adhesive; can survive through the solder process



Figure 29





Figure 33

For Component Labeling

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-423 Permanent Polyester Material										
Fig. 29	M71-1-423	B-423	Polyester	White	0.250	(6.350)	0.250	(6.350)	750	M71-R6000
Fig. 29	M71-3-423	B-423	Polyester	White	0.375	(9.530)	0.375	(9.530)	500	M71-R6000
Fig. 29	M71-4-423	B-423	Polyester	White	0.400	(10.160)	0.400	(10.160)	500	M71-R6000
Fig. 33	M71C-500-423	B-423	Polyester	White	0.500	(12.700)	50 ft.	(15.24 m)	1 Roll (cont.)	M71-R6000
Fig. 29	M71-5-423	B-423	Polyester	White	0.500	(12.700)	0.200	(5.080)	750	M71-R6000
Fig. 29	M71-6-423	B-423	Polyester	White	0.500	(12.700)	0.280	(6.990)	750	M71-R6000
Fig. 29	BM71-7-423	B-423	Polyester	White	0.500	(12.700)	0.500	(12.700)	5000	M71-R6000
Fig. 29	M71-7-423	B-423	Polyester	White	0.500	(12.700)	0.500	(12.700)	500	M71-R6000
Fig. 29	M71-9-423	B-423	Polyester	White	0.650	(16.510)	0.200	(5.080)	750	M71-R6000
Fig. 29	M71-10-423	B-423	Polyester	White	0.750	(19.050)	0.250	(6.350)	750	M71-R6000
Fig. 29	M71-13-423	B-423	Polyester	White	0.900	(22.860)	0.250	(6.350)	750	M71-R6000
Fig. 29	M71-14-423	B-423	Polyester	White	1.000	(25.400)	0.187	(4.750)	750	M71-R6000
Fig. 29	M71-15-423	B-423	Polyester	White	1.000	(25.400)	0.275	(6.990)	750	M71-R6000
Fig. 29	BM71-16-423	B-423	Polyester	White	1.000	(25.400)	0.375	(9.530)	5000	M71-R6000
Fig. 29	M71-16-423	B-423	Polyester	White	1.000	(25.400)	0.375	(9.530)	500	M71-R6000
Fig. 29	BM71-17-423	B-423	Polyester	White	1.000	(25.400)	0.500	(12.700)	5000	M71-R6000
Fig. 29	M71-17-423	B-423	Polyester	White	1.000	(25.400)	0.500	(12.700)	500	M71-R6000
Fig. 29	BM71-19-423	B-423	Polyester	White	1.000	(25.400)	1.000	(25.400)	2500	M71-R6000
Fig. 29	M71-19-423	B-423	Polyester	White	1.000	(25.400)	1.000	(25.400)	250	M71-R6000
Fig. 29	M71-24-423-BK	B-423	Polyester	Black Border	1.130	(28.700)	0.500	(12.700)	500	M71-R6000
Fig. 29	M71-25-423	B-423	Polyester	White	1.250	(31.750)	0.250	(6.350)	750	M71-R6000
Fig. 29	M71-27-423	B-423	Polyester	White	1.500	(38.100)	0.125	(3.180)	750	M71-R6000
Fig. 29	M71-28-423	B-423	Polyester	White	1.500	(38.100)	0.250	(6.350)	750	M71-R6000
Fig. 29	BM71-29-423	B-423	Polyester	White	1.500	(38.100)	0.500	(12.700)	5000	M71-R6000
Fig. 29	M71-29-423	B-423	Polyester	White	1.500	(38.100)	0.500	(12.700)	500	M71-R6000
Fig. 29	M71-31-423	B-423	Polyester	White	1.500	(38.100)	1.000	(25.400)	250	M71-R6000
Fig. 29	M71-32-423	B-423	Polyester	White	1.500	(38.100)	1.500	(38.100)	250	M71-R6000
Fig. 29	M71-2-423	B-423	Polyester	White	2.000	(50.800)	0.250	(6.350)	100	M71-R6000
Fig. 29	BM71-20-423	B-423	Polyester	White	2.000	(50.800)	1.000	(25.400)	1000	M71-R6000
Fig. 29	M71-20-423	B-423	Polyester	White	2.000	(50.800)	1.000	(25.400)	100	M71-R6000
Fig. 29	M71-26-423	B-423	Polyester	White	2.750	(69.850)	1.250	(31.750)	100	M71-R6000
Fig. 29	M71-22-423	B-423	Polyester	White	3.000	(76.200)	1.000	(25.400)	100	M71-R6000
Fig. 29	M71-37-423	B-423	Polyester	White	3.000	(76.200)	1.900	(48.260)	100	M71-R6000
Fig. 29	M71-23-423	B-423	Polyester	White	4.000	(101.600)	1.000	(25.400)	100	M71-R6000
Fig. 29	M71-38-423	B-423	Polyester	White	4.000	(101.600)	1.900	(48.260)	100	M71-R6000
B-428 Metallized Polyester Material										
Fig. 29	M71-15-428	B-428	Polyester	Silver	1.000	(25.400)	0.275	(6.990)	750	M71-R4300
Fig. 29	BM71-17-428	B-428	Polyester	Silver	1.000	(25.400)	0.500	(12.700)	5000	M71-R4300
Fig. 29	M71-17-428	B-428	Polyester	Silver	1.000	(25.400)	0.500	(12.700)	500	M71-R4300
Fig. 29	M71-29-428	B-428	Polyester	Silver	1.500	(38.100)	0.500	(12.700)	500	M71-R4300
Fig. 29	BM71-20-428	B-428	Polyester	Silver	2.000	(50.800)	1.000	(25.400)	1000	M71-R4300
Fig. 29	M71-20-428	B-428	Polyester	Silver	2.000	(50.800)	1.000	(25.400)	100	M71-R4300
Fig. 29	M71-26-428	B-428	Polyester	White	2.750	(69.850)	1.250	(31.750)	100	M71-R4300
Fig. 29	M71-22-428	B-428	Polyester	Silver	3.000	(76.200)	1.000	(25.400)	100	M71-R4300
Fig. 29	M71-38-428	B-428	Polyester	White	4.000	(101.600)	1.900	(48.260)	100	M71-R4300

For Circuit Board Labeling

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-426 Matte Polyimide Material										
Fig. 29	M71-9-426	B-426	Polyimide	Amber	0.650	(16.510)	0.200	(5.080)	750	M71-R4300
Fig. 29	M71-13-426	B-426	Polyimide	Amber	0.900	(22.860)	0.250	(6.350)	750	M71-R4300
Fig. 29	M71-16-426	B-426	Polyimide	Amber	1.000	(25.400)	0.375	(9.530)	500	M71-R4300
Fig. 29	M71-17-426	B-426	Polyimide	Amber	1.000	(25.400)	0.500	(12.700)	500	M71-R4300
Fig. 29	M71-28-426	B-426	Polyimide	Amber	1.500	(38.100)	0.250	(6.350)	750	M71-R4300
B-457 Glossy Polyimide Material										
Fig. 29	M71-3-457	B-457	Polyimide	White	0.375	(9.530)	0.375	(9.530)	500	M71-R6000
Fig. 29	M71-10-457	B-457	Polyimide	White	0.750	(19.050)	0.250	(6.350)	750	M71-R6000
Fig. 29	M71-16-457	B-457	Polyimide	White	1.000	(25.400)	0.375	(9.530)	500	M71-R6000

See all BMP®71 Print Ribbon parts on page 297.

BMP®71 Label Materials

www.BradyID.com

BMP®71 Circuit Board Identification Materials:

Electrostatic Dissipative Materials

Low profile polyimide and polyester materials that have static dissipative properties. Primarily used for printed circuit boards and electronic component labeling.

- **B-473 Electrostatic Dissipative Polyester Material -** White glossy polyester with a permanent static dissipative adhesive and liner.
- **B-477 Electrostatic Dissipative Polyimide Material -** High temperature white glossy polyimide material (2 mil) with a permanent static dissipative adhesive and liner for PCB identification.
- **B-478 Electrostatic Dissipative Polyimide Material -** High temperature, low profile white glossy polyimide material (1 mil) with a permanent static dissipative adhesive and liner for PCB identification.



Figure 29

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-473 Glossy White Polyester										
Fig. 29	M71-6-473	B-473	Polyester	White	0.500	(12.7)	0.275	(7.0)	750	M71-R6000
Fig. 29	M71-9-473	B-473	Polyester	White	0.650	(16.5)	0.200	(5.1)	750	M71-R6000
Fig. 29	M71-10-473	B-473	Polyester	White	0.750	(19.1)	0.250	(6.4)	750	M71-R6000
Fig. 29	M71-16-473	B-473	Polyester	White	1.000	(25.4)	0.375	(9.5)	500	M71-R6000
Fig. 29	M71-17-473	B-473	Polyester	White	1.000	(25.4)	0.500	(12.7)	500	M71-R6000
Fig. 29	M71-28-473	B-473	Polyester	White	1.500	(38.1)	0.250	(6.4)	750	M71-R6000
B-477 Glossy White Static Dissipative Polyimide										
Fig. 29	M71-14-477	B-477	Polyimide	White	1.000	(25.4)	0.187	(4.8)	750	M71-R6000
Fig. 29	M71-2-477	B-477	Polyimide	White	2.000	(50.8)	0.250	(6.4)	100	M71-R6000
B-478 Glossy White Low Profile Static Dissipative Polyimide										
Fig. 29	M71-4-478	B-478	Polyimide	White	0.400	(10.2)	0.400	(10.2)	500	M71-R6000
Fig. 29	M71-9-478	B-478	Polyimide	White	0.650	(16.5)	0.200	(5.1)	750	M71-R6000
Fig. 29	M71-25-478	B-478	Polyimide	White	1.250	(31.8)	0.250	(6.4)	750	M71-R6000

BMP®71 Tamper Indicating Materials:

Tamper Indicating Materials

Tamper resistant tape destructs into tiny fragments when being removed. Making any attempts to remove the label very difficult and time consuming.

- **B-351 Destructible Vinyl Material -** White vinyl material with matte finish and permanent adhesive.
- **B-352 Destructible Vinyl Material -** Metallized vinyl material with matte finish and permanent adhesive.
- **B-530 Tamper-Resistant Vinyl Material**



Figure 29



Figure 33

Diagram	Catalog #	B#	Material	Color	Label Width A Inch	(mm)	Label Height B Inch	(mm)	Labels Per Roll	Rec. Ribbon
B-351 Destructible Vinyl Labels										
Fig. 29	M71-17-351	B-351	Vinyl	White	1.000	(25.4)	0.500	(12.7)	500	M71-R6200
Fig. 29	M71-31-351	B-351	Vinyl	White	1.500	(38.1)	1.000	(25.4)	250	M71-R6200
Fig. 29	M71-20-351	B-351	Vinyl	White	2.000	(50.8)	1.000	(25.4)	100	M71-R6200
Fig. 29	M71-37-351	B-351	Vinyl	White	3.000	(76.2)	1.900	(48.3)	100	M71-R6200
B-352 Destructible Vinyl Labels										
Fig. 29	M71-17-352	B-352	Vinyl	Silver	1.000	(25.4)	0.500	(12.7)	500	M71-R6000
Fig. 29	M71-31-352	B-352	Vinyl	Silver	1.500	(38.1)	1.000	(25.4)	250	M71-R6000
Fig. 29	M71-20-352	B-352	Vinyl	Silver	2.000	(50.8)	1.000	(25.4)	100	M71-R6000
Fig. 29	M71-37-352	B-352	Vinyl	Silver	3.000	(76.2)	1.900	(48.3)	100	M71-R6000
B-530 Tamper-Resistant Vinyl Film										
Fig. 33	M71C-500-530	B-530	Vinyl	White	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-530	B-530	Vinyl	White	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-530	B-530	Vinyl	White	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000

Did You Know? - Technical Data Sheets

Looking for more information regarding a certain BMP®71 Label materials?

Brady offers online access to Technical Data Sheets for all Brady materials. View by a specific B-Number or search by relevant keywords.

Visit **www.BradyID.com/techdata** for more information.

See all BMP®71 Print Ribbon parts on page 297.

BMP®71 Printer Ribbons

Note: Black Ribbon M71-R6000 included with BMP71 printer purchase.

Catalog #	Color	Size
M71-R4300	Black	150' (45.7 m)
M71-R6000	Black	150' (45.7 m)
M71-R6200	Black	150' (45.7 m)
M71-R6400	Black	150' (45.7 m)
M71-R6600	Black	150' (45.7 m)
M71-R4400-WT	White	150' (45.7 m)

Catalog #	Color	Size
M71-R6800-WT	White	120' (36.6 m)
M71-R6900-RD	Red	150' (45.7 m)
M71-R6900-BL	Blue	150' (45.7 m)
M71-R6900-GN	Green	150' (45.7 m)
M71-R6900-MA	Magenta	150' (45.7 m)
M71-R6900-YL	Yellow	150' (45.7 m)

BMP®71 Print Ribbon / Material Compatibility

B-Number	Material	M71-R4300 (Black)	M71-R6000 (Black)	M71-R6200 (Black)	M71-R6400 (Black)	M71-R6600 (Black)	M71-R4400-WT (White)	M71-R6800-WT (White)	M71-R6900 (Colors)
B-109	Polyethylene Tags	●	–	▲	–	–	–	–	–
B-145	Polyethylene Tags	–	●	▲	–	–	▲	–	–
B-145FR	Polyethylene Tags	–	●	▲	–	–	▲	–	▲
B-321*	Polyolefin	–	–	●	–	–	–	–	–
B-342	PermaSleeve® Polyolefin	●	–	–	–	▲	–	–	–
B-345*	High Temp PermaSleeve®	–	▲	–	–	●	–	▲	–
B-351	Destructible Vinyl	–	▲	●	–	–	–	–	▲
B-352	Destructible Vinyl	–	●	–	–	–	–	–	▲
B-353*	Paper	●	–	–	–	–	–	–	–
B-390*	DuraSleeve® Polypropylene	–	●	–	–	–	–	–	▲
B-412	Polypropylene Tags	▲	–	●	–	–	–	–	–
B-422	Polyester	–	● UL	–	–	–	–	–	▲
B-423	Polyester	–	● UL	▲	–	–	–	–	▲
B-424	Paper	●	–	–	–	–	–	–	▲
B-425	Polypropylene	●	–	▲	–	–	–	–	–
B-426	Polyimide	●	–	–	–	–	–	–	–
B-427	Vinyl	● UL	–	▲	–	–	–	–	–
B-428	Polyester	● UL	–	▲	–	–	–	–	–
B-430	Polyester	–	● UL	▲	–	–	▲	–	▲
B-432*	Polyester	–	● UL	–	–	–	▲	–	▲
B-433*	Polyester	–	● UL	–	–	–	▲	–	▲
B-435*	Polyester	–	● UL	–	–	–	▲	–	▲
B-439*	Vinyl	–	●	▲	–	–	▲	–	▲
B-457	Polyimide	–	● UL	–	–	–	–	–	–
B-459	Polyester	–	● UL	–	–	–	–	–	–
B-472	Polyimide	●	–	▲	–	–	–	–	–
B-473	Polyester	–	● UL	–	–	–	–	–	–
B-477	Polyimide	–	● UL	–	–	–	–	–	–
B-478	Polyimide	–	● UL	–	–	–	–	–	–
B-479*	Polyimide	–	● UL	–	–	–	–	–	–
B-483	Polyester	–	● UL	–	–	–	–	–	▲
B-486	Polyester	● UL	–	▲	–	–	–	–	–
B-488	Polyester	● UL	–	▲	–	–	–	–	–
B-489	Polyester	● UL	–	▲	–	–	–	–	–
B-495*	Polyethylene Napthalate	–	● UL	–	–	–	▲	–	▲
B-498	Vinyl Cloth	▲	▲	●	–	–	–	–	–
B-499	Nylon Cloth	● UL	▲	▲	–	–	–	–	▲
B-529	Polypropylene	–	●	–	–	–	–	–	▲
B-530	Tamper Resistant	–	●	–	–	–	–	–	▲
B-581	Vinyl	–	●	–	–	–	–	–	▲
B-582	Phosphorescent	–	●	–	–	–	▲	–	▲
B-584	Reflective	–	●	–	–	–	▲	–	▲
B-593	Polyester	–	●	–	–	–	▲	–	–
B-595	Vinyl	–	●	–	–	–	–	–	▲
B-854	ToughWash™ Metal Detechable	–	●	–	–	–	–	–	–
B-855	ToughWash™ Material	–	●	–	–	–	–	–	–
B-7531*	Metalized Polyester	●	–	–	–	–	–	–	–
B-7536*	Polyester	–	–	●	–	–	–	–	–
B-7546*	Void Footprint Polyester	–	● UL	–	–	–	▲	–	▲
B-7551*	Polyester	–	–	●	–	–	–	–	–
B-7566*	Void Footprint Polyester	–	●	–	–	–	▲	–	▲
B-7576*	Void Footprint Polyester	● UL	–	–	–	–	–	–	–
B-7593*	Polyethelene	–	●	–	–	–	▲	–	▲
B-7596*	Vinyl	–	–	●	–	–	–	–	–
B-7597*	Polyethelene	●	–	–	–	–	–	–	–
B-7599*	Polyethelene Tag	●	–	–	–	–	–	–	–
B-7643*	Thermosplastic Polyether Polyurethane	●	–	–	–	▲	–	▲	–
B-7696*	Vinyl Tag	–	●	–	–	–	▲	–	▲
B-8425*	Polypropylene	–	● UL	–	–	–	–	–	▲

**Materials available for the TLS®2200 that also work in the BMP®71 Label Printer.*
For more information on Brady materials, visit www.BradyID.com/techdata.

● Rec. Ribbon for use with respective material.
▲ Acceptable ribbon for use with respective material.
UL These materials are UL recognized with its respective ribbon.

HandiMark® Label Maker Materials

www.BradyID.com/handimark

HANDIMark® Portable Label Maker

Brady continues to manufacture and fully stock the complete range of labels and accessories for the HandiMark® Portable Label Maker!

HandiMark® Printer Accesories

Catalog #	Description
42006	HandiMark AC Power Supply
TLSHM-QUICKCH	HandiMark Quick Charger
42008	Spare Battery (Std. Battery)
42007	Standard Battery Charger
42073	Super Charge (Quick charger and spare battery)
42072	Mega Charge (Quck charger, spare battery and AC Power Supply)
42009	Alcohol Cleaning Strips (5 per pkg.)
49199	Soft Case
42010	Spare Hard Carrying Case
42004	PC Connecting Cable

**Includes rechargeable battery & battery charger, hard carrying case, 1 roll of 2" sample tape, black ribbon, cleaning strip, tutorial and symbols reference chart.*

US Patent Numbers: 5,918,989; 5,951,177; 6,113,293; 6,142,686; D409,230

Durable Tapes

Easy to load ribbons



HandiMark® Print Ribbons

Super-tough, smear-proof, easy-to-load ribbons last for years outdoors.

Catalog #	Size	Color
42011	2" x 75' (51 mm x 23 m)	Black
42012	2" x 75' (51 mm x 23 m)	White
42013	2" x 75' (51 mm x 23 m)	Red
42014	2" x 75' (51 mm x 23 m)	Blue
42015	2" x 75' (51 mm x 23 m)	Green
42123	2" x 65' (51 mm x 20 m)	Yellow
42016	2" x 75' (51 mm x 23 m)	Magenta



Outdoor Grade Vinyl Tape (B-595)

Labels adhere well to pipes, walls, equipment, doors and most clean, dry surfaces. Withstands temperatures from 180°F to -40°F

Catalog #	B-#	Color	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Roll
142269	B-595	White	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
142270	B-595	White	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
142271	B-595	White	2.000 (51.2)	50 ft. (15.2 m)	1 Roll (cont.)
142272	B-595	Yellow	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
142273	B-595	Yellow	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
142274	B-595	Yellow	2.000 (51.2)	50 ft. (15.2 m)	1 Roll (cont.)
142287	B-595	Black	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
142288	B-595	Black	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
142289	B-595	Black	2.000 (51.2)	50 ft. (15.2 m)	1 Roll (cont.)
142281	B-595	Blue	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
142282	B-595	Blue	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
142283	B-595	Blue	2.000 (51.2)	50 ft. (15.2 m)	1 Roll (cont.)
142302	B-595	Clear	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
142303	B-595	Clear	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
142304	B-595	Clear	2.000 (51.2)	50 ft. (15.2 m)	1 Roll (cont.)
142296	B-595	Gold	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
142297	B-595	Gold	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
142298	B-595	Gold	2.000 (51.2)	50 ft. (15.2 m)	1 Roll (cont.)
142275	B-595	Green	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
142276	B-595	Green	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
142277	B-595	Green	2.000 (51.2)	50 ft. (15.2 m)	1 Roll (cont.)
142290	B-595	Gray	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
142291	B-595	Gray	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
142292	B-595	Gray	2.000 (51.2)	50 ft. (15.2 m)	1 Roll (cont.)
142284	B-595	Orange	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
142285	B-595	Orange	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
142286	B-595	Orange	2.000 (51.2)	50 ft. (15.2 m)	1 Roll (cont.)
142278	B-595	Red	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
142279	B-595	Red	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
142280	B-595	Red	2.000 (51.2)	50 ft. (15.2 m)	1 Roll (cont.)

Reflective Tape (B-584)

- Suitable for indoor or outdoor use
- Reflective capabilities ideal for reading labels in low light conditions with a flashlight or from a vehicle
- Ideal for utility pole and box labeling, door or rooftop equipment labeling and labels that need to be viewed from a road side

Catalog #	B-#	Color	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Roll
42062	B-584	Reflective Silver	1.000 (25.0)	33 ft. (10.0 m)	1 Roll (cont.)
42066	B-584	Reflective Orange	1.000 (25.0)	33 ft. (10.0 m)	1 Roll (cont.)
42064	B-584	Reflective Yellow	1.000 (25.0)	33 ft. (10.0 m)	1 Roll (cont.)
42063	B-584	Reflective Silver	2.000 (51.0)	33 ft. (10.0 m)	1 Roll (cont.)
42067	B-584	Reflective Orange	2.000 (51.0)	33 ft. (10.0 m)	1 Roll (cont.)
42065	B-584	Reflective Yellow	2.000 (51.0)	33 ft. (10.0 m)	1 Roll (cont.)

Repositionable Vinyl Tape (B-581)

- Vinyl tape has a special adhesive that allows easy removal of label to reapply again…and again
- Best choice for indoor marking where frequent repositioning is required, such as shelves

Catalog #	B-#	Color	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Roll
42100	B-581	White	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
42101	B-581	White	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
42102	B-581	White	2.000 (51.0)	50 ft. (15.2 m)	1 Roll (cont.)
42103	B-581	Yellow	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
42104	B-581	Yellow	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
42105	B-581	Yellow	2.000 (51.0)	50 ft. (15.2 m)	1 Roll (cont.)

Economy Polypropylene Tape (B-529)

- Ideal, low-cost label
- For use indoors on smooth, flat surfaces

Catalog #	B-#	Color	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Roll
42068	B-529	White	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
42069	B-529	White	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
42071	B-529	White	2.000 (51.0)	50 ft. (15.2 m)	1 Roll (cont.)

Tamper Resistant Tape (B-530)

- Tape destructs into tiny fragments when tampered with, making removal very tedious and difficult

Catalog #	B-#	Color	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Roll
42137	B-530	White	0.500 (13.0)	50 ft. (15.2 m)	1 Roll (cont.)
42138	B-530	White	1.000 (25.0)	50 ft. (15.2 m)	1 Roll (cont.)
42139	B-530	White	2.000 (51.0)	50 ft. (15.2 m)	1 Roll (cont.)

Did You Know? The BMP®71 Label Printer

Have you checked out the next generation of Brady printers? With the BMP®71 Label Printer the best features and functionalities of Brady's portable label printers are now combined into one easy-to-use, top-of-the-line portable thermal transfer printer

Visit **www.BradyID.com/bmp71** for more information.

I.D. PRO® Plus Materials

www.BradyID.com

U.S Patent Number D409,230

I.D. PRO® Plus
WIRE MARKER PRINTER

Brady continues to manufacture and fully stock the complete range of labels, sleeves and accessories for the I.D. Pro™ Plus Printer!

I.D. PRO® Plus Printer Accesories

Catalog #	Description
IDPRO-HC	Hard Side Carrying Case
IDPRO-BP	Battery Pack
IDPRO-BC	Battery Charger
R5300	Black High-Performance Ribbon for PermaSleeve™ and DuraSleeve™
R7300	Black High-Performance Ribbon for all labels and BradySleeve™ (Lighter Print more Smear resistant)

Adhesive Wire Marking Labels for I.D. Pro® Plus

- Labels are designed for use with the I.D. Pro™ Plus Portable Printer
- Highly durable and easily visible; perfect for all your on-site label or wire marking applications

Catalog #	Material	Approx. Wire Gauge	Label Width Inch (mm)	Label Height Inch (mm)	Max. Lines of Print	Max. Characters Across Large	Max. Characters Across Small	Labels Per Roll
WML-305-499	Nylon Cloth, Permanent Adhesive	16-22	0.500 (12.7)	0.500 (12.7)	3	3	4	500
WML-305-502	General-Purpose Vinyl Cloth	16-22	0.500 (12.7)	0.500 (12.7)	3	3	4	500
WML-505-499	Nylon Cloth, Permanent Adhesive	10-16	0.500 (12.7)	0.750 (19.05)	4	3	4	250
WML-505-502	General-Purpose Vinyl Cloth	10-16	0.500 (12.7)	0.750 (19.05)	4	3	4	250
WML-511-499	Nylon Cloth, Permanent Adhesive	10-16	1.000 (25.4)	0.750 (19.05)	4	7	10	250
WML-511-502	General-Purpose Vinyl Cloth	10-16	1.000 (25.4)	0.750 (19.05)	4	7	10	250
WML-705-499	Nylon Cloth, Permanent Adhesive	10-12	0.500 (12.7)	1.000 (25.4)	6	3	4	250
WML-705-502	General-Purpose Vinyl Cloth	10-12	0.500 (12.7)	1.000 (25.4)	6	3	4	250
WML-711-499	Nylon Cloth, Permanent Adhesive	10-12	1.000 (25.4)	1.000 (25.4)	6	7	10	250
WML-711-502	General-Purpose Vinyl Cloth	10-12	1.000 (25.4)	1.000 (25.4)	6	7	10	250
WML-905-502	General-Purpose Vinyl Cloth	6-10	0.500 (12.7)	1.250 (31.75)	8	3	4	250
WML-911-499	Nylon Cloth, Permanent Adhesive	6-10	1.000 (25.4)	1.250 (31.75)	8	7	10	250
WML-911-502	General-Purpose Vinyl Cloth	6-10	1.000 (25.4)	1.250 (31.75)	8	7	10	250

Self-Laminating Wire Marker Labels for I.D. Pro® Plus

- Vinyl labels feature clear "trailer" that wraps to protect printed text
- Resistant to oil, water, and solvents

Catalog #	Approx. Wire Gauge	Max. Wire Diameter Inch (mm)	Label Width Inch (mm)	Label Height Inch (mm)	Write-On Area Height	Lines of Print	Max. Characters Across Large	Max. Characters Across Small
WML-205-292-1	10-12	0.210 (5.3)	0.500 (12.7)	1.000 (25.4)	0.375 (9.53)	2	3	4
WML-205-292-2S*	10-14	0.185 (4.7)	0.500 (12.7)	0.750 (19.05)	0.400 (10.16)	2	3	4
WML-205-292-75	10-16	0.160 (4.1)	0.500 (12.7)	0.750 (19.05)	0.375 (9.53)	2	3	4
WML-211-292-1	10-12	0.210 (5.3)	1.000 (25.4)	1.000 (25.4)	0.375 (9.53)	2	7	10
WML-211-292-75	10-16	0.160 (4.1)	1.000 (25.4)	0.750 (19.05)	0.375 (9.53)	2	7	10
WML-305-292	6-10	0.260 (6.6)	0.500 (12.7)	1.25(31.75)	0.500 (12.7)	3	3	4
WML-305-292-2S*	6-10	0.260 (6.6)	0.500 (12.7)	1.25(31.75)	0.520 (13.21)	3	3	4
WML-311-292	6-10	0.260 (6.6)	1.000 (25.4)	1.25(31.75)	0.500 (12.7)	3	7	10
WML-317-292	6-10	0.260 (6.6)	1.500 (38.1)	1.25(31.75)	0.500 (12.7)	3	10	15

**Labels are scored in half, length-wise. The width is only .25"*

Cable Marking Labels

- Clear overlaminate is ideal for cable marking applications
- Resistant to oil, water and solvents
- Withstands temperatures from -40°F to 150°F
- Excellent for underground wiring

Catalog #	Material	Label Width Inch (mm)	Label Height Inch (mm)	Write-On Area Height	Max. Lines of Print	Max. Characters Across Large	Small	Labels Per Roll
WML-511-292	Self-Laminating Vinyl	1.000 (25.4)	2.500 (63.5)	0.750 (19.05)	4	7	10	100
WML-517-292	Self-Laminating Vinyl	1.500 (38.1)	2.500 (63.5)	0.750 (19.05)	4	10	15	100
WML-711-292	Self-Laminating Vinyl	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	6	7	10	100
WML-717-292	Self-Laminating Vinyl	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	6	10	15	100

BradySleeve™ Wire Marking Sleeves

- Exclusive topcoat "soaks up" ink & retains it permanently, without additional curing
- Durable BradySleeve markers stand up to tough conditions

Catalog #	Approx. Wire Gauge	Min. Wire Dia. Inch (mm)	Max. Wire Dia. Inch (mm)	Sleeve Width Inch (mm)	Sleeve Height Inch (mm)	Max. Lines of Print	Max. Characters Across Large	Small	Sleeves Per Roll
WMS-111-321	12-18	0.075 (1.90)	0.130 (3.30)	1.000 (25.40)	3.5(8.90)	1	7	10	500

Multiple-Across Wire Marking Strips (Approx. wire gauge - 10-14)

Catalog #	Label Material	Label Width Inch (mm)	Label Height Inch (mm)	Max. Lines of Print	Max. Characters Across Large	Small	Number of Strips Across	Qty. Per Roll Strips/Sets
WML-505-499-2S*	Nylon Cloth	0.500 (12.7)	0.750 (19.05)	4	3	4	2	500-250
WML-505-502-2S*	White Vinyl Cloth	0.500 (12.7)	0.750 (19.05)	4	3	4	2	500/250

**Labels are scored in half, length-wise. The width is only .25"*

Component & General Identification Labels

- Suitable for marking components in control panels, electronic components and circuit boards, faceplates and electrical receptacles
- Available in white vinyl cloth with a printable topcoat
- Withstands temperatures from -40˚F to 180˚F
- Resistant to oil, water and humidity
- Leaves no adhesive residue when removed
- Ideal for permanent or temporary applications

Catalog #	Label Material	Label Width Inch (mm)	Label Height Inch (mm)	Max. Lines of Print	Max. Characters Across Large	Small	Labels Per Roll
CL-105-619	Polyester	0.500 (12.7)	0.275 (7.0)	1	3	4	500
CL-111-502	Vinyl Cloth	1.000 (25.4)	0.275 (7.0)	1	7	10	500
CL-111-607	Tamper-Proof Vinyl	1.000 (25.4)	0.275 (7.0)	1	7	10	500
CL-111-619	Polyester	1.000 (25.4)	0.275 (7.0)	1	7	10	500
CL-111-969	Metallized Polyester	1.000 (25.4)	0.275 (7.0)	1	7	10	500
CL-117-619	Polyester	1.000 (25.4)	0.275 (7.0)	1	10	15	500
CL-311-502	Vinyl Cloth	1.000 (25.4)	0.500 (12.7)	3	7	10	500
CL-311-619	Polyester	1.000 (25.4)	0.500 (12.7)	3	7	10	500
CL-311-969	Metallized Polyester	1.000 (25.4)	0.500 (12.7)	3	7	10	500
CL-317-619	Polyester	1.500 (38.1)	0.500 (12.7)	3	10	15	500
CL-517-619	Polyester	1.500 (38.1)	0.750 (19.05)	4	10	15	250
CL-917-619	Polyester	1.500 (38.1)	1.250 (31.75)	8	10	15	250

Benchtop Printer Comparison

www.BradyID.com

Benchtop Printer Comparison Guide

Use the following comparison guide to quickly see which benchtop printer best fits your application needs. Then turn to the following pages to find out more about the printer, compatible materials and ribbons.

	MiniMark™ Label Printer *See Page 304*	**BBP®31 Sign & Label Printer** *See Page 308*	**BBP®33 Label Printer** *See Page 310*
Printer Specifications			
Description	Small, compact, economical entry level printer with high speed print and 300 dpi resolution.	Ultimate facility & safety printer for walk-up-and-print ease of use and ease of label changeovers. Best choice for multi-user, "Lean event" labeling situations, and centrally located print areas.	The first PC-connect only Facitlity & Safety printer with no calibration set-up, no label waste and 20-second supply changeovers. Revolutionary ease of use makes it ideal for training multiple users and saving wasted time and wasted label cost.
Applications & Comments	Facility & safety ID, signs, pipe markers, lean/5S and equipment labels.	Facility & safety ID, signs, pipe markers, lean/5S, arc flash labels, GHS & chemical labels, equipment labels, panel & pushbutton labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labeling.	Facility & safety ID, electrical, laboratory and electronics ID, signs, pipe markers, lean/5S, arc flash labels, GHS & chemical labels, equipment labels, panel & pushbutton labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labeling, wire labels & sleeves, metallized, polyimide & static dissapative labeling.
Label Material Types	Extremely aggressive 8-10 year outdoor vinyl with high tack & chemical resistance, plus 3 other materials	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, magnetic, engraved plate substitute and 8 other materials	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, engraved plate substitute, 32 other materials
Types of Labels Available	Continuous, some die cut labels	Continuous, pre-printed die cut, some general die cut labels	Continuous, pre-printed die cut, general die cut, wire labels & sleeves
Print Technology	Thermal Transfer	Thermal Transfer	Thermal Transfer
Print Resolution	300 dpi	300 dpi	300 dpi
Max Print Width	4.000"	4.000"	4.000"
Media Widths	0.500" to 4.000"	0.500" to 4.250"	0.500" to 4.250"
Minimum Label Dimension	0.500"	0.500"	0.250"
Color Printing Capabilities	Single print color on label (some pre-printed multicolor supplies also available)	Single print color on label (some pre-printed multicolor supplies also available)	Single print color on label (some pre-printed multicolor supplies also available)
Auto Cut-off	Yes	Yes	Yes
X-Y Plotter Cutting (cutting out shapes & text)	No	No	No
PC Connect or Stand Alone Operation	PC Connect only	PC Connect and Stand Alone	PC Connect only
Ribbon & label roll installation	**Labels:** Supplied in cartridge, drops into place, 20 sec changeover **Ribbon:** Loose roll, "thread-thru" required	**Labels:** Supplied in cartridge, drops into place, 15 sec changeover **Ribbon:** Supplied in cartridge, snaps into place, 5 sec changeover	**Labels:** Supplied in cartridge, drops into place, 15 sec changeover **Ribbon:** Supplied in cartridge, snaps into place, 5 sec changeover
Calibration Required?	Yes	No (no waste)	No (no waste)
Label creation & set-up	Set up steps required from drop-down list in PC Software	Automatic (printer or PC software reads data on chip and automatically sets up label size, color, fonts, etc.)	Automatic (PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Connectivity Options	Standard: Serial, Parallel, USB, Ethernet	Standard: USB, Ethernet Optional: WiFi, WiFi Direct	Standard: USB, Ethernet Optional: WiFi, WiFi Direct
Compatible Software	MarkWare™ Software, Windows® based driver for 3rd party software use*	MarkWare™ Software, Windows® based driver for 3rd party software use*	MarkWare™ Software, Labelmark™ Software, Codesoft™ Software, Windows® based driver for 3rd party software use*
Warranty	5 years	5 years	5 years

	GlobalMark®2 Label Maker *See Page 330*	**BBP®85 Sign & Label Maker** *See Page 340*
Printer Specifications		
Description	Rugged Safety & Facility ID printer with advanced capabilities of printing multiple print colors onto a label and cutting out basic shapes & text. Ideal for Lean, 5S,and Plant Reliability labeling programs as well as pipe marking and general facility ID	Larger format facility ID printer with ultimate walk-up-and-print ease of no calibration set-up, no label waste and 20-second supply changeovers. Revolutionary ease of use makes it ideal for training multiple users and saving wasted time and wasted label cost.
Applications & Comments	Facility & safety ID, signs, pipe markers, lean/5S, arc flash labels, GHS & chemical labels, equipment labels, panel labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labeling.	Large-sized labels up to 10" for signs, warnings, lean/5S, arc flash, GHS chemical labels, equipment & panel labels, roll form pipe markets, reflective and glow-in-the-dark labels
Label Material Types	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark and 9 other materials	Extremely agressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus reflective, 10-hour glow-in-the-dark and polyester.
Types of Labels Available	Continuous, pre-printed die cut labels	Continuous material and pre-printed die cut labels
Print Technology	Thermal Transfer	Thermal Transfer
Print Resolution	300 dpi	300 dpi
Max Print Width	4.000"	10.000"
Media Widths	0.500" to 4.250"	4.000" to 10.000"
Minimum Label Dimension	0.500"	4.000"
Color Printing Capabilities	Multiple print colors (some pre-printed multicolor supplies also available)	Single print color on label (some pre-printed multicolor supplies also available)
Auto Cut-off	Yes	Yes
X-Y Plotter Cutting (cutting out shapes & text)	Yes (Color & Cut model)	No
PC Connect or Stand Alone Operation	PC Connect and Stand Alone	PC Connect and Stand Alone
Ribbon & label roll installation	**Labels:** Supplied in cartridge, drops into place, 15 sec changeover **Ribbon:** Supplied in cartridge, snaps into place, 5 sec changeover	**Labels:** Supplied in cartridge with smart chip, 15 sec changeover **Ribbon:** Supplied on geared snap-in rolls with smart chip, 5 sec changeover
Calibration Required?	No (no waste)	No
Label creation & set-up	Automatic (printer or PC reads data on chip and automatically sets up label size, color, fonts, etc.)	Automatic (printer or PC reads data on chip and automatically sets up label size, color, fonts, etc.)
Connectivity Options	Standard: USB	Standard: USB, Ethernet Optional: WiFi, WiFi Direct
Compatible Software	MarkWare™ Software, Windows® based driver for 3rd party software use*	MarkWare™ Software, Windows® based driver for 3rd party software use*
Warranty	5 years	5 years

MiniMark™ Industrial Label Printer

www.BradyID.com/minimark

View Online!

Visit **www.BradyID.com/minimark** for more information on the MiniMark™ Industrial Label Printer.

Your Complete Printing Solution:

MiniMark Label Rolls ..... Page 306
MiniMark Print Ribbons ..... Page 307

MINIMARK™ INDUSTRIAL LABEL PRINTER

The Brady MiniMark™ Industrial Label Printer offers an affordable sign and label making solution that is compact, fast, and incredibly versatile. You won't believe how powerful and easy Brady's MarkWare Express Software is until you try it!

- APPLICATIONS – Signs, Pipe Markers, Equipment ID, Racks & Shelving, and more!
- VERSATILE – Uses continuous tapes for multiple applications
- POWERFUL – Ships with Brady's MarkWare Express Software
- FAST – Prints up to three inches per second
- EASY-LOAD-SUPPLIES – Arrive pre-loaded on spindles with flanges to prevent telescoping tape. Drop-in ease of loading.
- COMPACT – Doesn't take up a lot of space in work areas
- SOFTWARE COMPATABILITY – Ships with MarkWare™ Express Software but can also be used with MarkWare Standard Software and MarkWare Lean Software
- CUTTER – Built-in cutter minimizes waste

MarkWare™ Express Software

(Express version of software ships with every MiniMark Printer.)

The ultimate sign and pipe marker database.

Markware™ Express Software contains thousands of pre-made pipe markers, OSHA signs, and labels ready to print as-is or customize with a click of your mouse! Fast. Accurate. Amazing!

- Signs, labels, tags, pipe markers and more - all pre-made and ready to print or customize
- Thousands of stock legends
- 1-Click translation of your selected sign or pipemarker into French or Spanish
- High-speed seach gives you instand access
- OSHA and ANSI sign formats, ANSI-ASME Pipe Markers

The Next Small Thing in Fast Labeling

Labels

Pipe & Valve ID

General ID

Panel & Enclosure ID

Bin & Storage ID

Lean / 5S Labeling

MiniMark™ Industrial Label Printer

www.BradyID.com/minimark

MiniMark™ Industrial Label Printer Specifications	
Description	Small, compact, economical entry level printer with high speed print and 300 dpi resolution.
Applications & Comments	Facility & safety ID, signs, pipe markers, lean/5S and equipment labels.
Label Material Types	Extremely aggressive 8-10 year outdoor vinyl with high tack & chemical resistance, plus 3 other materials
Types of labels available	Continuous, some die cut labels
Print Technology	Thermal Transfer
Print Resolution	300 dpi
Max Print Width	4.000"
Media Widths	0.500" to 4.000"
Minimum Label Dimension	0.500"
Color Printing Capabilities	Single print color on label (some pre-printed multicolor supplies also available)
Auto Cut-off	Yes
X-Y Plotter Cutting (cutting out shapes & text)	No
PC Connect or Stand Alone Operation	PC Connect only
Ribbon & label roll installation	**Labels:** Supplied in cartridge, drops into place, 20 sec changeover **Ribbon:** Loose roll, "thread-thru" required
Calibration Required?	Yes
Label creation & set-up	Set up steps required from drop-down list in PC Software
Connectivity Options	Standard: Serial, Parallel, USB, Ethernet
Compatible Software	MarkWare™ Software, Windows® based driver for 3rd party software use*
Warranty	5 years

MiniMark™ Printer and Accessories

Catalog #	Description
52041	MiniMark™ Industrial Label Printer*
134109	MiniMark Printer* + MarkWare Standard Software
134110	MiniMark Printer* + MarkWare Lean Software
64692	Thermal Print Head Cleaning Pen
105089	**General Industrial Supplies Starter Package** *(Printer Sold Separately)* *Contents: MarkWare™ software; 2 rolls each of 4" white and yellow vinyl; 2 rolls each of 2.25" white and yellow vinyl; 2 rolls each of 1.125"white and yellow vinyl; and 8 rolls (4 pkgs.) of black ribbon All vinyl is B-595 vinyl.*
105088	**Pipe Marker Supplies Starter Package** *(Printer Sold Separately)* *Contents: MarkWare™ software; 3 rolls of 4" yellow vinyl; 1 roll each of 4" red, green, and blue vinyl; 3 rolls of 2.25" yellow vinyl; 1 roll each of 2.25" red, green, and blue vinyl; 1 roll each of 1.125" yellow, red, green, and blue vinyl; and 6 rolls each (3 pkgs. each) of black and white ribbon. All vinyl is B-595 vinyl.*

**Printer ships with Markware Express Software, USB cable, and cleaning kit.*

MiniMark™ Software Solutions:

MarkWare™ Facility Identification Software

Create custom safety signs & labels including pipe markers, ANSI signs, Lockout tags, GHS labels, RTK chemical labels and custom labels with barcodes and graphics. Built-in graphics and 2,000 chemical database for RTK. Pre-formatted GHS label templates. *View page 356 for more information.*

MarkWare™ Lean Software

Includes all the features and functions of Markware Standard plus new tools to support and sustain your lean transformation. Post critical information at the oint of use when implementing 5S, Total Productive Maintenance, Standard Work, Kanban or other lean concepts. *View page 356 for more information.*

Brady360® 5 Year Warranty

We have you Covered.

BRADY 360 NEW! 5 YEAR WARRANTY

We always stand behind our products to make sure they exceed your expectations and to deliver you an unrivaled customer experience—that's why there is the Brady 360® program. We've strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.* With a team of 30 certified tech support and repair technicians and our 5-year warranty backing you up, you can rest assured you'll have the support you need—every step of the way.

Free 5-year warranty standard on Benchtop models* covers:

- Repair parts & labor
- One print head replacement
- Free loaner printer during repairs
- Free return shipping after repair
- Free Brady 360® stress-free printer setup session
- Free lifetime technical support via phone and email
- Free lifetime printer firmware upgrades
- One free Brady 360® preventative maintenance service

Access to additional fee-based support:

- On-site repair service
- On-site custom set-up and training
- Additional print head coverage (after the first free replacement)
- Advanced custom integration, programming support and template creation

**Excludes repairs due to negligence. Excludes Wraptor™ model and handheld models. See www.BradyID.com/brady360 for full coverage details & restrictions.*

MiniMark™ Label Materials

www.BradyID.com/minimark

B-595 Indoor/Outdoor Grade Vinyl

- Ideal for 5S labels, pipe markers, safety & warning labels, panel & equipment labels, arc flash labels, chemical labeling and more
- Conforms well to irregular, curved, rough and highly textured surfaces while adhering to “difficult” low-surface energy items including PVC piping, blow-molded equipment cases, ABS plastics, and recycled plastics
- Low-shrink vinyl minimizes the amount of unsightly dust and grime buildup
- 8-10 year average outdoor durability in temperatures from -40°F to 180°F (-40°C to 82°C). Labels can be applied in temperatures from 0°F to 180°F
- Patent Number D481.414

Figure 33b

	4.000”x100’ (101.6mm x 30.48m)	3.000”x100’ (76.2mm x 30.48m)	2.250”x100’ (57.2mm x 30.48m)	1.125”x100’ (28.6mm x 30.48m)	0.500”x100’ (12.7mm x 30.48m)
White	113182	113183	113184	113185	113186
Yellow	113191	113192	113193	113194	113195
Red	113196	–	113197	113198	113199
Blue	113208	–	113209	113210	113211
Green	113204	–	113205	113206	113207
Black	113212	–	113213	113214	113215
Brown	115759	–	115760	115761	115762
Gold	115755	–	115756	115757	115758
Grey	113218	–	113219	115753	115754
Purple	113216	–	113217	115751	115752
Orange	113200	–	113201	113202	113203
Clear	113187	–	113188	113189	113190

B-7569 General Purpose Indoor/Outdoor Vinyl

- Excellent for facility, safety, chemical and lean 5S labaling
- Five year average outdoor durability in temperatures from -40°F to 180°F (-40°C to 82°C). Labels can be applied in temperatures from 0°F to 180°F
- Patent Number D481.414

Figure 33b

	4” x 110’ (101.6 mm x 33.5 m)	2.25” x 110’ (57.2 mm x 33.5 m)	1.125” x 110’ (28.6 mm x 33.5 m)
White	120861	120854	120847
Yellow	120862	120855	120848
Red	120863	120856	120849
Blue	120865	120858	120851
Green	120864	120857	120850
Black	120867	120860	120853
Orange	120866	120859	120866

B-438 Tamper-Evident Metallized Polyester

- Permanent adhesive
- Tape destructs into tiny fragments when tampered with, making removal very tedious and difficult



Figure 29

Diagram	Catalog #	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Fig. 29	52148	B-438	Silver	2.000 (50.8)	1.000 (25.4)	1	1,240	105031
Fig. 29	52149	B-438	Silver	3.000 (76.2)	1.000 (25.4)	1	1,225	105031
Fig. 29	52150	B-438	Silver	3.000 (76.2)	2.000 (50.8)	1	650	105031
Fig. 29	52152	B-438	Silver	3.000 (76.2)	110 ft. (33.5 m)		1 Roll (cont.)	105031

B-595 Pre-Print Header Stripe Supply For Arc Flash Labels And Signs

- Pre-printed continuous stripe on top portion of white vinyl, then supply is cut-to-length according to length of text entered
- Ideal for printing Arc Flash labels and other signs using Markware™ Software
- Use ribbons for B-595 Heavy Duty Vinyl



Figure 71

Diagram	Catalog #	Material	Stripe Color	Label Height A Inch (mm)	Roll Length B Feet (m)	Stripe Width C Inch (mm)	Labels Per Roll
Fig. 71	113221	B-595	Red	4.000 (101.6)	100 ft. (30.48m)	1.000 (25.4)	1 Roll (cont.)
Fig. 71	113222	B-595	Orange	4.000 (101.6)	100 ft. (30.48m)	1.000 (25.4)	1 Roll (cont.)
Fig. 71	113220	B-595	Yellow	4.000 (101.6)	100 ft. (30.48m)	1.000 (25.4)	1 Roll (cont.)
Fig. 71	113225	B-595	Red	3.000 (76.2)	100 ft. (30.48m)	0.750 (19.05)	1 Roll (cont.)
Fig. 71	113227	B-595	Orange	3.000 (76.2)	100 ft. (30.48m)	0.750 (19.05)	1 Roll (cont.)
Fig. 71	113226	B-595	Yellow	3.000 (76.2)	100 ft. (30.48m)	0.750 (19.05)	1 Roll (cont.)
Fig. 71	113230	B-595	Red	2.250 (57.15)	100 ft. (30.48m)	0.500 (12.7)	1 Roll (cont.)
Fig. 71	113228	B-595	Orange	2.250 (57.15)	100 ft. (30.48m)	0.500 (12.7)	1 Roll (cont.)
Fig. 71	113229	B-595	Yellow	2.250 (57.15)	100 ft. (30.48m)	0.500 (12.7)	1 Roll (cont.)

B-427 Self Laminating Vinyl Wire And Cable Markers

Ideal for marking data cabling, this cable marker's protected printing offers superior abrasion resistance and resistance to dirt, oils, solvents and water. Marker features a clear, non-printed area which wraps around and overlaminates the printed text. Printer automatically "multiple repeats" your text in the white print area. B-427 Vinyl Self Laminating material.

- Resistant to abrasion, water, oil and solvents
- Temp range -94˚F to 158˚F (-70˚C to 70˚C)
- UL recognized



Figure 42

Diagram	Catalog #	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Write-On Area C Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Fig. 42	52153	B-427	White	0.500 (12.7)	1.25 (31.8)	0.500 (12.7)	4	2,800	105031
Fig. 42	52155	B-427	White	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	4	3,275	105031
Fig. 42	52156	B-427	White	1.000 (25.4)	1.250 (31.8)	0.500 (12.7)	4	2,780	105031
Fig. 42	52157	B-427	White	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	4	1,485	105031
Fig. 42	52158	B-427	White	1.500 (38.1)	2.500 (63.5)	0.750 (19.1)	4	1,000	105031

MiniMark™ Print Ribbons

MiniMark™ Print Ribbons For B-595 Vinyl

- Hassle-free! Pre-loaded onto spindles with "keyed" end caps. Ribbons install faster and always facing the correct direction
- Tough, smear proof ribbons that produce long-lasting printed text
- Withstands years in industrial and outdoor areas

Ribbons For B-595 Vinyl

Catalog #	Roll Size	Color	Rolls Per Pkg.
103026	4" x 290'	White	2
103025	4" x 290'	Black	2
103027	4" x 290'	Red	2
103029	4" x 290'	Green	2
103030	4" x 290'	Yellow	2
103028	4" x 290'	Blue	2
103031	4" x 290'	Orange	2

MiniMark™ Print Ribbons for B-7569 Vinyl

- Tough, smear proof ribbons that produce long-lasting printed text
- Withstands years in industrial and outdoor areas

Ribbons For B-7569 Vinyl

Catalog #	Roll Size	Color	Rolls Per Pkg.
52044	4.4" x 290'	White	2
52042	4.4" x 290'	Black	2
52045	4.4" x 290'	Red	2
52059	4.4" x 290'	Green	2
52047	4.4" x 290'	Blue	2

BBP®31 Sign & Label Printer

www.BradyID.com/bbp31

BBP®31
SIGN & LABEL PRINTER

Fast. Simple. Powerfully Versatile.

The way label making should be.

Walk-up-and-print for ultimate ease of use

- Still the easiest! Just walk up and print. Literally. The best choice for facility and safety and lean/5S "Kaizen event" labeling
- Safety, facility and lean/5S applications – 300 parts, 13 materials
- Stand-alone operation ideal for mobile use and "lean events"
- Intuitive, simple to learn, very approachable – ideal for multi-user situations, events, and centrally located print stations
- Stand-alone use or PC-Connect use all in one printer
- Compatible with powerful MarkWare™ PC software, plus has Windows® based driver for 3rd party software use (ex: print from MSWord)

View Online!

Visit **www.BradyID.com/bbp31** for more information on the BBP®31 Sign & Label Printer.

Your Complete Printing Solution:

BBP31 Label Materials.....Page 312
BBP31 Print Ribbons.....Page 329

Automatic label setup with no calibration

The printer "reads" information from your cartridges and automatically sets up the label correctly in the printer or your Brady software.

- No sensor adjustment or calibration (or wasted materials!)
- No print speed or burn temp trials and errors (or wasted materials!)
- No scrolling through lists searching for label part
- No need to set up label dimensions in software

20-second material changeovers

- Ribbon and label changeovers, in as fast as 20 seconds!
- Foolproof "drop-in" ribbon and label cartridges (anyone can do it!)
- No threading the ribbon around spools and printheads
- Ink side of ribbon always faces the right way
- Easy-to-handle cartridges that won't roll away or get damaged

Just walk up and print. So simple, your whole team can use it!

Pipe Marking

GHS Labeling

Safety Tags

Lean / 5S Labeling

Safety Signs

Equipment & Panel Labeling

BBP®31 Printer Specifications	
Description	Ultimate facility & safety printer for walk-up-and-print ease of use and ease of label changeovers. Best choice for multi-user, "Lean event" labeling situations, and centrally located print areas.
Applications & Comments	Facility & safety ID, signs, pipe markers, lean/5S, arc flash labels, GHS & chemical labels, equipment labels, panel & pushbutton labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labeling.
Label Material Types	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, magnetic, engraved plate substitute and 8 other materials
Types of labels available	Continuous, pre-printed die cut, some general die cut labels
Print Technology	Thermal Transfer
Print Resolution	300 dpi
Max Print Width	4.000"
Media Widths	0.500" to 4.250"
Minimum Label Dimension	0.500"
Color Printing Capabilities	Single print color on label (some pre-printed multicolor supplies also available)
Auto Cut-off	Yes
X-Y Plotter Cutting (cutting out shapes & text)	No
PC Connect or Stand Alone Operation	PC Connect and Stand Alone
Ribbon & label roll installation	**Labels:** Supplied in cartridge, drops into place, 15 sec changeover **Ribbon:** Supplied in cartridge, snaps into place, 5 sec changeover
Calibration Required?	No (no waste)
Label creation & set-up	Automatic (printer or PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Connectivity Options	Standard: USB, Ethernet Optional: WiFi, WiFi Direct
Compatible Software	MarkWare™ Software, Windows® based driver for 3rd party software use*
Warranty	5 years

U.S. Patent Nos. 5,823,689; 6,570,602. Additional Patents Pending.

"Printer Plus Tape" Starter Packs also available on page 328.

BBP®31 Sign & Label Printer and Accessories

Catalog #	Description
BBP31	BBP31 Sign & Label Printer*
BBP31-MWS	BBP31 Printer* and MarkWare™ Std Software
BBP31-MWL	BBP31 Printer* and MarkWare™ Lean Software
120994	Rolling case w/ handle and supplies pockets for benchtop printers
B31-WIPER	5 pack of extra media wipers
B31-CCT	3 pack of extra cutter cleaning tools
64692	Thermal Print Head Cleaning Pen
Printer and Tape Starter Packs - View kit contents on page 328.	
BBP31-ARCFLASH-KIT	BBP31 Printer* w/ Arc Flash Supply Kit
BBP31-SFTY-KIT	BBP31 Printer* w/ Safety & Compliance Supply Kit
BBP31-LEANVW-KIT	BBP31 Printer* w/ 5S Visual Workplace Supply Kit
BBP31-PIPE-KIT	BBP31 Printer* w/ Pipe ID Supply Kit
BBP31-GENIND-KIT	BBP31 Printer* w/ General Industrial 5S Supply Kit

** BBP31 Sign & Label Printer ships with printer, power cord, USB cable, drivers CD, stylus, cleaning kit, cutter cleaning tool, quick start guide and documentation holder*

BBP®31 Software Solutions:

MarkWare™ Facility Identification Software

Create custom safety signs & labels including pipe markers, ANSI signs, Lockout tags, GHS labels, RTK chemical labels and custom labels with barcodes and graphics. Built-in graphics and 2,000 chemical database for RTK. Pre-formatted GHS label templates. *View page 356 for more information.*

Brady360® 5 Year Warranty
We have you Covered.

BRADY 360 NEW! 5 YEAR WARRANTY

We always stand behind our products to make sure they exceed your expectations and to deliver you an unrivaled customer experience—that's why there is the Brady 360® program. We've strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.* With a team of 30 certified tech support and repair technicians and our 5-year warranty backing you up, you can rest assured you'll have the support you need—every step of the way.

Free 5-year warranty standard on Benchtop models* covers:
- Repair parts & labor
- One print head replacement
- Free loaner printer during repairs
- Free return shipping after repair
- Free Brady 360® stress-free printer setup session
- Free lifetime technical support via phone and email
- Free lifetime printer firmware upgrades
- One free Brady 360® preventative maintenance service

Access to additional fee-based support:
- On-site repair service
- On-site custom set-up and training
- Additional print head coverage (after the first free replacement)
- Advanced custom integration, programming support and template creation

**Excludes repairs due to negligence. Excludes Wraptor™ model and handheld models. See www.BradyID.com/brady360 for full coverage details & restrictions.*

BBP®33 Label Printer

www.BradyID.com/bbp33

View Online!

Visit **www.BradyID.com/bbp33** for more information on the BBP33 Label Printer.

Your Complete Printing Solution:

BBP33 Label Materials.....Page 312
BBP33 Print Ribbons.....Page 329

BBP®33 LABEL PRINTER

Unbelievably easy. No wasted labels.

The way label making should be.

Introducing the BBP®33 Label Printer - and a whole new way to make labels. No more tedious, time-consuming setups or calibrations. No more difficult-to-load materials. No more wasted labels. No more hassles. This PC-connect only printer is so simple to use, most of our customers don't even believe us the first time we show them. But believe it, because it really is that easy.

It's an industrial label printer that's simple, powerful and brilliantly fast. Exactly the way label making should be.

No calibration. No wasted labels.

- The printer "reads" your cartridges and then automatically sets up the label correctly in your Brady software.
- No wasted labels (hits the first label!)
- No sensor adjustment
- No need to specify if gapped or notched supply
- No print speed or burn temp trials and errors
- No need to set up label dimensions in software
- No importing label file patches into software
- No scrolling through lists to select your label part

20 second material changeovers

- Ribbon and label changeovers, in as fast as 20 seconds!
- Foolproof "drop-in" ribbon and label cartridges
- No threading the ribbon around spools and printheads
- Ink side of ribbon always faces the right way
- Easy-to-handle cartridges that won't roll away or get damaged

Impressive material lineup

- With over 500 parts and 39 materials, this printer meets your primary labeling needs, and so much more.
- Safety & arc flash labels AND wire & panel labels
- Pipe markers & 5S labels AND general purpose die cut labels
- Production line facility labels AND rating plates & circuit board labels

Brady Materials Made To Impress.

Industrial Labeling

Arc Flash Labeling

Circuit Board Labeling

Product Identification Labels

Raised Panel Labeling

Wire & Cable Labels and more!

BBP®33 Printer Specifications	
Description	The first PC-connect only Facitlity & Safety printer with no calibration set-up, no label waste and 20-second supply changeovers. Revolutionary ease of use makes it ideal for training multiple users and saving wasted time and wasted label cost.
Applications & Comments	Facility & safety ID, electrical, laboratory and electronics ID, signs, pipe markers, lean/5S, arc flash labels, GHS & chemical labels, equipment labels, panel & pushbutton labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labeling, wire labels & sleeves, metallized, polyimide & static dissapative labeling.
Label Material Types	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, engraved plate substitute, 32 other materials
Types of labels available	Continuous, pre-printed die cut, general die cut, wire labels & sleeves
Print Technology	Thermal Transfer
Print Resolution	300 dpi
Max Print Width	4.000"
Media Widths	0.500" to 4.250"
Minimum Label Dimension	0.250"
Color Printing Capabilities	Single print color on label (some pre-printed multicolor supplies also available)
Auto Cut-off	Yes
X-Y Plotter Cutting (cutting out shapes & text)	No
PC Connect or Stand Alone Operation	PC Connect only
Ribbon & label roll installation	**Labels:** Supplied in cartridge, drops into place, 15 sec changeover **Ribbon:** Supplied in cartridge, snaps into place, 5 sec changeover
Calibration Required?	No (no waste)
Label creation & set-up	Automatic (PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Connectivity Options	Standard: USB, Ethernet Optional: WiFi, WiFi Direct
Compatible Software	MarkWare™ Software, Labelmark™ Software, Codesoft™ Software, Windows® based driver for 3rd party software use*
Warranty	5 years

U.S. Patent Nos. 5,823,689; 6,570,602. Additional Patents Pending.

BBP®33 Label Printer and Accessories

Catalog #	Description
BBP33-C	BBP®33 Label Printer* with Auto cutter
BBP33-C-LMP	BBP33 Label Printer* with Auto cutter and LabelMark™5 Software
BBP33-C-MWS	BBP33 Label Printer* with Auto cutter and MarkWare™ Software
BBP33-C-LMP-MWS	BBP33 Label Printer* with Auto cutter, LabelMark™5 Software and MarkWare™ Software
120994	Rolling case w/ handle and supplies pockets for benchtop printers
B31-WIPER	5 pack of extra media wipers
B31-CCT	3 pack of extra cutter cleaning tools
64692	Thermal Print Head Cleaning Pen

** BBP33 Label Printer ships with printer, power cord, USB cable, drivers CD, stylus, cleaning kit, cutter cleaning tool and quick start guide.*

BBP®33 Software Solutions:

MarkWare™ Facility Identification Software

Create custom safety signs & labels including pipe markers, ANSI signs, Lockout tags, GHS labels, RTK chemical labels and custom labels with barcodes and graphics. Built-in graphics and 2,000 chemical database for RTK. Pre-formatted GHS label templates. *View page 356 for more information.*

LabelMark™ Labeling Software

Robust software solution for label design, data importing, editing and printing. Written specifically for wire and data comm ID, ADM labeling and general industrial applications. *View page 356 for more information.*

CodeSoft™ Label Design Software

Available separately, this powerful enterprise level label creation software features more extensive capabilities for integration with 3rd party software applications. *View page 357 for more information.*

Brady360® 5 Year Warranty
We have you Covered.

NEW! BRADY 360° 5 YEAR WARRANTY

We always stand behind our products to make sure they exceed your expectations and to deliver you an unrivaled customer experience—that's why there is the Brady 360® program. We've strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.* With a team of 30 certified tech support and repair technicians and our 5-year warranty backing you up, you can rest assured you'll have the support you need—every step of the way.

Free 5-year warranty standard on Benchtop models* covers:
- Repair parts & labor
- One print head replacement
- Free loaner printer during repairs
- Free return shipping after repair
- Free Brady 360® stress-free printer setup session
- Free lifetime technical support via phone and email
- Free lifetime printer firmware upgrades
- One free Brady 360® preventative maintenance service

Access to additional fee-based support:
- On-site repair service
- On-site custom set-up and training
- Additional print head coverage (after the first free replacement)
- Advanced custom integration, programming support and template creation

**Excludes repairs due to negligence. Excludes Wraptor™ model and handheld models. See www.BradyID.com/brady360 for full coverage details & restrictions.*

BBP®31 and BBP®33 Materials

www.BradyID.com/bbp33

BBP®31 and BBP®33 General Identification Materials:

B-595 Pre-Printed Pre-Cut Blank Sign Headers

- Allows printer to create multicolor signs fast - in a single print pass
- Headers meet NFPA 70E, OSHA 1910.145 and ASME/ANSI Z535 standards
- Indoor/outdoor grade material conforms to rough, highly textured, and "difficult to adhere to" surfaces

Service temp: -40ºF to 180ºF Application temp: 0ºF to 180ºF
Average Outdoor Durability: 8-10 years

Use these supplies with templates in the BBP®33 printer & MarkWare™ Software for arc flash labels and safety warning labels



Figure 70

Print your own valve tag! View page 350 for blank rigid valve tags!

Fits Printer Model(s)	Diagram	Catalog #	B#	Material	Header	Label Height A Inch (mm)	Label Width B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 70	B30-241-595-OSHADA	B-595	Vinyl	DANGER	2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
BBP31, BBP33	Fig. 70	B30-25-595-OSHADA	B-595	Vinyl		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
BBP31, BBP33	Fig. 70	B30-241-595-OSHACA	B-595	Vinyl	CAUTION	2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
BBP31, BBP33	Fig. 70	B30-25-595-OSHACA	B-595	Vinyl		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
BBP31, BBP33	Fig. 70	B30-241-595-ANSICA	B-595	Vinyl	CAUTION	2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
BBP31, BBP33	Fig. 70	B30-25-595-ANSICA	B-595	Vinyl		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
BBP31, BBP33	Fig. 70	B30-241-595-ANSIDA	B-595	Vinyl	DANGER	2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
BBP31, BBP33	Fig. 70	B30-25-595-ANSIDA	B-595	Vinyl		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
BBP31, BBP33	Fig. 70	B30-241-595-ANSIWA	B-595	Vinyl	WARNING	2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
BBP31, BBP33	Fig. 70	B30-25-595-ANSIWA	B-595	Vinyl		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
BBP31, BBP33	Fig. 70	B30-241-595-ANSINO	B-595	Vinyl	NOTICE	2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
BBP31, BBP33	Fig. 70	B30-25-595-ANSINO	B-595	Vinyl		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
BBP31, BBP33	Fig. 70	B30-242-595-BLNKWT	B-595	Vinyl		1.125 (28.6) *	2.850 (72.4)	1	300	B30-R10000
BBP31, BBP33	Fig. 70	B30-241-595-BLNKWT	B-595	Vinyl		2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
BBP31, BBP33	Fig. 70	B30-219-595-BLNKWT	B-595	Vinyl		2.250 (57.5) *	3.850 (97.8)	1	250	B30-R10000
BBP31, BBP33	Fig. 70	B30-25-595-BLNKWT	B-595	Vinyl		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
BBP31, BBP33	Fig. 70	B30-241-595-BLNKYL	B-595	Vinyl		2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
BBP31, BBP33	Fig. 70	B30-25-595-BLNKYL	B-595	Vinyl		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000

**Label pre-sized to fit blank rigid valve tags (page 350) but can also be used on its own as general purpose label.*
Visit www.BradyID.com for information on Valve Tag Kit (catalog #142133).

BBP®31 and BBP®33 General Identification Materials:

B-551 Non-Adhesive Pre-Printed & Pre-Cut Safety Tags

- Non-adhesive semi rigid card stock
- Tags are pre-cut with hole and chamfered corners
- Micro-perforated between tags to separate cleanly
- Snap-in plastic grommets available for extra strength around mounting hole

Service temp: -40ºF to 180ºF Application temp: 0ºF to 180ºF
Average Outdoor Durability: 8-10 years



Figure 69

Fits Printer Model(s)	Diagram	Catalog #	B#	Header	Tag Width A Inch (mm)	Tag Height B Inch (mm)	Tags Per Row	Tags Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 69	B30-255-551-ANSIDA	B-551	DANGER	3.250 (82.6)	5.750 (146.1)	1	100	B30-R10000
BBP31, BBP33	Fig. 69	B30-255-551-OSHADA	B-551	DANGER	3.250 (82.6)	5.750 (146.1)	1	100	B30-R10000
BBP31, BBP33	Fig. 69	B30-255-551-ANSICA	B-551	CAUTION	3.250 (82.6)	5.750 (146.1)	1	100	B30-R10000
BBP31, BBP33	Fig. 69	B30-255-551-WHT	B-551		3.250 (82.6)	5.750 (146.1)	1	100	B30-R10000

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®31 and BBP®33 General Identification Materials:

B-595 Indoor/Outdoor Vinyl

- For general facility and safety identification: Our best industrial vinyl yet
- Durable, low-shrink vinyl with our most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces)
- Adheres to "difficult" low-surface energy items (PVC piping, blow-molded equipment cases, ABS plastics, recycled plastics)

Service temp: -40ºF to 180ºF Application temp: 0ºF to 180ºF
Average Outdoor Durability: 8-10 year outdoor vinyl label durability.



Figure 33

Facility and Safety Applications:

5S Labels
Pipe Markers
Safety & Warning Labels
Equipment & Panel Labels
Arc Flash & Chemical Labels
And More!

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 33	B30C-500-595-WT	B-595	White	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-595-WT	B-595	White	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-595-WT	B-595	White	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-3000-595-WT	B-595	White	3.000 (76.2)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-595-WT	B-595	White	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-595-YL	B-595	Yellow	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-595-YL	B-595	Yellow	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-595-YL	B-595	Yellow	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-3000-595-YL	B-595	Yellow	3.000 (76.2)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-595-YL	B-595	Yellow	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-595-RD	B-595	Red	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-595-RD	B-595	Red	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-595-RD	B-595	Red	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-595-RD	B-595	Red	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-595-BL	B-595	Blue	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-595-BL	B-595	Blue	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-595-BL	B-595	Blue	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-595-BL	B-595	Blue	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-595-GN	B-595	Green	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-595-GN	B-595	Green	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-595-GN	B-595	Green	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-595-GN	B-595	Green	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-595-OR	B-595	Orange	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-595-OR	B-595	Orange	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-595-OR	B-595	Orange	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-595-OR	B-595	Orange	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-595-BK	B-595	Black	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-595-BK	B-595	Black	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-595-BK	B-595	Black	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-595-BK	B-595	Black	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-595-BR	B-595	Brown	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-595-BR	B-595	Brown	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-595-BR	B-595	Brown	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-595-BR	B-595	Brown	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-595-GD	B-595	Gold	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-595-GD	B-595	Gold	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-595-GD	B-595	Gold	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-595-GD	B-595	Gold	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-595-GY	B-595	Gray	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-595-GY	B-595	Gray	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-595-GY	B-595	Gray	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-595-GY	B-595	Gray	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-595-PL	B-595	Purple	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-595-PL	B-595	Purple	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-595-PL	B-595	Purple	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-595-PL	B-595	Purple	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-595-CL	B-595	Clear	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-595-CL	B-595	Clear	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-595-CL	B-595	Clear	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-595-CL	B-595	Clear	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000

U.S. Patent Nos. 5,823,689; 6,570,602. Additional Patents Pending.
View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®31 and BBP®33 Materials

www.BradyID.com/bbp33

BBP®31 and BBP®33 General Identification Materials:

B-569 Low-Halide Polyester

- Low-halide content for labeling stainless steel pipes and surfaces
- Applies best to very smooth surfaces and ideal for mounting to rigid panels

Service temp: -40ºF to 212ºF Application temp: 0ºF to 212ºF
Average Outdoor Durability: 3-5 years



Figure 33

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 33	B30C-500-569-WT	B-569	White	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-569-WT	B-569	White	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-569-WT	B-569	White	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-3000-569-WT	B-569	White	3.000 (76.2)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-569-WT	B-569	White	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-569-YL	B-569	Yellow	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-569-YL	B-569	Yellow	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-569-YL	B-569	Yellow	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-569-YL	B-569	Yellow	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-569-RD	B-569	Red	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-569-RD	B-569	Red	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-569-RD	B-569	Red	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-569-RD	B-569	Red	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-569-BL	B-569	Blue	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-569-BL	B-569	Blue	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-569-BL	B-569	Blue	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-569-BL	B-569	Blue	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-569-LB	B-569	Light Blue	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-569-LB	B-569	Light Blue	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-569-LB	B-569	Light Blue	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-569-LB	B-569	Light Blue	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-569-SB	B-569	Sky Blue	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-569-SB	B-569	Sky Blue	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-569-SB	B-569	Sky Blue	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-569-SB	B-569	Sky Blue	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-569-GN	B-569	Green	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-569-GN	B-569	Green	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-569-GN	B-569	Green	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-569-GN	B-569	Green	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-569-OR	B-569	Orange	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-569-OR	B-569	Orange	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-569-OR	B-569	Orange	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-569-OR	B-569	Orange	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-569-BK	B-569	Black	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-569-BK	B-569	Black	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-569-BK	B-569	Black	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-569-BK	B-569	Black	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-569-BR	B-569	Brown	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-569-BR	B-569	Brown	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-569-BR	B-569	Brown	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-569-BR	B-569	Brown	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-569-OC	B-569	Ochre	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-569-OC	B-569	Ochre	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-569-OC	B-569	Ochre	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-569-OC	B-569	Ochre	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-569-TN	B-569	Tan	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-569-TN	B-569	Tan	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-569-TN	B-569	Tan	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-569-TN	B-569	Tan	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-569-GY	B-569	Gray	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-569-GY	B-569	Gray	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-569-GY	B-569	Gray	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-569-GY	B-569	Gray	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-569-PL	B-569	Purple	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-1125-569-PL	B-569	Purple	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-2250-569-PL	B-569	Purple	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-4000-569-PL	B-569	Purple	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000-WT
BBP31, BBP33	Fig. 33	B30C-500-569-PK	B-569	Pink	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-569-PK	B-569	Pink	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-569-PK	B-569	Pink	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-569-PK	B-569	Pink	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-569-CL	B-569	Clear	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-569-CL	B-569	Clear	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-569-CL	B-569	Clear	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-569-CL	B-569	Clear	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®31 and BBP®33 General Identification Materials:

B-7569 Pre-Printed GHS / CLP Chemical Labels

- Blank labels with pre-printed red diamonds allow printer to produce 2-color GHS / CLP labels in one print pass
- 3 sizes of labels, each with 6 diamond layouts that match templates in MarkWare™ Software
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling
- MarkWare Software v3.9.1 or higher required (upgrades available for current MarkWare owners)

Service temp: -4°F to 180°F Application temp: 50°F to 180°F
Average Outdoor Durability: 3-5 years

Fits Printer Model(s)	Catalog #	B#	Material		Legend	Label Height Inch (mm)	Label Width Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	B30-260-7569-CLP1	B-7569	Vinyl		L1 Diamond + Text	2.170 (55.0)	3.350 (85.0)	1	340	B30-R10000
BBP31, BBP33	B30-261-7569-CLP1	B-7569	Vinyl		L1 Diamond + Text	2.950 (75.0)	4.330 (110.0)	1	270	B30-R10000
BBP31, BBP33	B30-262-7569-CLP1	B-7569	Vinyl		L1 Diamond + Text	4.130 (105.0)	6.100 (155.0)	1	200	B30-R10000
BBP31, BBP33	B30-260-7569-CLP2	B-7569	Vinyl		L2 Diamond + Text	2.170 (55.0)	3.350 (85.0)	1	340	B30-R10000
BBP31, BBP33	B30-261-7569-CLP2	B-7569	Vinyl		L2 Diamond + Text	2.950 (75.0)	4.330 (110.0)	1	270	B30-R10000
BBP31, BBP33	B30-262-7569-CLP2	B-7569	Vinyl		L2 Diamond + Text	4.130 (105.0)	6.100 (155.0)	1	200	B30-R10000
BBP31, BBP33	B30-260-7569-CLP3A	B-7569	Vinyl		L3A Diamond + Text	2.170 (55.0)	3.350 (85.0)	1	340	B30-R10000
BBP31, BBP33	B30-261-7569-CLP3A	B-7569	Vinyl		L3A Diamond + Text	2.950 (75.0)	4.330 (110.0)	1	270	B30-R10000
BBP31, BBP33	B30-262-7569-CLP3A	B-7569	Vinyl		L3A Diamond + Text	4.130 (105.0)	6.100 (155.0)	1	200	B30-R10000
BBP31, BBP33	B30-260-7569-CLP3B	B-7569	Vinyl		L3B Diamond + Text	2.170 (55.0)	3.350 (85.0)	1	340	B30-R10000
BBP31, BBP33	B30-261-7569-CLP3B	B-7569	Vinyl		L3B Diamond + Text	2.950 (75.0)	4.330 (110.0)	1	270	B30-R10000
BBP31, BBP33	B30-262-7569-CLP3B	B-7569	Vinyl		L3B Diamond + Text	4.130 (105.0)	6.100 (155.0)	1	200	B30-R10000
BBP31, BBP33	B30-260-7569-CLP4A	B-7569	Vinyl		L4A Diamond + Text	2.170 (55.0)	3.350 (85.0)	1	340	B30-R10000
BBP31, BBP33	B30-261-7569-CLP4A	B-7569	Vinyl		L4A Diamond + Text	2.950 (75.0)	4.330 (110.0)	1	270	B30-R10000
BBP31, BBP33	B30-262-7569-CLP4A	B-7569	Vinyl		L4A Diamond + Text	4.130 (105.0)	6.100 (155.0)	1	200	B30-R10000
BBP31, BBP33	B30-260-7569-CLP4B	B-7569	Vinyl		L4B Diamond + Text	2.170 (55.0)	3.350 (85.0)	1	340	B30-R10000
BBP31, BBP33	B30-261-7569-CLP4B	B-7569	Vinyl		L4B Diamond + Text	2.950 (75.0)	4.330 (110.0)	1	270	B30-R10000
BBP31, BBP33	B30-262-7569-CLP4B	B-7569	Vinyl		L4B Diamond + Text	4.130 (105.0)	6.100 (155.0)	1	200	B30-R10000

MarkWare™ Software now includes a GHS / CLP Label Module

- 18 pre-formatted label layouts and approved GHS symbols are built-in
- User selects approved pre-worded hazard statements and GHS symbols which then automatically populates into layout – no need to type everything in
- Prompts for additional variable data which then auto-populates into layout
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling
- Choose a second language and MarkWare auto-populates in the second language

Catalog #	Description
20700	MarkWare ™ Software

Already own MarkWare Software?
Go to **www.BradyID.com/markware** *to upgrade your current MarkWare to v3.9.1 for the GHS / CLP Label Module.*

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®31 and BBP®33 Materials

www.BradyID.com/bbp33

BBP®31 and BBP®33 General Identification Materials:

B-595 Pre-Printed Right-To-Know Chemical Labels

- Allows printer to produce 5-color chemical labels in a single print pass
- Indoor/outdoor grade material withstands exposure to moisture, chemicals and handling

Service temp: -40ºF to 180ºF Application temp: 0ºF to 180ºF
Average Outdoor Durability: 8 to 10 years

Fits Printer Model(s)	Catalog #	B#	Legend	Label Height Inch (mm)	Label Width Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	B30-244-595-NFPA	B-595	Diamond + Text	2.250 (57.5)	2.250 (57.5)	1	365	B30-R10000
BBP31, BBP33	B30-245-595-NFPA	B-595	Diamond + Text	2.250 (57.5)	4.000 (101.6)	1	240	B30-R10000
BBP31, BBP33	B30-263-595-NFPA	B-595	Diamond + Text	4.000 (101.6)	6.250 (158.8)	1	170	B30-R10000
BBP31, BBP33	B30-244-595-DIAM	B-595	Diamond Only	2.250 (57.5)	2.250 (57.5)	1	365	B30-R10000
BBP31, BBP33	B30-161-595-DIAM	B-595	Diamond Only	4.000 (101.6)	4.000 (101.6)	1	240	B30-R10000
BBP31, BBP33	B30-246-595-NFR	B-595	Diamond NFR	1.125 (28.6)	3.000 (76.2)	1	300	B30-R10000
BBP31, BBP33	B30-244-595-CB	B-595	Color Bar + Text	2.250 (57.5)	2.250 (57.5)	1	365	B30-R10000
BBP31, BBP33	B30-245-595-CB	B-595	Color Bar + Text	2.250 (57.5)	4.000 (101.6)	1	240	B30-R10000
BBP31, BBP33	B30-263-595-CB	B-595	Color Bar + Text	4.000 (101.6)	6.250 (158.8)	1	170	B30-R10000
BBP31, BBP33	B30-244-595-HMIG	B-595	Color Bar Only	2.250 (57.5)	2.250 (57.5)	1	365	B30-R10000
BBP31, BBP33	B30-246-595-HMIG	B-595	Color Bar HMIG	1.125 (28.6)	3.000 (76.2)	1	300	B30-R10000

BBP®31 and BBP®33 General Identification Materials:

B-551 Non-Adhesive Continuous Tag Stock

- For safety, lockout and general purpose hang-tagging
- Non-adhesive, semi-rigid tag stock
- Easy to hole-punch; optional snap-in grommets available
- Meets OSHA 50 lb. pullout spec for lockout tags

Service temp: -40ºF to 193ºF Average Outdoor Durability: up to 2 years
Thickness: 0.35mm



Figure 33

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Tag Width A Inch (mm)	Roll Length B Feet (m)	Tags Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 33	B30C-2500-551-WT	B-551	White	2.500 (63.5)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-3250-551-WT	B-551	White	3.250 (82.6)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4250-551-WT	B-551	White	4.250 (107.9)	50ft. (15.2m)	1 roll (cont.)	B30-R10000

BBP®31 and BBP®33 General Identification Materials:

B-526 BradyGlo™ High-Intensity Photoluminescent Tape

- For glow-in-the-dark identification up to 10 hours
- Designed for directional and evacuation marking
- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls, and vital equipment controls
- Complies with indoor use requirements specified in RS 6-1 and 6-1A of New York Local Law 26

Service temp: -40ºF to 140ºF Application temp: 40ºF to 140ºF



Figure 33

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 33	B30C-1125-526	B-526	Luminous Green	1.125 (28.6)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-526	B-526	Luminous Green	2.250 (57.5)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-526	B-526	Luminous Green	4.000 (101.6)	50ft. (15.2m)	1 roll (cont.)	B30-R10000

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®31 and BBP®33 General Identification Materials:

B-584 Retro Reflective Tape

- For highly reflective material shines back brightly when struck by light
- Ideal for labeling outdoor utility poles and pedestals, jobsite equipment and roof-top equipment
- Recommended for low light or inclement weather conditions

Service temp: -40ºF to 158ºF
Application temp: 0ºF to 158ºF (yellow & orange), 50ºF to 158ºF (silver)
Average Outdoor Durability: 4 to 6 years



Figure 33

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 33	B30C-1125-584-SL	B-584	Silver	1.125 (28.6)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-584-SL	B-584	Silver	2.250 (57.5)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-584-SL	B-584	Silver	4.000 (101.6)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-584-YL	B-584	Yellow	1.125 (28.6)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-584-YL	B-584	Yellow	2.250 (57.5)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-584-YL	B-584	Yellow	4.000 (101.6)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-584-OR	B-584	Orange	1.125 (28.6)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-584-OR	B-584	Orange	2.250 (57.5)	50ft. (15.2m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-584-OR	B-584	Orange	4.000 (101.6)	50ft. (15.2m)	1 roll (cont.)	B30-R10000

BBP®31 and BBP®33 General Identification Materials:

B-509 Printable Magnetic Supply

- Easiest and quickest material for removing and repositioning.
- Non-adhesive magnetic material that can be printed on directly
- Ideal for reusable, repositionable, and lean / 5S identification applications

Service temp: 0ºF to 158ºF
Average Outdoor Durability: 3 to 5 years



Figure 33

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 33	B30C-2500-509-WT	B-509	White	2.500 (63.5)	25ft (7.62m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4250-509-WT	B-509	White	4.250 (107.8)	25ft (7.62m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2500-509-YL	B-509	Yellow	2.500 (63.5)	25ft (7.62m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4250-509-YL	B-509	Yellow	4.250 (107.8)	25ft (7.62m)	1 roll (cont.)	B30-R10000

BBP®31 and BBP®33 General Identification Materials:

B-581 Repositionable Vinyl

- Aggressive adhesive stays in place but removes cleanly without leaving adhesive residue
- Ideal for temporary, removable, and repositionable labels, like 5S and lean inventory labels

Service temp: -40ºF to 180ºF Application temp: 50ºF to 180ºF
Average Outdoor Durability: 5 years



Figure 33

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 33	B30C-500-581-WT	B-581	White	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-581-WT	B-581	White	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-581-WT	B-581	White	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-581-WT	B-581	White	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-500-581-YL	B-581	Yellow	0.500 (12.7)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-581-YL	B-581	Yellow	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-581-YL	B-581	Yellow	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-581-YL	B-581	Yellow	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®31 and BBP®33 Materials

www.BradyID.com/bbp33

BBP®31 and BBP®33 General Identification Materials:

B-549 Cold Temperature Application Material

- Special adhesive permanently adheres to extremely cold surfaces
- Can be applied in -10°F and lasts in -40°F
- Ideal for cold storage warehouses, coolers, freezers, and short-term winter outdoor use

Service temp: -40°F to 212°F Application temp: -10°F to 212°F
Average Outdoor Durability: Up to 1 year



Figure 33

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 33	B30C-1125-549-WT	B-549	White	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-549-WT	B-549	White	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-549-WT	B-549	White	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-4000-549-YL	B-549	Yellow	1.125 (28.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-2250-549-YL	B-549	Yellow	2.250 (57.5)	100ft. (30.5m)	1 roll (cont.)	B30-R10000
BBP31, BBP33	Fig. 33	B30C-1125-549-YL	B-549	Yellow	4.000 (101.6)	100ft. (30.5m)	1 roll (cont.)	B30-R10000

BBP®31 and BBP®33 General Identification Materials:

B-593 Raised Profile Labels - Engraved Plate Substitutes - Push Button Style

Costs up to 80% less than engraved legend plates.

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.70mm thick)
- High performance, low cost substitute to engraved plates
- 10-year outdoor durability rating
- On-demand labeling: labels print out in less than 4 seconds
- 5 push button sizes (including keyed and non-keyed 22.5mm, and 30.5mm hole diameter keyed)

Service temp: -4°F to 212°F Application temp: 50°F to 212°F
Average Outdoor Durability: Up to 10 years
Agency approvals: UL RoHS cUL



Figure 18a



Figure 18b
(Without key hole)



Note: BBP®31 printers purchased prior to 2012 require a free mechanical rework and firmware upgrade in order to be compatible with the following B-595 Raised Panel Labels. Please contact Technical Support at 1-800-643-8766 for details.

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Height A Inch (mm)	Label Width B Inch (mm)	Hole Diameter C Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 18a	B30EP-167-593-WT	B-593	White	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1.750 (44.5)	2.500 (63.5)	1	200	B30-R6000
BBP31, BBP33	Fig. 18b	B30EP-167U-593-WT	B-593	White	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1.750 (44.5)	2.500 (63.5)	1	200	B30-R6000
BBP31, BBP33	Fig. 18a	B30EP-169-593-WT	B-593	White	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	2.000 (50.8)	2.500 (63.5)	1	190	B30-R6000
BBP31, BBP33	Fig. 18a	B30EP-168-593-WT	B-593	White	1.900 (48.3)	1.200 (30.5)	0.885 (22.5)	2.125 (54.0)	2.500 (63.5)	1	180	B30-R6000
BBP31, BBP33	Fig. 18a	B30EP-170-593-WT	B-593	White	2.400 (60.9)	2.400 (60.9)	1.200 (30.5)	2.625 (66.7)	3.250 (82.6)	1	145	B30-R6000
BBP31, BBP33	Fig. 18a	B30EP-167-593-YL	B-593	Yellow	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1.750 (44.5)	2.500 (63.5)	1	200	B30-R6000
BBP31, BBP33	Fig. 18b	B30EP-167U-593-YL	B-593	Yellow	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1.750 (44.5)	2.500 (63.5)	1	200	B30-R6000
BBP31, BBP33	Fig. 18a	B30EP-169-593-YL	B-593	Yellow	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	2.000 (50.8)	2.500 (63.5)	1	190	B30-R6000
BBP31, BBP33	Fig. 18a	B30EP-168-593-YL	B-593	Yellow	1.900 (48.3)	1.200 (30.5)	0.885 (22.5)	2.125 (54.0)	2.500 (63.5)	1	180	B30-R6000
BBP31, BBP33	Fig. 18a	B30EP-170-593-YL	B-593	Yellow	2.400 (60.9)	2.400 (60.9)	1.200 (30.5)	2.625 (66.7)	3.250 (82.6)	1	145	B30-R6000
BBP31, BBP33	Fig. 18a	B30EP-167-593-BK	B-593	Black	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1.750 (44.5)	2.500 (63.5)	1	200	B30-R4400-WT
BBP31, BBP33	Fig. 18b	B30EP-167U-593-BK	B-593	Black	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1.750 (44.5)	2.500 (63.5)	1	200	B30-R4400-WT
BBP31, BBP33	Fig. 18a	B30EP-169-593-BK	B-593	Black	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	2.000 (50.8)	2.500 (63.5)	1	190	B30-R4400-WT
BBP31, BBP33	Fig. 18a	B30EP-168-593-BK	B-593	Black	1.900 (48.3)	1.200 (30.5)	0.885 (22.5)	2.125 (54.0)	2.500 (63.5)	1	180	B30-R4400-WT
BBP31, BBP33	Fig. 18a	B30EP-170-593-BK	B-593	Black	2.400 (60.9)	2.400 (60.9)	1.200 (30.5)	2.625 (66.7)	3.250 (82.6)	1	145	B30-R4400-WT
BBP31, BBP33	Fig. 18a	B30EP-167-593-GN	B-593	Green	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1.750 (44.5)	2.500 (63.5)	1	200	B30-R4400-WT
BBP31, BBP33	Fig. 18b	B30EP-167U-593-GN	B-593	Green	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1.750 (44.5)	2.500 (63.5)	1	200	B30-R4400-WT
BBP31, BBP33	Fig. 18a	B30EP-169-593-GN	B-593	Green	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	2.000 (50.8)	2.500 (63.5)	1	190	B30-R4400-WT
BBP31, BBP33	Fig. 18a	B30EP-168-593-GN	B-593	Green	1.900 (48.3)	1.200 (30.5)	0.885 (22.5)	2.125 (54.0)	2.500 (63.5)	1	180	B30-R4400-WT
BBP31, BBP33	Fig. 18a	B30EP-170-593-GN	B-593	Green	2.400 (60.9)	2.400 (60.9)	1.200 (30.5)	2.625 (66.7)	3.250 (82.6)	1	145	B30-R4400-WT
BBP31, BBP33	Fig. 18a	B30EP-167-593-RD	B-593	Red	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1.750 (44.5)	2.500 (63.5)	1	200	B30-R4400-WT
BBP31, BBP33	Fig. 18b	B30EP-167U-593-RD	B-593	Red	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1.750 (44.5)	2.500 (63.5)	1	200	B30-R4400-WT
BBP31, BBP33	Fig. 18a	B30EP-169-593-RD	B-593	Red	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	2.000 (50.8)	2.500 (63.5)	1	190	B30-R4400-WT
BBP31, BBP33	Fig. 18a	B30EP-168-593-RD	B-593	Red	1.900 (48.3)	1.200 (30.5)	0.885 (22.5)	2.125 (54.0)	2.500 (63.5)	1	180	B30-R4400-WT
BBP31, BBP33	Fig. 18a	B30EP-170-593-RD	B-593	Red	2.400 (60.9)	2.400 (60.9)	1.200 (30.5)	2.625 (66.7)	3.250 (82.6)	1	145	B30-R4400-WT

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®31 and BBP®33 General Identification Materials:

B-593 Raised Profile Labels - Engraved Plate Substitutes - Rectangular Style

Costs up to 80% less than engraved legend plates.

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.70mm thick)
- Ideal for inside-panel backer board labels and front-of-enclosure labeling
- Up to 80% less than engraved plates and print out in about 4 seconds
- 10-year outdoor durability rating
- 6 colors, 7 rectangular sizes

Service temp: -4ºF to 212ºF Application temp: 50ºF to 212ºF
Average Outdoor Durability: Up to 10 years
Agency approvals: UL RoHS cUL

Note: BBP®31 printers purchased prior to 2012 require a free mechanical rework and firmware upgrade in order to be compatible with the following B-595 Raised Panel Labels. Please contact Technical Support at 1-800-643-8766 for details.



Figure 18c



Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Height A Inch (mm)	Label Width B Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP31, BBP33	Fig. 18c	B30EP-171-593-WT	B-593	White	0.490 (12.5)	1.060 (26.9)	0.750 (19.1)	1.375 (34.9)	1	500	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-172-593-WT	B-593	White	0.590 (15.0)	1.770 (45.0)	0.850 (21.6)	2.500 (63.5)	1	450	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-175-593-WT	B-593	White	0.750 (19.1)	3.000 (76.2)	1.000 (25.4)	3.250 (82.6)	1	375	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-173-593-WT	B-593	White	1.000 (25.4)	2.000 (50.8)	1.250 (31.8)	2.500 (63.5)	1	300	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-174-593-WT	B-593	White	1.000 (25.4)	4.000 (101.6)	1.250 (31.8)	4.250 (108.0)	1	300	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-176-593-WT	B-593	White	1.000 (25.4)	3.000 (76.2)	1.250 (31.8)	3.250 (82.6)	1	300	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-177-593-WT	B-593	White	2.500 (63.5)	3.000 (76.2)	2.750 (69.9)	3.250 (82.6)	1	125	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-171-593-YL	B-593	Yellow	0.490 (12.5)	1.060 (26.9)	0.750 (19.1)	1.375 (34.9)	1	500	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-172-593-YL	B-593	Yellow	0.590 (15.0)	1.770 (45.0)	0.850 (21.6)	2.500 (63.5)	1	450	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-175-593-YL	B-593	Yellow	0.750 (19.1)	3.000 (76.2)	1.000 (25.4)	3.250 (82.6)	1	375	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-173-593-YL	B-593	Yellow	1.000 (25.4)	2.000 (50.8)	1.250 (31.8)	2.500 (63.5)	1	300	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-174-593-YL	B-593	Yellow	1.000 (25.4)	4.000 (101.6)	1.250 (31.8)	4.250 (108.0)	1	300	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-176-593-YL	B-593	Yellow	1.000 (25.4)	3.000 (76.2)	1.250 (31.8)	3.250 (82.6)	1	300	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-177-593-YL	B-593	Yellow	2.500 (63.5)	3.000 (76.2)	2.750 (69.9)	3.250 (82.6)	1	125	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-171-593-BK	B-593	Black	0.490 (12.5)	1.060 (26.9)	0.750 (19.1)	1.375 (34.9)	1	500	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-172-593-BK	B-593	Black	0.590 (15.0)	1.770 (45.0)	0.850 (21.6)	2.500 (63.5)	1	450	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-175-593-BK	B-593	Black	0.750 (19.1)	3.000 (76.2)	1.000 (25.4)	3.250 (82.6)	1	375	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-173-593-BK	B-593	Black	1.000 (25.4)	2.000 (50.8)	1.250 (31.8)	2.500 (63.5)	1	300	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-174-593-BK	B-593	Black	1.000 (25.4)	4.000 (101.6)	1.250 (31.8)	4.250 (108.0)	1	300	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-176-593-BK	B-593	Black	1.000 (25.4)	3.000 (76.2)	1.250 (31.8)	3.250 (82.6)	1	300	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-177-593-BK	B-593	Black	2.500 (63.5)	3.000 (76.2)	2.750 (69.9)	3.250 (82.6)	1	125	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-171-593-GN	B-593	Green	0.490 (12.5)	1.060 (26.9)	0.750 (19.1)	1.375 (34.9)	1	500	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-172-593-GN	B-593	Green	0.590 (15.0)	1.770 (45.0)	0.850 (21.6)	2.500 (63.5)	1	450	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-175-593-GN	B-593	Green	0.750 (19.1)	3.000 (76.2)	1.000 (25.4)	3.250 (82.6)	1	375	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-173-593-GN	B-593	Green	1.000 (25.4)	2.000 (50.8)	1.250 (31.8)	2.500 (63.5)	1	300	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-174-593-GN	B-593	Green	1.000 (25.4)	4.000 (101.6)	1.250 (31.8)	4.250 (108.0)	1	300	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-176-593-GN	B-593	Green	1.000 (25.4)	3.000 (76.2)	1.250 (31.8)	3.250 (82.6)	1	300	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-177-593-GN	B-593	Green	2.500 (63.5)	3.000 (76.2)	2.750 (69.9)	3.250 (82.6)	1	125	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-171-593-RD	B-593	Red	0.490 (12.5)	1.060 (26.9)	0.750 (19.1)	1.375 (34.9)	1	500	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-172-593-RD	B-593	Red	0.590 (15.0)	1.770 (45.0)	0.850 (21.6)	2.500 (63.5)	1	450	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-173-593-RD	B-593	Red	1.000 (25.4)	2.000 (50.8)	1.250 (31.8)	2.500 (63.5)	1	300	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-174-593-RD	B-593	Red	1.000 (25.4)	4.000 (101.6)	1.250 (31.8)	4.250 (108.0)	1	300	B30-R4400-WT
BBP31, BBP33	Fig. 18c	B30EP-171-593-SL	B-593	Silver	0.490 (12.5)	1.060 (26.9)	0.750 (19.1)	1.375 (34.9)	1	500	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-172-593-SL	B-593	Silver	0.590 (15.0)	1.770 (45.0)	0.850 (21.6)	2.500 (63.5)	1	450	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-173-593-SL	B-593	Silver	1.000 (25.4)	2.000 (50.8)	1.250 (31.8)	2.500 (63.5)	1	300	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-174-593-SL	B-593	Silver	1.000 (25.4)	4.000 (101.6)	1.250 (31.8)	4.250 (108.0)	1	300	B30-R6000

Calculate Your Cost Savings

A 1" x 2" rectangular raised profile label costs approximately **$0.60**, lasts up to 10 years outdoors and prints in seconds!
A 22.5mm push button label will cost you about **$0.32**!

What are you paying for engraved plates?



View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®31 and BBP®33 Materials

www.BradyID.com/bbp33

BBP®33 General Identification Materials:

B-424 Paper Material

- Economical choice for light duty general ID
- White finish and matte topcoat
- Excellent contrast and smear resistance for bar code printing

Service temp: -40°F to 124°F
Agency approvals: RoHS



Figure 2

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP33 only	Fig. 2	B33-17-424	B-424	White	2.000 (50.8)	1.000 (25.4)	1.125 (28.6)	2.200 (55.9)	1	1500	B30-R4300
BBP33 only	Fig. 2	B33-18-424	B-424	White	3.000 (76.2)	1.000 (25.4)	1.125 (28.6)	3.200 (81.3)	1	1500	B30-R4300
BBP33 only	Fig. 2	B33-19-424	B-424	White	3.000 (76.2)	2.000 (50.8)	2.125 (54.0)	3.200 (81.3)	1	500	B30-R4300
BBP33 only	Fig. 2	B33-25-424	B-424	White	4.000 (101.6)	6.000 (152.4)	6.125 (155.6)	4.200 (106.7)	1	350	B30-R4300

BBP®33 General Identification Materials:

B-425 Polypropylene Material

- General labeling material for indoor use
- Outstanding chemical and solvent resistance and print performance
- Not recommended for prolonged outdoor use (use B-595 material for 8-10 year outdoor use)

Service temp: -94°F to 212°F
Agency approvals: cULus UL RoHS CSA



Figure 1



Figure 2

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horiz. Repeat C Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP33 only	Fig. 1	B33-5-425	B-425	White	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	5000	B30-R4300
BBP33 only	Fig. 2	B33-17-425	B-425	White	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.200 (55.9)	1	1500	B30-R4300
BBP33 only	Fig. 2	B33-18-425	B-425	White	3.000 (76.2)	1.000 (25.4)	-	1.125 (28.6)	3.200 (81.3)	1	1500	B30-R4300
BBP33 only	Fig. 2	B33-19-425	B-425	White	3.000 (76.2)	2.000 (50.8)	-	2.125 (54.0)	3.200 (81.3)	1	500	B30-R4300

BBP®31 and BBP®33 General Identification Materials:

B-854 and B-855 ToughWash™ Tape

- Withstands pressures of high heat, harsh chemicals and numerous washdown cycles
- B-854 offers metal detectable layer to detect foreign debris in food stream
- Legible and long-lasting for even the toughest washdown cycles
- Ideal for use in the Food & Beverage industry



Figure 33



Figure 73

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-854 ToughWash™ Metal Detectable Material								
BBP31, BBP33	Fig. 33	B30C-4000-854-WT	B-854		4.000 (101.06)	50ft. (15.2 m)	1 roll (cont.)	B30-R6000
BBP31, BBP33	Fig. 33	B30C-4000-854-YL	B-854		4.000 (101.06)	50ft. (15.2 m)	1 roll (cont.)	B30-R6000
BBP31, BBP33	Fig. 73	B30C-4000-854-WARN	B-854	WARNING	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
BBP31, BBP33	Fig. 73	B30C-4000-854-DANG	B-854	DANGER	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
BBP31, BBP33	Fig. 73	B30C-4000-854-CAUT	B-854	CAUTION	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
B-855 ToughWash™ Material								
BBP31, BBP33	Fig. 33	B30C-1125-855-WT	B-855		1.125 (28.6)	50ft. (15.2 m)	1 roll (cont.)	B30-R6000
BBP31, BBP33	Fig. 33	B30C-2250-855-WT	B-855		2.250 (57.5)	50ft. (15.2 m)	1 roll (cont.)	B30-R6000
BBP31, BBP33	Fig. 33	B30C-4000-855-WT	B-855		4.000 (101.06)	50ft. (15.2 m)	1 roll (cont.)	B30-R6000
BBP31, BBP33	Fig. 33	B30C-1125-855-YL	B-855		1.125 (28.6)	50ft. (15.2 m)	1 roll (cont.)	B30-R6000
BBP31, BBP33	Fig. 33	B30C-2250-855-YL	B-855		2.250 (57.5)	50ft. (15.2 m)	1 roll (cont.)	B30-R6000
BBP31, BBP33	Fig. 33	B30C-4000-855-YL	B-855		4.000 (101.06)	50ft. (15.2 m)	1 roll (cont.)	B30-R6000
BBP31, BBP33	Fig. 73	B30C-4000-855-WARN	B-855	WARNING	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
BBP31, BBP33	Fig. 73	B30C-4000-855-DANG	B-855	DANGER	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
BBP31, BBP33	Fig. 73	B30C-4000-855-CAUT	B-855	CAUTION	4.000 (101.06)	6.250 (158.8)	100	B30-R6000

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®31 and BBP®33 Asset Tracking Materials:

B-498, B-499, B-483, B-593, B-595
For Inside-Panel Components & General ID

- Various sizes in several durable material types
- Ideal for marking backer board, DIN rail, relays, PLCs, switches, solenoids, drive motors and other components
- All recommended materials are flexible and have high-tack adhesives for adhesion to wide variety of surfaces and components

B-498: *Service temp: -40°F to 175°F*
B-499: *Service temp: -40°F to 193°F*
B-483: *Service temp: -40°F to 248°F*
All above: *Agency approvals:* UL RoHS CSA
B-593: *Service temp: -4°F to 212°F*
Agency approvals: UL RoHS cUL
B-595: *Service temp: -40°F to 180°F, 8-10 years average outdoor durability*



Figure 1



Figure 2



Figure 3



Figure 5



Figure 18c

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horiz. Repeat C Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Vinyl Cloth - Aggressive but repositionable adhesive (B-498):												
BBP33 only	Fig 1	B33-90-498	B-498	White	0.250 (6.4)	1.437 (36.5)	0.350 (8.9)	1.562 (39.7)	2.200 (55.9)	6	2500	B30-R6200
BBP33 only	Fig 1	B33-68-498	B-498	White	0.500 (12.7)	0.750 (19.1)	0.600 (15.2)	0.875 (22.2)	2.500 (63.5)	4	5000	B30-R6200
BBP33 only	Fig 1	B33-87-498	B-498	White	0.500 (12.7)	1.437 (36.5)	0.600 (15.2)	1.562 (39.7)	3.700 (94.0)	6	2500	B30-R6200
BBP33 only	Fig 1	B33-1-498	B-498	White	0.750 (19.1)	0.250 (6.4)	0.800 (20.3)	0.350 (8.9)	3.350 (85.1)	4	5000	B30-R6200
BBP33 only	Fig 1	B33-95-498	B-498	White	0.800 (20.3)	1.437 (36.5)	0.900 (22.9)	1.562 (39.7)	2.800 (71.1)	3	2500	B30-R6200
BBP33 only	Fig 1	B33-5-498	B-498	White	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	5000	B30-R6200
BBP33 only	Fig 1	B33-88-498	B-498	White	1.000 (25.4)	0.750 (19.1)	1.100 (27.9)	0.875 (22.2)	2.300 (58.4)	2	2500	B30-R6200
BBP33 only	Fig 1	B33-89-498	B-498	White	1.000 (25.4)	1.437 (36.5)	1.100 (27.9)	1.562 (39.7)	3.400 (86.4)	3	2500	B30-R6200
Nylon Cloth - Permanent adhesive (B-499):												
BBP33 only	Fig 5	B33-143-499	B-499	White	0.375 (9.5 dia)	-	0.475 (12.1)	0.500 (12.7)	2.000 (50.8)	4	1500	B30-R6000
BBP33 only	Fig 1	B33-144-499	B-499	White	0.500 (12.7)	0.500 (12.7)	0.600 (15.2)	0.625 (15.9)	1.900 (48.3)	3	1500	B30-R6000
BBP33 only	Fig 1	B33-68-499	B-499	White	0.500 (12.7)	0.750 (19.1)	0.600 (15.2)	0.875 (22.2)	2.500 (63.5)	4	1500	B30-R6000
BBP33 only	Fig 1	B33-165-499	B-499	White	0.800 (20.3)	1.437 (36.5)	0.900 (22.9)	1.562 (39.7)	3.700 (94.0)	4	2500	B30-R6000
BBP33 only	Fig 2	B33-136-499	B-499	White	1.500 (38.1)	0.750 (19.1)	-	0.875 (22.2)	1.770 (45.0)	1	1500	B30-R6000
BBP33 only	Fig 2	B33-137-499	B-499	White	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.200 (55.9)	1	1300	B30-R6000
Polyester - Ultra aggressive adhesive for highly textured and low surface energy surfaces (B-483):												
BBP33 only	Fig 1	B33-5-483	B-483	White	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	5000	B30-R6000
BBP33 only	Fig 2	B33-17-483	B-483	White	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.200 (55.9)	1	1500	B30-R6000
BBP33 only	Fig 2	B33-18-483	B-483	White	3.000 (76.2)	1.000 (25.4)	-	1.125 (28.6)	3.200 (81.3)	1	1500	B30-R6000
BBP33 only	Fig 2	B33-19-483	B-483	White	3.000 (76.2)	2.000 (50.8)	-	2.125 (54.0)	3.200 (81.3)	1	500	B30-R6000
Raised Profile Labels - Engraved plate substitute labels (B-593*):												
BBP31, BBP33	Fig. 18c	B30EP-171-593-WT	B-593	White	0.490 (12.5)	1.060 (26.9)	-	0.750 (19.1)	1.375 (34.9)	1	500	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-171-593-SL	B-593	Silver	0.490 (12.5)	1.060 (26.9)	-	0.750 (19.1)	1.375 (34.9)	1	500	B30-R6000
BBP31, BBP33	Fig. 18c	B30EP-171-593-BK	B-593	Black	0.490 (12.5)	1.060 (26.9)	-	0.750 (19.1)	1.375 (34.9)	1	500	B30-R4400-WT
Continuous cut-to-length vinyl - Permanent adhesive, conformable; indoor/outdoor grade (B-595*):												
BBP31, BBP33	Fig. 3	B30C-500-595-WT	B-595	White	0.500 (12.7)	100 ft. (30.5m)	-	-	0.700 (17.8)	i roll (cont.)		B30-R10000
BBP31, BBP33	Fig. 3	B30C-500-595-YL	B-595	Yellow	0.500 (12.7)	100 ft. (30.5m)	-	-	0.700 (17.8)	i roll (cont.)		B30-R10000
BBP31, BBP33	Fig. 3	B30C-1125-595-WT	B-595	White	1.125 (28.6)	100 ft. (30.5m)	-	-	1.375 (34.9)	i roll (cont.)		B30-R10000
BBP31, BBP33	Fig. 3	B30C-1125-595-YL	B-595	Yellow	1.125 (28.6)	100 ft. (30.5m)	-	--	1.375 (34.9)	i roll (cont.)		B30-R10000

** Additional sizes and colors available for B-593 (page 318) and B-595 (page 313).*

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®31 and BBP®33 Materials

www.BradyID.com/bbp33

BBP®33 Asset Tracking Materials:

B-423, B-430, B-432, B483, B-489 Polyester Materials

- For general purpose industrial ID applications
- Widely used for PC board component ID, bin and shelf labels, barcoding and asset tracking
- 3 levels of adhesive strength

B-423, B-483, B-489: *Service temp: -94°F to 248°F*
B-430, B432: *Service temp: -40°F to 212°F*
All materials have approvals: UL RoHS CSA



Figure 1



Figure 2

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horiz. Repeat C Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Standard adhesive (B-423 white, B-430 clear):												
BBP33 only	Fig. 1	B33-5-423	B-423	Gloss White	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	5000	B30-R6000
BBP33 only	Fig. 2	B33-17-423	B-423	Gloss White	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.200 (55.9)	1	1500	B30-R6000
BBP33 only	Fig. 2	B33-17-430	B-430	Clear	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.200 (55.9)	1	1500	B30-R6000
BBP33 only	Fig. 2	B33-18-423	B-423	Gloss White	3.000 (76.2)	1.000 (25.4)	-	1.125 (28.6)	3.200 (81.3)	1	1500	B30-R6000
BBP33 only	Fig. 2	B33-18-430	B-430	Clear	3.000 (76.2)	1.000 (25.4)	-	1.125 (28.6)	3.200 (81.3)	1	1500	B30-R6000
Stronger adhesive for textured surfaces (B-432 clear):												
BBP33 only	Fig. 1	B33-5-432	B-432	Clear	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	5000	B30-R6000
BBP33 only	Fig. 2	B33-17-432	B-432	Clear	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.200 (55.9)	1	1500	B30-R6000
BBP33 only	Fig. 2	B33-18-432	B-432	Clear	3.000 (76.2)	1.000 (25.4)	-	1.125 (28.6)	3.200 (81.3)	1	1500	B30-R6000
BBP33 only	Fig. 2	B33-19-432	B-432	Clear	3.000 (76.2)	2.000 (50.8)	-	2.125 (54.0)	3.200 (81.3)	1	500	B30-R6000
Ultra aggressive adhesive for highly textured surfaces (B-483 and B-489 white):												
BBP33 only	Fig. 1	B33-5-483	B-483	Gloss White	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	5000	B30-R6000
BBP33 only	Fig. 1	B33-5-489	B-489	Matte White	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	5000	B30-R4300
BBP33 only	Fig. 2	B33-17-483	B-483	Gloss White	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.200 (55.9)	1	1500	B30-R6000
BBP33 only	Fig. 2	B33-17-489	B-489	Matte White	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.200 (55.9)	1	1500	B30-R4300
BBP33 only	Fig. 2	B33-18-483	B-483	Gloss White	3.000 (76.2)	1.000 (25.4)	-	1.125 (28.6)	3.200 (81.3)	1	1500	B30-R6000
BBP33 only	Fig. 2	B33-19-483	B-483	Gloss White	3.000 (76.2)	2.000 (50.8)	-	2.125 (54.0)	3.200 (81.3)	1	500	B30-R6000
BBP33 only	Fig. 2	B33-18-489	B-489	Matte White	3.000 (76.2)	1.000 (25.4)	-	1.125 (28.6)	3.200 (81.3)	1	1500	B30-R4300
BBP33 only	Fig. 2	B33-19-489	B-489	Matte White	3.000 (76.2)	2.000 (50.8)	-	2.125 (54.0)	3.200 (81.3)	1	500	B30-R4300

BBP®31 and BBP®33 Asset Tracking Materials:

B-428, B-434, B-486 Metallized Polyester Materials

- For product labeling, asset tracking and general industrial ID
- Silver metallic label withstands solvents and variable temperatures
- Ideal for serial number plates and rating plates with name-plate quality and metal-looking finish
- 3 adhesive strengths/gloss configurations to meet your needs

B-428: *Service temp: -40°F to 293°F*
B-434: *Service temp: -40°F to 194°F*
B-486: *Service temp: -40°F to 248°F*
B-438: *Service temp: -40°F to 104°F*
All: *Agency approvals:* UL RoHS CSA



Figure 1



Figure 2



Figure 3

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horiz. Repeat C Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Standard adhesive for smooth surfaces (B-428):												
BBP33 only	Fig. 1	B33-5-428	B-428	Matte Silver	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	5000	B30-R4300
BBP33 only	Fig. 2	B33-17-428	B-428	Matte Silver	2.000 (50.8)	1.000 (25.4)		1.125 (28.6)	2.200 (55.9)	1	1500	B30-R4300
BBP33 only	Fig. 2	B33-18-428	B-428	Matte Silver	3.000 (76.2)	1.000 (25.4)		1.125 (28.6)	3.200 (81.3)	1	1500	B30-R4300
Stronger adhesive for rougher surfaces (B-434):												
BBP33 only	Fig. 1	B33-5-434	B-434	Gloss Silver	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	5000	B30-R6000
BBP33 only	Fig. 2	B33-17-434	B-434	Gloss Silver	2.000 (50.8)	1.000 (25.4)		1.125 (28.6)	2.200 (55.9)	1	1500	B30-R6000
BBP33 only	Fig. 2	B33-18-434	B-434	Gloss Silver	3.000 (76.2)	1.000 (25.4)		1.125 (28.6)	3.200 (81.3)	1	1500	B30-R6000
BBP33 only	Fig. 2	B33-19-434	B-434	Gloss Silver	3.000 (76.2)	2.000 (50.8)		2.125 (54.0)	3.200 (81.3)	1	500	B30-R6000
Ultra aggressive adhesive for highly textured, powder coated and low surface energy surfaces (B-486):												
BBP33 only	Fig. 1	B33-5-486	B-486	Matte Silver	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	5000	B30-R4300
BBP33 only	Fig. 2	B33-17-486	B-486	Matte Silver	2.000 (50.8)	1.000 (25.4)		1.125 (28.6)	2.200 (55.9)	1	1500	B30-R4300
BBP33 only	Fig. 2	B33-18-486	B-486	Matte Silver	3.000 (76.2)	1.000 (25.4)		1.125 (28.6)	3.200 (81.3)	1	1500	B30-R4300
BBP33 only	Fig. 2	B33-19-486	B-486	Matte Silver	3.000 (76.2)	2.000 (50.8)		2.125 (54.0)	3.200 (81.3)	1	500	B30-R4300
Tamper-Evident - Leaves checkerboard footprint on surface and on label if removed to prevent re-use (B-438):												
BBP31, BBP33	Fig. 2	B30-17-438	B-438	Matte Silver	2.000 (50.8)	1.000 (25.4)		2.500 (63.5)	1.125 (28.6)	1	1225	B30-R4300
BBP31, BBP33	Fig. 2	B30-18-438	B-438	Matte Silver	3.000 (76.2)	1.000 (25.4)		3.250 (82.6)	1.250 (31.8)	1	1225	B30-R4300
BBP31, BBP33	Fig. 2	B30-222-438	B-438	Matte Silver	3.000 (76.2)	2.000 (50.8)		3.250 (82.6)	2.250 (57.2)	1	650	B30-R4300
BBP31, BBP33	Fig. 3	B30C-3000-438-SL	B-438	Matte Silver	3.000 (76.2)	100 ft. (30.5m)			3.250 (82.6)	1 roll (cont.)		B30-R4300

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

www.BradyID.com/bbp33

BBP®33 Wire & Cable Materials:

B-427 Self-Laminating Vinyl Wire & Cable Material

- Brady's most popular wire marker!
- Features white printable area with clear "tail" that wraps around marker to protect text
- Superior resistance to abrasion, handling, solvents, water, oil and dirt
- Permanent acrylic adhesive designed specifically for tightly curved surfaces

Service temp: -40°F to 158°F
Agency Approvals: UL RoHS



Figure 9a



Figure 12



Figure 14



Figure 15

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horiz. Repeat C Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Print Area Height F Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP33 only	Fig. 12	B33-80-427	B-427	White	0.500 (12.7)	0.750 (19.1)	0.600 (15.2)	0.950 (24.1)	2.500 (63.5)	0.375 (9.5)	4	2500	B30-R4300
BBP33 only	Fig. 12	B33-113-427	B-427	White	0.500 (12.7)	1.000 (25.4)	0.600 (15.2)	0.950 (24.1)	2.500 (63.5)	0.375 (9.5)	4	2500	B30-R4300
BBP33 only	Fig. 12	B33-8-427	B-427	White	0.500 (12.7)	1.437 (36.5)	0.662 (16.8)	1.625 (41.3)	3.350 (85.1)	0.500 (12.7)	5	5000	B30-R4300
BBP33 only	Fig. 12	B33-56-427	B-427	White	0.750 (19.1)	0.937 (23.8)	0.800 (20.3)	1.125 (28.6)	3.350 (85.1)	0.375 (9.5)	4	5000	B30-R4300
BBP33 only	Fig. 12	B33-73-427	B-427	White	0.750 (19.1)	1.750 (44.6)	0.800 (20.3)	1.875 (47.6)	3.350 (85.1)	0.500 (12.7)	4	5000	B30-R4300
BBP33 only	Fig. 12	B33-74-427	B-427	White	0.800 (20.3)	1.437 (36.5)	0.800 (20.3)	1.625 (41.3)	3.400 (86.4)	0.500 (12.7)	4	5000	B30-R4300
BBP33 only	Fig. 12	B33-116-427	B-427	White	1.000 (25.4)	1.000 (25.4)	1.100 (27.9)	1.125 (28.6)	2.300 (58.4)	0.375 (9.5)	2	2500	B30-R4300
BBP33 only	Fig. 12	B33-9-427	B-427	White	1.000 (25.4)	1.437 (36.5)	1.075 (27.3)	1.625 (41.3)	3.350 (85.1)	0.500 (12.7)	3	2500	B30-R4300
BBP33 only	Fig. 12	B33-75-427	B-427	White	1.000 (25.4)	2.250 (57.2)	1.100 (27.9)	2.375 (60.3)	2.300 (58.4)	0.750 (19.1)	2	1500	B30-R4300
BBP33 only	Fig. 15	B33-131-427	B-427	White	1.000 (25.4)	2.625 (66.7)	-	1.125 (28.6)	2.825 (71.8)	1.000 (25.4)	1	1500	B30-R4300
BBP33 only	Fig. 12	B33-10-427	B-427	White	1.000 (25.4)	3.750 (95.3)	1.075 (27.3)	4.000 (101.6)	3.350 (85.1)	1.000 (25.4)	3	1500	B30-R4300
BBP33 only	Fig. 12	B33-81-427	B-427	White	1.000 (25.4)	6.000 (152.4)	1.100 (27.9)	6.187 (157.1)	2.300 (58.4)	1.500 (38.1)	2	500	B30-R4300
BBP33 only	Fig. 9a	B33-135-427AW	B-427	White	1.500 (38.1)	0.750 (19.1)	-	0.875 (22.2)	1.700 (43.2)	-	1	1500	B30-R4300
BBP33 only	Fig. 14	B33-118-427	B-427	White	1.500 (38.1)	1.000 (25.4)	-	1.125 (28.6)	1.700 (43.2)	0.375 (9.5)	1	1250	B30-R4300
BBP33 only	Fig. 14	B33-119-427	B-427	White	1.500 (38.1)	1.500 (38.1)	-	1.750 (44.5)	1.700 (43.2)	0.500 (12.7)	1	1000	B30-R4300
BBP33 only	Fig. 14	B33-120-427	B-427	White	1.750 (44.5)	1.000 (25.4)	-	1.125 (28.6)	1.950 (49.5)	0.375 (9.5)	1	1250	B30-R4300
BBP33 only	Fig. 14	B33-121-427	B-427	White	1.750 (44.5)	1.500 (38.1)	-	1.750 (44.5)	1.950 (49.5)	0.500 (12.7)	1	1000	B30-R4300
BBP33 only	Fig. 9a	B33-137-427AW	B-427	White	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.200 (55.9)	-	1	1500	B30-R4300
BBP33 only	Fig. 14	B33-27-427	B-427	White	2.000 (50.8)	3.750 (95.3)	-	4.000 (101.6)	2.200 (55.9)	1.000 (25.4)	1	500	B30-R4300
BBP33 only	Fig. 14	B33-26-427	B-427	White	2.500 (63.5)	2.250 (57.2)	-	2.438 (61.9)	2.700 (68.8)	0.750 (19.1)	1	500	B30-R4300

Did You Know? BBP®33 Software Options

The BBP®33 Printer is compatible with the following Brady labeling software:

- MarkWare™ Software
- LabelMark™ Software
- CodeSoft™ Labeling Software

For more information on software options, view page 310.

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®33 Materials

BBP®33 Wire & Cable Materials:

B-498 Repositionable Vinyl Cloth Material

- A vinyl cloth label for marking wires, cables and inside-panel components
- Highly unique adhesive and cloth construction gives excellent holding power and still allows for clean removal and reapplication
- Ideal choice for marking both ends of a wire that you may need to cut shorter before final termination

Service temp: -40°F to 175°F
Agency Approvals: UL RoHS CSA



Figure 1

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horiz. Repeat C Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP33 only	Fig. 1	B33-90-498	B-498	White	0.250 (6.4)	1.437 (36.5)	0.350 (8.9)	1.562 (39.7)	2.200 (55.9)	6	2500	B30-R6200
BBP33 only	Fig. 1	B33-68-498	B-498	White	0.500 (12.7)	0.750 (19.1)	0.600 (15.2)	0.875 (22.2)	2.500 (63.5)	4	5000	B30-R6200
BBP33 only	Fig. 1	B33-87-498	B-498	White	0.500 (12.7)	1.437 (36.5)	0.600 (15.2)	1.562 (39.7)	3.700 (94)	6	2500	B30-R6200
BBP33 only	Fig. 1	B33-14-498	B-498	White	0.650 (16.5)	0.200 (5.1)	0.700 (17.8)	0.300 (7.6)	2.950 (74.9)	4	5000	B30-R6200
BBP33 only	Fig. 1	B33-1-498	B-498	White	0.750 (19.1)	0.250 (6.4)	0.800 (20.3)	0.350 (8.9)	3.350 (85.1)	4	5000	B30-R6200
BBP33 only	Fig. 1	B33-91-498	B-498	White	0.750 (19.1)	0.937 (23.8)	0.850 (21.6)	1.062 (27.0)	3.500 (88.9)	4	2500	B30-R6200
BBP33 only	Fig. 1	B33-165-498	B-498	White	0.800 (20.3)	1.437 (36.5)	0.900 (22.9)	1.562 (39.7)	3.700 (94.0)	4	2500	B30-R6200
BBP33 only	Fig. 1	B33-95-498	B-498	White	0.800 (20.3)	1.437 (36.5)	0.900 (22.9)	1.562 (39.7)	2.800 (71.1)	3	2500	B30-R6200
BBP33 only	Fig. 1	B33-5-498	B-498	White	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	5000	B30-R6200
BBP33 only	Fig. 1	B33-88-498	B-498	White	1.000 (25.4)	0.750 (19.1)	1.100 (27.9)	0.875 (22.2)	2.300 (58.4)	2	2500	B30-R6200
BBP33 only	Fig. 1	B33-89-498	B-498	White	1.000 (25.4)	1.437 (36.5)	1.100 (27.9)	1.562 (39.7)	3.400 (86.4)	3	2500	B30-R6200

BBP®33 Wire & Cable Materials:

B-498 Adhesive Terminal Block Material

- Specially designed narrow-width continuous label for alignment on terminal blocks and patch panels
- Highly unique adhesive and vinyl cloth construction gives excellent holding power and still allows for clean removal and reapplication

Service temp: -40°F to 175°F
Agency Approvals: UL RoHS CSA



Figure 3

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Web Width E Inch (mm)	Labels Per Roll	Rec. Ribbon
BBP33 only	Fig. 3	B33C-240-498	B-498	White	0.240 (6.1)	85 ft. (25.9m)	1.000 (25.4)	1 roll (cont.)	B30-R6200
BBP33 only	Fig. 3	B33C-312-498	B-498	White	0.312 (7.9)	85 ft. (25.9m)	1.000 (25.4)	1 roll (cont.)	B30-R6200
BBP33 only	Fig. 3	B33C-375-498	B-498	White	0.375 (9.5)	85 ft. (25.9m)	1.000 (25.4)	1 roll (cont.)	B30-R6200

Did You Know? www.BradyID.com

Visit BradyID.com for online ordering and instant access to:

- Product Info
- Product Demos
- Custom Orders
- Whitepapers
- Webinars
- And More!

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®33 Wire & Cable Materials:

B-342 PermaSleeve® PS Polyolefin Wire Marking Sleeves

Standard Military/Industrial Grade. 3:1 Shrink ratio.

- A 3:1 heat shrinkable wire marker sleeve that fits snugly around wires
- Can be used for identification or wire protection
- Fade-resistant and flame-retardant
- Meets the following insulating and physical property specifications:
  - SAE-AMS-DTL-23053/5C (class 1)
  - SAE-AS-81531
  - MIL-STD-202
  - Tested per ASTM E162, ASTM E662

Service temp: -40°F to 267°F
(short burst max temp: 5 min at 500°F, 24 hrs at 350°F)
Agency Approvals: UL RoHS



Figure 20

Fits Printer Model(s)	Catalog #	Color	For Wire Gauge (approx.)	For Wire Diameters Inch (mm) Min.	Max.	Supplied Dimension B Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Sleeves per Row	Sleeves per Roll	Rec. Ribbon
Single-side printable, 2" sleeve width (diagram dimension A):											
BBP33 only	B33-94-2-342	White	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33-94-2-342YL	Yellow	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33-125-2-342	White	22 to 16	0.046 (1.2)	1.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33-125-2-342YL	Yellow	22 to 16	0.046 (1.2)	1.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33-187-2-342	White	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33-187-2-342-2	White	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	2	2000	B30-R4300
BBP33 only	B33-187-2-342YL	Yellow	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33-250-2-342	White	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33-250-2-342-2	White	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	2	1000	B30-R4300
BBP33 only	B33-250-2-342YL	Yellow	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33-375-2-342	White	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33-375-2-342-2	White	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	2	500	B30-R4300
BBP33 only	B33-375-2-342YL	Yellow	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33-500-2-342	White	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	1.187 (4.7)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33-500-2-342YL	Yellow	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	1.187 (4.7)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33-750-2-342	White	6 to 4/0	0.250 (6.4)	0.700 (17.8)	0.750 (19.0)	0.250 (6.4)	.025 (0.6) +/- .003 (0.07)	1	100	B30-R4300
BBP33 only	B33-750-2-342YL	Yellow	6 to 4/0	0.250 (6.4)	0.700 (17.8)	0.750 (19.0)	0.250 (6.4)	.025 (0.6) +/- .003 (0.07)	1	100	B30-R4300
BBP33 only	B33-1000-2-342	White	2 to 0.950 dia	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	1	100	B30-R4300
BBP33 only	B33-1000-2-342YL	Yellow	2 to 0.950 dia	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	1	100	B30-R4300
BBP33 only	B33-1500-2-342	White	N/A	0.500 (12.7)	1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	100	B30-R4300
BBP33 only	B33-1500-2-342BK	Black	N/A	0.500 (12.7)	1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	100	B30-4500-SV
BBP33 only	B33-1500-2-342YL	Yellow	N/A	0.500 (12.7)	1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	100	B30-R4300
Double-side printable, 2" sleeve width (diagram dimension A):											
BBP33 only	B33D-94-2-342	White	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33D-94-2-342BK	Black	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	1	1000	B30-4500-SV
BBP33 only	B33D-94-2-342YL	Yellow	28 to 20	0.023 (0.6)	0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33D-125-2-342	White	22 to 16	0.046 (1.2)	1.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33D-125-2-342BK	Black	22 to 16	0.046 (1.2)	1.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-4500-SV
BBP33 only	B33D-125-2-342YL	Yellow	22 to 16	0.046 (1.2)	1.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33D-187-2-342	White	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33D-187-2-342BK	Black	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-4500-SV
BBP33 only	B33D-187-2-342YL	Yellow	20 to 10	0.062 (1.6)	0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
BBP33 only	B33D-250-2-342	White	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33D-250-2-342BK	Black	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	1	500	B30-4500-SV
BBP33 only	B33D-250-2-342YL	Yellow	16 to 8	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33D-375-2-342	White	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33D-375-2-342BK	Black	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	1	250	B30-4500-SV
BBP33 only	B33D-375-2-342YL	Yellow	12 to 4	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33D-500-2-342	White	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	1.187 (4.7)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33D-500-2-342BK	Black	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	1.187 (4.7)	.025 (0.6) +/- .003 (0.07)	1	250	B30-4500-SV
BBP33 only	B33D-500-2-342YL	Yellow	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	1.187 (4.7)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33D-750-2-342	White	6 to 4/0	0.250 (6.4)	0.700 (17.8)	0.750 (19.0)	0.250 (6.4)	.025 (0.6) +/- .003 (0.07)	1	100	B30-R4300
BBP33 only	B33D-750-2-342BK	Black	6 to 4/0	0.250 (6.4)	0.700 (17.8)	0.750 (19.0)	0.250 (6.4)	.025 (0.6) +/- .003 (0.07)	1	100	B30-4500-SV
BBP33 only	B33D-750-2-342YL	Yellow	6 to 4/0	0.250 (6.4)	0.700 (17.8)	0.750 (19.0)	0.250 (6.4)	.025 (0.6) +/- .003 (0.07)	1	100	B30-R4300
BBP33 only	B33D-1000-2-342	White	2 to 0.950 dia	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	1	100	B30-R4300
BBP33 only	B33D-1000-2-342BK	Black	2 to 0.950 dia	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	1	100	B30-4500-SV
BBP33 only	B33D-1000-2-342YL	Yellow	2 to 0.950 dia	0.333 (8.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	1	100	B30-R4300
BBP33 only	B33D-1500-2-342	White	N/A	0.500 (12.7)	1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	100	B30-R4300
BBP33 only	B33D-1500-2-342BK	Black	N/A	0.500 (12.7)	1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	100	B30-4500-SV
BBP33 only	B33D-1500-2-342YL	Yellow	N/A	0.500 (12.7)	1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	100	B30-R4300

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®33 Materials

BBP®33 Wire & Cable Materials:

B-345 PermaSleeve® HT High Temperature PVDF Wire Marking Sleeves

High temperature, low outgassing. 2:1 Shrink ratio.

- A 2:1 shrink ratio wire marker sleeve specifically designed for high temperature and low vacuum outgassing applications
- Fade-resistant, flame-retardant and made from irridated high-temp Polyvinylidine Fluoride (PVDF) heat shrink tubing
- Meets the following industry specifications:
  - NASA SP-R-0022A Outgassing Performance
  - Tested per ASTM E162, ASTM E662, SAE-AMS-DTL-23053/18 (class 2)
  - MIL-STD-202 - SAE-AS-81531



Figure 20

Service temp: -67°F to 437°F Agency Approvals for HT and HX Sleeves: RoHS

Fits Printer Model(s)	Catalog #	Color	For Wire Gauge (approx.)	For Wire Diameters Inch (mm) Min.	Max.	Supplied Dimension B Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Sleeves Per Row	Sleeves Per Roll	Rec. Ribbon
Double-side printable, 2" sleeve width (diagram dimension A):											
BBP33 only	B33D-94-2-345	White	26 to 20*	0.031 (0.8)	0.080 (2.0)	0.094 (2.4)	0.031 (0.8)	.015 (0.4) +/- .003 (0.07)	1	250	B30-R6000
BBP33 only	B33D-94-2-345BK	Black	26 to 20*	0.031 (0.8)	0.080 (2.0)	0.094 (2.4)	0.031 (0.8)	.015 (0.4) +/- .003 (0.07)	1	250	B30-R4400-WT
BBP33 only	B33D-125-2-345	White	20 to 16	0.063 (1.6)	0.110 (2.8)	0.125 (3.2)	0.062 (1.6)	.015 (0.4) +/- .003 (0.07)	1	250	B30-R6000
BBP33 only	B33D-125-2-345BK	Black	20 to 16	0.063 (1.6)	0.110 (2.8)	0.125 (3.2)	0.062 (1.6)	.015 (0.4) +/- .003 (0.07)	1	250	B30-R4400-WT
BBP33 only	B33D-187-2-345	White	16 to 10	0.094 (2.4)	0.150 (3.8)	0.187 (4.7)	0.093 (2.4)	.015 (0.4) +/- .003 (0.07)	1	250	B30-R6000
BBP33 only	B33D-187-2-345BK	Black	16 to 10	0.094 (2.4)	0.150 (3.8)	0.187 (4.7)	0.093 (2.4)	.015 (0.4) +/- .003 (0.07)	1	250	B30-R4400-WT
BBP33 only	B33D-250-2-345	White	12 to 8	0.125 (3.2)	0.215 (5.5)	0.250 (6.4)	0.125 (3.2)	.015 (0.4) +/- .003 (0.07)	1	250	B30-R6000
BBP33 only	B33D-250-2-345BK	Black	12 to 8	0.125 (3.2)	0.215 (5.5)	0.250 (6.4)	0.125 (3.2)	.015 (0.4) +/- .003 (0.07)	1	250	B30-R4400-WT
BBP33 only	B33D-375-2-345	White	8 to 4	0.187 (3.2)	0.320 (8.1)	0.375 (9.5)	0.187 (4.7)	.015 (0.4) +/- .003 (0.07)	1	100	B30-R6000
BBP33 only	B33D-375-2-345BK	Black	8 to 4	0.187 (3.2)	0.320 (8.1)	0.375 (9.5)	0.187 (4.7)	.015 (0.4) +/- .003 (0.07)	1	100	B30-R4400-WT
BBP33 only	B33D-500-2-345	White	6 to 1	0.250 (6.4)	0.450 (11.4)	0.500 (12.7)	0.250 (6.4)	.015 (0.4) +/- .003 (0.07)	1	100	B30-R6000
BBP33 only	B33D-500-2-345BK	Black	6 to 1	0.250 (6.4)	0.450 (11.4)	0.500 (12.7)	0.250 (6.4)	.015 (0.4) +/- .003 (0.07)	1	100	B30-R4400-WT
BBP33 only	B33D-750-2-345	White	2 to 4/0	0.375 (9.5)	0.700 (17.8)	0.750 (19.0)	0.375 (9.5)	.015 (0.4) +/- .003 (0.07)	1	50	B30-R6000
BBP33 only	B33D-750-2-345BK	Black	3 to 4/0	0.375 (9.5)	0.700 (17.8)	0.750 (19.0)	0.375 (9.5)	.015 (0.4) +/- .003 (0.07)	1	50	B30-R4400-WT
BBP33 only	B33D-1000-2-345	White	2/0 to 0.950 dia	0.450 (11.4)	0.950 (24.1)	1.000 (25.4)	0.500 (12.7)	.017 (0.4) +/- .004 (0.1)	1	50	B30-R6000
BBP33 only	B33D-1000-2-345BK	Black	2/0 to 0.950 dia	0.450 (11.4)	0.950 (24.1)	1.000 (25.4)	0.500 (12.7)	.017 (0.4) +/- .004 (0.1)	1	50	B30-R4400-WT
BBP33 only	B33D-1500-2-345	White	N/A	0.750 (19.1)	1.400 (35.6)	1.500 (38.1)	0.750 (19.1)	.024 (0.6) +/- .004 (0.1)	1	50	B30-R6000
BBP33 only	B33D-1500-2-345BK	Black	N/A	0.750 (19.1)	1.400 (35.6)	1.500 (38.1)	0.750 (19.1)	.024 (0.6) +/- .004 (0.1)	1	50	B30-R4400-WT

** This size only is 3:1 shrink*

BBP®33 Wire & Cable Materials:

B-7642 PermaSleeve® HX Polyolefin Wire Marking Sleeves

Military/Industrial Grade. 2:1 Shrink ratio.

- A 2:1 heat shrinkable wire marker sleeve that fits snugly around wires
- Flame retardant and high-temp rated but not as high temp as B-345 "HT" sleeves
- Meets the following industry specifications:
  - SAE-AMS-DTL-23053/5 (class 1 and 3) - SAE-AS-81531
  - MIL-STD-202 - Tested per ASTM E162, ASTM E662



Figure 20

Service temp: -40°F to 248°F (short burst max temp: 5 min at 464°F, 24 hrs at 320°F)

Fits Printer Model(s)	Catalog #	Color	For Wire Gauge (approx.)	For Wire Diameters Inch (mm) Min.	Max.	Supplied Dimension B Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Sleeves Per Row	Sleeves per Roll	Rec. Ribbon
Single-side printable, 2" sleeve width (diagram dimension A):											
BBP33 only	B33-94-2-7642	White	24 to 20	0.047 (1.2)	0.080 (2.0)	0.094 (2.4)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33-125-2-7642	White	20 to 16	0.062 (1.6)	0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	.020 (0.5) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33-187-2-7642	White	16 to 10	0.094 (2.4)	0.151 (3.8)	0.187 (4.8)	0.094 (2.4)	.020 (0.5) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33-250-2-7642	White	12 to 8	0.125 (3.2)	0.215 (5.5)	0.250 (6.4)	0.126 (3.2)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33-375-2-7642	White	8 to 4	0.188 (4.8)	.0320 (8.1)	0.375 (9.5)	0.189 (4.8)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33-500-2-7642	White	6 to 1	0.250 (6.4)	0.450 (11.4)	0.500 (12.7)	0.252 (6.4)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33-750-2-7642	White	2 to 4/0	0.375 (9.5)	0.700 (17.8)	0.750 (19.0)	0.374 (9.5)	.030 (0.8) +/- .003 (0.07)	1	150	B30-R4300
BBP33 only	B33-1000-2-7642	White	2/0 to 0.950 dia	0.450 (11.4)	0.950 (24.1)	1.000 (25.4)	0.500 (12.7)	.035 (0.9) +/- .005 (0.1)	1	150	B30-R4300
BBP33 only	B33-1500-2-7642	White	N/A	0.750 (19.0)	1.400 (35.6)	1.500 (38.1)	0.752 (19.1)	.040 (1.0) +/- .006 (0.2)	1	50	B30-R4300
BBP33 only	B33-2000-2-7642	White	N/A	1.000 (25.4)	1.900 (48.3)	2.000 (50.8)	1.000 (25.4)	.045 (1.1) +/- .007 (0.2)	1	50	B30-R4300
Double-side printable, 2" sleeve width (diagram dimension A):											
BBP33 only	B33D-94-2-7642	White	24 to 20	0.047 (1.2)	0.080 (2.0)	0.094 (2.4)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33D-125-2-7642	White	20 to 16	0.062 (1.6)	0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	.020 (0.5) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33D-187-2-7642	White	16 to 10	0.094 (2.4)	0.151 (3.8)	0.187 (4.8)	0.094 (2.4)	.020 (0.5) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33D-250-2-7642	White	12 to 8	0.125 (3.2)	0.215 (5.5)	0.250 (6.4)	0.126 (3.2)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
BBP33 only	B33D-375-2-7642	White	8 to 4	0.188 (4.8)	0.0320 (8.1)	0.375 (9.5)	0.189 (4.8)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33D-500-2-7642	White	6 to 1	0.250 (6.4)	0.450 (11.4)	0.500 (12.7)	0.252 (6.4)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
BBP33 only	B33D-750-2-7642	White	2 to 4/0	0.375 (9.5)	0.700 (17.8)	0.750 (19.0)	0.374 (9.5)	.030 (0.8) +/- .003 (0.07)	1	150	B30-R4300
BBP33 only	B33D-1000-2-7642	White	2/0 to 0.950 dia	0.450 (11.4)	0.950 (24.1)	1.000 (25.4)	0.500 (12.7)	.035 (0.9) +/- .005 (0.1)	1	150	B30-R4300
BBP33 only	B33D-1500-2-7642	White	N/A	0.750 (19.0)	1.400 (35.6)	1.500 (38.1)	0.752 (19.1)	.040 (1.0) +/- .006 (0.2)	1	50	B30-R4300
BBP33 only	B33D-2000-2-7642	White	N/A	1.000 (25.4)	1.900 (48.3)	2.000 (50.8)	1.000 (25.4)	.045 (1.1) +/- .007 (0.2)	1	50	B30-R4300

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®33 Circuit Board Identification Materials:

B-426, B-457 Standard Polyimide Materials

For circuit board labels and high-temperature applications.

- Withstands the various processes, fluxes and cleaning solvents encountered in the manufacture of printed circuit boards
- For use on top or bottom-side component ID or board ID
- 2 temperature levels to meet your needs

B-457: *Service temp: -94°F to 212°F (short burst max temp: 80 sec at 572°F, 5 min at 500°F, 2 hrs at 338°F)*
Agency approvals: UL RoHS

B-426: *Service temp: -94°F to 518°F (short burst max temp: 80 sec at 626°F, 5 min at 536°F)*
Agency approvals: RoHS





Figure 1



Figure 2

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horiz. Repeat C Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Standard temperature - gloss white (B-457):												
BBP33 only	Fig. 1	B33-11-457	B-457	Gloss White	0.250 (6.35)	0.250 (6.4)	0.25 (6.4)	0.375 (9.5)	3.200 (81.3)	12	5000	B30-R6000
BBP33 only	Fig. 1	B33-14-457	B-457	Gloss White	0.650 (16.5)	0.200 (5.1)	0.700 (17.8)	0.300 (7.6)	2.950 (74.9)	4	5000	B30-R6000
BBP33 only	Fig. 1	B33-1-457	B-457	Gloss White	0.750 (19.1)	0.250 (6.4)	0.800 (20.3)	0.350 (8.9)	3.350 (85.1)	4	5000	B30-R6000
BBP33 only	Fig. 2	B33-46-457	B-457	Gloss White	0.750 (19.1)	0.250 (6.4)	-	0.350 (8.9)	0.950 (24.1)	1	5000	B30-R6000
BBP33 only	Fig. 2	B33-49-457	B-457	Gloss White	0.900 (22.9)	0.250 (6.4)	-	0.350 (8.9)	1.100 (27.9)	1	5000	B30-R6000
BBP33 only	Fig. 2	B33-103-457	B-457	Gloss White	1.000 (25.4)	0.250 (6.4)	-	0.350 (8.9)	1.200 (30.5)	1	5000	B30-R6000
BBP33 only	Fig. 2	B33-58-457	B-457	Gloss White	1.000 (25.4)	0.375 (9.5)	-	0.475 (12.1)	1.200 (30.5)	1	5000	B30-R6000
BBP33 only	Fig. 2	B33-59-457	B-457	Gloss White	1.000 (25.4)	0.500 (12.7)	-	0.600 (15.2)	1.200 (30.5)	1	2500	B30-R6000
BBP33 only	Fig. 2	B33-43-457	B-457	Gloss White	1.250 (31.8)	0.250 (6.4)	-	0.350 (8.9)	1.450 (36.8)	1	5000	B30-R6000
BBP33 only	Fig. 2	B33-44-457	B-457	Gloss White	1.375 (34.9)	0.250 (6.4)	-	0.350 (8.9)	1.600 (40.6)	1	5000	B30-R6000
BBP33 only	Fig. 2	B33-45-457	B-457	Gloss White	1.500 (38.1)	0.250 (6.4)	-	0.350 (8.9)	1.700 (43.2)	1	5000	B30-R6000
Extremely high temperature - matte amber (B-426):												
BBP33 only	Fig. 1	B33-14-426	B-426	Matte Amber	0.650 (16.5)	0.200 (5.1)	0.700 (17.8)	0.300 (7.6)	2.950 (74.9)	4	5000	B30-R4300
BBP33 only	Fig. 1	B33-2-426	B-426	Matte Amber	0.900 (22.9)	0.250 (6.4)	1.125 (28.6)	0.350 (8.9)	3.350 (85.1)	3	5000	B30-R4300
BBP33 only	Fig. 1	B33-4-426	B-426	Matte Amber	1.500 (38.1)	0.250 (6.4)	-	0.350 (8.9)	3.350 (85.1)	2	5000	B30-R4300

Don't see the size you need? We'll make it custom for you!

BBP®33 Circuit Board Identification Materials:

B-477, B-478, B-479 Static Dissipative Polyimide Materials

For printed circuit board and electronic component ID.

- Static dissipative adhesive and release liner with surface resistivity values recommended for dissipative ESD packaging
- Complies with EIA-541 Packaging Material Standards for ESD Sensitive Items
- Withstands the various processes, fluxes and cleaning solvents encountered in the manufacture of PC boards
- For use on top or bottom-side component or board identification
- 3 label thickness/gloss configurations to meet your needs

All: *Service temp: -94°F to 212°F (short burst max temp: 80 sec at 572°F, 5 min at 500°F, 2 hrs at 338°F)*
Agency approvals: UL RoHS



Figure 1



Figure 2

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horiz. Repeat C Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Standard thickness - Gloss white (B-477):												
BBP33 only	Fig. 1	B33-14-477	B-477	Gloss White	0.650 (16.5)	0.200 (5.1)	0.700 (17.8)	0.300 (7.6)	2.950 (74.9)	4	5000	B30-R6000
BBP33 only	Fig. 2	B33-43-477	B-477	Gloss White	1.250 (31.8)	0.250 (6.4)	-	0.350 (8.9)	1.450 (36.8)	1	5000	B30-R6000
Low profile label - Gloss white (B-478):												
BBP33 only	Fig. 1	B33-14-478	B-478	Gloss White	0.650 (16.5)	0.200 (5.1)	0.700 (17.8)	0.300 (7.6)	2.950 (74.9)	4	5000	B30-R6000
BBP33 only	Fig. 2	B33-43-478	B-478	Gloss White	1.250 (31.8)	0.250 (6.4)	-	0.350 (8.9)	1.450 (36.8)	1	5000	B30-R6000
Low profile label - Matte white to prevent sticking of solder balls (B-479):												
BBP33 only	Fig. 2	B33-42-479	B-479	Matte White	1.000 (25.4)	0.188 (4.8)	-	0.288 (7.3)	1.200 (30.5)	1	5000	B30-R6000
BBP33 only	Fig. 2	B33-43-479	B-479	Matte White	1.250 (31.8)	0.250 (6.4)	-	0.350 (8.9)	1.450 (36.8)	1	5000	B30-R6000

View all BBP®33 and BBP®33 Print Ribbon parts on page 329.

BBP®31 and BBP®33 Supply Kits

www.BradyID.com/bbp33

Tape Starter Packs - Everything you need to start your labeling applications.

These kits offer a variety of the most common labels to get you up and running quickly and easily! Tape Starter Packs are also available packaged with the BBP®31 Label Printer.



Arc Flash Warning Supply Kit

- (2) 4" x 6" B-595 ANSI Warning Header Label Roll
- (1) 2.25" x 3" B-595 ANSI Warning Header Label Roll
- (1) 1" x 4" B-593 White Raised Panel Label Roll
- (1) 2.2" B-595 Orange Label Roll
- (3) Black Print Ribbon

Catalog #	Description
B30KIT-ARCFLASH-W	Arc Flash Warning Supply Kit
BBP31-ARCFLASH-KIT	Arc Flash Warning Supply Kit w/ BBP®31 Label Printer*

Safety & Compliance Supply Kit

- (1) 4" x 6" B-595 ANSI Danger Header Label Roll
- (1) 4" x 6" B-595 ANSI Warning Header Label Roll
- (1) 4" x 6" B-595 ANSI Caution Header Label Roll
- (1) 4" x 6" B-595 ANSI Notice Header Label Roll
- (1) 4" B-526 Photoluminescent Label Roll
- (1) 4" x 6" B-595 RTK NFPA Diamond w/ Text Roll
- (2) Black Print Ribbon
- (1) Red Print Ribbon

Catalog #	Description
B30KIT-SFTY	Safety & Compliance Supply Kit
BBP31-SFTY-KIT	Safety & Compliance Supply Kit w/ BBP®31 Label Printer*

5S Visual Workplace Supply Kit

- (1) 4" B-595 White Label Roll
- (1) 2.25" B-595 White Label Roll
- (1) 4" B-595 Yellow Label Roll
- (1) 2.25" B-595 Yellow Label Roll
- (1) 2.25" B-581 Repositionable white Label Roll
- (1) 1.125" B-581 Repositionable white Label Roll
- (1) 2.25" Magnetic white Label Roll
- (1) Blank Valve Tag Variety Pack - Large
- (1) Large Die Cut Labels for Valve Tags
- (1) 4" x 6" B-595 Caution Header Label Roll
- (2) Black Print Ribbon
- (1) Red Print Ribbon
- (1) Green Print Ribbon
- (1) Blue Print Ribbon

Catalog #	Description
B30KIT-LEANVW	5S Visual Workplace Supply Kit
BBP31-LEANVW-KIT	5S Visual Workplace Supply Kit w/ BBP®31 Label Printer*

Pipe Identification Supply Kit

- (1) 4" B-595 Yellow Label Roll
- (1) 2.25" B-595 Yellow Label Roll
- (1) 1.125" B-595 Yellow Label Roll
- (1) 4" B-595 Green Label Roll
- (1) 2.25"B-595 Green Label Roll
- (1) 1.125" B-595 Green Label Roll
- (1) 1.125" B-595 Blue Label Roll
- (1) 2.25" B-595 Red Label Roll
- (1) 1.125" B-595 Red Label Roll
- (1) 1" X 4" B-593 Black Raised Panel Label Roll
- (1) Blank Valve Tag Variety Pack - Small
- (1) Small Die Cut Labels for Valve Tags
- (3) Black Print Ribbon
- (2) White Print Ribbon

Catalog #	Description
B30KIT-PIPE	Pipe Identification Supply Kit
BBP31-PIPE-KIT	Pipe Identification Supply Kit w/ BBP®31 Label Printer*

General Industrial & 5S Supply Kit

- (1) 4" B-595 White Label Roll
- (1) 2.25" B-595 White Label Roll
- (1) 1.125" B-595 White Label Roll
- (1) 4" B-595 Yellow Label Roll
- (1) 2.25" B-595 Yellow Label Roll
- (1) 1.125" B-595 Yellow Label Roll
- (1) 2.5" X 3" B-593 Black Raised Panel Label Roll
- (1) 4" x 6" B-595 ANSI Danger Header Label Roll
- (1) 4" x 6" B-595 ANSI Caution Header Label Roll
- (1) 2.25" Reflective Yellow Label Roll
- (1) 4.25" White Tag Stock Roll
- (2) Black Print Ribbon
- (1) White Print Ribbon
- (1) Red Print Ribbon

Catalog #	Description
B30KIT-GENIND	General Industrial & 5S Supply Kit
BBP31-GENIND-KIT	General Industrial & 5S Supply Kit w/ BBP®31 Label Printer*

** Printer ships with power cord, USB cable, drivers CD, stylus, cleaning kit, cutter cleaning tool, quick start guide and documentation holder.*

Installs in 3 seconds and the ink always faces the right direction!

BBP®33 Label Materials:

Print Ribbons

"Drop & Click" print ribbons for 5 second ribbon supply changes.

- Tough, smear-proof ribbons that produce long-lasting printed text
- Print can withstand years in industrial areas and outdoor conditions
- Ribbons ship in self-contained cartridges that drop straight into printer with a "click"
- No calibrating, no threading, no wasted feeding, no hassles, and the ink will always be facing the right direction!
- Printer notifies user if installed ribbon is not recommended for installed labels

BBP®33 Print Ribbons

Catalog #	Color	Size
Heavy-duty ribbons for outdoor & harsh facility materials:		
B30-R10000	Black	4.330" x 200'
B30-R10000-WT	White	4.330" x 200'
B30-R10000-RD	Red	4.330" x 200'
B30-R10000-GN	Green	4.330" x 200'
B30-R10000-BL	Blue	4.330" x 200'
B30-R10000-YL	Yellow	4.330" x 200'
B30-R10000-OR	Orange	4.330" x 200'
B30-R10000-MA	Magenta	4.330" x 200'
Industrial grade print ribbons:		
B30-R4300	Black	4.330" x 200'
B30-R6000	Black	4.330" x 200'
B30-R6200	Black	4.330" x 200'
B30-R6400	Black	4.330" x 200'
B30-R6600	Black	4.330" x 200'
B30-R4400-WT	White	4.330" x 200'
B30-R4500-SV	Silver*	4.330" x 200'

**B30-R4500-SV ribbon for use with B-342 black PermaSleeves® material only.*

BBP®33 Print Ribbon / Material Compatibility

Recommendations below assume current firmware version. Visit www.BradyID.com/bbp33 for free firmware upgrade via download.

B-#	Material	B30-R4300 (Black)	B30-R4400-WT (White)	B30-R4500-SV (Silver)	B30-R6000 (Black)	B30-R6200 (Black)	B30-R6400 (Black)	B30-R6600 (Black)	B30-R10000 (Black)	B30-R10000-WT (White)	B30-R10000 (Colors)
B-342	PermaSleeve® PS Marker	●	–	● *	–	–	–	●	–	–	–
B-345	PermaSleeve® HT Marker	–	● *	–	●	–	–	●	–	–	–
B-423	Glossy White Polyester	–	–	–	●	●	–	–	–	–	–
B-424	Matte White Paper	●	–	–	–	–	–	–	–	–	–
B-425	Matte White Polypropylene	●	–	–	–	–	●	–	–	–	–
B-426	Matte Amber Polyimide	●	–	–	–	–	–	–	–	–	–
B-427	Vinyl Self-Laminating	●	–	–	–	–	–	–	–	–	–
B-428	Metallized Polyester	●	–	–	–	–	–	–	–	–	–
B-430	Glossy Clear Polyester	–	●	–	●	●	–	–	–	–	–
B-432	Glossy Clear Polyester	–	●	–	●	–	–	–	–	–	–
B-434	Gloss Metallized Polyester	–	–	–	●	–	–	–	–	–	–
B-438	Tamper Evident Metallized Polyester	●	–	–	–	–	–	–	–	–	–
B-457	Glossy White Polyimide	–	–	–	●	–	–	–	–	–	–
B-477	Glossy White Static Dissipative Polyimide	–	–	–	●	–	–	–	–	–	–
B-478	Glossy White Low Profile Static Dissipative Polyimide	–	–	–	●	–	–	–	–	–	–
B-479	Matte White Low Profile Static Dissipative Polyimide	–	–	–	●	–	–	–	–	–	–
B-483	Glossy White Polyester	–	–	–	●	–	–	–	–	–	–
B-486	Matte Metallized Polyester	●	–	–	–	–	–	–	–	–	–
B-489	Matte White Polyester	●	–	–	–	–	–	–	–	–	–
B-498	Repositionable Vinyl Cloth	●	–	–	–	●	–	–	–	–	–
B-499	Coated Nylon Cloth	–	–	–	●	–	–	–	–	–	–
B-509	Printable Magnetic	–	–	–	●	–	–	–	●	–	● *
B-526	Photoluminescent Polyester	–	–	–	●	–	–	–	●	–	● *
B-549	Cold Temp Polyester	–	–	–	●	–	–	–	●	●	● *
B-551	Non-Adhesive Tag	–	–	–	●	–	–	–	●	–	● *
B-569	Low-Halide Polyester	–	–	–	●	–	–	–	●	●	● *
B-581	Repositionable Vinyl	–	–	–	●	–	–	–	●	●	● *
B-584	Retro Reflective	–	–	–	●	–	–	–	●	–	● *
B-593	Raised Panel Engraved Plate Substitute	–	●	–	●	–	–	–	–	–	–
B-595	Outdoor Vinyl	–	–	–	●	–	–	–	●	●	● *
B-854	ToughWash™ Metal Detechable Material	–	–	–	●	–	–	–	–	–	–
B-855	ToughWash™ Material	–	–	–	●	–	–	–	–	–	–
B-7642	PermaSleeve® HX Marker	●	–	–	–	–	●	–	–	–	–

Refer to the corresponding Tech Data Sheets for complete material information at www.BradyID.com/techdata.
**B30-R4500-SV ribbon for use with B-342 black PermaSleeves® only; B30-R4400-WT ribbon for use with B-345 black PermaSleeves® only.*
***Colored ribbons optimized for use on white material. Test use on other material colors for suitability to your application.*

GlobalMark®2 Industrial Label Maker

www.BradyID.com/globalmark

View Online!

Visit **www.BradyID.com/globalmark** for more information on the GlobalMark®2 Industrial Label Maker.

Your Complete Printing Solution:

GlobalMark®2 Label Rolls .....Page 332
GlobalMark®2 Print Ribbons.....Page 339

Choose from 2 GlobalMark® models that meet all your labeling requirements

COLOR&CUT

- Prints in one color, multiple spot colors, blended colors and full process color
- Additional built-in plotter cutter for cutting out characters, text, shapes and multi-up labels
- With optional MarkWare™ label making software, import and print full color logos, artwork, even photographs

MULTI COLOR

- Prints the same color options as the Color & Cut system, including the optional MarkWare™ software enhancements, without the additional built-in plotter cutter

GLOBALMARK®2
INDUSTRIAL LABEL MAKER

Get the message right...and get it out now with the GlobalMark®2 Industrial Label Maker.

Exactly the message you need, when you need it. When you need a sign or label, you need it now – you don't want to wait a day or a week for a custom order. With the GlobalMark®2 Industrial Label Maker Wizards, just touch, print, and get the message you need – right now – with built-in templates and graphics,

Easy, versatile, customized signs & labels.

With built-in templates, graphics, and applications, you can quickly and easily create pipe markers, safety signs, hazardous labels, tags, equipment and warehouse marking, and more. You can even create custom templates!

The features you need at your fingertips:

- English, Spanish, French Languages Built In
- Print Size .08" to 3.8"
- 5 Fonts Built In
- Bar Codes 128, 39 and Int. 2 of 5 Built In
- Tape Widths 1/2" to 4"
- Clear Label Preview Before Printing
- Sharp 300 DPI Print Resolution
- Large Color Touch Screen
- Full Size Keyboard
- XY Axis Plotter/Cutter on Color & Cut Model - Die cuts 0.08" to 3.8"
- Compact Flash Memory Card Port
- Touch-and-Drag Editing
- Stand-Alone Operation or PC-Connect Operation



Drop & Lock Tapes

Self-contained, Industrial Grade Print Ribbon

Look what GlobalMark® can do for you...

Pipe Markers a(1/2" to 4")

Valve Tags

Equipment I.D.

RTK Chemical Labels

Cut Out Shapes & Text

Multiple Print Colors

GlobalMark®2 Industrial Label Maker

GlobalMark® Printer Specifications	
Description	Rugged Safety & Facility ID printer with advanced capabilities of printing multiple print colors onto a label and cutting out basic shapes & text. Ideal for Lean, 5S,and Plant Reliability labeling programs as well as pipe marking and general facility ID
Applications & Comments	Facility & safety ID, signs, pipe markers, lean/5S, arc flash labels, GHS & chemical labels, equipment labels, panel labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labeling.
Label Material Types	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark and 9 other materials
Types of labels available	Continuous, pre-printed die cut labels
Print Technology	Thermal Transfer
Print Resolution	300 dpi
Max Print Width	4.000"
Media Widths	0.500" to 4.250"
Minimum Label Dimension	0.500"
Color Printing Capabilities	Multiple print colors (some pre-printed multicolor supplies also available)
Auto Cut-off	Yes
X-Y Plotter Cutting (cutting out shapes & text)	Yes (Color & Cut model)
PC Connect or Stand Alone Operation	PC Connect and Stand Alone
Ribbon & label roll installation	**Labels:** Supplied in cartridge, drops into place, 15 sec changeover **Ribbon:** Supplied in cartridge, snaps into place, 5 sec changeover
Calibration Required?	No (no waste)
Label creation & set-up	Automatic (printer or PC reads data on chip and automatically sets up label size, color, fonts, etc.)
Connectivity Options	Standard: USB
Compatible Software	MarkWare™ Software, Windows® based driver for 3rd party software use*
Warranty	5 years

GlobalMark®2 Label Maker and Accessories

Catalog #	Description
76801	GlobalMark2 Color & Cut Label Maker*
76800	GlobalMark2 MultiColor Label Maker *
134107	GlobalMark2 Color & Cut Label Maker* with MarkWare Standard Software
134108	GlobalMark2 Color & Cut Label Maker* with MarkWare Lean Software
134105	GlobalMark2 MultiColor Label Maker * with MarkWare Standard Software
134106	GlobalMark2 MultiColor Label Maker * with MarkWare Lean Software
120994	Rolling case w/ handle and supplies pockets for benchtop printers
76808	Mouse
STYLUS-3PK	Stylus Pens (3 pack)
64MB-CF	256MB Memory Card
76811	Replacement Cutting Blade
76737	Transfer Tape (4.25" x 200 ft.)
20596	Grommets for Tags (100/pk)
20591	Hole Punch for Tags
81762	8" Nylon Cable Ties (100/pk)
36611	Weeding Tool
36612	Squeegee
64692	Thermal Print Head Cleaning Pen

** Printer includes with keyboard, power cord, cleaning kit, USB cable and Brady File Management Utility.*

GlobalMark®2 PC-Connect Software Solutions:

MarkWare™ Facility Identification Software

Create custom safety signs & labels including pipe markers, ANSI signs, Lockout tags, GHS labels, RTK chemical labels and custom labels with barcodes and graphics. Built-in graphics and 2,000 chemical database for RTK. Pre-formatted GHS label templates. *View page 356 for more information.*

MarkWare™ Lean Software

Includes all the features and functions of Markware Standard plus new tools to support and sustain your lean transformation. Post critical information at the oint of use when implementing 5S, Total Productive Maintenance, Standard Work, Kanban or other lean concepts. *View page 356 for more information.*

Brady360® 5 Year Warranty
We have you Covered.

BRADY 360° NEW! 5 YEAR WARRANTY

We always stand behind our products to make sure they exceed your expectations and to deliver you an unrivaled customer experience—that's why there is the Brady 360® program. We've strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.* With a team of 30 certified tech support and repair technicians and our 5-year warranty backing you up, you can rest assured you'll have the support you need—every step of the way.

Free 5-year warranty standard on Benchtop models* covers:
- Repair parts & labor
- One print head replacement
- Free loaner printer during repairs
- Free return shipping after repair
- Free Brady 360® stress-free printer setup session
- Free lifetime technical support via phone and email
- Free lifetime printer firmware upgrades
- One free Brady 360® preventative maintenance service

Access to additional fee-based support:
- On-site repair service
- On-site custom set-up and training
- Additional print head coverage (after the first free replacement)
- Advanced custom integration, programming support and template creation

**Excludes repairs due to negligence. Excludes Wraptor™ model and handheld models. See www.BradyID.com/brady360 for full coverage details & restrictions.*

GlobalMark®2 Label Materials

www.BradyID.com/globalmark

GlobalMark®2 General Identification Materials:

B-595 Indoor/Outdoor Grade Vinyl Tape

- Conforms well to irregular, curved, rough and highly textured surfaces
- Low-shrink vinyl minimizes the amount of unsightly dust and grime buildup often found around the edges of other vinyl labeling supplies
- 8-10 year average outdoor durability in temperatures from -40°F to 180°F (-40°C to 82°C). Labels can be applied in temperatures from 0°F to 180°F
- Patent Number D481.414



Figure 33

Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 33	113109	B-595	White	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113110	B-595	White	3.000 (76.2)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113111	B-595	White	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113112	B-595	White	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113113	B-595	White	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113114	B-595	Yellow	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113115	B-595	Yellow	3.000 (76.2)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113116	B-595	Yellow	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113117	B-595	Yellow	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113118	B-595	Yellow	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113119	B-595	Red	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113120	B-595	Red	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113121	B-595	Red	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113122	B-595	Red	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113127	B-595	Blue	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113128	B-595	Blue	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113129	B-595	Blue	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113130	B-595	Blue	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113123	B-595	Green	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113124	B-595	Green	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113125	B-595	Green	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113126	B-595	Green	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113131	B-595	Black	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113132	B-595	Black	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113133	B-595	Black	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113134	B-595	Black	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113135	B-595	Brown	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113136	B-595	Brown	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113137	B-595	Brown	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113138	B-595	Brown	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113139	B-595	Gold	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113140	B-595	Gold	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113141	B-595	Gold	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113142	B-595	Gold	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113143	B-595	Grey	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113144	B-595	Grey	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113145	B-595	Grey	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113146	B-595	Grey	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113147	B-595	Purple	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113148	B-595	Purple	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113149	B-595	Purple	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113150	B-595	Purple	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113151	B-595	Orange	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113152	B-595	Orange	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113153	B-595	Orange	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113154	B-595	Orange	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113105	B-595	Clear	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113106	B-595	Clear	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113107	B-595	Clear	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	113108	B-595	Clear	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)

View all GlobalMark® Print Ribbon parts on page 339.

GlobalMark®2 General Identification Materials:

B-569 Polyester Tape

- Outdoor Grade
- Best choice for marking stainless steel pipes & surfaces (low halide content)
- Ultra-smooth finish excellent for mounting to rigid panels & very smooth surfaces.
- Applies best to very smooth surfaces



Figure 33

Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Flg.33	76614	B-569	White	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76615	B-569	White	3.000 (76.2)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76616	B-569	White	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76617	B-569	White	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76618	B-569	White	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76619	B-569	Yellow	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76620	B-569	Yellow	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76621	B-569	Yellow	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76622	B-569	Yellow	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76623	B-569	Red	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76624	B-569	Red	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76625	B-569	Red	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76626	B-569	Red	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76627	B-569	Blue	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76628	B-569	Blue	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76629	B-569	Blue	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76630	B-569	Blue	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76639	B-569	Green	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76640	B-569	Green	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76641	B-569	Green	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76642	B-569	Green	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76647	B-569	Black	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76648	B-569	Black	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76649	B-569	Black	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76650	B-569	Black	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76643	B-569	Brown	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76644	B-569	Brown	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76645	B-569	Brown	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76646	B-569	Brown	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76602	B-569	Tan	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76603	B-569	Tan	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76604	B-569	Tan	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76605	B-569	Tan	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76651	B-569	Grey	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76652	B-569	Grey	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76653	B-569	Grey	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76654	B-569	Grey	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76631	B-569	Purple	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76632	B-569	Purple	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76633	B-569	Purple	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76634	B-569	Purple	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76635	B-569	Orange	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76636	B-569	Orange	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76637	B-569	Orange	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76638	B-569	Orange	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76598	B-569	Pink	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76599	B-569	Pink	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76600	B-569	Pink	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76601	B-569	Pink	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76606	B-569	Lt. Blue	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76607	B-569	Lt. Blue	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76608	B-569	Lt. Blue	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76609	B-569	Lt. Blue	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	97738	B-569	Ochre	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	97739	B-569	Ochre	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	97740	B-569	Ochre	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	97741	B-569	Ochre	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	97742	B-569	Sky Blue	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	97743	B-569	Sky Blue	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	97744	B-569	Sky Blue	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	97745	B-569	Sky Blue	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76610	B-569	Clear	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76611	B-569	Clear	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76612	B-569	Clear	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Flg.33	76613	B-569	Clear	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)

View all GlobalMark® Print Ribbon parts on page 339.

GlobalMark®2 Label Materials

www.BradyID.com/globalmark

GlobalMark®2 General Identification Materials:

B-595 Pre-Printed Pre-Cut Blank Sign Headers

For creating Arc Flash and safety warning labels in seconds.

- Allows printer to create multicolor signs fast - in a single print pass
- Headers meet NFPA 70E, OSHA 1910.145 and ASME/ANSI Z535 standards
- Indoor/outdoor grade material conforms to rough, highly textured, and "difficult to adhere to" surfaces

Service temp: -40ºF to 180ºF Application temp: 0ºF to 180ºF
Average Outdoor Durability: 8-10 years



Figure 73

Print your own valve tag! View page 350 for blank rigid valve tags!

NOTE: *A free firmware upgrade to version 25i for your GlobalMark® Label Maker is required to print these supplies. Contact Brady Technical Support at 1-800-643-8766 to upgrade.*

Diagram	Catalog #	B#	Header	Label Height A Inch (mm)	Label Width B Inch (mm)	Labels Per Row	Labels Per Roll
Fig. 73	121550	B-595	DANGER	2.250 (57.5)	3.250 (82.6)	1	270
Fig. 73	121558	B-595		4.000 (101.6)	6.250 (158.8)	1	165
Fig. 73	121552	B-595	CAUTION	2.250 (57.5)	3.250 (82.6)	1	270
Fig. 73	121560	B-595		4.000 (101.6)	6.250 (158.8)	1	165
Fig. 73	121551	B-595	CAUTION	2.250 (57.5)	3.250 (82.6)	1	270
Fig. 73	121559	B-595		4.000 (101.6)	6.250 (158.8)	1	165
Fig. 73	121549	B-595	DANGER	2.250 (57.5)	3.250 (82.6)	1	270
Fig. 73	121557	B-595		4.000 (101.6)	6.250 (158.8)	1	165
Fig. 73	121553	B-595	WARNING	2.250 (57.5)	3.250 (82.6)	1	270
Fig. 73	121561	B-595		4.000 (101.6)	6.250 (158.8)	1	165
Fig. 73	121554	B-595	NOTICE	2.250 (57.5)	3.250 (82.6)	1	270
Fig. 73	121562	B-595		4.000 (101.6)	6.250 (158.8)	1	165
Fig. 73	121563	B-595		1.125 (28.6) *	2.750 (69.8)	1	300
Fig. 73	121547	B-595		2.250 (57.5)	3.250 (82.6)	1	270
Fig. 73	121564	B-595		2.250 (57.5) *	3.750 (95.2)	1	250
Fig. 73	121555	B-595		4.000 (101.6)	6.250 (158.8)	1	165
Fig. 73	121548	B-595		2.250 (57.5)	3.250 (82.6)	1	270
Fig. 73	121556	B-595		4.000 (101.6)	6.250 (158.8)	1	165

**Pre-sized to fit blank rigid valve tags (page 350) but can also be used on its own as general purpose label.*
Visit www.BradyID.com for information on Valve Tag Kit (catalog #142133).

GlobalMark®2 General Identification Materials:

B-551 Non-Adhesive Pre-Printed & Pre-Cut Safety Tags

Pre-printed and pre-cut to save you time!

- Non-adhesive semi rigid card stock
- Tags are pre-cut with hole and chamfered corners
- Perforated between tags
- Snap-in plastic grommets available for extra strength around mounting hole

Service temp: -40ºF to 180ºF Application temp: 0ºF to 180ºF
Average Outdoor Durability: 8-10 years



Figure 69

Diagram	Catalog #	B#	Header	Tag Width A Inch (mm)	Tag Height B Inch (mm)	Tags Per Row	Tags Per Roll
Fig. 69	121543	B-551	DANGER	3.250 (82.6)	5.750 (146.1)	1	100
Fig. 69	121544	B-551	DANGER	3.250 (82.6)	5.750 (146.1)	1	100
Fig. 69	121545	B-551	CAUTION	3.250 (82.6)	5.750 (146.1)	1	100
Fig. 69	121546	B-551		3.250 (82.6)	5.750 (146.1)	1	100

NOTE: *A free firmware upgrade to version 25i for your GlobalMark® Label Maker is required to print these supplies. Contact Brady Technical Support at 1-800-643-8766 to upgrade.*

View all GlobalMark® Print Ribbon parts on page 339.

GlobalMark®2 General Identification Materials:

Make GHS / CLP Chemical Labels

with your GlobalMark® Label Maker and MarkWare™ v3.9.1 Software.

- Create GHS labels by using your current blank white B-595 labels and a black/red panel ribbon - all you need is MarkWare v3.9.1 or higher software *(See page 356 for more details on the GHS / CLP module in MarkWare and how current MarkWare owners can upgrade for free)*
- Printer produces 2-color GHS label in 2 print passes
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling

Service temp: -4°F to 180°F
Application temp: 50°F to 180°F
Average Outdoor Durability: 3-5 years

White B-595 Label Material

Black/Red Paneled GlobalMark® Ribbon (Catalog# 76763)

MarkWare™ v3.9.1 Software

White B-595 Label Materials for GHS Label Printing

Diagram	Catalog #	B#	Color	Label Width Inch (mm)	Roll Length Feet (m)	Labels Per Roll*	For Use With
Fig. 73	113111	B-595	White	2.250 (57.5)	100ft (30.5 m)	approx 185	Small GHS template size in MarkWare
Fig. 73	113110	B-595	White	3.000 (76.2)	100ft (30.5 m)	approx 255	Medium GHS template size in MarkWare
Fig. 73	113109	B-595	White	4.000 (101.6)	100ft (30.5 m)	approx 340	Large GHS template size in MarkWare

** Quantity per roll assumes given template size is used.*

Black/Red Paneled Ribbon Required for GHS Label Printing

Catalog #	Color	Size Inch (mm)	Length	Typical yield	For Use With
76763	Black & Red	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)	One hundred labels from 8" paneled ribbon	All GHS template sizes in MarkWare

GlobalMark®2 General Identification Materials:

B-595 Right-to-Know Pre-Print Labels

- Outdoor grade vinyl adhesive label in Color Bar or NFPA 704M diamond formats
- 4 color diamond or bars are pre-printed so these only require 1-color print pass (black) through printer

Special Black Ribbon Required

The RTK Labels below require the use of the following black ribbon:

Catalog #	Description
96089	4.11" x 200' RTK Black Ribbon

Catalog #	B#		Legend	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Row	Labels Per Pkg
115763	B-595		Diamond + Text	4.000 (101.6)	6.250 (158.8)	1	170
115766	B-595		Diamond + Text	2.250 (57.5)	4.000 (101.6)	1	240
115772	B-595		Diamond + Text	2.250 (57.5)	2.250 (57.5)	1	365
115765	B-595		Diamond Only	4.000 (101.6)	4.000 (101.6)	1	240
115773	B-595		Diamond Only	2.250 (57.5)	2.250 (57.5)	1	365
115764	B-595		Color Bar + Text	4.000 (101.6)	6.250 (158.8)	1	170
115767	B-595		Color Bar + Text	2.250 (57.5)	4.000 (101.6)	1	240
115771	B-595		Color Bar + Text	2.250 (57.5)	2.250 (57.5)	1	365
115768	B-595		Color Bar Only	2.250 (57.5)	2.250 (57.5)	1	365
115770	B-595		Color Bar HMIG	1.125 (28.6)	3.000 (76.2)	1	300
115769	B-595		Diamond NFR	1.125 (28.6)	3.000 (76.2)	1	300

Hand-Applied Overlam for RTK Labels (B-674)

- Protect your printed labels with a pressure sensitive polyester overlaminate.

Catalog #	B#	Color	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Pkg
64984	B-674	Clear Overlam	1.500 (38.1)	2.500 (63.5)	50
58476	B-674	Clear Overlam	2.500 (63.5)	2.500 (63.5)	50
58706	B-674	Clear Overlam	3.500 (88.9)	5.500 (139.7)	50
64985	B-674	Clear Overlam	4.500 (114.3)	6.500 (165.1)	50

View all GlobalMark® Print Ribbon parts on page 339.

GlobalMark®2 Label Materials

www.BradyID.com/globalmark

GlobalMark®2 General Identification Materials:

B-514 ToughStripe® Print-On-Demand Floor Labels

- Revolutionary new B-514 material has ultra aggressive adhesive
- Withstands forklift and pallet jack traffic without tearing or lifting
- Easy 3-step process: print label, position on floor, apply overlaminate
- Each roll ships with a roll of clear overlaminate which must be applied over printed label and onto appropriate surface for best performance
- Plotter-cutting shapes and text not allowed with this material

Figure 33

Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 33	142155	B-514	White	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142154	B-514	White	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142156	B-514	White	3.000 (76.2)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142157	B-514	White	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142162	B-514	Yellow	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142161	B-514	Yellow	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142163	B-514	Yellow	3.000 (76.2)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142164	B-514	Yellow	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142166	B-514	Red	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142165	B-514	Red	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142167	B-514	Red	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142169	B-514	Blue	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142168	B-514	Blue	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142170	B-514	Blue	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142172	B-514	Green	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142171	B-514	Green	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142173	B-514	Green	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142159	B-514	Black	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142158	B-514	Black	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142160	B-514	Black	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142175	B-514	Orange	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142174	B-514	Orange	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	142176	B-514	Orange	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)

GlobalMark®2 General Identification Materials:

B-526 Phosphorescent Tape

- Permanent adhesive and glows in darkness for 10 hours
- Glows brighter and longer than B-582
- Complies with indoor use requirments specified in RS 6-1 and 6-1A of New York Local Law 26
- Plotter-cutting shapes and text not allowed with this material



Figure 33

Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 33	105909	B-526	Phosphorescent	4.000 (101.6)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	105910	B-526	Phosphorescent	2.500 (63.5)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	105911	B-526	Phosphorescent	1.375 (34.9)	50ft. (15.2m)	1 Roll (cont.)

GlobalMark®2 General Identification Materials:

B-582 Phosphorescent Tape (B-582)

- Permanent adhesive and glows in darkness for hours
- Meets ISO, & ASTM standards
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 33	76711	B-582	Phosphorescent	4.000 (101.6)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	76712	B-582	Phosphorescent	2.500 (63.5)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	76713	B-582	Phosphorescent	1.375 (34.9)	50ft. (15.2m)	1 Roll (cont.)

View all GlobalMark® Print Ribbon parts on page 339.

GlobalMark®2 General Identification Materials:

B-854 and B-855 ToughWash™ Tape

- Withstands pressures of high heat, harsh chemicals and numerous washdown cycles
- B-854 offers metal detectable layer to detect foreign debris in food stream
- Legible and long-lasting for even the toughest washdown cycles
- Ideal for use in the Food & Beverage industry
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Figure 73

Diagram	Catalog #	B#	Legend	Label Width A Inch (mm)	Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-854 ToughWash™ Metal Detectable Material							
Fig. 33	133134	B-854		4.000 (101.06)	50ft. (15.2 m)	1 roll (cont.)	134352
Fig. 33	133133	B-854		4.000 (101.06)	50ft. (15.2 m)	1 roll (cont.)	134352
Fig. 73	133140	B-854	CAUTION	4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133141	B-854	DANGER	4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133139	B-854	WARNING	4.000 (101.06)	6.250 (158.8)	100	134352
B-855 ToughWash™ Material							
Fig. 33	133159	B-855		4.000 (101.06)	50ft. (15.2 m)	1 roll (cont.)	134352
Fig. 33	133158	B-855		4.000 (101.06)	50ft. (15.2 m)	1 roll (cont.)	134352
Fig. 73	133166	B-855	CAUTION	4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133165	B-855	DANGER	4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133164	B-855	WARNING	4.000 (101.06)	6.250 (158.8)	100	134352

GlobalMark®2 General Identification Materials:

B-584 Reflective Tape

- Permanent adhesive/outdoor grade
- Shines back at viewer brightly when light shines on label
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 33	76705	B-584	Silver	4.000 (101.6)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	76706	B-584	Silver	2.250 (57.5)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	76707	B-584	Silver	1.375 (34.9)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	96060	B-584	Yellow	4.000 (101.6)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	96061	B-584	Yellow	2.250 (57.5)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	96062	B-584	Yellow	1.375 (34.9)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	99219	B-584	Orange	4.000 (101.6)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	99220	B-584	Orange	2.250 (57.5)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	99221	B-584	Orange	1.375 (34.9)	50ft. (15.2m)	1 Roll (cont.)

GlobalMark®2 General Identification Materials:

B-551 Tag Stock Material

- Non-adhesive tag stock meets OSHA 50 lb. pull requirement
- May we also suggest: Grommets (Catalog # 20596) or 5/8" Hole punch (Catalog # 20591)
- Plotter-cutting shapes and text not allowed with this material



Figure 33

Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 33	76714	B-551	White	4.250 (107.9)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	76715	B-551	White	3.250 (82.5)	50ft. (15.2m)	1 Roll (cont.)
Fig. 33	76716	B-551	White	2.500 (63.5)	50ft. (15.2m)	1 Roll (cont.)

View all GlobalMark® Print Ribbon parts on page 339.

GlobalMark®2 Label Materials

www.BradyID.com/globalmark

GlobalMark®2 General Identification Materials:

B-581 Repositionable Vinyl Tape

- Special adhesive allows you to easily remove the label and re-apply
- Ideal for indoor marking where frequent repositioning is required
- Plotter-cutting shapes and text not allowed with this material



Figure 33

Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 33	76697	B-581	White	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76698	B-581	White	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76699	B-581	White	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76700	B-581	White	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76701	B-581	Yellow	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76702	B-581	Yellow	2.250 (57.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76703	B-581	Yellow	1.125 (28.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76704	B-581	Yellow	0.500 (12.7)	100ft. (30.5m)	1 Roll (cont.)

GlobalMark®2 General Identification Materials:

B-509 Magnetic Tape

- Non-adhesive
- Print direct onto magnetic tape
- Plotter-cutting shapes and text not allowed with this material



Figure 33

Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 33	76686	B-509	White	4.000 (101.6)	25ft (7.62m)	1 Roll (cont.)
Fig. 33	76687	B-509	White	2.500 (63.5)	25ft (7.62m)	1 Roll (cont.)
Fig. 33	76688	B-509	Yellow	4.000 (101.6)	25ft (7.62m)	1 Roll (cont.)
Fig. 33	76689	B-509	Yellow	2.500 (63.5)	25ft (7.62m)	1 Roll (cont.)

GlobalMark®2 General Identification Materials:

B-549 Cold Temperature Tape

- Permanently adheres to surfaces at temperatures as low as -10˚F
- Great for use in any cold storage warehouse, cooler or freezer
- Plotter-cutting shapes and text not allowed with this material

Figure 33

Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 33	76691	B-549	White	4.250 (107.9)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76692	B-549	White	2.500 (63.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76693	B-549	White	1.375 (34.9)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76694	B-549	Yellow	4.000 (101.6)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76695	B-549	Yellow	2.500 (63.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76696	B-549	Yellow	1.375 (34.9)	100ft. (30.5m)	1 Roll (cont.)

GlobalMark®2 General Identification Materials:

B-565 Metallized Polyester Tape

- Permanent adhesive
- Non-cuttable supply suitable for continuous-style labels
- Cuttable supply ideal for multi-up, cut labels in basic rectangular & round shapes only. Not suitable for cut-out text or intricate shapes.



Figure 33

Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 33	76720	B-565	Non-cuttable Metalized	4.250 (107.9)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76721	B-565	Non-cuttable Metalized	2.500 (63.5)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	76722	B-565	Non-cuttable Metalized	1.375 (34.9)	100ft. (30.5m)	1 Roll (cont.)
Fig. 33	114533	B-565	Cuttable Metalized	4.250 (107.9)	100ft. (30.5m)	1 Roll (cont.)

Transfer Tape For Cut Text

- Leaves cut characters pre-spaced for transferring from liner to applying them to desired surface

Diagram	Catalog #	Label Width A Inch (mm)	Roll Length B Feet (m)
Fig. 33	76737	4.250 (107.9)	200ft. (60.9m)

View all GlobalMark® Print Ribbon parts on page 339.



Example of a Single Color Ribbon

Examples of Multi-Color Paneled Ribbons

GlobalMark®2 Industrial Print Ribbons

"Drop & Click" print ribbons for quick and easy supply changes.

- Super-Tough smear-proof ribbons assure your printed text lasts for years outdoors and in an industrial environment
- Ribbons ship self-contained in cartridges that drop straight in to the GlobalMark® with a "click"
- No calibrating, no threading, no wasted feeding, no hassles, and the ink will always be facing the right direction!
- 2 and 4-color "paneled" ribbons are used to print labels and signs containing more than 1 print color
- Patent D481,755

Single Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
76739	Black	4.110 (104.4)	200 ft. (60.9 m)
134352	Black (for use with B-854 & B-855 ToughWash™ Material only)	4.110 (104.4)	200 ft. (60.9 m)
76741	White	4.110 (104.4)	200 ft. (60.9 m)
76743	Red	4.110 (104.4)	200 ft. (60.9 m)
76745	Blue	4.110 (104.4)	200 ft. (60.9 m)
76747	Green	4.110 (104.4)	200 ft. (60.9 m)
76749	Magenta	4.110 (104.4)	200 ft. (60.9 m)
76751	Yellow	4.110 (104.4)	200 ft. (60.9 m)
76752	Orange	4.110 (104.4)	200 ft. (60.9 m)
76759	Process Cyan	4.110 (104.4)	200 ft. (60.9 m)
76760	Process Yellow	4.110 (104.4)	200 ft. (60.9 m)
76761	Process Magenta	4.110 (104.4)	200 ft. (60.9 m)

Two Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
4.110 (104.4) x 8.000 (203.2) Panels Typical yield: One hundred 8" labels from 8" paneled ribbon			
76739	Black	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
76763	Black & Red	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
110220	Red & Green	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
76775	Black & Blue	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
76767	Black & Yellow	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
76771	Black & Orange	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
76779	Black & Green	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
4.110 (104.4) x 16.000 (406.4) Panels Typical yield: Sixty 16" labels from 16" paneled ribbon			
76762	Black & Red	4.110 (104.4) x 16.000 (406.4) Panels	200 ft. (60.9 m)
76774	Black & Blue	4.110 (104.4) x 16.000 (406.4) Panels	200 ft. (60.9 m)
76766	Black & Yellow	4.110 (104.4) x 16.000 (406.4) Panels	200 ft. (60.9 m)
76770	Black & Orange	4.110 (104.4) x 16.000 (406.4) Panels	200 ft. (60.9 m)
76778	Black & Green	4.110 (104.4) x 16.000 (406.4) Panels	200 ft. (60.9 m)
76782	Red & Blue	4.110 (104.4) x 16.000 (406.4) Panels	200 ft. (60.9 m)

Four Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
4.110 (104.4) x 8.000 (203.2) Panels Typical yield: Fifty 8" labels from 8" paneled ribbon			
76787	Black, Red, Blue & Green	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
110221	Red, Green, Yellow & Black	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
76791	Black, Red, Blue & Yellow	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
76795	Cyan, Magenta, Yellow & Black	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
51447	Black, Red, Orange & Blue	4.110 (104.4) x 8.000 (203.2) Panels	200 ft. (60.9 m)
4.110 (104.4) x 16.000 (406.4) Panels Typical yield: Thirty 16" labels from 16" paneled ribbon			
76786	Black, Red, Blue & Green	4.110 (104.4) x 16.000 (406.4) Panels	200 ft. (60.9 m)
76790	Black, Red, Blue & Yellow	4.110 (104.4) x 16.000 (406.4) Panels	200 ft. (60.9 m)
76794	Cyan, Magenta, Yellow & Black	4.110 (104.4) x 16.000 (406.4) Panels	200 ft. (60.9 m)

BBP®85 Sign and Label Printer

www.BradyID.com/bbp85

BBP®85 LABEL PRINTER

There's **BIG** and **BOLD.**

Then there's BIG and BOLD from Brady.

The BBP®85 Label Printer allows you to create 10" labels in multiple colors, and it has an easier-than-ever interface that anyone on your team can use! No more complex, tedious design steps. Now you can just walk up and print… anyone can do it!

Big Output. Little Fuss.

Create extra-large 10' custom signs and labels right now! This printer has our fastest, easiest operating system, so anyone on your team can design visuals with little to no training. The ideal printer for multi-user Lean 5S and kaizen labeling events!

- Unmistakably large visuals up to 10" wide
- Just walk up and print…it really is that easy!
- Simple touch-screen interface for stand-alone use, or print from your PC with MarkWare™ Software
- Timesaving label design apps to create pipe markers, safety signs, arc flash, right-to-know labels, and more!
- USB port for importing files, fonts and graphics

View Online!

Visit **www.BradyID.com/BBP85** for more information on the BBP®85 Sign and Label Printer.

Your Complete Printing Solution:

BBP®85 Label Materials ..... Page 342
BBP®85 Print Ribbons ..... Page 346

Best-of-the-Best Materials.

Brady's sign and label materials lead the industry in durability and performance. They withstand harsh conditions, stay stuck on the most challenging surfaces and they simply last longer than other materials on the market. With the BBP85 printer, you can choose from over one hundred supply options, including:

- Huge selection of 4" wide to 10" wide industrial grade outdoor materials
- Specialty materials including Reflective and Glow-in-the-Dark
- Pre-printed sign header supplies for GHS, arc flash and OSHA or ANSI safety signs, which means only one print pass!

Create Custom Rigid Signs

Pair the BBP®85 Printer with Brady's BLS1255 Laminating System to create custom rigid signs in minutes.

View page 350 for available blank rigid sign panels.

Big, bold and better than ever.

Larger Signs (up to 10")

Custom Signs On Demand

Equipment I.D.



Low Light Applications

GHS Hazcomm

Pipe Markers

BBP®85 Sign and Label Printer

www.BradyID.com/bbp85

PowerMark® Printer Specifications	
Description	Larger format facility ID printer with ultimate walk-up-and-print ease of no calibration set-up, no label waste and 20-second supply changeovers. Revolutionary ease of use makes it ideal for training multiple users and saving wasted time and wasted label cost.
Applications & Comments	Large-sized labels up to 10" for signs, warnings, lean/5S, arc flash, GHS chemical labels, equipment & panel labels, roll form pipe markets, reflective and glow-in-the-dark labels
Label Material Types	Extremely agressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus reflective, 10-hour glow-in-the-dark and polyester.
Types of labels available	Continuous material and pre-printed die cut labels
Print Technology	Thermal Transfer
Print Resolution	300 dpi
Max Print Width	10.000"
Media Widths	4.000" to 10.000"
Minimum Label Dimension	4.000"
Color Printing Capabilities	Single print color on label (some pre-printed multicolor supplies also available)
Auto Cut-off	Yes
X-Y Plotter Cutting (cutting out shapes & text)	No
PC Connect or Stand Alone Operation	PC Connect and Stand Alone
Ribbon & label roll installation	**Labels:** Supplied in cartridge with smart chip, 15 sec changeover **Ribbon:** Supplied on geared snap-in rolls with smart chip, 5 sec changeover
Calibration Required?	No
Label creation & set-up	Automatic (printer or PC reads data on chip and automatically sets up label size, color, fonts, etc.)
Connectivity Options	Standard: USB, Ethernet Optional: WiFi, WiFi Direct
Compatible Software	MarkWare™ Software, Windows® based driver for 3rd party software use*
Warranty	5 years

** Patent Pending*

BBP®85 Label Printer and Accessories

Catalog #	Description
BBP85	BBP85 Sign & Label Printer*
BBP85-MWL	BBP85 Sign & Label Printer* with Markware Lean Software
BBP85-31-71-Kit	BBP85 Sign & Label Printer*, BBP31 Printer, BMP71 Printer & Markware Lean Software
BBP85-31-Kit	BBP85 Sign & Label Printer*, BBP31 Printer & Markware Lean Software
BBP85-71-Kit	BBP85 Sign & Label Printer*, BBP31 Printer, BMP71 Printer & Markware Lean Software
B85-DC	BBP85 Printer Dust Cover
B85-STYLUS	BBP85 Relacement Stylus 3 Pack
64692	Print Head Cleaning Pen

** Printer ships with documentation CD, printer driver CD, power cord, USB cord, quick start guide, cleaning kit.*

BBP®31 Sign & Label Printer
View page 308.

BMP®71 Label Printer
View page 284.

BBP®85 PC-Connect Software Solutions:

MarkWare™ Lean Software

Includes all the features and functions of Markware Standard plus new tools to support and sustain your lean transformation. Post critical information at the oint of use when implementing 5S, Total Productive Maintenance, Standard Work, Kanban or other lean concepts. *View page 356 for more information.*

Brady360® 5 Year Warranty
We have you Covered.

NEW! BRADY 360° 5 YEAR WARRANTY

We always stand behind our products to make sure they exceed your expectations and to deliver you an unrivaled customer experience—that's why there is the Brady 360® program. We've strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.* With a team of 30 certified tech support and repair technicians and our 5-year warranty backing you up, you can rest assured you'll have the support you need—every step of the way.

Free 5-year warranty standard on Benchtop models* covers:
- Repair parts & labor
- One print head replacement
- Free loaner printer during repairs
- Free return shipping after repair
- Free Brady 360® stress-free printer setup session
- Free lifetime technical support via phone and email
- Free lifetime printer firmware upgrades
- One free Brady 360® preventative maintenance service

Access to additional fee-based support:
- On-site repair service
- On-site custom set-up and training
- Additional print head coverage (after the first free replacement)
- Advanced custom integration, programming support and template creation

**Excludes repairs due to negligence. Excludes Wraptor™ model and handheld models. See www.BradyID.com/brady360 for full coverage details & restrictions.*

Did you know? PowerMark Materials

The BBP®85 Sign & Label Printer accepts many of the same materials that the PowerMark™ Sign & Label Maker uses. Simply look for "BBP85" or "A" on the supply roll's label to verify compatibility with both models.

Questions? Call Brady Tech Support at 1-800-643-8766.



BBP®85 Label Materials

www.BradyID.com/bbp85

BBP®85 General Identification Materials:

B-595 Indoor/Outdoor Grade Vinyl Tape

For all-purpose facility and safety identification: our best industrial vinyl!

- Durable, low-shrink vinyl with our most aggressive adhesive and 8-10 year outdoor durability
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks and wood, textured plastics, cast-iron and paper-jacketed pipes, powder-coated surfaces)

Service temp: -40ºF to 180ºF Application temp: 0ºF to 180ºF
Average Outdoor Durability: 8-10 year outdoor vinyl label durability.

Figure 33

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	13538	B-595	White	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13549	B-595	White	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13651	B-595	White	7.000 (177.8)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13551	B-595	White	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13562	B-595	White	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13539	B-595	Yellow	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13550	B-595	Yellow	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13652	B-595	Yellow	7.000 (177.8)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13552	B-595	Yellow	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13563	B-595	Yellow	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13540	B-595	Red	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13601	B-595	Red	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13654	B-595	Red	7.000 (177.8)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13553	B-595	Red	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13610	B-595	Red	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13541	B-595	Blue	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13602	B-595	Blue	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13656	B-595	Blue	7.000 (177.8)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13554	B-595	Blue	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13611	B-595	Blue	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13542	B-595	Green	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13603	B-595	Green	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13655	B-595	Green	7.000 (177.8)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13555	B-595	Green	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13612	B-595	Green	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13543	B-595	Orange	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13604	B-595	Orange	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13653	B-595	Orange	7.000 (177.8)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13556	B-595	Orange	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13613	B-595	Orange	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13544	B-595	Black	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13605	B-595	Black	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13557	B-595	Black	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13614	B-595	Black	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13545	B-595	Gold	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13606	B-595	Gold	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13558	B-595	Gold	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13615	B-595	Gold	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13546	B-595	Gray	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13607	B-595	Gray	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13559	B-595	Gray	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13616	B-595	Gray	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13547	B-595	Brown	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13608	B-595	Brown	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13560	B-595	Brown	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13617	B-595	Brown	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13548	B-595	Purple	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13609	B-595	Purple	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13561	B-595	Purple	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13618	B-595	Purple	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	59529	B-595	Clear	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	59530	B-595	Clear	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	59531	B-595	Clear	8.000 (203.2)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	59532	B-595	Clear	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13510

U.S. Patent Nos. 5,318,370; 5,823,689; 6,570,602. Additional Patents Pending.

View all BBP®85 Print Ribbon parts on page 346.

BBP®85 General Identification Materials:

B-595 Pre-Printed Right-To-Know Chemical Labels

For quickly creating NFPA and color bar labels.

- Blank die cut labels pre-printed with chemical diamonds and color bars
- Indoor/outdoor grade material withstands exposure to moisture, chemicals and handling
- Allows printer to produce 5-color chemical labels in a single print pass

Service temp: -40ºF to 180ºF Application temp: 0ºF to 180ºF
Average Outdoor Durability: 8 to 10 years outdoor vinyl label durability

Fits Printer Model(s)	Catalog #	B#	Legend		Label Height Inch (mm)	Label Width Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP85	130808	B-595		Diamond + Text	4.000 (101.6)	6.000 (152.4)	1	95	13511
BBP85	130809	B-595		Diamond + Text	7.000 (177.8)	10.000 (254.0)	1	60	13510
BBP85	130810	B-595		Diamond Only	6.000 (152.4)	6.000 (152.4)	1	95	13511
BBP85	130811	B-595		Color Bar + Text	4.000 (101.6)	6.000 (152.4)	1	95	13511
BBP85	130812	B-595		Color Bar + Text	7.000 (177.8)	10.000 (254.0)	1	60	13510

BBP®85 General Identification Materials:

B-595 Pre-Printed Pre-Cut Blank Sign Headers

For creating arc flash and safety warning labels in seconds.

- Faster way to design commonly used safety signs and labels
- Create custom, colorful safety labels using only a black ribbon
- Headers meet NFPA 70E, OSHA 1910.145 and ASME/ANSI Z535 standards
- Indoor/outdoor grade material conforms to rough, highly textured, and "difficult to adhere to" surfaces

Service temp: -40ºF to 180ºF Application temp: 0ºF to 180ºF
Average Outdoor Durability: 8-10 years outdoor vinyl durability



Figure 70

Fits Printer Model(s)	Diagram	Catalog #	B#	Header	Label Height A Inch (mm)	Label Width B Inch (mm)	Labels Per Roll	Rec. Ribbon
BBP85	Fig. 70	130748	B-595		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130750	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130749	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	130751	B-595		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130753	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130752	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	130754	B-595		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130756	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130755	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	130757	B-595		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130759	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130758	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	130760	B-595		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130762	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130761	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	130763	B-595		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130765	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130764	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	132392	B-595		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	132393	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	132394	B-595		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	132395	B-595		7.000 (177.8)	10.000 (254.0)	60	13510

Create Your Own Rigid Signs!

Pair Pre-Printed Pre-Cut Blank Sign Headers with rigid sign blanks to create custom rigid signs in minutes.

View **page 350** for available blank rigid sign panels.

View all BBP®85 Print Ribbon parts on page 346.

BBP®85 Label Materials

www.BradyID.com/bbp85

BBP®85 General Identification Materials:

B-7569 Pre-Printed GHS / CLP Chemical Labels

For GHS and hazard communication labeling.

- Blank labels with pre-printed red diamonds save time during label design
- 6 diamond layouts that match templates in Markware™ Software, available in 2 sizes each
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling
- Markware™ Software v3.9.1 or higher required (free upgrade available for v3.x owners)

Service temp: -4°F to 180°F Application temp: 50°F to 180°F
Average Outdoor Durability: 3-5 years

Fits Printer Model(s)	Catalog #	B#		Legend	Label Height Inch (mm)	Label Width Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP85	130766	B-7569		L1 Diamond + Text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130772	B-7569		L1 Diamond + Text	6.100 (154.9)	8.300 (210.8)	1	70	13511
BBP85	130767	B-7569		L2 Diamond + Text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130773	B-7569		L2 Diamond + Text	6.100 (154.9)	8.300 (210.8)	1	70	13511
BBP85	130768	B-7569		L3A Diamond + Text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130774	B-7569		L3A Diamond + Text	6.100 (154.9)	8.300 (210.8)	1	70	13511
BBP85	130769	B-7569		L3B Diamond + Text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130775	B-7569		L3B Diamond + Text	6.100 (154.9)	8.300 (210.8)	1	70	13511
BBP85	130770	B-7569		L4A Diamond + Text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130776	B-7569		L4A Diamond + Text	6.100 (154.9)	8.300 (210.8)	1	70	13511
BBP85	130771	B-7569		L4B Diamond + Text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130777	B-7569		L4B Diamond + Text	6.100 (154.9)	8.300 (210.8)	1	70	13511

MarkWare™ Software now includes a GHS / CLP Label Module

- 18 pre-formatted label layouts and approved GHS symbols are built-in
- User selects approved pre-worded hazard statements and GHS symbols which then automatically populates into layout – no need to type everything in
- Prompts for additional variable data which then auto-populates into layout
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling
- Choose a second language and MarkWare auto-populates in the second language

Catalog #	Description
20700	MarkWare ™ Software

Already a MarkWare Software user? Go to **www.BradyID.com/markware** *to upgrade your current MarkWare to v3.9.1 for the GHS / CLP Label Module.*

View all BBP®85 Print Ribbon parts on page 346.

BBP®85 General Identification Materials:

B-569 Low-Halide Polyester

For labeling stainless steel and smooth surfaces.

- Low-halide content for labeling stainless steel surfaces
- Applies best to very smooth surfaces and is ideal for mounting to rigid panels

Service temp: -40ºF to 212ºF Application temp: 0ºF to 212ºF
Average Outdoor Durability: 3-5 years



Figure 33

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	13565	B-569	White	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13569	B-569	White	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13573	B-569	White	7.000 (177.8)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13577	B-569	White	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13566	B-569	Yellow	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13570	B-569	Yellow	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13574	B-569	Yellow	7.000 (177.8)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13578	B-569	Yellow	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13567	B-569	Orange	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13571	B-569	Orange	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13575	B-569	Orange	7.000 (177.8)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13579	B-569	Orange	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	99167	B-569	Ochre	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	99168	B-569	Ochre	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	99169	B-569	Ochre	7.000 (177.8)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	99170	B-569	Ochre	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13564	B-569	Clear	4.000 (101.6)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13568	B-569	Clear	6.000 (152.4)	50ft. (15.2m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13572	B-569	Clear	7.000 (177.8)	50ft. (15.2m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13576	B-569	Clear	10.000 (254.0)	50ft. (15.2m)	1 roll (cont)	13510

BBP®85 General Identification Materials:

B-584 Retro Reflective Tape

For highly reflective identification that shines back brightly when struck by light.

- Ideal for labeling outdoor metal utility poles, pedestals, jobsite equipment and roof-top equipment especially in low light

Service temp: -40ºF to 158ºF Average Outdoor Durability: 4 to 6 years
Application temp: 0ºF to 158ºF (yellow & orange), 50ºF to 158ºF (silver)

Figure 33

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	13580	B-584	Silver	4.000 (101.6)	33ft. (10.0m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13585	B-584	Silver	7.000 (177.8)	33ft. (10.0m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13590	B-584	Silver	10.000 (254.0)	33ft. (10.0m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	51584	B-584	Yellow	4.000 (101.6)	33ft. (10.0m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	51585	B-584	Yellow	7.000 (177.8)	33ft. (10.0m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	51586	B-584	Yellow	10.000 (254.0)	33ft. (10.0m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13404	B-584	Orange	4.000 (101.6)	33ft. (10.0m)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13403	B-584	Orange	7.000 (177.8)	33ft. (10.0m)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13402	B-584	Orange	10.000 (254.0)	33ft. (10.0m)	1 roll (cont)	13510

BBP®85 General Identification Materials:

B-526 BradyGlo™ High-Intensity Photoluminescent Tape

Identification that glows in the dark for up to 10 hours!

- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls, and vital equipment controls

Service temp: -40ºF to 140ºF Application temp: 40ºF to 140ºF



Figure 33

Fits Printer Model(s)	Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	105912	B-526	Luminous Green	4.000 (101.6)	33ft. (10.0m)	1 roll (cont)	13511 or 13595
BBP85, PMK	Fig. 33	105913	B-526	Luminous Green	7.000 (177.8)	33ft. (10.0m)	1 roll (cont)	13510 or 13514
BBP85, PMK	Fig. 33	105914	B-526	Luminous Green	7.000 (177.8)	33ft. (10.0m)	1 roll (cont)	13510 or 13514

View all BBP®85 Print Ribbon parts on page 346.

BBP®85 Print Ribbons

www.BradyID.com

BBP®85 Printer Ribbons

- Choose from a variety of heavy-duty, smear-proof ribbons, including single color and multi-color paneled ribbons. These ribbons are uniquely designed with memory cells that communicate information to the BBP®85 printer.

Single Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length Inch (mm)
13511	Black	6.250 (158.0)	200 ft. (60.9 m)
13510	Black	8.800 (224.0)	200 ft. (60.9 m)
13513	White	6.250 (158.0)	200 ft. (60.9 m)
13512	White	8.800 (224.0)	200 ft. (60.9 m)
13595	Red	6.250 (158.0)	200 ft. (60.9 m)
13514	Red	8.800 (224.0)	200 ft. (60.9 m)
13596	Blue	6.250 (158.0)	200 ft. (60.9 m)
13515	Blue	8.800 (224.0)	200 ft. (60.9 m)
13597	Green	6.250 (158.0)	200 ft. (60.9 m)
13516	Green	8.800 (224.0)	200 ft. (60.9 m)
13598	Magenta	6.250 (158.0)	200 ft. (60.9 m)
13517	Magenta	8.800 (224.0)	200 ft. (60.9 m)
13599	Yellow	6.250 (158.0)	200 ft. (60.9 m)
13518	Yellow	8.800 (224.0)	200 ft. (60.9 m)
13600	Orange	6.250 (158.0)	200 ft. (60.9 m)
13519	Orange	8.800 (224.0)	200 ft. (60.9 m)



Example Single Color Print Ribbon



Example Two Color Panel Print Ribbon

Example Four Color Panel Print Ribbon

Spare ribbon cassette (holder) Catalog # 13507

Two Color Paneled Print Ribbons

Catalog #	Color	Ribbon Width Inch (mm)	Color Panel Length Inch (mm)	Overall Length	Typical Yield From Ribbon
8" Panels used to create 2 color signs up to 8" long					
13523	Black & Red	6.250 (158.0)	8.000 (203.2) Panels	200 ft. (60.9 m)	One hundred 8" long labels
13522	Black & Red	8.800 (223.5)	8.000 (203.2) Panels	200 ft. (60.9 m)	One hundred 8" long labels
13527	Black & Yellow	6.250 (158.0)	8.000 (203.2) Panels	200 ft. (60.9 m)	One hundred 8" long labels
13529	Black & Orange	6.250 (158.0)	8.000 (203.2) Panels	200 ft. (60.9 m)	One hundred 8" long labels
13704	Black & Green	6.250 (158.0)	8.000 (203.2) Panels	200 ft. (60.9 m)	One hundred 8" long labels
13706	Black & Green	8.800 (223.5)	8.000 (203.2) Panels	200 ft. (60.9 m)	One hundred 8" long labels
15" Panels used to create 2 color signs up to 14" long					
13521	Black & Red	6.250 (158.0)	15.000 (381.0) Panels	200 ft. (60.9 m)	Sixty 14" long labels
13520	Black & Red	8.800 (223.5)	15.000 (381.0) Panels	200 ft. (60.9 m)	Sixty 14" long labels
13525	Black & Blue	6.250 (158.0)	15.000 (381.0) Panels	200 ft. (60.9 m)	Sixty 14" long labels
13524	Black & Blue	8.800 (223.5)	15.000 (381.0) Panels	200 ft. (60.9 m)	Sixty 14" long labels
13526	Black & Yellow	8.800 (223.5)	15.000 (381.0) Panels	200 ft. (60.9 m)	Sixty 14" long labels
13528	Black & Orange	8.800 (223.5)	15.000 (381.0) Panels	200 ft. (60.9 m)	Sixty 14" long labels
13705	Black & Green	6.250 (158.0)	15.000 (381.0) Panels	200 ft. (60.9 m)	Sixty 14" long labels
13707	Black & Green	8.800 (223.5)	15.000 (381.0) Panels	200 ft. (60.9 m)	Sixty 14" long labels

Four Color Paneled Print Ribbons

Catalog #	Color	Ribbon Width Inch (mm)	Color Panel Length Inch (mm)	Overall Length	Typical Yield From Ribbon
8" Panels used to create 4 color signs up to 8" long					
13533	Black/Red/Blue/Yellow	6.250 (158.0)	8.000 (203.2) Panels	200 ft. (60.9 m)	Fifty 8" long labels
13532	Black/Red/Blue/Yellow	8.800 (223.5)	8.000 (203.2) Panels	200 ft. (60.9 m)	Fifty 8" long labels
13537	Black/Red/Blue/Green	6.250 (158.0)	8.000 (203.2) Panels	200 ft. (60.9 m)	Fifty 8" long labels
13536	Black/Red/Blue/Green	8.800 (223.5)	8.000 (203.2) Panels	200 ft. (60.9 m)	Fifty 8" long labels
51448	Black/Red/Orange/Blue	8.800 (223.5)	8.000 (203.2) Panels	200 ft. (60.9 m)	Fifty 8" long labels
15" Panels used to create 4 color signs up to 14" long					
13531	Black/Red/Blue/Yellow	6.250 (158.0)	15.000 (381.0) Panels	200 ft. (60.9 m)	Thirty 14" long labels
13530	Black/Red/Blue/Yellow	8.800 (223.5)	15.000 (381.0) Panels	200 ft. (60.9 m)	Thirty 14" long labels
13535	Black/Red/Blue/Green	6.250 (158.0)	15.000 (381.0) Panels	200 ft. (60.9 m)	Thirty 14" long labels
13534	Black/Red/Blue/Green	8.800 (223.5)	15.000 (381.0) Panels	200 ft. (60.9 m)	Thirty 14" long labels

Labelizer® Plus and VersaPrinter™ Supplies

Discontinued Printer Supplies Still Available!

Material tapes for the Labelizer® PLUS and VersaPrinter™ machines are still manufactured and fully stocked. View all available parts on the following pages.

Labelizer® Plus
Industrial Labeling System

VersaPrinter™
Label & Sign Maker

Labelizer®Pus & VersaPrinter™ Label Maker General Identification Materials:

B-595 Indoor/Outdoor Vinyl Tape

- Adheres to pipes, walls, equipment, windows – most clean, dry surfaces
- Conforms well to irregular, curved or rough surfaces
- Ideal for general purpose industrial uses – stands up to grease, oil and most industrial chemicals
- 8-10 year average outdoor durability in temperatures from 180°F to -40°F (82°C to -40°C) and can be applied as low as 0°F (-18°C)

Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Cartridges Per Pkg.
142760	B-595	Black on Clear	0.500 (12.7)	90 ft (27.4 m)	2
142759	B-595	Black on Clear	1.125 (28.6)	90 ft (27.4 m)	2
142758	B-595	Black on Clear	2.250 (57.2)	90 ft (27.4 m)	1
142757	B-595	Black on Clear	4.000 (101.6)	90 ft (27.4 m)	1
142762	B-595	White on Clear	2.250 (57.2)	90 ft (27.4 m)	1
142765	B-595	Black on Green	1.125 (28.6)	90 ft (27.4 m)	2
142764	B-595	Black on Green	2.250 (57.2)	90 ft (27.4 m)	1
142763	B-595	Black on Green	4.000 (101.6)	90 ft (27.4 m)	1
142750	B-595	Black on Yellow	0.500 (12.7)	90 ft (27.4 m)	2
142749	B-595	Black on Yellow	1.125 (28.6)	90 ft (27.4 m)	2
142748	B-595	Black on Yellow	2.250 (57.2)	90 ft (27.4 m)	1
142747	B-595	Black on Yellow	3.000 (76.2)	90 ft (27.4 m)	1
142746	B-595	Black on Yellow	4.000 (101.6)	90 ft (27.4 m)	1
142769	B-595	White on Green	0.500 (12.7)	90 ft (27.4 m)	2
142768	B-595	White on Green	1.125 (28.6)	90 ft (27.4 m)	2
142767	B-595	White on Green	2.250 (57.2)	90 ft (27.4 m)	1
142766	B-595	White on Green	4.000 (101.6)	90 ft (27.4 m)	1
142777	B-595	White on Blue	0.500 (12.7)	90 ft (27.4 m)	2
142776	B-595	White on Blue	1.125 (28.6)	90 ft (27.4 m)	2
142775	B-595	White on Blue	2.250 (57.2)	90 ft (27.4 m)	1
142774	B-595	White on Blue	4.000 (101.6)	90 ft (27.4 m)	1
142745	B-595	Red on White	0.500 (12.7)	90 ft (27.4 m)	2
142744	B-595	Red on White	1.125 (28.6)	90 ft (27.4 m)	2
142743	B-595	Red on White	2.250 (57.2)	90 ft (27.4 m)	1
142742	B-595	Red on White	4.000 (101.6)	90 ft (27.4 m)	1
142772	B-595	White on Red	0.500 (12.7)	90 ft (27.4 m)	2
142773	B-595	White on Red	1.125 (28.6)	90 ft (27.4 m)	2
142771	B-595	White on Red	2.250 (57.2)	90 ft (27.4 m)	1
142770	B-595	White on Red	4.000 (101.6)	90 ft (27.4 m)	1
142741	B-595	Black on White	0.500 (12.7)	90 ft (27.4 m)	2
142740	B-595	Black on White	1.125 (28.6)	90 ft (27.4 m)	2
142739	B-595	Black on White	2.250 (57.2)	90 ft (27.4 m)	1
142738	B-595	Black on White	3.000 (76.2)	90 ft (27.4 m)	1
142737	B-595	Black on White	4.000 (101.6)	90 ft (27.4 m)	1
142756	B-595	Black on Orange	0.500 (12.7)	90 ft (27.4 m)	2
142755	B-595	Black on Orange	1.125 (28.6)	90 ft (27.4 m)	2
142754	B-595	Black on Orange	2.250 (57.2)	90 ft (27.4 m)	1
142753	B-595	Black on Orange	4.000 (101.6)	90 ft (27.4 m)	1
142785	B-595	Black on Gray	0.500 (12.7)	90 ft (27.4 m)	2
142784	B-595	Black on Gray	1.125 (28.6)	90 ft (27.4 m)	2
142783	B-595	Black on Gray	2.250 (57.2)	90 ft (27.4 m)	1
142782	B-595	Black on Gray	4.000 (101.6)	90 ft (27.4 m)	1
142793	B-595	White on Brown	1.125 (28.6)	90 ft (27.4 m)	2
142792	B-595	White on Brown	2.250 (57.2)	90 ft (27.4 m)	1
142791	B-595	White on Brown	4.000 (101.6)	90 ft (27.4 m)	1

Continued on next page.

Labelizer® Plus and VersaPrinter™ Supplies

www.BradyID.com

Labelizer®Pus & VersaPrinter™ Label Maker General Identification Materials:

B-595 Indoor/Outdoor Vinyl Tape

Continued from previous page.

Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Cartridges Per Pkg.
142787	B-595	White on Tan	1.125 (28.6)	90 ft (27.4 m)	2
142786	B-595	White on Tan	2.250 (57.2)	90 ft (27.4 m)	1
142790	B-595	White on Magenta	1.125 (28.6)	90 ft (27.4 m)	2
142789	B-595	White on Magenta	2.250 (57.2)	90 ft (27.4 m)	1
142788	B-595	White on Magenta	4.000 (101.6)	90 ft (27.4 m)	1
142781	B-595	White on Black	0.500 (12.7)	90 ft (27.4 m)	2
142780	B-595	White on Black	1.125 (28.6)	90 ft (27.4 m)	2
142779	B-595	White on Black	2.250 (57.2)	90 ft (27.4 m)	1
142778	B-595	White on Black	4.000 (101.6)	90 ft (27.4 m)	1

Labelizer®Pus & VersaPrinter™ Label Maker General Identification Materials:

B-569 Low-Halide Polyester Tape

- Specially designed with a low halide content – best choice for use on stainless steel and nickel piping and other smooth surfaces
- 8-10 year average outdoor durability in temperatures from 180°F to -40°F (82°C to -40°C) and can be applied as low as 0°F (-18°C)

Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Cartridges Per Pkg.
64347	B-569	Black on Clear	1.125 (28.6)	110 ft (33.5 m)	2
64348	B-569	Black on Clear	2.250 (57.2)	110 ft (33.5 m)	1
64349	B-569	Black on Clear	4.000 (101.6)	110 ft (33.5 m)	1
64326	B-569	Black on Yellow	0.500 (12.7)	110 ft (33.5 m)	2
64327	B-569	Black on Yellow	1.125 (28.6)	110 ft (33.5 m)	2
64328	B-569	Black on Yellow	2.250 (57.2)	110 ft (33.5 m)	1
64329	B-569	Black on Yellow	4.000 (101.6)	110 ft (33.5 m)	1
64331	B-569	White on Green	1.125 (28.6)	110 ft (33.5 m)	2
64332	B-569	White on Green	2.250 (57.2)	110 ft (33.5 m)	1
64333	B-569	White on Green	4.000 (101.6)	110 ft (33.5 m)	1
64335	B-569	White on Blue	1.125 (28.6)	110 ft (33.5 m)	2
64336	B-569	White on Blue	2.250 (57.2)	110 ft (33.5 m)	1
64339	B-569	White on Red	1.125 (28.6)	110 ft (33.5 m)	2
64340	B-569	White on Red	2.250 (57.2)	110 ft (33.5 m)	1
64355	B-569	Black on White	1.125 (28.6)	110 ft (33.5 m)	2
64356	B-569	Black on White	2.250 (57.2)	110 ft (33.5 m)	1
64357	B-569	Black on White	4.000 (101.6)	110 ft (33.5 m)	1

Labelizer®Pus & VersaPrinter™ Label Maker General Identification Materials:

B-584 Reflective Tape

- Use both indoors and outdoors
- Reflective capabilities are ideal for reading labels in low light areas
- Locate labels from your vehicle with a flashlight

Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Cartridges Per Pkg.
64739	B-584	Black on White	1.125 (28.6)	75 ft (22.8 m)	2
64740	B-584	Black on White	2.250 (57.2)	75 ft (22.8 m)	1
64741	B-584	Black on White	4.000 (101.6)	75 ft (22.8 m)	1
64400	B-584	Black on Orange	1.125 (28.6)	75 ft (22.8 m)	2
64401	B-584	Black on Orange	2.250 (57.2)	75 ft (22.8 m)	1
64402	B-584	Black on Orange	4.000 (101.6)	75 ft (22.8 m)	1
64403	B-584	Black on Yellow	1.125 (28.6)	75 ft (22.8 m)	2
64404	B-584	Black on Yellow	2.250 (57.2)	75 ft (22.8 m)	1
64405	B-584	Black on Yellow	4.000 (101.6)	75 ft (22.8 m)	1

Labelizer®Pus & VersaPrinter™ Label Maker General Identification Materials:

B-674 Overlaminates Provides improved label durability

- Hand applied after label is applied

Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Cartridges Per Pkg.
25966	B-674	Clear	0.750 (19.05)	30 ft (9.1 m)	1
25967	B-674	Clear	1.375 (34.9)	30 ft (9.1 m)	1
25968	B-674	Clear	2.500 (63.5)	30 ft (9.1 m)	1
25969	B-674	Clear	4.250 (107.9)	30 ft (9.1 m)	1

Labelizer®Pus & VersaPrinter™ Label Maker General Identification Materials:

B-549 Cold Temperature Tape

- Permanently adheres to surfaces at temperatures as low as -10°F (application temp.). Service temperature to -40°F
- Great for use in any cold storage warehouse, cooler or freezer
- Stands up to chemicals, water, oil and many solvents

Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Cartridges Per Pkg.
64776	B-549	Black on White	2.000 (50.8)	90 ft (27.4 m)	1
46237	B-549	Black on White	3.000 (76.2)	90 ft (27.4 m)	1
64685	B-549	Black on Yellow	2.000 (50.8)	90 ft (27.4 m)	1
46236	B-549	Black on Yellow	3.000 (76.2)	90 ft (27.4 m)	1
64686	B-549	Black on Yellow	4.000 (101.6)	90 ft (27.4 m)	1

Labelizer®Pus & VersaPrinter™ Label Maker General Identification Materials:

B-581 Repositionable Vinyl Tape

- Special adhesive allows easy removal of label with reapplication again and again
- Label of choice for indoor marking where frequent repositioning is required, such as storage shelves

Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Cartridges Per Pkg.
64731	B-581	Black on White	1.125 (28.6)	90 ft (27.4 m)	2
64732	B-581	Black on White	2.250 (57.2)	90 ft (27.4 m)	1
64733	B-581	Black on White	4.000 (101.6)	90 ft (27.4 m)	1
64735	B-581	Black on Yellow	1.125 (28.6)	90 ft (27.4 m)	2
64736	B-581	Black on Yellow	2.250 (57.2)	90 ft (27.4 m)	1
64737	B-581	Black on Yellow	4.000 (101.6)	90 ft (27.4 m)	1

Labelizer®Pus & VersaPrinter™ Label Maker General Identification Materials:

B-571 Permanent Standard Tape

- General use polyester tape with permanent adhesive
- Indoor use only

Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Cartridges Per Pkg.
64835	B-571	Black on White	1.000 (25.4)	125 ft (38.1 m)	2
64836	B-571	Black on White	2.000 (50.8)	125 ft (38.1 m)	1
64923	B-571	Black on White	3.000 (76.2)	125 ft (38.1 m)	1
64837	B-571	Black on White	4.000 (101.6)	125 ft (38.1 m)	1
64843	B-571	Black on Yellow	1.000 (25.4)	125 ft (38.1 m)	2
64844	B-571	Black on Yellow	2.000 (50.8)	125 ft (38.1 m)	1

Labelizer®Pus & VersaPrinter™ Label Maker General Identification Materials:

B-570 Removable Standard Tape

- General use polyester tape can be used for indoor applications
- Label removes easily with no residue

Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Cartridges Per Pkg.
64838	B-570	Black on White	0.500 (12.7)	110 ft (33.5 m)	2
64839	B-570	Black on White	1.000 (25.4)	110 ft (33.5 m)	2
64840	B-570	Black on White	2.000 (50.8)	110 ft (33.5 m)	1
64926	B-570	Black on White	3.000 (76.2)	110 ft (33.5 m)	1
64841	B-570	Black on White	4.000 (101.6)	110 ft (33.5 m)	1
64859	B-570	Red on White	1.000 (25.4)	110 ft (33.5 m)	2
64860	B-570	Red on White	2.000 (50.8)	110 ft (33.5 m)	1
64928	B-570	Red on White	3.000 (76.2)	110 ft (33.5 m)	1
64861	B-570	Red on White	4.000 (101.6)	110 ft (33.5 m)	1
64863	B-570	Blue on White	1.000 (25.4)	110 ft (33.5 m)	2
64864	B-570	Blue on White	2.000 (50.8)	110 ft (33.5 m)	1
64929	B-570	Blue on White	3.000 (76.2)	110 ft (33.5 m)	1
64865	B-570	Blue on White	4.000 (101.6)	110 ft (33.5 m)	1

Additional Benchtop Printer Materials

www.BradyID.com

Make Your Own Signs with Rigid Sign Panels

Sign blanks let you laminate output using the BLS1255 Laminator.

These plastic and aluminum blanks are sized to fit output and come in white, yellow and orange.

Plastic - rounded corners and hole punched

Catalog #	Material	Color	Sign Size Inch (mm)	Qty.
13620	Plastic	White	4.25" x 6.25"	10
13623	Plastic	White	7.63" x 10.38"	10
13626	Plastic	White	10.25" x 14.25"	10
13621	Plastic	Yellow	4.25" x 6.25"	10
13624	Plastic	Yellow	7.63" x 10.38"	10
13627	Plastic	Yellow	10.25" x 14.25"	10
13622	Plastic	Orange	4.25" x 6.25"	10
13625	Plastic	Orange	7.63" x 10.38"	10
13628	Plastic	Orange	10.25" x 14.25"	10

Aluminum - rounded corners and hole punched

Catalog #	Material	Color	Sign Size Inch (mm)	Qty.
13629	Aluminum	White	4.25" x 6.25"	10
106461	Aluminum	White	4.25" x 10.25"	10
13632	Aluminum	White	7.25" x 10.25"	10
106460	Aluminum	White	7.63" x 10.38"	10
106462	Aluminum	White	10.25" x 10.25"	10
13635	Aluminum	White	10.25" x 14.25"	10
13630	Aluminum	Yellow	4.25" x 6.25"	10
13633	Aluminum	Yellow	7.25" x 10.25"	10
13636	Aluminum	Yellow	10.25" x 14.25"	10
13631	Aluminum	Orange	4.25" x 6.25"	10
13634	Aluminum	Orange	7.25" x 10.25"	10
13637	Aluminum	Orange	10.25" x 14.25"	10

Make Your Own Valve Tags

- Use your Brady printer to apply labels to these durable tags
- Withstands temperatures of -40°F (-40°C) to 180°F (82°C)
- 1.5" x 3" Tag accepts labels 1.25" x 2.85" or smaller
- 2.5" x 4" Tag accepts labels 2.25" x 3.85" or smaller

Sized to Fit Labels

Labels that are sized to fit rigid valve tags are available for the following printer:

- BBP®31 and BBP®33 Printers - see page 312
- GlobalMark®2 Printer - see page 334

Choose from 10 different colors!

Catalog #	Color	Tag Width A Inch (mm)	Tag Height B Inch (mm)
41920	Black	1.500 (38.1)	3.000 (76.2)
41921	Black	2.500 (63.5)	4.000 (101.6)
41922	Yellow	1.500 (38.1)	3.000 (76.2)
41923	Yellow	2.500 (63.5)	4.000 (101.6)
41924	Red	1.500 (38.1)	3.000 (76.2)
41925	Red	2.500 (63.5)	4.000 (101.6)
41926	Blue	1.500 (38.1)	3.000 (76.2)
41927	Blue	2.500 (63.5)	4.000 (101.6)
41928	Green	1.500 (38.1)	3.000 (76.2)
41929	Green	2.500 (63.5)	4.000 (101.6)
87694	Orange	1.500 (38.1)	3.000 (76.2)
87695	Orange	2.500 (63.5)	4.000 (101.6)
87696	White	1.500 (38.1)	3.000 (76.2)
87697	White	2.500 (63.5)	4.000 (101.6)
87698	Gray	1.500 (38.1)	3.000 (76.2)
87699	Gray	2.500 (63.5)	4.000 (101.6)
87710	Brown	1.500 (38.1)	3.000 (76.2)
87711	Brown	2.500 (63.5)	4.000 (101.6)
87712	Tan	1.500 (38.1)	3.000 (76.2)
87713	Tan	2.500 (63.5)	4.000 (101.6)
142133	Variety Pack*	-	-

** Variety Pack combines 30 tags including at least one of each size and color. Perfect for evaluating which sizes and colors you need.*

Blank High Performance Wrap-Around Pipe Marker

- Create custom Wrap-Around Pipe Markers with your printer
- Self-adhesive strip holds pipemarker securely in place
- Service temp: -40°F (-40°C) to 248°F (120°C)

Catalog #	Color	Fits Pipe Outside Diameter Inch (mm)
5600-I	Blue	1.500 - 2.375 (38.1 - 60.3)
5600-II	Blue	2.500 - 7.875 (63.5 - 200.0)
5603-I	Yellow	1.500 - 2.375 (38.1 - 60.3)
5603-II	Yellow	2.500 - 7.875 (63.5 - 200.0)
5602-I	Red	1.500 - 2.375 (38.1 - 60.3)
5602-II	Red	2.500 - 7.875 (63.5 - 200.0)
5601-I	Green	1.500 - 2.375 (38.1 - 60.3)
5601-II	Green	2.500 - 7.875 (63.5 - 200.0)



Blank HPHV Carrier

- Ideal for marking custom markers on the spot
- Fiberglass carrier is blank (no label) and comes with two clips for installation
- Sized to accommodate the largest ASME (ANSI) equirements

Catalog #	Description	Size
59918	Blank HPHV Carrier	4.25" x 32"

Label produced on Brady Printer

Snap-on marker

Make Your Own BradySnap-On™ Pipe Markers

- Use blank Brady Snap-On™ Pipe Markers (B-915 material) in combination with self-sticking pipe markers produced on your Brady printers
- Pre-coiled to snap around pipe

Catalog #	Color	Length of Marker Inch (mm)	Fits Pipe Outside Diameter Inch (mm)
4010-A	Yellow	8.000 (203.2)	0.750 - 1.375 (19.1 - 34.9)
4010-B	Yellow	9.000 (228.6)	1.500 - 2.375 (38.1 - 60.3)
4010-F	Yellow	12.000 (304.8)	6.000 - 9.875 (152.4 - 250.8)
4010-C	Yellow	13.000 (330.2)	2.500 - 3.875 (63.5 - 98.4)
42300	Yellow	16.000 (406.4)	0.750 - 1.375 (19.1 - 34.9)
42304	Yellow	16.000 (406.4)	1.125 - 2.375 (28.6 - 60.3)
4010-D	Yellow	21.000 (533.4)	4.000 - 6.000 (101.6 - 152.4)
4010-H	Yellow	32.000 (812.8)	10.000 - 15.000 (254.0 - 381.0)
4011-A	Green	8.000 (203.2)	0.750 - 1.375 (19.1 - 34.9)
4011-B	Green	9.000 (228.6)	1.500 - 2.375 (38.1 - 60.3)
4011-F	Green	12.000 (304.8)	6.000 - 9.875 (152.4 - 250.8)
4011-C	Green	13.000 (330.2)	2.500 - 3.875 (63.5 - 98.4)
42301	Green	16.000 (406.4)	0.750 - 1.375 (19.1 - 34.9)
42305	Green	16.000 (406.4)	1.125 - 2.375 (28.6 - 60.3)
4011-D	Green	21.000 (533.4)	4.000 - 6.000 (101.6 - 152.4)
4011-H	Green	32.000 (812.8)	10.000 - 15.000 (254.0 - 381.0)
4012-A	Red	8.000 (203.2)	0.750 - 1.375 (19.1 - 34.9)
4012-B	Red	9.000 (228.6)	1.500 - 2.375 (38.1 - 60.3)
4012-F	Red	12.000 (304.8)	6.000 - 9.875 (152.4 - 250.8)
4012-C	Red	13.000 (330.2)	2.500 - 3.875 (63.5 - 98.4)
42302	Red	16.000 (406.4)	0.750 - 1.375 (19.1 - 34.9)
42306	Red	16.000 (406.4)	1.125 - 2.375 (28.6 - 60.3)
4012-D	Red	21.000 (533.4)	4.000 - 6.000 (101.6 - 152.4)
4012-H	Red	32.000 (812.8)	10.000 - 15.000 (254.0 - 381.0)
4013-A	Blue	8.000 (203.2)	0.750 (19.1) - 1.375 (34.9)
4013-B	Blue	9.000 (228.6)	0.750 - 1.375 (19.1 - 34.9)
4013-F	Blue	12.000 (304.8)	6.000 - 9.875 (152.4 - 250.8)
4013-C	Blue	13.000 (330.2)	2.500 - 3.875 (63.5 - 98.4)
42303	Blue	16.000 (406.4)	0.750 (19.1) - 1.375 (34.9)
42307	Blue	16.000 (406.4)	1.125 - 2.375 (28.6 - 60.3)
4013-D	Blue	21.000 (533.4)	4.000 - 6.000 (101.6 - 152.4)
4013-H	Blue	32.000 (812.8)	10.000 - 15.000 (254.0 - 381.0)

**outside diameter includes pipe O.D. plus any insulation.*

Fastening Devices

- 32 mil stainless steel safety wire to be used with wire twister pliers.

Catalog #	Outside Dia.	Length
15424	Stainless Steel Safety Wire	1800 ft

Quik-Apply™ Nylon Straps

- Standard fastener for Quik-Apply™ pipe marker sizes Q1-Q4
- Can be used with a variety of tags including valve and lockout/tagouts

Catalog #	Outside Dia.	Strap Length
91165	1"	6"
91166	2"	7"

Brady BLS1255 Laminator

www.BradyID.com

Laminates documents up to 12" wide!

No Heat! No Electricity! No Messy Chemicals!

Mount PowerMark™ output to plastic or aluminum sign panels in 3 easy steps!

Step 1: Peel away the first 1-1/2" of liner from the back of PowerMark™ printer output. Apply to blank panel, aligning edge of label with edge of panel.

Step 2: Insert sign into laminator and rotate handle until first 1" of sign is "pinched".

Stop. Then grasp liner of sign and pull at the same time as you rotate handle rapidly advancing sign through the laminator.

Step 3: In less than 30 seconds you have a rigid sign ready to hang. Choose from aluminum, plastic or clear acrylic panel materials.

BLS1255 Laminating System

Quickly mount PowerMark™ output to plastic or aluminum sign blanks... takes only seconds!

Laminating Options:

- Mount label to a rigid plastic or aluminum sign panel
- Mount label behind a rigid, clear acrylic sign panel to add rigidity while protecting the graphics...polished look for office areas
- Overlaminate documents with a single or double-sided flexible, clear overlaminate

BLS1255 Laminating System

Catalog #	Outside Dia.
105038	BLS1255 Laminating System
105041	12" x 50' Double-sided polyester overlaminate

Use the BLS1255 laminator to mount your PowerMark™ output to a rigid plastic or aluminum panel...in seconds.

Plastic - rounded corners and hole punched

Catalog #	Material	Color	Size	Qty. Per Package
13620	Plastic	White	4.25" x 6.25"	10
13623	Plastic	White	7.63" x 10.38"	10
13626	Plastic	White	10.25" x 14.25"	10
13621	Plastic	Yellow	4.25" x 6.25"	10
13624	Plastic	Yellow	7.63" x 10.38"	10
13627	Plastic	Yellow	10.25" x 14.25"	10
13622	Plastic	Orange	4.25" x 6.25"	10
13625	Plastic	Orange	7.63" x 10.38"	10
13628	Plastic	Orange	10.25" x 14.25"	10

Aluminum - rounded corners and hole punched

Catalog #	Material	Color	Size	Qty. Per Package
13629	Aluminum	White	4.25" x 6.25"	10
106461	Aluminum	White	4.25" x 10.25"	10
13632	Aluminum	White	7.25" x 10.25"	10
106460	Aluminum	White	7.63" x 10.38"	10
106462	Aluminum	White	10.25" x 10.25"	10
13635	Aluminum	White	10.25" x 14.25"	10
13630	Aluminum	Yellow	4.25" x 6.25"	10
13633	Aluminum	Yellow	7.25" x 10.25"	10
13636	Aluminum	Yellow	10.25" x 14.25"	10
13631	Aluminum	Orange	4.25" x 6.25"	10
13634	Aluminum	Orange	7.25" x 10.25"	10
13637	Aluminum	Orange	10.25" x 14.25"	10

Clear acrylic panels with pressure sensitive adhesive

- Use to mount output behind a clear panel to add rigidity while protecting the graphics...polished finish for office areas.
- Sign panel and overlaminate in one step

Catalog #	Material	Color	Size	Qty. Per Package
13638	Acrylic	Clear	4" x 6"	10
106464	Acrylic	Clear	4.25" x 10.25"	10
13639	Acrylic	Clear	7.25" x 10"	10
106463	Acrylic	Clear	7.25" x 10.25"	10
13640	Acrylic	Clear	10" x 14"	10
106465	Acrylic	Clear	10.25" x 10.25"	10

No Heat!
No Electricity!
No Problem!

Use a BLS850 to finish:

- Signs
- Graphs
- ID Badges
- Maps
- Tags
- Procedures
- Labels
- Certificates
- ISO Documents
- Photos
- Wall Charts
- Phone Lists

BLS850 Laminating System

- An affordable and easy way to create laminated documents up to 8-1⁄2" wide without heat or electricity
- Laminate documents in seconds
- Perfect for office use or industrial applications
- Small, portable desktop laminator works without electricity, heat or messy chemicals
- Economically priced and endless applications

Features

- Three replaceable supply cartridge types (double-sided laminate, single-sided overlaminate, laminate with transfer adhesive)
- Integral cut-off blade at roller exit
- Laminates documents 8-1⁄2" wide and up to 100' long
- Small, lightweight and portable
- Laminates with Brady's EXCLUSIVE industrial grade laminate!
- Brady's exclusive industrial grade overlaminate is constructed from tough polyester for durability even in harsh environments
- Significantly superior to typical polypropelene overlaminates in terms of outdoor performance and abrasion resistance

BLS850 Laminating System

Catalog #	Outside Dia.	Supply Size
20585	BLS850 Laminator	-
20589	Industrial Use Double-sided Overlaminate	8-3/5" x 50' (21.8 cm x 15.2 m)
20602	Office Use Double-sided Overlaminate	8-3/5" x 100' (21.8 cm x 30.5 m)

** Overlaminate on one side, transfer adhesive on the other side.*

Provides the perfect finishing touch for your Brady printer.

Laminator allows you to laminate one side of document while applying adhesive to reverse.

Laminate your most frequently reached for documents.

Need to laminate documents wider than 8-1⁄2"?
See the BLS1255 on the previous page.

Brady's Easy-to-Use BLS850 Laminator Covers it All

1. Select desired cartridge, insert a document and turn the handle.

2. As it passes through the rollers, the adhesive and laminate are evenly applied.

3. The cut-off blade provides a precise trim to finish documents.

www.BradyID.com

More Information!

Visit **www.BradyID.com/Link360** for more information or call an Brady Representative at 1-888-311-0775.

Features at a glance:

- Pre-defined templates for printing
- Easy image editing
- Helpful notifications and alerts
- Easily add users – from any site
- Flexible user access to sites & machines
- Ability to route procedures for review
- Create and send stock charts & reports

Customers can subscribe to one or both of the currently available centers offered through LINK360™ software:

Lockout/Tagout

- **Lockout Tagout Center:** Users can create and manage visually instructive lockout procedures, tags, and energy source labels for printing and posting on equipment.

Maintenance

- **Reliability Center:** Manages the creation and access to visually instructive maintenance procedures that assist operators, engineers, and technicians in maintaining machine and equipment performance levels.

Link360™ Software

Link360 Software is a cloud-based platform used to manage the visual information on and around equipment and machines. It assists in creating and maintaining a safe working environment for employees, while maintaining optimal performance levels.

- Creates clear and easy-to-follow, visually instructive procedures
- Quickly scales and deploys standardized procedures, tags and checkpoints

LINK360™ cloud-based software was created to answer the most pressing visual information needs. Faced with the task of handling visual information across multiple locations, companies needed a way to take the management of equipment visuals to the next level by closing the loop on scalability and sustainability.

Achieve compliance and productivity goals

- Quickly and easily correct inaccuracies, while maintaining a safe working environment for employees and an optimal level of equipment protection.
- Eliminate confusing visuals, comprehension, and language translation issues by creating clear, concise, and easy-to-follow signage in minutes.

Maintain visual consistency and scalability

- Grant permissions and rights for viewing, editing and creating templates and procedures for standardized use across all locations.
- Stop the use of varying formats, symbols and languages for equipment visuals across the organization for clear communication.

Sustain and improve performance levels

- As changes occur with the equipment, keep visuals up-to-date through the use of audit alerts, notifications, and reports.
- Monitor, measure, and improve effectiveness of procedures with ease.

Ensure secured access to your company's data

- Secured Socket Layer (SSL) encryption is in place for data transmission.
- Set user defined permissions that restrict or allow access to sites, areas, and equipment.



1. Design

2. Post

3. Monitor

inspect&Track

Inspection Management Software.

InspectNTrack is a web-based inspection management software designed to schedule, track, and document inspection and maintenance activities or audits on any type of checkpoint. Used with Pocket PCs or tablets, it is the ideal solution for compliance based inspections regulated by any authority having jurisdiction (AHJ).

By eliminating paper forms, InspectNTrack simplifies and expedites the capture of inspection data. It allows users to complete inspections in a fraction of the time, ensuring on-time inspections and eliminating missed inspections. InspectNTrack standardizes procedures with automated, repeatable, consistent processes. Inspections can be simple Pass / Fail or detailed multiple choice question sets or checklists that are completed on the Pocket PC or tablet.

InspectNTrack also allows you to assign and track incidents or discrepancies found during an inspection.

More Information!

Visit **www.BradyID.com/InspectNTrack** for more information on InspectNTrack Software.

InspectNTrack is available in a cloud based (SaaS) or on-premise network installation.

Fire & Life Safety Equipment

Manufacturing Equipment

Property Maintenance

Vehicles & Equipment

EH&S, OSHA, and EPA Audits

Lockout PRO™ Visual Procedure Writing Software

Create machine-specific procedures in minutes.

Brady's Lockout Pro Software is the ultimate aid in avoiding costly OSHA fines. Lockout is frequently overlooked safety aspect, but Brady makes the Lockout compliance process easy by offering a lockout tagout software that lets you create and implement an OSHA-compliant hazardous energy control lockout program. Brady's Lockout Pro lockout software assists you in implementing the four components of an effective lockout program. This helpful tagout software provides design tools and access to documented policies and procedures. Brady's Lockout Software has templates with built-in defaults so you can edit text, insert images and customize the applications to fit your company's needs.

Request A Demo:

Visit **www.BradyID.com/LockoutPro** to request a demo of Lockout PRO™ Procedure Writing Software.

Software

www.BradyID.com

MarkWare™ Facility Identification Software

All Your Safety and Facility Needs in One Powerful Package.

MarkWare™ Facility Identification Software is the simple solution for do-it-yourself sign-making. Save time, save costs and create custom safety signs for your facility using MarkWare™ Software. Use your PC to quickly design professional looking signs and labels

- Print directly to a Brady labeling system or most Windows™ inkjet/laser printers
- Preformatted templates make sign and label creation quick and easy
- Import logos and photos or create bar codes using 15 different symbologies
- Link label contents to information stored in spreadsheets and databases

Online Video & Demo:

Visit **www.BradyID.com/Markware** to watch the videos or to request a demo.

Also available: MarkWare™ Lean Tools Facility Identification Software
Includes all of the features and functionality of MarkWare™ standard software, plus new tools to support and sustain your lean transformation. Post critical information at the point of use when implementing 5S, Total Productive Maintenance, Standard Work, Kanban, or other lean concepts.

Built-in library with over 1000 high-quality, scalable symbols and pictograms

Tool Storage *Part Management* *Process Identification* *Work Instructions* *PM Instructions*

MarkWare Lean Tools software also includes templates that allow you to quickly create multicolor gauge labels, lube instructions, oil level indicators and more.*

** Multi-color labels and cut out lables available only on GlobalMark® Color & Cut and Multicolor models. Single-color labels available on GlobalMark monocolor and BBP®31 model printers*

NEW!

MarkWare™ Software now includes a GHS / CLP Label Module

- 18 pre-formatted label layouts and approved GHS symbols are built-in
- User selects approved pre-worded hazard statements and GHS symbols which then automatically populates into layout – no need to type everything in
- Prompts for additional variable data which then auto-populates into layout
- Choose a second language and MarkWare auto-populates in the second language
- Contains templates for BBP®31, BBP®33, Globalmark® and MiniMark™ Printers

Already a MarkWare Software user?
Upgrade your current MarkWare by visiting ***www.BradyID.com/Markware*** *and going to "Software Downloads".*

LabelMark™ Labeling Software

For Wire & Cable, Laboratory and General Industrial Labeling

Brady's LabelMark™ Labeling Software makes creating labels more efficient. Written specifically for identification applications in the telecommunication, laboratory and electrical markets where wire and cable marking is a constant and tedious job.

LabelMark™ labeling software is the easy solution for label design, editing and printing. This software is a fast system for creating new labels and printing professional, accurate and legible labels. With built-in templates, wizards, fixed text labels and free form design, it simplifies label making in the electrical, industrial, aerospace, laboratory, and telecomm industries.

Wire & Cable *Control Panels* *Voice & Data* *Circuit Boards* *General ID*

Online Video & Demo:

Visit **www.BradyID.com/Labelmark** to watch the videos or to request a demo.

NetDoc® Network Cable Management Software

Take Control of Your Network

NetDoc® Network Cable Management Software provides you with the tools you need to manage cabling, network, telephony and legacy connections. NetDoc® allows you to easily document horizontal and backbone cables, hardware, assets, pathways, locations, users and much more! This web-enabled solution provides complete ANSI/TIA/EIA 606B documentation compliance. And, its seamless integration with LabelMark™ Software gives you a complete documentation and labeling solution to help increase productivity, reduce costs, and improve user services!

Request A Demo:

Visit **www.BradyID.com/Netdoc** to request a product demo.

Wire & Cable Labeling

Cable Management Software

Voice & Data Equipment Labeling

Network Documentation

...And More!

CodeSoft™ Labeling Software

For Enterprise Level ID and 3rd Party Software Integration.

This enterprise-level label design software allows users to design and print custom labels for product identification and tracking. CodeSoft Barcode Software is the professional solution for the most complex barcode labeling projects. CodeSoft excels at integrating with users systems and 3rd party software.

The software provides a range of barcode label design features for any project, from easy label designs to general bar coding. Brady Labeling Software gives you the power to design and print labels with ease and flexibility. Whether you need to print text, barcodes or graphic images, fixed or variable data, user defined or database driven, Brady has the barcode and labeling software to handle all your custom label needs.

Request A Demo:

Visit **www.BradyID.com/Codesoft** to request a demo.

Rating Plate Identification

Voice & Data Communications

Circuit Board Labels

Control Panel Labeling

General ID ...and many more!

SENTINEL Software Add-On

Automated, mapping capabilities, for lights out printing. Allows for integration of CodeSoft labeling software with existing Networked Systems. (LIMS, SAP, EMR, and other popular ERP systems)

LabelArchive Software Add-On

Create label approval process, full traceable solution for all printed labels, secure label repository.

CENTRAL GHS Software Add-On

Assure complete GHS compliance. Package includes design (CodeSoft), automation (SENTINEL), and label approval modules (LabelArchive).

Absorbents and Spill Control

www.BradyID.com/SPC

Why SPC Products?

For more than 30 years, SPC products have helped customers protect against leaks, drips and spills that create safety hazards in the workplace. Brady provides high-quality service, application expertise and product knowledge to SPC distributors and customers.

Brady SPC has a history of innovation and continues to develop industry-leading products and applications. Brady provides on-going lean initiatives to help offset raw material increases to keep costs stable and maintain maximum cost savings for our customers.

Regulations

The following OSHA and EPA regulations protect your employees and the environment;

29 CFR 1910.22(a)(2)
Clean, dry workplace floors.

40 CFR 112.7(c)(1)(vii)
Absorbent materials are one option for preventing oil spills from reaching waterways.

29 CFR 1910.120(j)(1)(vii)
DOT-specified containers and suitable quantities of absorbents shall be kept available for response to spills.



Why Is Spill Control Important?

A proper spill control program can create a safe and productive work environment for your employees in addition to protecting our environment.

By complying with EPA and OSHA regulations for spill control, a facility can increase productivity and limit the least amount of down time for their employees. In addition, the cost of non-compliance around this area of regulation can be devastating to any business.

Spill Prevention Control & Countermeasure (SPCC) Plan
The EPA issued its final rule amending the SPCC under the authority of the Federal Water Pollution Control Act. This regulation became effective as of August 16, 2002.

What is an SPCC Plan?
An SPCC Plan is a facility-specific comprehensive description of a facility's containment and counter measures that would prevent a spill from occurring, as well as procedures to respond and clean-up a spill that does occur.

The SPCC plan addresses the following three areas:

- Operating procedures that prevent spills
- Control measures installed to prevent a spill from reaching the environment
- Countermeasures to contain, clean-up and mitigate the effects of a spill that reaches the environment

Not Sure What Absorbents To Use?

Free Absorbent Survey
Brady's Absorbent Survey is a free service – helping facilities keep their employees and their equipment clean and safe, while coming into compliance with OSHA, EPA and SPCC regulations. This detailed survey asks the right questions and identifies the way in which Brady and its distributor can provide solutions for the proper use of SPC absorbents in the plant. Many organizations use these surveys as an "Environmental Audit" and keep them on file.

Contact your Brady SPC Representative to set up your own Absorbent Survey!

Did You Know? SPC Absorbents vs. Clay

There is a negative financial impact of using clay to clean-up your leaks, drips and spills. It may be cheaper to buy, but the benefits stop there. For example, a facility that uses sorbents to clean up 32 gallons of oil on average each month may expect to spend as follows*:

Using Clay:
- 8 - 30lb. bags @ $9 each = $72
- 2 disposal drums @ $350 each = $700
- Total spend = $772

Using SPC Sorbents
- 1 bale of pads @ $76 = $76
- 1 disposal drum @ $350 = $350
- Total spend = $426

A 45% SAVINGS WITH SPC

Still not convinced? Consider these points:

- OSHA considers silica a serious health hazard.
- Granular clean-up is difficult and labor intensive and the small particles can easily enter and damage machinery or your finished product.
- Clay has limited chemical resistance.

With Brady's SPC Absorbents, all of these shortcomings are eliminated!

** This is a basic analysis using estimations and averages. Individual situations will vary. Contact your BRADY/SPC Regional Absorbent Sales Manager to do a more in-depth and customized analysis of your costs.*

View full product specs on page 378.

1 Step One: Know What You're Absorbing

Universal Absorbents

All-purpose products that clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects.

Oil Only Absorbents

These absorbents are specialized for oil and other petroleum-based spills including paints and other non-water soluble chemicals. These absorbents will not absorb water and will float indefinitely.

Chemical Absorbents

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid, and are chemically inert, so they will not react with aggressive fluids.

2 Step Two: Identify Your Absorbent Application

Wiping, Dripping or Foot Traffic Applications

Pads & Rolls

For use for wiping, dripping and leaks. Pads are pre-cut absorbents, while rolls allow you to choose the length you need.

SOCs & Pillows

For use around equipment or under drips.

Barrier-backed or Heavy Traffic Applications

Mats & Rugs

For use with heavy foot or vehicle traffic, or where a barrier-backed mat is needed.

Emergency Spill Response

Spill Containment and Spill Kits

Be prepared for emergency spills with a variety of products already bundled together - so you can be confident you have the products you need to contain unexpected spills.

Additional spill control available through the use of spill pallets, drain plugs and absorbent storage centers.

3 Step Three: Select Your Absorbent Size and Weight

View full product specs on page 378.

Now that you know what you're absorbing, and what style of product you need, you can choose your absorbent from the many sizes and absorbency weights that Brady SPC offers. Quickly and easily compare absorbents on the following pages.

Perforations Guide

Perforated absorbents allow you to quickly and easily select the perfect size for your spill. Choose a small section for small spills, or a larger section for bigger spills. Multiple size options means less waste since you only use what you need.



Single Perf



Double Perf



Triple Perf

Universal Absorbents

www.BradyID.com/SPC

Universal Absorbents

All-purpose absorbents for indoor use.

Use these all-purpose absorbents to clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects – they are your first choice for indoor spill control. Plus, their gray color masks spills and stains – helping you resist the urge to pick up the absorbent before it is fully saturated.

Common Liquids Absorbed:

- Coolants & Solvents
- Gasoline & Oil
- Latex paint
- And other water-based fluids

BattleMat® Absorbents

- Ideal for areas with moderate foot traffic or as single use absorbents
- Camouflage patterned, universal 2-ply construction with a durable, abrasion-resistant upper layer

Catalog #	Type	Size	Qty.
BattleMat Pads			
BM100	Heavy Wt.	15"x19"	100
BattleMat Rolls			
BM30	Heavy Wt.*	30"x150'	1
BM30X	Heavy Wt.	30"x150'	1
BM15	Heavy Wt.*	15"x150'	1

** Perforated*



MRO Plus® Absorbents

- All-purpose maintenance absorbent
- 3-ply (MMM) Meltblown Polypropylene makes it durable and reduces lint

Catalog #	Type	Size	Qty.
MRO Plus Pads			
MRO50	Heavy Wt.*	30"x30"	50
MRO150DND	Heavy Wt.*	15"x19"	150
MRO100	Heavy Wt.*	15"x19"	100
MRO100-2	Heavy Wt.*	15"x19"	50
MRO300	Medium Wt.*	15"x19"	100
MRO Plus Rolls			
MRO30-DP	Heavy Wt.*	30"x150'	1
MRO30P	Heavy Wt.*	30"x150'	1
MRO30	Heavy Wt.	30"x150'	1
MRO24-DP	Heavy Wt.*	24"x150'	1
MRO15-DP	Heavy Wt.*	15"x150'	1
MRO15P	Heavy Wt.*	15"x150'	1
MRO15	Heavy Wt.	15"x150'	1
MRO15-DPS	Heavy Wt.*	15"x73'	1
MRO12P	Heavy Wt.*	12"x150'	1
MRO350-DP	Medium Wt.*	30"x150'	1
MRO350	Medium Wt.	30"x150'	1
MRO315P	Medium Wt.*	15"x150'	1

** Perforated*

**MRO150DND has Dispense-n-Dispose™ System*

UXT - "Xtra Tough"

- Extra tough absorbents are abrasion resistant and non-abrasive
- Universal Meltblown Polypropylene core
- 3-ply (SMS) construction with spunbond coverstock on both sides

Catalog #	Type	Size	Qty.
UXT Pads			
UXT100	Heavy Wt.*	15"x19"	100
UXT300	Medium Wt.*	15"x19"	100
UXT200	Light Wt.*	15"x19"	200
UXT Rolls			
UXT15P	Heavy Wt.*	15"x150'	1
UXT30DP	Medium Wt.*	30"x150'	1

** Perforated*

GP - "General Purpose"

- Economical, single-ply general purpose absorbent
- Universal Meltblown Polypropylene
- MAXX Technology improves adsorption without the extra weight

Catalog #	Type	Size	Qty.
GP Pads			
GP100	Heavy Wt.*	15"x19"	100
GP100-B	Heavy Wt.*	15"x19"	100
GP300	Medium Wt.*	15"x19"	100
GP200-B	Light Wt.*	15"x19"	200
GP500	Light Wt.*	15"x19"	100
MXU1000	Light Wt.*	15"x19"	100
GP Rolls			
GP30	Heavy Wt.	30"x150'	1

** Perforated*



HT - "High Traffic"

- Built for durability and high absorbency in "high traffic" areas
- Universal Meltblown Polypropylene
- 2-ply (SM) construction with spunbond coverstock

Catalog #	Type	Size	Qty.
HT Pads			
HT200	Light Wt.*	15"x19"	200
HT500	Light Wt.*	15"x19"	100
HT Rolls			
HT30	Heavy Wt.*	30"x150'	1
HT555	Heavy Wt.*	15"x150'	1
HT15	Heavy Wt.*	15"x150'	1
HT550	Heavy Wt.*	15"x50'	1
HT303	Medium Wt.*	30"x300'	1
HT303X	Medium Wt.*	30"x300'	1
HT350	Medium Wt.*	30"x150'	1
HT153	Medium Wt.*	15"x300'	1
HT230	Light Wt.*	30"x300'	1
HT215	Light Wt.*	15"x300'	1

** Perforated*



Basic Universal

- Economical, single-ply all-purpose absorbent
- Universal Meltblown Polypropylene
- Perforated to reduce waste and dimpled for added durability

Catalog #	Type	Size	Qty.
Basic Universal Pads			
BPU100	Heavy Wt.*	15"x17"	100
BPU200	Light Wt.*	15"x17"	200
BPU500	Light Wt.*	15"x17"	100
Basic Universal Rolls			
BRU150	Heavy Wt.*	30"x150"	1

** Perforated*

View full product specs on page 378.

Re-Form™ Eco-Friendly Absorbents

Re-Form™ Universal Absorbents:

Re-Form™ universal absorbents are made from a minimum of 80% recycled newsprint and other cellulose. These eco-friendly absorbents offer greater absorbency, in fact, Re-Form absorbents have been tested to be 25-50% more absorbent than oil-based polypropylene absorbents, so you'll use less product to get the job done

**Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*



Re-Form™ XPlus Absorbents

- Medium weight absorbent made from 80% recycled cellulose
- Up to 50% more absorbent than comparable MBPP absorbents
- Meltblown coverstock on both sides for better traction

Catalog #	Type	Size	Qty.
Re-Form XPlus Pads			
RFDP300	Medium Wt.*	15"x19"	100
Re-Form XPlus Rolls			
RFDP328DP	Medium Wt.*	28.5"x150'	1

** Perforated*

Re-Form™ Plus Absorbents

- General purpose absorbent made from 80% recycled newsprint and cellulose
- Ideal for wiping and light foot traffic
- Spunbond coverstock on one side
- Class A fire retardant

Catalog #	Type	Size	Qty.
Re-Form Plus Pads			
RFP100	Heavy Wt.*	15"x19"	100
RFP500	Light Wt.*	15"x19"	100
Re-Form Plus Rolls			
RFP28-DP	Heavy Wt.*	28.5"x150'	1
RFP328-DP	Medium Wt.*	28.5"x150'	1
RFP314P	Medium Wt.*	14.25"x150'	1

** Perforated*

Re-Form™ Absorbents

- Economical general purpose absorbent made from 80% recycled newsprint & cellulose
- Nylon mesh construction provides extra durability and strength
- Class A fire retardant

Catalog #	Type	Size	Qty.
Re-Form Pads			
RF100	Heavy Wt.*	15"x19"	100
RF300	Medium Wt.*	15"x19"	100
RF500	Light Wt.*	15"x19"	100

** Perforated*

Absorbents vs. Rags

Absorbent pads are a clean, safe and cost efficient way to clean-up small spills compared to laundered rags. Laundered rags often times contain residual oil, grease or metal shavings.

By using absorbents, you're assured to always have a clean and safe product in hand.

Spill Response Plus Universal Absorbents

- Small convenient size for employees to fold and carry in pockets for quick response time
- Highly absorbent, multi-purpose absorbents made to handle water-based liquids and oils
- Dimpled for added durability and reduced linting

Catalog #	Type	Size	Qty.
Spill Response Plus Universal Pads			
SRP200	Heavy Wt.	7.5"x10"	200
SRP100	Heavy Wt.	7.5"x10"	100
Spill Response Plus Universal Roll			
SRP75P	Heavy Wt.*	7.5"x50"	1

** Perforated*

VendSorb™ Universal Absorbents

- Conveniently sized to fit into your vending program
- High performance, universal absorbent to handle most spills
- Absorbs all water-based industrial liquids, oils and petroleum-based fluids
- Reduce waste by using only what you need, dimpled for added durability

Catalog #	Type	Size	Qty.
VendSorb™ Universal Rolls			
VS12P	Heavy Wt.*	12"x60"	20
VS75P	Heavy Wt.*	7.5"x50"	20

** Perforated*

View full product specs on page 378.

Oil Only Absorbents

www.BradyID.com/SPC

Oil Only Absorbents

Oil absorbing and water repellant.

Specialized for oil and other petroleum-based spills, oil only pads and rolls will not absorb water and will float indefinitely. These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for outside use, Brady's oil only SPC products are equally effective in soaking up petroleum-based solvents and paints, vegetable oils and other non-water soluble oil-based fluids.

Common Liquids Absorbed:

- Cutting fluids
- Hydraulic and brake fluids
- Engine oils
- Lubricants
- Cooking oils
- Gasoline and diesel
- Oil based paints and solvents
- And other oil-based fluids

SXT® Oil Absorbents

- A dimpled and perforated absorbent with spunbond coverstock on both sides for durability with very low linting.
- 3-ply (SMS) construction and Oil Only Meltblown Polypropylene

Catalog #	Type	Size	Qty.
SXT Oil Pads			
SXT100	Heavy Wt.*	15"x19"	100
SXT300	Medium Wt.*	15"x19"	100
SXT200	Light Wt.*	15"x19"	200
SXT Oil Rolls			
SXT30DP	Heavy Wt.*	30"x150'	1
SXT15P	Heavy Wt.*	15"x150'	1

** Perforated*

ENV® Oil Absorbents

- Economical single-ply construction with MAXX® Technology for superior absorbency and strength
- Perforated contractor grade Oil Only Meltblown Polypropylene

Catalog #	Type	Size	Qty.
ENV Oil Pads			
ENV100	Heavy Wt.	15"x19"	100
ENV50	Medium Wt.	30"x30"	50
ENV300	Medium Wt.	15"x19"	100
ENV200	Light Wt.	15"x19"	200
ENV500	Light Wt.	15"x19"	100
MXO1000	Light Wt.*	15"x19"	100
ENV Oil Rolls			
ENV150	Medium Wt.	30"x150'	1

** Perforated*



Oil Plus Oil Absorbents

- Dimpled and perforated absorbent for general everyday use and emergency spill clean-up.
- 3-ply (MMM) Meltblown Polypropylene construction

Catalog #	Type	Size	Qty.
Oil Plus Pads			
OP50	Heavy Wt.*	30"x30"	50
OP150DND	Heavy Wt.*	15"x19"	150
OP100	Heavy Wt.*	15"x19"	100
OP300	Medium Wt.*	15"x19"	100
Oil Plus Rolls			
OP30-DP	Heavy Wt.*	30"x150'	1
OP30P	Heavy Wt.*	30"x150'	1
OP30	Heavy Wt.	30"x150'	1
OP15-DP	Heavy Wt.*	15"x150'	1
OP15P	Heavy Wt.*	15"x150'	1
OP15	Heavy Wt.	15"x150'	1
OP15-DPS	Heavy Wt.*	15"x73'	1
OP550	Heavy Wt.*	15"x50'	1
OP350-DP	Medium Wt.*	30"x150'	1
OP315P	Medium Wt.*	15"x150'	1

** Perforated*
**OP150DND has Dispense-n-Dispose™ System*

Basic Oil Absorbents

- Perforated and dimpled economical single-ply absorbents
- Oil Only Meltblown Polypropylene

Catalog #	Type	Size	Qty.
Basic Oil Pads			
BPO100	Heavy Wt.*	15"x17"	100
BPO200	Light Wt.*	15"x17"	200
BPO500	Light Wt.*	15"x17"	100
Basic Oil Rolls			
BRO150	Heavy Wt.*	30"x150"	1

** Perforated*

SPC® Oil Absorbents

- Dimpled and perforated absorbent made with MAXX® Technology - greater performance without the extra weight
- Convenient and cost-effective single-ply Oil Only Meltblown Polypropylene

Catalog #	Type	Size	Qty.
SPC Oil Pads			
SPC50	Heavy Wt.	33"x39"	50
SPC100	Heavy Wt.*	15"x19"	100
SPC100B	Heavy Wt. (Blue MBPP Pad)*	15"x19"	100
SPC105	Heavy Wt. (1 side w/ blue coverstock)*	15"x19"	100
SPC300	Medium Wt.*	15"x19"	100
SPC200	Light Wt.*	15"x19"	200
SPC500	Light Wt.*	15"x19"	100
SPC Oil Rolls			
SPC150	Heavy Wt.	38"x144'	1
SPC152	Heavy Wt.	19"x144'	2
SPC19150	Heavy Wt.	19"x144'	1
SPC156	Medium Wt. (1 side w/blue coverstock)*	30"x150'	1

** Perforated*

Static Resistant Oil Absorbents

- Economical single-ply absorbents treated to resist static electricity build up
- Meets National Fire Protection Association (NFPA) specifications

Catalog #	Type	Size	Qty.
Static Resistant Oil Pads			
SR3625	Heavy Wt.	30"x30"	25
SR100	Heavy Wt.	15"x19"	100
SR1825	Medium Wt.	15"x19"	25
Static Resistant Oil Rolls			
SR3600	Heavy Wt.	30"x150'	1

** Perforated*

View full product specs on page 378.

Re-Form™ Eco-Friendly Absorbents

Re-Form™ Oil Only Absorbents:

- Repels water and floats making it ideal for outdoor applications.
- Absorbs more than 34 times its weight in liquid
- 40% higher absorption ratio than the next leading absorbent
- Spunbond coverstock on both sides adds durability and reduces linting
- Made from 80% all natural cotton fibers
- Perforated to help you reduce waste by using only what you need
- Supports corporate sustainability and LEED initiatives

Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.

Catalog #	Type	Size	Qty.
Re-Form Oil Only Pads			
RFODP100	Heavy Wt.*	15"x19"	100
Re-Form Oil Only Rolls			
RFOP28DP	Heavy Wt.*	28.5"x150'	1
RFOP14P	Heavy Wt.*	14.25"x150'	1

** Perforated*

Spill Response Plus Oil Only Absorbents

- Employees can fold and carry pads in their pockets, allowing for quick response to spills
- Highly absorbent, absorbs paints, vegetable oils and other non-water soluble oil-based fluids
- Dimpled for added durability and reduced linting

Catalog #	Type	Size	Qty.
Spill Response Plus Oil Only Pads			
SRPO200	Heavy Wt.	7.5"x10"	200
SRPO100	Heavy Wt.	7.5"x10"	100
Spill Response Plus Oil Only Roll			
SRPO75P	Heavy Wt.*	7.5"x50"	1

** Perforated*

VendSorb™ Oil Only Absorbents

- Conveniently sized to fit into your vending program
- Absorbs petroleum-based oils, solvents and other non-water liquids
- Floats indefinitely even when saturated with oil
- Reduce waste by using only what you need, dimpled for added durability

Catalog #	Type	Size	Qty.
VendSorb™ Oil Only Rolls			
VSO12P	Heavy Wt.*	12"x60"	20
VSO75P	Heavy Wt.*	7.5"x50"	20

** Perforated*

See Re-Form™ Absorbents In Action!

Re-Form™ absorbents have been tested to be up to 50% more absorbent than oil-based polypropylene absorbents, so you'll use less product to get the job done.

Watch the online videos at **www.BradyID.com/SPC** to see for yourself!

View full product specs on page 378.

Chemical and Matting Absorbents

www.BradyID.com/SPC

Chemical Absorbents

Color-coded absorbents for safe clean-up of hazardous fluids.

Alert employees to the presence of hazardous fluids with green and yellow chemical absorbents. These surfactant-treated polypropylene pads and rolls can be used on a wide range of chemicals, including hydrofluoric acid and are chemically inert, so they will not react with aggressive fluids.

Common Liquids Absorbed:

- Acids and bases
- Aggressive chemicals
- Oils
- Solvents
- Citric acid
- Water-based fluids
- Sodium hydroxide
- And other unknown chemicals

Universal Plus Absorbents

- Dimpled and perforated green universal absorbent is chemically inert and ideal for aggressive fluids
- Universal Meltblown Polypropylene
- 3-ply construction makes it stronger, more durable and reduces lint

Catalog #	Type	Size	Qty.
Universal Plus Pads			
SPCUN1719	Medium Wt.*	15"x19"	100
SPCUN1113	Medium Wt.	12"x12"	200
SPCUN1113-50	Medium Wt.	12"X12"	50
Universal Plus Rolls			
SPCUN3800	Medium Wt.*	30"x150'	1
SPCUN1019	Medium Wt.*	15"x150'	2

** Perforated*

CH - "Chemical" Absorbents

- Dimpled, yellow absorbent offers high visibility for your hazardous chemical applications
- Meltblown Polypropylene
- Economical single-ply absorbent made with MAXX® technology - improving adsorption and strength

Catalog #	Type	Size	Qty.
Chemical Pads			
CH100	Medium Wt.*	15"x19"	100
CH1212	Medium Wt.	12"x12"	200
CH1212-50	Medium Wt.	12"X12"	50
Chemical Rolls			
CH30DP	Medium Wt.*	30"x150'	1
CH15P	Medium Wt.*	15"x150'	1

** Perforated*

Spill Response Plus (SRP) Universal Plus Absorbents

- Small custom size reduces waste
- Highly absorbent, multi-purpose absorbents made to handle virtually any liquid
- Dimpled for added durability & reduced linting

Catalog #	Type	Size	Qty.
Spill Response Plus Chemical Pads			
SRPH200	Heavy Wt.	7.5"x10"	200
SRPH100	Heavy Wt.	7.5"x10"	100
Spill Response Plus Chemical Roll			
SRPH75P	Heavy Wt.*	7.5"x50"	1

** Perforated*

VendSorb™ Chemical Absorbents

- Conveniently sized to fit into your vending program
- Green universal absorbent for any liquids including oil and hazardous chemicals and acids
- Chemically inert making it ideal for aggressive fluids
- Reduce waste by using only what you need, dimpled for added durability

Catalog #	Type	Size	Qty.
VendSorb™ Chemical Rolls			
VSH12P	Heavy Wt.*	12"x60"	20
VSH75P	Heavy Wt.*	7.5"x50"	20

** Perforated.*

Mats & Rugs

Absorbent mats and rugs keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are constructed from durable, needle punched, polypropylene fibers. Compared to an entrance mat, absorbent mats and rugs offer better traction, reduce slipperiness and keep liquids from being tracked from one area to the next.

Common Liquids Absorbed:

- Bases & Oils
- Chemicals
- Solvents
- Water-based fluids

TrackMat Matting

- Extremely durable 3-ply construction features UV-resistant top layer
- Highly absorbent polypropylene core
- Non-slip and non-leak barrier backing

Catalog #	Type	Size	Qty.
TrackMat Pads			
TM30	Heavy Wt.	29"x29"	30
TrackMat Rolls			
TM58	Heavy Wt.	58"x80'	1
TM29	Heavy Wt.	29"x80'	1
TM19	Heavy Wt.	19"x80'	1



BSM - Barrier Spill Matting

- Industrial rug with non-slip and leak-proof barrier backing
- Needle-punched polypropylene is durable for high traffic areas
- Tear resistant and will not curl or buckle

Catalog #	Type	Size	Qty.
BSM Rolls			
BSM300	Medium Wt.	36"x300'	1
BSM100	Medium Wt.	36"x100'	1
BSM3650	Medium Wt.	36"x50'	1

SIR - Sorbent Industrial Rug

- Durable, needle-punched polypropylene fibers for high traffic areas
- Eliminates slippery areas and unsightly tracking
- Can stand up to most aggressive fluids

Catalog #	Type	Size	Qty.
SIR Rolls			
SIR36	Heavy Wt.	36"x300'	1
SIR36150	Heavy Wt.	36"x150'	1
SIR72	Heavy Wt.	72"x150'	1

Rag Rug Matting

- Eco-frinedly absorbents made from recycled cotton and polyester fibers
- Highly absorbent, provides traction, and masks dirt
- Ideal for maintenance, repair and industrial environments

Catalog #	Type	Size	Qty.
Rag Rug Rolls			
RAG36150	Heavy Wt.	36"x150'	1
RAG24150	Heavy Wt.	24"X150	1
RAG1818	Heavy Wt.	18"x18"	50

View full product specs on page 378.

Absorbent SOCs

Specialty absorbent SOCs can be used around a facility when a pad or roll may not be sufficient. They are dependable, flexible tubes that contain and absorb liquids. SOCs mold around corners and conform to uneven surfaces to soak up spills and drips, preventing fluid from escaping to other areas.

ALLWIK® Universal SOCs

- All-purpose polypropylene SOC
- Suitable for most industrial applications
- Wringable and can be incinerated

Catalog #	Type	Size	Qty.
AW124	SOC	3"x12'	4
AW806	SOC	3"x8'	6
AW430	SOC	3"x4'	30
AW412	SOC	3"x4'	12

SLIKWIK® Universal SOCs

- Corn cob-filled SOC
- Exceptional value for picking up of all non-aggressive liquids

Catalog #	Type	Size	Qty.
SW46	SOC	3"x42"	40

Cobra Coil® Universal SOCs

- Vermiculite-filled SOC
- Excellent for diking applications
- Suitable for all liquids including aggressive chemicals

Catalog #	Type	Size	Qty.
CC440V	SOC	3"x4'	40
CC400V	SOC	3"x4'	12

BASIC Universal SOCs

- NEW economical absorbent SOC with a cellulose fill
- Suitable for most non-aggressive fluids

Catalog #	Type	Size	Qty.
BSC40	SOC	3"x42"	40
BSC20	SOC	3"x42"	20

Re-Form™ Universal SOCs

- Made from recycled newsprint and other cellulose
- Absorbs oils, coolants, solvents and water-based fluid

Catalog #	Type	Size	Qty.
MS-124	SOC	3"x12'	4
MS-806	SOC	3"x8'	6
MS-50	SOC	3"x4'	40
MS-412	SOC	3"x4'	12

HAZWIK® SOCs

- Absorbs chemicals, acids and bases
- Flexible design is easily molded around spills

Catalog #	Type	Size	Qty.
HAZ124	SOC	3"x12'	4
HAZ412	SOC	3"x4'	12

SOC Usage Tips:

Use these tips to help ensure that you get the most out of your SOCs:

- Clean-up all loose materials, rags and other debris around the spill
- SOCs work best when they lay flat against the floor
- Replace your SOC when liquid begins pooling or seeping underneath
- When installing your SOC, shake vigorously to evenly distribute absorbent within the SOC
- Overlap the ends of your SOC approximately 5" to extend your spill protection

Re-Form™ Oil Only SOCs

- Made from 80% all natural cotton fibers
- Absorbs oil, grease, transmission fluid, coolant and other liquids.
- Repels water and floats for outdoor applications

Catalog #	Type	Size	Qty.
RFO412	SOC	3"x4'	12

Oil Only SOCs

- Specialized oil only polypropylene SOC
- Absorbs oil and petroleum based liquids while repelling water
- Wringable and can be incinerated

Catalog #	Type	Size	Qty.
OIL124	SOC	3"x12'	4
OIL806	SOC	3"x8'	6
OIL430	SOC	3"x4'	30
OIL412	SOC	3"x4'	12

View full product specs on page 378.

Additional Absorbents

www.BradyID.com/SPC

ALLWIK® Universal Pillows

- All-purpose polypropylene pillow
- Suitable for most industrial applications
- Ideal for under valves and other dripping applications

Catalog #	Type	Size	Qty.
AW1818	Pillow	18"x18"	16
AW1818-2	Pillow	18"x18"	8
AW99	Pillow	9"x9"	32



ALLWIK® Universal Drum Covers

- All-purpose polypropylene drum cover
- Fits 55-gallon drums either with 1 or 2 bungholes
- Create a clean and safe work floor by preventing pump drips from reaching the floor

Catalog #	Type	Size	Qty.
DTA25	Medium Wt. Drum Cover	22" dia.	25



Marine Sweeps & Pillows

- 2-ply construction and durable blue coverstock for extra strength (for use with oil and petroleum-based fluids)
- "Sweep" the water to remove surface oil
- 100' sections are ideal for dragging behind or connecting between two ships

Catalog #	Type	Size	Qty.
SPC1900	Sweep	19"X100'	1
SPC10	Pillow	14"x25"	10

Oil Only Pillows

- Specialized oil only polypropylene will not absorb water or water-based liquids
- Ideal for use in waste troughs, coolant tanks, fluid reservoirs and sump wells

Catalog #	Type	Size	Qty.
OIL1818	Pillow	18"x18"	16
OIL1818-2	Pillow	18"x18"	8
OIL99	Pillow	9"x9"	32



Oil Only Drum Covers

- Specialized oil only polypropylene drum cover fits 55-gallon drums either with 1 or 2 bungholes
- Will not absorb water or water-based solutions
- Prevents pump drips from reaching the floor

Catalog #	Type	Size	Qty.
DTO25	Medium Wt. Drum Cover	22" dia.	25



Containment Booms

- Cost-effective solution for containment of oil spills on water
- Also used as barriers in holding ponds to retain waste and debris

Catalog #	Size	Qty.
CB612	6" Float, 12" Skirt, 100' Sections	1
CB305	3" Float, 4.5" Skirt, 25' Sections	1

HAZWIK® Pillows

- Absorbs chemicals, acids and bases
- Ideal for extra protection during packaging and transport

Catalog #	Type	Size	Qty.
HAZ1818	Pillow	18"x18"	16
HAZ1818-2	Pillow	18"x18"	8
HAZ99	Pillow	9"x9"	32

ENV510 SPC5510*

Absorbent Booms

- Premium SPC® Booms are lint free and easy to handle
- Economical ENV® booms feature a lint-free blue sleeve

Catalog #	Type	Size	Qty.
ENV810	ENV Boom	8"x10'	4
ENV510	ENV Boom	5"x10'	4
SPC810	SPC Boom	8"x10'	4
SPC510	SPC Boom	5"x10'	4
SPC5510*	SPC Boom	5"x10'	2
SPC818	SPC Boom	8"x18"	10
SPC518	SPC Boom	5"x18"	10
SPC318	SPC Boom	3"x18"	25

Oil Nets/Drag Nets

- Flat, chemical-resistant filaments in half-pound units float in water
- Reusable after draining or dousing with #1 or #2 weight oils; extracted oil can be recycled or downgraded as fuel oil
- Sweep between two boats or deployed along a shoreline

Catalog #	Type	Size	Qty.
ODN08	Oil Only	30 nets on 50' rope	1
ON030	Oil Only	30 nets (no rope)	1

View full product specs on page 378.

Re-Form™ Industrial Absorbent

- 100% recycled material, safe for the environment and employee use
- Absorbs oils, solvents, lubricants, water and most non-aggressive liquids on contact
- 1:1 absorbency ratio - absorbs its own weight

Catalog #	Size	Qty.
RFGRANULAR	30 lb bag	65/pallet

Dri-Zorb Granular Absorbent

- All natural corn cob product for oil, grease, water and other liquids
- Ideal for use in aircraft maintenance, machine shops, food processing, filling lines and bulk liquid transfer stations
- Not for aggressive fluids

Catalog #	Size	Qty.
DZ-100	40 lb bag	40/pallet

Cansorb Oil Only Granular Absorbent

- All-organic oil only absorbent, made from high quality fiber sphagnum peat moss
- Ideal for oil only clean-up on open water and land applications
- Absorbs 8 times its weight

Catalog #	Size	Qty.
CS-CB18	18 lb bag	50/pallet
CS-LFB10	10 lb bag	64/pallet

Request A Sample Pack!

Request a Sample Pack to try SPC Absorbents in your facility.

Visit **www.BradyID.com/SPC** to request a free SPC Absorbent Sample Pack and see what SPC absorbents can do for you!

Oil Gator Granular

- All natural biodegradable absorbent captures 2-6 times its weight in oil
- Will not harm environment and stops leaching of contaminants into the soil and groundwater

Catalog #	Size	Qty.
GS-10	30 lb bag	60/pallet

Acid Neutralizer

Base Neutralizer

Acid & Base Neutralizering Polymer

- Acid neutralizer provides safe spill control for most acids (including battery spills)
- Base neutralizer used for most bases
- Color change indicates neutralization
- Non-toxic, non-corrosive and non-hazardous

Catalog #	Size	Qty.
SPC-ACID	2 lb bottle	1 each*
SPC-BASE	2 lb bottle	1 each*

**Minimum order of 10 required.*

View full product specs on page 378.

Spill Control & Containment

www.BradyID.com/SPC

Spill Containment

A proper spill containment plan can help create a safe and productive work environment for your employees. SPC spill containment products help to prepare and protect any facility with solutions for unexpected, critical accidents. Absorbent storage centers and SPC spill kits provide fast-response solutions for unplanned spills of oils, solvents, coolants and other fluids. SPC drains, spill decks, berms, pans and pallets also ensure facility safety by catching, controlling and containing unexpected leaks, drips and spills.

RuptureSEAL

- Designed to stop liquids from accidental ruptures in seconds
- Seal small-to-normal sized holes - quick and easy

Catalog #	Description	Size	Qty.
RS-3PACK	Plug Pack	1", 2.5" & 2x6"	3
RS-26	Plug	2x6" Plug	1
RS-2	Plug	2.5" Circular	1
RS-1	Plug	1" Circular	1

Drip Pans

- Durable, low profile, polyethylene drip pans easily fit under leaky drum spigots and other problem areas
- Pan and universal fill captures up to 3/4 of a gallon of liquid

Catalog #	Description	Size	Qty.
DPA24	Drip Pan	10"x10"	24

Storm Drain Guards

- Keep oil, sediment and other contaminants from entering water system
- Holds up to 40 lbs of sediment; flow rate is 500 gpm (new) and 700 gpm bypass

Catalog #	Size	Qty.
DGUARD14*	36"x48"x18"	1
DGUARD1410*	36"x48"x18"	10
DGUARD9	36"x48"x18"	1
DGUARD910	36"x48"x18"	10

* *Feature X-TEX filter strips*

Drain Plugs

- Conical-shaped drain plugs made from chemical-resistant PVC keep spills from entering the drains
- Just rinse and re-use when finished

Catalog #	Description	Size	Qty.
PLUG6	Drain Plug	6" Plug	1
PLUG4	Drain Plug	4" Plug	1
PLUG3	Drain Plug	3" Plug	1
PLUG2	Drain Plug	2" Plug	1

SLIKSTOPPER PVC Drain Seal

Spill Magnet™ Drain Seal

Drain Seals

- Clean-up with soap and water for re-use
- SLIKSTOPPER's flexible and chemical-resistant PVC tightly seals drains
- Spill Magnets are backed with a strong magnet to seal drains

Catalog #	Description	Size	Qty.
PVC42	Slikstopper	42"x42"	1
PVC36	Slikstopper	36"x36"	1
PVC24	Slikstopper	24"x24"	1
PVC18	Slikstopper	18"x18"	1
96229	Magnet	12" dia.	1

Spill Decks

- Contain hazardous leaks with these low profile, 21.2-gallon capacity, two-drum spill decks
- Built-in clips to easily connect multiple decks – creating a 4, 6, 8 or more drum storage platform

Catalog #	Type	Size	Qty.
SC-SD2	2 Drum Spill Deck	26"x52"x6"	1
SC-DK	Sump Drain Kit to share capacity across decks		1

**Easy loading ramp sold separately.*

Spill Pallets

- Comply with governmental secondary containment regulations
- Capacity up to 128.9 gallons of containment
- 2-drum or 4-drum configuration

Catalog #	Type	Size	Qty.
SC-DP4	4-Drum Spill Pallet	52"x52"x17"	1
SC-DP2	2-Drum Spill Pallet	26"x52"x17"	1
SC-DPR	Spill Pallet Ramp	32.5"x70"	1

Spill Berms

- Standard and lightweight available
- Self contained portable containment systems feature a one-piece design
- Requires no assembly, tools or inflation

Catalog #	Type	Size	Qty.
SB-1236	Standard Spill Berm	12'x36'x1'	1
SB-1226	Standard Spill Berm	12'x26'x1'	1
SB-1212	Standard Spill Berm	12'x12'x1'	1
SB-1010	Standard Spill Berm	10'x10'x1'	1
SB-SL46	Lightweight Spill Berm	4'x6'x8"	1
SB-SL44	Lightweight Spill Berm	4'x4'x8"	1

View full product specs on page 378.

Absorbent Storage

This absorbent center's modular cabinet is designed to hold all of your essential absorbents for storage and easy access - so your spill response team can quickly grab the right absorbent for the job. With the ability to hold full cases of SPC absorbent products, there is no special refill required for restocking. Also, because it's modular, customizable and mobile, the size of your absorbent storage is entirely up to you.

** Absorbents sold separately.*

Set Of Casters

15" or 40" Dowel Rods

Accessory Pack (goggles, gloves, disposal bags with ties and an emergency handbook)

Wall Mount

Absorbent Centers

- Fill with just about any SPC absorbent you need
- Use as an absorbent deployment station or mobile spill control unit
- Holds up to a 38" roll and full bales of product – no special refills required!
- Stack two or three to make a cabinet, hang it on the wall, or place it under your workbench
- Optional casters, wall mounting bracket, dowel rods and an accessory pack also available

Catalog #	Description	Size	Qty.
SC-3000	Absorbent Center without casters	50"L X 26"W X 7.75"H	1 each
SC-ACC	Accessory Pack	Includes goggles, gloves, disposal bags with ties, and an emergency handbook.	1 pack
SC-D15	15" Dowel Rod	15"	1 rod
SC-D40	40" Dowel Rod	40"	1 rod
SC-4	Set of 4 casters	n/a	1 pack
SC-MB	Wall Mount	n/a	1 each

Spill Control Cart

- Secure storage with locking handle (2 keys included)
- Convenient sturdy work surface with one fixed interior shelf
- 3" backstop on top surface
- Tubular handle and wheels for ease of mobility
- Extremely durable 16 gauge all welded steel

Catalog #	Description	Size	Qty.
SC-Cart	Spill Control Cart	36 x 18 x 38-3/8	1/each

Absorbents sold separately

Spill Control Cabinet

- Allows easy access for emergency situations
- 2 fully adjustable shelves included
- Durable construction and keyhole slots for wall hanging
- Plexiglas window allows for easy content inventory

Catalog #	Description	Size	Qty.
SC-Cabinet	Spill Control Cabinet	19-7/8 x 14-1/4x 32-3/4	1/each

Absorbents sold separately

View full product specs on page 378.

Absorbent Spill Kits

www.BradyID.com/SPC

Spill Kits

Accidents do happen, so it's better to be prepared. Brady offers a complete selection of SPC spill kits in a variety of types and sizes to equip you with everything you need to clean-up accidents when they happen. Quickly and easily clean-up spills of oils, solvents, coolants and other fluids. They are ideal for fast response to critical accidents.

Many of our kits are available in the following types:

- **Universal/Maintenance Kits:** All-purpose absorbents for oil, water-based and chemical liquids
- **Oil Only Spill Kits:** Water repellent absorbents for oil and petroleum-based liquids
- **Chemical Spill Kits:** Absorbents for aggressive and hazardous liquids
- **Re-Form™ Spill Kits:** Universal absorbents that are eco-friendly
- **TAA Compliant Spill Kits:** Complies with the Trade Agreements Act
- **Mixed Application Spill Kits:** Ideal for indoor and outdoor applications. Kit contain both all-purpose universal absorbents and water-repellent oil-only absorbents for petroleum and oil-based liquids

Spill Kits Increase Efficiency

Worker productivity and efficiencies can be improved dramatically by placing spill kits or absorbent storage centers strategically around the facility and closer to the areas of need. For both emergency response and routine maintenance and safety, you don't want employees wandering away from their workstation to the other side of the plant or tool room to find the absorbent materials they need.

Be prepared: make sure you have spill kits on hand throughout your facility!

Shipping Docks

Freight Vehicles

Maintenance Areas

Plant Floor

Spill Procedure Guide: What To Do When A Spill Occurs

1. **Risk Assessment**
   Evaluate the type of material spilled and identify the source. If you are NOT familiar with the liquid and its chemical properties, vacate the area and contact proper authorities.
2. **Protective Clothing**
   Wear the appropriate protective gear for the situation. If the source or the material is not identifiable, assume the worst.
3. **Containment**
   Contain the liquid and seal drains.
4. **Stop the Source**
   Close valves, rotate punctured drums and plug leaks where it is possible and safe to do so.
5. **Begin Clean Up**
   Use SPC absorbents to absorb spilled liquids.
6. **Contact Authorities**
   Report the spill to proper legal authorities in your community. Be sure to fill out all necessary reports in accordance with local laws.
7. **Disposal of Used Material**
   Absorbent materials take on the characteristics of whatever they absorb. Be sure to dispose of used absorbents and spilled liquids in accordance with local laws.
8. **Decontaminate**
   Clean all tools and reusable materials properly before reuse.
9. **Restock Materials**
   Replace absorbent materials and safety equipment used in any clean-up operation.
10. **Review Contingency Plans and Procedures!**

View full product specs on page 378.

MAXX® Packs

- Mini-packs in re-sealable zipper bags
- 20 economic, single ply pads
- Dimensions: 15.5"L x 19.5"W x 20.5"H
- Contents:
  - 20 pads (15" x 19")

Catalog #	Type	Qty.
MXP-U20	Universal	5
MXP-O20	Oil Only	5
MXP-C20	Chemical	5

Economy Spill Kit

- Highly visible yellow PVC bag for small spills; the right price, the right size and the right value
- Absorbs up to 5 gallons per kit
- Dimensions: 20"L X 16"W X 4"H
- Contents:
  - 10 pads (15" x 19")
  - 2 SOCs (3" x 4')
  - 1 disposal bag
  - 1 pair nitrile gloves
  - 1 instruction sheet

Catalog #	Type	Qty.
SKA-PP	Universal	1
SKA-PP-TAA	Universal	1
SKH-PP	Chemical	1
SKO-PP	Oil Only	1
SKR-PP	Re-Form	1

2-Gallon Spill Response Plus Retail Spill Kit

- Small sized absorbents are highly absorbent, durable and low linting
- Ideal for hospitality, retail, restaurants or anywhere that requires a small pad
- Absorbs up to 4.5 gallons per kit
- Dimensions: 9.75"Dia. X 10.5"H
- Contents:
  - 20 pads (7.5" x 10")
  - 1 disposal bag
  - 1 pair goggles
  - 1 pair nitrile gloves
  - 1 instruction sheet

Catalog #	Type	Qty.
SKA-SRP	Universal	1
SKO-SRP	Oil Only	1
SKH-SRP	Chemical	1

6.5-Gallon Acid Neutralizer Spill Kit

- Used to solidify a wide range of acid spills
- Polymers will neutralize and change to a purple color to let you know neutralization has taken place
- Absorbs up to 4.5 gallons per kit
- Dimensions: 14"Dia. X 18"H
- Contents:
  - 6.5 gallon bucket
  - 1 shaker of acid neutralizer (2 lb.)
  - 10 pads (15" x 19")
  - 2 SOCs (3" x 4')
  - 2 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - 1 Tyvek Suit
  - 1 small scoop

Catalog #	Type	Qty.
SKA-BKTACID	Acid Neutralizer	1

6.5-Gallon Base Neutralizer Spill Kit

- Used to solidify a wide range of base spills
- Polymers will neutralize and change to an orange color to let you know neutralization has taken place
- Absorbs up to 4.5 gallons per kit
- Dimensions: 14"Dia. X 18"H
- Contents:
  - 6.5 gallon bucket
  - 1 shaker of acid neutralizer (2 lb.)
  - 10 pads (15" x 19")
  - 2 SOCs (3" x 4')
  - 2 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - 1 Tyvek Suit
  - 1 small scoop

Catalog #	Type	Qty.
SKA-BKTBASE	Base Neutralizer	1

Attack Pac Spill Kit

- Space saving, single use kit, packed in puncture and UV resistant foil bag (includes grommet for hanging)
- Absorbs up to 7 gallons per kit
- Dimensions: 20"L X 16"W X 4"H
- Contents:
  - 15 pads (15" x 19")
  - 3 SOCs (3" x 4')
  - 1 disposal bag
  - 1 pair goggles
  - 1 pair nitrile gloves
  - 1 instruction sheet

Catalog #	Type	Qty.
SKA-ATK	Universal	4
SKA-ATK-TAA	Universal	4
SKO-ATK	Oil Only	4
SKH-ATK	Chemical	4
SKR-ATK	Re-Form	4

View full product specs on page 378.

Absorbent Spill Kits

www.BradyID.com/SPC

6.5-Gallon Spill Bucket

- Fast and small response with easily accessible spill kit in a reusable bucket
- Absorbs up to 10 gallons per kit
- Dimensions: 14”Dia. X 18”H
- Contents
  - 10 pads (15” x 19”)
  - 3 SOCs (3” x 4’)
  - 2 disposal bags
  - 1 pair nitrile gloves
  - 1 instruction sheet

Catalog #	Type	Qty.
SKA-BKT	Universal	1
SKA-BKT-TAA	Universal	1
SKO-BKT	Oil Only	1
SKH-BKT	Chemical	1

Emergency Spill Sak

- Easily portable economy spill kit packed in a reusable sack
- Absorbs up to 9 gallons per kit
- Dimensions: 32”L X 20”W X 12”H
- Contents:
  - 10 pads (15” x 19”)
  - 2 SOCs (3” x 12’)
  - 1 pillow (17” x 19”)
  - 1 disposal bag
  - 1 pair nitrile gloves
  - 1 instruction sheet

Catalog #	Type	Qty.
SKA-SAK	Universal	1
SKO-SAK	Oil Only	1
SKH-SAK	Chemical	1

Emergency Response Kit

- Quickly assess the absorbents you have through the clear shoulder bag when you respond to the spill
- Absorbs up to 15 gallons per kit
- Dimensions: 25.5”L x 17”W x 21.5”H
- Contents:
  - 32 pads (15” x 19”)
  - 5 SOCs (3” x 12’)
  - 1 pillow (17” x 19”)
  - 2 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - 1 instruction sheet

Catalog #	Type	Qty.
SKA-CFB	Universal	1
SKA-CFB-TAA	Universal	1
SKO-CFB	Oil Only	1
SKH-CFB	Chemical	1

BASIC Vehicle Spill Kit

Basic Vehicle Spill Kit

- Mobile, compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage
- Universal and oil only products allow kit to be used for mixed fluid applications
- Available in a clear economical portable bag
- Absorbs up to 7.75 gallons per kit
- Contents:
  - 10 oil only pads (15” x 19”)
  - 10 universal pads (15” x 19”)
  - 2 SOCs (3”x *42”)*
  - 1 putty
  - 1 set of nine plugs
  - 2 disposable bags
  - 1 pair of goggles
  - 1 pair of nitrile gloves

Catalog #	Type	Qty.
BSCSK-CB	BASIC Vehicle Spill Kit	1

Camouflaged Vehicle Spill Kit

Camouflaged Vehicle Spill Kit

- Mobile, compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage
- Universal and oil only products allow kit to be used for mixed fluid applications
- Available in a durable camouflaged portable bag
- Absorbs up to 11.5 gallons per kit
- Contents:
  - 20 oil only pads (15” x 19”)
  - 10 universal pads (15” x 19”)
  - 3 SOCs (3”x *42”)*
  - 1 putty
  - 1 set of nine plugs
  - 2 disposable bags
  - 1pair of nitrile gloves
  - 1 pair of goggles

Catalog #	Type	Qty.
SK-CAMO	Camouflaged Vehicle Spill Kit	1

Camouflaged Vehicle Spill Kit with RuptureSEAL

Camouflaged Vehicle Spill Kit with RuptureSEAL

- Mobile, compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage
- Available in a durable camouflaged portable bag
- Absorbs up to 11.5 gallons per kit
- Contents:
  - 20 oil only pads (15” x 19”)
  - 10 universal pads (15” x 19”)
  - 1 set of 3 RuptureSEAL (1”, 2.5”, 2”x6”)
  - 3 SOCs (3”x *42”)*
  - 2 disposal bags
  - 1pair of nitrile gloves
  - 1 pair of goggles

Catalog #	Type	Qty.
SK-CAMO-RS	Camouflaged Vehicle Spill Kit with RuptureSEAL	1

View full product specs on page 378.

20-Gallon Lab Pack

- UN-approved water and chemical resistant polyethylene container with screw top lid for small-medium response
- Absorbs up to 17 gallons per kit
- Dimensions: 21”Dia. X 18”H
- Contents:
  - 12 pads (15” x 19”)
  - 3 SOCs (3” x 12’)
  - 2 pillows (18” x 18”)
  - 3 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA-20	Universal	1
SKA20-TAA	Universal	1
SKH-20	Chemical	1
SKO-20	Oil Only	1
SKR-20	Re-Form	1

Mobile Spill Kaddie

- Mobile, compact emergency kit for fast spill response anywhere in the plant
- Absorbs up to 22 gallons per kit
- Dimensions: 18”L X 17”W X 39”H
- Contents:
  - 1 roll (15” x 73’)
  - 5 SOCs (3” x 4’)
  - 8 pillows (10” x 10”)
  - 5 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA-K2	Universal	1
SKH-K2	Chemical	1
SKO-K2	Oil Only	1

20-Gallon Mixed Application Kit

- A single spill kit to respond to spills of water based fluids AND petroleum based spills
- Absorbs up to 15 gallons per kit
- Dimensions: 21”Dia. X 18”H
- Contents:
  - 6 universal pads (15”x19”)
  - 6 oil only pads (15”x19”)
  - 1 universal pillow (18”x18”)
  - 1 oil only pillow (18”x18”)
  - 3 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKMA-20	Mixed	1

30-Gallon Spill Kit

- Tough, secure, screw-topped spill kit is reusable and ideal for small-medium responses
- Absorbs up to 36 gallons per kit
- Dimensions: 21.125”Dia. X 28.5”H
- Contents:
  - 25 pads (15” x 19”)
  - 6 SOCs (3” x 12”)
  - 6 pillows (18” x 18”)
  - 3 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA30	Universal	1
SKA30-TAA	Universal	1
SKO30	Oil Only	1
SKH30	Chemical	1

20-Gallon RESCUE™ Kit

- “Caution” tape and a “Wet Floor” sign help prevent slips, trips and falls while a spill is being cleaned up
- Absorbs up to 15 gallons per kit
- Dimensions: 21”Dia. X 18”H
- Contents:
  - 12 pads (15” x 19”)
  - 3 SOCs (3” x 12’)
  - 2 pillows (18” x 18”)
  - 3 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook
  - 1 roll caution tape (3” x200’)
  - 1 wet floor sign (18”)
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA-20-RESCUE	Universal	1
SKO-20-RESCUE	Oil Only	1
SKH-20-RESCUE	Chemical	1

30-Gallon Mixed Application Kit

- A single spill kit to respond to spills of water based fluids AND petroleum based spills
- Absorbs up to 36 gallons per kit
- Dimensions: 21.125”Dia. X 28.5”H
- Contents:
  - 15 universal pads (15”x19”)
  - 10 oil only pads (15”x19”)
  - 3 universal SOCs (3” x 12’)
  - 3 oil only SOCs (3” x 12’)
  - 3 universal pillows (18”x18”)
  - 3 oil only pillows (18”x18”)
  - 3 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKMA-30	Mixed	1

View full product specs on page 378.

Absorbents and Spill Control

www.BradyID.com/SPC

55-Gallon Drum

- Lever locked 55-gallon drum meets UN specs and is ideal for medium spills
- Absorbs up to 38 gallons per kit
- Dimensions: 24”Dia. X 37”H
- Contents:
  - 50 pads (15” x 19”)
  - 4 SOCs (3” x 12’)
  - 8 pillows (18” x 18”)
  - 5 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA-55	Universal	1
SKA55-TAA	Universal	1
SKO-55	Oil Only	1
SKH-55	Chemical	1
SKR-55	Re-Form	1

55-Gallon Kit With Wheels

- Portable wheeled spill kit is ideal for medium spills
- Absorbs up to 38 gallons per kit
- Dimensions: 24”Dia. X 37”H
- Contents:
  - 50 pads (15” x 19”)
  - 4 SOCs (3” x 12’)
  - 8 pillows (18” x 18”)
  - 5 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA-55W	Universal	1
SKO-55W	Oil Only	1
SKH-55W	Chemical	1

55-Gallon Mixed Application Kit

- A single spill kit to respond to spills of water based fluids AND petroleum based spills
- Absorbs up to 38 gallons per kit
- Dimensions: 24”Dia. X 37”H
- Contents:
  - 25 universal pads (15”x19”)
  - 25 oil only pads (15”x19”)
  - 2 universal SOCs (3” x 12’)
  - 2 oil only SOCs (3” x 12’)
  - 4 universal pillows (18”x18”)
  - 4 oil only pillows (18”x18”)
  - 5 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKMA-55	Mixed	1

55-Gallon Mixed Application Kit With Wheels

- Portable wheeled spill kit to respond to spills of water based fluids AND petroleum based spills
- Absorbs up to 38 gallons per kit
- Dimensions: 24”Dia. X 37”H
- Contents:
  - 25 universal pads (15”x19”)
  - 25 oil only pads (15”x19”)
  - 2 universal SOCs (3” x 12’)
  - 2 oil only SOCs (3” x 12’)
  - 4 universal pillows (18”x18”)
  - 4 oil only pillows (18”x18”)
  - 5 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKMA-55W	Mixed	1

65-Gallon Spill Kit

- Tough, secure, screw-topped spill kit is reusable and ideal for medium-large spill responses
- Absorbs up to 63 gallons per kit
- Dimensions: 31”Dia. X 33.5”H
- Contents:
  - 100 pads (15” x 19”)
  - 7 SOCs (3” x 12”)
  - 7 pillows (18” x 18”)
  - 5 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA-65	Universal	1
SKA-65-TAA	Universal	1
SKO-65	Oil Only	1
SKH-65	Chemical	1

65-Gallon Kit With Wheels

- Portable wheeled kit is ideal for medium-large spill responses
- Absorbs up to 63 gallons per kit
- Dimensions: 31”Dia. X 33.5”H
- Contents:
  - 100 pads (15” x 19”)
  - 7 SOCs (3” x 12”)
  - 7 pillows (18” x 18”)
  - 5 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA-65W	Universal	1
SKO-65W	Oil Only	1
SKH-65W	Chemical	1

View full product specs on page 378.

65-Gallon Mixed Application Kit

- A single spill kit to respond to spills of water based fluids AND petroleum based spills
- Absorbs up to 63 gallons per kit
- Dimensions: 31”Dia. X 33.5”H
- Contents:
  - 50 universal pads (15”x19”)
  - 50 oil only pads (15”x19”)
  - 4 universal SOCs (3” x 12’)
  - 3 oil only SOCs (3” x 12’)
  - 4 universal pillows (18”x18”)
  - 3 oil only pillows (18”x18”)
  - 5 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKMA-65	Mixed	1

65-Gallon Mixed Application Kit With Wheels

- Portable wheeled spill kit for spills of water based fluids AND petroleum based spills
- Absorbs up to 63 gallons per kit
- Dimensions: 31”Dia. X 33.5”H
- Contents:
  - 50 universal pads (15”x19”)
  - 50 oil only pads (15”x19”)
  - 4 universal SOCs (3” x 12’)
  - 3 oil only SOCs (3” x 12’)
  - 4 universal pillows (18”x18”)
  - 3 oil only pillows (18”x18”)
  - 5 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKMA-65W	Mixed	1

95-Gallon Overpack

- Tough, secure, screw-topped kit for large spills meets UN and DOT specs
- Absorbs up to 75 gallons per kit
- Dimensions: 31.5”Dia. X 35”H
- Contents:
  - 110 pads (15” x 19”)
  - 12 SOCs (3” x 4’)
  - 8 SOCs (3” x 12’)
  - 8 pillows (18” x 18”)
  - 10 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA-95	Universal	1
SKO-95	Oil Only	1
SKH-95	Chemical	1
SKR-95	Re-Form	1

95-Gallon Kit With Wheels

- Portable wheeled kit for large spills
- Absorbs up to 75 gallons per kit
- Dimensions: 31.5”Dia. X 35”H
- Contents:
  - 110 pads (15” x 19”)
  - 12 SOCs (3” x 4’)
  - 8 SOCs (3” x 12’)
  - 8 pillows (18” x 18”)
  - 10 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA-95W	Universal	1
SKO-95W	Oil Only	1
SKH-95W	Chemical	1

95-Gallon Mixed Application Kit

- A single spill kit to respond to spills of water based fluids AND petroleum based spills
- Absorbs up to 75 gallons per kit
- Dimensions: 31.5”Dia. X 35”H
- Contents:
  - 55 universal pads (15”x19”)
  - 55 oil only pads (15”x19”)
  - 6 universal SOCs (3” x 4’)
  - 6 oil only SOCs (3” x 4’)
  - 4 universal SOCs (3” x12’)
  - 4 oil only SOC (3” x 12’)
  - 4 universal pillows (18”x18”)
  - 4 oil only pillows (18”x18”)
  - 10 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKMA-95	Mixed	1

95-Gallon Mixed Application Kit With Wheels

- Portable wheeled spill kit to respond to spills of water based fluids AND petroleum based spills
- Absorbs up to 75 gallons per kit
- Dimensions: 31.5”Dia. X 35”H
- Contents:
  - 55 universal pads (15”x19”)
  - 55 oil only pads (15”x19”)
  - 6 universal SOCs (3” x 4’)
  - 6 oil only SOCs (3” x 4’)
  - 4 universal SOCs (3” x12’)
  - 4 oil only SOC (3” x 12’)
  - 4 universal pillows (18”x18”)
  - 4 oil only pillows (18”x18”)
  - 10 disposal bags
  - 1 pair goggles
  - 1 pair nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKMA-95W	Mixed	1

View full product specs on page 378.

Absorbents and Spill Control

www.BradyID.com/SPC

Mobile Spill Truck - Large

- Wheel mounted polyethylene bins are chemical and water resistant. Spill trucks provide the highest level of readiness
- Absorbs up to 126 gallons per kit.
- Dimensions: 47”L X 34”W X 43”H
- Contents of SKA-LT, SKH-LT & SKO-LT:
  - 200 pads (15” x 19”)
  - 24 SOCs (3” x 4’)
  - 12 SOCs (3” x 12’)
  - 8 pillows (17” x 19”)
  - 15 disposal bags
  - 1 pair goggles
  - 3 pair nitrile gloves
  - Emer. Response Guidebook
- Contents of SKM-LT Marine Kit:
  - 400 pads (15” x 19”)
  - 4 booms (5” x 10’)
  - 1 sweep (19” x 100’)
  - 15 disposal bags
  - 1 pair goggles
  - 3 pairs of nitrile gloves
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA-LT	Universal	1
SKO-LT	Oil Only	1
SKH-LT	Chemical	1
SKM-LT	Marine	1

Mobile Spill Truck - X-Large

- Mobile spill response kit in water/chemical resistant large bin
- Absorbs up to 174 gallons per kit
- Dimensions: 57.5”L X 40.5”W X 47”H
- Contents of SKA-XLT, SKH-XLT & SKO-XLT:
  - 250 pads (15” x 19”)
  - 36 SOCs (3” x 4’)
  - 20 SOCs (3” x 12’)
  - 8 pillows (18” x 18”)
  - 30 disposal bags
  - 3 pairs of nitrile gloves
  - 1 pair goggles
  - Emer. Response Guidebook
- Contents of SKM-XLT Marine Kit:
  - 600 pads (15” x 19”)
  - 8 booms (5” x 10’)
  - 2 sweeps (19” x 100’)
  - 30 disposal bags
  - 3 pairs of nitrile gloves
  - 1 pair goggles
  - Emer. Response Guidebook

Catalog #	Type	Qty.
SKA-XLT	Universal	1
SKO-XLT	Oil Only	1
SKH-XLT	Chemical	1
SKM-XLT	Marine	1

Custom Spill Kit Program

Only the products you need - in the quantities you want.

Brady also offers customers the opportunity to create their own Custom Spill Kits with an assortment of Brady’s most popular pads, SOCs, booms, pillows, safety accessories and containers.

With no minimum requirements, these Custom Spill Kits give you the flexibility to pick only the products you need without the extra cost of items you don’t want.

Create a safer work environment and save time, money and space with a Brady SPC Custom Spill Kit.

Create Your Kit Now

Contact Brady Customer Service at 1-888-272-3946 for more information and to create your Custom Spill Kit.

No minimum requirements means you can create your spill kit as large or small as you need!

View full product specs on page 378.

Chemical Application Guide

Use the following guide to determine the compatibility of SPC absorbents with common chemicals.

Universal Polypropylene Products:
- Battlemat® Absorbents
- UXT Absorbents
- HT Absorbents
- MRO Plus® Absorbents
- GP Absorbents
- Basic Universal Absorbents
- SIR & BSM Mats
- AllWIK® SOCs & Pillows
- Cobra Coil® SOC

Oil Only Polypropylene Products:
- Oil Only SOCs & Pillows
- Trackmat Absorbents
- SXT® Oil Absorbents
- Oil Plus Absorbents
- SPC® Oil Absorbents
- ENV® Oil Absorbents
- Basic Oil Only Absorbents
- Static Resistant Absorbents

Chemical Polypropylene Products:
- Chemical Absorbents
- Universal Plus Absorbents
- HAZWIK SOC's & Pillows

Organic Products:
- Re-Form™ Absorbents
- Re-Form™ Plus Absorbents
- Re-Form™ XPlus Absorbents
- Re-Form™ Oil Only Absorbents
- MULTIWIK® & SLIKWIK® SOCs
- Dri-zorb Granular
- Re-Form™ Granular
- Rag Rug Absorbents

Chemical	Universal	Oil Only	Chemical	Organic
Acetaldehyde	X		X	X
Acetic Acid	X		X	
Acetic Anhydride	X		X	
Acetone	X	X	X	X
Acetyl Chloride	X		X	
Acrolein	X	X	X	
Acrylonitrile	X		X	X
Allyl Alcohol	X		X	X
Aminobenzoic Acid	X		X	
Ammonia (Anhydrous)	X	X	X	X
Ammonium Hydroxide	X	X	X	X
Amyl Acetate	X	X	X	
Amyl Alcohol	X		X	X
Aniline	X		X	X
Antifreeze	X		X	X
Aqua Regia	X		X	
Aviation Fuel	X	X	X	X
Benzene	X	X	X	X
Benzoic Acid	X		X	
Benzonitrile	X		X	
Benzoyl Chloride	X		X	
Benzyl Alcohol	X		X	X
Boric Acid	X		X	
Brake Fluid	X	X	X	X
Bromine	X		X	
Butyl Acetate	X	X	X	
Butyl Alcohol	X	X	X	X
Butyric Acid	X	X	X	
Butylamine	X		X	X
Butyric Acid	X	X	X	
Calcium Hydroxide	X		X	
Carbolic Acid	X		X	
Carbon Disulfide	X		X	
Carbon Tetrachloride	X	X	X	X
Castor Oil	X	X	X	X
Chlorine Water	X		X	
Chloroacetic Acid	X		X	
Chlorobenzene	X		X	
Chloroform	X	X	X	X
Chromic Acid (50%)	X		X	
Chlorosulfonic Acid	X		X	
Citric Acid	X		X	
Clorox (Full Strength Bleach)	X		X	X
Corn Oil	X	X	X	X
Cottonseed Oil	X	X	X	X
Cresol	X	X	X	X

Chemical	Universal	Oil Only	Chemical	Organic
Cyclohexane	X	X	X	X
Detergents	X		X	X
Dichlorobenzene	X	X	X	
Diethylamine	X	X	X	
Diethyl Ether	X	X	X	X
Disooctyl Phthalate	X	X	X	X
Dinitrobenezene	X	X	X	
Dioxan	X		X	X
Ether	X	X	X	X
Ethyl Acetate	X	X	X	X
Ethyl Alcohol	X	X	X	X
Ethyl Benzene	X	X	X	
Ethyl Chloride	X	X	X	
Ethyl Ether	X	X	X	X
Ethyl Propionate	X	X	X	X
Ethylene Glycol	X		X	X
Formaldehyde	X		X	X
Formic Acid	X		X	
Fuel Oil	X	X	X	X
Gasoline	X	X	X	X
Gearbox Oil	X	X	X	X
Glacial Acetic Acid	X		X	
Glycerol	X		X	X
Heptane	X	X	X	X
Hexane	X	X	X	X
Hydrazine	X		X	
Hydrochloric Acid	X		X	
Hydrofluoric Acid	X		X	
Hydrogen Cyanide	X	X	X	
Hydrogen Peroxide	X		X	X
Isobutyl Alcohol	X	X	X	X
Isobutyric Acid	X	X	X	
Isopropyl Acetate	X	X	X	X
Isopropyl Alcohol	X	X	X	X
Kerosene	X	X	X	X
Keytones	X	X	X	X
Linseed Oil	X	X	X	X
Lubricating Oil	X	X	X	X
Magnesium Hydroxide	X		X	
Methyl Alcohol	X	X	X	X
Methyl Chloride	X	X	X	
Methyl Ether	X	X	X	X
Methyl Ethyl Ketone	X	X	X	X
Methyl Propionate	X	X	X	X
Mineral Oil	X	X	X	X
Motor Oil	X	X	X	X

Chemical	Universal	Oil Only	Chemical	Organic
Naphthalene	X	X	X	X
Nitric Acid	X		X	
Nitrobenzene	X		X	
Nitrobenzoic Acid	X		X	
Nitrotoluene	X	X	X	X
Octane	X	X	X	X
Oleic Acid	X	X	X	
Olive Oil	X	X	X	X
Paraffin	X	X	X	X
Perchloroethylene	X	X	X	X
Petroleum Ether	X	X	X	X
Phenol	X		X	X
Phosphoric Acid	X		X	
Plating Solutions	X		X	
Potassium Hydroxide	X		X	
Propanol	X		X	X
Propionic Acid	X	X	X	
Propyl Alcohol	X	X	X	X
Propylene Glycol	X	X	X	X
Quinoline	X		X	
Resorcinol	X		X	
Salt Solutions (metallic)	X		X	X
Silicone Oil	X	X	X	X
Silver Nitrate	X		X	X
Soap Solution (concentrated)	X	X	X	X
Sodium Bicarbonate	X		X	X
Sodium Chloride	X		X	X
Sodium Hydroxide	X		X	
Sodium Hypochlorite	X		X	X
Sodium Nitrate	X		X	X
Stannic Chloride	X		X	
Starch	X		X	X
Styrene	X	X	X	X
Sucrose	X		X	X
Sulfuric Acid	X		X	
Synthetic Motor Oil	X	X	X	X
Tannic Acid	X		X	
Toluene	X	X	X	X
Transformer Oil	X	X	X	X
Trichloroethylene	X	X	X	X
Triethylene Glycol	X	X	X	X
Turpentine	X	X	X	X
Urine	X		X	X
Vinyl Acetate	X	X	X	X
Vinegar	X		X	X
Xylene	X	X	X	X

Disclaimer: The above information is provided as a guide only. No claims or warranties are expressed or implied as to the absolute accuracy of the data supplied. In all cases it is assumed chemicals in question are at ambient temperatures and pressure and are used in basic state, not in combination or mixtures. Small test samplings by user is always recommended to ensure safe application.

View full product specs on page 378.

Absorbent Specification Guide

www.BradyID.com/SPC

Absorbent Specification Guide

Part Numbers	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.*	Quantity
96229	Spill Magnet	12" dia.	n/a	n/a	n/a	1	100	1/each
AW99	Pillow	9"x9"	n/a	12.5	14	10	40	32/case
AW124	SOC	3"x12'	n/a	9	12	12	40	4/case
AW412	SOC	3"x4'	n/a	9	12	12	40	12/case
AW430	SOC	3"x4'	n/a	9	30	26	20	30/case
AW806	SOC	3"x8'	n/a	9	12	12	40	6/case
AW1818	Pillow	18"x18"	n/a	12.5	28	19	20	16/case
AW1818-2	Pillow	18"x18"	n/a	12.5	14	9.5	40	8/case
BM15	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	25	17	30	1/case
BM30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	52	34.5	12	1/case
BM30X	Heavy Wt. Roll	30"x150'	No	12.5	52	34.5	12	1/case
BM100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	27.5	16.5	40	100/bale
BPO100	Heavy Wt. Pad	15"x17"	Yes, 7.5"	18	20.5	8.5	30	100/bale
BPO200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	13.7	18	200/bale
BPO500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	30	100/bale
BPU100	Heavy Wt. Pad	15"x17"	Yes, 7.5"	18	20.5	8.5	30	100/bale
BPU200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	13.7	18	200/bale
BPU500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	30	100/bale
BRO150	Heavy Wt. Roll	30"x150"	Yes, every 30"	14.5	38	19.5	18	1/bale
BRU150	Heavy Wt. Roll	30"x150"	Yes, every 30"	14.5	38	19.5	18	1/bale
BSC20	SOC	3"x42"	n/a	15	84	24	20	20/case
BSC40	SOC	3"x42"	n/a	15	81	47.5	16	40/case
BSCSK-CB	BASIC Vehicle Spill Kit	n/a	n/a	n/a	7.75	7	50	1/each
BSM100	Medium Wt. Rug	36"x100'	No	8	25	24	40	1/bale
BSM300	Medium Wt. Rug	36"x300'	No	8	74	67	12	1/bale
BSM3650	Medium Wt. Rug	36"x50'	No	8	12	12	40	1/case
CB305	Boom	3" Float, 4.5" Skirt, 25' Sections	n/a	n/a	n/a	22.5	11	1/case
CB612	Boom	6" Float, 12" Skirt, 100' Sections	n/a	n/a	n/a	200	3	1/case
CC400	SOC	3"x4'	n/a	8.5	8.5	29	32	12/case
CC440V	SOC	3"x4'	n/a	8.5	56	30	16	40/case
CH15P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	30	14	30	1/bale
CH30DP	Medium Wt. Roll	30"x150'	Yes, every 15" and up center	12.5	40	25	12	1/case
CH100	Medium Wt. Pad	15"x19"	Yes, 7.5"	18	30	16	30	100/case
CH1212	Medium Wt. Pad	12"x12"	No	18	30	14.5	30	200/case
CH1212-50	Medium Wt. Pad	12"X12"	No	12.5	7.5	4	120	50/case
CS-CB18	Oil Only Granular	18 lbs	n/a	8	18	1000	50	1 pallet
CS-LFB10	Oil Only Granular	10 lbs	n/a	8	10	640	64	1 pallet
DGUARD9	Drain Guard	36" X 48" X 18"	n/a	n/a	0.9	1	36	1/case
DGUARD14	Drain Guard	36" X 48" X 18"	n/a	n/a	1.4	2	36	1/case
DGUARD910	Drain Guard	36" X 48" X 18"	n/a	n/a	9	10	20	10/case
DGUARD1410	Drain Guard	36" X 48" X 18"	n/a	n/a	14	20	20	10/case
DPA24	Drip Pan	10"x10"	n/a	n/a	n/a	6	20	24/case
DTA25	Medium Wt. Drum Cover	22" dia.	n/a	12.5	6	6	48	25/case
DTO25	Medium Wt. Drum Cover	22" dia.	n/a	12.5	6	6	48	25/case
DZ-100	Universal Granular	40 lbs	n/a	1.5	8.5	1600	40	1 pallet
ENV50	Medium Wt. Pad	30"x30"	No	20	50	19	7	50/bale
ENV100	Heavy Wt. Pad	15"x19"	No	20	33	12.5	24	100/bale
ENV150	Medium Wt. Roll	30"x150'	No	15	44	22	18	1/bale
ENV200	Light Wt. Pad	15"x19"	No	23	51	16	18	200/bale
ENV300	Medium Wt. Pad	15"x19"	No	20	28	10	24	100/bale
ENV500	Light Wt. Pad	15"x19"	No	23	24.5	8	30	100/bale
ENV510	ENV Boom	5"x10'	n/a	12.6	32	19	20	4/bale
ENV810	ENV Boom	8"x10'	n/a	13	65	38	10	4/bale

** In an effort to reduce shipping costs for our customers, pallet quantities may vary.*

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Part Numbers	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.*	Quantity
GP30	Heavy Wt. Roll	30"x150'	No	13	48	28	18	1/bale
GP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	30	11.5	24	100/case
GP100-B	Heavy Wt. Pad (bagged)	15"x19"	Yes, 7.5"	18	30	12	24	100/bale
GP200-B	Light Wt. Pad (bagged)	15"x19"	Yes, 7.5"	20	44	16	18	200/bale
GP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	20	28	10	30	100/bale
GP500	Light Wt. Pad	15"x19"	Yes, 7.5"	20	22	8.2	30	100/bale
GS-10	Oil Only Granular	30 lbs	n/a	2 to 6	23	1800	60	1 pallet
HAZ99	Pillow	9"x9"	n/a	12.5	10	14	40	32/case
HAZ124	SOC	3"x12'	n/a	9	12	12	40	4/case
HAZ412	SOC	3"x4'	n/a	9	12	12	40	12/case
HAZ1818	Pillow	18"x18"	n/a	12.5	14	9.5	20	16/case
HAZ1818-2	Pillow	18"x18"	n/a	12.5	14	9.5	40	8/case
HT15	Heavy Wt. Roll	15"x150'	Yes, every 15"	12.5	23	16	30	1/case
HT30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	47	32	12	1/case
HT153	Medium Wt. Roll	15"x300'	Yes, every 15"	12.5	32	20	24	1/bale
HT200	Light Wt. Pad	15"x19"	Yes, 7.5"	12.5	38	16.5	24	200/case
HT215	Light Wt. Roll	15"x300'	Yes, every 15"	12.5	21.5	15	18	1/bale
HT230	Light Wt. Roll	30"x300'	Yes, 15" and every 15"	12.5	42.5	29.5	18	1/bale
HT303	Medium Wt. Roll	30"x300'	Yes, 15" and every 15"	12	63	40	12	1/bale
HT303X	Medium Wt. Roll	30"x300'	No	12.5	65	40	12	1/bale
HT350	Medium Wt. Roll	30"x150'	Yes, 15" and every 18"	12.5	35	20	12	1/bale
HT500	Light Wt. Pad	15"x19"	Yes, 7.5"	12.5	13.5	8.5	30	100/case
HT550	Heavy Wt. Roll	15"x50'	Yes (3), 5" and every 18"	12.5	8	5	60	1/case
HT555	Heavy Wt. Roll	15"x150'	Yes (3), 5" and every 18"	12.5	23	16	30	1/case
MRO12P	Heavy Wt. Roll	12"x150'	Yes, every 12"	12.5	20	11.5	36	1/bale
MRO15	Heavy Wt. Roll	15"x150'	No	12.5	24	17.5	30	1/case
MRO15-DP	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	24	17.5	30	1/case
MRO15-DPS	Heavy Wt. Roll	15"x73'	Yes, 7.5" and 12" across	12.5	12	8	80	1/bale
MRO15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	24	17.5	30	1/case
MRO24-DP	Heavy Wt. Roll	24"x150'	Yes, every 12" and up center	12.5	39	22.5	27	1/bale
MRO30	Heavy Wt. Roll	30"x150'	No	12.5	49	33	12	1/case
MRO30-DP	Heavy Wt. Roll	30"x150'	Yes, every 15" and up center	12.5	49	32	12	1/case
MRO30P	Heavy Wt. Roll	30"x150'	Yes, every 30"	12.5	49	32	12	1/case
MRO50	Heavy Wt. Pad	30"x30"	Yes, 15"	12.5	41	26.5	13	50/bale
MRO100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
MRO100-2	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	13.5	8	36	50/bale
MRO150DND	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	39	27	18	150/case
MRO300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14	30	100/case
MRO315P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	20	14	30	1/case
MRO350	Medium Wt. Roll	30"x150'	No	12.5	38	26.5	12	1/case
MRO350-DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	38	26.5	12	1/case
MS-50	SOC	3"x4'	n/a	7	40	43	15	40/case
MS-124	SOC	3"x12'	n/a	8.5	12	12	42	4/case
MS-412	SOC	3"x4'	n/a	8.5	12	12	42	12/case
MS-806	SOC	3"x8'	n/a	8.5	12	12	42	6/case
MXO1000	Light Wt. Pad	15"x19"	Yes, 7.5"	23	26	11	30	100/case
MXP-C20	Chemical	15.5"L x 19.5"W x 20.5"H	n/a	n/a	30	14	18	5/case
MXP-O20	Oil Only	15.5"L x 19.5"W x 20.5"H	n/a	n/a	35	15	18	5/case
MXP-U20	Universal	15.5"L x 19.5"W x 20.5"H	n/a	n/a	30	14.4	18	5/case
MXU1000	Light Wt. Pad	15"x19"	Yes, 7.5"	24	27	11	30	100/case
ODN08	Oil Only	30 nets on a 50' rope	n/a	15	15	16	24	1/bale
OIL99	Pillow	9"x9"	n/a	12.5	14	10	40	32/case
OIL124	SOC	3"x12'	n/a	9	12	11	40	4/case
OIL412	SOC	3"x4'	n/a	9	12	11	40	12/case
OIL430	SOC	3"x4'	n/a	9	28	30	20	30/case
OIL806	SOC	3"x8'	n/a	9	12	11	40	6/case

** In an effort to reduce shipping costs for our customers, pallet quantities may vary.*

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Absorbent Specification Guide

www.BradyID.com/SPC

Part Numbers	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.*	Quantity
OIL1818	Pillow	18"x18"	n/a	12.5	28	19	20	16/case
OIL1818-2	Pillow	18"x18"	n/a	12.5	14	9.5	40	8/case
ON030	Oil Only	30 nets (no rope)	n/a	15	15	17	24	1/bale
OP15	Heavy Wt. Roll	15"x150'	No	12.5	24	17.5	30	1/case
OP15-DP	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	24	17.5	30	1/case
OP15-DPS	Heavy Wt. Roll	15"x73'	Yes, 7.5" and 12" across	12.5	12	7.5	80	1/bale
OP15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	24	17.5	30	1/case
OP30	Heavy Wt. Roll	30"x150'	No	12.5	49	33	15	1/case
OP30-DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	49	33	12	1/case
OP30P	Heavy Wt. Roll	30"x150'	Yes, every 30"	12.5	49	33	12	1/case
OP50	Heavy Wt. Pad	30"x30"	Yes, 15"	12.5	41	24	13	50/bale
OP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
OP150DND	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	39	27	18	150/case
OP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14	30	100/case
OP315P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	19	14	30	1/case
OP350-DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	38	26.5	12	1/case
OP550	Heavy Wt. Roll	15"x50'	Yes, every 18"	12.5	9	5	60	1/case
PLUG2	Drain Plug	2" Plug	n/a	n/a	n/a	2	250	1/case
PLUG3	Drain Plug	3" Plug	n/a	n/a	n/a	3	250	1/case
PLUG4	Drain Plug	4" Plug	n/a	n/a	n/a	4	250	1/case
PLUG6	Drain Plug	6" Plug	n/a	n/a	n/a	6	250	1/case
PVC18	Slikstopper	18"x18"	n/a	n/a	n/a	9	100	1/case
PVC24	Slikstopper	24"x24"	n/a	n/a	n/a	14	30	1/case
PVC36	Slikstopper	36"x36"	n/a	n/a	n/a	34	25	1/case
RAG1818	Heavy Wt. Rug	18"x18"	No	9	38	32	18	50/case
RAG24150	Heavy Wt. Rug	24"X150	No	9	37	52	10	1/bale
RAG36150	Heavy Wt. Rug	36"x150'	No	9	55	47	12	1/bale
RF100	Heavy Wt. Pad	15"x19"	No	17.5	40	19	24	100/case
RF300	Medium Wt. Pad	15"x19"	No	17.5	32	14.8	30	100/case
RF500	Light Wt. Pad	15"x19"	No	17.5	24	12	36	100/case
RFDP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	16.5	32	16.6	30	100/case
RFDP328DP	Medium Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	16.5	55	33.3	12	1/case
RFGRANULAR	Re-Form Granular	30 lbs	n/a	1	16.7	1950	65	1 pallet
RFO412	SOC	3"x4'	n/a	13.5	15	10.5	40	12/case
RFODP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	30	39	12	24	100/case
RFOP14P	Heavy Wt. Roll	14.25"x150'	Yes, every 19"	30	37	10.5	24	1/case
RFOP28DP	Heavy Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	30	74	21	12	1/case
RFP28-DP	Heavy Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	17	62	33	12	1/case
RFP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	17	40	19.5	24	100/case
RFP314P	Medium Wt. Roll	14.25"x150'	Yes, every 19"	17	29	15.5	24	1/case
RFP328-DP	Medium Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	17	53	30.5	12	1/case
RFP500	Light Wt. Pad	15"x19"	Yes, 7.5"	17	24	12.7	36	100/case
RS-1	RuptureSEAL Plug Plug	1" Circular	n/a	n/a	n/a	2	900	1/each
RS-2	RuptureSEAL Plug Plug	2.5" Circular	n/a	n/a	n/a	2	900	1/each
RS-3PACK	RuptureSEAL Plug Pack	1", 2.5" & 2x6"	n/a	n/a	n/a	6	300	3/case
RS-26	RuptureSEAL Plug Plug	2x6" Plug	n/a	n/a	n/a	2	900	1/each
SB-1010	Standard Spill Berm	10'x10'x1'	n/a	n/a	748	47	1	1/each
SB-1212	Standard Spill Berm	12'x12'x1'	n/a	n/a	1,077	60	1	1/each
SB-1226	Standard Spill Berm	12'x26'x1'	n/a	n/a	n/a	112	1	1/each
SB-1236	Standard Spill Berm	12'x36'x1'	n/a	n/a	n/a	149	1	1/each
SB-SL44	Lightweight Spill Berm	4'x4'x8"	n/a	n/a	79	6	20	1/each
SB-SL46	Lightweight Spill Berm	4'x6'x8"	n/a	n/a	119	8	10	1/each
SC-4	Set of 4 casters	n/a	n/a	n/a	n/a	n/a	n/a	1 pack
SC-3000	Absorbent Center	50"L X 26"W X 7.75"H	n/a	n/a	n/a	50	15	1/each
SC-ACC	Accessory Pack	n/a	n/a	n/a	n/a	n/a	n/a	1 pack
SC-Cabinet	Spill Control Cabinet	19-7/8 x 14-1/4x 32-3/4	n/a	n/a	n/a	45	9	1/each

** In an effort to reduce shipping costs for our customers, pallet quantities may vary.*

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Part Numbers	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.*	Quantity
SC-Cart	Spill Control Cart	36 x 18 x 38-3/8	n/a	n/a	n/a	180	1	1/each
SC-D15	15" Dowel Rod	15"	n/a	n/a	n/a	n/a	n/a	1 rod
SC-D40	40" Dowel Rod	40"	n/a	n/a	n/a	n/a	n/a	1 rod
SC-DK	Sump Drain Kit	n/a	n/a	n/a	n/a	2	100	1/case
SC-MB	Wall Mount	n/a	n/a	n/a	n/a	n/a	n/a	1 each
SC-DP2	2-Drum Spill Pallet	26"W X 52"L X 17"H	n/a	68.7	2,500	46.5	10	1/each
SC-DP4	4-Drum Spill Pallet	52"W X 52"L X 17"H	n/a	128.9	5,000	89	10	1/each
SC-DPR	Spill Pallet Ramp	32.5"W X 70"L	n/a	n/a	650	47.5	3	1/each
SC-SD2	2 Drum Spill Deck	26"W X 52"L X 6"H	n/a	21.2	2,500	31	15	1/each
SIR36	Heavy Wt. Rug	36"x300'	No	8.5	59	50	12	1/bale
SIR72	Heavy Wt. Rug	72"x150'	No	8.5	59	50	12	1/bale
SIR36150	Heavy Wt. Rug	36"x150'	No	12.5	45	25	24	1/bale
SKA-20	Universal	21"Dia. X 18"H	n/a	n/a	15	27	18	1/each
SKA-20-RESCUE	Universal	21"Dia. X 18"H	n/a	n/a	15	20	18	1/each
SKA20-TAA	Universal	21"Dia. X 18"H	n/a	n/a	15	26	18	1/each
SKA30	Universal	21.125"Dia. X 28.5"H	n/a	n/a	36	41	18	1/each
SKA30-TAA	Universal	21.125"Dia. X 28.5"H	n/a	n/a	36	41	18	1/each
SKA-55	Universal	24"Dia. X 37"H	n/a	n/a	38	57	8	1/each
SKA55-TAA	Universal	24"Dia. X 37"H	n/a	n/a	38	56	8	1/each
SKA-55W	Universal*	24"Dia. X 37"H	n/a	n/a	38	57	8	1/each
SKA65	Universal	31"Dia. X 33.5"H	n/a	n/a	63	100	3	1/each
SKA65-TAA	Universal	31"Dia. X 33.5"H	n/a	n/a	63	100	3	1/each
SKA-65W	Universal	31"Dia. X 33.5"H	n/a	n/a	63	100	3	1/each
SKA-95	Universal	31.5"Dia. X 35"H	n/a	n/a	75	107	3	1/each
SKA-95W	Universal*	31.5"Dia. X 35"H	n/a	n/a	75	107	3	1/each
SKA-ATK	Universal	20"L X 16"W X 4"H	n/a	n/a	7	36.5	24	4/case
SKA-ATK-TAA	Universal	20"L X 16"W X 4"H	n/a	n/a	7	36.5	24	4/case
SKA-BKT	Universal	14"Dia. X 18"H	n/a	n/a	9	9	60	1/each
SKA-BKTACID	Acid Neutralizing Spill Kit	13.5" Dia. x 18"H	n/a	n/a	4.5	16.5	60	1/each
SKA-BKTBASE	Base Neutralizer Spill Kit	13.5" Dia. x 18"H	n/a	n/a	4.5	16.5	60	1/each
SKA-BKT-TAA	Universal	14"Dia. X 18"H	n/a	n/a	6	9	60	1/each
SKA-CFB	Universal	25.5"L x 17"W x 21.5"H	n/a	n/a	15	25	20	1 each
SKA-CFB-TAA	Universal	25.5"L x 17"W x 21.5"H	n/a	n/a	15	25	20	1 each
SKA-K2	Universal	18"L X 17"W X 39"H	n/a	n/a	22	42	10	1/each
SKA-LT	Universal	47"L X 34"W X 43"H	n/a	n/a	126	164	1	1/each
SKA-PP	Universal	20"L X 16"W X 4"H	n/a	n/a	5	24	20	1/each
SKA-PP-TAA	Universal	20"L X 16"W X 4"H	n/a	n/a	5	24	20	1/each
SKA-SAK	Universal	32"L X 20"W X 12"H	n/a	n/a	10.75	10	20	1/each
SKA-SRP	Universal	9.75"D X 10.5"H	n/a	n/a	4.5	2.5	90	1/each
SKA-XLT	Universal	57.5"L X 40.5"W X 47"H	n/a	n/a	174	221	1	1/each
SK-CAMO	Camouflaged Vehicle Spill Kit	n/a	n/a	n/a	11.5	9	50	1/each
SK-CAMO-RS	Camouflaged Vehicle Spill Kit with RuptureSEAL	n/a	n/a	n/a	11.5	9	50	1/each
SKH-20	Chemical	21"Dia. X 18"H	n/a	n/a	15	26	18	1/each
SKH-20-RESCUE	Chemical	21"Dia. X 18"H	n/a	n/a	15	20	18	1/each
SKH30	Chemical	21.125"Dia. X 28.5"H	n/a	n/a	36	41	18	1/each
SKH-55	Chemical	24"Dia. X 37"H	n/a	n/a	38	52	8	1/each
SKH-55W	Chemical*	24"Dia. X 37"H	n/a	n/a	38	52	8	1/each
SKH65	Chemical	31"Dia. X 33.5"H	n/a	n/a	63	100	3	1/each
SKH-65W	Chemical	31"Dia. X 33.5"H	n/a	n/a	63	100	3	1/each
SKH-95	Chemical	31.5"Dia. X 35"H	n/a	n/a	75	104	3	1/each
SKH-95W	Chemical*	31.5"Dia. X 35"H	n/a	n/a	75	104	3	1/each
SKH-ATK	Chemical	20"L X 16"W X 4"H	n/a	n/a	7	25	24	4/case
SKH-BKT	Chemical	14"Dia. X 18"H	n/a	n/a	9	8	60	1/each
SKH-CFB	Chemical	25.5"L x 17"W x 21.5"H	n/a	n/a	15	25	20	1 each
SKH-K2	Chemical	18"L X 17"W X 39"H	n/a	n/a	22	42	10	1/each

** In an effort to reduce shipping costs for our customers, pallet quantities may vary.*

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Absorbent Specification Guide

www.BradyID.com/SPC

Part Numbers	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.*	Quantity
SKH-LT	Chemical	47"L X 34"W X 43"H	n/a	n/a	115	158	1	1/each
SKH-PP	Chemical	20"L X 16"W X 4"H	n/a	n/a	5	24	20	1/each
SKH-SAK	Chemical	32"L X 20"W X 12"H	n/a	n/a	10.75	10	20	1/each
SKH-SRP	Chemical	9.75"D X 10.5"H	n/a	n/a	4.5	2.5	90	1/each
SKH-XLT	Chemical	57.5"L X 40.5"W X 47"H	n/a	n/a	160	221	1	1/each
SKMA-20	Mixed Application Spill Kit	21"Dia. X 18"H	n/a	n/a	15	20	18	1/each
SKMA-30	Mixed Application Spill Kit	21.125"Dia. X 28.5"H	n/a	n/a	36	41	18	1/each
SKMA-55	Mixed Application Spill Kit	24"Dia. X 37"H	n/a	n/a	38	52	8	1/each
SKMA-55W	Mixed Application Spill Kit	24"Dia. X 37"H	n/a	n/a	38	52	8	1/each
SKMA-65	Mixed Application Spill Kit	31"Dia. X 33.5"H	n/a	n/a	63	100	3	1/each
SKMA-65W	Mixed Application Spill Kit	31"Dia. X 33.5"H	n/a	n/a	63	100	3	1/each
SKMA-95	Mixed Application Spill Kit	31.5"Dia. X 35"H	n/a	n/a	75	107	3	1/each
SKMA-95W	Mixed Application Spill Kit	31.5"Dia. X 35"H	n/a	n/a	75	107	3	1/each
SKM-LT	Marine	47"L X 34"W X 43"H	n/a	n/a	153	164	1	1/each
SKM-XLT	Marine	57.5"L X 40.5"W X 47"H	n/a	n/a	258	258	1	1/each
SKO-20	Oil Only	21"Dia. X 18"H	n/a	n/a	15	20	18	1/each
SKO-20-RESCUE	Oil Only	21"Dia. X 18"H	n/a	n/a	15	20	18	1/each
SKO-30	Oil Only	21.125"Dia. X 28.5"H	n/a	n/a	36	41	18	1/each
SKO-55	Oil Only	24"Dia. X 37"H	n/a	n/a	38	56	8	1/each
SKO-55W	Oil Only*	24"Dia. X 37"H	n/a	n/a	38	56	8	1/each
SKO65	Oil Only	31"Dia. X 33.5"H	n/a	n/a	63	100	3	1/each
SKO-65W	Oil only	31"Dia. X 33.5"H	n/a	n/a	63	100	3	1/each
SKO-95	Oil Only	31.5"Dia. X 35"H	n/a	n/a	75	107	3	1/each
SKO-95W	Oil Only*	31.5"Dia. X 35"H	n/a	n/a	75	107	3	1/each
SKO-ATK	Oil Only	20"L X 16"W X 4"H	n/a	n/a	7	23	24	4/case
SKO-BKT	Oil Only	14"Dia. X 18"H	n/a	n/a	9	9	60	1/each
SKO-CFB	Oil Only	25.5"L x 17"W x 21.5"H	n/a	n/a	15	25	20	1 each
SKO-K2	Oil Only	18"L X 17"W X 39"H	n/a	n/a	22	42	10	1/each
SKO-LT	Oil Only	47"L X 34"W X 43"H	n/a	n/a	126	185	1	1/each
SKO-PP	Oil Only	20"L X 16"W X 4"H	n/a	n/a	5	24	20	1/each
SKO-SAK	Oil Only	32"L X 20"W X 12"H	n/a	n/a	10.75	10	20	1/each
SKO-SRP	Oil Only	9.75"D X 10.5"H	n/a	n/a	4.5	2.5	90	1/each
SKO-XLT	Oil Only	57.5"L X 40.5"W X 47"H	n/a	n/a	174	221	1	1/each
SKR-20	Re-Form	21"Dia. X 18"H	n/a	n/a	15	27	18	1/each
SKR-55	Re-Form	24"Dia. X 37"H	n/a	n/a	38	57	8	1/each
SKR-95	Re-Form	31.5"Dia. X 35"H	n/a	n/a	75	107	3	1/each
SKR-ATK	Re-Form	20"L X 16"W X 4"H	n/a	n/a	7	36.5	24	4/case
SKR-PP	Re-Form	20"L X 16"W X 4"H	n/a	n/a	5	24	20	1/each
SPC10	Pillow	14"x25"	n/a	12.5	52	30	10	10/bale
SPC50	Heavy Wt. Pad	33"x39"	No	18	73	33.5	7	50/bale
SPC100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	35	14	30	100/bale
SPC100B	Heavy Wt. Pad (Blue MBPP Pad)	15"x19"	Yes, 7.5"	18	35	14	30	100/bale
SPC105	Heavy Wt. Pad (1 side w/blue coverstock)	15"x19"	Yes, 7.5"	18	35	14	30	100/bale
SPC150	Heavy Wt. Roll	38"x144'	No	15	70	33	18	1/bale*
SPC152	Heavy Wt. Roll	19"x144'	No	15	70	33	18	2/bale*
SPC156	Medium Wt. Roll (1 side w/blue coverstock)	30"x150'	Yes, 15" and every 15"	15	37	26.5	18	1/bale
SPC200	Light Wt. Pad	15"x19"	Yes, 7.5"	18	51	16	18	200/bale
SPC300	Medium Wt. Pad	15"x19"	Yes, 7.5"	18	30	11	30	100/bale
SPC318	SPC Boom	3"x18"	n/a	9.5	14	10	40	25/case
SPC500	Light Wt. Pad	15"x19"	Yes, 7.5"	18	20	8.2	30	100/bale
SPC510	SPC Boom	5"x10'	n/a	12.6	32	19	16	4/bale
SPC518	SPC Boom	5"x18"	n/a	12.6	12	8	40	10/case
SPC810	SPC Boom	8"x10'	n/a	13.3	71	40	10	4/bale
SPC818	SPC Boom	8"x18"	n/a	12.5	28	17	16	10/bale

** In an effort to reduce shipping costs for our customers, pallet quantities may vary.*

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Absorbent Specification Guide

www.BradyID.com/SPC

Part Numbers	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.*	Quantity
SPC1900	Sweep	19"X100'	n/a	15	26	13	36	1/bale
SPC5510	SPC Boom	5"x10'	n/a	12.1	61	38	12	2/bale
SPC19150	Heavy Wt. Roll	19" x 144'	No	15	35	17	36	1/bale*
SPC-ACID	2lb Acid Neutralizing Polymer Shaker	n/a	n/a	n/a	0.65	2	1200	1/each
SPC-BASE	2lb Base Neutralizing Polymer Shaker	n/a	n/a	n/a	0.65	2	1200	1/each
SPCUN1019	Medium Wt. Roll	15"x150'	Yes, 15" and every 15"	12.5	39	24	15	2/case
SPCUN1113	Medium Wt. Pad	12"x12"	No	16	12.5	16	30	200/case
SPCUN1113-50	Medium Wt. Pad	12"X12"	No	12.5	5.5	4	120	50/case
SPCUN1719	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14.5	30	100/case
SPCUN3800	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	39	27	12	1/case
SR100	Heavy Wt. Pad	15" x19"	No	13	26	14.5	30	100/bale
SR1825	Medium Wt. Pad	15"x19"	No	15	6	3.2	90	25/bale
SR3600	Heavy Wt. Roll	30"x150'	No	15	44	22	18	1/bale
SR3625	Heavy Wt. Pad	30"x30"	No	13	16	9	14	25/bale
SRP75P	Heavy Wt. Roll	7.5" x 50'	Yes, 10"	12.5	3.3	1.85	96	1/bale
SRP100	Heavy Wt. Pad	7.5"x10"	No	12.5	5.5	4	96	100/case
SRP200	Heavy Wt. Pad	7.5"x10"	No	12.5	11.1	7.5	96	200/case
SRPH75P	Heavy Wt. Plus Roll	7.5" x 50'	Yes, 10"	12.5	3.3	1.85	96	1/bale
SRPH100	Heavy Wt. Plus Pad	7.5"x10"	No	12.5	5.5	4	96	100/case
SRPH200	Heavy Wt. Plus Pad	7.5"x10"	No	12.5	11.1	7.5	96	200/case
SRPO75P	Heavy Wt. Roll	7.5" x 50'	Yes, 10"	12.5	3.3	1.85	96	1/bale
SRPO100	Heavy Wt. Pad	7.5"x10"	No	12.5	5.5	4	96	100/case
SRPO200	Heavy Wt. Pad	7.5"x10"	No	12.5	11.1	7.5	96	200/case
SW46	SOC	3"x42"	n/a	3	20	50	16	40/case
SXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12	18	14	30	1/case
SXT30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12	37	26.5	12	1/case
SXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12	19.5	14.5	30	100/case
SXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	14	31.5	18	24	200/case
SXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12	17	10	30	100/case
TM19	Heavy Wt. Roll	19"x80'	No	9	26	32	18	2/bale
TM29	Heavy Wt. Roll	29"x80'	No	9	20	24	32	1/bale
TM30	Heavy Wt. Pad	29"x29"	No	9	25	15	15	30/bale
TM58	Heavy Wt. Roll	58"x80'	No	9	55	34	9	1/bale
UXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	11	17	14.5	30	1/case
UXT30DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	11	35	27.5	12	1/case
UXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	11	19	14.5	30	100/case
UXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	14	31.5	18.5	24	200/case
UXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	11	17	12	30	100/case
VS12P	Heavy Wt. Roll	12"x60"	Yes, 12"	12.5	13.6	9.5	30	20/case
VS75P	Heavy Wt. Roll	7.5"x50"	Yes, 10"	12.5	5.56	4.27	40	20/case
VSH12P	Heavy Wt. Roll	12"x60"	Yes, 12"	12.5	13.6	9.5	30	20/case
VSH75P	Heavy Wt. Roll	7.5"x50"	Yes, 10"	12.5	5.56	4.27	40	20/case
VSO12P	Heavy Wt. Roll	12"x60"	Yes, 12"	12.5	13.6	9.5	30	20/case
VSO75P	Heavy Wt. Roll	7.5"x50"	Yes, 10"	12.5	5.56	4.27	40	20/case

** In an effort to reduce shipping costs for our customers, pallet quantities may vary.*

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Lockout Tagout

www.BradyID.com/lockouttagout

Why Lockout Tagout?

Lockout Tagout (LOTO) is an important safety procedure - critical to safeguarding workers and employees around the machinery and equipment they operate, service and maintain. It is also a major OSHA-inspection focus. In fact, it remains one of the most cited violations for general industry even after twenty years in force. But, rather than focus on the negative aspect of non-compliance and citations, focus instead on this: comprehensive and thoroughly-followed LOTO programs:

- SAVE LIVES – preventing an estimated 250,000 incidents, 50,000 injuries and 120 fatalities annually!
- CUT COSTS – significantly; both lost employee time and insurance costs
- IMPROVE PRODUCTIVITY – minimizing equipment downtime
- BEST PRACTICE – being widely adopted across industries and industrialized countries

5 Steps To An Effective Lockout Program

A successful Lockout Tagout (LOTO) program starts with a solid foundation and a written plan. After that, proactive training and employee awareness programs will ensure a safer workplace for everyone. Brady has broken down the process for Lockout Tagout OSHA compliance into five easy steps, each with their own effective elements that add up to total workplace safety.

Step 1:
Develop and document your energy control policy/program

Step 2:
Create and post written, equipment-specific lockout procedures

Step 3:
Identify and mark all energy control points

Step 4:
Train your employees, communicate and conduct periodic inspections

Step 5:
Equip your employees with the proper lockout tools and warning devices

Learn More: Download the 5 Steps To An Effective Lockout Program Whitepaper

Download the full whitepaper today for more information and details on each one of the 5 steps.

Visit **www.BradyID.com/lockouttagout** to download the whitepaper.

OSHA Lockout Tagout Regulations

OSHA's Volume 29 Code of Federal Regulation (CFR) 1910.147 standard addresses the control of hazardous energy when servicing or maintaining equipment.

- (1) Scope. (i) This standard covers the servicing and maintenance of machines and equipment in which the unexpected energization or start up of the machines or equipment, or release of stored energy could cause injury to employees. This standard establishes minimum performance requirements for the control of such hazardous energy.
- (2) Application. (i) This standard applies to the control of energy during servicing and / or maintenance of machines and equipment.
- (3) Purpose. (i) This section requires employers to establish a program and utilize procedures for affixing appropriate lockout devices or tagout devices to energy isolating devices, and to otherwise disable machines or equipment to prevent unexpected energization, start-up or release of stored energy in order to prevent injury to employees.

1910.147(c) OSHA Energy Control Policy; Synopsis of Requirements

An energy control policy must be documented and at a minimum should cover the following aspects of the program:

- Purpose and scope of the program
- Personnel authorized to perform LOTO
- Enforcement policy
- Training methods
- Group lockout procedures
- Shift transfer procedures
- Lock removal procedures
- Method for auditing & updating procedures
- Coordination with outside contractors

1910.147(c)(4) Energy Control Procedures; Synopsis of Requirements

- Procedures must be documented and must identify the equipment covered.
- A separate procedure must be created for each piece of equipment to be locked out. There are exceptions where multiple machines may be grouped under a single procedure.
- The procedure must include specific steps for shutting down, isolating, blocking and securing equipment to control hazardous energy.
- Specific steps for the placement, removal and transfer of Lockout Tagout devices should also be included.
- The employer shall conduct and certify periodic inspections at least annually.

1910.147(c)(5) OSHA Lockout Device Requirements

Lockout devices must:

- Be provided by the employer.
- Be standardized by size, shape or color.
- Be distinguishable from locks used for other purposes. Lockout locks should only be used for lockout!
- Identify the individual who applied the lock (both tags and lock labels are acceptable for this purpose).
- Be durable.
- Be strong enough to prevent removal except by using excessive force.
- Remain under the exclusive control of the individual who attached them.

1910.147(c)(5)(ii)(B) Standardized
Lockout and tagout devices shall be standardized within the facility in at least one of the following criteria: Color; shape; or size; and additionally, in the case of tagout devices, print and format shall be standardized.

1910.147(c)(5)(ii)(A) Durable
Lockout and tagout devices shall be capable of withstanding the environment to which they are exposed for the maximum period of time that exposure is expected.

Standard Combination Lockout Kits

www.BradyID.com/lockouttagout

Standard Combination Lockout Kits

These combinations lockout kits can be purchased with or without padlocks and tags. The padlocks included in these kits are keyed differently (each lock has its own unique key). For kits with keyed-alike padlocks (all locks can be opened with the same key), see the personal lockout kits on the following pages.

Combination Lockout Satchel

- Everything you need to lock out the most common mechanical and electrical control points, with extra valve lockout devices
- Components:
  - 1 - Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
  - 1 - All Purpose Cable Lockout w/ 8' Sheathed Cable (50943)
  - 1 - 1/4" to 1" Ball Valve Lockout (65666)
  - 1 - 1" to 2-1/2" Gate Valve Lockout (65560)
  - 1 - 2-1/2" to 5" Gate Valve Lockout (65561)
  - 1 - 5" to 6-1/2" Gate Valve Lockout (65562)
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 1 - 120/277V Clamp-On Breaker Lockout w/ Cleat (65396)
  - 1 - 480/600V Clamp-On Breaker Lockout w/ Cleat (65397)
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - Wall Switch Lockout (65392)
  - 1 - Lockout Satchel (51173)
  - Optional:
    2 - Keyed-different safety padlocks (99552) or steel padlocks (99500)
    2 - Heavy duty, re-usable lockout tags (65520) and nylon cable ties

Catalog #	Description
99686	Combination Lockout Satchel Kit
99687	Kit w/2 Safety Padlocks & 2 Tags
99688	Kit w/2 Steel Padlocks & 2 Tags

Combination Lockout Toolbox

- All the basics for lockout out gate and ball valves, breakers, switches and plugs
- Components:
  - 1 - 1" to 6-1/2" Adjustable Gate Valve Lockout (64057)
  - 1 - 1/4" to 1" Ball Valve Lockout (65666)
  - 1 - 1-1/4" to 3" Ball Valve Lockout (65669)
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 1 - 120/277V Clamp-On Breaker Lockout w/ cleat (65396)
  - 1 - 480/600V Clamp-On Breaker Lockout w/ cleat (65397)
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - Wall Switch Lockouts (65392)
  - 1 - Lockout Belt Pouch (51172)
  - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)
  - Optional:
    2 - Keyed-different safety padlocks (99552) or steel padlocks (99500)
    2 - Heavy duty, re-usable lockout tags (65520) and nylon cable ties

Catalog #	Description
99682	Combination Lockout Toolbox Kit
99684	Kit w/2 Safety Padlocks & 2 Tags
99685	Kit w/2 Steel Padlocks & 2 Tags

Brady Maintenance Lockout Kit

- The perfect lockout kit for anyone in your maintenance crew
- Components:
  - 1 - 1/2" to 2-1/2" Small Ball Valve Lockout (BS07A)
  - 1 - 1" to 2.5" Gate Valve Lockout (65560)
  - 1 - 2.5" to 5" Gate Valve Lockout (65561)
  - 1 - All Purpose Cable Lockout (50943)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Wall Switch Lockout (65392)
  - 2 - 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 2 - Universal Multi-Pole Breaker Lockouts (66321)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - AC Sensor (65269)
  - 10 - Lockout Danger Tags (LT10)
  - 1 - 1" Steel Lockout Hasp (T218)
  - 1 - 1-1/2" Steel Lockout Hasp (T220)
  - 3 - 3/4" Brady Key-Retaining Steel Padlocks, Blue, Keyed Different (143130)
  - 1 - Sheet of Lock Labels (LID-2)
  - 1 - Lockout Safety Training Booklet (2112X)
  - 1 - Plastic Utility Box (LKP-TKLBOX)

Catalog #	Description
134032	Brady Maintenance Lockout Kit

More Information

For more information on individual devices, visit BradyID.com or view the following pages:

- Padlocks.....page 408
- Breaker Lockouts .....page 423
- Mini Cable Lockout....page 419
- Cable Lockout .....page 419
- Fuse Lockouts .....page 426
- Plug Valve Lockout....page 421
- Gate Valve Lockouts .page 421
- Ball Valve Lockouts ...page 421

Standard Combination Lockout Kits

www.BradyID.com/lockouttagout

Prinzing Premium Lockout Kit

- A premium portable lockout kit that contains a large variety of electrical and mechanical lockout devices, tags, and labels
- Components:
  - 2 - Breaker Lockouts, Multi-pole (BL07)
  - 3 - Breaker Lockouts, Single pole (BL01)
  - 1 - 1" to 2.5" Gate Valve Lockout (65560)
  - 1 - 2.5" to 5" Gate Valve Lockout (65561)
  - 1 - Cable Lockout Device (CABLO)
  - 1 - Wall Switch Lockout (WSLO)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - 120-600 AC Voltage Sensor (ESAC600)
  - 3 - 1-1/2" Steel Lockout Hasps (T220)
  - 5 - Lockout Labels "Lock Out Before Servicing" (LOSV15)
  - 5 - Lockout Labels "Lock Out Here" (LOSV14)
  - 5 - Lockout Labels "Caution This Machine Must Be Locked Out" (LOSV2) 20 - Lockout Tags (LT10)
  - 14 - Padlock Labels (LID-2)
  - 3 - Key-Retaining Steel Padlocks, 3/4" Shackle, Blue, Keyed Different (143130)
  - 1 - Lockout Safety Training Booklet (2112X)
  - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)

Catalog #	Description
LKP	Prinzing Premium Lockout Kit

Prinzing Ultimate Lockout Kit

- The ultimate portable solution for a very wide range of lockout applications
- Components:
  - 1 - Safetee™ Donut 1" to 2-1/2" (SD02)
  - 1 - Safetee™ Donut 5" to 6-1/2" (SD06)
  - 1 - Ball Valve Lockout (BS07A)
  - 1 - Ball Valve Lockout (BS08A)
  - 1 - Electrical Plug / Pneumatic Lockout (PL027E)
  - 1 - Cable Lockout Device (CABLO)
  - 2 - No-hole Breaker Lockout (BL04)
  - 2 - Breaker Lockout, Triple-pole (BL03)
  - 1 - Breaker Lockout, Multi-pole (BL07)
  - 2 - 1-1/2" Steel Lockout Hasp (T220)
  - 1 - Wall Switch Lockout (WSLO)
  - 10 - "Danger Do Not Operate" Lockout Tags (LT10)
  - 1 - Lockout Safety Training Booklet (2112X)
  - 1 - 120-600 AC Voltage Sensor (ESAC600)
  - 3 - Prinzing Padlocks 3/4" Blue (LC041-BU)
  - 1 - Lockout Bag "Duffel Style" (LX980E)

Catalog #	Description
LK981E	Ultimate Lockout Kit
LK980E	Lockout Bag Only

Combination Lockout Duffel

- Everything you need to lock out the most common mechanical and electrical control points, with extra electrical lockout devices
- Components:
  - 1 - Mini Cable Lockout (50940)
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 1 - 120/277V Clamp-On Breaker Lockout (65396)
  - 1 - 480/600V Clamp-On Breaker Lockout (65397)
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Wall Switch Lockout (65392)
  - 1 - Plug Valve Lockout for stem dia up to 7/8" (113231)
  - 1 - Plug Valve Lockout for stem dia 29/32" to 1-3/8" (113232)
  - 1 - 1" to 6-1/2"Adjustable Gate Valve Lockout (64057)
  - 1 - 1" to 2-1/2" Gate Valve Lockout (65560)
  - 1 - 1/4" to 1" Ball Valve Lockout (65666)
  - 1 - Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
  - 1 - Lockout Belt Pouch (51172)
  - 1 - Lockout Duffel Bag (99162)
  - Optional:
    2 - Keyed-different safety padlocks (99552) or steel padlocks (99500)
    2 - Heavy duty, re-usable lockout tags (65520) and nylon cable ties

Catalog #	Description
99689	Combination Lockout Duffel Kit
99690	Kit w/2 Safety Padlocks & 2 Tags
99691	Kit w/2 Steel Padlocks & 2 Tags

Lockout Kit - Spanish

- Everything you need to lockout electrical and mechanical isolation points. All contents come with Spanish legends.
- Components:
  - 2 - 1-1/4" to 3" Steel Ball Valve Lockout (65669)
  - 2 - 1/4" to 1" Nylon Ball Valve Lockout (65666)
  - 2 - 1" to 2.5" Gate Valve Lockouts (65560)
  - 2 - 2.5" to 5" Gate Valve Lockouts (65561)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 220/550V Electrical Plug Lockout (65675)
  - 6 - Wall Switch Lockouts (65392)
  - 6 - 120V Snap-On Breaker Lockout (65387)
  - 6 - 120/277V Clamp-On Breaker Lockouts (65396)
  - 6 - Universal Multi-Pole Breaker Lockouts (66321)
  - 5 - Aluminum Spanish Labeled Lockout Hasp
  - 25 - Spanish Lockout Danger Tags w/ Cable Ties
  - 6 - Brady Steel Padlocks, 3/4" Shackle, Blue, Keyed Different (99504)
  - 6 - Brady Steel Padlocks, 2" Shackle, Blue, Keyed Different (99528)
  - 2 - Lockout Canvas Security Bags (65780)

Catalog #	Description
65043	Lockout Kit - Spanish

Standard Electrical Lockout Kits

www.BradyID.com/lockouttagout

Standard Electrical Lockout Kits

The electrical lockout kits can be purchased with or without padlocks and tags. The padlocks included in these kits are keyed differently (each lock has its own unique key). For kits with keyed-alike padlocks (all locks can be opened with the same key), see the personal lockout kits on the following pages.

Portable Padlock Pouch

- Portable kit with padlocks, tags and hasps
- Components:
  - 2 - Keyed-different safety padlocks (99552) or steel padlocks (99500). Padlocks include 2 heavy duty, re-usable lockout tags (65520) and nylon cable ties.
  - 1 - 1" Group Lockout Hasp (65375)
  - 1 - 1-1/2" Group Lockout Hasp (65376)
  - 1 - Lockout Belt Pouch (51172)

Catalog #	Description
99290	Kit w/2 Safety Padlocks
99292	Kit w/2 Steel Padlocks

Electrical Power Pouch Kit

- An economical, versatile lockout pouch containing useful electrical lockout devices and padlocks
- Components:
  - 2 - Lockout Tags
  - 1 - StoPower Electrical Plug Lockout (65673)
  - 1 - Wall Switch Lockout (65392)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 1" Steel Safety Lockout Hasp (65375)
  - 1 - Lockout Pouch (87943)

Catalog #	Description
95548	Electrical Power Pouch Kit
95550	Kit w/ 1 Red Brady Safety Padlock

Breaker Lockout Pouch

- Versatile and compact pouch contains the most commonly used electrcal lockout devices
- Components:
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 1 - 120/277V Clamp-On Breaker Lockout (65396)
  - 1 - 480/600V Clamp-On Breaker Lockout (65397)
  - 1 - 110V Electrical Plug Lockout
  - 1 - 1" Steel Lockout Hasp
  - 1 - Lockout Pouch (87943)

Catalog #	Description
95553	Breaker Lockout Pouch

Breaker Lockout Pouch Kit

- Contains our most popular circuit breaker lockouts
- Components:
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 1 - 120/277V Clamp-On Breaker Lockout w/ cleat (65396)
  - 1 - 480/600V Clamp-On Breaker Lockout w/ cleat (65397)
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 2 - Lockout Tags
  - 1 - Brady Safety Padlock, Red (99552)
  - 1 - Lockout Pouch (87943)

Catalog #	Description
95538	Breaker Lockout Pouch Kit

120/277V Breaker Lockout Pouch

- All the devices you need to lockout most 120/277V breakers
- Components:
  - 2 - 120V Snap-On Breaker Lockouts (65387)
  - 2 - 120/277V Clamp-On Breaker Lockout w/ Cleats (65396)
  - 2 - Universal Multi-Pole Breaker Lockout w/ Cleats (66321)
  - 1 - Lockout Belt Pouch (51172)
- Optional: 2 - Keyed-different safety padlocks (99552) or steel padlocks (99500). And 2 heavy duty, re-usable lockout tags (65520) and nylon cable ties.

Catalog #	Description
99300	120/277V Breaker Lockout Pouch Kit
99302	Kit w/2 Safety Padlocks & 2 Tags
99303	Kit w/2 Steel Padlocks & 2 Tags

Breaker Lockout Sampler Pouch

- One each of our most popular breaker lockouts
- Components:
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 1 - 120/277V Clamp-On Breaker Lockout w/cleat (65396)
  - 1 - 480/600V Clamp-On Breaker Lockout w/cleat (65397)
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - Lockout Belt Pouch (51172)
  - Optional: 2 - Keyed-different safety padlocks (99552) or steel padlocks (99500). And 2 heavy duty, re-usable lockout tags (65520) and nylon cable ties.

Catalog #	Description
99293	Breaker Lockout Sampler Toolbox Kit
99296	Kit w/2 Safety Padlocks & 2 Tags
99297	Kit w/2 Steel Padlocks & 2 Tags

Electrical Lockout Pouch

- Lightweight, portable pouch contains lockout devices to secure electrical equipment. Metal loops on pouch for hanging on a belt.
- Components:
  - 1 - 120/277V Clamp-On Breaker Lockout (65396)
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 2 - Lockout Danger Tags
  - 1 - Aluminum Labeled Lockout Hasp
  - 1 - Brady Steel Padlock, 2" Shackle, Blue (99528)
  - 1 - Lockout Pouch (65292)

Catalog #	Description
65291	Electrical Lockout Pouch

Comprehensive Breaker Lockout Pouch

- Lightweight, portable pouch contains lockout devices to secure electrical equipment. Metal loops are on the pouch for hanging on a belt.
- Components:
  - 1 - 110V Electrical Plug Lockout (65674)
  - 3 - Wall Switch Lockouts (65392)
  - 3 - Universal Multi-Pole Breaker Lockouts (66321)
  - 3 - 120/277V Clamp-On Breaker Lockout w/Cleat (65396)
  - 2 - 480/600V Clamp-On Breaker Lockout w/Cleat (65397)
  - 1 - 120/277V Additional Cleat (102721)
  - 1 - 480/600V Additional Cleat (102722)
  - 1 - Lockout Pouch (65292)

Catalog #	Description
65405	Comprehensive Breaker Lockout Pouch

Brady Electrical Lockout Pouch Kit

- Compact and easy to use lockout pouch with the most common electrical devices
- Components:
  - 1 - 120/277V Clamp-On Breaker Lockout w/ cleats (65396)
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 1 - Wall Switch Lockout (65392)
  - 10 - Lockout Danger Tags (LT10)
  - 1 - 1-1/2" Steel Lockout Hasp (T220)
  - 1 - Brady Key-Retaining Steel Padlock, 3/4" Shackle, Blue (143130)
  - 1 - Large Lockout Pouch

Catalog #	Description
134031	Brady Electrical Lockout Pouch Kit

Brady Breaker Lockout Pouch Kit

- This kit contains all of the most commonly used circuit breaker lockout devices
- Components:
  - 2 - 120V Snap-On Circuit Breaker Lockouts (65387)
  - 2 - 120/277V Clamp-On Breaker Lockouts w/ cleats (65396)
  - 2 - Universal Multi-Pole Breaker Lockouts (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 10 - Lockout Danger Tags (LT10)
  - 1 - 1-1/2" Steel Lockout Hasp (T220)
  - 1 - Brady Key Retaining Steel Padlock, 3/4" Shackle, Blue (143130)
  - 1 - Large Lockout Pouch

Catalog #	Description
134034	Brady Breaker Lockout Pouch Kit

Standard Electrical Lockout Kits

www.BradyID.com/lockouttagout

Brady Lockout Kit With Large Box

- Versatile lockout kit with essential Lockout Tagout components
- Components:
  - 3 - 120V Snap-On Breaker Lockouts (65387)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 2 - Universal Multi-Pole Breaker Lockouts (66321)
  - 1 - Sheet of Lock Labels (LID-2)
  - 10 - Lockout Danger Tags (LT10)
  - 3 - 1-1/2" Steel Lockout Hasps (T220)
  - 1 - Lockout Safety Training Booklet (2112X)
  - 1 - Plastic Utility Box

Catalog #	Description
134035	Brady Lockout Kit With Large Box

Basic Electrical Lockout Toolbox

- A handy, basic lockout toolbox kit that includes your most commonly used electrical devices
- Components:
  - 1 - 1" to 2.5" Gate Valve Lockout (65560)
  - 1 - 1/4" to 1" Ball Valve Lockout (65666)
  - 1 - Small 110V Electrical Plug Lockout (65674)
  - 1 - 120/277V Clamp-On Breaker Lockouts w/cleats (65396)
  - 1 - 480/600V Clamp-On Breaker Lockouts w/cleats (65397)
  - 1 - Wall Switch Lockout (65392)
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 1 - Labeled Group Lockout Hasp (65960)
  - 5 - Lockout Tags (65525)
  - 1 - 3/4" Steel padlock, blue (99504)
  - 1 - 2" Steel padlock, blue (99528)
  - 1 - Lockout Toolbox (65290)

Catalog #	Description
65289	Basic Electrical Lockout Toolbox

Electrical Lockout Starter Kit

- Contains everything you need to mark and secure a variety of electrical components to protect employees from electrical hazards
- Components:
  - 1 - Small 110V Electrical Plug Lockout (65674)
  - 1 - Large 220/500V Electrical Plug Lockout (65675)
  - 6 - Wall Switch Lockouts (65392)
  - 6 - 120V Snap-On Breaker Lockouts (65387)
  - 6 - 120/277V Clamp-On Breaker Lockouts w/cleats (65396)
  - 6 - Universal Multi-Pole Breaker Lockouts (66321)
  - 3 - Labeled Group Lockout Hasps (65960 English / 39480 Spanish)
  - 10 - Lockout Tags with Cable Ties. Tag Legend options:
    - Danger Do Not Operate
    - Peligro No Operar
    - Precaucion No Hacer Funcionar
  - 2 - 3/4" Shackle Brady Steel Padlock, Blue (99504)
  - 2 - 2" Shackle Brady Steel Padlock, Blue (99528)
  - 1 - Canvas Lockout Bag (65780)

Catalog #	Description
65777	English Electrical Lockout Starter Kit ("Danger Do Not Operate" Tags)
121510	Spanish Electrical Lockout Starter Kit ("Precaucion No Hacer Funcionar" Tags)
121513	Spanish Electrical Lockout Starter Kit ("Peligro No Operar" Tags)

More Information

For more information on individual devices, visit BradyID.com or view the following pages:

- Padlocks ..... page 408
- Breaker Lockouts ..... page 423
- Mini Cable Lockout ..... page 419
- Cable Lockout ..... page 419
- Fuse Lockouts ..... page 426
- Plug Valve Lockout ..... page 421
- Gate Valve Lockouts ..... page 421
- Ball Valve Lockouts ..... page 421

Lockout Toolbox With Components

- Economical lockout toolbox with the most common electrical breaker lockouts
- Components:
  - 1 - Large 220/550V Electrical Plug Lockout (65675)
  - 1 - 120/277V Clamp-On Breaker Lockouts w/cleats (65396)
  - 1 - 480/600V Clamp-On Breaker Lockouts w/cleats (65397)
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 2 - Lockout Tags
  - 1 - Brady Safety Padlock, Red (99552)
  - 1 - Lockout Toolbox (65290)

Catalog #	Description
95540	Lockout Toolbox With Components

Optional Sign & Rack

Prinzing Lockout Kits

- Ensure equipment is de-energized or locked out in accordance with OSHA regulations
- Sign & Rack also available to conveniently hold the kit
- Components:
  - 3 - 1-1/2" Steel Lockout Hasps (T220)
  - 3 - Blue Prinzing Padlocks (LC041-BU)
  - 14 - 2 Padlock Identifier Stickers (LID-2)
  - 1 - pkg. (10) - Lockout Tags with Ties (LT10)
  - 3 - Single Pole Breaker Lockouts (BLO1)
  - 2 - Multi Pole Breaker Lockouts (BLO3)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Lockout Training Booklet (2112X)
  - 1 - Toolbox (7"H x 12"W x 5"D)
  - Optional: 1 Sign & Storage Rack (LKX-Rack)

Catalog #	Description
LKXSET	Lockout Kit w/Toolbox and Sign & Storage Rack
LKX	Economy Lockout Kit w/Toolbox
LKX-Rack	Sign & Rack only

Breaker Lockout Toolbox

- Everything you need to lockout most circuit breakers
- Components:
  - 1 - Mini Cable Lockout (50940)
  - 2 - 120V Snap-On Breaker Lockout (65387)
  - 2 - 120/277V Clamp-On Breaker Lockouts w/cleats (65396)
  - 2 - 480/600V Clamp-On Breaker Lockouts w/cleats (65397)
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - Lockout Toolbox (65290)
  - Optional: 2 - Keyed-different safety padlocks (99552) or steel padlocks (99500). And 2 heavy duty, re-usable lockout tags (65520) and nylon cable ties.

Catalog #	Description
99305	Breaker Lockout Toolbox Kit
99307	Kit w/2 Safety Padlocks & 2 Tags
99308	Kit w/2 Steel Padlocks & 2 Tags

Electrical Lockout Toolbox

- All the basics for locking out breakers, electrical plugs, wall switches and fuses.
- Components:
  - 1 - Mini Cable Lockout (50940)
  - 2 - 120V Snap-On Breaker Lockouts (65387)
  - 2 - 120/277V Clamp-On Breaker Lockouts w/cleats (65396)
  - 2 - 480/600V Clamp-On Breaker Lockouts w/cleats (65397)
  - 2 - Universal Multi-Pole Breaker Lockouts (66321)
  - 2 - Cleats for 120/277V Clamp-On Lockouts (65404)
  - 2 - Cleats for 480/600V Clamp-On Lockouts (65406)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Wall Switch Lockout (65392)
  - 1 - Small Fuse Blockout (65690)
  - 1 - Large Fuse Blockout (65691)
  - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)
  - 1 - Red Belt Pouch (51172)
  - Optional: 2 - Keyed-different safety padlocks (99552) or steel padlocks (99500). And 2 heavy duty, re-usable lockout tags (65520) and nylon cable ties.

Catalog #	Description
99310	Electrical Lockout Toolbox Kit
99312	Kit w/2 Safety Padlocks & 2 Tags
99313	Kit w/2 Steel Padlocks & 2 Tags

Standard Valve Lockout Kits

www.BradyID.com/lockouttagout

Standard Valve Lockout Kits

The valve lockout kits can be purchased with or without padlocks and tags. The padlocks included in these kits are keyed differently (each lock has its own unique key). For kits with keyed-alike padlocks (all locks can be opened with the same key), see the personal lockout kits on the previous page.

Valve Lockout Pouch

- Economical kit for locking out gate, ball and plug valves
- Components:
  - 1 - 1" to 6-1/2" Adjustable Gate Valve Lockout (64057)
  - 2 - 1/2" to 2-1/2" Small Ball Valve Lockout (BS07A)
  - 1 - Plug Valve Lockout for stem dia up to 7/8" (113231)
  - 1 - Plug Valve Lockout for stem dia 29/32" to 1-3/8 (113232)
  - 1 - Large Lockout Pouch (50979)
  - Optional: 2 - Keyed-different safety padlocks (99552) or steel padlocks (99500). And 2 heavy duty, re-usable lockout tags (65520) and nylon cable ties.

Catalog #	Description
99679	Valve Lockout Pouch Kit
99680	Kit w/2 Safety Padlocks & 2 Tags
99681	Kit w/2 Steel Padlocks & 2 Tags

Gate Valve Lockout Satchel

- Components:
  - 1 - 1" to 2-1/2" Gate Valve Lockout (65560)
  - 1 - 2-1/2" to 5" Gate Valve Lockout (65561)
  - 1 - 5" to 6-1/2" Gate Valve Lockout (65562)
  - 1 - 6-1/2" to 10" Gate Valve Lockout (65563)
  - 1 - XL Gate Valve Lockout (65564)
  - 1 - Lockout Satchel (51173)
  - Optional: 2 - Keyed-different safety padlocks (99552) or steel padlocks (99500). And 2 heavy duty, re-usable lockout tags (65520) and nylon cable ties.

Catalog #	Description
99676	Gate Valve Lockout Satchel Kit
99677	Kit w/2 Safety Padlocks & 2 Tags
99678	Kit w/2 Steel Padlocks & 2 Tags

Gate Valve Lockout Pouch

- Lockout virtually any type and size of gate valve with just two versatile lockouts
- Components:
  - 1 - 1" to 6-1/2" Adjustable Gate Valve Lockout (64057)
  - 1 - All Purpose Cable Lockout w/ 8" sheathed cable (50943)
  - 1 - Nylon Carrying Case (50979)
  - Optional: 2 - Keyed-different safety padlocks (99552) or steel padlocks (99500). And 2 heavy duty, re-usable lockout tags (65520) and nylon cable ties.

Catalog #	Description
101416	Gate Valve Lockout Pouch Kit
102692	Kit w/2 Safety Padlocks & 2 Tags
102693	Kit w/2 Steel Padlocks & 2 Tags

More Information

For more information on individual devices, visit BradyID.com or view the following pages:

- Padlocks.....page 408
- All-Pupose Cable Lockout....page 419
- Butterfly Valve Lockout.....page 420
- Plug Valve Lockout.....page 421
- Gate Valve Lockouts .....page 421
- Ball Valve Lockouts .....page 421
- Univ. Valve Lockout.....page 420

Standard Valve Lockout Kits

www.BradyID.com/lockouttagout

Brady Valve Lockout Kit

- The essential lockout devices needed to the most common valves in your facility
- Components:
  - 1 - 2.3" to 5" Gate Valve Lockout (65561)
  - 10 - 7" Red Cable Ties (FT100X-RED)
  - 1 - All Purpose Cable Lockout (50943)
  - 2 - 1/2" to 2-1/2" Small Ball Valve Lockout (BS07A)
  - 10 - Bilingual Lockout Tags (TG400B-ONE)
  - 2 - 1-1/2" Steel Lockout Hasp (T220)
  - 2 - 3/4" Brady Key-Retaining Steel Padlocks, Blue, Keyed Different (143130)
  - 1 - Plastic Utility Box (LKP-TKLBOX)

Catalog #	Description
134033	Brady Valve Lockout Kit

Valve Lockout Toolbox

- Everything you need to lock out gate, ball, butterfly and other valves
- Components:
  - 1 - Small Univ. Valve Lockout w/ Blocking Arm (50924 and 65402)
  - 1 - All Purpose Cable Lockout w/ 8' Sheathed Cable (50943)
  - 1 - 1" to 6-1/2"Adjustable Gate Valve Lockout (64057)
  - 1 - 1/4" to 1" Ball Valve Lockout (65666)
  - 1 - 1" to 2-1/2" Gate Valve Lockout (65560)
  - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)
  - Optional: 2 - Keyed-different safety padlocks (99552) or steel padlocks (99500). And 2 heavy duty, re-usable lockout tags (65520) and nylon cable ties.

Catalog #	Description
99320	Gate Valve Lockout Toolbox Kit
99321	Kit w/2 Safety Padlocks & 2 Tags
99324	Kit w/2 Steel Padlocks & 2 Tags

New Lockout Tagout Technical Data Sheets

Download the technical sheets for over 350 lockout SKUs including lockout devices and padlocks.

These sheets offer lots of information, including:

- Basic product description & photos
- Material information & temperature resistance
- Chemical resistance
- Detailed dimensional data
- MSDS information on the materials

To view all technical data sheets visit:
www.BradyID.com/techdata



Personal Lockout Kits

www.BradyID.com/lockouttagout

Personal Lockout Kits

Personal lockout kits come equipped with keyed-alike padlocks, allowing all the locks in a kit to be opened with a single key. This simplifies key management and ensures that employees can quickly and easily find the right key. For kits containing padlocks that are keyed different (each padlock has its own unique key), see the standard lockout kits on the previous pages. Or select a personal lockout kit without padlocks, and purchase the padlocks separately.

Personal Padlock Pouch

- Compact kit that contains padlocks, tags and hasps.
- Components:
  - 2 - 1" Group Lockout Hasps (65375)
  - 2 - Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
  - 2 - Keyed-alike Safety Padlocks (99552) or Steel Padlocks (99500)
  - 1 - Lockout Belt Pouch (51172)

Catalog #	Description
105969	Padlock kit w/ Keyed-Alike Safety Padlocks
105970	Padlock kit w/ Keyed-Alike Steel Padlocks

Personal Breaker Lockout Pouch

- Pouch with our most popular circuit breaker lockouts
- Covers 120v/277v and 480/600v breakers in single- and multi-pole configurations.
- Components:
  - 1 - 120/277V Clamp-On Breaker Lockout w/Cleat (65396)
  - 1 - 480/600V Clamp-On Breaker Lockout w/Cleat (65397)
  - 1 - Universal Multipole Breaker Lockout (66321)
  - 2 - 1" Group Lockout Hasps (65375)
  - 2 - Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
  - 1 - Lockout Belt Pouch (51172)
  - Optional: 2 - Keyed-alike Safety Padlocks (99552) or Steel Padlocks (99500)

Catalog #	Description
105966	Personal Breaker Lockout Pouch Kit
105967	Kit w/ 2 Keyed-Alike Safety Padlocks
105968	Kit w/ 2 Keyed-Alike Steel Padlocks

Brady Operator Lockout Tagout Kit

- The perfect compact lockout kit for any operator!
- Components:
  - 1 - Lockout Safety Card
  - 1 - Lockout Danger Tag
  - 1 - 1-1/2" Steel Lockout Hasp (T220)
  - 1 - 120/277V Clamp-On Breaker Lockout w/ cleats (65396)
  - 1 - Brady Safety Padlock, Black (99580)
  - 1 - Plastic Box

Catalog #	Description
134030	Brady Operator Lockout Tagout Kit

Prinzing Cable Lockout Kit

- Cable lockout kit with carrying case
- Components:
  - 2 - Cable Lockout Devices (CABLO)
  - 2 - Blue Prinzing Padlocks (LC041-BU)
  - 1 - 1" Steel Lockout Hasp (T218)
  - 2 - Eng/Sp Lockout Tags w/ Ties
  - 1 - Rugged Polyethylene Carrying Case (7"H x 12"W x 5"D)

Catalog #	Description
LK520B	Cable Lockout Kit

Prinzing Standard Lockout Belt Pack

- An economical, versatile lockout belt pouch with the essential items needed to perform Lockout Tagout
- Components:
  - 1 - Lockout Safety Card
  - 2 - Lockout "Danger" Tags
  - 1 - Lockout Keychain
  - 2 - 7" Red Cable Ties (FT100X-RED)
  - 1 - 1-1/2" Steel Lockout Hasp (T220)
  - 1 - 1.5" Aluminum red padlock (99615)
  - 1 - Lockout Pouch (LKPOUCH)

Catalog #	Description
LK627E	Prinzing Standard Lockout Belt Pack

Prinzing Chain Lockout Kit

- An inexpensive way to lockout misc. applications
- Components:
  - 3 - 1-1/2" Steel Lockout Hasp (T220)
  - 3 - Padlocks (LCO44-RD)
  - 3 - Lockout Tags w/Ties
  - 1 - 48" Chain
  - 1 - Durable Carrying Case (7"H x 12"W x 5"D)

Catalog #	Description
LK041R	Lockout Kit w/ 1 Chain
LK042R	Lockout Kit w/ 2 Chains

Personal Basic Lockout Kit

- Contains the basic devices needed to lockout common breakers, valves and plugs
- Components:
  - 1 - 1/2" to 2-1/2" Small Ball Valve Lockout (BS07A)
  - 1 - 1" to 2-1/2" Gate Valve Lockout (65560)
  - 1 - 120/277V Clamp-On Breaker Lockout w/ Cleat (65396)
  - 1 - Universal Multipole Breaker Lockout (66321)
  - 1 - Small 110V Electrical Plug Lockout (65674)
  - 2 - 1" Lockout Hasps (65375)
  - 2 - Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
  - 1 - Small Lockout Toolbox (105905)
  - Optional: 2 - Keyed-alike Safety Padlocks (99552) or Steel Padlocks (99500)

Catalog #	Description
104794	Personal Basic Lockout Kit
104795	Kit w/ 2 Keyed-alike Safety Padlocks
104796	Kit w/ 2 Keyed-alike Steel Padlocks

Personal Breaker Lockout Kit

- Tool box with 2 each of our most popular breaker lockouts
- Covers 120v/277v and 480/600v breakers in single- and multi-pole configurations.
- Components:
  - 2 - 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 2 - 480/600V Clamp-On Breaker Lockouts w/ Cleats (65397)
  - 2 - Universal Multipole Breaker Lockouts (66321)
  - 3 - 1" Red Lockout Hasps (65375)
  - 3 - Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
  - 1 - Small Lockout Toolbox (105905)
  - Optional: 3 - Keyed-alike Safety Padlocks (99552) or Steel Padlocks (99500)

Catalog #	Description
105963	Personal Breaker Lockout Kit
105964	Kit w/ 3 Keyed-Alike Safety Padlocks
105965	Kit w/ 3 Keyed-Alike Steel Padlocks

Prinzing Basic Lockout Kit

- Rugged lockout toolbox kit with all of the basic components to get your lockout program started
- Components:
  - 5 - 7" Red Cable Ties (FT100X-RED)
  - 5 - Lockout Danger Tags
  - 3 - 1-1/2" Steel Lockout Hasps (T220)
  - 1 - Lockout Keychain
  - 2 - 4"x6" Magnetic Danger Sign
  - 1 - Lockout miniposter (PS811B)
  - 1 - OSHA Lockout Summary Sheet
  - 1 - Number Sheets
  - 1 - Pad of Lockout Tagout checklists (119076)
  - 1 - Red Metal Toolbox

Catalog #	Description
LK330E	Prinzing Basic Lockout Kit
LK907E	Kit w/3 Aluminum 1.5" Keyed Alike Red Padlocks

Prinzing Lockout Kit

- Rugged lockout toolbox kit with all of the basic components to get your lockout program started
- Components:
  - 5 - 7" Red Cable Ties (FT100X-RED)
  - 5 - Lockout Danger Tags
  - 3 - 1-1/2" Steel Lockout Hasps (T220)
  - 1 - Lockout Keychain
  - 2 - 4"x6" Magnetic Danger Sign
  - 1 - Lockout miniposter (PS811B)
  - 1 - OSHA Lockout Summary Sheet
  - 1 - Number Sheets
  - 1 - AC Sensor (65269)
  - 3 - Aluminum 1.5" Keyed Alike Red Padlocks
  - 1 - Red Metal Toolbox

Catalog #	Description
LK331E	Prinzing Lockout Kit

Personal Lockout Kits

www.BradyID.com/lockouttagout

Personal Electrical Lockout Kit

- Provides lockouts for use on most circuit breakers, electrical plugs and disconnect switches.
- Components:
  - 1 - Mini Cable Lockout (50940)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 2 - 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 1 - 480/600V Clamp-On Breaker Lockout w/ Cleat (65397)
  - 2 - Universal Multipole Breaker Lockout (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 3 - 1" Group Lockout Hasps (65375)
  - 3 - Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
  - 1 - Medium Lockout Toolbox (105906)
  - Optional: 3 - Keyed-alike Safety Padlocks (99552) or Steel Padlocks (99500)

Catalog #	Description
105960	Personal Electrical Lockout Kit
105961	Kit w/3 Keyed-alike Safety Padlocks
105962	Kit w/3 Keyed-alike Steel Padlocks

Personal Valve Lockout Kit

- Contains devices for locking out a wide range of gate and ball valves
- Components:
  - 1 - 1" to 6-1/2" Adjustable Gate Valve Lockout (64057)
  - 1 - 1" to 2-1/2" Gate Valve Lockout (65560)
  - 1 - 1/2" to 2-1/2" Small Ball Valve Lockout (BS07A)
  - 1 - All Purpose Cable Lockout (50943)
  - 3 - 1" Group Lockout Hasps (65375)
  - 3 - Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
  - 1 - Medium Lockout Toolbox (105906)
  - Optional: 3 - Keyed-alike Safety Padlocks (99552) or Steel Padlocks (99500)

Catalog #	Description
105957	Personal Valve Lockout Kit
105958	Kit w/ 3 Keyed-Alike Safety Padlocks
105959	Kit w/ 3 Keyed-Alike Steel Padlocks

Personal Valve & Electrical Lockout Kit

- Provides everything you need to lockout breakers, plugs and valves of various types and sizes
- Components:
  - 1 - All Purpose Cable Lockout (50943)
  - 1 - 1" to 6-1/2" Adjustable Gate Valve Lockout (64057)
  - 1 - Plug Valve Lockout for stem dia up to 7/8" (113231)
  - 1 - Plug Valve Lockout for stem dia 9/32" to 1-3/8 (113232)
  - 1 - 1/2" to 2-1/2" Small Ball Valve Lockout (BS07A)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 2 - 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 1 - 480/600V Clamp-On Breaker Lockout w/ Cleat (65397)
  - 2 - Universal Multipole Breaker Lockouts (66321)
  - 3 - 1" Group Lockout Hasps (65375)
  - 3 - Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
  - 1 - Medium Lockout Toolbox (105906)
  - Optional: 3 - Keyed-alike Safety Padlocks (99552) or Steel Padlocks (99500)

Catalog #	Description
105954	Personal Valve & Electrical Kit
105955	Kit w/ 3 Keyed-Alike Safety Padlocks
105956	Kit w/ 3 Keyed-Alike Steel Padlocks

More Information

For more information on individual devices, visit BradyID.com or view the following pages:

- Padlocks page 408
- Breaker Lockouts page 423
- Mini Cable Lockout page 419
- Cable Lockout page 419
- Fuse Lockouts page 426
- Plug Valve Lockout page 421
- Gate Valve Lockouts page 421
- Ball Valve Lockouts page 421

Custom Lockout Kits

Create your custom lockout kits by picking one of the storage/carrying cases below and filling it with the lockout devices you need!

Lockout Belt Pouch

- Made of heavy duty nylon with loops for hanging on a belt
- Dimensions: 4-3/4"H x 7-1/2"W x 2"D

Catalog #	Description
51172	Lockout Belt Pouch

Large Lockout Pouch

- Made of nylon with attachment loop on back
- Dimensions: 8"H x 7"W x 3"D

Catalog #	Description
50979	Large Lockout Pouch w/ Plastic Zipper
121502	Large Lockout Pouch w/ Metal Zipper

Lockout Security Bag

- Made of rugged canvas with drawstring
- Capable of being locked closed
- Dimensions: 9-3/4"H x 18"W

Catalog #	Description
65780	Lockout Security Bag

Lockout Satchel

- Made of 1000 Denier Red Cordura Nylon with 39" shoulder strap
- Includes latchable front pocket and two side mesh holders
- Dimensions: 14"H x 4"W x 15"D

Catalog #	Description
51173	Lockout Satchel

Extra-Large Lockout Toolbox

- Made of rugged polyethylene and includes a removable organizer tray
- Capable of being locked closed
- Dimensions: 5"H x 12"W x 7"D

Catalog #	Description
LKX-TKLBOX	Lockout Toolbox

Lockout Duffel Bag

- Made of 600 denier polyester with 39" removable shoulder strap and 8 inside pockets
- Dimensions: 10"H x 16-1/2"W x 8-1/2"D

Catalog #	Description
99162	Lockout Duffel Bag

Lockout Toolboxes

- Made of rugged polypropylene with nickel-plated steel clasps and removeable tray
- Two handy storage pockets built into lid
- Small: 7.1"H x 14"W x 5.5"D
  Medium: 7.8"H x 16.2"W x 7.3"D

Catalog #	Description
105905	Small Toolbox
105906	Medium Toolbox

PRINZING Metal Lockout Cabinet

- All metal, yellow powder-coated cabinet comes with one adjustable shelf (extra shelves available)
- Capable of being locked closed
- Can also be easily wall mounted using predrilled holes in back
- Lockout safety tips printed on inside door
- Dimensions: 16"H x 14"W x 6"D

Catalog #	Description
LC252M	Metal Lockout Cabinet
LC254M	Extra Shelf

Ready Access Lockout Station

- Made of thermformed polyproylene
- Semi-transparent hinged cover with locking mechanism
- Slots in back for wall mounting and carrying handle for easy portability
- 4 Small detachable hanging hooks
- Compartment: 4.25"H x 16"W x 5.12"D
- Dimensions: 17"H x 17"W x 6.75"D

Catalog #	Description
105942	Ready Access Lockout Station (empty)

Lockout Stations

www.BradyID.com/lockouttagout

Lockout Tagout Stations

Brady's Lockout Tagout Stations ensure that lockout devices are properly stored and always accessible for when a lockout is performed. These Lockout Tagout Stations are a great place to centralize lockout activity needs by organizing the tools, padlocks and padlock keys in one location. Available in portable and wall-mounted styles, these stations are designed with durability for an industrial workplace, and can be locked to prevent theft and unauthorized usage.

Combined Lockout / Group Lockout Box Station

- Lockable all metal, yellow powder-coated cabinet comes with one adjustable shelf (extra shelves available)
- Included Lock box attaches to bottom of cabinet (holds 8-10 locks)
- Cabinet: 16"H x 14"W x 6"D
  Lock box: 6"H x 15"W x 3"D
  - 1 - 120V Snap-On Breaker Lockouts (65387)
  - 1 - 120/277V Clamp-On Breaker Lockout w/cleats (65396)
  - 1 - 480/600V Clamp-On Breaker Lockout w/cleats (65397)
  - 1 - Universal Multi-Pole Breaker Lockout (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - Wall Switch Lockout (65392)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - 1" to 2-1/2" Gate Valve Lockout (65560)
  - 1 - 1" to 6-1/2" Adjustable Gate Valve Lockout (64057)
  - 6 - Keyed-different safety padlocks (99552) or steel padlocks (99500)
  - 6 - Heavy duty, re-usable lockout tags (65520) w/ nylon cable ties

Catalog #	Description
99709	Station w/ Components & 6 Safety Padlocks, 12 Tags
99710	Station w/ Components & 6 Steel Padlocks, 12 Tags
LC252M	Metal Lockout Cabinet (empty)
LG252M	Metal Wall Lock Box Only
LC254M	Extra Shelf

Industrial Strength Lockout Station

- All metal, yellow powder coated cabinet comes with one adjustable shelf (extra shelves available)
- Lockout safety tips on inside door
- Wall mounted or easily transported
- Station size: 16"H x 14"W x 6"D
- Components:
  - 3 - Red Safety padlocks (99552)
  - 3 - Yellow Safety padlocks (99570)
  - 1 - 2-1/2" to 5" Safetee™ Donut (SDO4)
  - 1 - 1" to 2-1/2" Safetee™ Donut (SD02)
  - 1 - Single pole breaker lockout (BLO1)
  - 10 - Lockout tags with ties (LT10)
  - 2 - Multi pole breaker lockout (BLO3)
  - 1 - 1" Multiple lockout device (T218)
  - 1 - Single pole breaker lockout (BLO4)
  - 1 - 1-1/2" Multiple lockout device (T220)
  - 1 - 3-in-1 Electrical plug lockout (PLO23)
  - 1 - Small plug lockout (PLO21)

Catalog #	Description
LC251M	Industrial Strength Lockout Station
LC252M	Cabinet Only
LC254M	Extra Shelf

Pictured Ready Access Valve & Electrical Lockout Station (105935)

Ready Access Lockout Station

- Made of thermformed polyproylene for rugged durability
- Semi-transparent hinged cover with locking mechanism
- Slots in back for wall mounting or attachable carrying handle for easy portability
- 4 detachable hanging hooks inside compartment
- Storage compartment: 4.25"H x 16"W x 5.12"D
  Station dimensions: 17" H x 17"W x 6.75"D

Ready Access Valve Lockout Station

- 1 - Ready Access Lockout Station (105942)
- 2 - Adjustable Gate Valve Lockouts (64057)
- 1 - All Purpose Cable Lockout (50943)
- 2 - Ball Valve Lockouts (BSO7A)
- 2 - 1" Group Lockout Hasps (65375)
- 1 - 1.5" Group Lockout Hasp (65376)
- Optional:
  6 - Keyed different safety padlocks (99552) or steel padlocks (99500)
  6 - Heavy duty, re-usable lockout tags (65520) w/ nylon cable ties

Catalog #	Description
105936	Valve Lockout Station Kit
105937	Kit w/ 6 Safety Padlocks & Tags
105938	Kit w/ 6 Steel Padlocks & Tags
105942	Ready Access Lockout Station (empty)

Ready Access Electrical Lockout Station

- 1 - Ready Access Lockout Station (105942)
- 2 - 3-in-1 Electrical Plug Lockouts (PLO23)
- 1 - Mini Cable Lockout (50940)
- 2 - 120/277V Clamp-On Breaker Lockouts w/ cleats (65396)
- 2 - 480/600V Clamp-On Breaker Lockouts w/ cleats (65397)
- 2 - Universal Multipole Breaker Lockouts (66321)
- 1 - Oversized Breaker Lockout (65329)
- 2 - 1" Group Lockout Hasps (65375)
- 1 - 1.5" Group Lockout Hasps (65376)
- Optional:
  6 - Keyed different safety padlocks (99552) or steel padlocks (99500)
  6 - Heavy duty, re-usable lockout tags (65520) w/ nylon cable ties

Catalog #	Description
105939	Electrical Lockout Station Kit
105940	Kit w/ 6 Safety Padlocks & Tags
105941	Kit w/ 6 Steel Padlocks & Tags
105942	Ready Access Lockout Station (empty)

Ready Access Valve & Electrical Lockout Station

- 1 - Ready Access Lockout Station (105942)
- 1 - Adjustable Gate Valve Lockout (64057)
- 1 - All Purpose Cable Lockout (50943)
- 1 - Ball Valve Lockout (BSO7A)
- 1 - 3-in-1 Electrical Plug Lockout (PLO23)
- 2 - 120/277V Clamp-On Breaker Lockouts w/ cleats (65396)
- 1 - 480/600V Clamp-On Breaker Lockout w/ cleat (65397)
- 2 - Universal Multipole Breaker Lockouts (66321)
- 2 - 1" Group Lockout Hasps (65375)
- 1 - 1.5" Group Lockout Hasp (65376)
- Optional:
  6 - Keyed-different safety padlocks (99552) or steel padlocks (99500)
  6 - Heavy duty, re-usable lockout tags (65520) w/ nylon cable ties

Catalog #	Description
105933	Valve & Electrical Station Kit
105934	Kit w/ 6 Safety Padlocks & Tags
105935	Kit w/ 6 Steel Padlocks & Tags
105942	Ready Access Lockout Station (empty)

**Pictured Ready Access Station with 10 Padlocks (105930)*

Ready Access Padlock Station

- Holds up to 10 padlocks, 6 hasps and 10 tags
- Made of thermformed polyproylene for rugged durability
- Semi-transparent hinged cover with locking mechanism
- Slots in back for wall mounting as well as attachable carrying handle for portability
- Space-saving design delivers footprint half the size of competitors
- Dimensions: 17"H x 13.25"W x 2.5"D

Padlock Station w/5 Padlocks:

- 1 - Ready Access Padlock Station (105932)
- 5 - Keyed-different safety padlocks (99552) or steel padlocks (99500)
- 5 - Heavy Duty, re-usable lockout tags (65520) w/nylon cable tie
- 2 - 1" Group Lockout Hasps (65375)
- 2 - 1-1/2" Group Lockout Hasps (65376)

Catalog #	Description
105928	Station w/ 5 Safety Padlocks
105929	Station w/ 5 Steel Padlocks
105932	Ready Access Padlock Station (empty)

Padlock Station w/10 Padlocks:

- 1 - ReadyAccess Padlock Station (105932)
- 10 - Keyed-different safety padlocks (99552) or steel padlocks (99500)
- 10 - Heavy duty, re-usable lockout tags (65520) w/ nylon cable ties
- 3 - 1" Group Lockout Hasps (65375)
- 3 - 1-1/2" Group Lockout Hasps (65376)

Catalog #	Description
105930	Station w/ 10 Safety Padlocks
105931	Station w/ 10 Steel Padlocks
105932	Ready Access Padlock Station (empty)

Lockout Stations

www.BradyID.com/lockouttagout

Shown without optional lockable clear acrylic door

Extra-Large Lockout Station

- Ideal for locking out both mechanical and electrical control points
- Constructed of sturdy polystyrene with pre-drilled holes for easy wall mounting
- Pegboard-style holes for hooks drilled into back and sides (includes 8 hooks)
- Built-in lock rail holds 20-25 locks
- Dimensions: 30”H x 25”W x 5-1/4”D
- Available with or without lockable door
- Components:
  - 10 - All Purpose Cable Lockout w/ 8’ Sheathed Cable (50943)
  - 1 - Large Univ. Valve Lockout w/Blocking Arm (50899 and 65403)
  - 2 - 120V Snap-On Breaker Lockouts (65387)
  - 2 - 120/277V Clamp-On Breaker Lockouts (65396)
  - 2 - 480/600V Clamp-On Breaker Lockouts (65397)
  - 2 - Universal Multi-Pole Breaker Lockouts (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 2 - Cleats for 120/277V Clamp-On Lockouts (65404)
  - 2 - Cleats for 480/600V Clamp-On Lockouts (65406)
  - 1 - Wall Switch Lockout (65392)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - 1/4” to 1” Ball Valve Lockout (65666)
  - 1 - 1-1/4” to 3” Ball Valve Lockout (65669)
  - 2 - 1” to 2-1/2” Gate Valve Lockouts (65560)
  - 1 - 1” to 6-1/2” Adjustable Gate Valve Lockout (64057)
  - 2 - Labeled Lockout Hasps (65960)
  - 18 - Keyed different safety padlocks (99552) or steel padlocks (99500)
  - 25 - Heavy duty, re-usable lockout tags (65520) w/ nylon cable ties
  - 1 Station with “Lockout Station” legend

Catalog #	Description
Open Style Without Doors	
99693	Station w/ Components and 18 Safety Padlocks, 25 Tags
99694	Station w/ Components and 18 Steel Padlocks, 25 Tags
50993	Extra-Large Lockout Station (empty)
Enclosed Style With Lockable Doors	
99696	Station w/ Components and 18 Safety Padlocks, 25 Tags
99700	Station w/ Components and 18 Steel Padlocks, 25 Tags
50995	Extra-Large Enclosed Lockout Station (empty)

Shown with optional lockable clear acrylic door

Large Lockout Station

- Provides everything you need for locking out all types of valves and plugs
- Constructed of sturdy white polystyrene with predrilled holes for easy wall mounting
- Pegboard-style holes for hooks drilled into back (includes 6 hooks)
- Built-in lock rail holds 15-20 locks
- Dimensions: 26”H x 19-1/2”W x 5”D
- Available with or without lockable door
- Components:
  - 1 - All Purpose Cable Lockout w/ 8’ Sheathed Cable (50943)
  - 1 - Large Univ. Valve Lockout w/Blocking Arm (50899 and 65403)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - 1/4” to 1” Ball Valve Lockout (65666)
  - 1 - 1” to 2-1/2” Gate Valve Lockout (65560)
  - 1 - 1” to 6-1/2” Adj. Gate Valve Lockout (64057)
  - 2 - Labeled Lockout Hasps (65960)
  - 12 - Keyed different safety padlocks (99552) or steel padlocks (99500)
  - 25 - Heavy duty, re-usable lockout tags w/ nylon cable ties. Tag legend options:
    - Danger Do Not Operate (65520)
    - Precaucion No Hacer Funcionar (121518)
    - Peligro No Operar (98219)
  - 1 Station with “Lockout Station” or “Estacion de Bloqueo” legend

Catalog #	Description
Open Style Without Doors	
99699	English Station w/ Components and 12 Safety Padlocks, 25 “Danger Do Not Operate” Tags
121508	Spanish Station w/ Components and 12 Safety Padlocks, 25 “Precaucion No Hacer Funcionar” Tags
121512	Spanish Station w/ Components and 12 Safety Padlocks, 25 “Peligro No Operar” Tags
99697	English Station w/ Components and 12 Steel Padlocks, 25 “Danger Do Not Operate” Tags
50994	English Open Style Station (empty)
121509	Spanish Open Style Station (empty)
Enclosed Style With Lockable Doors	
99703	English Enclosed Station w/ Components and 12 Safety Padlocks, 25 “Danger Do Not Operate” Tags
99704	English Enclosed Station w/ Components and 12 Steel Padlocks, 25 “Danger Do Not Operate” Tags
50996	English Enclosed Station (empty)

Small Lockout Station

- Ideal for locking out all types of electrical control points
- Constructed of sturdy white polystyrene with predrilled holes for easy wall mounting
- Built-in lock rail holds 10-15 locks
- Pegboard-style holes for hooks drilled into back (includes 4 hooks)
- Dimensions: 18”H x 12”W x 4”D
- Components:
  - 1 - Mini Cable Lockout (50940)
  - 2 - 120V Snap-On Breaker Lockouts (65387)
  - 2 - 120/277V Clamp-On Breaker Lockouts w/ cleats (65396)
  - 2 - 480/600V Clamp-On Breaker Lockouts w/ cleats (65397)
  - 2 - Universal Multi-Pole Breaker Lockouts (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - Wall Switch Lockout (65392)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Small fuse blockout (65690)
  - 1 - Large fuse blockout (65691)
  - 2 - Labeled Lockout Hasps (65960)
  - 6 - Keyed different safety padlocks (99552) or steel padlocks (99500)
  - 12 - Heavy duty, re-usable lockout tags (65520) w/ nylon cable ties
  - 1 Station with “Lockout Station” legend

Catalog #	Description
99706	Station w/ Components & 6 Safety Padlocks, 12 Tags
99707	Station w/ Components & 6 Steel Padlocks, 12 Tags
50997	Small Lockout Station (empty)

Prinzing Starter Lockout Station

- Heavy duty lockout cabinet with the essential items needed to keep your facility safe and locked out
- Components:
  - 1 - Ball Valve Lockout (BS07A)
  - 2 - 2.5" to 5" Gate Valve Lockout (65561)
  - 2 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 6 - 1-1/2" Steel Lockout Hasp (T220)
  - 50 - 7" Red Cable Ties (FT100X-RED)
  - 25 - Lockout Tags (TG027E)
  - 3 - Red Brady Safety Padlocks, Key-Different (99552)
  - 3 - Yellow Brady Safety Padlocks, Key-Different (99570)
  - 1 - Lockout Tagout Cabinet Station (LC977A)

Catalog #	Description
LC517E	Prinzing Starter Lockout Station

Prinzing Valve & Electrical Lockout Station

- This heavy duty lockout cabinet station contains many common lockout devices needed in a facility
- Contents:
  - 1 - Ball Valve Lockout (BS07A)
  - 3 - No-hole Breaker Lockout (BL04)
  - 3 - Breaker Lockout, Multi-pole (BL07)
  - 6 - 1-1/2" Steel Lockout Hasp (T220)
  - 2 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 3 - Wall Switch Lockout (WSLO)
  - 2 - 2.5" to 5" Gate Valve Lockout (65561)
  - 50 - 7" Red Cable Ties (FT100X-RED)
  - 1 - OSHA Lockout Summary Sheet
  - 1 - Lockout miniposter (PS811B)
  - 25 - Lockout Tags (TG027E)
  - 1 - Lockout Tagout Cabinet Station (LC977A)

Catalog #	Description
LC518E	Prinzing Valve & Electrical Lockout Station

Brady Lockout Tagout Station Equip

- Fully equipped Lockout Tagout station to store all of your facility's Lockout Tagout products
- Components:
  - 1 - 1/2" to 2-1/2" Ball Valve Lockout (BS07A)
  - 2 - 2.3" to 5" Gate Valve Lockouts (65561)
  - 2 - 120/277V Clamp-On Breaker Lockout w/ cleats (65396)
  - 3 - Universal Multi-Pole Breaker Lockouts (66321)
  - 2 - 3-in-1 Electrical Plug Lockouts (PLO23)
  - 2 - Wall Switch Lockouts (65392)
  - 6 - 1-1/2" Steel Lockout Hasps (T220)
  - 1 - OSHA Lockout Tagout Summary Sheet
  - 100 - Red Cable Ties (FT100)
  - 25 - Lockout Danger Tags (TG027E)
  - 3 - Brady Safety Padlocks, Yellow, Keyed Different (99570)
  - 3 - Brady Safety Padlocks, Red, Keyed Different (99552)
  - 1 - Lockout Cabinet (LC584E)

Catalog #	Description
134036	Brady Lockout Tagout Station Equip

Safety Lockout Center

- Provides ready access to locks, tags, lockout devices and information
- Made of tough acrylic plastic
- Station size: 30"H x 24"W x 4-1/2"D
- Components:
  - 6 - Multi-color steel padlocks
  - 2 - 10 pack English lockout tags with ties (LT10)
  - 5 - 1-1/2" lockout hasps (T220)
  - 25 - English Lockout Safety booklets (2112X)

Catalog #	Description
3001	Safety Lockout Center
3012	Board Only

Bilingual Safety Lockout Center

- Provides ready access to locks, tags, lockout devices and information
- Made of tough acrylic plastic
- Station size: 30"H x 24"W x 4-1/2"D
- Components:
  - 6 - Multi-color padlocks
  - 2 - 10 pack Bilingual lockout tags with ties (TG400B-10)
  - 5 - 1-1/2" lockout hasps (T220)
  - 15 - English Lockout Safety booklets (2112X)
  - 10 - Spanish Lockout Safety booklets (2112SPX)

Catalog #	Description
3002	Bilingual Safety Lockout Center
3013	Bilingual Board Only

May We Also Suggest:

Lockout Station V-Sign

- Enhance the visibility of your Lockout Station with this V-shaped polyethylene sign
- Sign size: 8" x 9" x 1" flange (overall width is 14")

Catalog #	Description
66328	Lockout Stations V-Sign

Lockout Stations

www.BradyID.com/lockouttagout

Prinzing Lockout Center

- Large, easily identifiable lockout station to hold all of the necessary lockout items for your facility
- Components:
  - 2 - 1-1/2" Steel Lockout Hasp (T220)
  - 1 - 2.5" to 5" Gate Valve Lockout (65561)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Small Plug Lockout (PLO21)
  - 1 - 1/2" to 2-1/2" Small Ball Valve Lockout (BS07A)
  - 2 - 4"x6" Magnetic Danger Sign
  - 1 - Pad of Lockout Tagout checklists (119076)
  - 1 - Lockout miniposter (PS811B)
  - 10 - Lockout Danger Tags
  - 2 - Aluminum Padlocks, 1.5" Shackle, Keyed Different, Red (99615)
  - 2 - Aluminum Padlocks, 1.5" Shackle, Keyed Different, Blue (99616)
  - 2 - Aluminum Padlocks, 1.5" Shackle, Keyed Different, Yellow (99618)
  - 2 - Aluminum Padlocks, 1.5" Shackle, Keyed Different, Green (99617)
  - 1 - Large Yellow Lockout Board (LC501E)

Catalog #	Description
LC502E	Prinzing Lockout Center
LC501E	Prinzing Lockout Board Only

Prinzing Micro Lockout Station

- Compact and convenient mini-lockout station for essential items
- Contents:
  - 5 - 7" Red Cable Ties (FT100X-RED)
  - 1 - 1-1/2" Steel Lockout Hasp (T220)
  - 2 - Lockout Tags (LT1)
  - 1 - 3/4" Red Key-Retaining Steel Padlock (143126)
  - 1 - Micro Lockout Board (LC226A)

Catalog #	Description
KT226A	Prinzing Micro Lockout Station
LC226A	Board Only

5-Lock Board

- Dimensions: 11-1/2"H x 15-1/2"W
- Components:
  - 6 - Keyed different safety padlocks (99552) or steel padlocks (99500)
  - 1 - 1" metal hasp (65375)
  - 1 - 1-1/2" metal hasp (65376)
  - 12 - heavy duty tags (65520)

Catalog #	Description
51181	5-Lock Board & 5 Safety Padlocks
51186	5-Lock Board & 5 Steel Padlocks
50989	5-Lock Board (Board Only)

Prinzing Lockout Board

- Unfilled, wall mounted Lockout Center olds many of your most common devices needed around the facility for easy access and storage

Catalog #	Description
LC744E	Prinzing Lockout Board

Prinzing Economy Lockout Center

- Dimensions: 9" H x 12" W
- Components:
  - 10 - Lockout Tags (LT10)
  - 1 - 1.5" Lockout Hasp (T220)
  - 4 - Key Retaining Steel Locks, 3/4" Shackle Blue (143130)
  - 1 - Lockout Tagout Center (LC202G)

Catalog #	Description
LC203G	Prinzing Lockout Station
LC202G	Prinzing Lockout Board Only

Did you know? Lock Boards

- Lock boards contribute to a successful lockout program by having the right devices stored in the right places
- Boards are made of 3/16" thick bright yellow acrylic with acrylic lock rails.
- Tag pockets are made of clear polycarbonate and will hold tags up to 3" wide.

Prinzing Economy Lockout Center

- Dimensions: 14” H x 14” W
- Components:
  - 10 - Lockout Tags (LT10)
  - 1 - 1” Lockout Hasp (T218)
  - 1 - 1.5” Lockout Hasp (T220)
  - 2 - 1-1/2” Hasps
  - 24 - Heavy Duty Tags
  - 6 - Key Retaining Steel Locks, 3/4” shackle (Green, Yellow, Black, White, Blue, Red)
  - 1 - Lockout Tagout Center (3004Y)

Catalog #	Description
3003Y	Prinzing Economy Lockout Center
3004Y	Lockout Board Only

Prinzing Bilingual Lockout Center

- Dimensions: 14” H x 14” W
- Components:
  - 10 - Bilingual Lockout Tags (TG400B-ONE)
  - 1 - 1” Lockout Hasp (T218)
  - 1 - 1.5” Lockout Hasp (T220)
  - 6 - Key Retaining Steel Locks, 3/4” shackle (Green, Yellow, Black, White, Blue, Red)
  - 1 - Bilingual Lockout Tagout Center (LC210G)

Catalog #	Description
LC211G	Prinzing Bilingual Lockout Center
LC210G	Prinzing Bilingual Lockout Board Only

May We Also Suggest:

Ready Access Padlock Station

- Wall mountable, thermformed polyproylene cabinet with semi-transparent lockable door
- Holds up to10 padlocks, 6 hasps and 10 tags

See page 399 for more information.

10-Lock Board

- Dimensions: 13-1/2”H x 13-1/2”W
- Components:
  - 10 - Keyed different safety padlocks (99552) or steel padlocks (99500)
  - 2 - 1” hasps (65375)
  - 2 - 1-1/2” hasps (65376)
  - 12 - Heavy duty tags (65520)

Catalog #	Description
51187	10-Lock Board & 10 Safety Padlocks
51188	10-Lock Board & 10 Steel Padlocks
50990	10-Lock Board (Board Only)

20-Lock Board

- Dimensions: 23-1/2”H x 11-1/2”W
- Components:
  - 20 - Keyed different safety padlocks (99552) or steel padlocks (99500)
  - 2 - 1” hasps (65375)
  - 2 - 1-1/2” hasps (65376)
  - 24 - Heavy duty tags.Tag legend options:
    - Danger Do Not Operate (65520)
    - Peligro No Operar (98219)
    - Precaucion No Hacer Funcionar (121518)

Catalog #	Description
51189	20-Lock Board w/ 20 Safety Padlocks “Lockout Station” Board “Danger Do Not Operate” Tags
51194	20-Lock Board & 20 Steel Padlocks “Lockout Station” Board “Danger Do Not Operate” Tags
121507	20-Lock Board w/ 20 Safety Padlocks “Estacion de Bloqueo” Board “Precaucion No Hacer Funcionar” Tags
121511	20-Lock Board w/ 20 Safety Padlocks “Estacion de Bloqueo” Board “Peligro No Operar” Tags
50991	20-Lock “Lockout Station” Board Only
121506	20-Lock “Estacion de Bloqueo” Board Only

36-Lock Board

- Dimensions: 21-1/2”H x 23-1/2”W
- Components:
  - 36 - Keyed different safety padlocks (99552) or steel padlocks (99500)
  - 3 - 1” hasps (65375)
  - 3 - 1-1/2” hasps (65376)
  - 36 - Heavy duty tags (65520)

Catalog #	Description
51195	36-Lock Board & 36 Safety Padlocks
51196	36-Lock Board & 36 Steel Padlocks
50992	36-Lock Board (Board Only)

Lockout Tags

www.BradyID.com/lockouttagout

OSHA Lockout Tagout Regulations

The following requirements apply only to tags used as tagout devices (i.e., tags used alone without locks). Tags used in combination with locks are not required to meet the same restrictions as tagout devices.

Tagout devices must:

- Be provided by the employer
- Be standardized by size, shape or color
- Be distinguishable from tags used for other purposes
- Be understandable to all employees
- Identify the individual who applied the tag
- Withstand the usage environment to which they are exposed for the maximum period of time that exposure is intended. Tag should not deteriorate or the message become illegible when exposed to weather, wet or damp conditions, chemical or corrosive environments.
- Employ a means of attachment that is substantial enough to prevent accidental removal. The means of attachment must be of a non-reusable type, attachable by hand, self-locking, and non-releasable with a minimum unlocking strength of no less than 50 pounds.
- Warn against hazardous conditions if the machine or equipment is energized.
- Tag shall also include a legend such as the following: Do Not Operate, Do Not Start, Do Not Open, Do Not Close, etc.

Standard Lockout Tags

Communicate safety and lockout information at the point of need with Brady's wide selection of OSHA-compliant Lockout Tagout tags. Brady's Lockout Tags come in a variety of materials and legends to suit your application needs.

How to Order Tags

1. Determine the best tag material below for your application
2. Choose the tag legend for your tag
3. Order by part number for desired reverse side legend

Available Tag Materials:

Heavy Duty Polyester (B-837)

- Durable polyester laminate completely encapsulates and protects graphics
- Withstands moisture, grease, chemicals, and extreme temperatures
- Accepts pencil, pen and marker. Pen and marker can be completely erased using isopropyl alcohol
- Heavy duty construction withstands up to 80 lbs of pull force
- 3/8" dia. heavy-duty brass grommet
- Includes OSHA-compliant nylon fasteners

Economy Polyester (B-851)

- Rigid polyester surface is easy to write on and stays legible longer than cardstock
- Exceeds OSHA 50 lb. pull requirement for tagout devices
- 3/8" dia. rolled brass eyelet accepts most padlock shackles
- Includes OSHA-compliant nylon fasteners

Cardstock (B-853)

- Cost-effective tags designed for one-time use
- Does NOT meet OSHA 50 lb. pull test for tagout devices, but can be used in conjunction with locks (see OSHA Tag Requirements above)
- 3/8" dia. rolled brass eyelet accepts most padlock shackles
- Includes attachment strings

Catalog #	Reverse Legend	Qty.
Heavy Duty Polyester 5-1/2" x 3"		
65502	Side B	25
65535	Side F	25
65670	Side G	25
Economy Polyester 5-3/4" x 3"		
66050	Side B	25
66051	Side F	25
66052	Side G	25
Cardstock 5-3/4" x 3"		
65407	Side B	25
65408	Side F	25
65440	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy Duty Polyester 5-1/2" x 3"		
65520	Side B	25
65525	Side F	25
65671	Side G	25
Economy Polyester 5-3/4" x 3"		
66063	Side B	25
66064	Side F	25
66065	Side G	25
Cardstock 5-3/4" x 3"		
65451	Side B	25
65452	Side F	25
65453	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy Duty Polyester 5-1/2" x 3"		
65515	Side B	25
65524	Side F	25
133489	Side G	25
Economy Polyester 5-3/4" x 3"		
66061	Side B	25
66062	Side F	25
133490	Side G	25
Cardstock 5-3/4" x 3"		
133491	Side B	25
65450	Side F	25
133492	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy Duty Polyester 5-1/2" x 3"		
65526	Side B	25
65527	Side F	25
133493	Side G	25
Economy Polyester 5-3/4" x 3"		
66066	Side B	25
66067	Side F	25
133494	Side G	25
Cardstock 5-3/4" x 3"		
65454	Side B	25
65455	Side F	25
133495	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy Duty Polyester 5-1/2" x 3"		
65505	Side B	25
65523	Side F	25
133496	Side G	25
Economy Polyester 5-3/4" x 3"		
133497	Side B	25
133498	Side F	25
133499	Side G	25
Cardstock 5-3/4" x 3"		
65445	Side B	25
65446	Side F	25
133544	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy Duty Polyester 5-1/2" x 3"		
65503	Side B	25
65521	Side F	25
133545	Side G	25
Economy Polyester 5-3/4" x 3"		
66053	Side B	25
66054	Side F	25
133546	Side G	25
Cardstock 5-3/4" x 3"		
65441	Side B	25
65442	Side F	25
133547	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy Duty Polyester 5-1/2" x 3"		
65504	Side B	25
65522	Side F	25
133548	Side G	25
Economy Polyester 5-3/4" x 3"		
66055	Side B	25
66056	Side F	25
133549	Side G	25
Cardstock 5-3/4" x 3"		
65443	Side B	25
65444	Side F	25
133550	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy Duty Polyester 5-1/2" x 3"		
133551	Side B	25
133552	Side F	25
133553	Side G	25
Economy Polyester 5-3/4" x 3"		
50198	Side B	25
50199	Side F	25
133554	Side G	25
Cardstock 5-3/4" x 3"		
133555	Side B	25
50250	Side F	25
133556	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy Duty Polyester 5-1/2" x 3"		
65506	Side B	25
65534	Side F	25
133557	Side G	25
Economy Polyester 5-3/4" x 3"		
133558	Side B	25
66060	Side F	25
133559	Side G	25
Cardstock 5-3/4" x 3"		
65447	Side B	25
65448	Side F	25
133560	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy Duty Polyester 5-1/2" x 3"		
133561	Side B	25
50258	Side F	25
13356	Side G	25
Economy Polyester 5-3/4" x 3"		
133563	Side B	25
133564	Side F	25
133565	Side G	25
Cardstock 5-3/4" x 3"		
50261	Side B	25
133566	Side F	25
133567	Side G	25

Reverse Legend Options



Reverse Side B



Reverse Side F

Reverse Side G

Lockout Tags

www.BradyID.com/lockouttagout

Spanish Lockout Tags

- B-837 - Heavy Duty Laminated Polyester tags meet OSHA's 50 lb. pull force requirement for Tagout and have superior chemical resistance. These plastic tags are encapsulated in matte polyester laminate for superior durability. Nylon ties included.
- B-851 - Economy Polyester tags meet OSHA's 50 lb. pull force requirement for Tagout and have moderate chemical resistance. Nylon ties included.

** Designates tags that have a self-adhesive, clear overlaminate flap which is pressed over the face of the tag for permanent protection.*

† Designates tags that have a larger hole without a grommet to accommodate padlocks.

- B-853 - Cardstock tags provide an economical, yet durable material option. Attachment strings included.

98219	3"x5-3⁄4"	B-851	10/pk

121514	3"x5-3⁄4"	B-851*	10/pk

121515	5-1⁄5" x 3"	B-837	25/pk
121516	5-3⁄4" x 3"	B-851	25/pk
121517	5-3⁄4" x 3"	B-853	25/pk

121518	5-1⁄5" x 3"	B-837	25/pk
121519	5-3⁄4" x 3"	B-851	25/pk
121520	5-3⁄4" x 3"	B-853	25/pk

Peel away liner

Front *Back*

Self-Laminating Photo Tags

- Include employee photos for easy identification and greater impact
- Constructed of durable B-851 polyester
- Available with or without1 mil polyester overlay on front
- Includes nylon fasteners

Catalog #	Description	Size	Qty.
65500	w/o Laminate	5-3⁄4" x 3"	10
65501	w/ Laminate	5-3⁄4" x 3"	10
96222	w/ Laminate	7" x 4"	10

Tags w/ Detachable Key Stub

- Perforated heavy cardstock tag with detachable key stub
- Matching identification numbers printed on each part
- Accepts pencil, pen or marker
- Tie strings provided for easy tag attachment
- 1"-diameter metal ring provided for attaching stub to key

Catalog #	Legend	Size	Qty.
WKT2	Equipment Locked Out	5-3⁄4" x 3"	25
WKT3	Do Not Operate	5-3⁄4" x 3"	25

Padlock Tags

- Calendered vinyl accepts pencil, pen or marker
- Employs 3/8" metal grommet that fits over most padlock shackles
- Dimensions: 3" x 2" (grommet adds another 1" to height)
- Sold individually

Catalog #	Legend	Size	Qty.
105722	Equipment Locked Out	3" x 2" plus grommet	1
105723	Do Not Operate	3" x 2" plus grommet	1
105724	Do Not Operate English/Spanish	3" x 2" plus grommet	1

Two-Part Perforated Tags

Two-part tags provide enhanced operational control and record-keeping. Stub is removed when tag is attached to a lockout point. Only the employee in possession of the stub has the authority to remove the tag. After the job is done, stub is returned to management for verification and monitoring of Lockout Tagout activity in the plant. Matching identification numbers are printed on each part.

- B-851 - Economy Polyester tags are durable 10 mil-thick polyester making it easy to remove chemicals, grease and grime. Suitable for indoor or outdoor use. Nylon ties included.
- B-853 - Cardstock tags provide an economical, yet durable material option. Attachement strings included.

105370	7-1/2" x 4"	B-851	25/pk
105372	7-1/2" x 4"	B-853	25/pk

105371	7-1/2" x 4"	B-851	25/pk
105373	7-1/2" x 4"	B-853	25/pk

1-Pocket Tag Holder

- Clear plastic holder is designed to hold 50 tags, ties and a marking pen (Tags and pen not included)
- Comes with adhesive strips, magnetic strips, and screws for mounting
- Dimensions: 7-1/2"H x 4-1/2"W x 1-1/2"D

Catalog #	Description
TH2	1-Pocket Economy Tag Holder

Pocket Premium Tag Center

- Acrylic center features 8 pockets for displaying and dispensing tags
- Each pocket holds up to 30 tags. Tags not included
- Four pre-drilled holes for wall mounting
- Dimensions: 15-3/4"H x 23-1/2"W x 2"D

Catalog #	Description
TC8	8-Pocket Premium Tag Center

10-Pocket Tag Safety Station

- Made of rugged polycarbonate
- Four pre-drilled holes for wall mounting
- Dimensions: 22"H x 16-1/2"W x 2-1/4"D
- Tags not included

Catalog #	Description
81773	10-Pocket Tag Safety Station



Tag Fasteners

- Three fastener styles available to meet every application
- Nylon fasteners meet OSHA requirements for attaching tagout devices

Catalog #	Description	Qty.
81760	12" 26 Gauge Wire	100
81761	8" Reusable Beaded Ties	100
81762	8" Nylon Fasteners	100

Magnetic-Backed Protective Envelopes

- Transparent, durable vinyl construction makes it ideal for indoor or outdoor use
- Protects tags and data cards on machinery, valves, switches and more

Catalog #	Size	Qty.
81769	4-1/2" x 6-1/2"	10
81770	5-1/2" x 8-1/2"	10

Zip-Lock Protective Envelopes

- Transparent, durable vinyl construction makes it ideal for indoor or outdoor use
- Protects tags and data cards on machinery, valves, switches and more

Catalog #	Size	Qty.
81765	4-1/2" x 6-1/2" (w/o grommet)	10
81766	4-1/2" x 6-1/2" (w/grommet)	10
81767	5-1/2" x 8-1/2" (w/o grommet)	10
81768	5-1/2" x 8-1/2" (w/grommet)	10

Padlocks

www.BradyID.com/lockouttagout

Padlocks

Padlocks may seem like a commonplace device in your facility, but the fact remains that the durability and reliability of your padlocks is a critical component to your facility's safety. You need padlocks that will withstand harsh conditions, rough handlings and function properly for many years ahead.

Keyed padlocks will keep important source points locked and improve safety. These padlocks are available in a range of materials and are also available in various sizes to best accommodate your unique lockout situation.

	Compact Safety Padlocks	Safety Padlock with Steel Shackle	Safety Padlock with Nylon Shackle	Long-Body Safety Padlock	Key Retaining Laminated Steel Padlocks	Laminated Steel Padlocks	Compact Aluminum Padlocks	Full Aluminium Padlocks
Compact & Lightweight	✔	✔	✔		✔		✔	
Non-Conductive Body & Keyway	✔	✔	✔	✔				
Most Corrosion Resistant	✔	✔	✔	✔	✔	✔	✔	✔
Most Spark Resistant	✔	✔	✔	✔				
Most Tamperproof		✔	✔	✔	✔	✔	✔	✔
Most Rugged		✔	✔	✔		✔		✔
Body Height & Material	1-2/5" Fiberglass Reinforced Nylon	1-3/4" Fiberglass Reinforced Nylon	1-3/4" Fiberglass Reinforced Nylon	3" Fiberglass Reinforced Nylon	1-1/5" Steel	1-1/3" Steel	1-1/4" Aluminium	1-3/5" Aluminium
Shackle Size & Material	3⁄16" dia. 1" high Aluminum	1⁄4" dia. 1-1/2" high Steel	1⁄4" dia. 1-1/2" high Nylon	1⁄4" dia. 1-1/2" high Steel	17⁄64" dia. 3/4", 2" or 3" high Steel	17⁄64" dia. 3/4" or 2" high Steel	1⁄4" dia. 1" high Aluminium	1⁄4" dia. 1", 1-1/2" or 3" high Aluminum
Colors	BK, BL, BR, GR, OR, PL, RD, YL, WT	BK, BL, BR, GR, OR, PL, RD, YL, WT	BK, BL, BR, GR, OR, PL, RD, YL, WT	BK, BL, BR, GR, OR, PL, RD, YL, WT	BK, BL, BR, GR, RD, PL, YL, WT	BK, BL, BR, GR, OR, PL, RD, YL	BK, BL, BR, GR, OR, PL, RD, SL, YL	BK, BL, BR, GR, OR, PL, RD, SL, YL
Identification Capabilities	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)
Key Possibilities *denotes custom	Keyed Different Keyed Alike	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*
Main Application	Electrical applications, small and confined spaces	Industrial safety (process industry - custom applications)	Industrial safety (process industry - custom applications) Electrical applications	Industrial safety (process industry - custom applications)	Industrial safety, Severe physical environment	Severe physical environment, Industrial safety	Small space applications where light-weight and easy to carry locks are needed	Outdoor, Industrial Safety, Food & Beverage applications (FDA approved lubricant in cylinder)
Main Features	Non-conductive body, Compact & Light Weight, Key retaining system, Cylinder can support same keying system as regular safety padlock	Non-conductive body, Key retaining system, High security (6-pins)	Completely non-conductive lock, Key retaining system, High security (6-pin)	Non-conductive body, Key retaining system, High security (6-pins)	Physical resistance, Key retaining system, Superior corrosion resistance	Physical resistance, Superior corrosion resistance	Compact & Lightweight, Superior corrosion resistance	Superior corrosion resistance, Laser engraving
Includes	1 Key & Labels (EN, FR, SP)	1 Key & Labels (EN, FR, SP)	1 Key & Labels (EN, FR, SP)	1 Key & Labels (EN, FR, SP)	1 key Labels Sold Seperately	2 keys Labels Sold Seperately	2 keys Labels Sold Seperately	2 keys Labels Sold Seperately

OSHA Lockout Tagout Regulations

1910.147(c)(5) OSHA Lockout Device Requirements state that lockout devices must:

Tagout devices must:

- Be provided by the employer
- Be standardized by size, shape or color
- Be distinguishable from locks used for other purposes. Lockout locks should only be used for lockout!
- Identify the individual who applied the lock (both tags and lock labels are acceptable for this purpose)
- Be capable of withstanding the usage environment and must be strong enough to prevent removal except by using excessive force with special tools, such as bolt cutters.
- Most importantly, whenever lockout devices are applied, they must remain under the exclusive control of the individual who attached them. No employee should be able to open a lock attached by someone else.

Keying & Charting Options

Keyed Different

- Brady padlocks come “keyed different” when purchased from stock. This means that the key for one lock should not open another. Brady padlocks use 5- or 6-pin cylinders. Moreover, both cylinders and keys are precision-machined to exacting standards. This enables us to offer a greater number of unique keys than other locks with the same number of pins, making it highly unlikely that you will ever receive a duplicate lock.
- To guarantee that each lock is different, we can chart your locks, ensuring that each Brady padlock you receive is different from the others.

Keyed Alike

- When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee. Remember, however, that under OSHA regulations no employee should be able to open a lock applied by someone else. Therefore, keyed alike locks from the same set should never be distributed to multiple employees.



Master Keyed

- A master key can be used to open multiple locks that are keyed differently. This allows supervisors to easily remove a lock in the event of an emergency. In order for employees to retain exclusive control, master keys should be kept in a secure location that is accessible only to management.

Key Charting

- Brady can track or “chart” your key codes upon request in order to simplify ordering replacement locks and to avoid duplicates when ordering additional locks. There is no extra charge for charting. Call for Customer Service at 1-888-272-3946 details!

Need a Custom Key Solution?

At Brady, we can help you with your custom keying program. Just call a Brady customer service representative at 1-888-272-3946 to get started!

Padlocks

www.BradyID.com/lockouttagout

Actual size of Brady's Compact Safety Padlock

Brady Safety Padlocks

- Comply with all OSHA requirements and are a safer alternative to metal locks for lockout applications
- Nonconductive body, while the unique key cylinder prevents electricity from traveling from the shackle to the key, protecting workers when key is inserted
- Superior temperature, chemical and corrosion resistance
- "Danger" and "Property of" labels provided in English, Spanish, and French and are printed on 100% recycled paper
- Reserved paracentric keyway provides optimal security (prevents someone from getting a copy made at a local key shop)
- Key-retaining feature prevents key from being removed until shackle is securely closed
- Locks come keyed differently or in keyed-alike sets. Custom keying and charting available
- Lock bodies can be custom laser engraved upon request
- One key is supplied with each padlock for safer key management

Compact Safety Padlocks

- Extremely compact and lightweight - the smallest safety lock on the market
- Easily fits in small spaces (circuit breaker panels, etc) and is ideal for electrical contractors/maintenance/electricians
- 5-pin cylinder can support same keying system as our current Safety Padlock
- Fiberglass reinforced nylon body for extra impact resistance
- Aluminum shackle has superior spark and corrosion resistance
- Service temperature: 0°–250° F (-20°–120° C)
- Lock body dimensions: 1-2/5"H x 1-1/5"W x 5/8"D
  Shackle clearance: 1"; shackle diameter 1/5"
- Each padlock includes 1 key and one each English, Spanish and French labels

Compact Safety Padlocks

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	143150	118926	118953	118954
Green	143152	118927	118955	118956
Orange	143154	118928	118957	118958
Blue	143156	118929	118959	118960
Yellow	143158	118930	118961	118962
Brown	143160	118931	118963	118964
White	143162	118932	118965	118966
Purple	143164	118933	118967	118968
Black	143166	118934	118969	118970

When keyed alike, all locks in a set can be opened with the same key. This option is benefical when multiple locks are assigned to a single employee.

Safety Padlocks

- Lightweight, nonconductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body and triple-coated hardened steel shackle
- Service temperature: 0°–250° F (-20°–120° C)
- Lock body dimensions: 1-3/4"H x 1-1/2"W x 4/5"D
- Shackle clearance: 1-1/2"; shackle diameter: 1/4"
- Each padlock includes 1 key and one each English, Spanish and French labels

Safety Padlocks - 1-1/2" Steel Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99552	51339	105886	105890
Green	99564	51345	105889	105893
Orange	99576	51347	123268	123270
Blue	99556	51344	105887	105891
Yellow	99570	51346	105888	105892
Brown	103033	101956	118947	118948
White	143123	118925	118949	118950
Purple	104919	104916	118951	118952
Black	99580	51353	123269	123271

When keyed alike, all locks in a set can be opened with the same key. This option is benefical when multiple locks are assigned to a single employee.

NEW!

Compact Safety Padlock Kits

- A great solution for any worker needing just "one lock and one tag"
- Ideal for electrical lockout points, tight spaces, storefront use or vending solutions
- Components:
  - 1 - Compact Safety Padlock
  - 1 - Heavy-duty Polyester (B-837) Lockout Tag with durable over-laminate that can be re-usable
  - 1 - Nylon Cable Tie

Compact Safety Padlock Kits

Catalog #	Lock Color	Qty
123143	Red	1
123144	Green	1
123145	Orange	1
123146	Blue	1
123147	Yellow	1
123148	Brown	1
123149	White	1
123150	Purple	1
123151	Black	1

Safety Padlocks with Non-Conductive Nylon Shackle

- Lightweight, nonconductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body and with non-conductive nylon shackle
- Lock body dimensions: 1-3/4"H x 1-1/2"W x 4/5"D
- Shackle clearance: 1-1/2"; shackle diameter: 1/4"
- Each padlock includes 1 key and one each English, Spanish and French labels

Long Body Safety Padlocks

- 3" long body has ample space for your most important identification information
- Lightweight, nonconductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body and triple-coated hardened steel shackle
- Service temperature: 0°–250° F (-20°–120° C)
- Lock body dimensions: 3"H x 1-1/2"W x 4/5"D
- Shackle clearance: 1-1/2"; shackle diameter: 1/4"
- Each padlock includes 1 key and one each English/Spanish and English/French "DO NOT OPERATE" labels

Safety Padlocks - 1-1/2" Nylon Shackle NEW!

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123324	123351	123333	123342
Green	123326	123353	123335	123344
Orange	123328	123355	123337	123346
Blue	123325	123352	123334	123343
Yellow	123327	123354	123336	123345
Brown	123330	123357	123339	123348
White	123332	123359	123341	123350
Purple	123331	123358	123340	123349
Black	123329	123356	123338	123347

When keyed alike, all locks in a set can be opened with the same key. This option is benefical when multiple locks are assigned to a single employee.

Long Body Safety Padlocks - 1-1/2" Shackle NEW!

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123405	123396	123414	123423
Green	123407	123398	123416	123425
Orange	123409	123400	123418	123427
Blue	123406	123397	123415	123424
Yellow	123408	123399	123417	123426
Brown	123411	123402	123420	123429
White	123413	123404	123422	123431
Purple	123412	123403	123421	123430
Black	123410	123401	123419	123428

When keyed alike, all locks in a set can be opened with the same key. This option is benefical when multiple locks are assigned to a single employee.

Padlocks

www.BradyID.com/lockouttagout

Key Retaining Steel Padlocks

- Key retaining safety feature prevents key from being removed until closed
- Reinforced laminated steel withstands severe physical abuse while hardened steel shackle resists tampering, cutting, prying, and rusting
- Body plates individually coated for superior rust protection
- 5- pin cylinder offers more unique key cuts and increased tamper resistance
- Colored bumpers supplied for identification (custom stamping available)
- Made from recycled material
- Each padlock includes 1 key. Custom keying and charting also available. Lock labels Sold Separately.
- Shackle sizes: 3/4", 2" or 3"
  Shackle diameter: 17/64"
  Lock Body: 1-1/5"H x 1-5/16"W x 1"D

Key Retaining Steel Padlocks 3/4" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	143126	118935
Green	143128	118936
Blue	143130	118937
Yellow	143132	118938
White	143134	118939
Black	143136	118940
Brown	123272	123280
Purple	123273	123281

Key Retaining Steel Padlocks 2" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	143144	118944	118977	118978
Green	143142	118943	118975	118976
Blue	143140	118942	118973	118974
Yellow	143148	118946	118981	118982
White	143146	118945	118979	118980
Black	143138	118941	118971	118972
Brown	123274	123282	123276	123278
Purple	123275	123283	123277	123279

When keyed alike, all locks in a set can be opened with the same key. This option is benefical when multiple locks are assigned to a single employee.

Key Retaining Steel Padlocks 3" Shackle

NEW!

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123244	123236	123252	123260
Green	123245	123237	123253	123261
Blue	123246	123238	123254	123262
Yellow	123247	123239	123255	123263
White	123248	123240	123256	123264
Black	123249	123241	123257	123265
Brown	123250	123242	123258	123266
Purple	123251	123243	123259	123267

When keyed alike, all locks in a set can be opened with the same key. This option is benefical when multiple locks are assigned to a single employee.

Steel Padlocks

- Reinforced laminated steel withstands severe physical abuse while hardened steel shackle resists tampering
- Body plates individually coated for superior rust protection
- 5-pin cylinder offers more unique key cuts, better tamper resistance than conventional 4-pin locks
- Colored bumpers supplied for identification
- Custom keying and charting or engraving also available
- Each padlock includes 2 keys. Lock labels Sold Separately.
- hackle sizes: 3/4" or 2"
  Shackle diameter: 17/64"
  Lock body: 1-1/3"H x 19/16"W x 7/8"D

Steel Padlocks - 3/4" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	99500	51279
Blue	99504	51280
Green	99508	51281
Yellow	99512	51282
Orange	99516	51283
Black	99520	51284
Brown	101957	102696
Purple	104920	104917

Steel Padlocks - 2" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99524	51290	105894	105898
Blue	99528	51291	105895	105899
Green	99533	51292	105897	105901
Yellow	99539	51297	105896	105900
Orange	99543	51298	-	-
Black	99548	51299	-	-
Brown	101958	102698	-	-
Purple	104921	104918	-	-

When keyed alike, all locks in a set can be opened with the same key. This option is benefical when multiple locks are assigned to a single employee.



Aluminum Padlocks

- Lightweight yet rugged with solid aluminum body and shackle
- Lightest-weight aluminum lock in the market and made from recycled material
- Reserved paracentric keyway provides optimal security (prevents someone from getting a copy made at a local key shop)
- Anodized aluminum finish gives better fade resistance when used outdoors
- FDA approved lubricant in cylinder
- Aluminum shackle has superior spark and corrosion resistance
- Shackle sizes: 1", 1-1/2" or 3" Shackle diameter: 1/4"
- Compact Lock body: 1-1/4"H x 1-1/4"W Compact Lock Body contains a 5-pin cylinder
- Regular Lock body: 1-3/5"H x 1-1/2"W x 3/4"D Regular Lock Body features 6-pin cylinder which offers more unique key changes and better tamper resistance
- Each padlock includes 2 keys. Custom keying and charting also available. Lock labels Sold Separately.

Compact Aluminum Padlocks 1" Shackle

NEW!

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	133270	133261	133279	133288
Blue	133271	133262	133280	133289
Green	133272	133263	133281	133290
Yellow	133273	133264	133282	133291
Orange	133274	133265	133283	133292
Black	133275	133266	133284	133293
Brown	133276	133267	133285	133294
Purple	133277	133268	133286	133295
Silver	133278	133269	133287	133296

When keyed alike, all locks in a set can be opened with the same key. This option is benefical when multiple locks are assigned to a single employee.

Aluminum Padlocks 1" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	99608	51360
Blue	99609	51361
Green	99610	51362
Yellow	99611	51363
Orange	99612	51368
Black	99613	51369
Brown	104574	104575
Purple	104572	104573
Silver	123320	123322

Aluminum Padlocks 1-1/2" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99615	51370	105902	105882
Blue	99616	51371	105903	105883
Green	99617	51376	105881	105885
Yellow	99618	51377	105904	105884
Orange	99619	51378	123432	123437
Black	99620	50274	123433	123438
Brown	104578	104579	123434	123439
Purple	104576	104577	123435	123440
Silver	123321	123323	123436	123441

When keyed alike, all locks in a set can be opened with the same key. This option is benefical when multiple locks are assigned to a single employee.

Aluminum Padlocks 3" Shackle

NEW!

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123293	123284	123302	123311
Blue	123294	123285	123303	123312
Green	123295	123286	123304	123313
Yellow	123296	123287	123305	123314
Orange	123297	123288	123306	123315
Black	123298	123289	123307	123316
Brown	123299	123290	123308	123317
Purple	123300	123291	123309	123318
Silver	123301	123292	123310	123319

When keyed alike, all locks in a set can be opened with the same key. This option is benefical when multiple locks are assigned to a single employee.

May we also suggest:

Custom Keying Solutions

At Brady, we can help you with your custom keying program.

Just call a Brady customer service representative at 1-888-272-3946 to get started!

Combination Padlock

Compact, lightweight lock with a steel shackle and a 4-digit resettable code

Catalog #	Description
101963	Combination Padlock

Padlock Labels

www.BradyID.com/lockouttagout

Padlock labels are a great way to quickly identify padlocks that are being used for lockout tagout. They help send a clear message to workers when a machine is down for service or maintenance.

Steel Padlock Labels

- Durable B-826 vinyl labels include overlaminate strips. Labels accept using pencil, pen or marker.
- Designed to fit Steel Padlocks

Catalog #	Description	Size	Qty.
50280	English	3/4"H x 4-1/2"W	6
50281	Spanish	3/4"H x 4-1/2"W	6
50283	French	3/4"H x 4-1/2"W	6

Steel Padlock Label

- Durable B-7569 vinyl labels accept pencil, pen or marker
- Designed to fit Steel Padlocks

Catalog #	Size	Qty.
121448	3/4"H x 5"W	40

Steel Padlock Label

- Durable B-7569 vinyl labels accept pencil, pen or marker
- Designed to fit Steel Padlocks

Catalog #	Size	Qty.
121449	5/8"H x 4.5"W	5

Prinzing Lockout Labels

- Labels accept pencil, pen or marker
- Designed to fit Steel Padlocks

Catalog #	Size	Qty.
LID-3	3/4"H x 4.5"W	25

Safety Padlock Labels

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit Safety Padlocks
- Labels supplied multiple languages

Catalog #	Description	Qty.
51379	English/Spanish/French	6 of each language

Aluminum Padlock Labels

- Durable B-826 vinyl labels accept pencil, pen or marker
- Designed to fit Aluminum Padlocks

Catalog #	Description	Size	Qty.
50289	English	0.8"H x 1.1"W	6
50292	Spanish	0.8"H x 1.1"W	6
50293	French	0.8"H x 1.1"W	6

Lock Label Overlaminate

- B-835 clear overlaminate protects existing lock label from dirt and grease
- Lock label Sold Separately

Catalog #	Description	Qty.
65508	1"H x 6"W overlaminate	40

Padlock Stations

- Constructed of 14 gauge steel with red plastic coating
- Small station holds up to 4 padlocks (2-1/4"H x 3"W x 1-1/4"D)
- Large station holds up to 24 padlocks (3"H x 16"W x 1-1/4"D)

Catalog #	Description
LR060E	Small Padlock Station
LR360E	Large Padlock Station

** Padlocks Sold Separately.*

Enclosed Padlock Storage Modules

- Provides safe storage and controls access to padlocks
- Constructed of sintra with lockable, transparent acrylic doors
- Small module holds 16 locks (15"H x 15"W x 3-1/2"D)
- Large module hold 40 locks (30"H x 15"W x 3-1/2"D)

Catalog #	Description
65240	Small Padlock Storage Module
65241	Large Padlock Storage Module

** Padlocks Sold Separately.*

Steel Padlock Control Centers

- Red powder-coated 22 gauge steel
- Each metal hook can hold 2 locks
- Two keys supplied for cabinet lock
- Small center holds 16 locks (10"H x 12"W x 2"D)
- Large center hold 32 locks (15-1/2"H x 18"W x 2"D)

Catalog #	Description
LR008E	Small Padlock Control Center
LR018E	Large Padlock Control Center

** Padlocks Sold Separately.*

Padlock Management System

- Reduces theft by controlling access to locks!
- Each lock individually secured into a numbered port on the lock board
- Locks can only be removed by personnel with assigned access keys. Access key is retained in board until lock is returned.
- Call Brady Customer Service to place your order today!

This tracking system can also be used to secure a wide variety of plant assets, including employee issued tools, electronics and maintenance equipment.

Specify the following to order your management system:

1) LOCKS PER UNIT (Choose one)

❑ 5 locks (board size – 5-3/8"H x 21-3/8"W x 4"D)
❑ 10 locks (board size – 7"H x 21-3/8"W x 4"D)
❑ 15 locks (board size – 10"H x 21-3/8"W x 4"D)
❑ 25 locks (board size – 17-1/2"H x 21-3/8"W x 4"D)
❑ 50 locks (board size – 32-1/2"H x 21-3/8"W x 4"D)
❑ 75 locks (board size – 47-3/8"H x 21-3/8"W x 4"D)

2) COLOR OF LOCKS (Total must equal choice above)

❑ Yellow_____Qty ❑ Green_____Qty ❑ Red_____Qty

3) KEYING

❑ Keyed Alike
❑ Master Key w/ Keyed Alike
____Qty of Master Keys
❑ Keyed Different
❑ Master Key w/Keyed Different
____Qty of Master Keys

4) COLOR OF ACCESS KEYS (Total must equal no. of locks)

❑ Yellow _____Qty ❑ Green _____Qty
❑ White _____Qty ❑ Blue _____Qty
❑ Red _____Qty ❑ Silver _____Qty
(Other colors also available)

** For Keyed Alike or Master Keyed Padlocks call your local Brady Distributor for pricing.*

Specify the following to order ADDITIONAL LOCKS or access keys:

1) ADDITIONAL LOCKS

❑ Yellow _____Qty ❑ Green _____Qty
❑ White _____Qty ❑ Blue _____Qty
❑ Red _____Qty ❑ Silver _____Qty

2) KEYING

❑ Keyed Alike
❑ Master Key w/ Keyed Alike
____Qty of Master Keys
❑ Keyed Different
❑ Master Key w/Keyed Different
____Qty of Master Keys

4) COLOR OF ACCESS KEYS (Total must equal no. of locks)

❑ Yellow _____Qty ❑ Green _____Qty
❑ White _____Qty ❑ Blue _____Qty
❑ Red _____Qty ❑ Silver _____Qty
(Other colors also available)

** For Keyed Alike or Master Keyed Padlocks call your local Brady Distributor for pricing.*

Group Lockout Boxes

www.BradyID.com/lockouttagout

Lockout Boxes - A great idea for group lockout

For group lockout situations involving a large number of workers and equipment, lock boxes can offer a number of advantages over hasps.

How group lockout boxes work:

- Supervisor uses a single job lock on each energy control point to lock out equipment
- Keys for job locks are put in a lockout box
- Each worker applies his own lock to the lock box. As long as any one worker's lock remains on the lockout box, the keys to the job locks cannot be accessed, and the energy isolating devices cannot be operated. Each employee retains exclusive control, as required by OSHA.

How group lockout boxes can save you money:

- Example: Assume 5 workers need to lock out 10 energy control points
- Using hasps, 50 locks are required (all 5 workers must apply individual locks to each control point)
- Using a lockout box, only 15 locks are required (10 job locks applied to control points and 5 employee locks applied to lockout box). That's 70% fewer locks!
- Less weight hanging from the energy point - 1 lock instead of 5!
- Finally, checking the locks on the lock box allows you track who is still working. With hasps, you need to walk around to each energy control point to see whose lock is still in place.

Portable Metal Group Lockout Boxes

- Made of heavy duty steel, powder-coated for extra rust resistance
- 12 lock holes on lid, plus one lockable clasp on front
- Standard lock box: 6"H x 9"W x 3-1/2"D
  When used for storage, holds up to 40 padlocks
- Extra large lock box: 6"H x 7-3/8"W x 9-1/2"D
  When used for storage, holds up to 75 padlocks

Catalog #	Description	Size	Color
45190	Standard Lock Box - English	6" x 9" x 3-1/2"	Blue
65672	Standard Lock Box - English	6" x 9" x 3-1/2"	Yellow
65699	Standard Lock Box - English	6" x 9" x 3-1/2"	Red
65040	Standard Lock Box - Spanish	6" x 9" x 3-1/2"	Red
51171	XL Lock Box - English	6" x 7-3/8" x 9-1/2"	Red

** Padlocks Sold Separately.*

Combined Lock Storage / Group Lockout Box

- Handy box features a lockable storage compartment and a group lockout compartment.
- Made of heavy duty steel, powder coated for extra rust resistance
- Lockout compartment has clear window with keyhole slot
- Standard box: 12-1/2"L x 7-1/2"W x 6"D
  Storage compartment size: 8-1/2"L x 6"W x 6"D
  Storage compartment holds approx. 50 padlocks
  17 padlock holes in group lock box lid
- Large box: 15"L x 101/2"W x 9"D
  Storage compartment size: 10-1/2"L x 9"W x 9"D
  Storage compartment holds approx. 125 padlocks
  34 padlock holes in group lock box lid

Catalog #	Description	Size
105716	Standard	12-1/2"L x 7-1/2"W x 6"D
105717	Large	15"L x 10-1/2"W x 9"D

** Padlocks Sold Separately.*

Portable Plastic Group Lockout Box

- Rugged durability lockbox with ransparent windows
- Excellent chemical and heat resistance
- Slot in front allows keys to be inserted when box is locked
- Pre-drilled holes allow for wall-mounting
- 12 hooks inside for hanging keys/locks
- Lock rails hold up to 16 padlocks
- Dimensions: 7-1/2"H x 8-1/2"W x 4-1/4"D
- Patent Applied For

Catalog #	Description
50937	Portable Plastic Lock Box
50939	Extra Key Hooks (12/pkg)

** Padlocks Sold Separately.*

Wall-Mounted Group Lockout Box

- Injection molded for extra durability
- Excellent chemical and heat resistance
- Transparent window lets you view contents from outside
- Slot in front allows keys to be inserted when locked
- Pre-drilled holes for wall-mounting
- 6 hooks inside for hanging keys/locks
- Lock rails hold up to 8 padlocks
- Dimensions: 6-1/5"H x 4"W x 5-1/2"D

Catalog #	Description
50938	Miniature Wall Lock Box
50939	Extra Key Hooks (12/Pkg)

** Padlocks Sold Separately.*

Acrylic Wall-Mounted Group Lockout Boxes

- Made of acrylic plastic with transparent front cover
- Pre-drilled holes in back for easy wall mounting
- Pre-attached plastic hooks for hanging keys, tag stubs, etc.

Catalog #	Description	Max. Locks	# Key Hooks
LG003E	Small 6" x 6" x 2-1⁄2"	6	3
LG008E	Medium 7-1⁄2" x 12" x 2-1⁄2"	10	8
GLOBOX	Large 7-1⁄2" x 15-3⁄4" x 2-1⁄2"	14	18

** Padlocks Sold Separately.*

Metal Wall-Mounted Group Lockout Boxes

- Made of durable, powder-coated steel with key slot on top
- Clear window slides out when locks are removed
- Comes with key pegs and ID labels to simplify key management
- Pre-drilled holes and hardware included for quick mounting
- Small lock box: 7"H x 8"W x 2-1/4"D
  7 key pegs that hold 5 keys each
  7 lock holes along bottom
- Large lock box: 7"H x 16"W x 2-1/4"D
  15 key pegs that hold 5 keys each
  12 lock holes along bottom

Catalog #	Description
105714	Small Metal Lock Box
105715	Large Metal Lock Box

** Padlocks Sold Separately.*

Portable / Wall Group Lockout Box

- Made of yellow powder-coated metal
- Accommodates 8-10 locks
- Can be used alone or in combination with Metal Lockout Cabinet (see page 187)
- Dimensions: 6"H x 15"W x 3"D

Catalog #	Description
LG252M	Prinzing Metal Wall Lock Box

** Padlocks Sold Separately.*

SHOCK-STOP™ Group Lockout Box

- Combines lock box with storage board for hasps
- Lock box accepts up to 6 locks and provides rail for storing locks
- Includes two SHOCK-STOP™ hasps, mounting hardware and instructions
- Dimensions:
  16-1/2"H x 10-1/2"W x 2-1/2"D

Catalog #	Description
87692	Group Lock Box
87693	Hasp (5/pkg,)

** Padlocks Sold Separately.*

Hasps

www.BradyID.com/lockouttagout

Steel Group Lockout Hasps

- Constructed of vinyl-coated high tensile steel w/ rust resistant plating
- Lock holes: 3⁄8” diameter

Catalog #	Description	Qty.
133161	1” Diameter Jaws	1
65375	1” Diameter Jaws	12
133162	1-1⁄2” Diameter Jaws	1
65376	1-1⁄2” Diameter Jaws	12

Aluminum Economy Group Lockout Hasps

- Non-sparking, aluminum small hasps are a great addition to your tool box
- Lightweight - only 1-1/2 ounces
- Shackle diameter: max. 3/8”, min 3/16”

Catalog #	Description	Qty.
105720	1” Diameter Jaws	1
105721	1-1⁄2” Diameter Jaws	1

Non-Conductive Nylon Group Lockout Hasp

- Nonconductive nylon hasps accommodates up to 6 locks
- Withstands up to 1,000 lbs, yet weighs only 1 oz.
- Dimensions: 7”H x 1-3⁄4”W Lock holes: 3⁄8” diameter

Catalog #	Description	Qty.
99668	Nylon Lockout Hasp	1

Steel Group Lockout Hasps with Tabs

- Tamperproof interlocking tabs prevent unauthorized opening
- Case-hardened steel with rust proof plating and bright red vinyl insulation.
- Maximum 3/8” shackle diameter

Catalog #	Description	Qty.
105718	1” Diameter Jaws	1
105719	1-1⁄2” Diameter Jaws	1



Nonconductive Group Lockout Hasps

- Strong, rigid yellow plastic resin
- Excellent electrical insulating
- Performs at low temperatures, excellent heat resistance
- Patent #7,124,606

Catalog #	Description	Qty.
LH220A	Red Lockout Hasp	1

Labeled Group Lockout Hasps

- Tough 5052 anodized aluminum alloy hasps include tamperproof locking tabs
- Write-on label takes pencil, pen or marker. Pen and pencil markings can be easily erased, allowing repeated use
- Dimensions: 7-1⁄14”H x 3”W x 3⁄16”D Lock holes: 5⁄16” dia.

Legend Option 1

Catalog #	Color	Qty.
65960	Red	5
65961	Silver	5
65962	Blue	5
65963	Green	5
65964	Gold	5
65967	Combo*	5

Legend Option 2

Catalog #	Color	Qty.
65970	Red	5
65971	Silver	5
65972	Blue	5
65973	Green	5
65974	Gold	5
65975	Combo*	5

Legend Option 3

Catalog #	Color	Qty.
39480	Red	5

Combination includes: 1 each Red, Silver, Blue, Green, Gold.

SHOCK-STOP® Group Lockout Hasps

- Highly visible hasp uses stop sign design to draw attention
- Includes 6 lock holes and a slot for daisy-chaining hasps together
- Dimensions: 5-1⁄2”H x 3-3⁄8”W x 3⁄16”D Lock holes 5⁄16” diameter

Catalog #	Description	Qty.
87693	Shock-Stop™ Hasps	5

Cable lockouts – GREAT VERSATILITY!

- The advantage of using cable lockouts is that they can be used in a wide variety of applications
- Cable lockouts can be used to lockout multiple disconnects, valves, etc. with one lockout device
- They can also be used to secure unusual energy isolating devices that are difficult to lock out using conventional means.
- More portable and easier to use than chains, cable lockouts devices are a great addition to any lockout program.

Mini Cable Lockout

- Extremely compact and portable - Cable stored internally.
- Push-button self-winding mechanism automatically cinches cable tight
- Superior chemical, corrosion and temperature resistant properties.
- Comes with vinyl-coated steel cable or nonconductive nylon cable
- 6 lock holes accommodate most padlock shackles and hasps
- Body dimensions: 4" dia. x 1-3/4" deep Cable dimensions: 1/16" outside dia. x 8' length

Catalog #	Description
50940	Mini Cable Lockout w/ Steel Cable
51442	Mini Cable Lockout w/ Nylon Cable



Prinzing Economy Cable Lockout

- Unique lockout device accepts up to six 9/32" diameter padlocks
- Cable Diameter 3/16"outside diameter
- 6' or 10' plastic-coated steel cables

Catalog #	Description
CABLO	Cable Lockout Device w/ 6' cable
CABLO-10	Cable Lockout Device w/ 10' cable

Original Cable Lockout

- Brady's original cable lockout
- Body made of impact modified nylon, available in red, blue or yellow
- Comes with 6' galvanized steel cable (1/8" outside dia.)

Catalog #	Description	Color
65318	Cable Lockout Device w/ 6 ft. cable	Red
45191	Cable Lockout Device w/ 6 ft. cable	Blue
45192	Cable Lockout Device w/ 6 ft. cable	Yellow
65319	8 ft. steel cable only	-
65320	10 ft. steel cable only	-

**Other cable lengths available upon request.*

Double Looped Cable Lockout

- Perfect in any situation that requires a flexible lockout device and a visual deterrent
- Much more light weight and easy to spot than typical chains that are used
- Made of plastic coated steel cable
- Cable diameter: 3/16"

Catalog #	Length	Color
131063	Double Looped Cable 2ft	Red
131064	Double Looped Cable 4ft	Red
131065	Double Looped Cable 6ft	Red
131066	Double Looped Cable 8ft	Red



All Purpose Cable Lockout

- Superior chemical, corrosion and temperature resistance properties
- Built-in cable loop keeps cable neatly coiled when stored
- Available with interchangeable sheathed metal (3/16" dia.) or non-conductive nylon (1/8" dia.) cables
- Max. service temperature of cables: Non-Conductive Nylon: -40° to 200° F Sheathed Metal: -30° to 180° F

Catalog #	Description
50943	Lockout w/ 8' sheathed metal cable
50941	Lockout w/ 8' non-conductive nylon cable
50944	Lockout without cable
50947	8' Sheathed metal cable only
50950	12' Sheathed metal cable only
50953	16' Sheathed metal cable only
50956	20' Sheathed metal cable only
50945	8' Non-conductive nylon cable only
50948	12' Non-conductive nylon cable only
50951	16' Non-conductive nylon cable only
50954	20' Non-conductive nylon cable only

May we also suggest:

Cable or Chain Lockout Kits

Two convenient lockout kits for your cable lockout needs.

View page 394 for more information.

Valve Lockouts

www.BradyID.com/lockouttagout

Valve Lockouts

From universal valve lockouts to adjustable gate valve lockouts, Brady offers a full line of lockout devices to shut off all types of pressured valves. Gate valve lockout devices deny access and cover the valve handle to help you turn off, and keep off, a pressured situation. With Prinzing ball valve lockouts and Brady's standard, quarter-turn ball valve lockout devices, a comprehensive series of options are available from the global leader in lockout tagout solutions.

Universal Valve Lockout

Lock Out All Types Of Valves With A Single Device!

- Versatile, rugged, easy to use and lightweight device
- Made of industrial-grade steel and nylon for extra impact and chemical resistance
- Open-ended clamp fits over closed rings, wide handles
- Can also be used to lock out large levers, T-handles and other hard-to-secure mechanical devices
- Cable attachment offers choice of 1/8" nonconductive nylon or rustproof sheathed metal cable
- Small: for handle widths up to 1" (max handle thickness 0.6")
- Large: for handle widths up to 1.6" (max handle thickness 1.1")
- Patent No. 5,415,017 and 7,207,198

No need for multiple types and sizes of lockouts – now one device does it all!



Use blocking arm to lock out quarter-turn ball valves.



Attaches to butterfly handles, preventing trigger handle from being squeezed. Valve cannot be repositioned!

Use cable attachment to lock out gate valves.



Use two blocking arms to lock out 3-, 4- or 5-way valves, or to lock valves in the "on", "off", or "throttled" position.

Catalog #	Description
Complete Sets	
51394	Small UVLO w/ 8' Sheathed Cable Attachment & Blocking Arm
51390	Small UVLO w/ 8' Nylon Cable Attachment & Blocking Arm
51392	Large UVLO w/ 8' Sheathed Cable Attachment & Blocking Arm
51388	Large UVLO w/ 8' Nylon Cable Attachment & Blocking Arm
Individual Components	
50924	Small UVLO Base Clamping Unit
50899	Large UVLO Base Clamping Unit
65402	Small Blocking Arm
65403	Large Blocking Arm
51395	Cable Attachment w/ 8-ft Sheathed Cable
50932	Cable Attachment w/ 8-ft Nylon Cable

Other cable lengths also available.

Butterfly Valve Lockout

- Innovative design to lock out butterfly valves with a lever handle in the OFF position
- Will accommodate handle thicknesses of: Small - 1/8" to 2-1/2" (3.2mm to 63.5mm) Large - 2" to 4" (50.8mm to 102mm)

Catalog #	Description
121504	Butterfly Valve Lockout - Small
121505	Butterfly Valve Lockout – Large

Small

Large

Plug Valve Lockout

- Secure manual plug valves to OSHA-compliant standards
- Four sizes to fit most 1" to 8" diameter manually-actuated plug valves
- Ideal for difficult-to-secure plug valves
- Durable and tamper-resistant
- Service temps from -25°F to 200°F
- Compact in size and easy to use

Catalog #	Description
113231	Lockout for up to 7⁄8" Stem Dia.
113232	Lockout for 15⁄16" to1-3⁄8" Stem Dia.
113233	Lockout for 1-3⁄4" to 2-1⁄8" Stem Dia.
113234	Lockout for 2-3⁄16" to 2-1⁄2" Stem Dia.

Adjustable Gate Valve Lockout

- Versatile lockout adjusts to fit 1" to 6-1/2" valve handles, replacing 3 conventional gate valve lockouts
- Durable polypropylene is resistant to temperature changes from - 13°F to 194°F
- Comes with danger labels in English, Spanish and French

Catalog #	Description
64057	Adjustable Gate Valve Lockout

Gate Valve Lockouts

- Made of rugged injection-molded polypropylene
- Service temps from –25°F to 200°F
- Unique knockout center fits OS&Y or "rising stem" valves
- Accepts shackles up to 3/8" in dia.
- Supplied with English, Spanish and French danger labels

Fits Valve Handles Dia.	Red	Yellow	Green	Blue
1" to 2-1⁄2"	65560	65590	65595	65585
2-1⁄2" to 5"	65561	65591	65596	65586
5" to 6-1⁄2"	65562	65592	65597	65587
6-1⁄2" to 10"	65563	65593	65598	65588
10" to 13"	65564	65594	65599	65589

Valve Lockout Kits

Brady's Valve Lockout Tagout Kits take the guess work out of purchasing devices. Lockout Kits include an array of valve lockout devices, padlocks and more.

For more information view page 392.



Standard Ball Valve Lockout

- Easy to use, single-piece design locks quarter-turn ball valves in OFF position
- Two sizes fit most valves up to 3"
- 65666 is made of super-tough nylon (service temp -40° to 248° F)
- 65692, 65669 and 65693 are made of powder-coated steel

Catalog #	Max Shackle Dia.	Valve Size / Pipe Dia.	Max Handle Width	Max Handle Thickness
65666	9⁄32"	1⁄4" to 1"	1-1⁄2"	3⁄4"
65692	3⁄8"	1⁄4" to 1"	1-1⁄2"	3⁄4"
65669	9⁄32"	1-1⁄4" to 3"	21⁄10"	11⁄4"
65693	3⁄8"	1-1⁄4" to 3"	19⁄10"	11⁄4"

Prinzing Ball Valve Lockout

- Made from ultra-tuff polypropylene
- Small size locks out pipes 1/2" to 2-1/2" in diameter
- Small size can also lock valves OPEN on pipes from 1/2" to 1-1/4"in diameter
- Large size locks out pipes 2" to 8" in diameter

Catalog #	Size	Color
BS07-RD	Small	Red
BS07A-BU	Small	Blue
BS07A-GN	Small	Green
BS07A-YW	Small	Yellow
BS08-RD	Large	Red
BS08A-BU	Large	Blue
BS08A-GN	Large	Green
BS08A-YW	Large	Yellow

Circuit Breaker Lockout

www.BradyID.com/lockouttagout

EZ Panel Loc™ System

- Works on wide range of breakers, including single- and multi-pole configurations
- Can be used with most padlocks by making use of unique lock rail system
- Allows panel door to be closed even when lockouts are in place
- Accommodates multiple locks, facilitating group lockout activity without hasps
- Keeps weight off the breakers, protecting delicate electrical components from damage
- Positions locks and tags out side the panel, making sure lockout activity is clearly visible to anyone in the area
- Patent No. 6,727,441

(Not recommended for use with multilock hasps)

Technical Information

- Lockout devices constructed of high-impact Isoplast polymers
- Cables are 2-ft. in length
- Lock rails made of durable isoplast polymers with acrylic adhesive backing
- Lock rails available in 4" or 8" lengths (with 7 or 15 lock loops)

How EZ Panel Loc System Works

Lockout device is unlocked by inserting and turning the black plastic key.

1. Expose the super-bond adhesive on back of rail. Permanently affix to any location on the panel.

2. Attach the lockout device to the breaker and snap into locked position.

3. Pass plastic key through lock rail and attach lock, preventing key from sliding down cable and opening lockout device.

4. For group lockouts, run key through multiple loops in lock rail and apply locks. No hasps required! (Not recommended for use with multilock hasps)

5. Low-profile lockouts allow panel doors to be closed on most breaker panels.

Covers Most 120V – 277V Breakers!

The EZ Panel Loc™ System comes in two different styles, accommodating an exceptionally wide range of breaker models.

SNAP-ON

For use on Square D NQO and other breakers that have a hole in the switch tongue. Just align pins with hole and snap closed. Pins prevent switch from being thrown.



CLAMP-ON

For use on breakers that do not have a hole in the switch tongue. Turn thumbscrew to clamp lockout securely onto switch, then snap the cover closed to prevent thumbwheel from being loosened.



	Outer Dimensions (in.)			Switch Clearance (in.)	
	A	B	C	D	E
Snap-On Style	0.90"	1.88"	0.74"	0.40"	0.35"
Clamp-On Style	0.95"	2.56"	0.74"	0.35"	0.42"

Description	1 Per Pkg	6 Per Pkg
Snap-On Lockout Device	51252	65815
Clamp-On Lockout Device	51254	65810
4" Lock Rail	51256	65814
8" Lock Rail	51258	51260

EZ Panel Loc™ Accessories

Spacing Gasket

- For low profile panels, gasket pushes out the panel frame adding an additional 3/8" of clearance between the panel and the door
- Easy install with self-adhesive backing
- Dimensions: 3/8"D x 1"W x 15'L

Catalog #	Description
89256	EZ Panel Loc™ Spacing Gasket

120V Snap-On Breaker Lockout

- Designed for 120V breakers that have holes in the switch tongue
- Quick and easy – just snap in place and apply lock!
- Dual cavities accommodate different size switch tongues
- Accepts locks shackles up to 9/32" in diameter
- Dimensions: 0.83"H x 0.35"W x 2.15"L

Catalog #	Description	Qty.
65387	120V Snap-On Circuit Breaker Lockout	1
65688	120V Snap-On Circuit Breaker Lockouts	6



Clamp-On Breaker Lockout

- Extremely versatile – works on a wide range of single-pole and internal-trip multi-pole breakers!
- Use thumbscrew to clamp lockout onto switch tongue, then pull cover over thumbscrew and lock in place to prevent clamp from being loosened
- Accepts shackles up to 9/32" dia.
- Included detachable cleats expand the range of applicable breakers

Catalog #	Description	Qty.
65396	120/277V Clamp-On Lockout	1
65965	120/277V Clamp-On Lockout	6
65397	480/600V Clamp-On Lockout	1
65966	480/600V Clamp-On Lockout	6
65404	Extra Cleats For 120/277V Lockout	6
65406	Extra Cleats For 480/600V Lockout	6

Universal Fuse Lockout

- Designed to prevent the un-intended re-energization of an energy source through a fuse.
- Easy to use device fits most fuses holders between 20 and 400 Amps
- Made of nylon plastic with ZP metal slotted set screw
- Clamp onto fuse holder and use a small flathead screwdriver to tighten the set screw in the device. Place a padlock (not included) through the hole to prevent access to the set screw
- Dimensions: 1.38"H x 0.59"W x 2.36"D

Catalog #	Description	Qty.
873367	Universal Fuse Lockout - Red	1



Universal Multi-Pole Breaker Lockout

- Single device works with most major multi-pole breakers that employ a tie-bar
- Made of durable impact-modified nylon
- Compatible with GE, ITE, Sylvania, Challenger, Bryant, Westinghouse, General Switch Co., and more!
- Use thumbscrew to clamp lockout securely over tie bar, then insert lock to prevent clamp from being loosened
- Patent No. 5,300,740

Catalog #	Description	Qty.
66321	Universal Multi-Pole Breaker Lockout	1
66320	Universal Multi-Pole Breaker Lockouts	6



Oversized Clamp On Breaker Lockout

- Oversized 480/600V frame lockout fits breaker switches up to 21/4" wide and 7/8" thick
- Made of durable polypropylene and glass filled-impact-modified nylon
- New blade design gets better grip, works on even more breaker models!
- Patent No. 5,500,495

Catalog #	Description	Qty.
65329	Oversized Breaker Lockout	1
65321	Oversized Breaker Lockout	6



480-600V Breaker Blocker

- Perfect for locking out oversized and irregularly shaped switches
- Self-adhesive backed rails are permanently installed into an electrical panel – simply clean panel surface and adhere – no drilling required!
- Blocking Bars are 7-1/2" long
- Red blocking bar indicates locked off, green bar indicates locked on

Catalog #	Description	Qty.
90892	7.6" Red Blocking Bar	5
90893	7.6" Green Blocking Bar	5
51264	4" Yellow Mounting Rails	2
51265	Blocking Bar Holder	5
90891	Breaker Block Kit*	1

**Kit includes 2 yellow mounting rails, 1 red blocking bar, 1 green blocking bar and 3 alcohol wipes.*

Circuit Breaker Lockout

www.BradyID.com/lockouttagout

Miniature Circuit Breaker Lockouts

- A safe and effective method for locking out miniature circuit breakers, commonly used in European and Asian equipment
- Miniature Breaker Lockouts require NO TOOLS to install! The Lockout easily installs with the aid of a push button. The Tie Bar Style Lockout has a convenient thumb wheel for quick application.
- Available for single and multi-pole breakers
- Recommended to lock with lightweight Brady Safety padlocks or other padlocks, the lockouts can take padlocks with a shackle diameter up to 9/32"
- Material: Glass-filled nylon

4 Different types:

- POS - Pin Out Standard
- PIS - Pin In Standard
- POW - Pin Out Wide
- TBLO - Tie Bar Lockout

Catalog #	Type	Qty.
90844	POS - Pin Out Standard	1
90845	POS - Pin Out Standard	6
90847	PIS - Pin In Standard	1
90848	PIS - Pin In Standard	6
90850	POW - Pin Out Wide	1
90851	POW - Pin Out Wide	6
90853	TBLO - Tie Bar Lockout	1
90854	TBLO - Tie Bar Lockout	6

Pin-Out Standard (POS)



Pin-In Standard (PIS)

Pin-Out Wide (POW)

Tie-Bar Lockout (TBLO)

Miniature Circuit Breaker Compatibility Chart

Brand	Poles	Model No.	Type	Catalog # (1/pkg)
ABB	1	S222	POS	90844
ABB	1	F374	POS	90844
ABB	1	S251, S261, S263	POS	90844
ABB	1	S272, S253	POS	90844
ABB	3	S253	POS	90844
AEG	2	E82S	PIS	90847
Allen-Bradley	1,2,3	1492-CB1, 2, 3	POS	90844
Buschmat	1	S46	POS	90844
Clipsal	1	4CB116	POS	90844
Clipsal	3	4CB320	POS	90844
E-T-A	1	911225	PIS	90847
E-T-A	2	911220G	POS	90844
FAZ	4	C16	POS	90844
FAZ	1	C16	POS	90844
GE Vynckier	3	Series E	PIS	90847
GE Vynckier	3	Series G	PIS	90847
GE Vynckier	4	Series E	PIS	90847
GE Vynckier	1	Series G	PIS	90847
GE Vynckier 16A	2	Series E	PIS	90847
GE Vynckier C16, 16A	1	Series E	PIS	90847
Hager	3	453717	POS	90844
Hager	2	MW216A	POS	90844
Hager	4	MW620A	POS	90844
Kapp	1	LS68	PIS	90844
Legrand	2	1935	TBLO	90844
Legrand	3	1980	TBLO	90844

Brand	Poles	Model No.	Type	Catalog # (1/pkg)
Legrand	4	1980	TBLO	90844
Legrand	2	4302	PIS	90847
Legrand	3	6469	PIS	90847
Legrand	1	1908	POS	90844
Merlin Gerin	3	C80A	TBLO, POW	90850, 90853
Merlin Gerin	2	B100A	TBLO, POW	90850, 90853
Merlin Gerin	1	C60N	POS	90844
Merlin Gerin	1	C32N	POS	90844
Merlin Gerin	2	C60N	POS	90844
Merlin Gerin	4	C60N	POS	90844
Merlin Gerin	3	C32N	POS	90844
Merlin Gerin	3	C45AD	POS	90844
Proteus	1	C16	POS	90844
Proteus	1	C6	POS	90844
Proteus	3	C6	POS	90844
Siemens 17U	2	5SQ12	TBLO	90853
Siemens 17U	3	5SQ13	TBLO	90853
Siemens 17U	4	5SQ16	TBLO	90853
Siemens 17U	1	5SQ11	POW	90850
Siemens C10	1	5SX1	POW	90850
Siemens C32	2	5SX1-2	TBLO	90853
Siemens C70	3	5SX13	TBLO	90853
Siemens L20A	2	5SN2-2	TBLO	90853
Sursum	3	EA53	PIS	90847
Wylex	2	WRS40/2	POS	90844

3-In-1 Electrical Plug Lockout

- Accommodates high and low-voltage plugs up to 3" in diameter and 5-1/2" in length
- 2 sliding top lids can be used individually or together to accommodate small, medium and large-diameter cords up to 1-1/4"
- Made of bright yellow thermoplastic
- Visual label supplied in English/Spanish bilingual format

Catalog #	Type
PLO23	3-in-1 Plug Lockout

Brady Electrical Plug Lockouts

- Plug lockouts prevent electrical plugs from being inserted into a wall outlet. Use when plug will not remain under the exclusive control of the person performing service or maintenance
- Made of rugged polypropylene
- Small 110V plug lockout: 2"H x 2"D x 3-1/2"W with 1/2" diameter hole for cable
- Large 220/500V plug lockout: 3-1/4"H x 3-1/4"D x 7"W with 1" diameter hole for cable

Catalog #	Type
65674	Small 110V Plugout
65675	Large 220/500V Plugout

Electrical/Pneumatic Plug Lockout

- Accommodates a large variety of electrical plugs up to 3-1/2" in diameter and 5" in length as well as male air hose connectors
- Holes accommodate electrical cord or "necked down" pneumatic male fittings commonly attached to compressed air hose
- Works on 110V, 220V & 550V plugs
- Made of Polystyrene material

Catalog #	Type
PLO27E	Electrical/Pneumatic Plug Lockout

Hubbell Plugout™

- Two sizes available to fit most heavy industrial plug applications
- Small version accepts plugs with maximum 2-3/4" diameter and 4-3/4" length with 1" cord
- Large version accepts plugs with max 4-1/2" diameter and 10-3/20" length with 19/20" cord

Catalog #	Type
65695	Small Plugout™
65968	Large Plugout™

Stopower™ Plug Lockouts

- Ideal for office equipment and other frequently locked out cords
- For use on 2 or 3 pronged polarized plugs
- Cord cannot be plugged in with Stopower™ in place
- Device cannot be removed without a key

Catalog #	Type	Qty.
65673	Red Stopower Plug	1

To order multiple Stopower Plug Lockouts that are keyed alike, use catalog #98209

Wall Switch Lockouts

- Use with most wall-mounted switches
- Easy to install using existing screws
- 65392 & 65696 come in a high visibility red color and can lock switch in "on" or "off" position
- WSLO feature a patented non-hinge design and are made of strong, clean polycarbonate

Catalog #	Description	Qty.
65392	Red Wall Switch Lockout	1
65696	Red Wall Switch Lockout	6
WSLO	Clear Wall Switch Lockout	1

**Padlock not included*

Electrical Lockout Kits

Brady's Electrical Lockout Tagout Kits include an array of hasps, clamp-on breaker lockouts, tags mini cable lockouts and much more.

For more information view page 394 or visit **www.BradyID.com.**

Electrical Lockouts & Tools

www.BradyID.com/lockouttagout

Push Button and E-Stop Safety Covers

- Universal fit for IEC & NEMA buttons
- Removable, transparent red cover allows view of button position
- Hinged eyelet accepts safety locks
- Each base supplied with one yellow and one red label

Catalog #	Description	Fits	Qty.
134018	Sm. base & short cover	16mm button	1
130819	Sm. base & tall cover	16mm button	1
130820	Med. base & cover	22mm button	1
130821	Lrg. base & cover	30mm button	1

Push Button Cover NEMA 30.5 mm (PBL6)

Push Button Cover IEC 22.5mm (PBL8)

Push Button Safety Covers

- 104602: Clear Lexan hinged cover completely covers button, and prevents access. White legend plate included
- 104603: Clear Lexan & metal hinged cover completely covers button preventing access

Catalog #	Type
PBL6	Push Button Safety Cover - NEMA 30.5 mm
PBL8	Push Button Safety Cover - IEC 22.5 mm

Safe-T-Grip® Fuse Pullers

- Provides maximum convenience when removing or replacing cartridge fuses
- Notched handles for no-slip grip
- Clearly marked amperage ranges
- Exceeds MIL specifications

Catalog #	Description
65279	5" long Fuse Puller for 9⁄32"–1⁄2" dia. fuses
65280	7-1⁄2" long Fuse Puller for 0-100A, 250V & 600V

Push Button and E-Stop Cover Bases

- One-time installation of low profile base
- Personnel can apply their portable safety cover to any installed base
- Fast and convenient lockout at the point of need
- Each base supplied with one yellow and one red label

Catalog #	Description	Fits	Qty.
130822	Small bases	16mm button	5
130823	Medium bases	22mm button	5
130824	Large bases	30mm button	5

Emergency Stop Cover NEMA 30.5mm (PBL2)

Emergency Stop Cover IEC 22.5mm (PBL4)

Emergency Stop Safety Covers

- Permanently install over push/pull or twist-release emergency stops
- Durable metal bar locks button in the depressed (off) position when lock shackle is inserted

Catalog #	Type
PBL2	Emergency Stop Cover - NEMA 30.5 mm
PBL4	Emergency Stop Cover - IEC 22.5 mm

AC Sensor

- Selected by OSHA Electrical Technical Equipment Committee as the only instrument of its type for use by OSHA compliance officers to identify and cite electrical hazards of 50-1000 volts AC
- CAT IV rated and UL Listed
- Patent #5,103,165

Catalog #	Description
65269	AC Sensor

Universal Fuse Lockout

- Designed to prevent the un-intended re-energization of an energy source through a fuse.
- Easy to use device fits most fuses holders between 20 and 400 Amps
- Dimensions: 1.38"H x 0.59"W x 2.36"D

Catalog #	Description	Qty.
873367	Universal Fuse Lockout - Red	1



Fuse Lockout Device

- Unique locking mechanism prevents device from being accidentally removed from fuse block
- Available in two sizes for most commonly used fuses

Catalog #	Description	Qty.
65750	Fuse Lockout size 13⁄32"	6
65751	Fuse Lockout size 9⁄16"	6

Fuse Blockout Device

- Use small blockout device to fit fuses 1⁄4", 9⁄32", 13⁄32" & 9⁄16" in size
- Use large blockout to fit 13⁄16", 11⁄16" & blade type fuses
- Use these highly visible devices in conjunction with Brady Lockout Tags to comply with OSHA's LOTO Standard

Catalog #	Description	Qty.
65690	Small Fuse Blockout	6
65691	Large Fuse Blockout	6

Pneumatic Quick-Disconnect Lockout

- Isolates pneumatic energy without the expense and inconvenience of installing in-line lockout valves
- Device is applied to the male fitting, isolating equipment from all compressed air sources
- Accommodates the majority of 1/4", 1/8", 1/2" male fittings
- Hole in center of device allows for permanent storage on an air hose and a loop on the side can be used to hang the hose and lockout device
- Lockout using a padlock with ¼" or 9/32" shackle

Catalog #	Description	Qty.
64221	Pneumatic Lockout	1
65645	Pneumatic Lockout	6

PRINZING Gas Cylinder Lockout

- Prevents access to the main cylinder valve
- No need to match your lockout device to varying diameters and threads of cylinder caps
- Accommodates neck rings up to 31/2" diameter
- Installs in seconds to save time

Catalog #	Description
LM023E	Gas Cylinder Lockout

SMC Air Line Regulator Lockout

- Enables regulator to be locked in the on, off or throttled position
- Easy installation: remove snap cap, install lockout on regulator rod, snap replacement cap on regulator.
- Comes with lockout, cap and allen wrench. Padlock not included.

Catalog #	Description
64539	Lockout for Miniature SMC Models AR2000 / NAR2000
64540	Lockout for Intermediate SMC Models AR3000 / NAR3000

Snap Cap™ Gas Cylinder Lockout

- Designed to fit most North American high and low pressure gas cylinders
- Meets DOT standards
- Denies access to the main cylinder control and regulator attachment
- Welded steel construction and powder coated for many years of use

Catalog #	Description	Color
90496	6.5" x 3-1/8" x 11 UN, High Pressure Fine Thread	Yellow
95137	6.5" x 3-1/2" x 11 UN, Low Pressure Fine Thread	Yellow
95138	6.5" x 3-1/8" x 11 UN, High Pressure Coarse Thread	Yellow
95139	6.5" x 3-1/2" x 11 UN, Low Pressure Coarse Thread	Yellow

PRINZING Cylinder Tank Lockout

- Used to lockout cylinder tanks, including propane tanks on fork trucks and stand alone propane tanks
- Apply with ease to prevent access to the valve handle
- Designed to fit in tight spaces
- Valve stem hole is 1.25" in diameter
- Made of rugged polystyrene plastic

Catalog #	Description
SD02M	Cylinder Tank Lockout

Want to learn more about Lockout Tagout?

Visit www.BradyID.com/lockouttagout to:

- Download the 5 Steps to an Effective Lockout Tagout Program Whitepaper
- Enhance your safety program with eLearning online training courses
- View Brady's full line of Lockout Tagout product solutions

Lockout Identification

www.BradyID.com/lockouttagout

Energy Source ID Requirements

- OSHA 1910.333(e) and (f) require that all disconnecting means show the magnitude and shall be legibly marked to indicate the purpose, unless located and arranged so the purpose is evident.
- ANSI Z244.1-2003, Control of Hazardous Energy, states that all energy isolating devices should be adequately labeled or marked unless they are located so that their purpose is clearly evident. Identification shall include the following:
  – Machine, equipment, process supplied
  – Energy type and magnitude



60179

60180

Vinyl Energy Source Labels

- Made of self-sticking vinyl (B-946)

Catalog #	Description	Size	Qty.
60179	Vinyl Labels	7" x 10"	1
60180	Vinyl Labels	7" x 10"	1



Front *Back*

Self-Laminating Tag

- Constructed of durable B-851 polyester with
- 1-mm polyester overlay on front side
- Standard package: 10 tags and nylon fasteners

Catalog #	Description	Size	Qty.
50194	Self-Lam Tags	5-3/4" x 3"	10

Polyester Labels

- Labels are made of durable, self-sticking high-performance polyester (B-302)
- Feature pictograms as well as text
- Label size is: 3-1/2"H x 5"W or 5"H x 3-1/2"W

Description	Qty.
Polyester Labels	5

86246

86216



86199

86245

86204



86240

Additional Signs and Labels Available!

Brady offers a wide variety of signs and labels for all of your facility safety and lockout tagout applications.

- View page 102 for more Lockout Tagout Signs.
- View page 190 for additional Labels and Tags.
- Or visit **www.BradyID.com** to view all products!

Lockout Safety Signs

- Available in Premium Fiberglass (B-120) and BradyTuff™ Plastic (B-401)
- Printed on a CAUTION yellow background to enhance visibility
- Include four corner holes for mounting

Catalog #	Legend	Material	Size
65571	Lock Out For Safety	B-120	7" x 10"
22909	Lock Out For Safety	B-401	7" x 10"
22931	This Machine Must Be Lockout Out	B-401	7" x 10"

Lockout Safety Labels

- Made from self-sticking high-performance polyester (B-302)

Catalog #	Legend	Size
88303	Lock Out For Safety	2-1/2" x 4-1/2"
88302	Lock Put Before Servicing	2-1/2" x 4-1/2"

Lockout Safety Labels

- Made from self-sticking high-performance polyester (B-302)

Catalog #	Legend	Size	Qty.
86248	Lock Out All Power Sources	3-1/2" x 5"	5
86250	Lock, Tag, Clear, Try	3-1/2" x 5"	5

Magnetic Signs

- Made of flexible magnetic vinyl

Catalog #	Legend	Size
66004	Breakers Locked Out	5" x 3-1/2"
66005	Breakers Locked Out	7" x 5"
66006	Do Not Operate	5" x 3-1/2"
66007	Do Not Operate	7" x 5"
66008	Equip Being Serviced	5" x 3-1/2"
66009	Equip Being Serviced	7" x 5"

Rigid Plastic Signs

- Made of BradyTuff™ plastic (B-401)

Catalog #	Description	Size
50269	English (w/picto)	7" x 10"
50270	Bi-Lingual	7" x 10"

PRINZING Floor Stand

- Made from rugged polyethylene, resists most chemicals
- Message printed on front and back

Catalog #	Description	Size
SF647E	Lockout Floor Stand	7" x 10"

Striped Warning Posts & Chain

- Yellow chain and black base/top of post made of polyethylene; black/yellow post made of polystyrene
- Post: 41" height x 3" dia.
  Base: 16" dia.
  Chain: 10' length (2" links)
- Indoor use only

Catalog #	Description	Qty.
92122	Striped Warning Posts	6
78238	Chain	100 ft

Bradystripe™ Temporary Barricade Tape

- Made of black/yellow striped vinyl
- Adhesive backing sticks to most wood, metal or concrete walls
- Removes cleanly and easily with no adhesive residue
- Tears apart easily-Perforated every 14"

Catalog #	Description	Qty.
91230	Caution / Do Not Enter	2" x 100'

(side 1) *(side 2)*

Two-In-One Floor Stand

- Made of lightweight corrugated polypropylene (B-836)
- Printed on both sides - inside and out - offering two stands for the price of one

Catalog #	Description	Size
92289	Two-In-One Floor Stand	20" x 12"

Lockout Training & Awareness Aids

www.BradyID.com/lockouttagout

OSHA Training Requirements:

- Those who will perform servicing or maintenance (authorized employees) must be trained to:
  - Recognize hazardous energy sources and understand the energy type and magnitude
  - Identify and properly operate the applicable energy-isolating devices
  - Safely apply and remove Lockout Tagout devices
- Those who operate the machinery or work in the area where LOTO is performed (affected employees) must be trained to:
  - Recognize when Lockout Tagout activities are in progress
  - Understand the purpose of the energy control program and the importance of not tampering with Lockout Tagout devices when encountered in the workplace
- Additional training is required when using tagout instead of lockout. See Section (C)(7)(ii) in the 1910.147 standard.
- Employers must document when training took place, who attended, and the topics covered.
- Employees must be retrained under the following situations:
  - Employee assigned to new job
  - Change made to energy control policies or procedures
  - Machinery installed or modified, presenting a new hazard
  - Whenever the employer has reason to believe that there are problems with the employee's understanding or use of the procedures
- Authorized employees must undergo an annual review to ensure they fully understand their responsibilities under the program

Lockout Tagout Handbook

- 16-page training booklet with quiz instructs workers how to protect themselves from hazardous energy

Catalog #	Description	Qty.
66219	Lockout Tagout Handbook	10
63004	Spanish-language Handbook	10

Lockout Safety Training Booklet

- 16-page training booklet covers the basics of Lockout Tagout safety

Catalog #	Description	Qty.
2112-TEN	Lockout Safety	10
2112	Lockout Safety	25
2112SP-TEN	Lockout Safety - Spanish	10
2112SP	Lockout Safety - Spanish	25



Wallet Safety Cards

- Wallet size card contains important reminders for lockout safety

Catalog #	Description	Qty.
LOSC13	English Wallet Card	10
LOSC13 BI	English/Spanish Wallet Card	10



PRINZING Lockout Safety Poster

- Training poster reinforces your energy control program
- 18"H x 24"W, laminated on both sides

Catalog #	Description
LOSP8	Lockout Safety Poster
LOSP8SP	Spanish-language version

42248

50193

Hard Hat Labels

- 2" diameter hard hat labels made of self-sticking indoor/outdoor grade vinyl
- A convenient way to identify first aid personnel, authorized operators and visitors to your facility

Catalog #	Description	Qty.
42248	Lockout Tagout Trained	4
50193	Lockout Tagout Authorized	4

Additional Training

LockoutPRO™ Enterprise software also provides training tools, including an online training module that allows employees to undertake training at their own computer. See page 355.

Lockout Training & Awareness Aids

www.BradyID.com/lockouttagout

Available on DVD or USB

Lockout Tagout Safety Training Video: Global Best Practice Training

- Comprehensive training video features targeted regulatory and compliance content
- 5 languages included: English, Spanish, French, Portuguese, and Simplified Chinese
- Includes Instructor's Guide, Employee Quiz and 25 min video that:
  - Clearly defines and explains Lockout Tagout
  - Overviews compliance standards and regulations from countries around the world
  - Outlines an effective four-step Lockout Tagout program for employers
  - Covers important subtopics in-depth such as handling group lockout and shift changeovers
  - Bonus Feature: 19 short installation videos on how to use some of the most common lockout devices

Catalog #	Description
132426	LOTO Global Training Video DVD
132427	LOTO Global Training Video USB

Only Available at www.BradyID.com

Lockout Tagout e-Learning Courses

Brady eLearning Courses are a convenient way to get the workplace safety and productivity training you need – without the cost of travel and days away from work.

These online courses provide a comprehensive overview of the topic, combined with a variety of interactive features to facilitate learning and remembering. You and your employees will benefit from:

- Real-life application scenarios to keep you engaged
- On-the-spot quizzes for assessing comprehension
- 24-hour course access, with the option to save and come back later
- Progress tracking and reporting features for managers
- Targeted regulatory and compliance content

Catalog #	Description
142253	LOTO For Authorized Workers (approx. length 1hr 30min)
142254	LOTO For Corporate Safety Leader (approx. length 1hr)
142255	e-Learning Bundle: (1) LOTO For Authorized Worker and (1) LOTO for Corporate Safety Leader

Lockout Tagout: Your Key To Safety

- Train employees to protect themselves and others during machine servicing and maintenance. This program shows how to recognize all potential hazards and handle them safely. Includes:
  - Live action 20 minute, DVD video
  - 24 page Instructor guidebook
  - 11 employee handbooks
  - 1 - Trainer Tools CD-ROM
  - 1 - Awareness Poster

Catalog #	Description	Qty.
104275	Complete Kit - DVD version - English	1
104216	Complete Kit - DVD version - Spanish	1



Lockout For Life

- Learn from other workers' tragic mistakes. This motivational video presents six real-life dramatizations of actual lockout accidents and analyzes how they could have been prevented
- Suitable for new and experienced employees
- Run time: 19 minutes

Catalog #	Description
66255	Lockout For Life VHS video (includes 10 English booklets)
51793	Lockout For Life DVD English/Spanish video (includes 10 English booklets)
51544	Lockout For Life VHS Spanish video (includes 10 English booklets)
65555	Additional English booklets (10/pkg)

LOTO for Authorized & Affected Personnel

- Provides a comprehensive introduction to the key components of an effective LOTO program
- Run time: 17 minutes (DVD format)
- Comes with reproducible quiz and certificate
- Spanish language video also available (quiz and certificate in English only)

Catalog #	Description
51454	LOTO For Authorized & Affected Personnel DVD (English)
51455	LOTO For Authorized & Affected Personnel DVD (Spanish)

Energy Control Procedures

www.BradyID.com/lockouttagout

Post procedures near the point of need so they are easy to find and readily accessible.

Lockout Procedure Station

- Silk-screened backboard made from durable polystyrene
- Includes pre-drilled holes and hardware for wall mounting
- 3-ring, 1.5" binder made from 55 gauge polyethylene
- Station dimensions: 20"Hx14"Wx4.5"D

Catalog #	Description
LOSP22	Lockout Procedure Station With Binder & 25 Forms
99289	Lockout Procedure Station With Binder Only
LOSB1	Lockout Procedure Binder Only
LOSF5	Lockout Procedure Forms (25/pk)

Lockout Clip Board

- Heavy duty, red clipboard allows lockout information and hardware to be conveniently carried directly to the lockout location
- Clipboard can also be hung in place using attached strap
- Lockout safety tips silk-screened onto the back
- Procedure forms (LOSF5), locks and hasps sold separately

Catalog #	Description
LOCB	Lockout Clip Board

OSHA Requirement

[OSHA CFR 1910.147 The Control of Hazardous Energy]. 1910.147(c)(4) synopsis: Machine-specific Lockout Tagout procedures are required for equipment having more than one energy source, as well as for much equipment having a single energy source.

OTHER WAYS OF PROVIDING ACCESS TO PROCEDURES

- Print procedures to adhesive or magnetic labels and adhere to directly to machine.
- Attach procedures to work orders manually or by linking the digital procedure file to work orders generated in a computer maintenance management system
- Provide access to procedures online, allowing workers to view and print procedures from their own computer

Brady's Lockout PRO software allows you to implement any of the methods above. See the following page for further information on Lockout PRO™ Procedure Writing Software.

Magnetic-Backed & Zip-Lock Envelopes

- Transparent, durable vinyl protects against weather damage and soiling
- Ideal for indoor or outdoor use
- Protects tags and data cards on machinery, valves, controls and more

Catalog #	Legend	Qty.
Magnetic-Backed		
81769	4-1/2" x 6-1/2"	10
81770	5-1/2" x 8-1/2"	10
Zip-Lock		
81765	4-1/2" x 6-1/2" (w/o grommet)	10
81766	4-1/2" x 6-1/2" (w/grommet)	10
81767	5-1/2" x 8-1/2" (w/o grommet)	10
81768	5-1/2" x 8-1/2" (w/grommet)	10

Fluorescent Protective Envelopes

- Clear envelopes with fluorescent edging, great for color-coding lockout procedures and other shop information
- Durable 8 gauge vinyl construction withstands harsh environments
- Ideal for indoor or outdoor use

Catalog #	Color	Size	Qty.
56941	Green	6" x 9"	25
56942	Orange	6" x 9"	25
56944	Yellow	6" x 9"	25
56945	Green	9" x 12"	25
56946	Orange	9" x 12"	25
56948	Yellow	9" x 12"	25

Adhesive & Magnetic Backed Envelopes

- Made of non-glare clear vinyl material
- Size: 8-1/2" x 11"

Catalog #	Color	Qty.
50961	Adhesive Backed Envelopes	10
50962	Magnetic Backed Envelopes	10

Lockout Procedure Writing Software

www.BradyID.com/lockouttagout

Lockout Pro™ Visual Procedure Writing Software

Create machine-specific procedures in minutes

- Start immediately with easy-to-use templates and built-in defaults
- Access a database of standard graphics, terms, and information
- Insert images to create clear, machine-specific procedures that identify the location of control points
- Print to a standard inkjet or laser printer, or to Brady's GlobalMark® 2 Industrial Label Maker or HandiMark® Portable Label Maker
- Provide viewing and printing access to users in multiple locations with the FREE viewer and HTML viewer applications
- Export to CMMS or ERP

Create, maintain, train, update – with one program

- Use Lockout PRO software's built-in sample energy control policy to develop your own comprehensive energy control program
- Create machine-specific lockout procedures for different locations; ensure that location-specific safety needs are addressed
- Manage and update your procedures with automatic time- and date-stamping
- Train your employees with online tutorials and built-in video training clips in Enterprise versions
- Access current OSHA Lockout Tagout standard with a few clicks
- Call to learn about a separate optional annual audit service for your Lockout Pro procedures

Catalog #	Color
LOPDESK1001	Lockout Pro Desktop Software
LOPCORP2001	Lockout Pro Enterprise Corporate w/ web viewer
LOPBASIC3001	Lockout Pro Basic (Only 3 Administrators)
LOPADDUSER1	Additional Administrator (adds 1 Admininstrator)
99004	GlobalMark2 Multicolor Printer + LockoutPro
99009	GlobalMark2 ColorCut Printer + LockoutPro

** For more information on the GlobalMark®2 printer, view page 330.*

Create Custom Visual Lockout Tagout Procedures Online

Create Visual Lockout Tagout Procedures for your facility in minutes. Procedures comply with OSHA's lockout standards for controlling hazardous energy sources.

- Upload your own digital photos
- Download & print from your own printer
- Save for up to 30 days

Try the Custom Design Tool at www.BradyID.com!

Easy as 1, 2, 3!
1) Select your category
2) Customize your product
3) Add to your shopping cart

Create custom procedure in minutes!

Download and print immediately after purchase!

Safety and Lean Consulting Services

www.BradyID.com/services

Safety and Lean Consulting Services Group

Improve Operational Efficiency and Safety Effectiveness

When it comes to continuous improvement, visual transformation, lockout/tagout programs, and advanced safety assessments, expert help from Brady can help you save time and avoid hassle. Our Safety and Lean Consulting Services Group offers a variety of consultative compliance and lean services, as well as educational seminars and online learning options.

Call Brady's Safety and Lean Consulting Services Group at 1-800-311-0775 to get started.

Visual Lockout Procedure Service

Brady's procedure-writing services help you decrease downtime by increasing the accuracy and usability of the procedures in your facility. Our qualified field engineers will visit your location to develop visually instructive, comprehensive instructions for your employees. By posting them at the point-of-need, employees remain safe and your facility can remain OSHA-compliant.

Lockout Procedure-Writing Service & Annual Audit

Brady offers the fastest, most effective solution to create a lockout program. Brady installs heavyweight thermoplastic, color-coded energy source tags at each energy isolation point to visually direct authorized employees to the correct energy source locations.

Implementing Brady's Visual Lockout Procedure Service can result in immediate cost savings, including:

- Outsourcing to trained Brady engineers allows the customer workforce to focus on production or preventative maintenance
- Eliminates OSHA/LOTO fines
- Reduces worker compensation claims
- Reduces insurance rates and premiums

In addition, Brady's annual audit service lets your staff concentrate on their primary tasks while we help you meet your regulatory obligation

Your Trusted Advisor:

Brady's engineers have created and implemented more than 50,000 lockout procedures.

OSHA CFR 1910.147
The Control of Hazardous Energy

1910.147(c)(4) synopsis:
Machine-specific lockout / tagout procedures are required for equipment having more than one energy source, as well as for much equipment having a single energy source.

"The procedures are so simple for our employees to understand which aids in their effectiveness; having the pictures of our equipment on each procedure makes them personalized and easy to follow … this service is a great asset to anyone's lockout/tagout program."

Stacey Zimmerman, Elizabethtown College

Safety Assessments

Audits and assessments are designed to rate an organization's total safety program, identify strengths and weaknesses, show where improvements are needed, and obtain commitment and target dates for correcting problems. An effective safety assessment can be used by management to uncover safety problems before personal injuries, property damage, or business interruptions occur.

Brady can help you:

- Develop a detailed site compliance profile - plus applicable regulatory citations
- Monitor and proactively address regulations and issues
- Incorporate sustainability initiatives into day-to-day site operations
- Stay current on regulation changes to optimize compliance

OSHA's Role:

OSHA does not specifically require that companies conduct safety and health audits. But, companies have taken the initiative due to provisions of OSHA's catch-all "general duty" clause that states employers must provide an environment free from harm-causing hazards.

Confined Space Procedure-Writing Service

Brady's qualified field engineers will visit your facility to audit the confined (and potentially confined) spaces in your facilities. Specific confined space entry procedures are then produced for each of your identified confined spaces, providing full compliance with OSHA, best safety practices, and your internal written confined space program.

Documented procedures include:

- Determine if a space is a confined space, permit-required confined space, or an enclosed space
- Identification of hazards and potential hazards
- Visual images locating the hazards that may be present
- List of required equipment and safety devices necessary to enter and work in confined spaces
- Documentation of methods to protect employees from confined space hazards

OSHA CFR 1910.146 Permit-Required Confined Spaces

Synopsis: Employers must evaluate the workplace to identify permit-required confined spaces.Procedures must then be developed and implemented to cover acceptable entry conditions for the designated spaces (isolating, purging, ventilating, etc.), providing a full range of equipment (testing, ventilating, PPE, etc.), designating and training active role participants, and more.

Safety and Lean Consulting Services

www.BradyID.com/services

Visual Preventive Maintenance Procedures / Standard Work

Preventive maintenance keeps your equipment working so your plant remains efficient. Your scheduled overhaul can be streamlined with our Visual Preventive Maintenance Procedures service.

Brady professionals will come to your facility to create comprehensive, visually instructive directions for the proper, safe maintenance and care of your machinery. While there they develop:

- Procedural checklists
- Detailed instructions augmented with graphical images or line drawings
- The required frequency of preventative maintenance
- List of parts needed
- List of lubricants to use

> "It would have taken our internal team months to develop procedures of this quality; but the Brady Program took four days."
>
> *Pamela Bilger, EHS Manager Lehigh Valley Dairy Farms*

Hands-on Lean Workshops

Get your entire team engaged in the visual transformation of your facility with our on-site workshops. Through hands-on learning and personal consulting, our lean experts provide your team with the knowledge required to physically transform a focus area (typical work environment) into a visually controlled workplace focused on continuous improvement.

Brady experts will customize the learning experience to your specific lean journey. Your team will gain an understanding of how embedding critical information in the physical environment benefits your entire organization with enhanced productivity, cost savings, and a reduction in errors.

Your workshop includes scoping and workshop preparation, pre-workshop on-site assessment, 3-day on-site workshop and past workshop follow-up and transition.

Workshop topics include:

- 5S Workplace Organization
- Standard Work
- Lean Daily Management (LDM)
- Total Productive Maintenance (TPM)
- Visual Workplace



Safety and Lean Training

In addition to consultative services, Brady experts also host a number of safety and lean seminars. Our training offerings are flexible, allowing you to attend at our corporate classroom or onsite at your facility, to meet your needs and timing. The curriculum is focused on the most prevalent customer business issues, including:

Safety Topics:

- HazCom 2012
- Confined Space
- OSHA 10 Hour General Industry
- OSHA 30 Hour General Industry
- Lockout/Tagout & Electrical Safety
  - Brady offers complete training courses for all employees who are involved in lockout/tagout activities, including authorized and affected employees, as well as corporate safety leaders.

Lean Topics:

- 5S Workplace Organization
- Lean Daily Management
- Standard Work
- TPM - Asset Management
- Visual Workplace
  - The visual workplace training courses feature hundreds of photos and real-life examples. They are designed to teach shop floor employees the basic principles and techniques of each lean concept and demonstrate how visuals can enhance and sustain improvements.

eLEARNING Online Training

Brady's online courses are a convenient way to provide a comprehensive overview of the topic, combined with a variety of interactive features to facilitate learning and recall.

Only Available at www.BradyID.com

Visual Workplace e-Learning Training Courses

View page 237 for more information.

- Interactive features, real-life application scenarios and quizzes to facilitate learning and remembering
- Online availability eliminates the costs of off-site training
- Certificate available upon completion

Catalog #	Description
142256	Introduction to Visual Workplace (approx. 30-40mins)
142257	Visual 5S: Optimizing Workplace Organization (approx. 30-40mins)
142258	Visual TPM: Enhancing Equip. Reliability & Maint. Efficiency (approx. 30-40mins)
142259	e-Learning Bundle: (1) Intro to VW, (1) Visual 5S and (1) Visual TPM

Lockout/Tagout e-Learning Courses

View page 431 for more information.

Brady eLearning Courses are a convenient way to get the workplace safety and productivity training you need – without the cost of travel and days away from work.

These online courses provide a comprehensive overview of the topic, combined with a variety of interactive features to facilitate learning and remembering. You and your employees will benefit from:

- Real-life application scenarios to keep you engaged
- On-the-spot quizzes for assessing comprehension
- 24-hour course access, with the option to save and come back later
- Progress tracking and reporting features for managers
- Targeted regulatory and compliance content

Catalog #	Description
142253	LOTO For Authorized Workers (approx. length 1hr 30min)
142254	LOTO For Corporate Safety Leader (approx. length 1hr)
142255	e-Learning Bundle: (1) LOTO For Authorized Worker and (1) LOTO for Corporate Safety Leader

Sign Legend Index

www.BradyID.com

Sign Legend Index

Legend Text	Header	Page
_____ Is Responsible For The ...	-	117
____Volts Authorized Personnel Only	Danger	74
___Voltios	Peligro	42
___Volts	Danger	76
___Volts / ___Voltios	Danger/ Peligro	42
$100 Fine	-	156
$200 Fine	-	156
$250 Fine	-	156
$350 Fine	-	156
1, 1, 1, Trichloroethane	-	66
1.5 Blasting Agents D 1	-	67
1.6 Explosive N 1	-	67
10 Min Parking Admission And ...	-	162
13,200 Volts	Danger	74
15 Minute Parking	-	162
2 Way Traffic Symbol	-	162
3 Causes Of Accidents I Didn'T Think I Didn'T See ...	-	144
4 Causes Of Accidents I Didn'T Think I Didn'T See ...	-	144
440 Voltios	Peligro	42
440 Volts	Danger	74
440 Volts / 440 Voltios	Danger/ Peligro	42
480 Volts (w/picto)	Danger	38

A

Legend Text	Header	Page
A Careful Workman Is The Best ...	Be Careful	149
A Clean Place Is A Safe Place	-	117
A Clean Work Area Is A Safe ...	-	117
A Cluttered Area Is A Hazard ...	-	117
A Fire Today No Job Tomorrow	Safety First	149
A.E.D. (w/picto)	-	97
Access At Side (w/picto)	-	156
Accessible	-	143
Accidents Are Avoidable Forget The Alibi	Think	149
Accidents Are Avoidable: Forget The Alibi	Think	149
Acetic Acid, Glacial	-	66
Acetone	-	66
Acetylene	-	66
Acetylene Empty Cylinders	-	63
Acetylene Flammable Gas No ...	-	63
Acetylene Full Cylinders	-	63
Acetylene No Smoking No Open Flames	-	63
Acid	Caution	54
Acid (w/Ghs picto)	Danger	56
Acid (w/picto)	Danger	56
Acid / Acido	Danger/ Peligro	42
Acid Keep Away	Danger	56
Acid Unloading Area Authorized Personnel Only	Danger	56
Acid Wear Proper Protection	Danger	56
Acid Wear Protective Equipment	Danger	56
Acids	Danger	56
Acrylic Acid	-	66
Acrylonitrile (An) Cancer ...	Danger	56
Acrylonitrile (An) May Cause ...	Danger	56
Additional Parking In Rear	-	162
Administration (w/picto)	-	100
Admittance Limited To Authorized Personnel	Danger	29
Admittance Only To Personnel ...	Danger	29
Aerosols	-	142
After Using Extinguisher Return To Storeroom For Recharging	-	85
Agua No Potable	Aviso	46
Agua No Potable, No Apta Para ...	Aviso	46
Airborne Radioactivity Area	-	141
Alarm Secured Door Emergency ...	-	85
Alarm Will Sound If Door Opens	Caution	28
All Drums In This Area Must Be Grounded	Notice	62
All Employees And Visitors ...	Notice	134
All Employees And Visitors ...	Notice	151
All Employees Whose Work Does ...	Notice	31
All Injuries No Matter How ...	Notice	91
All Lunch Boxes, Packages, ...	Notice	31
All Personnel Must Wear Safety Glasses In The Plant	Notice	134
All Through Traffic Use Designated Walk Way	Protection Area	94
All Truck Drivers Must Sign In Before Proceeding Past ...	Notice	31
All Unauthorized Vehicles Will Be Towed Away At Vehicles ...	-	152
All Vehicles And Personnel ...	Notice	160
All Vehicles Entering Or ...	Notice	151
All Vehicles Entering Or ...	Notice	31
All Visitors And Job Applicants Must Stop And Sign ...	Notice	31
All Visitors Must Get Pass At ...	Notice	31
All Visitors Must Register At ...	Notice	31
All Visitors Must Report To Security	Security Notice	151
All Visitors Report To Site Office	Notice	154
All Way	-	162
Alternative Medicine (w/picto)	-	100
Alto Voltaje	Peligro	42
Alto Voltaje No Entrar	Peligro	42
Aluminum Cans Only	-	142
Always Add Acid To Water	Caution	38
Ambulance Entrance (w/picto)	-	100
Ambulance Parking Only	-	162
America And Safety First	-	144
America On Guard Be Alert	-	153
Ammonia	Danger	56
Ammonium Hydroxide	-	66
And Start A Trend Here	Think	96
Anesthesia (w/picto)	-	100
Anhydrous Ammonia	-	66
Antifreeze	Danger	56
Anyone Entering Tanks Must ...	Caution	69
Anyone Working Over This Area ...	Caution	69
Approach Door Slowly	Caution	28
Approach Slowly Gate Will Open	-	152
Arc Welding	Caution	54
Area De Almacenamiento De ...	Peligro	42
Area For Evacuation Assistance	-	85
Area For Rescue Assistance	-	85
Area In Front Of This Electrical Panel Must Be Kept ...	-	76
Area In Front Of This Electrical Panel Must Be Kept ...	Caution	74
Area In Front Of This Electrical Panel Must Be Kept ...	Danger/ Peligro	43
Area In Front Of This Electrical Panel Must Be Kept ...	Caution/ Precaucion	40
Area In Front Of This Electrical Panel Must Be Kept ...	Danger	74
Area Of Refuge	-	85
Argon	Danger	56
Argon Be Back Later	Danger	96
Argon Empty Cylinders	-	63
Argon Full Cylinders	-	63
Arrow Left (Red On White) Picto	-	77
Arrow Left (White On Green) Picto	-	77
Arrow Pointing Right	-	161
Arrow Pointing Upper Right	-	161
Arrow Right (Green On Red) Picto	-	77
Arrow Right (White On Black) Picto	-	77
Arrow Right (White On Red) Picto	-	77
Arrow Right Down Picto	-	77
Arrow Right Up Picto	-	77
Arrow Symbol	-	95
Asbestos	-	142
Asbestos Cancer And Lung ...	Danger	154
Asbestos Cancer And Lung ...	Danger	56
Asbestos Cancer And Lung ...	Caution	54
Asbestos Dust Hazard Avoid ...	Caution	54
Asbestos Dust Hazard Cancer ...	Danger	56
Asbestos Hazardous Do Not ...	Caution	54
Asbestos May Cause Cancer ...	Danger	56
Asbestos Waste Disposal Site ...	Caution	54
Assigned Parking Only	-	162
Atmosphere May Be Hazardous ...	Caution	69
Attach Grounding Cables	Caution	74
Attach Grounding Wire Clips	Caution	74
Attention All Visitors And ...	-	162
Authorized Drivers Only Are ...	Notice	160
Authorized Employees Only	Restricted Area	32
Authorized Employees Only / Solo Empleados Autorizados	Restricted Area/Area Restringida	48
Authorized Parking Only	-	162
Authorized Personnel Only	-	33
Authorized Personnel Only (w/picto)	Danger	29
Authorized Personnel Only (w/picto)	Danger	29
Authorized Personnel Only / Solo Personal Autorizado	Danger/ Peligro	45
Authorized Personnel Only Check With Control Room ...	Danger	29
Authorized Personnel Only ...	Restricted Area	33
Authorized Personnel Only ...	-	33
Authorized Use Only	Danger	108
Authorized Vehicles Only	-	162
Automatic Door Keep Clear	-	73
Automatic Equipment May Start ...	Caution	104
Automatic Equipment Will Start At Any Time	Caution	104
Automatic Equipment Will Start Without Warning	Caution	104
Automatic Security Alarm Will ...	Notice	72
Automatic Sprinkler System Sub Basement	-	85
Automatic Start Equipment	Danger	108
Avoid A Fall Use Handrails	-	114
Avoid A Fall Use Handrails ...	-	48
Avoid Accidents Clean Up Spills	-	117
Avoid Backtalk Please Lift Properly	-	144
Avoid Breathing Chemical Vapors Use Protective Clothing ...	Caution	54
Avoid Contamination Wash Your ...	Warning	126
Avoid Contamination Wash Your ...	Notice	37
Avoid Injury Watch Your Step	Caution	127
Ayude A Mantener Esta Area Limpia	-	48

B

Legend Text	Header	Page
Back In Or Pull Out On Green Only	Warning	161
Back-In Parking Only	-	162
Bad Planning On Your Part Does Not Necessarily Constitute ...	-	96
Barricade Area Do Not Enter ...	Danger	29
Basement Not An Exit	-	77
Battery Charging Area No Smoking	Danger	120
Battery Charging Station No ...	Caution	159
Battery Room Absolutely No ...	-	64
Be Alert Don'T Get Hurt	-	150
Be Alert Moving Parts	Caution	104
Be Careful	Safety First	149
Be Careful Carelessness Can ...	-	144
Be Prepared To Stop	-	155
Be Safe Lock It Out	Caution	102
Be Sure Cylinder Is Properly ...	Warning	37
Be Sure Elevator Is Locked ...	Caution	104
Be Sure Everyone Is Clear ...	Danger	108
Be Sure Safety Guards Work At ...	Danger	108
Before Entering, Test For ...	Caution	28
Before Working On Any Machine, Be Positive Disconnect ...	Be Careful	102
Before You Act	Think	149
Before You Leave Please Clean ...	-	117
Before You Leave…Take A Minute To Clean	-	118
Benzaldehyde	-	66
Benzene	-	66
Benzene Cancer Hazard	Danger	56
Benzene Cancer Hazard Flammable-No Smoking Authorized ...	Danger	56
Benzene Vapors	Caution	54
Beyond This Point You Are In ...	Caution	139
Bicycle Parking Only	-	162
Bike Lane	-	162
Billing Department (w/picto)	-	100
Bio Hazard / Riesgo Biologico	-	50
Bio-Hazard Area (w/picto)	-	51
Biohazard	-	95
Biohazard (w/picto)	-	51
Biohazard Area	-	51
Biohazard Authorized Personnel Only (w/picto)	-	51
Biohazard Dispose Of Properly	-	51
Biohazard Infectious Agent___ ...	-	51
Biohazard Infectious Waste	-	51
Biohazard No Food Or Drink To ...	-	51
Biohazard Universal Precautions Must Be Observed	-	51
Biological Hazard Authorized ...	Caution	51
Blank	-	141
Blank (Blue)	-	158
Blank (Red)	-	158

Legend Text	Header	Page
Blank Sign	Area Restringida	52
Blank Sign (Gray)	-	52
Blank Sign (Orange)	-	52
Blank Sign (White)	-	52
Blank Sign (Yellow)	-	52
Blank Sign Header Only	Safety First	52
Blank Sign With Ansi Header	Caution	52
Blank Sign With Ansi Header Only	Caution	52
Blank Sign With Osha Header	Advertencia	52
Blank Sign With Osha Header ...	Danger	52
Blank Sign With Osha Header Only	Caution	52
Blasting Keep Away	Danger	84
Blind Corner Proceed With Caution	-	162
Bloodborne Pathogens Poster - ...	-	147
Bloodborne Pathogens Poster - ...	-	147
Bloquear Los Manubrios Electricos Antes De Usar El ...	Peligro	42
Body Harness Required For Entry	Danger	132
Boiler Room Authorized Personnel Only	Danger	29
Books	-	142
Boots Must Be Worn (w/picto)	-	136
Boys	-	143
Braille Sign Frame	-	53
Breakers Locked Out	Danger	102
Breathing Air Emergency Use Only	Notice	91
Breathing Air Empty Cylinders	-	64
Breathing Air Full Cylinders	-	64
Breathing Air Station	Notice	91
Breathing Apparatus (w/picto)	-	97
Breathing Apparatus Keep Area ...	Safety First	37
Breathing Apparatus Required (w/picto)	Caution	127
Bromine	-	66
Buckle Up And Drive Safely	-	162
Buckle Up It Could Save Your Life	-	162
Buckle Up! It'S The Law	-	162
Buddy System Is Required For Entry	Caution	69
Buddy System Must Be Used For ...	Danger	69
Building Materials	-	142
Bump	-	162
Bump Caps Must Be Worn In This Area	Caution	127
Buried Cable	Caution	74
Buried Cable Call Before ...	Caution	74
Buried Electric Line Below	Caution	74
Buried Gas Line	Caution	71
Buried Pipeline	Caution	54
Butane	-	66
Butanol	-	66

C

Cable Buried Here	Danger	75
Cadmium Cancer Hazard Can Cause Lead And Kidney Disease ...	Danger	56
Cadmium May Cause Cancer Causes Damage To Lungs And ...	Danger	56
Calcium Chloride	-	66
Calcium Hypochlorite	-	66
Caliente	Peligro	43
California Proposition 65 ...	-	64
Cameras Not Allowed (w/Picto 1)	-	152
Cameras Not Allowed (w/Picto 2)	-	152
Cancer Hazard Authorized ...	Danger	57
Cancer Suspect Agent Area ...	-	64
Capacity ___ Lbs / Capacidad: ___ Kg	Caution/ Precaucion	40
Capacity _____ Lbs	Caution	116
Capacity Tons	-	118
Car Pool Parking Only (Black)	-	162
Car Pool Parking Only (Green)	-	162
Carbon Dioxide	-	66
Carbon Disulfide	-	66
Carbon Monoxide Area Requires ...	Caution	54
Carbon Monoxide May Be Present	Caution	54
Carbon Tetrachloride	-	66
Cardboard Only	-	142
Cardiology (w/picto)	-	100
Cardiology Parking Only	-	162
Care Staff Area (w/picto)	-	100
Carry It Low - Drive It Slow	-	144
Carrying Concealed Deadly ...	-	33
Cartons	-	142
Cat Scan (w/picto)	-	100
Cath Lab (w/picto)	-	100
Causes Of Accidents: 1 I Didn'T Think 2 I Didn'T See ...	-	150
Caustic	Danger	57
Caustic Chemical Goggles Must ...	Caution	54
Caustic In Use Wear Protective Equipment	Danger	57
Caustic Overhead	Danger	57
Caustic Potash (Potassium Hydroxide)	-	66
Caustic Soda (Sodium Hydroxide)	-	66
Caustic Soda Avoid Skin Or Eye Contact Avoid Inhalation ...	Caution	54
Caustic Unloading Area Authorized Personnel Only	Danger	57
Caustic Wear Protective Equipment	Danger	57
Caution - Propane	-	64
Caution (3 Pocket With Grommets)	-	140
Caution (5 Pocket With Grommets)	-	140
Caution (With Stripes)	-	114
Caution Automatic Door	-	73
Caution Biohazard (w/picto)	-	51
Caution Biological Hazard (w/picto)	-	51
Caution Children At Play	-	162
Caution Door Swings Out (w/picto)	-	97
Caution Drive Slowly	-	162
Caution Eye Protection Required In This Area (w/picto)	-	97
Caution High Level Radio ...	-	140
Caution High Radiation Area (w/picto)	-	140
Caution Laser Invisible Beam (w/picto)	-	140
Caution Radiation Area (w/picto)	-	94
Caution Radiation Area Authorized Entry Only (w/picto)	-	140
Caution Radiation Area Keep Out	-	140
Caution Radiation Area Radioactive Materials Authorized ...	-	140
Caution Radioactive Material (w/picto)	-	140
Caution Radioactive Materials ...	-	140
Caution Slippery Surface (w/picto)	-	39
Caution Speed Bump	-	162
Caution This Equipment Produces Ionizing Radiation ...	-	140
Caution Wet Floor (w/picto)	-	39
Caution X-Rays This Equipment ...	-	140
Caution X-Rays This Equipment ...	-	140
Caution! Automatic Gates No ...	-	162
Chain All Cylinders Securely	Notice	62
Changeable Arrow	-	85
Chapel (w/picto)	-	100
Check Battery Acid Before ...	Caution	54
Chemical Goggles Must Be Worn ...	Notice	134
Chemical Goggles Required	-	64
Chemical Goggles Required In ...	Caution	127
Chemical Lines Overhead	Caution	54
Chemical Spillage Must Be ...	-	64
Chemical Spills Must Be Reported Immediately	Notice	62
Chemical Storage	-	95
Chemical Storage (w/picto)	Danger	57
Chemical Storage / Almacenamiento De Sustancias Quimicas	Danger/ Peligro	42
Chemical Storage Area	Warning	62
Chemical Storage Area (w/picto)	-	94
Chemical Storage Area / Area Para Almacenamiento De ...	Caution/ Precaucion	40
Chemical Waste Storage Area ...	Danger	29
Chlorine	-	66
Chlorine / Cloro	Danger/ Peligro	43
Chlorine Area	Caution	54
Chlorine Gas	Danger	57
Chloroform	-	66
Chromic Acid, Solid Chromium Anhydride	-	66
Church Parking Only	-	162
Clean And Store Respirator ...	Notice	134
Clean Empty Drums	-	64
Clean Equipment After Use	Notice	112
Clean Machine At The End Of ...	Notice	112
Clean Up After Your Dog Dog ...	-	142
Clean Up And Keep Clean	-	118
Clear Plexi-Glass Poster Holder	-	148
Clearance Ft In	Caution	104
Clearance ___ Ft ___ In	Caution	104
Clearance __Ft	Notice	112
Climb Ladders Slowly And Use ...	Safety First	113
Close Clearance	Caution	159
Close Door When Not In Use	Caution	72
Closed Area Authorized Personnel Only	-	33
Clothing Contaminated With Lead	Caution	54
Coke Oven Emissions May Cause ...	Danger	57
Combustible	Danger	57
Combustible 3	-	68
Combustible Diesel	Peligro	43
Combustible Dust	Warning	62
Combustible Dust Area No ...	Danger	120
Combustible Dust No Smoking, ...	Danger	120
Combustible Liquids	Danger	57
Combustible Liquids (w/Ghs picto)	Danger	57
Compact Cars Only	Notice	160
Company Is Not Responsible For Loss Or Damage To Parked ...	Notice	160
Company Phones Are For Business Only No Personal Calls ...	-	114
Complaint Department (w/Right ...	Notice	96
Compressed Air	Caution	54
Compressed Air Do Not Use For ...	Danger	57
Compressed Air Do Not Use For ...	Danger	57
Compressed Air Lock Out Source And Bleed Off Pressure ...	Warning	103
Compressed Gas	Danger	57
Confined Space	Danger	69
Confined Space (w/picto)	Danger	69
Confined Space Air-Supplied ...	Danger	69
Confined Space Authorized ...	Danger	36
Confined Space Call _____ Before Attempting ...	Danger	69
Confined Space Class __ Permit Required For Entry	Caution	69
Confined Space Class _____ Permit Required For ...	Caution	69
Confined Space Do Not Enter ...	Caution	69
Confined Space Do Not Enter ...	Danger	69
Confined Space Do Not Enter ...	Danger	70
Confined Space Enter All Tanks By Permit Only	Danger	70
Confined Space Enter By Permit Only	Caution	69
Confined Space Enter By Permit Only (w/picto)	Danger	38
Confined Space Enter By Permit Only / Area Confinada. ...	Danger/ Peligro	42
Confined Space Enter By Permit Only Prepare For Entry ...	Danger	70
Confined Space Entry Can Be ...	Danger	70
Confined Space Entry Permit ...	Danger	70
Confined Space Entry Permit ...	Caution	69
Confined Space Follow Entry ...	Danger	70
Confined Space Hazardous ...	Danger	29
Confined Space Hazardous ...	Danger	70
Confined Space Hazardous ...	Danger	29
Confined Space Keep Out	Danger	70
Confined Space Keep Out Unless Authorized	Danger	70
Confined Space Keep Out Unless Authorized / Espacio ...	Danger/ Peligro	43
Confined Space Lock Out And ...	Danger	70
Confined Space Lock-Out & ...	Danger	70
Confined Space No Smoking, ...	Danger	70
Confined Space No___ Entry ...	Caution	28
Confined Space Permit Not Required	Danger	70
Confined Space Permit Required (w/ picto)	Danger	70
Confined Space Procedures Must Be Followed	Caution	69
Confined Space Safety Poster - English	-	147
Confined Space Trained Personnel Only	Caution	69
Confined Space Use Lockout And Entry Procedures Prior ...	Caution	69
Confined Space Use Lockout And Entry Procedures Prior ...	Caution/ Precaucion	40
Confined Space Ventilate Before Entering	Danger	70
Connect Ground Wire Before Using	Caution	74
Conserve Water (w/picto)	-	142
Construction Ahead	-	155
Construction Area	Danger	71
Construction Area / Area De Construccion	Danger/ Peligro	42
Construction Area Authorized ...	Caution	28
Construction Area Authorized ...	-	71
Construction Area Keep Out	Danger	29
Construction Area Keep Out / Area De Construccion ...	Danger/ Peligro	42
Construction Entrance	-	71
Construction In Progress	Caution	71
Construction Parking	-	154
Construction Personnel Only	Danger	71
Construction Site Keep Out	Danger	154
Construction Site No Trespassing	Danger	154

Sign Legend Index

www.BradyID.com

Legend Text	Header	Page
Construction Site Unauthorized Persons Keep Out	Danger	154
Construction Worker Picto	-	155
Construction Zone Unauthorized Personnel Keep Out	Danger	160
Contains Asbestos Fibers Avoid Creating Dust (w/picto)	Danger	38
Contains Asbestos Fibers Avoid Creating Dust-Cancer ...	Danger	57
Contains Asbestos Fibers Avoid Creating Dust-Cancer ...	Danger/ Peligro	43
Contains Benzene Cancer Hazard	Caution	54
Contains Cadmium Poisonous ...	Warning	63
Contains Ethylene Oxide Cancer Hazard And Reproductive ...	Danger	57
Contains Fluorides	Caution	54
Contains Hazardous Material ...	Caution	54
Contaminated Water	Danger	57
Contamination In System	-	141
Contents Under Extreme Pressure Handle With Care	Danger	57
Contractor Parking	-	163
Control Room	-	73
Controlled Access Zone	Danger	29
Conveyor May Start Without Warning	Caution	104
Conveyor May Start Without Warning / La Banda Transportadora ...	Caution/ Precaucion	40
Cooked Meat Only	-	114
Corrosive	Danger	57
Corrosive (w/picto)	-	64
Corrosive 8	-	68
Corrosive Liquids Wear Acid ...	Danger	57
Corrosive Liquids Wear Protective Equipment	Danger	57
Corrosive Materials (w/Ghs picto)	Danger	57
Corrosive Materials Wear ...	Warning	63
Corrosive Materials Wear ...	Caution	54
Corrosive Materials Wear Required Protection / Material ...	Caution/ Precaucion	40
Corrosive Picto (w/Blank Box) ...	-	68
Corrosives Avoid Contact With ...	Danger	36
Cotton Dust Causes Damage To ...	Danger	57
Cotton Dust Work Area May Cause Acute Or Delayed Lung ...	Warning	63
Cpr Station (w/picto)	-	97
Crane Overhead	Danger	108
Crane Overhead / Grua Aerea	Danger/ Peligro	44
Crane Swing	Danger	108
Crane Working Overhead	Danger	108
Cross On Green Light Only	-	163
Cross Only At Cross Walks	-	163
Crossing Or Standing On Conveyor Is Forbidden	Danger	108
Crosswalk Picto	-	161
Ct (w/picto)	-	100
Cuidado Con La Salida De Camiones	Precaucion	40
Customer Parking	-	163
Customer Parking Unauthorized ...	-	163
Customer Pick-Up	-	163
Customers Not Permitted In ...	Notice	31
Cut / Sever (w/picto)	-	114
Cutting And Welding Permit ...	Caution	104
Cyanide	Danger	57
Cylinder Storage Area	-	64
Cylinders Contain Explosive ...	Danger	58
Cylinders Must Be Secured	Danger	58
Cylinders Not Connected Must ...	Notice	62

D

Damaging Or Defacing Company ...	-	152
Danger Automatically Controlled May Start At Any Time	-	114
Danger High Radiation Area ...	-	141
Danger High Voltage	-	76
Danger High Voltage Cable ...	-	76
Danger Hot (w/picto)	-	39
Danger Laser Light (w/picto)	-	141
Danger Moving Machinery (w/picto)	-	114
Danger No Trespassing Positively No Admittance	-	33
Danger-Acids Wear Goggles Avoid Fumes And Skin Contact ...	-	64
Dangerous	-	68
Dangerous When Wet 4	-	68
Debe Haber Un Espacio De 1M ...	Peligro	43
Deep Excavation	Danger	154
Deliveries In Rear	-	163
Demolition Work In Progress	Danger	154
Dental (w/picto)	-	100
Deposit All Rubbish In Receptacles Provided	Please	117
Deposit Matches And All Smoking Material Here	-	122
Deposit Waste Here	Notice	116
Derail (Blue)	-	158
Derail (Red)	-	158
Dermatology (w/picto)	-	100
Designated Smoking Area	-	122
Designated Smoking Area (w/picto)	Notice	121
Designated Smoking Eating & ...	-	122
Designated Smoking Room	-	122
Designated Work Area Select ...	Caution	54
Detectable Amounts Of Chemicals Known To The State ...	Warning	63
Detectable Amounts Of Chemicals Known To The State ...	Warning	63
Detour Ahead	-	155
Diabetes Education (w/picto)	-	100
Diagonal Parking	-	163
Dial 911 In Case Of Emergency ...	Safety First	91
Did You Remember To Remove ...	-	103
Did You Wash Them? Hand Washing Stops The Spread Of ...	-	126
Diesel	Danger	58
Diesel Fuel	-	66
Diesel Fuel / Gasoleo	Danger/ Peligro	44
Diesel Fuel No Smoking In This Area	-	122
Diesel Fuel No Smoking No Open Flames	Danger	58
Diesel Fuel No Smoking No Open Flames / Combustible ...	Danger/ Peligro	43
Diesel No Smoking	Danger	120
Diesel Only	-	64
Disconnect Power Supplies And ...	Caution	102
Do It Right The First Time! ...	Think	96
Do Not Alter Or Move Scaffold ...	Danger	71
Do Not Attempt To Adjust ...	Caution	104
Do Not Block	-	163
Do Not Block Door	Notice	72
Do Not Block Door / No Obstruir La Puerta	Notice/Aviso	47
Do Not Block Doorway	-	73
Do Not Block Driveway 24 Hour ...	-	163
Do Not Block Keep Clear At All Times	-	73
Do Not Climb On Or Jump Off Dock	-	163
Do Not Climb Over This Enclosure Contains High Voltage ...	Danger	75
Do Not Deposit Sanitary Napkins In Toilet Bowls Use ...	Notice	116
Do Not Discard Trash Of Any ...	-	143
Do Not Discard Trash Of Any ...	-	49
Do Not Drink The Water	Warning	63
Do Not Drink This Water	Danger	58
Do Not Drink This Water / No Beber Esta Agua	Danger/ Peligro	44
Do Not Drive On Tracks	-	163
Do Not Dump Chemicals Down ...	Notice	62
Do Not Dump Chemicals Solvents Or Oils Down Drains	Warning	63
Do Not Enter	-	33
Do Not Enter (w/Hand picto)	Danger	29
Do Not Enter (w/picto)	Danger	29
Do Not Enter (w/picto)	Caution	38
Do Not Enter / No Entrar	Caution/ Precaucion	41
Do Not Enter / Out	-	73
Do Not Enter Area Unless ...	Notice	134
Do Not Enter Authorized Personnel Only	Danger	29
Do Not Enter Authorized Personnel Only (w/picto)	Restricted Area	151
Do Not Enter Authorized Personnel Only / No Entrar ...	Danger/ Peligro	45
Do Not Enter Chemicals In Use	Danger	58
Do Not Enter Emergency Exit Only	Danger	29
Do Not Enter Hazardous Area ...	Danger	58
Do Not Enter Test In Progress	Danger	29
Do Not Enter Truck Or Trailer ...	Danger	160
Do Not Enter Unless Wearing ...	Safety First	33
Do Not Enter Unless Wheels Are Chocked	Be Careful	159
Do Not Enter Until Lockout ...	Danger	102
Do Not Enter When Equipment Is Operating	Danger	29
Do Not Enter When Equipment Is Operating / No Entrar ...	Danger/ Peligro	45
Do Not Enter When Light Is On	Caution	28
Do Not Enter When Lights Are Flashing	Danger	29
Do Not Enter When Red Light Is On	Danger	29
Do Not Enter While Machinery ...	Caution	28
Do Not Enter Without A Confined Space Permit	Caution	28
Do Not Enter Without Wearing ...	Danger	29
Do Not Enter Without Wearing ...	Caution	28
Do Not Enter Without Wearing ...	Caution	127
Do Not Enter Without Wearing ...	Danger	132
Do Not Enter Without Wearing ...	Danger	29
Do Not Enter Without Wearing ...	Danger	132
Do Not Exit / Enter	-	73
Do Not Handle Without Wearing ...	Danger	132
Do Not Leave Machine Unattended	Notice	112
Do Not Litter Place All Refuse In Trash Receptacles	-	118
Do Not Litter Please Use ...	-	118
Do Not Litter! Please Put ...	-	142
Do Not Look At Electric Arc It Will Hurt Your Eyes	Danger	132
Do Not Obstruct Fire Apparatus	-	85
Do Not Oil Or Clean Machinery ...	Safety First	113
Do Not Open Alarm Will Sound	Caution	28
Do Not Open Door Alarm Will Sound	-	85
Do Not Open This Door	Danger	72
Do Not Operate	Danger	102
Do Not Operate Closer Than 20 ...	Danger	108
Do Not Operate Controls While ...	Danger	108
Do Not Operate Machine Under Repair	Caution	104
Do Not Operate Machine Without Guards In Place	Warning	113
Do Not Operate Man Working On ...	Caution	104
Do Not Operate Men Working On ...	Danger	108
Do Not Operate This Equipment ...	Notice	134
Do Not Operate This Machine ...	Caution	104
Do Not Operate When Wearing ...	-	114
Do Not Operate Without Eye Protection	-	136
Do Not Operate Without Guards	-	114
Do Not Operate Without Guards ...	Caution	38
Do Not Operate Without Guards ...	Danger	36
Do Not Operate Without Guards In Place / No Operar ...	Danger/ Peligro	45
Do Not Operate Without Wearing Goggles	Danger	132
Do Not Park Here	Notice	160
Do Not Park In Driveway	Notice	160
Do Not Park In Front Of Door	-	163
Do Not Park In Front Of Dumpster	-	163
Do Not Pass	-	163
Do Not Perform A Confined Space Rescue Without Proper ...	Danger	70
Do Not Play On Or Around	Caution	104
Do Not Pour Chemicals Down The Drain	Caution	55
Do Not Put Hands Or Fingers ...	Danger	108
Do Not Put On Or Take Off Belts While Machinery Is ...	Safety First	113
Do Not Put Your Hands In This ...	Caution	104
Do Not Raise Gate Until The ...	Danger	108
Do Not Reach Into Running Equipment	Caution	104
Do Not Remove Guards Or Operate Machinery Without ...	Warning	113
Do Not Ride On The Elevator It Is For Freight Only	Notice	112
Do Not Ride This Vehicle	Danger	108
Do Not Scatter Paper And Trash On Floors This Is Your ...	Think	117
Do Not Smoke Eat Or Drink In ...	Caution	120
Do Not Smoke In This Area (w/picto)	Notice	37
Do Not Smoke, Eat Or Drink In ...	Notice	37
Do Not Stack To Within 18 Of ...	-	85
Do Not Stand Here	Danger	108
Do Not Stand In Front Of ...	Danger	108
Do Not Start	Caution	102
Do Not Start Engine	Danger	108
Do Not Start Machine Being Repaired	Danger	108
Do Not Start Machine Being Repaired / No Encender ...	Danger/ Peligro	44
Do Not Start This Machine	Danger	108
Do Not Stop On Tracks	-	163
Do Not Talk To Operator	Caution	104
Do Not Talk To Operator While ...	Danger	108
Do Not Talk To Operators To ...	Safety First	113
Do Not Throw Any Rubbish Or ...	Notice	116
Do Not Throw Paper Towels In ...	Please	117

Legend Text	Header	Page
Do Not Throw Paper Towels In ...	Please	117
Do Not Touch Out Of Order	Danger	109
Do Not Touch Switches	Danger	75
Do Not Unload Without Full ...	Danger	132
Do Not Use	Danger	109
Do Not Use Hands To Clean This Machine	Danger	109
Do Not Use On Electrical Fires	Caution	74
Do Not Use This Equipment	Warning	113
Do Not Use Water On Fires In ...	-	85
Do Not Walk On Conveyors	Caution	127
Do Not Watch Arc	Caution	74
Do Not Watch Arc Welder At ...	Danger	132
Do Not Watch Arc Welder At ...	Danger	109
Do Not Watch The Arc	Danger	109
Do Not Wear Gloves While ...	Caution	127
Do Not Wear Jewelry, Loose ...	Caution	104
Do Not Wear Loose Clothing ...	Caution	104
Do You Want To Talk To The One In Charge Or Someone ...	Notice	96
Dog Waste Transmits Disease ...	-	142
Don't Clean Or Repair Machinery While In Motion	Danger	109
Don't Forget Lock Out Tag Out ...	-	144
Don't Have An Accident	-	144
Don't Start Out Of Order	Danger	109
Don't Take Chances Others Are ...	Think	149
Don't Try To Lift More Than ...	Safety First	149
Don'T Be A Litterbug Use Receptacles	-	118
Don'T Even Think About Smoking In This Area	-	122
Don'T Even Think Of Parking Here	-	163
Don'T Pass It Up…Pick It Up!	-	118
Door Alarmed Open Only For ...	Notice	72
Door For Emergency Use Only	Notice	72
Door Opens Outward	Caution	28
Door Swings Inward	Caution	72
Dose Rate At This Point Is___ ...	-	141
Dose Rate__ Mr/Hr __ Special ...	-	141
Double Hearing Protection ...	Caution	127
Double-Headed Arrow Pointing ...	-	161
Down Time Is Clean Up Time	-	118
Drinking Water	Notice	116
Drive Safely	-	144
Drive Slowly	Danger	160
Drivers Chock Both Wheels	-	163
Drivers Chock Wheels And Turn ...	-	163
Drivers Must Report Inside	-	33
Drivers Restricted To Truck ...	Notice	160
Drum Storage Rules All Drums ...	-	64
Drums Must Be Labeled	Notice	62
Ducha De Emergencia Y Para ...	-	48
Dust Mask Is Required	Caution	127
Dust Respirator Must Be Worn ...	Notice	134

E

Ear And Eye Protection Area	Caution	127
Ear Hazard Area Ear Protection Required At All Times	Caution	128
Ear Plugs Must Be Worn In This Area	Caution	128
Ear Protection Area	-	95
Ear Protection Area (w/picto)	-	94
Ear Protection Area / Area De Proteccion Para Los ...	Danger/ Peligro	42
Ear Protection Is Available ...	Safety First	135
Ear Protection Must Be Worn (w/picto)	-	136
Ear Protection Must Be Worn ...	Notice	134
Ear Protection Must Be Worn In This Area	Caution	128
Ear Protection Must Be Worn In This Area (w/picto)	-	136
Ear Protection Must Be Worn In This Area / En Esta ...	Notice/Aviso	46
Ear Protection Must Be Worn In This Plant	Caution	128
Ear Protection Must Be Worn ...	Notice	134
Ear Protection Picto (Blue)	-	136
Ear Protection Picto (Yellow)	-	136
Ear Protection Required (w/picto)	Caution	128
Ear Protection Required / Se Requiere Proteccion Para ...	Danger/ Peligro	45
Ear Protection Required At All Times	Danger	132
Ear Protection Required Beyond This Point	-	137
Ear Protection Required In ...	Notice	134
Ear Protection Required In ...	Caution	128
Ear Protection Required In This Area / En Esta Area ...	Caution/ Precaucion	40
Ear Protection Required When Operating	Caution	128
Ear Protection Required When ...	Caution	128
Ear Protection Required While ...	Warning	136
Ear Protectors Required When ...	Notice	134
Ear, Nose & Throat (w/picto)	-	100
Eating And Drinking Permitted ...	-	118
Eating, Drinking, And Smoking ...	-	141
Efficiency Requires Cleanliness And Order	Notice	112
Electric Current Keep Away	Danger	75
Electric Fence	Danger	29
Electric Fence / Cerca Electrificada	Danger/ Peligro	43
Electric Meter Room No Storage	Danger	75
Electric Spark Hazard No Cell ...	Warning	76
Electrical	-	142
Electrical Box Covers Must Be ...	Danger	75
Electrical Closet No Storage Permitted	-	76
Electrical Equipment Authorized Personnel Only	-	76
Electrical Equipment Authorized Personnel Only (w/picto)	Danger	30
Electrical Equipment Authorized Personnel Only (w/picto)	Danger	36
Electrical Equipment Authorized Personnel Only / Equipo ...	Danger/ Peligro	43
Electrical Hazard (w/picto)	Danger	75
Electrical Hazard Authorized ...	Danger	30
Electrical Picto	-	76
Electrical Room No Storage Permitted	Danger	75
Electrical Room No Storage ...	Notice/Aviso	46
Electrical Shock Hazard Do Not Touch	Danger	75
Electrical Supply Station ...	-	33
Electricians Only	Danger	75
Electricity Picto	-	76
Elevator (Braille W/picto)	-	53
Elevator Out Of Order	Notice	112
Elevator Shaft	Danger	109
Eliminate Doubt Lock It Out	Caution	102
Emergency (w/picto)	-	100
Emergency And Authorized ...	-	163
Emergency Breathing Apparatus ...	-	92
Emergency Conveyor Stop	-	114
Emergency Door	-	77
Emergency Equipment W/Picto	-	77
Emergency Evacuation Point	-	77
Emergency Evacuation Route	-	78
Emergency Evacuation Route ...	-	78
Emergency Evacuation Route ...	-	78
Emergency Evacuation Route ...	-	78
Emergency Evacuation Route ...	-	78
Emergency Exit	-	78
Emergency Exit	-	95
Emergency Exit (Braille)	-	53
Emergency Exit (w/picto)	-	94
Emergency Exit Do Not Block	-	85
Emergency Exit Only (Red On ...	-	78
Emergency Exit Only (Red On White)	-	78
Emergency Exit Only (White On ...	-	78
Emergency Exit Only (White On ...	-	78
Emergency Exit Only Keep Area ...	-	78
Emergency Exit Only Security ...	-	85
Emergency Exit Only: Alarm ...	-	78
Emergency Exit W/3 Left Arrows	-	78
Emergency Exit W/3 Right Arrows	-	78
Emergency Exit W/Left Arrow Picto	-	78
Emergency Exit W/Right Arrow	-	78
Emergency Exit W/Right Arrow Picto	-	78
Emergency Exit: Keep Area Clear	-	78
Emergency Eye Wash	Notice	91
Emergency Eye Wash (w/picto)	-	78
Emergency Eye Wash And Shower	Notice	91
Emergency Eye Wash Picto	-	101
Emergency Eye Wash Station	Notice	91
Emergency Fire Exit	-	85
Emergency First Aid Poster - English	-	147
Emergency Fuel Shutoff	-	64
Emergency Gas Shut-Off Do Not ...	-	64
Emergency Gasoline Shut Off	-	85
Emergency Only Pull Handle Down	-	85
Emergency Phone Numbers Fire ...	-	78
Emergency Phone Picto	-	101
Emergency Response Kit	Notice	91
Emergency Room Parking Only	-	163
Emergency Shelter (Red On White)	-	78
Emergency Shelter (White On Red)	-	78
Emergency Shelter For Hazardous Weather Conditions	-	85
Emergency Shower	Safety First	91
Emergency Shower (w/picto)	-	78
Emergency Shower And Eye Wash ...	-	92
Emergency Shower And Eye Wash ...	-	48
Emergency Shower Eye Bath	Safety First	135
Emergency Shut Off (Red On White)	-	85
Emergency Shut Off (White On Red)	-	85
Emergency Shut Off W/Down Arrow Picto	-	85
Emergency Shut-Off	Notice	76
Emergency Shutoff W/Down Arrow	-	97
Emergency Spill Response Equipment	-	64
Emergency Stairs	-	95
Emergency Stairs (w/picto)	-	94
Emergency Stop (w/picto)	-	78
Emergency Stop Button	-	114
Emergency Stop Pull Cable	-	114
Emergency Telephone (w/picto)	-	78
Emergency Telephone Information	-	92
Emergency Use Only	-	85
Emergency Vehicles Only	-	163
Emergency Vehicles Only Beyond This Point	-	163
Employee Parking	-	164
Employees Are Not Permitted To Remove Guards Or Operate ...	Safety First	113
Employees Must Not Operate ...	Safety First	113
Employees Must Wash Hands ...	-	126
Employees Must Wash Hands ...	-	126
Employees Must Wash Hands ...	-	49
Employees Only	-	73
Employees Only / Solo Empleados	Notice/Aviso	47
Employees Only / Solo Empleados (w/ picto)	Notice/Aviso	47
Empty Acetylene Cylinders Do ...	-	64
Empty Co2 Cylinders Do Not Use	-	64
Empty Cylinders	-	64
Empty Cylinders Do Not Use	-	64
Empty Drums Only	Notice	62
Empty Nitrogen Cylinders Do ...	-	64
Empty Oxygen Cylinders Do Not ...	-	64
Empty Propane Cylinders Do Not Use	-	64
Emt Parking Only	-	164
End Utility Work	-	155
Energy Source	Caution	102
Engineering Dept.	-	73
Enter	-	164
Enter Here	-	164
Enter Only	-	164
Entrance	-	78
Entrance (Braille W/picto)	-	53
Entrance (w/picto)	-	156
Entrance For Employees Only	Notice	31
Entrance Only	-	78
Entrance W/Left Arrow Picto	-	78
Entrance W/Right Arrow Picto	-	78
Entry Prohibited Without Permit Test For O2 Deficiency, ...	Caution	28
Environmental, Health & Safety Dept.	-	73
Equipment Being Serviced Do ...	Danger	102
Equipment Being Serviced Do ...	Danger	102
Equipment Being Serviced Do ...	Danger	43
Equipment Is Not To Be Removed From This Area	-	114
Equipment Locked Out Do Not ...	Danger	103
Equipment Operated By Remote Control	Caution	104
Escape Ladder (w/picto)	-	79
Espacio Cerrado, Entrada Solo ...	Peligro	43
Este Equipo Se Enciende Automaticamente	Peligro	43
Ethyl Acetate	-	66
Ethyl Alcohol (Ethanol)	-	66
Ethylene Glycol	-	66
Ethylene Oxide Cancer Hazard ...	Danger	58
Evacuate This Area Immediately If Fire Alarm Sounds	Warning	84
Evacuation Assembly Area	-	85
Evacuation Route	-	79
Evacuation Slide Picto	-	101
Evaluation Letter "1" Picto	-	101
Evaluation Letter "2" Picto	-	101
Evaluation Letter "3" Picto	-	101
Evaluation Letter "4" Picto	-	101
Evaluation Letter 0 Picto	-	101
Evaluation Letter 4 Picto	-	101

Sign Legend Index

www.BradyID.com

Legend Text	Header	Page
Evaluation Letter 5 Picto	-	101
Evaluation Letter 6 Picto	-	101
Evaluation Letter 7 Picto	-	101
Evaluation Letter 8 Picto	-	101
Evaluation Letter 9 Picto	-	101
Every Injury However Slight ...	Notice	91
Every Machine In This Department Is Dangerous	Be Careful	104
Everyone Grinding Must Wear Goggles	Safety First	113
Excessive Noise Ear Protection Must Be Worn	Danger	132
Excessive Radio Frequency ...	Warning	140
Exclusion Area Radiation ...	Caution	139
Exit	-	80
Exit	-	79
Exit (Black On Photoluminescent)	-	79
Exit (Braille)	-	53
Exit (Framed Black Sign)	-	83
Exit (Framed Sign Extra Bracket)	-	83
Exit (Framed Sign)	-	83
Exit (Green On White)	-	79
Exit (Red On White)	-	79
Exit (w/Arrow)	-	164
Exit (w/Left Arrow)	-	164
Exit (w/picto)	-	94
Exit (w/Right Arrow)	-	164
Exit (w/Running Man - Arrow ...	-	82
Exit (w/Running Man - Arrow ...	-	82
Exit (w/Running Man - Arrow Left)	-	82
Exit (w/Running Man - Arrow ...	-	82
Exit (w/Running Man - Arrow ...	-	82
Exit (w/Running Man - Arrow Right)	-	82
Exit (White On Green)	-	79
Exit (White On Red)	-	79
Exit / Salida	-	50
Exit Arrow	-	95
Exit Only	-	79
Exit Only Do Not Enter	-	164
Exit Only No Reentry To Building	-	85
Exit Route Do Not Block	-	85
Exit Through Lobby (w/Arrow) ...	-	82
Exit Through Lobby (w/Arrow) ...	-	82
Exit W/Double Arrow Picto	-	79
Exit W/Double Headed Arrow ...	-	79
Exit W/Down Arrow Picto	-	81
Exit W/Left Arrow Picto	-	79
Exit W/Left Arrow Picto (Black & White)	-	79
Exit W/Left Arrow Picto (Red ...	-	79
Exit W/Right Arrow Picto	-	79
Exit W/Right Arrow Picto (Black & White)	-	79
Exit W/Right Arrow Picto (Red ...	-	79
Explosion (w/picto)	-	64
Explosion Relief Vent Stay Clear	Danger	58
Explosive 1.1A	-	67
Explosive 1.1B	-	67
Explosive 1.1C	-	67
Explosive 1.1D	-	67
Explosive 1.1E	-	67
Explosive 1.1F	-	67
Explosive 1.1G	-	67
Explosive 1.1J	-	67
Explosive 1.2B	-	67
Explosive 1.2C	-	67
Explosive 1.2D	-	67
Explosive 1.2E	-	67
Explosive 1.2F	-	67
Explosive 1.2G	-	67
Explosive 1.2H	-	67
Explosive 1.2J	-	67
Explosive 1.2K	-	67
Explosive 1.3C	-	67
Explosive 1.3F	-	67
Explosive 1.3G	-	67
Explosive 1.3H	-	67
Explosive 1.3J	-	67
Explosive 1.3K	-	67
Explosive 1.4B	-	67
Explosive 1.4C	-	67
Explosive 1.4D	-	67
Explosive 1.4E	-	67
Explosive 1.4F	-	67
Explosive 1.4G	-	67
Explosive Gas No Smoking	Danger	58
Explosive Gas No Smoking (w/picto)	Danger	58
Explosive Gas No Smoking Or ...	Danger	58
Explosive Gases (w/picto)	-	64
Explosive Materials Authorized Personnel Only	Danger	30
Explosive Personality Keep Out	Danger	96
Explosive Vapor No Smoking No ...	Danger	58
Explosives	Danger	58
Explosives (w/Ghs picto)	Danger	58
Explosives 1.1L	-	67
Explosives 1.2L	-	67
Explosives 1.3L	-	67
Explosives 1.4S	-	67
Explosives Keep Away	Danger	58
Explosives Keep Out	Danger	30
Explosives Keep Out / Explosivos No Acercarse	Danger/ Peligro	44
Extinguidor De Incendios (w/Arrow)	-	48
Extinguidor De Incendios ...	-	49
Extinguisher Do Not Block / ...	-	48
Extinguisher Missing Ext. # ...	-	85
Extremely Cold Liquid Nitrogen Do Not Touch	Caution	55
Eye And Ear Protection Must Be Work In This Department ...	-	137
Eye And Ear Protection Must Be Worn Beyond This Point	Caution	128
Eye And Ear Protection Must Be Worn In This Area	Caution	128
Eye And Ear Protection Required In This Area	Warning	136
Eye And Ear Protection Required While Operating This ...	Danger	109
Eye And Glove Protection Must ...	Caution	55
Eye Protection And Hard Hats ...	Caution	128
Eye Protection Area	-	95
Eye Protection Area (w/picto)	-	94
Eye Protection Glasses Picto (Yellow)	-	137
Eye Protection Goggles Picto (Yellow)	-	137
Eye Protection Must Be Worn (w/picto)	-	137
Eye Protection Must Be Worn In This Area	Safety First	135
Eye Protection Must Be Worn In This Area (w/picto)	-	137
Eye Protection Must Be Worn ...	Notice	134
Eye Protection Must Be Worn ...	Notice	112
Eye Protection Must Be Worn ...	Danger	132
Eye Protection Required	Caution	128
Eye Protection Required (w/picto)	Caution	128
Eye Protection Required (w/picto)	Caution	38
Eye Protection Required / Se Requiere Proteccion Para ...	Danger/ Peligro	45
Eye Protection Required / Uso Obligatorio De Proteccion ...	Caution/ Precaucion	41
Eye Protection Required Beyond This...	Danger	132
Eye Protection Required In ...	Safety First	135
Eye Protection Required In ...	Caution	36
Eye Protection Required In This Area / Es Obligatorio ...	Danger/ Peligro	43
Eye Protection Required Safety Glasses	-	137
Eye Protection Shall Be Worn ...	-	137
Eye Protection Shall Be Worn ...	-	137
Eye Wash	-	92
Eye Wash	-	95
Eye Wash (w/picto)	-	92
Eye Wash Fountain	-	92
Eye Wash Picto	-	92
Eye Wash Station	-	92
Eye Wash Station (w/picto)	-	92
Eye Wash Station & Safety ...	Emergency	37
Eye Wash Station Keep Area ...	Emergency	37
Eye Wash/Lavado De Ojos (w/picto)	-	97

F

Legend Text	Header	Page
Face Mask Picto (Yellow)	-	137
Face Mask Required	Caution	128
Face Shield Area	Caution	128
Face Shield Must Be Worn When ...	Danger	109
Face Shield Picto (Blue)	-	137
Face Shield Required In This Area	Danger	132
Face Shields Or Goggles Must ...	Caution	128
Faculty And Staff Parking	-	164
Fall Hazard (w/picto)	Caution	104
Fall Hazard Do Not Start Work ...	-	137
Fall Protection Required	Caution	128
Fall Protection Required In ...	Caution	128
Falling Material	Danger	109
Family Practice (w/picto)	-	100
Fasten Seat Belts Picto	-	101
Federal Regulations Require No Food To Be Stored Or ...	Notice	116
Fedex Pick Up	-	164
Fiber Optic Cable Above	-	154
Film Badge Required In This Area	Caution	139
Final Exit (w/Arrow) Left Down)	-	82
Final Exit (w/Arrow) Right Down)	-	82
Fire Alarm	-	97
Fire Alarm	-	95
Fire Alarm (Red On White)	-	85
Fire Alarm (w/Down Arrow)	-	97
Fire Alarm (w/Down Arrow) (w/picto)	-	97
Fire Alarm (w/picto)	-	94
Fire Alarm & Fire Picto	-	85
Fire Alarm Call Fire Dept.	-	85
Fire Alarm Inside	-	86
Fire Alarm Panel	-	86
Fire Alarm W/Down Arrow (w/picto)	-	97
Fire Alarm W/Down Arrow Picto	-	86
Fire Alarm W/Fire Alarm & Fire Picto	-	86
Fire And Explosion Hazard No ...	Danger	120
Fire Blanket (w/picto)	-	93
Fire Blanket W/Down Arrow Picto	-	86
Fire Damper	-	86
Fire Department Connections	-	86
Fire Department Sprinkler Connection	-	86
Fire Dept Use Only	-	86
Fire Door Alarm Will Sound If ...	-	86
Fire Door Do Not Block	-	73
Fire Door Do Not Block / Puerta De Emergencia No Obstruir	-	50
Fire Door Emergency Only ...	-	73
Fire Door Keep Closed	-	86
Fire Door Keep Closed (Black ...	-	73
Fire Door Keep Closed (White ...	-	73
Fire Door Keep Closed Do Not Block	-	86
Fire Equipment (w/Down Arrow)	-	97
Fire Equipment Do Not Block	-	86
Fire Equipment Keep Clear	-	86
Fire Equipment W/Down Arrow Picto	-	86
Fire Escape (Glow)	-	86
Fire Escape W/Left Arrow Picto	-	86
Fire Escape W/Right Arrow Picto	-	86
Fire Exit (Glow)	-	86
Fire Exit (Red On White)	-	86
Fire Exit Door Must Be Kept ...	-	86
Fire Exit Keep Clear	-	86
Fire Exit Please Keep Door Closed	-	86
Fire Exit Please Keep Door ...	-	50
Fire Exit W/Left Arrow Picto (Glow)	-	86
Fire Exit W/Left Arrow Picto ...	-	87
Fire Exit W/Right Arrow Picto ...	-	87
Fire Exit W/Right Arrow Picto ...	-	87
Fire Extinguisher	-	97
Fire Extinguisher	-	95
Fire Extinguisher (Braille W/picto))	-	53
Fire Extinguisher (Glow)	-	87
Fire Extinguisher (Red On White)	-	87
Fire Extinguisher (w/Changeable Arrow)	-	88
Fire Extinguisher (w/Down ...	-	98
Fire Extinguisher (w/Picto ...	-	98
Fire Extinguisher (w/Picto ...	-	98
Fire Extinguisher (w/picto)	-	39
Fire Extinguisher (White On Red)	-	87
Fire Extinguisher / Extinguidor De Incendios (w/Arrow)	-	48
Fire Extinguisher / Extinguidor De Incendios (w/Extinguisher ...	-	49
Fire Extinguisher & Fire Picto	-	87
Fire Extinguisher Area In Front Must Be Kept Clear ...	-	87
Fire Extinguisher Do Not Block (Red On White)	-	87
Fire Extinguisher Do Not Block / Extinguidor De Incendios ...	-	49
Fire Extinguisher Do Not Block W/ Down Arrow Picto	-	87
Fire Extinguisher Do Not Block W/ Extinguisher Picto	-	87
Fire Extinguisher For All Purpose	-	87
Fire Extinguisher Halon W/Down Arrow	-	87
Fire Extinguisher Here (Glow)	-	87
Fire Extinguisher Here (Red On White)	-	87
Fire Extinguisher In Case Of ...	-	87
Fire Extinguisher Inside (White On Red)	-	87
Fire Extinguisher Inside Building	-	87

Legend Text	Header	Page
Fire Extinguisher Inside ...	-	87
Fire Extinguisher Keep Clear ...	-	87
Fire Extinguisher Picto	-	87
Fire Extinguisher Picto (Glow)	-	87
Fire Extinguisher Remove Pin ...	-	37
Fire Extinguisher Safety Poster - English	-	147
Fire Extinguisher Use For All ...	-	88
Fire Extinguisher Use On All ...	-	88
Fire Extinguisher W/Down Arrow (w/picto)	-	98
Fire Extinguisher W/Down Arrow & Extinguisher Picto	-	88
Fire Extinguisher W/Down Arrow Picto	-	87
Fire Extinguisher W/Down Arrow Picto (6 Pack)	-	87
Fire Extinguisher W/Down Arrow Picto (Repeated 4 Times)	-	88
Fire Extinguisher W/Extinguisher And Fire Picto	-	88
Fire Extinguisher W/Extinguisher Picto	-	88
Fire Extinguisher W/Fire ...	-	88
Fire Extinguisher W/Left Arrow Picto	-	88
Fire Extinguisher W/Right Arrow Picto	-	88
Fire Extinguisher/Extinto De ...	-	98
Fire Fighting Equipment Stored Inside W/ Hard Hat & ...	-	88
Fire Hose	-	95
Fire Hose (Picto - L Style)	-	98
Fire Hose (Red On White)	-	88
Fire Hose (w/Down Arrow picto)	-	89
Fire Hose (w/Down Arrow)	-	98
Fire Hose (w/picto)	-	98
Fire Hose (w/Up Arrow picto)	-	94
Fire Hose (White On Red)	-	88
Fire Hose And Extinguisher Inside	-	88
Fire Hose And Fire Picto	-	88
Fire Hose Picto	-	88
Fire Hose W/Down Arrow (w/picto)	-	98
Fire Hose W/Down Arrow Picto	-	89
Fire Hose W/Hose & Fire Picto	-	89
Fire Hose W/Left Arrow Picto	-	89
Fire Hose W/Picto	-	88
Fire Hose W/Right Arrow Picto	-	89
Fire Hydrant Symbol	-	164
Fire Lane Keep Clear	Caution	84
Fire Lane Keep Clear At All Times	No Parking	84
Fire Lane No Parking Tow-Away ...	-	164
Fire Lane No Parking Tow-Away ...	-	164
Fire Lane No Parking Tow-Away ...	-	164
Fire Regulations Demand That ...	Caution	84
Fire Regulations Demand That ...	Notice	84
Fire Regulations Demand This ...	-	89
Fire Sprinkler Shut-Off Valve	-	89
Fire-Police-Medical Emergency Dial 911	-	89
First Aid	-	95
First Aid	-	95
First Aid (w/Arrow picto)	-	94
First Aid (w/picto)	-	37
First Aid Equipment (w/picto)	-	93
First Aid Kit	Safety First	91
First Aid Kit (w/picto)	-	93
First Aid Kit Inside	-	93
First Aid Location	Safety First	91
First Aid Room	-	93
First Aid Station	Safety First	91
First Aid Station (w/picto)	-	98
First Aid Station / Estacion ...	-	48
First Aid Station In Office	Safety First	91
First Aid Station In Personnel Room	Safety First	91
First Aid Station Keep Area ...	Emergency	37
First Aid W/Left Arrow Picto	-	93
First Aid W/Right Arrow Picto	-	93
First Aid/Medical Locker Picto	-	101
Fishing And Hunting Stories In Progress Protective ...	Caution	96
Flagger Ahead	-	155
Flagger Picto	-	155
Flammable (w/picto)	Danger	58
Flammable 3	-	68
Flammable Area	Warning	84
Flammable Gas	Danger	58
Flammable Gas (w/Ghs picto)	Danger	58
Flammable Gas / Gas Inflamable	Danger/ Peligro	44
Flammable Gas Keep Fire Or ...	Danger	58
Flammable Gas Keep Fire Or Flame Away No Smoking / ...	Danger/ Peligro	44
Flammable Keep Fire Away	Danger	84
Flammable Keep Flames And Heat Away	Danger	58
Flammable Liquid	Warning	84
Flammable Liquids	Caution	55
Flammable Liquids No Smoking	Restricted Area	121
Flammable Liquids No Smoking, ...	Danger	58
Flammable Material Keep Fire ...	Danger	36
Flammable Material No Smoking	Danger	59
Flammable Material No Smoking ...	Danger	59
Flammable Materials	Danger	59
Flammable Materials (w/Ghs picto)	Danger	58
Flammable Materials (w/picto)	Danger	38
Flammable Materials / Materiales Inflamables	Danger/ Peligro	44
Flammable No Matches Or Open Lights	Danger	59
Flammable No Smoking	-	122
Flammable No Smoking Or Open ...	-	122
Flammable Picto	-	65
Flammable Picto (w/Blank Box - Blue) 4	-	68
Flammable Picto (w/Blank Box - Red) 4	-	68
Flammable Picto (w/Blank Box & Red/ White Stripes) ...	-	68
Flammable Picto (w/Blank Box) ...	-	68
Flammable Solid 4	-	68
Floor Load Limit No To Exceed __Lbs. Sq. Ft. / El ...	Caution/ Precaucion	40
Floor Load Limit Not To Exceed ____Lbs Sq Ft	Caution	116
Floor Opening Do Not Remove	Caution	128
Floor Slippery When Wet	Danger	132
Floor Slippery When Wet (w/picto)	Caution	36
Floorboards Out	Danger	71
Fluorescent Tubes	-	142
Flush Toilet After Using (Blue Header)	Please	117
Flush Toilet After Using (Green Header)	Please	117
Flying Debris Hazard Keep Door Closed While In Operation	Danger	59
Foam Inlet W/Hard Hat & Fire Picto	-	89
Follow Confined Space Entry ...	Danger	70
Follow Fall Protection Guidelines When Working Beyond ...	Notice	134
Follow Lockout/Tagout Procedures (w/ picto)	Danger	36
Food Prep Area	-	114
Food Preparation Area Cooked ...	-	114
Food Preparation Area Raw Food Only	-	114
Foot Protection Required	Caution	129
Foot Protection Required In ...	Safety First	135
Foot Protection Required In ...	Caution	129
For Chemical Storage Only No ...	Notice	62
For Cleaning (w/picto)	Restroom Closed	117
For Fire Use Only	-	89
For Security Reasons Individuals Entering Or Leaving ...	Notice	151
For Use On All Fires	-	89
For Your Own Safety Talk Safety	Safety First	149
Fork Lift Trucks Go Slow	Caution	104
Fork Lift Trucks Operating ...	Caution	153
Forklift Safety Poster - English	-	147
Forklift Traffic Keep Clear (w/picto)	Caution	36
Forklift Traffic Keep Clear / Trafico De Montacargas ...	Caution/ Precaucion	41
Forklift Traffic Stay Clear	Danger	160
Formaldehyde Irritant And ...	Danger	59
Formic Acid	-	66
Formwork Stripping Area Falling Material Do Not Enter ...	Danger/ Peligro	45
Fr Clothing Required (w/picto)	Caution	127
Fragile Equipment Do Not Touch	Caution	104
Freezing Temperature When Blue	-	114
Front End Parking Only	-	164
Fuel	Danger	59
Fuel Oil	-	66
Fuel Oil 3	-	68
Fuel Storage No Smoking (Horizontal)	Danger	120
Fuel Storage No Smoking (Verticle)	Danger	120
Full Acetylene Cylinders Ready For Use	-	65
Full Co2 Cylinders Ready For Use	-	65
Full Cylinders	-	65
Full Cylinders Ready For Use	-	65
Full Face Respirator Must Be ...	Caution	129
Full Nitrogen Cylinders Ready ...	-	65
Full Oxygen Cylinders Ready ...	-	65
Full Propane Cylinders Ready ...	-	65
Fumes May Be Present	Caution	55

G

Legend Text	Header	Page
Gas	Danger	59
Gas Cylinder Storage Area	Danger	59
Gas Mask Picto (Yellow)	-	137
Gas No Smoking, Matches Or Lights	-	65
Gas Only	-	65
Gasoline	-	66
Gasoline And Oil	Danger	59
Gasoline No Smoking (w/picto)	Danger	59
Gates Open And Close Automatically	-	33
Genetics (w/picto)	-	100
Ghs Intro Poster Pack	-	148
Ghs Reference Center Poster	-	148
Girls	-	143
Glass Only	-	142
Gloves Picto (Yellow)	-	137
Gloves Required	Caution	129
Gloves Required (w/picto)	Caution	129
Gloves Required / Uso Obligatorio De Guantes	Caution/ Precaucion	41
Gloves Required In This Area	Caution	129
Go Slow Sound Signal	Danger	160
Goggles Must Be Worn When ...	Caution	129
Goggles Positively Must Be ...	Caution	129
Good Housekeeping Is The First Principle Of Safety	-	118
Good Housekeeping Promotes Safety	-	144
Good Housekeeping Promotes ...	-	144
Good Housekeeping Promotes ...	-	118
Good Housekeeping This Is Your Home Away From Home ...	-	118
Ground All Barrels	Caution	74
Guard Dogs On Duty	Danger	30

H

Legend Text	Header	Page
H2S May Be Present	Danger	59
H2S Poisonous Gas	Danger	59
H2S Poisonous Gas May Be Present	Caution	55
Hair And Beard Nets Required	-	137
Hair Covering Required In This Area	Notice	134
Hair Net Required Beyond This ...	Notice	134
Hairnets And Beard Covers ...	Notice	134
Halon Extinguisher For Use On ...	-	89
Halon W/Hard Hat & Fire Picto	-	89
Hand Hazard Turn Power Off ...	Danger	109
Hand Hazard Watch Your Fingers	Danger	109
Hand Signals For Shovel-Crane ...	-	114
Hand Wash Only	-	118
Handcapped Parking Van Accessible (w/picto)	-	156
Handicapped	-	156
Handicapped / Picto Only	-	156
Handicapped / Picto Only W/Left Arrow	-	156
Handicapped / Picto Only ...	-	156
Handicapped Parking (w/Picto 1)	-	156
Handicapped Parking (w/Picto 2)	-	156
Handicapped Parking Only (w/picto)	-	156
Handicapped Parking Permit ...	-	156
Handicapped Parking State ...	-	157
Handicapped Parking Towing ...	-	157
Handicapped Picto	-	94
Handicapped Picto (Braille)	-	53
Handicapped Ramp / Picto Only	-	156
Hard Hat Area	-	137
Hard Hat Area	-	95
Hard Hat Area (w/picto)	-	94
Hard Hat Area / Usar Casco Protector En Esta Area	Danger/ Peligro	45
Hard Hat Picto (Blue)	-	137
Hard Hat Picto (Red)	-	137
Hard Hat Picto (Yellow)	-	137
Hard Hat Protection Required	Danger	132
Hard Hat Required Beyond This ...	Caution	154
Hard Hat Required In This Area (w/picto)	Danger	36
Hard Hats - Safety Glasses ...	Caution	127
Hard Hats And Eye Protection ...	Notice	135
Hard Hats And Fall Protection ...	Notice	135
Hard Hats Ear And Eye Protection Required Beyond This ...	Danger	133
Hard Hats Ear And Eye Required Protection Beyond ...	Danger	133
Hard Hats Ear And Eye Required Protection Beyond This ...	Danger	133
Hard Hats Must Be Worn In This Area	Notice	135

Sign Legend Index

www.BradyID.com

Legend Text	Header	Page
Hard Hats Must Be Worn In This Area / Se Debe Usar ...	Notice/Aviso	47
Hard Hats Must Be Worn On Site	Danger	133
Hard Hats Must Be Worn On This Contruction Project	Notice	135
Hard Hats Required	Caution	129
Hard Hats Required (w/picto)	Caution	129
Hard Hats Required (w/picto)	Caution	38
Hard Hats Required / Uso Obligatorio De Casco De Proteccion	Caution/ Precaucion	41
Hard Hats Required In This Area	Caution	129
Hard Hats Required In This Area. / Es Obligatorio ...	Danger/ Peligro	43
Hard Hats Required On This Job By All Employees	-	137
Hard Hats Required When This ...	-	137
Hard Hats, Safety Glasses, ...	Caution	129
Hard Hats, Safety Glasses, ...	Caution	129
Hard Head Area	Danger	96
Haute Tension	Danger	75
Have You Hugged Your Maintenance Manager Today?	Notice	96
Have You Hugged Your Safety ...	Notice	96
Haz-Mat Warning Labels Poster	-	147
Hazard Area No Unauthorized ...	Danger	30
Hazardous Area	Danger	59
Hazardous Area Authorized ...	Caution	28
Hazardous Area No Smoking	-	122
Hazardous Chemicals	Danger	59
Hazardous Chemicals (w/picto)	Danger	59
Hazardous Chemicals / Sustancias Quimicas Peligrosas	Danger/ Peligro	45
Hazardous Chemicals Authorized Personnel Only	Caution	55
Hazardous Material Area Authorized Personnel Only	Danger	59
Hazardous Material Check Msds	Danger	59
Hazardous Material Storage Area	Warning	63
Hazardous Materials	Danger	59
Hazardous Materials Handle ...	Caution	55
Hazardous Materials Label ...	-	147
Hazardous Materials Label ...	-	147
Hazardous Materials May Be ...	Caution	55
Hazardous Waste	Danger	59
Hazardous Waste Area Labeled ...	Caution	55
Hazardous Waste Material Storage Only No Smoking Open ...	Caution/ Precaucion	40
Hazardous Waste Material ...	Caution	55
Hazardous Waste Oil	Danger	59
Hazardous Waste Storage	-	65
Hazardous Waste Storage (w/picto)	Danger	59
Hazardous Waste Storage Area ...	Caution	55
Hazardous Waste Storage Area Unauthorized Persons ...	Danger/ Peligro	42
Hazardous Waste Treatment Area Unauthorized Persons ...	Danger	59
Head In Parking Only	-	164
Head In To Park	-	164
Head Protection Must Be Worn (w/picto)	-	137
Health Education (w/picto)	-	100
Health Hints Clean Toilet Rooms Mean Good Health Help ...	-	118
Health Services (w/picto)	-	100
Health Services (w/picto)	-	100
Hearing Protection And Safety ...	Notice	135
Hearing Protection And Safety ...	Notice/Aviso	46
Hearing Protection Must Be ...	Caution	129
Hearing Protection Must Be ...	Notice/Aviso	46
Hearing Protection Required	Caution	129
Hearing Protection Required (w/picto)	Caution	129
Hearing Protection Required (w/picto)	Caution	129
Hearing Protection Required ...	Caution	129
Hearing Protection Required ...	Caution	154
Hearing Protection Required ...	Caution	129
Hearing Protection Required Here	-	137
Hearing Protection Required In This Area	Danger	133
Hearing Protection Required In This Area (w/picto)	Caution	36
Hearing Protection Required ...	Caution	129
Hearing Protection Required. / Uso Obligatorio De ...	Caution/ Precaucion	41
Heart Pacemaker Implants This ...	Caution	139
Helium Empty Cylinders	-	65
Helium Full Cylinders	-	65
Helium Neon Laser Do Not Stare Into Beam	Caution	139
Help Keep This Fountain Clean ...	Notice	116
Help Keep This Place Clean	-	118
Help Keep This Place Clean ...	-	48
Help Keep This Plant Clean Put Rubbish And Scrap In ...	Notice	116
Help Keep This Plant Safe And ...	Notice	117
Heptane	-	66
Hexane	-	66
Hexavalent Chromium Chromium ...	Danger	59
High Explosives	Danger	59
High Impact Safety Glasses Area	Danger	133
High Impact Safety Glasses ...	Notice	135
High Impact Safety Glasses Required	Caution	129
High Intensity Ultraviolet ...	Caution	129
High Noise Area Hearing Protection May Be Required	Caution	130
High Noise Area Wear Ear Plugs	Notice	135
High Noise Area Wear Ear Protection	Warning	136
High Noise Area Wear Ear ...	Danger	36
High Noise Area Wear Hearing Protection	Caution	130
High Noise Level Area	Caution	130
High Noise Level Use Ear Protection	Caution	130
High Pressure	Danger	59
High Pressure Air Authorized ...	Warning	63
High Pressure Gas Line	Danger	59
High Pressure Pipeline	Caution	55
High Radiation Area	-	141
High Speed Saw	Danger	109
High Voltage	-	76
High Voltage ___Volts	Danger	76
High Voltage (w/picto)	Danger	75
High Voltage (w/picto)	Danger	36
High Voltage / Alto Voltaje	Danger/ Peligro	42
High Voltage Above	Danger	75
High Voltage Above (w/picto)	Danger	75
High Voltage Authorized Personnel Only	Danger	75
High Voltage Do Not Remove ...	Danger	75
High Voltage Electrical Equipment (w/ picto)	Danger	75
High Voltage Inside	Danger	75
High Voltage Keep Away	Warning	76
High Voltage Keep Away (w/picto)	Danger	75
High Voltage Keep Off	Danger	75
High Voltage Keep Out	-	76
High Voltage Keep Out (w/picto)	Danger	30
High Voltage Keep Out (w/picto)	Danger	38
High Voltage Keep Out / Alto Voltaje No Acercarse	Danger/ Peligro	42
High Voltage On Wires Above	Danger	75
High Voltage Overhead	Danger	75
High Voltage Overhead (w/picto)	Danger	75
High Voltage Picto	-	76
High Voltage Testing In Progress	Danger	75
High Voltage Turn Power Off ...	Danger	103
High Voltage Turn Power Off ...	Danger	37
High Voltage Unauthorized ...	Danger	30
High Voltage Underground Cable	Danger	76
High Voltage Within	Danger	76
High Voltage Within Keep Out (w/picto)	Danger	76
High Voltage: Do Not Enter ...	Caution	74
Highly Combustible Area No ...	Danger	59
Highly Flammable	Danger	59
Highly Toxic Handle With Care	Danger	59
Hole Cover Do Not Remove / Cubierta De Hoyo No Remover	Danger/ Peligro	43
Hospital Visitor Parking Only	-	164
Hot	-	115
Hot (w/picto)	Danger	109
Hot (w/picto)	Danger	37
Hot / Caliente	Danger/ Peligro	43
Hot / Caliente (w/picto)	Danger/ Peligro	43
Hot Acid	Danger	60
Hot Do Not Touch	Danger	109
Hot Equipment Unauthorized ...	Danger	109
Hot Keep Away	Caution	105
Hot Lead Use Protective Equipment	Danger	60
Hot Metal	Danger	71
Hot Pipes	Danger	60
Hot Pipes Do Not Touch	Danger	71
Hot Surface Do Not Touch (w/picto)	Caution	36
Hot Surface Do Not Touch / Superficie Caliente No ...	Caution/ Precaucion	41
Hot Surface Picto	-	115
Hot Work Area	Caution	105
Hot Work Fire Watch Area	Danger	71
Hot Work Permits Are Required ...	Notice	112
Household & Garden Chemicals	-	142
How To Lift Correctly...(w/picto)	-	93
Hunting Or Fishing On These ...	-	33
Hydrochloric Acid	-	66
Hydrochloric Acid (Hcl)	Danger	60
Hydrofluoric Acid	-	66
Hydrofluorsilicic Acid	-	66
Hydrogen	Danger	60
Hydrogen Flammable Gas No ...	Danger	60
Hydrogen Peroxide	Danger	60
Hydrogen Peroxide, 52%	-	66
Hydrogen Sulfide (H2S)	Danger	60

I

I'M So Far Behind I Might Run ...	Notice	96
Icy Conditions When Blue	-	115
Icy Surface	Caution	105
If Fire Alarm Sounds Call Fire Dept.	-	89
If Machine Is Not Operating ...	Danger	109
If We Are To Have Efficiency ...	Notice	117
If You Drop It Pick It Up If ...	-	118
If You Get Chemicals On Your ...	Safety First	62
If You Think Osha Is A Small ...	Caution	96
If You Use It Clean It	-	118
Illegally Parked Cars Will Be ...	-	164
Illegally Parked Vehicles Will Be Towed At Owners ...	-	164
Imaging (w/picto)	-	100
Immersion Suit Picto	-	101
Immunizations (w/picto)	-	100
Impaired Headroom	Caution	105
Improper Disposal Of Chemicals Is Punishable By Fines ...	Notice	62
In	-	73
In Accordance With Osha Standard 1910147...Etc	Notice	103
In Case Of Emergency Break Glass	-	89
In Case Of Emergency Dial 9 ...	-	89
In Case Of Emergency Dial 911	-	93
In Case Of Emergency Report To Evacuation Area	-	89
In Case Of Fire Assembly Point Is…(W/ Checkmark picto)	-	89
In Case Of Fire Do Not Use ...	-	50
In Case Of Fire Do Not Use ...	-	89
In Case Of Fire Do Not Use ...	-	89
In Case Of Fire Pull Firmly ...	-	89
In Case Of Fire Unreel Hose ...	-	89
Infection Hazard Handle Needles With Care	Danger	51
Infectious Diseases (w/picto)	-	100
Infectious Waste Area	Danger	51
Infectious Waste Area Use Precautions	Danger	51
Infectious Waste Notify Public Health Authority In ...	-	51
Inflamable W/Picto	Peligro	44
Inhalation Hazard 2	-	68
Inhalation Hazard 6	-	68
Inhalation Hazard Do Not ...	Danger	60
Inorganic Arsenic Cancer Hazard Authorized Personnel ...	Danger	60
Inpatient (w/picto)	-	100
Inspect Slings Before Use	Caution	105
Intensive Care (w/picto)	-	100
Internal Medecine (w/picto)	-	100
Internal Medicine (w/picto)	-	100
Interpretive Services (w/picto)	-	100
Is Our Responsibility Each And Every One Of Us	Safety First	149
Isopropanol	-	66
Isopropyl Acetate	-	66
It Is Illegal & Against Company Policy To Dispose ...	Warning	63
It Is Unlawful And Dangerous ...	Warning	63

J

Just Do It Safely	-	144

K

Keep Aisles Clear	-	95
Keep Aisles Clear (w/picto)	-	94
Keep Aisles Clear If It'S Not ...	Caution	116
Keep All Aisles Clear	Caution	116

Legend Text	Header	Page
Keep All Cylinders Chained	Caution	55
Keep All Cylinders Chained (w/picto)	Danger	60
Keep All Cylinders Chained / Mantener Los Cilindros ...	Warning/ Advertencia	48
Keep All Cylinders Chained / Mantener Todos Los Cilindros ...	Caution/ Precaucion	40
Keep All Guards In Place Wear ...	Be Careful	127
Keep Area Clean / Mantener ...	Notice/Aviso	47
Keep Away	Caution	28
Keep Away Do Not Climb Over ...	Danger	30
Keep Away From Heat	Danger	60
Keep Clear When Boom Is Near ...	Caution	105
Keep Closed	Caution	72
Keep Cylinders Chained (w/picto)	Notice	62
Keep Door Closed (w/picto)	Notice	37
Keep Door Closed At All Times	-	73
Keep Electric Panel Area Clear	Caution	74
Keep Electrical Panel Clear ...	Caution	74
Keep Everything Away From This Fire Door So That It ...	Notice	72
Keep Fingers Clear Of Machine ...	Danger	109
Keep Floors Clear Of Oil-Grease Or Other Slippery ...	Safety First	113
Keep From Under Conveyor	Danger	109
Keep Gates Closed	-	34
Keep Guards In Place	Danger	109
Keep Guards In Place / Mantener Las Guardas En Su ...	Danger/ Peligro	44
Keep Hands Clear	Danger	109
Keep Hands Clear / Mantener Las Manos Alejadas	Danger/ Peligro	44
Keep Hands Clear Of Moving Machinery	Warning	113
Keep Hands Clear When Equipment Is Running / No Acercar ...	-	49
Keep Hands Clear While Blades ...	Danger	109
Keep Hands Off	Caution	105
Keep Hands Out Of Machinery (w/picto)	Warning	37
Keep Hands Out Of Machinery(w/picto)	Warning	37
Keep Hands Out Of Moving Machinery	Safety First	113
Keep Hands Out Of Moving Machinery / Mantener Las ...	Caution/ Precaucion	40
Keep Material Away From Fire ...	Caution	116
Keep Off	Danger	30
Keep Off Roof	Danger	30
Keep Off Tracks	Danger	160
Keep Our Plant Clean And Safe	-	144
Keep Out	-	34
Keep Out (w/picto)	Danger	30
Keep Out (w/picto)	Danger	38
Keep Out Authorized Personnel ...	-	152
Keep Out From Under Crane Loads	Caution	105
Keep Out Fumigating With ...	Danger	60
Keep Out Hazard Area	Danger	30
Keep Out Hazardous Chemicals	Danger	60
Keep Out Radiation Area X-Ray ...	-	141
Keep Out Radiation Area X-Ray: Keep Out (w/picto)	-	141
Keep Out: Radiation Area X-Ray Keep Out (w/picto)	-	141
Keep Passageway And Doorway Clear	Notice	77
Keep Right	-	164
Keep Storage 36" Below Sprinklers	-	90
Keep This Area Clean	Notice	117
Keep This Area Clean Your ...	-	118
Keep This Area Clear	Notice	84
Keep This Door Closed	Caution	72
Keep This Door Closed (w/picto)	Notice	39
Keep This Door Closed / Mantener Esta Puerta Cerrada	Notice/Aviso	47
Keep This Door Closed At All Times	Notice	112
Keep This Doorway Free Of ...	Notice	84
Keep This Gate Closed	Danger	109
Keep This Passageway Clear	Notice	160
Keep This Place Clean And Orderly	-	118
Keep This Place Clean And ...	Please	117
Keep This Place Clean And ...	Please	117
Keep This Place Clean And ...	Notice	39
Keep This Plant Safe And Clean	Safety First	117
Keep This Space Clear At All Times	-	118
Keep Your Work Area Clean It ...	-	118
Kerosene	-	66
Kerosene No Smoking No Open Flames	Danger	60
Kidney (w/picto)	-	100

L

Legend Text	Header	Page
Label All Drums	Notice	62
Laboratory (w/picto)	-	100
Ladies	-	143
Laser Area	Caution	139
Laser Beams Do Not Look Directly At Laser Lights	Danger	139
Laser Operating	Warning	140
Laser Operating Protect Eyes ...	Danger	37
Laser Radiation Avoid Direct ...	Danger	139
Laser Radiation Avoid Direct ...	Danger	139
Laser Radiation Avoid Eye Or ...	Danger	139
Laser Radiation Do Not Stare ...	Caution	130
Laser Range In Use Do Not Enter	Danger	139
Laser Repair In Progress Do ...	Notice	140
Laser Test Area Do Not Approach This Area When Red ...	Danger	139
Laser Wear Protective Laser Goggles	Danger	139
Lavarse Las Manos Antes De ...	Aviso	46
Lead Hazard Area Wear Respirator Possession Or Use ...	Caution	55
Lead Hazard Do Not Enter Work ...	Caution	55
Lead May Damage Fertility Or ...	Danger	60
Lead Work Area Poison No ...	Warning	63
Lead Work Area Respirator Required	Danger	60
Left Turn Signal	-	164
Let Us All Be Safety Inspectors Report Unsafe Places ...	Safety First	149
Lets Cut Out The Injuries	-	144
Life Jackets Must Be Worn ...	Notice	135
Lifebuoy Picto	-	101
Lifebuoy With Light Picto	-	101
Lifebuoy With Line Picto	-	101
Lifeline Must Be Hooked Up ...	Caution	69
Lifeline Required	Caution	69
Lifeline Required For Entry	Danger	70
Lift It Safely Poster - English	-	147
Lift Raft Picto	-	101
Like I Do	Think	96
Limited Access Area Authorized Personnel Only	Notice	31
Liquefied Hydrogen Flammable ...	Danger	60
Liquid Nitrogen	Danger	60
Liquid Nitrogen Gloves And ...	Caution	130
Liquid Petroleum Gas	Danger	60
Live Steam	Danger	60
Live Wire Overhead (w/picto)	Danger	76
Loading And Unloading Zone	-	164
Local Alarm Only Not Connected To Fire Department ...	-	90
Lock Out All Power Sources ...	Caution	102
Lock Out Before Maintenance Or Any Operator Adjustment	Caution	102
Lock Out Before Servicing	Danger	103
Lock Out Before Servicing (w/picto)	-	39
Lock Out Electrical Equipment ...	Caution	102
Lock Out Electrical Switches ...	Danger	103
Lock Out Electrical Switches Before Working On Machinery ...	Danger/ Peligro	42
Lock Out Equipment Before Entering	Danger	103
Lock Out Equipment Before Entering / Bloquear El Equipo ...	Danger/ Peligro	42
Lock Out Equipment Before Servicing. / Bloquear El ...	Danger/ Peligro	42
Lock Out For Safety	Danger	103
Lock Out For Safety (w/picto)	-	103
Lock Out For Safety Before You Start	Caution	102
Lock Out Here (w/picto)	-	103
Lock Out Power Before Opening ...	Caution	102
Lock Out Switches Before ...	Warning	103
Lock Valves Before Entering Tanks	Caution	102
Lock-Out For Safety Before You Start / Por Razones ...	Caution/ Precaucion	41
Lock-Out/Tag-Out Power Before ...	Danger	103
Locker With Additional Breathing Apparatus	-	101
Lockout Center (w/picto)	-	98
Lockout Safety Center W/Down Arrow	-	98
Lockout Safety Poster - English	-	147
Lockout Safety Poster - Spanish	-	147
Lockout Tagout Center (w/picto)	Safety First	37
Look Out For Cars	Danger	109
Look Out For Contact Hazards ...	Caution	105
Look Out For Crane	Danger	110
Look Out For Fork Lifts	Warning	113
Look Out For Fork Lifts	Danger	110
Look Out For Forklifts / Cuidado Con Los Montacargas	Caution/ Precaucion	40
Look Out For Lift Trucks	Danger	110
Look Out For Lift Trucks (w/picto)	Danger	110
Look Out For Lift Trucks / Cuidado Con Los Camiones	Danger/ Peligro	43
Look Out For Powered Industrial Trucks	Caution	159
Look Out For Trucks	Danger	110
Look Up Power Lines Overhead	Caution	74
Low Clearance	Caution	105
Low Clearance / Poca Altura	Danger/ Peligro	45
Low Headroom	-	115
Low Overhead Clearance	Caution	105
Low Overhead Clearance (w/picto)	Caution	105
Low Overhead Clearance (w/picto)	Caution	38
Low Pressure Manifold Do Not ...	Caution	55
Low-Pressure Manifold Do Not ...	-	65
Lower Lifeboat Picto	-	101
Lower Rescue Boat Picto	-	101
Lp Gas Storage No Smoking Or ...	Danger	60

M

Legend Text	Header	Page
M.S.D.S. (With Down Arrow)	-	99
Machine Lockout Point (With ...	Caution	102
Machine Safety Poster - English	-	148
Machine Starts Automatically ...	Caution	105
Magnetic Field In Place	Warning	140
Main Electric Shut-Off	Caution	74
Main Gas Cut Off	Notice	112
Main Office	-	73
Main Power Cut Off	Notice	113
Main Sprinkler Valve	-	90
Maintenance Dept.	-	73
Maintenance Personnel Only	Notice	31
Maintenance Shop	-	73
Maintenance Vehicle Parking Only	-	164
Make Every Move A Safe One	Think	149
Make It Right The First Time (w/picto)	-	144
Make Quality A Company Wide ...	-	144
Make Safety A Daily Habit	-	144
Make Sure All Power Sources ...	Caution	102
Make Time For Safety (w/picto)	-	144
Make Your Work Place Safe ...	Safety First	149
Mammography (w/picto)	-	100
Man Picto	-	126
Manguera Para Incendios (w/picto)	-	49
Mantener Cerrada Esta Puerta	Aviso	46
Mantener Las Manos Alejadas	Peligro	44
Mantener Los Cilindros Encadenados (w/picto)	Peligro	44
Material Safety Data Sheets & ...	Notice	62
Material Safety Data Sheets ...	Notice	62
Material Safety Data Sheets ...	Notice/Aviso	46
Maximum Height ____Ft. ____In.	Caution	105
Maximum Load _____Lbs.	Caution	105
May Contain Asbestos Do Not ...	Danger	60
Meat Wash Only	-	115
Medical Library (w/picto)	-	100
Medical Records (w/picto)	-	100
Meet The Person Most Responsible For Your Safety	-	137
Men (Braille W/picto)	-	53
Men (Braille W/picto) (Black ...	-	53
Men (Braille W/picto) (Brown ...	-	53
Men (w/Picto 1)	-	143
Men (w/Picto 2)	-	143
Men (w/Picto 3)	-	143
Men (w/Picto 4)	-	143
Men (w/Picto 5)	-	143
Men (w/picto)	-	98
Men (w/picto) / Hombres (w/picto)	-	49
Men (w/picto) / Hombres(w/picto)	-	49
Men / Hombres (w/picto)	-	49
Men Working	-	155
Men Working Above	Danger	154
Men Working Above (w/Up Arrow)	Danger	110
Men Working Above / Hombres Trabajando Arriba	Danger/ Peligro	44
Men Working Below	Warning	113
Men Working Below (w/Down Arrow)	Danger	110
Men Working Below / Hombres Trabajando Abajo	Danger/ Peligro	44
Men Working Do Not Start	Danger	110
Mental Health (w/picto)	-	100
Mercury	-	66
Methanol	-	66
Methyl Ethyl Ketone	-	66
Microwave Frequencies Present	Danger	139

Sign Legend Index

www.BradyID.com

Legend Text	Header	Page
Microwave Hazard In This Area	Notice	140
Microwave In Operation	Caution	139
Microwave In Use / Microondas En Uso	Caution/ Precaucion	40
Microwave Oven Could Be Harmful To Persons Wearing ...	Caution	139
Microwave Oven In Use	Danger	139
Misc. Hazardous Materials ...	-	68
Misc. Hazardous Materials 9	-	68
Monitored By Video Camera	Restricted Area	151
Monitored By Video Camera / Area Monitoreada Por Camara ...	Restricted Area/Area Restringida	48
More Than One Energy Source ...	More Than One Voltage Source	103
More Than One Energy Source ...	More Than One Energy Source	103
Motorcycle Parking Only	-	164
Moving Machinery	Danger	110
Moving Machinery / Maquinaria En Movimiento	Danger/ Peligro	44
Moving Machinery Do Not Enter	Danger	30
Moving Machinery Do Not Enter / Maquinaria En Movimiento ...	Danger/ Peligro	44
Moving Saw Blade May Result In Loss Of Fingers Or ...	Danger	110
Mowing Ahead	-	155
Mri (w/picto)	-	100
Mri/Pet (w/picto)	-	100
Msds	-	98
Msds (w/picto)	-	99
Msds And The Written Hazardous Communication Program ...	Notice	62
Msds And The Written Hazardous Communication Program ...	Notice/Aviso	46
Msds Info (w/picto)	-	99
Muriatic Acid	-	66

N

N.O.R.M. Naturally Occurring ...	Caution	139
Natural Gas	Danger	60
Natural Gas Pipeline High ...	Warning	63
Naturally Occurring Radioactive Material	Caution	139
Neurology (w/picto)	-	100
Never Be Hasty	-	144
New Chemical Storage Only	Danger	60
Nip Point	Danger	110
Nitric Acid	-	66
Nitrogen	Danger	60
Nitrogen Empty Cylinders	-	65
Nitrogen Full Cylinders	-	65
Nitrogen Storage No Smoking No Open Flames	Danger	60
Nitrogen, Liquid	-	66
No Admittance	-	34
No Admittance Apply At Office	Notice	31
No Admittance Authorized ...	-	50
No Admittance Authorized ...	-	34
No Admittance Beyond This Point Check With Guard	Security Notice	151
No Admittance Beyond This Point Check With Security	Security Notice	151
No Admittance Employees Only	Notice	32
No Admittance Employees Only (w/picto)	-	152
No Admittance Employees Only ...	-	34
No Admittance Except For ...	-	34
No Admittance Except To Employees On Duty	-	152
No Admittance Please Use Other Door	-	34
No Admittance Ring Bell For Service	-	152
No Admittance Without A Permit	Notice	32
No Admittance Without Authorization	-	152
No Admittance Without Pass ...	Notice	32
No Admittance Without Security Pass	Security Notice	151
No Alcoholic Beverages Or Drugs Permitted On Company ...	Notice	151
No Beverages Or Food Allowed ...	-	118
No Bicycles Skateboards Rollerblades (w/picto)	-	153
No Bull (w/picto)	-	96
No Burning Welding Or Open ...	-	90
No Cell Phones (w/picto)	-	99
No Celluar Phone Or Two Way ...	Notice	119
No Celluar Phones (w/Picto Horizontal)	-	119
No Celluar Phones (w/Picto Vertical)	-	119
No Cellular Phone Picto	Security Notice	119
No Cellular Phones (w/picto)	-	119
No Cellular Phones Allowed (w/picto)	Notice	119
No Chemical Storage Allowed In This Area	-	65
No Chemicals In Drain Use ...	Caution	55
No Clearance	Danger	110
No Clearance For Man On Car	Danger	110
No Comer Ni Beber En Esta Area	Aviso	47
No Concealed Weapons Allowed ...	-	34
No Dogs Allowed	-	34
No Double Parking	-	164
No Dumping	-	118
No Dumping Violators Will Be Prosecuted	-	153
No Eating Or Drinking In This ...	Notice	117
No Eating Or Drinking In This ...	Notice/Aviso	47
No Eating, Drinking, Or Smoking (w/picto)	-	51
No Entrar	Peligro	45
No Entrar Solo Personal Autorizado	Peligro	45
No Entry (w/picto)	-	80
No Entry By Unauthorized ...	-	141
No Entry Picto	-	34
No Entry Unless Authorized	Notice	32
No Entry Unless Authorized (w/picto)	Notice	32
No Es Salida	-	49
No Exit	Notice	77
No Exit (Red On White)	-	80
No Exit (w/picto)	Notice	39
No Exit / No Hay Salida	-	49
No Firearms Allowed On Premises	Notice	32
No Firearms Allowed On Premises / No Se Permiten Armas ...	Notice/Aviso	47
No Firearms Allowed On This ...	-	49
No Firearms No Knives No Drugs No Alcohol Violators ...	-	34
No Firearms Or Weapons Allowed On This Property	-	34
No Flammable Liquids Beyond ...	Danger	61
No Foil Or Metal In This ...	Caution	139
No Food Or Drink Beyond This Point	Notice	117
No Forklifts Allowed In This Area	-	115
No Fumar	-	49
No Fumar (w/picto)	-	49
No Fumar, No Producir Llamas ...	Peligro	45
No Gasoline Or Fuel In Unauthorized Containers	-	65
No Guns Allowed Beyond This ...	-	153
No Guns Allowed Beyond This ...	-	153
No Idling Diesel-Powered ...	-	165
No Idling Turn Your Engines ...	-	165
No Jewelry No Piercings No ...	Notice	126
No Left Turn	-	165
No Lift Trucks (w/picto)	Notice	113
No Lift Trucks Beyond This Point	-	165
No Lift Trucks Beyond This ...	Notice	113
No Loitering	-	34
No Loitering On This Property	-	153
No Loitering Police Take Notice	-	153
No Loitering Soliciting Skateboards Rollerblades	-	153
No Loose Clothing While Operating This Machinery	Danger	110
No Operar Sin Protecciones	Precaucion	41
No Outlet	-	165
No Parking	-	154
No Parking (Red On White)	-	165
No Parking (w/Left Arrow)	-	165
No Parking (w/picto)	Notice	39
No Parking (w/Right Arrow)	-	165
No Parking (White On Red)	-	165
No Parking / No Estacionarse	Notice/Aviso	47
No Parking Always Keep Clear	-	165
No Parking Any Time	-	165
No Parking At Any Time	-	154
No Parking Between Signs	-	165
No Parking Beyond This Point	-	165
No Parking Beyond This Sign	-	165
No Parking Bus Stop	-	165
No Parking Company Vehicles Only	-	165
No Parking Doctors Only	-	165
No Parking Except On Shoulder	-	165
No Parking Except Sundays And ...	-	165
No Parking Fire Hydrant	-	165
No Parking Fire Lane	-	165
No Parking Fire Lane / No ...	-	49
No Parking Fire Lane Keep Clear At All Times	-	165
No Parking Fire Lane Police Enforced	-	165
No Parking Fire Station	-	165
No Parking Here To Corner	-	165
No Parking In This Block	-	166
No Parking Keep Area Clear At ...	-	166
No Parking Loading Zone	-	166
No Parking On Pavement	-	166
No Parking Police Cars	-	166
No Parking School Days	-	166
No Parking Service And Delivery Area	-	166
No Parking Symbol	-	166
No Parking This Side	-	166
No Parking This Space Is Reserved	-	166
No Pedestrian Crossing	-	166
No Pedestrian Traffic	-	166
No Pets	-	34
No Phones Cameras Or Other ...	Notice	151
No Public Restrooms	-	143
No Riders	-	166
No Se Permiten Armas, En ...	-	49
No Smoking	-	122
No Smoking	-	95
No Smoking - No Eating	-	123
No Smoking (Braille W/picto)	-	53
No Smoking (w/picto)	Danger	120
No Smoking (w/picto)	-	123
No Smoking / No Fumar	-	49
No Smoking / No Fumar (w/picto)	-	49
No Smoking Allowed	-	123
No Smoking Allowed In This ...	-	123
No Smoking At Any Time (w/picto)	-	123
No Smoking Battery Charging ...	Danger	61
No Smoking Beyond This Door (w/picto)	-	123
No Smoking Beyond This Point	Caution	120
No Smoking Beyond This Point ...	-	123
No Smoking Beyond This Point (w/picto)	-	123
No Smoking Beyond This Point ...	-	123
No Smoking Beyond This Point. / No Fumar A Partir ...	Caution/ Precaucion	41
No Smoking Except In Designated Areas	-	123
No Smoking Flammable Materials	Danger	120
No Smoking In Office Area	-	123
No Smoking In This Area	-	123
No Smoking In This Area (w/picto)	-	39
No Smoking In This Building	-	123
No Smoking In This Building By Order Of Government ...	-	123
No Smoking In This Building ...	-	123
No Smoking In This Facility	-	123
No Smoking In Trailers And ...	Danger	121
No Smoking Matches Or Open Lights	Danger	121
No Smoking Matches Or Open ...	-	123
No Smoking Matches Or Open ...	-	123
No Smoking No Flames No Sparks	Danger	121
No Smoking No Open Flames	Caution	120
No Smoking No Open Flames No Sparks	Danger	121
No Smoking No Open Flames No ...	Danger	38
No Smoking No Open Flames No Sparks / No Fumar, No ...	Danger/ Peligro	45
No Smoking No Open Flames No ...	Danger	121
No Smoking On Premises (w/picto)	-	123
No Smoking On School Grounds	-	124
No Smoking On Stairway	-	124
No Smoking On These Premises	-	124
No Smoking On This Property	-	124
No Smoking Or Open Flames	-	124
No Smoking Or Open Lights ...	Danger	121
No Smoking Or Open Lights Within...	Danger	121
No Smoking Or Tobacco Products In This Facility	-	124
No Smoking Oxygen In Use	Danger	121
No Smoking Picto	-	94
No Smoking Stop Engine When Refueling	-	166
No Smoking This Area	-	124
No Smoking To Report Violations...	-	124
No Smoking Turn Off Engine	Warning	122
No Smoking Turn Off Ignition	Danger	121
No Smoking Under Penalty Of Dismissal	Notice	121
No Smoking Under Penalty Of Law	-	124
No Smoking Unless You'Re On Fire	Notice	96
No Smoking Violation Will ...	Notice	121
No Smoking Violators Are ...	-	124

Legend Text	Header	Page
No Smoking Within __ Feet	-	124
No Smoking Within 50 Feet	-	124
No Smoking, Eating Or Drinking In This Area (w/picto)	Warning	39
No Smoking, Matches Or Open Lights	Warning	122
No Smoking.	Danger	38
No Solicitation	-	34
No Solicitation Or Distribution Of Materials Allowed ...	Notice	32
No Soliciting	Notice	32
No Soliciting (w/picto)	Notice	39
No Soliciting No Loitering No ...	-	153
No Solicitors Allowed	-	166
No Steps	Caution	105
No Stopping Fire Lane	-	166
No Texting While Driving	-	166
No Thoroughfare	Restricted Area	33
No Through Traffic	-	166
No Thru Traffic	-	166
No Tractor Trailers	-	166
No Trespassing	-	34
No Trespassing (w/picto)	Notice	32
No Trespassing / Prohibido El ...	Notice/Aviso	47
No Trespassing Admittance ...	-	34
No Trespassing Authorized ...	Danger	30
No Trespassing Construction ...	-	71
No Trespassing On This Property Under Penalty Of The ...	Danger	30
No Trespassing Private Road	-	153
No Trespassing Under Penalty ...	-	153
No Trespassing Under Penalty ...	Restricted Area	151
No Trespassing Under Penalty ...	-	34
No Trespassing Vendors & ...	-	153
No Trespassing Violators Will ...	-	34
No Trespassing Violators Will ...	-	50
No Truck Drivers Beyond This Point	Notice	160
No Truck Parking	-	166
No Trucks	-	166
No Trucks Or Trailers	-	166
No Trucks Picto	-	161
No Turkeys Allowed (w/picto)	-	96
No Turn Around	-	166
No U-Turn Picto	-	161
No Unauthorized Personnel ...	Restricted Area	33
No Vehicles Beyond This Point	-	166
No Welding Or Open Flames	Danger	84
No Whining (w/picto)	-	96
Nobody Notices What I Do Until I ...	-	96
Noise Area May Cause Hearing ...	Caution	130
Non-Hazardous Materials Only	Notice	62
Non-Permit Confined Space ...	Danger	70
Non-Permit Confined Space Authorized Personnel Only ...	Danger/ Peligro	43
Non-Permit Confined Space Keep Out Unless Authorized	Caution	69
Non-Potable Water	Notice	62
Non-Potable Water Do Not Drink	Caution	55
Non-Potable Water Do Not Drink (w/picto)	Danger	61
Non-Potable Water Do Not Use ...	Danger	61
Non-Potable Water Not For ...	Notice	62
Non-Potable Water Not For ...	Notice	62
Non-Potable Water Not For ...	Notice/Aviso	46
Non-Potable Water Not To Be ...	Notice	62
Non-Potable Water. Do Not Drink. / Agua No Potable. ...	Danger/ Peligro	42
Not A Fire Exit	Warning	77
Not A Pedestrian Walkway Fork ...	Danger	31
Not A Step	Caution	105
Not An Emergency Exit	-	90
Not An Entrance	Notice	32
Not An Exit	Notice	32
Not An Exit	-	80
Not An Exit (Black On White)	-	80
Not An Exit / No Es Salida	-	49
Not Consumable	-	115
Not Flammable	Notice	84
Not Odorized	-	65
Not Responsible For Cars Or ...	-	167
Not Responsible For Theft Or ...	-	153
Not Responsible For Theft Or ...	-	167
Notice All Activities Monitored By Video Camera	-	153
Notice Do Not Throw Smoking ...	-	124
Notice No Trespassing Loitering Soliciting On This ...	-	153
Notify Health Physics Prior To Entry	-	141
Nutrition (w/picto)	-	101

O

Legend Text	Header	Page
Ob Clinic (w/picto)	-	101
Office	-	73
Office W/Left Arrow Picto ...	-	80
Office W/Right Arrow Picto ...	-	80
Official Parking Only	-	167
On Bridge	-	167
On The Job Safety Begins Here	-	145
Oncology (w/picto)	-	101
One Lane Closed Ahead	-	155
One Lane Road Ahead	-	155
One Way (w/Left picto)	-	167
One Way (w/Right picto)	-	167
One Way Do Not Enter	-	167
One Way W/Left Arrow Picto ...	-	80
One Way W/Right Arrow Picto ...	-	80
Only Authorized Personnel ...	-	115
Only Authorized Personnel ...	Caution	105
Only Authorized Personnel Are ...	-	34
Only Authorized Persons To ...	Notice	32
Only Authorized Persons To ...	Restricted Area	151
Only Authorized Vehicle Or ...	-	34
Open Door Slowly	Caution	72
Open Door Slowly / Abrir La Puerta Lentamente	Caution/ Precaucion	40
Open Hole	Danger	110
Open Pit	Caution	105
Open Slowly	Caution	105
Open This Valve In The Event ...	-	90
Open Trench	Danger	111
Operation By Authorized Personnel Only	Danger	111
Operations Dept.	-	73
Operator Must Wear Ear Protection In This Area	Notice	135
Ophthalmology (w/picto)	-	101
Organic Peroxide 5.2	-	68
Osha Info (w/picto)	-	99
Osha Regulations Area In Front Of Electrical Panel ...	Caution	74
Osha Safety Poster - English	-	148
Others Are Depending On You ...	Be Careful	149
Others Are Depending On You. ...	Be Careful	149
Our Aim No Accidents	Think	149
Our Goal No Accidents	-	145
Out	-	73
Out Of Order	-	115
Out Of Service / Fuera De Servicio	Danger/ Peligro	44
Out Of Service For Repairs	-	115
Outpatient (w/picto)	-	101
Outpatient Parking Only	-	167
Overhead Conveyor	Danger	111
Overhead Crane Area Proceed ...	-	115
Overhead Equipment	Caution	105
Overhead Hoist	Danger	111
Overhead Machinery	Danger	111
Overhead Power Lines	Danger	76
Overhead Power Lines / Lineas De Electricidad Aerea	Danger/ Peligro	44
Overhead Work	Caution	105
Oxidizer 5.1	-	68
Oxidizer Picto (w/Blank Box) 5.1	-	68
Oxidizer Picto (w/Blank Box) 5.2	-	68
Oxygen 2	-	68
Oxygen Deficient Confined Space	Danger	71
Oxygen In Use	-	124
Oxygen, Compressed	-	66

P

Legend Text	Header	Page
Pacemaker Wearer Do Not Enter ...	Danger	139
Pacemaker Wearers Do Not ...	-	141
Paint Vault	-	65
Paper Only	-	142
Parallel Parking	-	167
Paramedic Parking Only	-	167
Park At Angle	-	167
Park At Your Own Risk	-	167
Park At Your Own Risk Company ...	-	153
Park In Assigned Spaced Only	-	167
Parking (w/picto)	-	157
Parking $50 To $300 Fine	-	157
Parking By Disabled Permit Only	-	157
Parking Facilities Under Camera Surveillance And Security ...	Notice	160
Parking For Customers Only	-	167
Parking Lot May Be Slippery ...	Caution	159
Parking Lot Rules No Firearms ...	-	161
Parking Permits Are Requiredd ...	Security Notice	151
Parking With D.M.V. Disabled ...	-	157
Passage To This Fire Hose Must Be Kept Clear	Notice	117
Pathology (w/picto)	-	101
Ped Xing	-	167
Pedestrian Crossing Ahead	-	167
Pedestrian Traffic Only	-	115
Pedestrian Traffic Only	-	95
Pedestrian Traffic Only W/Picto	-	94
Pedestrians And Bicycles Prohibited	-	167
Pediatrics (w/picto)	-	101
People Working	Caution	106
People Working Above	Danger	111
Permission To Use Scaffold ...	Warning	71
Permit Parking Only Lot Is Patrolled	-	167
Permit Parking Only Violators ...	-	167
Permit Required Confined Space Do Not Enter / Prohibida ...	Danger/ Peligro	45
Permit-Required Confined Space Do Not Enter	Danger	71
Personal Eyewash	Safety First	92
Personal Eyewash Keep Area Clean	-	93
Personal Protection Required ...	Notice	135
Personal Protective Clothing ...	Caution	55
Personal Protective Equipment ...	-	137
Personal Protective Equipment ...	Caution	130
Personal Protective Equipment ...	-	137
Persons Not Assigned To This ...	Restricted Area	33
Pesticide Storage Area	Warning	63
Pesticide Storage Area All ...	Danger	61
Pesticide Storage Authorized ...	Danger	31
Pesticides	Caution	55
Pesticides In Use Do Not Enter	Danger	61
Pet (w/picto)	-	101
Pg Iii 6	-	68
Pharmacy (w/picto)	-	101
Phenol	-	66
Phone (w/picto)	-	99
Phosphoric Acid	-	66
Physical Therapy (w/picto)	-	101
Physician Parking Only	-	167
Pick-Up And Drop-Off Only No Parking	-	167
Pick-Up And Drop-Off Only No ...	-	167
Pinch Point	Warning	114
Pinch Point (w/picto)	-	115
Pinch Point Keep Hands Clear (w/picto)	Caution	36
Pinch Point Watch Your Hands (w/picto)	Danger	111
Pinch Points / Punto De Agarre	Danger/ Peligro	45
Pinch Points Watch Your Hands ...	Danger	37
Pitch In Keep This Place Clean	-	118
Pitch In! (w/picto)	-	118
Pitch In! Help Keep Our Plant ...	-	142
Pitch In! Put Trash In Its Place	-	118
Place All Refuse In Can	-	119
Place Cigarettes, Cigar Butts ...	Notice	117
Play It Safe	-	145
Please Do Not Litter / Favor ...	-	49
Please Do Not Spit On The Floor	Safety First	117
Please Excuse Our Appearance ...	Notice	71
Please Excuse Our Appearance ...	-	71
Please Extinguish Before Entering	-	124
Please Flush After Each Use / ...	-	49
Please Keep Door Closed At All Times	-	34
Please Keep This Door Closed	-	34
Please No Smoking In This Area	-	124
Please Ring Bell	Notice	160
Please Turn Out Lights When ...	Notice	140
Please Wash Hands Before ...	-	143
Please Wear Your Seat Belt	-	167
Please Wipe Your Feet Upon Entering	Notice	117
Please.... Deposit All Sanitary Napkins In Container ...	-	126
Please.... Do Not Throw Rubbish In Urinals	-	126

Sign Legend Index

www.BradyID.com

Legend Text	Header	Page
Please.... Flush After Using	-	126
Please…Don' Take Food That ...	-	119
Please...Keep Off The Grass	-	34
Poca Altura	Peligro	45
Poison (w/picto)	Danger	61
Poison / Veneno (w/picto)	Danger/ Peligro	46
Poison / Veneno (w/Reverse picto)	Danger/ Peligro	46
Poison 6	-	68
Poison Gas 2	-	68
Poison Keep Out	Danger	61
Poison Picto	-	65
Poison Picto (w/Black Box) 2	-	68
Poison Picto (w/Black Box) 6	-	68
Poison Storage Area All Unauthorized Persons Keep ...	Danger	61
Poison Storage Area All Unauthorized Persons Keep ...	Danger/ Peligro	42
Poisonous Gas Hydrogen Sulfide	Danger	61
Poisonous Gas Storage	Danger	61
Positively No Admittance Except To Employees Working ...	-	34
Positively No Smoking	-	124
Positively No Smoking Allowed ...	Notice	121
Positively No Smoking Beyond ...	Safety First	121
Possible Hydrogen Sulfide Gas ...	Caution	55
Potassium Hydroxide	-	66
Potassium Perchlorate	-	66
Potassium Permanganate	-	66
Potential Biohazard Present	Caution	51
Ppe Required	Caution	130
Ppe Required (w/4-6 Pictos)	Caution	130
Ppe Required Hard Hat Hearing ...	Caution	130
Ppe Required Hard Hat Safety ...	Caution	130
Ppe Required Hard Hat Safety ...	Caution	130
Ppe Required Hard Hat Safety ...	Caution	130
Ppe Required Hard Hat Safety ...	Caution	130
Ppe Required Hard Hat Safety ...	Caution	130
Ppe Required Safety Glasses ...	Caution	130
Practice Good Housekeeping ...	-	119
Pregnant Women Should Not Enter	Caution	55
Prevent Static Spark Discharge Use Grounding Devices	Caution	55
Primary Escape Route	-	101
Private Drive	-	167
Private Keep Out	-	34
Private No Trespassing	-	34
Private Parking Violators Will Be Towed Away At Vehicle ...	-	167
Private Property Authorized ...	-	34
Private Property Keep Out	-	34
Private Property Keep Out / ...	Notice/Aviso	47
Private Property No Dumping	-	35
Private Property No Hunting ...	-	35
Private Property No Hunting No Trespassing	-	35
Private Property No Hunting Or Trespassing Allowed	-	35
Private Property No Hunting Or Trespassing Allowed ...	-	50
Private Property No Loitering ...	-	153
Private Property No Parking... Etc	-	167
Private Property No Skateboards Bicycles Dogs Loitering	-	35
Private Property No Soliciting Loitering Trespassing	-	35
Private Property No Trespassing	-	35
Private Property No Trespassing Loitering	-	35
Private Property No Trespassing Violators Will Be ...	-	153
Private Property No Trespassing Violators Will Be ...	-	50
Private Property No Unauthorized Parking	-	167
Private Property Trespassers ...	Security Notice	151
Private Property Trespassers ...	-	35
Private Property Unauthorized ...	-	35
Private Property Violators ...	Notice	32
Private Road	-	167
Private Road Do Not Enter	-	35
Private Road No Thru Traffic	-	168
Private Vehicles Are Not ...	Notice	154
Problems Next Office (w/Double Arrow)	Notice	96
Production Area All Through ...	-	95
Production Dept.	-	73
Prohibido El Paso	Advertencia	48
Prohibido El Paso A Personal ...	Area Restringida	48
Promote Safety Through Good Housekeeping	-	119
Propane	Warning	63
Propane Cylinders	Danger	61
Propane Gas	-	66
Protect Your Eyes Wear Safety ...	-	138
Protect Yourself Ppe Poster - ...	-	148
Protective Clothing Must Be ...	-	138
Protective Clothing Picto (Yellow)	-	138
Protective Clothing Required ...	Caution	130
Protective Equipment Is Available See Your Supervisor	Safety First	136
Protective Equipment Must Be ...	Danger	133
Protective Equipment Required ...	Caution	130
Protective Wear Required In ...	Caution	38
Pull	-	80
Pull To Open W/Right Up Arrow ...	-	80
Push	-	80
Push Bar To Open	-	80
Push To Open W/Right Up Arrow ...	-	80
Put Things In Their Proper ...	Please	117
Put Tools Back In Their Proper Place	Notice	117

Q

Legend Text	Header	Page
Quality - Only Your Best Will ...	-	145
Quality Is Our Most Important ...	-	115
Quarantine Area	Caution	55

R

Legend Text	Header	Page
Radiation	Danger	140
Radiation Area	-	95
Radiation Area (w/picto)	Caution	38
Radiation Area Authorized Personnel Only / Area De ...	Caution/ Precaucion	40
Radiation Caution Lock Out ...	-	141
Radiation Hazard (w/picto)	-	141
Radiation High Radiation Area ...	-	141
Radiation Radioactive Waste ...	-	141
Radiation Radiologically ...	-	141
Radiation Restricted Area	-	141
Radiation/Contamination Area	-	141
Radio Frequency Fields No Trespassing	Notice	140
Radioactive 7	-	68
Radioactive Equipment In This ...	Caution	139
Radioactive Materials Area	-	141
Radiology (w/picto)	-	101
Rail Car Wheels Must Be Chocked	Caution	159
Railroad Crossing Picto	-	161
Railroad Danger Crossing	-	168
Raw And Cooked Foods Must Not ...	-	115
Rcra Accumulation Area	-	65
Read Instructions Before Operating	Caution	106
Receiving	-	168
Receiving Department	-	168
Receiving Hours __Am-_ Pm	-	168
Receiving W/Left Arrow Picto ...	-	80
Receiving W/Right Arrow Picto ...	-	80
Recyclable Aluminum Cans Only ...	-	142
Recyclable Cans Only (w/picto)	-	142
Recyclable Cans Only(w/picto)	-	142
Recyclable Metals Only (w/picto)	-	142
Recyclable Metals Only(w/picto)	-	142
Recyclable Paper Only (w/picto)	-	142
Recyclable Plastic Only (w/picto)	-	142
Recyclable Save Our Resources ...	-	142
Recyclable Save Our Resources ...	-	142
Recyclable Save Our Resources ...	-	142
Recyclable Save Our Resources ...	-	142
Recyclable Save Our Resources ...	-	142
Recyclable Waste Only (w/picto)	-	142
Recycle / Recicle	-	50
Recycle Symbol	-	142
Registration (w/picto)	-	101
Remember The Next Inspector Is Our Customer	-	115
Remove All Doubt Lock It Out (w/picto)	-	103
Report All Accidents	Safety First	149
Report All Accidents No Matter How Small To Your Foreman	Safety First	92
Report All Accidents To Your ...	-	93
Report All Injuries At Once (w/picto)	Notice	37
Report All Injuries No Matter ...	Safety First	92
Report All Injuries To Your Supervisor	Think	92
Report All Unsafe Conditions ...	Safety First	149
Requirement For Entry Shoe ...	-	141
Reserved For Customers	-	168
Reserved For Faculty	-	168
Reserved For New And Expecting Mothers	-	168
Reserved For Physicians	-	168
Reserved For School Maintenance Vehicles	-	168
Reserved For Security	-	168
Reserved For Service And Delivery	-	168
Reserved For Visitors Only	-	168
Reserved For World'S Greatest ...	-	168
Reserved Handicapped	-	157
Reserved Parking	-	168
Reserved Parking (w/picto) ...	-	157
Reserved Parking $250 Fine	-	157
Reserved Parking $50 Fine 1St ...	-	157
Reserved Parking Authorized ...	-	168
Reserved Parking Handicap Plate Or Permit Only	-	157
Reserved Parking Maximum Fine ...	-	157
Reserved Parking Placard ...	-	157
Reserved Parking Vehicles With Vet Or Dis Plates Or ...	-	157
Reserved Parking Violators ...	-	168
Resident Parking Only	-	168
Respirator Picto (Blue)	-	138
Respirator Required	Caution	130
Respirator Required In This Area	Danger	133
Respirator Required While ...	Caution	130
Respirator Storage	-	119
Respirators Must Be Worn In ...	Caution	130
Respirators Must Be Worn In ...	Caution	38
Respirators Required Beyond ...	Danger	133
Respirators Required In This ...	Notice	135
Respirators Required In This Area / Uso Obligatorio ...	Caution/ Precaucion	41
Respiratory (w/picto)	-	101
Respiratory Protection Required	-	141
Rest Rooms (w/Picto 1)	-	143
Rest Rooms (w/Picto 2)	-	143
Rest Rooms (w/Picto 3)	-	143
Rest Rooms (w/Picto 4)	-	143
Rest Rooms (w/picto)	-	99
Restricted Are Keep Out	-	153
Restricted Area	-	35
Restricted Area All Persons ...	-	35
Restricted Area Authorized ...	Warning	33
Restricted Area Authorized ...	-	35
Restricted Area Authorized ...	Notice/Aviso	46
Restricted Area Get Permission Before Entering	-	153
Restricted Area Keep Out	Notice	32
Restricted Area No Smoking	-	124
Restricted Area No Smoking At ...	Danger	121
Restricted Area No Smoking At ...	Danger	121
Restroom	-	143
Restroom (Braille W/picto)	-	53
Restroom (Braille)	-	53
Restroom Being Cleaned	Do Not Enter	126
Restrooms (w/Left Arrow)	-	143
Restrooms (w/Right Arrow)	-	143
Reward For Information Leading To The Arrest And Conviction ...	-	153
Right Arrow Picto	-	101
Right Lane Closed Ahead	-	155
Right Shoulder Closed	-	155
Right To Know Info (w/picto)	-	99
Right To Know Information ...	Notice	62
Right To Know Information ...	Notice/Aviso	46
Right To Know Poster - English	-	148
Right To Know Poster - Spanish	-	148
Right To Know Station	-	65
Ring Bell For Service	-	35
Road Closed Ahead	-	155
Road Work Ahead	-	155
Robot In Operation	Danger	111
Robot Moves Without Warning ...	Danger	111
Robot Operating Area Do Not ...	Caution	28
Robotic Area Authorized Personnel Only	Danger	31
Rotating Machinery (w/picto)	Danger	111
Running Man - Arrow Left	-	82
Running Man - Arrow Left Down	-	82
Running Man - Arrow Left Up	-	82
Running Man - Arrow Right	-	82

Legend Text	Header	Page
Running Man - Arrow Right Down	-	82
Running Man - Arrow Right Up	-	82
Rush Job Calendar	-	96

S

Legend Text	Header	Page
Safe Floor Load Limit Not To ...	Notice	117
Safety & Quality	-	145
Safety & Quality #1 Priorities!	-	145
Safety = Success	-	145
Safety And Quality #1 Prioities	-	145
Safety Belts Required	Danger	71
Safety Belts Required In This ...	Danger	71
Safety Boots Picto (Blue)	-	138
Safety Boots Picto (Yellow)	-	138
Safety Dept.	-	73
Safety Equipment Stored Here	Notice	135
Safety First (Blue)	-	158
Safety First (Red)	-	158
Safety First Wear Personal ...	Think	136
Safety Glasses (w/picto)	-	99
Safety Glasses And Hard Hats ...	Danger	133
Safety Glasses And Safety Shoes Required In This Area	Notice	135
Safety Glasses Must Be Worn At All Times	Caution	131
Safety Glasses Must Be Worn ...	-	138
Safety Glasses Must Be Worn ...	Notice	135
Safety Glasses Required	-	95
Safety Glasses Required (w/picto)	-	94
Safety Glasses Required Beyond This Point	Caution	131
Safety Glasses Required Beyond This Point (w/picto)	Notice	39
Safety Glasses Required Beyond This Point / Uso Obligatorio ...	Notice/Aviso	47
Safety Glasses Required In ...	Caution	131
Safety Glasses Required In ...	Danger	133
Safety Glasses Required In This Area / Uso Obligatorio ...	Caution/ Precaucion	41
Safety Glasses Safety Shoes ...	Safety First	136
Safety Glasses With Side ...	Caution	131
Safety Glasses, Safety Shoes ...	Notice	135
Safety Goggles Required	-	95
Safety Goggles Required (w/picto)	-	94
Safety Goggles Required In ...	Caution	131
Safety Harness Required	Danger	71
Safety Has No Quitting Time	-	145
Safety Is Everyone'S Job	-	145
Safety Is Job #1	-	145
Safety Is Like Clockwork	-	145
Safety Is Your Responsibility	-	145
Safety Never Hurts	-	145
Safety Now Means No Accidents ...	-	145
Safety Protects People Quality Protects Jobs (Bilingual) ...	-	145
Safety Protects People Quality Protects Jobs (Green)	-	145
Safety Protects People Quality Protects Jobs (Yellow)	-	145
Safety Shoes Must Be Worn	Warning	136
Safety Shoes Must Be Worn In ...	Danger	133
Safety Shoes Picto (Blue)	-	138
Safety Shoes Required (w/picto)	Caution	131
Safety Shoes Required (w/picto)	Caution	131
Safety Shoes Required / Uso Obligatorio De Calzado ...	Caution/ Precaucion	41
Safety Shoes Required In This ...	Notice	135
Safety Shoes Required In This ...	Danger	37
Safety Shower	-	93
Safety Shower (w/picto)	-	93
Safety Shower And Eye Wash Station	Safety First	92
Safety Shower Keep Area Clear ...	Emergency	37
Safety Starts With You!	-	145
Safety Teamwork	-	145
Safety Training Mandatory Do ...	Caution	106
Safety... Work Safely	Think	149
Safety...Work Safely	Think	149
Safey Harness Required	Danger	71
Saftey Glasses, Safety Shoes ...	Notice	135
Salida	-	50
Satellite Storage Area	-	65
Save Energy Close Doors When ...	Notice	140
Save Your Eyes Wear Eye Protection	Notice	135
Scaffold Incomplete Do Not Use	Danger	154
School Crossing Picto 1	-	161
School Crossing Picto 2	-	161
Secure All Tanks Chain Cylinders	Caution	55
Security Alarm Will Sound If ...	Notice	32
Security Badges Must Be Worn ...	Security Notice	152
Security Notice Entering This ...	-	153
Security Notice Marsec I ...	-	153
Severe Weather Shelter	-	80
Severe Weather Shelter Area (w/picto)	-	99
Severe Weather Shelter Area ...	-	80
Severe Weather Shelter Area ...	-	80
Severe Weather Shelter Area ...	-	80
Sewage Water No Drinking, ...	Danger	61
Share The Road	-	168
Sharp Objects Gloves Required	Caution	131
Shipping	-	168
Shipping & Receiving (Left ...	-	168
Shipping & Receiving (Right ...	-	168
Shipping And Receiving	-	168
Shipping Department	-	168
Shipping W/Left Arrow (Black & White)	-	80
Shipping W/Right Arrow (Black ...	-	80
Shoe Covers Required	Notice	135
Shoulder Work Ahead	-	155
Shower Station	-	93
Shower Station Emergency Use Only	-	93
Siamese Connection For Fire Dept.	-	90
Side Shield Safety Glasses ...	Notice	135
Sidewalk Closed	-	168
Slide To Open (w/picto)	-	80
Slippery Floor	Be Careful	127
Slippery Floor (w/picto)	Caution	106
Slippery Floor (w/picto)	Caution	38
Slippery Trip Hazard	Caution	106
Slippery When Wet	Caution	106
Slippery When Wet (w/picto)	Caution	106
Slippery When Wet (w/picto)	Caution	106
Slippery When Wet / Resbaloso Cuando Esta Mojado	Caution/ Precaucion	41
Slow	-	168
Slow Blind Corner Proceed With Caution	-	168
Slow Children (w/picto)	-	169
Slow Children Playing	-	169
Slow Dangerous Intersection	-	169
Slow Down Pedestrian Traffic	Caution	159
Slow High Traffic Area	-	169
Slow Proceed With Caution	-	169
Slow Sound Horn	Caution	159
Slow Speed Bump	-	169
Smoke Barrier Please Keep ...	-	90
Smoking Allowed In This Area	Notice	121
Smoking In Designated Areas Only	-	124
Smoking In Elevator Prohibited	-	124
Smoking Is Prohibited Except ...	-	124
Smoking Lounge	-	125
Smoking Permitted (w/picto)	-	125
Smoking Permitted In This Area	-	125
Smoking Prohibited Except In ...	-	125
Smoking Prohibited In This Area	-	125
Smoking Will Result In Disciplinary Action	-	125
Social Services (w/picto)	-	101
Sodium Hydroxide	-	66
Sodium Hypochlorite	Danger	61
Sodium Hypochlorite Chemical Information	-	65
Solo Empleados	Aviso	47
Solo Personal Autorizado	Aviso	47
Sorry, We'Re Closed	-	35
Sound Horn Before Entering	Notice	160
Sound Horn Proceed Slowly	Caution	159
Sound Horn Proceed Slowly / ...	-	50
Space Or Group Of Spaces ...	-	101
Space Protected By Halon	-	101
Speed Bump Ahead	-	169
Speed Limit 10 Mph	-	169
Speed Limit 15 Mph	-	169
Speed Limit 20 Mph	-	169
Speed Limit 25 Mph	-	169
Speed Limit 5 Mph	-	169
Spill Control Station	-	65
Spill Response Equipment (w/picto)	-	99
Spill Sorbent Storage	-	65
Spill Station	-	99
Spill-Kit Station	-	65
Spitting Is Unlawful Unsanitary Unhealthy Dangerous ...	-	126
Spontaneously Combustible 4	-	68
Spray Paint Booth Paint Fumes ...	-	65
Sprinkler Control Valve	-	90
Sprinkler Control Valve	-	90
Sprinkler Control Valve W/Hard Hat And Fire Picto	-	90
Sprinkler Drain Valve	-	90
Sprinkler Fire Alarm	-	90
Sprinkler Stop Valve W/Hard ...	-	90
Sprinkler Valve	-	80
Sprinkler Valve Do Not Close ...	-	90
Sprinkler Valve Keep Open	-	90
Staff Parking Only	-	169
Stairs (Red On White)	-	80
Stairs To Fire Exit (w/picto)	-	81
Stairs W/Left Arrow Picto	-	81
Stairs W/Right Arrow Picto	-	81
Stairway	Caution	106
Stairway (Braille W/picto)	-	53
Stand Clear Of Door	Caution	72
Stand Clear Of Swing Radius	Caution	106
Standpipe	-	90
Standpipe At Other Stairs	-	90
Standpipe For Fire Department ...	-	90
Start Water Spray Picto	-	101
Starts Automatically	Danger	111
Starts Automatically Keep Hands Clear (w/picto)	Danger	111
Static Control Area	Caution	74
Static Sensitive Devices: Do ...	Caution	74
Stay Alert	-	145
Stay Alert Don'T Get Hurt	Be Careful	149
Stay Back _____Feet	Caution	106
Stay Clear	Caution	28
Stay Clear / No Obstruir El Paso	Danger/ Peligro	45
Stay Clear Of Moving Conveyors	Danger	111
Stay Clear Of Swing Radius	Danger	111
Stealing Will Lead To Arrest ...	Warning	152
Steel Toe Shoes Required In ...	Notice	135
Step Down	Caution	106
Step Up	Caution	106
Stop	-	94
Stop / Pare	-	50
Stop Ahead	-	169
Stop All Visitors Must Report ...	-	169
Stop Authorized Personnel Only Beyond This Point	-	169
Stop Brew At Work (Blue)	-	158
Stop Car Connected (Blue)	-	158
Stop Car Connected (Red)	-	158
Stop Check In Here	-	153
Stop Check With Guard Before ...	-	169
Stop Check With Guard Before Proceeding	-	169
Stop Crew At Work (Red)	-	158
Stop Ear Protection Required ...	-	138
Stop Employees Working (Blue)	-	158
Stop Employees Working (Red)	-	158
Stop Engine No Smoking	-	125
Stop Exit Only Do Not Enter	-	169
Stop Fires Before They Start ...	-	90
Stop For Pedestrians In Crosswalk	-	169
Stop For Vehicle Check	-	169
Stop Hard Hat Required Beyond ...	-	138
Stop Hearing Protection & ...	-	138
Stop Hearing Protection Required In This Area	-	169
Stop Here When Flashing	-	170
Stop Look Before Exiting	-	170
Stop Look Out For Forklifts	-	170
Stop Machine Before Removing Jams	Caution	106
Stop Men At Work	-	170
Stop No Pedestrians Fork Trucks Only	-	170
Stop Pedestrian Crossing	-	170
Stop Pedestrian Crosswalk	-	170
Stop Personal Protective ...	-	170
Stop Proceed Slowly	-	170
Stop Proceed With Caution	-	170
Stop Safety Glasses Required ...	-	170
Stop Sound Horn And Proceed ...	-	170
Stop Sound Horn Proceed Slowly	-	170
Stop Tank Car Connected	-	170
Stop Tank Car Connected (Blue)	-	158
Stop Tank Car Connected (Red)	-	158
Stop Think Observe Proceed	-	170
Stop This Machinery Before ...	-	115

Sign Legend Index

www.BradyID.com

Legend Text	Header	Page
Stop Vendors And Visitors. ...	-	35
Stop Your Hand Is Near A Pinch Point	-	115
Stop Your Motor	No Smoking	121
Storage Area Flammable Material	Danger	84
Storage Area No Smoking Or ...	Warning	122
Storage Not Permitted In This ...	Warning	63
Storage Room Not An Exit	-	81
Store Full Gas Cylinders Here	Notice	62
Stretcher (w/picto)	-	93
Striped Traffic Sign (Black/Orange Diagonal Stripes)	-	161
Student Parking Only	-	170
Sudden Stops Or Turns May Cause Loads To Shift Or ...	Caution	159
Sulfuric Acid	Danger	61
Sulfuric Acid Wear Goggles And Protective Clothing	Danger	61
Surgery (w/picto)	-	101
Sustancias Quimicas Peligrosas	Peligro	45

T

Taxi Lane	-	170
Teamwork The Nessasary Ingrediant For Safety , Quality, ...	-	146
Teamwork There Is No 'I' In Teamwork	-	146
Telephone (w/picto)	-	81
Tenant Parking Only	-	170
Thank You For Not Smoking (w/picto)	-	125
Thank You For Working Safely	-	146
Thank You…I Appreciate Your ...	-	125
The Best Safety Device Is A ...	-	150
The Placement Of Hazardous ...	Caution	55
The Safe Way Is The Best Way	Be Careful	149
The Safe Way Is The Only Way	-	146
The Use Of Cameras Or Video ...	-	153
The Use Of Tobacco Products In This Facility Is Prohibited	-	125
There Is No Substitute For Safety	Think	150
These Doors Close Automatically	Caution	28
These Doors Must Be Kept Closed	Caution	72
These Premises Are Alarmed	Security Notice	152
These Premises Protected By ...	Notice	32
Think And Work Safely	-	146
Think And Work Safely (Bilingual)	-	146
Think Quality (w/picto)	-	146
Think Safety (w/picto)	-	146
This Area Closed Off	Caution	28
This Area Is Under 24 Hour Tv ...	Notice	151
This Area Is Under 24 Hour Tv ...	Notice/Aviso	46
This Area Is Under 24 Hour Tv ...	-	153
This Area Patrolled By Attack ...	Warning	152
This Area Protected By Halon ...	-	90
This Company Has Worked [#] ...	-	150
This Company Has Worked [#] ...	-	150
This Company Promotes A Drug ...	-	150
This Company Promotes A Smoke ...	-	150
This Department Has Worked [#] Days Without A Disabling ...	-	150
This Department Has Worked [#] Days Without A Lost ...	-	150
This Device Controlled By An ...	-	103
This Disconnect Does Not Remove All Power From Panel	-	103
This Door For Emergency Exit Only	-	81
This Door Is Alarmed	Security Notice	152
This Door Must Be Kept Closed	-	73
This Door To Remain Unlocked ...	-	73
This Door To Remain Unlocked ...	-	73
This Elevator Is For Freight ...	Notice	113
This Elevator Maximum Capacity _____Lbs.	-	115
This Enclosure Contains High ...	Danger	31
This Equipment Has Been Locked Out	Caution	102
This Equipment Is Supplied ...	Danger	111
This Equipment Must Be Locked ...	Caution	102
This Equipment Operates From ...	Danger	111
This Equipment Starts Automatically	-	115
This Equipment Starts Automatically (w/ picto)	Danger	38
This Equipment Starts Automatically / Este Equipo ...	Danger/ Peligro	43
This Gate Must Be Kept Locked	Notice	72
This Is A Drug-Free Workplace	Notice	32
This Is A Drug-Free Workplace ...	Notice/Aviso	46
This Is A No Smoking Lunch Area	Notice	121
This Is A Safety Helmet Area (w/picto)	-	138
This Is A Smoke Free Facility ...	-	125
This Is A Smoke Free Facility ...	-	48
This Is A Smoke Free Tobacco ...	-	125
This Is A Smoke Free Work Place	-	125
This Is A Smoke-Free Building	-	125
This Is A Smoke-Free Campus ...	-	125
This Is Your Home Five Days Of The Week Help Keep ...	-	126
This Is Your Lunch Area Keep ...	Please	117
This Is Your Wash Room Please ...	-	119
This Is Your Washroom Help ...	-	126
This Is Your Washroom Help ...	-	48
This Is Your Washroom Please ...	-	126
This Job Has Worked [#] Days ...	-	150
This Line Carries High Voltage Damage To This Line ...	Danger	76
This Lunchroom Is Here For ...	-	119
This Machine Is Automatically Controlled...	Caution/ Precaucion	40
This Machine Must Be Locked ...	Caution	102
This Machine Starts And Stops ...	Danger	111
This Machine Starts And Stops Automatically / Esta ...	Danger/ Peligro	43
This Machine Starts Automatically	Danger	111
This Machine Starts By Remote ...	Caution	106
This Magnet Is Always On	Danger	140
This Motor Starts By Remote Control	Caution	106
This Plant Has Worked [#] Days Without A Disabling ...	-	150
This Plant Has Worked [#] Days Without A Lost Time ...	-	150
This Property Is Protected By ...	Security Notice	152
This Property Is Protected By ...	Security Notice	152
This Property Protected By ...	Notice	32
This Property Protected By ...	Warning	152
This Restroom Is Here For Your Convenience Please ...	-	119
This Room Is Protected By Halon Fire Extinguisher ...	Caution	84
This Sink Is For Food Wash Only	-	115
This Sink Is For Hand Wash Only	-	115
This Sink Is For Utensil Wash ...	-	115
This Space Must Be Kept Clear ...	Caution	116
This Space Must Be Kept Clear At All Times / Mantener ...	Caution/ Precaucion	40
This Vehicle Stops At All ...	Notice	160
This Water Is Safe To Drink	Notice	62
This Water Is Unsafe To Drink	Notice	39
This Way Out W/Left Arrow ...	-	81
This Way Out W/Left Arrow Picto	-	81
This Way Out W/Right Arrow ...	-	81
This Way Out W/Right Arrow Picto	-	81
This Way To Office W/Left Arrow (Black & White)	-	81
This Way To Office W/Right ...	-	81
Thou Shalt Not Park Here	-	170
Thru Truck Route (Left Arrow picto)	-	170
Thru Truck Route (Right Arrow ...	-	170
Thru Truck Route (Up Arrow picto)	-	170
To Open Break Glass And Pull Chain	-	90
To Sprinkler Control Valve ...	-	90
To Sprinkler Control Valve ...	-	90
To Stairway W/Left Arrow Picto	-	81
To Stairway W/Right Arrow Picto	-	81
To Use Fire Extinguisher (w/picto)	-	99
Today	Be Careful	149
Today'S Threat Advisory Guarded	-	153
Toluene	-	66
Tornado Shelter	Notice	84
Tornado Shelter (w/picto)	-	73
Tornado Shelter / Refugio ...	-	50
Tow-Away Special Placard Or ...	-	157
Tow-Away Zone	-	170
Toxic 6	-	68
Toxic Chemicals	Danger	61
Toxic Gas 2	-	68
Toxic Gas Do Not Enter When ...	Danger	61
Toxic Materials	Danger	61
Toxic/Hazardous Chemicals Are ...	Caution	55
Trash Goes Here Don'T Litter	-	142
Trash Only	-	142
Trash Only / Basura Solamente	-	48
Trespassers Will Be Prosecuted	Notice	32
Trichloroethylene	-	66
Tripping Hazard	Caution	106
Truck Drivers Must Chock Wheels And Set Brakes Before ...	-	170
Truck Drivers Must Remain With Their Vehicle	Notice	160
Truck Drivers Ring Bell And Wait	Notice	160
Truck Drivers Shut Off Motor ...	Notice	160
Truck Drivers Waiting For ...	-	170
Truck Entrance	-	170
Truck Must Be Turned Off When ...	Warning	161
Truck Parking	-	170
Truck Route	-	171
Trucks (Left Arrow picto)	-	171
Trucks (Right Arrow picto)	-	171
Trucks Entering Highway	-	171
Try To See It Our Way Wear ...	-	146
Turn Machine Off When Not In Use	Caution	107
Turn Off Battery Charger Before Disconnecting Battery ...	Danger	76
Turn Off Cellular Phones, ...	Notice	140
Turn Off Lights Conserve Energy	-	143
Turn Off Power Before Working ...	Danger	112
Turpentine	-	66
Two Way Feed	Danger	112
Two Way Traffic Ahead	-	171

U

Ultrasound (w/picto)	-	101
Ultraviolet Light	Caution	139
Unauthorized Motor Vehicles ...	-	153
Unauthorized Parking Mandates ...	-	157
Unauthorized Personnel Are Not Permitted Inside Plant	Notice	32
Unauthorized Personnel Keep Out	Caution	29
Unauthorized Personnel Keep ...	Danger	31
Unauthorized Persons Keep Out	Restricted Area	33
Unauthorized Persons Keep Out ...	-	39
Unauthorized Persons Keep Out / Prohibido El Paso ...	Restricted Area/Area Restringida	48
Unauthorized Vehicles Prohibited	Security Notice	152
Underground Cable	Danger	76
Underground Cable Call Before ...	Warning	76
Underground Live Wire	Danger	76
Unlawful To Operate This ...	Caution	74
Unleaded Gasoline	-	66
Unloading Caustic	Danger	61
Unsafe Roof Keep Off	Danger	31
Unsafe To Drink Picto	-	66
Ups Pick Up	-	171
Usar Casco Protector En Esta Area	Peligro	45
Usar El Pasamanos	Precaucion	41
Use Crosswalk (w/Right Arrow picto)	-	171
Use Fuse Puller To Change Fuses	Caution	107
Use Guards (w/picto)	-	138
Use Hand Rail	-	115
Use Handrail	Caution	107
Use Handrail / Usar El Pasamanos	Caution/ Precaucion	41
Use Lockout Device During ...	Caution	102
Use Of Cellular Phone Is ...	Security Notice	119
Use Of Cellular Phones Not ...	-	119
Use Of Safety Belt And Line ...	Notice	135
Use Other Door	Caution	29
Use Static Grounding Devices	Caution	74
Used Batteries	Caution	55
Used Oil	-	66
Used Oil Storage Area	-	66
Uso Obligatorio De Casco De Proteccion	Precaucion	41
Uso Obligatorio De Guantes ...	Precaucion	41
Uso Obligatorio De Lentes De ...	Aviso	47
Uso Obligatorio De Proteccion ...	Precaucion	41
Uso Obligatorio De Proteccion ...	Precaucion	41
Utility Work Ahead	-	155

V

Valve Caps Must Be In Place On Cylinders When Not ...	-	66
Van Accessible	-	157
Vapor Respirator Required In ...	Caution	131

Legend Text	Header	Page
Vehicles Improperly Parked ...	-	171
Vehicles Must Come To A Complete Stop Before Proceeding ...	-	35
Vendors And Visitors Must ...	Notice	151
Vendors And Visitors Must ...	Notice/Aviso	46
Very Hot Water	Caution	55
Video Surveillance In Use On ...	Security Notice	152
Vinyl Acetate	-	66
Vinyl Chloride	-	66
Vinyl Chloride May Cause Cancer Authorized Personnel ...	Danger	61
Violators Towed Away At Vehicle Owner'S Expense And ...	-	171
Violators Will Be Fined Min ...	-	157
Violators Will Be Towed At ...	Warning	161
Visitor Parking	-	171
Visitor Parking (w/Left Arrow ...	-	171
Visitor Parking (w/Right Arrow picto)	-	171
Visitors Must Report To Office / Los Visitantes Deben ...	Notice/Aviso	46
Visitors Must Wear Eye Protection Beyond This Point	Notice	135
Visitors Must Wear Hard Hats ...	Caution	131
Visitors Obtain Plant Pass In ...	-	35
Visitors Only	Parking	160
Visitors Parking Only	-	171
Visitors Please Report To Office	-	153
Voltage Source	-	103

W

Legend Text	Header	Page
Waiting Area (w/picto)	-	101
Walk Don'T Run	Safety First	113
Walk Down Stairs Backwards	Caution	107
Walking Of Dogs Prohibited On ...	-	35
Warning Fire Equipment Protected From Theft By Electronic ...	-	90
Warning Forklift Traffic	-	95
Warning Forklift Traffic W/Picto	-	94
Warning If You Come In Contact With Corrosive Chemicals ...	-	66
Warning Radio-Frequency Radiation Hazard Check With ...	-	141
Warning Smoking Is Hazardous ...	-	125
Warning Surveillance Zone You ...	-	153
Warning This Area Contains ...	-	66
Warning This Area Contains ...	-	66
Warning This Equipment Starts ...	-	115
Warning This Machine Is Automatically Controlled And ...	-	115
Warning This Machine Is Automatically Controlled It ...	Danger	112
Warning This Property Protected By Security Patrol	-	153
Warning Unlawful To Operate ...	-	115
Warning! Attack Dogs On Premises No Trespassing	-	35
Wash And Sanitize Hands Before Starting And Returning ...	-	126
Wash Hands And Arms Up To The ...	-	126
Wash Hands Before Leaving This Room (w/picto)	-	126
Wash Hands Before Leaving This Room / Lavarse Las ...	-	49
Wash Hands Before Returning To Work	Notice	126
Wash Hands Before Returning To Work (w/picto)	-	99
Wash Hands Before Returning To Work / Lavarse Las ...	Notice/Aviso	46
Wash Your Hands Before Eating ...	Avoid	126
Wash Your Hands Before Leaving As A Sanitary Measure ...	Notice	126
Wash Your Hands Before Leaving This Room	Notice	126
Wash Your Hands Before Leaving This Room / Lavarse ...	Notice/Aviso	46
Waste Oil	-	66
Waste Oil Storage Area	-	66
Waste Solvent	-	66
Watch For Children	-	171
Watch For Falling Debris	Danger	112
Watch For Lift Trucks (w/picto)	Caution	107
Watch For Lift Trucks / Cuidado Con Los Montacargas ...	Caution/ Precaucion	40
Watch For Low Pipes	Caution	107
Watch For Pedestrians	-	171
Watch For Trucks	-	171
Watch Out For Falling Ice	Caution	116
Watch Out For Fork Lift	-	95
Watch Out For Fork Lift Trucks (w/picto)	Caution	107
Watch Out For Fork Truck ...	Caution	107
Watch Out For Forklift Trucks ...	-	94
Watch Out For Moving Equipment	Danger	112
Watch Out For The Other Person	Think	150
Watch Out For Trucks	Caution	159
Watch Overhead Clearance	Caution	107
Watch Your Back When Lifting! ...	-	146
Watch Your Fingers And Your ...	Caution	107
Watch Your Hands And Fingers / Cuidado Con Sus Manos ...	Danger/ Peligro	43
Watch Your Head	Caution	107
Watch Your Step	-	81
Watch Your Step (w/picto)	Caution	107
Watch Your Step (w/picto)	-	94
Watch Your Step / Camine Con Cuidado	Caution/ Precaucion	40
Watch Your Step Use Handrail	Caution	107
Watch Your Step/Fall (w/picto)	-	115
Water Line	Danger	71
Water Shut Off	Notice	84
We Aim For Zero Injuries	-	146
We Are Doing Asbestos We Can	Notice	96
We Are Setting The Standard	-	146
We Cannot Be Responsible For ...	Notice	160
Wear Approved Breathing Apparatus Beyond This Point	Caution	131
Wear Breathing Apparatus In ...	Caution	131
Wear Ear Protection	Caution	131
Wear Ear Protection (w/picto)	Caution	131
Wear Eye Protection	-	138
Wear Eye Protection (w/picto)	Caution	131
Wear Eye Protection When Using Power Tools	Safety First	136
Wear Eye Protection When Using This Machine	-	138
Wear Face Shield	Caution	131
Wear Face Shield (w/picto)	-	138
Wear Face Shield And Rubber ...	Danger	61
Wear Face Shield Batteries May Explode Turn Off Charger ...	Caution	56
Wear Face Shield When Using Grinder	Safety First	136
Wear Face Shields, Rubber ...	Safety First	62
Wear Foot Protection	Notice	135
Wear Gloves (w/picto)	-	138
Wear Gloves And Goggles	Caution	131
Wear Goggles	Safety First	136
Wear Goggles (w/picto)	Safety First	39
Wear Goggles And Rubber Gloves When Handling Chemicals	Danger	61
Wear Goggles Face Shield Rubber Gloves And Apron When ...	Caution	56
Wear Goggles Or Face Shield	Safety First	136
Wear Goggles Or Face Shield ...	Caution	131
Wear Goggles Or Face Shield While Operating This Machine ...	Caution/ Precaucion	41
Wear Goggles Or Use Shield	-	138
Wear Goggles When Chipping Or ...	Danger	133
Wear Goggles When Handling ...	Danger	61
Wear Goggles When Using This Machine	-	138
Wear Goggles When Using This ...	Caution	107
Wear Hard Hats	Notice	135
Wear Mask (w/picto)	-	138
Wear Proper Safety Equipment	Think	136
Wear Protective Clothing	Caution	131
Wear Protective Equipment	Caution	131
Wear Protective Equipment In ...	Warning	136
Wear Protective Safety Equipment When Handling Caustic	Danger	61
Wear Respirator (w/picto)	-	138
Wear Respirator In This Area	Warning	39
Wear Respirator To Protect ...	Caution	38
Wear Respirator While Spraying	Caution	131
Wear Safety Equipment	Caution	131
Wear Safety Shoes In This Area	Caution	131
Wear Splash Goggles Face Shield Rubber Gloves Apron ...	Notice	135
Wear Your Fall Protection	Caution	131
Wear Your Gloves	Warning	136
Wear Your Goggles	-	138
Wear Your Goggles While Operating This Machine	Danger	133
Wear Your Hair Net	-	126
Wear Your Respirator	Caution	131
Wear Your Respirator (w/picto)	Caution	36
Wear Your Safety Glasses ...	-	138
Welding Arc Wear Proper Eye Protection	Danger	61
Welding Area	Caution	56
Welding Fumes May Be Present	Caution	56
Welding Goggles Must Be Worn ...	Danger	133
Welding May Produce Fumes And ...	Caution	56
Wet Floor	Caution	107
Wet Floors Be Careful	Caution	116
Wheel Chocks Must Be Placed On Both Sides Before Loading	Safety First	113
Wheelchair Ramp (w/picto)	-	157
Wheels Must Be Chocked And ...	Notice	160
Wheels Must Be Chocked Before ...	Safety First	161
Wheels Must Be Chocked Before ...	Notice/Aviso	47
When Servicing Or Checking ...	Caution	74
When Throwing Switch Use Left ...	Caution	102
Wide Right Turns	Caution	159
Wide Right Turns (w/picto)	Caution	159
Will Call	-	171
Woman Picto	-	126
Women (Braille W/picto)	-	53
Women (Braille W/picto) (Black And White)	-	53
Women (Braille W/picto) (Brown And White)	-	53
Women (Braille)	-	53
Women (w/Picto 1)	-	143
Women (w/Picto 2)	-	143
Women (w/Picto 3)	-	143
Women (w/Picto 4)	-	143
Women (w/Picto 5)	-	143
Women (w/picto)	-	99
Women (w/picto) / Mujeres (w/picto)	-	49
Women / Mujeres	-	49
Women'S Health (w/picto)	-	101
Wood Dust Explosion Hazard	Warning	63
Work Area Ahead	-	155
Work Safely Today	-	146
Work Safely You Count	-	146
Worker In Confined Space	-	71
Would You Like Some Cheese To ...	-	96
Wrong Way	-	171

X

Legend Text	Header	Page
X-Ray In Use	Caution	139
X-Ray Producing Machine Within	-	141
X-Ray Radiation	Warning	140
Xylene	-	66

Y

Legend Text	Header	Page
Yield	-	171
Yield Pedestrian Crossing	-	171
Yield Pedestrian Crosswalk	-	171
Yield Proceed Slowly	-	171
You Are The Key To Safety (w/picto)	-	146
You Can Obtain A Pair Of Safety Goggles Ask Your Foreman	Notice	135
You Must Be At Least 18 Years ...	Warning	114
Your Habits Are A Reflection ...	-	119
Your Job Is Not Complete Until Your Area Is Clean	-	119

Part Number Index

www.BradyID.com

Catalog #	Page #
64MB-CF	331
1530-	190
1530-# KIT	190
1530-LTR KIT	190
1534-	190
1550-	190
2001	188
2002	188
2005	187
2007	187
2010	187
2010DB	187
2010DBSP	187
2010NB	187
2010SP	187
2011	241
2011L	241
2012	188
2014	188
2014W	188
2019	241
2019L	241
2022	187
2023	187
2024	187
2025	187
2026	187
2027	187
2028	187
2032	187
2112	430
2112-TEN	430
2112SP	430
2112SP-TEN	430
3000-	191
3001	401
3002	401
3003Y	403
3004Y	403
3010-	191
3012	401
3013	401
3020-	191
3410-	190
3420-	190
3420-# KIT	190
3420-LTR KIT	190
3430-	190
3440-	190
3450-	190
3460-	190
4001–	219
4002–	219
4003–	219
4006–	219
4007–	219
4010-A	219
4010-A	351
4010-B	351
4010-C	351
4010-D	351
4010-F	351
4010-H	351
4011-A	351
4011-B	351
4011-C	351
4011-D	351
4011-F	351
4011-H	351
4012-A	219
4012-A	351
4012-B	351
4012-C	351
4012-D	351
4012-F	351
4012-H	351
4013-A	351
4013-B	351
4013-C	351
4013-D	351
4013-F	351
4013-H	351
4019–	219
4020–	219
4022–	219
4023–	219
4024–	219
4028–	219
4029–	219
4032–	219
4033–	219
4034–	219
4035–	219
4036–	219
4037–	219
4043–	219
4044–	219
4046–	219
4048–	219
4050–	219
4051–	219
4052–	219
4053–	219
4055–	219
4059–	219
4060–	219
4064–	219
4065–	219
4067–	219
4070–	219
4071–	219
4072–	219
4073–	219
4074–	219
4075–	219
4076–	219
4077–	219
4078–	219
4079–	219
4081–	219
4082–	219
4083–	219
4085–	219
4086–	219
4089–	219
4091–	219
4092–	219
4097–	219
4098–	219
4099–	219
4100–	219
4102–	219
4103–	219
4105–	219
4106–	219
4107–	219
4108–	219
4110–	219
4111–	219
4113–	219
4114–	219
4119–	219
4121–	219
4122–	219
4123–	219
4124–	219
4127–	219
4128–	219
4129–	219
4132–	219
4134–	219
4136–	219
4140–	219
4143–	219
4146–	219
4147–	219
4148–	219
4150–	219
4151–	219
4152–	219
4153–	219
4155–	219
4162–	219
4172–	219
4173–	219
4185–	219
4197–	219
4199–	219
4225–	219
4226–	219
4247–	219
4270–	219
5000–	191
5010–	191
5050–	191
5100–	191
5140–	191
5180–	191
5600–	220
5600-I	351
5600-II	351
5601–	220
5601-I	351
5601-II	351
5602–	220
5602-I	351
5602-II	351
5603–	220
5603-I	351
5603-II	351
5609–	220
5614–	220
5625–	220
5631–	220
5634–	220
5636–	220
5637–	220
5643–	220
5645–	220
5646–	220
5647–	220
5648–	220
5655–	220
5660–	220
5661–	220
5662–	220
5663–	220
5664–	220
5665–	220
5668–	220
5672–	220
5673–	220
5675–	220
5676–	220
5678–	220
5679–	220
5688–	220
5689–	220
5690–	220
5691–	220
5694–	220
5695–	220
5696–	220
5697–	220
5699–	220
5701–	220
5702–	220
5703–	220
5706–	220
5707–	220
5711–	220
5716–	220
5719–	220
5720–	220
5722–	220
5723–	220
5724–	220
5725–	220
5726–	220
5727–	220
5728–	220
5729–	220
5730–	220
5736–	220
5738–	220
5739–	220
5744–	220
5746–	220
5747–	220
5750–	220
5754–	220
5755–	220
5758–	220
5761–	220
5765–	220
5767–	220
5769–	220
5774–	220
5776–	220
5777–	220
5780–	220
5781–	220
5782–	220
5784–	220
5786–	220
5787–	220
5790–	220
5890-	191
5905-	191
5910-	191
6001-	191
6002-	191
6003-	191
6004-	191
7005–	218
7006–	218
7007–	218
7010–	218
7014–	218
7015–	218
7017–	218
7018–	218
7019–	218
7025–	218
7045–	218
7046–	218
7047–	218
7054–	218
7055–	218
7058–	218
7059–	218
7060–	218
7061–	218
7062–	218
7063–	218
7065–	218
7067–	218
7068–	218
7069–	218
7070–	218
7071–	218
7073–	218
7084–	218
7086–	218
7087–	218
7088–	218
7089–	218
7090–	218
7107–	218
7110–	218
7115–	218
7119–	218
7121–	218
7122–	218
7123–	218
7125–	218
7127–	218
7128–	218
7129–	218
7130–	218
7137–	218
7146–	218
7147–	218
7148–	218
7149–	218
7163–	218
7175–	218
7179–	218
7184–	218
7186–	218
7190–	218
7196–	218
7198–	218
7200–	218
7203–	218
7208–	218
7209–	218
7210–	218
7212–	218
7218–	218
7224–	218
7227–	218
7229–	218
7235–	218
7242–	218
7244–	218
7247–	218
7250–	218
7251–	218
7252–	218
7253–	218
7267–	218
7268–	218
7269–	218
7270–	218
7273–	218
7274–	218
7282–	218
7283–	218
7285–	218
7291–	218
7292–	218
7295–	218
7296–	218
7298–	218
7299–	218
7303–	218
7304–	218
7311–	218
9712-	191
9713-	191
9714-	191
13284	94
13356	405
13402	345
13403	345
13404	345
13507	346
13510	346
13511	346
13512	346
13513	346
13514	346
13515	346
13516	346
13517	346
13518	346
13519	346
13520	346
13521	346
13522	346
13523	346
13524	346
13525	346
13526	346
13527	346
13528	346
13529	346
13530	346
13531	346
13532	346
13533	346
13534	346
13535	346
13536	346
13537	346
13538	342
13539	342
13540	342
13541	342
13542	342
13543	342
13544	342
13545	342
13546	342
13547	342
13548	342
13549	342
13550	342
13551	342
13552	342
13553	342
13554	342
13555	342
13556	342
13557	342
13558	342
13559	342
13560	342
13561	342
13562	342
13563	342
13564	345
13565	345
13566	345
13567	345
13568	345
13569	345
13570	345
13571	345
13572	345
13573	345
13574	345
13575	345
13576	345
13577	345
13578	345
13579	345
13580	345
13585	345
13590	345
13595	346
13596	346
13597	346
13598	346
13599	346
13600	346
13601	342
13602	342
13603	342
13604	342
13605	342
13606	342
13607	342
13608	342
13609	342
13610	342
13611	342
13612	342
13613	342
13614	342
13615	342
13616	342
13617	342
13618	342
13620	350
13620	352
13621	350
13621	352
13622	350
13622	352
13623	350
13623	352
13624	350
13624	352
13625	350
13625	352
13626	350
13626	352
13627	350
13627	352
13628	350
13628	352
13629	350
13629	352
13630	350
13630	352
13631	350
13631	352
13632	350
13632	352
13633	350
13633	352
13634	350
13634	352
13635	350
13635	352
13636	350
13636	352
13637	350
13637	352
13638	352
13639	352
13640	352
13651	342
13652	342
13653	342
13654	342
13655	342
13656	342
13704	346
13705	346
13706	346
13707	346
14216	46
14218	46
14219	46
15424	222
15424	351
16840	61
16841	61
16953	76
16954	76
17925	210
17926	210
17927	210
17928	210
19193	70
19194	70
19197	70
19199	70
19200	70
19527	75
19811	172
19837	75
19839	75
19929	76
19931	76
19932	76
19935	76
19937	76
19938	76
20027	71
20028	71
20585	353
20589	353
20591	331
20596	331
20602	353
21335	111
21338	111
21700	37
21703	37
21707	37
21709	36
21713	36
21718	37
21723	36
21725	37
21726	37
21727	36
21728	36
21729	36
21778	36
21780	37
21782	36
21783	37
21784	36
21785	36
21788	36
21795	36
21797	36
21798	37
21800	51
21801	36
21803	36
21804	36
21805	37
21806	37
21807	37
21808	37
21810	37
21813	37
21814	37
21815	37
21866	36
21868	36
22052	159
22053	28
22054	28
22059	28
22060	28
22061	28
22062	28
22063	28
22064	28
22065	28
22066	28
22067	28
22069	28
22070	28
22071	29
22072	29
22074	29
22075	29
22076	29
22077	29
22078	29
22079	29
22080	29
22082	29
22083	29
22084	29
22086	29
22087	29
22088	29
22089	29
22090	29
22091	30
22092	30
22093	30
22094	30
22097	30
22098	30
22099	30
22100	30
22101	30
22102	30
22103	30
22104	30
22105	30
22106	30
22109	30
22110	30
22111	30
22112	30
22113	30
22114	30
22115	30
22116	30
22117	31
22118	31
22121	31
22122	31
22123	31
22124	31
22125	31
22126	31
22127	31
22128	31
22129	31
22130	31
22131	31
22132	31
22133	31
22134	31
22135	31
22136	31
22137	31
22138	31
22141	31
22142	31
22143	31
22144	31
22145	31
22146	31
22147	31
22148	31
22150	31
22151	32
22152	32
22156	32
22157	32
22158	32
22160	32
22161	32
22162	32
22163	32
22164	32
22166	32
22168	32
22171	32
22172	32
22173	32
22174	32
22175	32
22176	32
22177	32
22178	32
22179	121
22180	121
22181	33
22183	33
22184	33
22185	33
22186	33
22187	33
22188	33
22190	33
22191	33
22192	33
22195	33
22196	33
22197	33
22198	33
22199	33
22200	33
22201	33
22202	33
22203	33
22204	33
22205	33
22206	33
22207	33
22208	33
22209	33
22210	33
22211	51
22212	51
22213	33
22214	33
22216	33
22217	33
22218	33
22219	33
22220	34
22221	34
22222	34
22224	34
22225	34
22226	34
22227	34
22228	34
22229	34
22232	34
22233	34
22234	34
22236	34
22237	34
22241	34
22246	35
22247	35
22248	35
22249	35
22251	35
22253	168
22254	35
22255	35
22256	35
22257	35

Catalog #	Page #
22258	35
22260	35
22261	35
22262	54
22263	54
22266	54
22267	54
22268	54
22269	54
22270	54
22272	54
22273	54
22277	55
22282	55
22283	55
22285	55
22287	55
22289	55
22291	55
22292	56
22293	56
22295	56
22296	56
22297	56
22298	56
22299	56
22300	56
22301	56
22302	56
22304	56
22305	57
22306	57
22308	57
22309	57
22310	57
22311	57
22312	57
22313	57
22314	57
22315	57
22316	57
22317	57
22318	57
22319	57
22320	57
22321	57
22322	57
22323	57
22324	57
22326	60
22327	60
22328	60
22329	60
22330	60
22331	60
22332	60
22333	61
22334	61
22335	61
22336	61
22337	61
22338	61
22339	61
22341	61
22342	61
22343	61
22349	61
22350	61
22351	61
22353	61
22354	61
22355	62
22356	62
22357	62
22358	62
22359	62
22360	62
22361	62
22362	62
22363	62
22364	62
22365	62
22366	62
22367	62
22368	62
22369	62
22371	63
22372	63
22373	63
22374	63
22377	63
22378	63
22380	64
22381	64
22385	65
22386	66
22399	128
22400	128
22402	128
22403	129
22404	129
22406	129
22407	129
22408	129
22409	69
22410	69
22411	69
22412	69
22415	130
22416	130
22417	130
22418	130
22419	130
22424	70
22425	70
22426	70
22429	70
22430	70
22432	29
22433	29
22434	29
22437	71
22438	71
22441	71
22443	140
22445	140
22446	140
22451	142
22453	79
22454	79
22455	79
22456	79
22457	79
22458	79
22459	79
22460	79
22461	87
22462	87
22465	80
22466	80
22467	80
22468	80
22469	80
22470	80
22471	80
22472	80
22473	81
22475	81
22476	81
22479	78
22480	78
22481	78
22482	78
22483	78
22484	78
22485	78
22486	78
22487	79
22488	79
22489	79
22490	79
22491	79
22492	79
22493	79
22494	79
22495	86
22496	86
22497	86
22498	89
22499	80
22500	80
22501	80
22502	80
22503	81
22504	81
22505	72
22507	72
22508	72
22509	72
22510	72
22511	72
22512	72
22513	72
22514	72
22515	72
22516	72
22517	105
22518	105
22519	72
22520	72
22521	72
22522	72
22523	72
22524	72
22525	72
22526	72
22527	72
22528	72
22530	72
22532	72
22533	72
22534	72
22535	72
22537	31
22538	31
22541	32
22542	32
22543	72
22544	72
22545	72
22546	72
22549	73
22550	73
22551	73
22552	73
22553	73
22555	73
22558	73
22559	73
22560	73
22561	73
22562	76
22563	76
22564	76
22565	76
22566	76
22567	76
22569	76
22570	76
22575	127
22576	127
22577	127
22578	127
22579	127
22580	127
22581	127
22582	127
22583	127
22584	128
22585	128
22586	128
22587	128
22588	130
22589	130
22590	131
22591	131
22592	131
22593	131
22594	131
22595	131
22596	131
22597	131
22599	131
22600	131
22601	131
22602	131
22603	131
22605	132
22606	132
22607	132
22608	132
22609	132
22612	132
22613	132
22614	133
22615	133
22619	133
22620	133
22621	133
22622	134
22623	134
22624	134
22625	134
22626	135
22627	135
22628	135
22629	135
22630	135
22631	135
22632	91
22633	91
22635	91
22636	91
22637	91
22638	91
22639	91
22642	91
22643	91
22644	91
22645	91
22646	91
22647	91
22648	91
22649	91
22650	92
22651	92
22652	92
22653	92
22654	92
22655	92
22656	92
22659	92
22661	92
22662	92
22663	92
22664	92
22665	92
22666	93
22667	93
22668	93
22669	93
22670	93
22671	93
22672	93
22673	93
22678	93
22679	93
22680	93
22681	93
22684	93
22685	93
22686	93
22688	84
22689	84
22690	90
22691	90
22692	90
22693	90
22695	90
22697	54
22698	54
22699	54
22700	54
22701	54
22703	54
22704	54
22707	55
22708	55
22709	55
22710	55
22711	55
22712	55
22713	55
22714	55
22717	55
22718	55
22719	159
22720	159
22721	56
22722	56
22723	56
22725	56
22726	56
22727	57
22728	57
22729	58
22730	58
22741	59
22742	59
22745	59
22746	59
22749	59
22750	59
22751	59
22752	59
22753	59
22754	59
22760	60
22761	60
22764	61
22765	61
22768	62
22769	62
22770	62
22771	62
22772	116
22773	116
22776	116
22777	116
22780	116
22782	116
22785	116
22790	116
22793	116
22794	117
22795	117
22796	117
22797	117
22798	84
22799	84
22800	117
22801	117
22802	117
22803	117
22804	117
22805	117
22806	117
22807	117
22808	117
22809	117
22810	117
22811	117
22813	117
22816	117
22817	117
22818	117
22819	117
22820	117
22821	117
22822	117
22823	117
22824	117
22825	117
22827	117
22828	117
22829	117
22832	118
22833	118
22834	118
22835	118
22836	118
22839	118
22840	118
22841	118
22842	118
22843	118
22844	118
22845	118
22846	118
22847	118
22849	118
22850	118
22851	119
22852	119
22853	119
22854	119
22855	119
22856	119
22857	119
22858	119
22861	104
22862	104
22863	104
22864	104
22865	104
22867	104
22870	104
22873	104
22874	104
22875	104
22876	104
22877	104
22878	104
22879	104
22880	104
22883	104
22891	104
22892	104
22895	104
22896	104
22897	105
22898	105
22901	105
22902	105
22903	105
22907	105
22909	429
22909	102
22910	102
22913	105
22914	105
22915	105
22916	105
22917	105
22918	105
22919	105
22920	105
22921	105
22922	105
22923	105
22924	105
22929	106
22930	106
22931	102
22931	429
22932	102
22933	106
22935	106
22937	107
22939	107
22940	107
22941	107
22942	107
22943	102
22945	108
22946	108
22948	108
22949	108
22950	108
22951	108
22952	108
22953	108
22955	108
22956	108
22957	108
22958	108
22960	108
22961	108
22962	108
22963	108
22964	108
22965	109
22966	109
22968	109
22970	109
22971	109
22972	109
22973	109
22974	109
22975	109
22976	109
22977	109
22978	109
22981	109
22982	109
22983	109
22984	109
22985	109
22986	109
22987	109
22989	109
22993	109
22994	109
22995	109
22996	109
22998	109
23000	110
23001	110
23002	110
23003	110
23004	110
23005	110
23006	110
23007	110
23008	110
23009	110
23010	110
23011	110
23012	110
23013	110
23014	110
23015	110
23016	110
23019	110
23020	110
23021	110
23022	110
23023	111
23024	111
23025	111
23026	111
23027	111
23028	111
23029	111
23030	111
23031	111
23032	111
23033	111
23034	111
23035	111
23036	111
23037	111
23038	111
23039	111
23040	111
23041	112
23043	112
23045	112
23046	112
23047	112
23048	112
23049	133
23051	112
23052	112
23054	112
23055	112
23056	112
23057	112
23058	112
23059	112
23060	112
23061	113
23062	113
23063	113
23064	113
23065	113
23066	113
23069	113
23070	113
23071	113
23074	113
23077	113
23078	113
23079	113
23090	57
23092	32
23199	210
23200	212
23201	212
23202	212
23203	212
23210	212
23211	212
23212	212
23213	212
23215	84
23216	84
23301	213
23303	213
23304	213
23305	213
23306	213
23308	213
23309	212
25026	113
25027	113
25028	113
25029	113
25030	113
25031	113
25032	113
25033	113
25034	113
25035	113
25037	113
25038	113
25039	114
25040	114
25041	114
25043	114
25044	114
25045	114
25048	114
25049	114
25050	115
25051	115
25052	115
25053	115
25058	115
25060	120
25061	120
25062	120
25063	120
25064	120
25065	120
25068	59
25069	59
25073	120
25076	120
25077	120
25078	120
25079	120
25080	121
25081	121
25082	121
25083	121
25084	121
25085	121
25086	121
25087	121
25088	121
25089	121
25090	121
25091	121
25092	121
25093	121
25094	121
25095	121
25097	121
25098	122
25099	122
25100	122
25101	122
25102	122
25103	122
25104	122
25105	122
25108	122
25109	122
25110	122
25114	122
25115	122
25116	122
25117	122
25118	122
25119	123
25120	123
25121	123
25122	123
25123	123
25124	123
25126	123
25127	123
25130	123
25131	124
25132	121
25133	121
25134	124
25135	124
25136	124
25137	124
25138	62
25139	124
25140	124
25144	124
25145	125
25147	125
25148	125
25149	126
25150	126
25151	126
25152	126
25153	126
25154	126
25155	126
25156	126
25157	64
25161	136
25162	76
25165	64
25166	137
25167	92
25168	115
25169	87
25170	88
25173	156
25175	137
25176	76
25177	115
25178	126
25179	34
25182	122
25183	115
25186	138
25188	138
25190	66
25191	126
25192	127
25193	127
25194	127
25195	127
25196	128
25197	128
25198	128
25199	128
25200	128
25201	128
25204	130
25205	130
25206	131

Part Number Index

www.BradyID.com

Catalog #	Page #
25207	131
25208	131
25209	131
25214	133
25215	133
25216	132
25217	132
25218	133
25219	133
25220	133
25221	133
25222	61
25223	61
25224	134
25225	134
25226	134
25227	134
25228	135
25229	135
25230	135
25231	135
25232	135
25233	135
25234	135
25235	135
25241	135
25243	136
25244	136
25245	136
25246	136
25247	136
25248	137
25250	126
25251	126
25254	139
25255	139
25256	139
25257	139
25258	139
25259	139
25260	139
25261	139
25263	139
25264	139
25265	139
25266	139
25267	139
25268	139
25269	139
25270	140
25272	140
25273	140
25274	140
25275	140
25276	140
25277	140
25278	140
25279	140
25280	140
25281	140
25282	140
25283	140
25284	140
25285	140
25286	141
25288	141
25289	141
25291	141
25292	141
25295	149
25297	149
25298	149
25299	149
25300	149
25301	149
25302	149
25303	149
25304	149
25307	149
25309	149
25310	149
25311	149
25312	149
25313	149
25314	149
25315	149
25316	149
25317	149
25319	149
25320	149
25323	149
25324	149
25325	149
25326	149
25327	149
25328	149
25329	149
25330	149
25331	149
25332	149
25333	149
25334	149
25335	149
25336	149
25337	149
25338	149
25339	150
25340	150
25341	150
25342	150
25343	150
25344	150
25346	150
25347	150
25348	150
25349	150
25350	150
25351	150
25356	52
25357	52
25360	52
25361	52
25362	52
25364	52
25365	52
25366	52
25368	52
25369	52
25370	52
25371	52
25372	52
25373	52
25374	52
25375	52
25376	52
25377	52
25406	52
25407	52
25413	52
25416	129
25417	129
25418	54
25419	54
25420	57
25422	59
25423	59
25424	57
25425	57
25428	58
25429	58
25430	58
25431	58
25436	59
25437	59
25438	59
25439	59
25441	59
25442	59
25443	59
25447	59
25448	60
25449	60
25450	60
25451	60
25453	60
25454	128
25456	128
25457	128
25459	128
25460	128
25461	128
25462	128
25463	128
25464	129
25465	129
25466	129
25467	129
25468	129
25469	129
25470	130
25471	130
25472	130
25473	130
25474	130
25475	130
25476	131
25477	131
25478	132
25479	132
25480	132
25482	132
25484	134
25485	134
25486	134
25487	134
25488	134
25489	134
25490	135
25491	135
25493	135
25494	135
25495	135
25496	135
25498	136
25499	136
25502	74
25503	74
25505	74
25506	74
25512	74
25513	74
25515	74
25516	74
25517	74
25520	74
25521	74
25522	75
25524	75
25526	75
25527	75
25530	75
25531	75
25532	75
25533	75
25534	75
25537	75
25538	75
25539	75
25540	75
25541	75
25545	75
25548	75
25549	75
25551	76
25552	76
25553	76
25556	76
25557	76
25560	76
25562	76
25563	76
25564	76
25565	76
25566	74
25567	74
25569	74
25570	135
25571	135
25574	135
25575	135
25576	135
25577	135
25578	135
25579	135
25581	136
25583	136
25584	136
25585	136
25589	137
25591	137
25592	137
25594	127
25595	127
25596	105
25597	105
25598	106
25599	106
25600	106
25601	106
25604	106
25605	106
25606	106
25607	106
25608	107
25609	107
25610	107
25611	107
25612	107
25613	107
25614	108
25615	108
25618	110
25619	110
25620	110
25621	110
25623	109
25625	111
25626	135
25627	135
25630	113
25631	113
25632	113
25633	113
25634	114
25635	114
25636	114
25637	114
25638	114
25639	114
25640	84
25641	84
25642	84
25643	84
25644	84
25645	84
25646	84
25647	84
25650	58
25651	58
25652	58
25653	58
25654	58
25655	58
25656	58
25657	58
25659	30
25661	58
25662	58
25663	58
25665	58
25666	59
25667	59
25668	59
25669	59
25670	59
25671	59
25672	120
25673	120
25674	59
25675	59
25676	84
25677	84
25678	84
25679	84
25680	84
25681	84
25687	117
25688	149
25689	149
25690	84
25691	84
25692	84
25693	84
25696	85
25700	85
25701	85
25702	85
25703	85
25704	85
25705	85
25706	85
25707	85
25708	86
25709	86
25710	86
25711	86
25712	86
25713	87
25714	87
25715	88
25716	88
25717	88
25718	88
25719	87
25720	87
25721	87
25722	87
25723	89
25729	88
25730	89
25734	62
25735	62
25738	63
25739	63
25740	63
25741	63
25742	51
25743	51
25745	64
25746	65
25747	116
25748	116
25751	116
25752	116
25753	116
25754	116
25755	116
25758	116
25759	116
25760	116
25761	77
25762	77
25763	77
25764	77
25765	77
25766	77
25767	78
25768	78
25771	76
25772	76
25773	127
25777	56
25780	51
25781	51
25792	159
25795	159
25798	159
25801	159
25804	29
25805	160
25806	160
25807	160
25815	110
25816	110
25819	160
25823	160
25824	160
25825	160
25826	160
25828	160
25829	160
25830	160
25831	160
25832	160
25833	160
25834	160
25835	160
25836	160
25838	160
25839	160
25845	162
25846	162
25847	163
25848	163
25849	163
25851	164
25852	164
25853	165
25854	165
25855	165
25857	166
25858	166
25859	167
25860	160
25861	160
25862	167
25864	168
25865	168
25868	161
25869	168
25870	168
25871	170
25872	170
25874	161
25875	171
25876	103
25877	103
25878	56
25881	73
25883	64
25884	123
25886	52
25889	163
25890	165
25891	128
25892	128
25893	129
25894	129
25895	131
25896	132
25897	75
25898	58
25899	137
25900	75
25901	31
25902	32
25904	92
25906	107
25907	107
25908	131
25909	131
25910	60
25911	110
25912	120
25913	111
25914	88
25917	143
25918	143
25919	143
25920	71
25921	71
25922	103
25927	142
25928	142
25929	142
25930	142
25933	142
25934	142
25936	142
25943	142
25944	142
25945	142
25946	142
25947	142
25950	142
25960	52
25961	52
25962	52
25963	52
25964	52
25966	348
25967	348
25968	348
25969	348
25971	52
25972	52
25973	52
25975	52
25977	33
25978	33
26521	37
26524	37
26528	37
26530	36
26534	36
26539	37
26543	36
26545	37
26546	37
26547	36
26548	36
26549	36
26553	36
26555	37
26557	36
26558	37
26559	36
26560	36
26563	36
26570	36
26572	36
26573	37
26575	51
26576	36
26578	36
26579	36
26580	37
26582	37
26583	37
26585	37
26586	37
26588	37
26589	37
26590	37
26591	36
26593	36
26923	111
29067	92
29069	92
29076	92
29079	92
29081	92
29082	92
29294	94
29296	94
30544	117
30661	231
30662	231
30663	231
30664	231
30665	231
30666	231
30667	231
30668	231
30669	65
30670	65
30671	65
30672	65
30673	65
30674	65
30680	210
30681	210
30682	210
30683	210
30684	210
30697	201
30698	201
30699	201
30705	126
30707	126
30911	126
30913	126
30914	126
31218	126
31219	126
31550	231
33656	129
33659	129
35478	149
35480	149
36287	221
36288	221
36289	221
36290	221
36301	221
36302	221
36303	221
36304	221
36305	221
36306	221
36307	221
36308	221
36309	221
36310	221
36311	221
36312	221
36313	221
36314	221
36315	221
36316	221
36317	221
36318	221
36319	221
36611	331
36612	331
37603	45
37604	45
37606	42
37612	47
37616	48
37617	48
37631	42
37635	42
37636	42
37645	47
37657	48
37660	49
37661	48
37683	50
37686	49
37690	46
37703	48
37718	43
37719	44
37720	45
37725	43
37737	45
37740	49
37743	49
37748	46
37758	45
37790	43
37793	45
37800	46
37803	41
37809	45
37833	43
37843	46
37847	41
37848	41
37849	43
37851B	83
37860	235
38040	96
38047	96
38052	96
38055	96
38056	96
38061	96
38062	96
38065	96
38067	96
38068	96
38069	96
38071	96
38072	96
38073	96
38075	96
38076	96
38077	96
38082	85
38083	96
38084	96
38085	96
38086	96
38087	96
38090	213
38091	213
38097B	83
38098B	83
38099B	83
38103	44
38104	45
38105	42
38106	42
38112	47
38114	47
38117	48
38127	42
38134	47
38138	48
38150	45
38151	42
38152	42
38158	47
38160	47
38162	48
38163	48
38172	43
38175	42
38188	47
38200	42
38205	42
38227	42
38239	47
38253	48
38264	43
38272	48
38307	50
38309	49
38310	49
38313	47
38323	50
38329	46
38338	46
38345	40
38347	47
38349	48
38359	45
38360	43
38361	44
38362	45
38368	47
38370	48
38383	43
38384	44
38392	48
38403	43
38404	44
38411	43
38417	45
38420	49
38425	46
38430	40
38440	45
38444	49
38457	43
38463	45
38474	40
38478	45
38481	48
38482	49
38483	49
38485	49
38514	45
38571	44
38574	45
38581	46
38585	41
38586	41

Catalog #	Page #
38587	42
38603	44
38604	45
38605	42
38606	42
38612	47
38614	47
38616	48
38617	48
38628	45
38629	45
38630	42
38637	47
38640	48
38641	48
38653	45
38654	45
38655	42
38656	42
38662	47
38665	48
38666	48
38676	43
38679	42
38683	42
38684	42
38706	42
38711	42
38730	42
38734	42
38742	47
38756	48
38767	43
38775	48
38797	50
38799	49
38800	49
38803	47
38813	50
38816	49
38819	46
38831	50
38837	46
38846	40
38848	47
38850	48
38864	45
38865	43
38866	44
38867	45
38875	47
38877	48
38892	43
38893	44
38902	47
38904	48
38914	45
38920	43
38928	45
38931	49
38933	49
38937	46
38942	40
38955	49
38964	40
38973	45
38976	49
38979	46
38984	40
38990	45
38993	48
38994	49
38995	49
38997	49
39008	45
39012	49
39026	45
39029	48
39054	47
39055	47
39071	44
39074	45
39081	46
39084	41
39085	41
39086	41
39087	42
39108	43
39111	45
39121	41
39123	41
39124	43
39135	43
39138	45
39145	46
39148	41
39149	41
39150	41
39151	43
39161	45
39171	41
39173	41
39480	418
39503	44
39504	45
39505	42
39506	42
39512	47
39514	47
39517	48
39528	45
39529	45
39531	42
39537	47
39542	48
39553	45
39554	45
39555	42
39556	42
39567	48
39576	43
39579	42
39590	42
39601	42
39605	42
39606	42
39613	47
39639	47
39649	48
39658	43
39696	50
39698	49
39718	46
39731	46
39738	40
39740	47
39742	48
39756	45
39758	44
39769	48
39780	43
39789	48
39803	45
39804	43
39811	43
39817	45
39820	49
39821	49
39833	43
39850	40
39860	45
39876	45
39880	49
39881	49
39883	49
39894	45
39912	45
39951	44
39954	45
39961	46
39964	41
39965	41
39967	42
39978	43
39981	45
39991	41
40616	159
40617	28
40618	28
40621	28
40622	28
40623	28
40624	28
40625	28
40626	28
40627	28
40628	28
40629	28
40630	28
40631	28
40632	28
40633	28
40635	29
40636	29
40637	29
40638	29
40639	29
40640	29
40641	29
40642	29
40643	29
40644	29
40645	29
40646	29
40647	29
40648	77
40649	29
40650	29
40651	132
40652	132
40654	29
40655	30
40656	30
40657	30
40658	30
40661	30
40662	30
40663	30
40664	30
40665	30
40666	30
40667	30
40668	30
40669	30
40670	30
40671	30
40672	30
40673	30
40674	30
40675	30
40676	30
40677	30
40678	30
40679	30
40680	30
40681	31
40682	31
40685	31
40686	31
40687	31
40688	31
40689	31
40690	31
40691	31
40692	31
40694	31
40695	31
40696	31
40698	31
40699	31
40700	31
40702	31
40703	31
40704	31
40705	31
40706	31
40707	31
40708	31
40709	31
40710	31
40711	31
40712	31
40713	31
40714	31
40715	32
40716	32
40717	32
40718	32
40720	32
40721	32
40722	32
40723	32
40724	32
40725	32
40726	32
40728	32
40729	32
40730	32
40732	32
40734	32
40736	32
40737	32
40739	32
40740	32
40741	32
40742	32
40744	121
40746	33
40747	33
40748	33
40749	33
40750	33
40751	33
40752	33
40753	33
40754	33
40755	33
40756	33
40757	33
40758	33
40759	33
40760	33
40761	33
40762	33
40763	33
40764	33
40765	33
40766	33
40767	33
40768	33
40769	33
40770	33
40772	33
40773	33
40774	33
40775	51
40776	51
40778	33
40780	33
40781	33
40782	152
40785	34
40786	34
40788	34
40789	34
40790	34
40791	34
40792	34
40793	34
40795	34
40796	34
40797	34
40798	34
40799	34
40800	34
40801	34
40803	34
40805	34
40806	34
40807	34
40808	34
40809	34
40810	35
40811	35
40812	35
40813	35
40815	35
40816	168
40817	168
40818	35
40819	35
40820	35
40821	35
40825	35
40826	54
40827	54
40829	54
40831	54
40832	54
40833	54
40834	54
40836	54
40837	54
40840	55
40841	55
40846	55
40847	55
40848	55
40849	55
40850	55
40851	55
40852	55
40853	55
40856	56
40857	56
40858	56
40859	56
40860	56
40861	56
40862	56
40863	56
40864	56
40865	56
40866	56
40867	56
40868	56
40869	57
40870	57
40871	57
40873	57
40874	57
40876	57
40877	57
40878	57
40879	57
40880	57
40881	57
40882	57
40883	57
40884	57
40885	57
40886	57
40887	57
40888	57
40891	60
40892	60
40895	60
40896	60
40897	61
40898	61
40899	61
40900	61
40901	61
40902	61
40904	61
40905	61
40906	61
40908	61
40913	61
40914	61
40920	62
40922	62
40923	62
40924	62
40925	62
40926	62
40927	62
40928	62
40933	62
40934	62
40935	63
40936	63
40937	63
40938	63
40942	63
40943	63
40949	65
40953	69
40954	69
40964	128
40965	128
40966	128
40967	129
40968	129
40970	129
40971	129
40972	129
40973	69
40974	69
40975	69
40980	130
40981	130
40982	130
40983	130
40988	70
40989	70
40990	70
40991	70
40992	70
40993	70
40994	70
40995	70
40996	70
40997	29
40998	29
40999	70
41001	71
41002	71
41003	71
41006	71
41007	140
41008	140
41017	79
41018	79
41019	79
41020	79
41021	79
41022	79
41023	79
41024	79
41025	87
41026	87
41029	80
41030	80
41031	80
41032	80
41033	80
41034	80
41035	80
41036	80
41037	81
41038	81
41043	78
41044	78
41045	78
41046	78
41047	78
41048	78
41049	78
41050	78
41051	79
41052	79
41053	79
41054	79
41055	79
41058	79
41059	86
41060	86
41061	86
41062	89
41063	80
41064	80
41065	80
41066	80
41067	81
41068	81
41069	72
41070	72
41071	72
41073	72
41074	72
41075	72
41076	72
41077	72
41078	72
41079	72
41080	72
41081	105
41082	105
41083	106
41084	72
41085	72
41086	72
41087	72
41088	72
41090	72
41093	72
41094	72
41095	72
41096	72
41097	72
41098	72
41099	72
41100	72
41101	31
41102	31
41106	32
41107	72
41108	72
41109	72
41110	72
41113	73
41116	73
41117	73
41123	73
41124	73
41125	73
41126	76
41127	76
41128	76
41129	76
41130	76
41131	76
41133	76
41134	76
41136	76
41137	76
41141	127
41142	127
41143	127
41145	127
41146	127
41147	74
41148	128
41149	128
41150	128
41151	128
41152	130
41153	130
41154	131
41155	131
41156	131
41157	131
41158	131
41159	131
41160	131
41161	131
41162	131
41163	131
41164	131
41165	131
41166	131
41167	131
41170	132
41171	132
41172	132
41173	132
41176	132
41177	132
41178	133
41184	133
41186	134
41187	134
41188	134
41190	135
41191	135
41192	135
41193	135
41194	135
41195	135
41197	91
41198	91
41200	91
41201	91
41202	91
41203	91
41206	91
41207	91
41208	91
41209	91
41210	91
41211	91
41213	91
41214	92
41215	92
41217	92
41218	92
41219	92
41220	92
41221	92
41223	92
41225	92
41226	92
41227	92
41229	92
41230	93
41231	93
41232	93
41233	93
41236	93
41237	93
41243	93
41244	93
41245	93
41248	93
41249	93
41250	93
41252	84
41253	84
41254	90
41255	90
41256	90
41257	90
41260	90
41261	54
41262	54
41264	54
41266	54
41267	54
41268	54
41271	55
41272	55
41273	55
41274	55
41275	55
41276	55
41281	55
41282	55
41283	159
41284	159
41285	56
41286	56
41293	58
41294	58
41305	59
41306	59
41310	59
41313	59
41314	59
41315	59
41316	59
41317	59
41318	59
41324	60
41325	60
41328	61
41329	61
41332	62
41333	62
41334	62
41335	62
41336	116
41337	116
41342	116
41348	116
41349	116
41357	116
41359	117
41360	117
41362	84
41363	84
41364	117
41365	117
41366	117
41367	117
41368	117
41369	117
41370	117
41371	117
41372	117
41373	117
41374	117
41375	117
41772	222
41889	84
41890	84
41920	212
41920	350
41921	212
41921	350
41922	212
41922	350
41923	212
41923	350
41924	212
41924	350
41925	212
41925	350
41926	212
41926	350
41927	212
41927	350
41928	212
41928	350
41929	212
41929	350
41952	142
41953	142
41956	142
41959	142
41961	142
41963	142
41972	142
41990	57
41991	57
42004	298
42006	298
42007	298
42008	298
42009	298
42010	298
42011	298
42012	298
42013	298
42014	298
42015	298
42062	299
42063	299
42064	299
42065	299
42066	299
42067	299
42068	299
42069	299
42071	299
42072	298
42073	298
42100	299
42101	299
42102	299

Part Number Index

www.BradyID.com

Catalog #	Page #
42103	299
42104	299
42105	299
42137	299
42138	299
42139	299
42211	194
42217	194
42221	194
42248	430
42252	52
42254	52
42255	52
42300	351
42301	351
42302	351
42303	351
42304	351
42305	351
42306	351
42307	351
42331	222
42332	222
42335	222
42336	117
42339	117
42340	117
42341	117
42342	117
42343	117
42344	117
42345	117
42346	117
42350	117
42353	118
42354	118
42356	118
42357	118
42360	118
42362	118
42363	118
42365	118
42367	118
42368	118
42369	118
42372	118
42373	118
42375	119
42378	119
42380	119
42381	119
42385	104
42386	104
42387	104
42388	104
42389	104
42391	104
42396	104
42397	104
42398	104
42400	104
42401	104
42402	104
42404	104
42414	104
42415	104
42416	104
42418	104
42419	104
42420	105
42421	105
42424	105
42425	105
42427	105
42430	105
42431	105
42432	102
42433	102
42436	105
42437	105
42438	105
42439	105
42440	105
42441	105
42442	105
42443	105
42444	105
42445	105
42447	105
42452	106
42453	106
42454	102
42455	102
42457	106
42458	106
42459	106
42462	107
42463	107
42464	107
42465	107
42468	108
42469	108
42471	108
42472	108
42473	108
42474	108
42475	108
42476	108
42478	108
42480	108
42481	108
42485	108
42486	108
42487	108
42488	109
42489	109
42490	109
42491	109
42492	109
42493	109
42494	109
42495	109
42496	109
42497	109
42498	109
42499	109
42500	109
42501	109
42502	109
42503	109
42504	109
42505	109
42506	109
42507	109
42508	109
42509	109
42510	109
42511	109
42514	109
42515	109
42516	109
42518	109
42519	109
42521	109
42522	110
42523	110
42524	110
42525	110
42526	110
42527	110
42528	110
42529	110
42530	110
42531	110
42533	110
42534	110
42535	110
42536	110
42539	110
42542	110
42543	110
42546	111
42547	111
42548	111
42549	111
42550	111
42551	111
42554	111
42555	111
42556	111
42557	111
42559	111
42560	111
42562	111
42563	111
42564	112
42566	112
42567	112
42568	112
42569	112
42570	112
42571	112
42576	112
42577	112
42578	112
42579	112
42582	112
42583	112
42584	113
42585	113
42587	113
42588	113
42589	113
42592	113
42594	113
42595	113
42600	113
42601	113
42602	113
42603	113
42604	113
42605	113
42606	113
42607	113
42608	113
42609	113
42610	113
42611	113
42612	113
42613	113
42614	113
42615	113
42616	114
42617	114
42618	114
42619	114
42620	114
42621	114
42622	114
42626	114
42627	115
42628	115
42630	115
42632	115
42634	115
42635	115
42636	115
42637	120
42638	120
42639	120
42640	120
42641	120
42642	120
42645	59
42646	59
42649	120
42650	120
42653	120
42654	120
42655	120
42656	120
42657	121
42658	121
42659	121
42660	121
42661	121
42662	121
42663	121
42664	121
42665	121
42666	121
42667	121
42669	121
42670	121
42671	121
42672	121
42674	121
42675	122
42676	122
42677	122
42678	122
42679	122
42680	122
42681	122
42682	122
42685	122
42686	122
42687	122
42691	122
42692	122
42693	122
42694	122
42695	122
42696	123
42697	123
42698	123
42699	123
42700	123
42701	123
42702	123
42703	123
42704	123
42706	123
42707	123
42708	124
42710	121
42711	124
42712	124
42713	124
42714	124
42715	62
42716	124
42717	124
42721	124
42722	125
42723	125
42724	125
42725	125
42726	126
42727	126
42728	126
42729	126
42730	126
42731	126
42732	126
42733	126
42734	64
42737	114
42738	136
42739	76
42740	76
42743	137
42744	92
42745	115
42746	87
42747	88
42748	65
42752	137
42753	76
42754	115
42755	126
42756	34
42759	122
42760	115
42763	138
42765	138
42766	93
42767	66
42768	126
42769	127
42771	127
42772	127
42773	128
42774	128
42775	128
42776	128
42777	128
42778	128
42781	130
42782	130
42783	131
42784	131
42785	131
42791	133
42792	133
42793	132
42794	132
42795	133
42796	133
42797	133
42798	133
42799	61
42800	61
42801	134
42802	134
42803	134
42804	134
42806	135
42807	135
42808	135
42809	135
42810	135
42811	135
42812	135
42816	135
42817	135
42819	136
42820	136
42821	136
42822	136
42823	136
42824	136
42826	137
42828	126
42833	139
42834	139
42835	139
42836	139
42837	139
42838	139
42840	139
42841	139
42842	139
42843	139
42845	139
42846	139
42849	140
42850	140
42853	140
42854	140
42855	140
42856	140
42857	140
42858	140
42859	140
42860	140
42861	140
42862	140
42863	141
42865	141
42867	141
42868	141
42869	141
42874	149
42876	149
42879	149
42881	149
42887	149
42888	149
42889	149
42891	149
42893	149
42895	149
42896	149
42897	149
42900	149
42901	149
42902	149
42903	149
42904	149
42905	149
42906	149
42907	149
42909	149
42910	149
42911	149
42912	149
42913	149
42914	149
42915	149
42916	150
42917	150
42918	150
42920	150
42921	150
42923	150
42924	150
42925	150
42926	150
42928	150
42929	150
42933	52
42934	52
42937	52
42938	52
42941	52
42942	52
42948	52
42949	52
42950	52
42951	52
42952	52
42953	52
42954	52
42986	52
42993	129
42994	129
42995	54
42996	54
42998	57
42999	59
43000	59
43001	57
43002	57
43006	58
43007	58
43008	58
43013	59
43014	59
43015	59
43016	59
43017	59
43018	59
43019	59
43020	59
43023	59
43024	59
43026	60
43027	60
43028	60
43029	60
43030	60
43032	128
43033	128
43034	128
43035	128
43036	128
43037	128
43038	128
43039	128
43040	128
43041	129
43042	129
43043	129
43044	129
43045	129
43046	129
43047	130
43048	130
43049	130
43050	130
43051	130
43052	130
43053	131
43054	131
43055	132
43056	132
43057	132
43058	132
43059	132
43060	132
43061	134
43062	134
43063	134
43064	134
43065	134
43066	134
43067	135
43068	135
43070	135
43072	135
43075	136
43076	136
43078	137
43079	74
43080	74
43081	74
43082	74
43083	74
43084	74
43089	74
43090	74
43092	74
43094	74
43095	74
43096	74
43097	74
43098	74
43099	75
43101	75
43102	75
43104	75
43107	75
43108	75
43109	75
43110	75
43111	75
43112	75
43113	75
43114	75
43115	75
43116	75
43117	75
43118	75
43119	75
43120	75
43122	75
43125	75
43127	76
43128	76
43129	76
43130	76
43134	76
43139	76
43140	76
43141	76
43142	76
43143	74
43144	74
43145	74
43146	74
43147	135
43148	135
43151	135
43152	135
43153	135
43154	135
43155	135
43156	135
43157	136
43158	136
43159	136
43160	136
43161	136
43162	136
43168	137
43171	127
43172	127
43173	105
43174	105
43175	106
43176	106
43177	106
43178	106
43181	106
43182	106
43183	106
43184	106
43185	107
43186	107
43187	107
43188	107
43189	107
43190	107
43191	108
43192	108
43195	110
43196	110
43197	110
43198	110
43200	109
43202	111
43203	135
43204	135
43208	113
43209	113
43210	113
43211	114
43212	114
43213	114
43214	114
43215	114
43216	114
43217	84
43218	84
43220	84
43221	84
43222	84
43223	84
43224	84
43228	58
43230	58
43231	58
43232	58
43233	58
43236	30
43237	58
43238	58
43239	58
43240	58
43241	58
43242	58
43243	59
43244	59
43245	59
43246	59
43247	59
43248	59
43249	120
43250	120
43251	59
43254	84
43255	84
43256	84
43257	84
43258	84
43265	149
43267	84
43268	84
43269	84
43272	85
43274	85
43277	85
43278	85
43279	85
43281	85
43282	85
43283	85
43284	85
43285	86
43286	86
43287	86
43288	86
43289	86
43290	87
43291	87
43292	88
43293	88
43294	88
43295	88
43297	87
43298	87
43299	87
43300	89
43302	89
43303	89
43304	89
43305	88
43306	88
43307	89
43311	62
43312	62
43315	63
43316	63
43317	63
43318	63
43319	51
43320	51
43322	64
43323	65
43324	116
43325	116
43328	116
43329	116
43331	116
43332	116
43333	116
43336	116
43337	116
43338	77
43339	77
43340	77
43341	77
43342	77
43343	77
43344	78
43345	78
43349	76
43350	127
43352	117
43353	56
43354	56
43355	88
43356	33
43357	51
43358	51
43363	75
43364	75
43369	159
43372	159
43375	159
43378	159
43381	29
43382	160
43383	160
43384	160
43392	110
43396	160
43400	160
43401	160
43402	160
43403	160
43405	160
43406	160
43407	160
43408	160
43409	160
43410	160
43411	160
43412	160
43413	160
43415	160
43416	160
43421	162
43422	162
43423	162
43424	163
43425	163
43426	163
43427	164

BRADY WHEN PERFORMANCE MATTERS MOST™

Catalog #	Page #
43428	164
43429	164
43430	165
43431	165
43432	165
43434	166
43435	166
43436	167
43437	160
43438	160
43439	167
43440	167
43442	168
43445	161
43447	168
43448	170
43449	170
43450	171
43451	161
43452	171
43454	103
43455	56
43458	73
43461	123
43462	52
43464	160
43465	162
43466	163
43467	165
43468	128
43469	128
43470	129
43471	129
43472	131
43473	132
43474	75
43475	58
43476	137
43477	75
43478	31
43479	32
43481	92
43483	107
43484	107
43485	131
43486	131
43487	60
43488	110
43489	120
43490	111
43491	88
43493	143
43494	143
43495	143
43496	54
43497	109
43499	56
43500	105
43502	65
43504	121
43505	60
43507	58
43508	59
43510	60
43511	92
43514	54
43517	71
43518	71
43519	103
43906	33
43979	65
43983	66
44104	201
44110	201
44115	201
44129	201
44131	201
44159	201
44160	201
44204	201
44210	201
44215	201
44229	201
44231	201
44259	201
44260	201
44304	201
44310	201
44315	201
44329	201
44331	201
44359	201
44360	201
44400	212
44401	212
44402	212
44403	212
44979	38
44980	38
44981	38
44982	38
44983	38
44984	38
44985	39
44989	38
44990	38
44992	38
44993	38
44994	38
44995	39
44996	39
44999	39
45000	39
45001	39
45004	38
45008	38
45009	39
45011	38
45012	38
45013	39
45015	38
45017	39
45018	39
45019	38
45020	38
45021	38
45022	38
45023	38
45024	38
45025	38
45026	38
45028	39
45029	38
45031	38
45032	38
45033	38
45035	39
45039	38
45040	38
45041	38
45042	38
45045	39
45047	38
45048	38
45050	38
45052	38
45053	39
45054	39
45055	38
45056	38
45057	38
45058	38
45059	38
45060	38
45063	39
45064	39
45065	39
45067	39
45068	39
45069	39
45071	38
45072	38
45073	39
45074	39
45075	38
45076	38
45077	39
45078	39
45080	38
45081	39
45082	39
45084	38
45085	39
45086	39
45087	38
45088	38
45089	38
45090	38
45091	38
45092	38
45093	38
45094	38
45095	39
45096	39
45097	38
45099	38
45100	38
45102	38
45103	39
45104	39
45105	39
45106	39
45107	38
45108	38
45109	38
45110	38
45111	39
45112	39
45113	39
45115	38
45116	38
45117	38
45118	38
45119	38
45121	39
45122	39
45123	38
45124	38
45125	38
45126	38
45127	38
45129	38
45131	39
45132	39
45133	39
45136	39
45138	39
45139	38
45140	38
45141	39
45143	38
45144	38
45145	39
45146	39
45147	38
45148	38
45150	39
45151	38
45153	39
45154	39
45155	38
45156	38
45157	38
45158	38
45159	38
45161	38
45162	38
45163	39
45164	39
45165	38
45166	38
45167	38
45168	38
45171	39
45172	39
45173	39
45175	38
45176	38
45177	38
45178	38
45179	39
45180	39
45190	416
45191	419
45192	419
45193	195
45194	195
45195	195
45196	195
45331	201
45363	97
45365	97
45366	98
45367	98
45368	98
45369	97
45370	98
45373	99
45375	98
45376	99
45377	99
45378	99
45379	97
45381	83
45422	97
45427	75
45428	75
45431	154
45470	30
45471	30
45472	30
45474	161
46236	349
46237	349
46347	201
46454	36
46458	36
46459	37
46460	36
46461	36
46464	36
46471	36
46473	36
46474	37
46477	36
46479	36
46480	36
46481	37
46482	37
46483	37
46484	37
46486	37
46489	37
46491	37
46579	36
46581	36
46620	37
46626	36
46635	37
46641	36
46643	37
46644	37
46645	36
46646	36
46647	36
46661	37
46664	37
46670	36
46674	36
46679	37
46687	37
46688	37
46689	36
46690	36
46691	36
46731	36
46732	37
46733	37
46735	36
46736	37
46737	36
46738	36
46741	36
46748	36
46750	36
46751	37
46753	51
46754	36
46756	36
46757	36
46758	37
46759	37
46760	37
46761	37
46763	37
46764	37
46766	37
46767	37
46768	37
46819	36
46821	36
46979	162
46990	122
46993	123
47000	52
47002	52
47004	52
47005	75
47006	30
47008	30
47010	120
47014	52
47018	129
47022	110
47024	59
47034	79
47035	79
47039	88
47040	79
47044	91
47050	128
47056	127
47058	104
47059	127
47060	104
47061	128
47064	129
47075	72
47093	28
47094	127
47100	128
47101	129
47113	72
47115	116
47116	118
47117	54
47124	106
47146	75
47148	59
47152	30
47158	132
47159	111
47160	111
47161	112
47162	112
47169	76
47170	76
47171	120
47172	123
47189	132
47192	111
47195	75
47203	121
47206	56
47239	235
47243	235
47246	87
47247	87
47273	85
47279	88
47288	79
47305	135
47307	135
47327	31
47329	160
47330	32
47332	135
47333	135
47334	135
47337	117
47372	235
47375	135
47380	235
47382	235
47437	94
47518	117
47526	117
47532	117
47533	117
47538	143
47540	143
47546	143
47550	117
47551	143
47555	143
47579	126
47587	126
47593	126
47595	126
47606	126
47612	126
47618	117
47632	126
47636	126
47638	126
47639	126
47643	49
47645	49
47646	49
47649	126
47651	126
47652	126
47655	49
47657	49
47658	49
47668	143
47670	143
47671	143
47674	143
47676	143
47677	143
47685	143
47690	143
47691	143
47699	143
47701	143
47708	143
47713	143
47721	143
47722	143
47725	143
47727	143
47728	143
47731	143
47733	143
47734	143
48111	208
48112	208
48840	66
48841	66
48842	66
48843	66
48845	66
48846	66
48847	66
48848	66
48849	66
48850	66
48851	66
48852	66
48853	66
48854	66
48855	66
48856	66
48857	66
48858	66
48859	66
48860	66
48861	66
48862	66
48863	66
48864	66
48865	66
48866	66
48867	66
48868	66
48869	66
48870	66
48871	66
48872	66
48873	66
48874	66
48875	66
48876	66
48877	66
48878	66
48879	66
48880	66
48881	66
48882	66
48883	66
48884	66
48885	66
48886	66
48887	66
48888	66
48889	66
48890	66
48891	66
48892	66
48893	66
48894	66
48895	66
48896	66
48897	66
48898	66
48899	66
48966	39
48967	38
48968	38
48972	38
48974	39
48975	38
48976	38
48977	38
48978	38
48979	38
48980	38
48983	39
48984	39
48987	39
48988	39
48989	39
48990	39
48991	38
48992	38
48995	38
48996	38
48998	39
48999	38
49001	39
49003	38
49004	38
49005	39
49006	39
49008	38
49009	38
49010	38
49011	38
49013	38
49014	38
49015	39
49016	39
49017	38
49018	38
49019	38
49020	38
49021	38
49024	39
49026	39
49027	38
49029	38
49030	38
49032	39
49035	96
49041	97
49042	99
49043	99
49044	97
49045	99
49057	94
49058	94
49060	94
49061	94
49062	94
49063	94
49064	94
49065	94
49066	94
49067	94
49068	94
49069	71
49070	71
49111	150
49112	150
49113	150
49114	150
49115	150
49116	150
49117	150
49199	298
49227	204
49228	204
49234	204
49554	201
49581	201
49801	94
49805	94
49806	94
49807	94
49900	212
49901	212
49902	212
49903	212
49904	212
49905	212
49906	212
49907	212
49908	212
49909	212
50053	184
50054	184
50055	184
50056	184
50193	430
50194	428
50198	405
50199	405
50248	204
50250	405
50258	405
50261	405
50269	102
50269	429
50270	43
50270	429
50274	413
50275	204
50280	414
50280	414
50281	414
50281	414
50282	204
50283	414
50283	414
50286	204
50287	204
50289	414
50290	204
50291	204
50292	414
50293	414
50684	97
50685	98
50688	97
50689	97
50691	98
50692	98
50693	98
50694	98
50695	98
50696	98
50697	98
50698	98
50777	97
50778	97
50783	97
50784	97
50785	97
50786	97
50899	420
50900	146
50901	146
50902	146
50903	146
50904	144
50905	144
50906	144
50907	145
50908	144
50909	145
50910	144
50911	146
50912	146
50924	420
50932	420
50937	417
50938	417
50939	417
50939	417
50940	419
50941	419
50943	419
50944	419
50945	419
50947	419
50948	419
50950	419
50951	419
50953	419
50954	419
50956	419
50961	432
50962	432
50979	397
50989	402
50990	403
50991	403
50992	403
50993	400
50994	400
50995	400
50996	400
50997	400
50998	61
51171	416
51172	397
51173	397
51181	402
51186	402
51187	403
51188	403
51189	403
51194	403
51195	403
51196	403
51252	422
51254	422
51256	422
51258	422
51260	422
51264	423
51265	423
51279	412
51280	412
51281	412
51282	412
51283	412
51284	412
51290	412
51291	412
51292	412
51297	412
51298	412
51299	412
51339	410
51344	410
51345	410
51346	410
51347	410

Part Number Index

www.BradyID.com

Catalog #	Page #
51353	410
51360	413
51361	413
51362	413
51363	413
51368	413
51369	413
51370	413
51371	413
51376	413
51377	413
51378	413
51379	414
51388	420
51390	420
51392	420
51394	420
51395	420
51442	419
51447	339
51448	346
51454	431
51455	431
51544	431
51545	85
51546	86
51547	90
51549	90
51550	90
51551	79
51552	79
51555	87
51556	87
51584	345
51585	345
51586	345
51640	79
51793	431
52041	305
52042	305
52044	305
52045	305
52047	305
52059	305
52148	306
52149	306
52150	306
52152	306
52153	307
52155	307
52156	307
52157	307
52158	307
52203	191
52207	191
52211	191
52215	191
53202	147
53203	147
55260	221
55261	221
55262	221
55263	221
55292	232
55293	232
55296	232
55297	232
55300	232
55301	232
55302	232
55303	232
55312	232
55313	232
55314	232
56681	172
56691	117
56699	155
56726	155
56727	155
56750	155
56767	155
56789	155
56791	155
56795	155
56798	155
56799	155
56800	155
56818	155
56897	155
56905	80
56907	80
56908	80
56926	210
56927	210
56928	210
56929	210
56930	210
56931	210
56932	210
56933	210
56934	210
56935	210
56936	210
56937	210
56938	210
56939	210
56940	210
56941	432
56942	432
56944	432
56945	432
56946	432
56948	432
56957	201
56957	231
56958	201
56958	231
56959	201
56959	231
56960	201
56960	231
56961	201
56961	231
56962	201
56962	231
56968	146
56970	145
56972	144
56973	144
57001	155
57002	155
57004	155
57005	155
57006	155
57014	155
57016	155
57017	155
57018	155
57020	155
57021	155
57022	155
57023	155
57026	155
57029	155
57030	155
57031	155
57032	155
57033	155
57034	155
57036	155
57037	155
57038	155
57079	126
57080	126
57084	126
57624	190
57960	217
57961	217
57962	217
57963	217
57964	217
57965	217
57966	217
57967	217
57968	217
57969	217
57970	217
57971	217
57972	217
57973	217
57974	217
57975	217
57976	217
57977	217
57978	217
57979	217
57980	217
57981	217
57982	217
57983	217
57984	217
57985	217
57986	217
57987	217
57988	217
57989	217
57990	217
57991	217
57992	217
57993	217
57994	217
57995	217
57996	217
57997	217
57998	217
57999	217
58000	217
58001	217
58002	217
58003	217
58004	217
58005	217
58006	217
58007	217
58008	217
58009	217
58010	217
58011	217
58012	217
58013	217
58014	217
58015	217
58016	217
58017	217
58200	232
58201	232
58202	232
58203	232
58220	232
58221	232
58250	232
58251	232
58252	232
58253	232
58255	232
58257	232
58268	184
58388	234
58389	234
58476	335
58501	184
58502	184
58503	184
58504	184
58510	184
58515	184
58621	66
58656	184
58706	335
58763	54
58764	54
59102	101
59109	101
59111	101
59112	101
59114	101
59122	101
59277	101
59279	77
59283	101
59289	101
59293	101
59298	101
59299	101
59301	101
59302	101
59303	101
59304	101
59305	101
59306	101
59307	101
59308	101
59310	101
59312	101
59314	101
59316	101
59329	79
59330	79
59335	101
59336	101
59341	101
59342	101
59345	101
59346	101
59349	101
59350	101
59379	76
59380	76
59381	76
59382	75
59383	75
59384	75
59385	75
59386	75
59387	75
59388	81
59389	81
59391	81
59395	61
59397	61
59404	64
59506	111
59507	111
59508	111
59529	342
59530	342
59531	342
59532	342
59918	222
59918	351
59919	217
59920	217
59921	217
59922	217
59923	217
59924	217
59925	217
59926	217
59927	217
59928	217
59929	217
59930	217
59931	217
59932	217
59933	217
59934	217
59935	217
59936	217
59937	217
59938	217
59939	217
59940	217
59941	217
59942	217
59943	217
59944	217
59945	222
59946	222
59980	217
59981	217
59982	217
60161	103
60162	102
60167	103
60170	102
60172	102
60173	102
60174	102
60175	102
60176	102
60177	103
60178	102
60179	103
60179	428
60180	103
60180	428
60181	194
60182	194
60183	194
60184	194
60185	194
60186	194
60187	194
60188	194
60189	194
60190	194
60191	194
60192	194
60193	194
60194	194
60195	194
60196	194
60197	194
60198	194
60199	194
60200	194
60201	194
60202	194
60203	194
60204	194
60205	194
60206	194
60207	194
60208	194
60209	194
60210	194
60211	194
60212	194
60213	194
60214	194
60215	194
60216	194
60217	194
60218	194
60219	194
60220	194
60221	194
60222	194
60223	194
60224	194
60225	194
60226	194
60227	194
60228	194
60229	194
60230	194
60231	194
60232	194
60233	194
60234	194
60235	194
60236	194
60237	194
60238	194
60239	194
60241	71
60243	201
60244	201
60245	201
60246	201
60247	201
60248	201
60249	201
60250	201
60251	201
60252	201
60253	201
60254	201
60255	201
60256	201
60257	201
60258	201
60259	201
60260	201
60261	200
60262	200
60263	200
60264	200
60265	200
60266	200
60267	200
60268	200
60269	200
60270	200
60271	200
60272	200
60273	200
60274	200
60275	200
60276	200
60277	200
60278	200
60279	200
60280	200
60281	200
60282	200
60283	200
60284	200
60285	200
60286	200
60287	200
60288	200
60289	200
60290	200
60291	200
60292	200
60293	200
60294	200
60295	200
60296	200
60297	200
60298	200
60299	200
60300	200
60301	200
60302	200
60303	200
60304	200
60305	200
60306	200
60307	199
60308	199
60309	199
60310	199
60311	199
60312	199
60313	199
60314	199
60315	199
60332	184
60333	184
60348	64
60349	64
60350	66
60362	185
60364	185
60372	196
60373	197
60375	68
60378	186
60379	68
60380	68
60382	68
60383	68
60384	68
60387	68
60388	68
60390	68
60391	68
60394	68
60394	186
60398	68
60400	68
60402	68
60403	68
60404	68
60407	68
60410	68
60412	68
60413	68
60414	68
60416	68
60419	68
60421	68
60423	68
60425	68
60426	68
60427	68
60428	68
60431	68
60433	68
60434	68
60435	68
60436	68
60499	97
60504	64
60506	69
60507	71
60508	111
60509	111
60510	31
60511	135
60533	64
60535	69
60536	71
60537	111
60538	111
60539	31
60540	135
60563	64
60568	65
60569	69
60570	71
60571	29
60572	36
60573	137
60574	36
60575	111
60576	111
60578	31
60579	135
60580	75
62423	37
62433	37
62436	36
62530	37
62538	36
62545	36
62550	51
62551	36
62555	37
62557	37
62560	37
62561	37
62734	36
62738	36
62743	37
62753	37
62754	37
62756	36
62791	37
62792	37
62794	36
62796	36
62797	36
62807	36
62809	36
62810	37
62812	51
62813	36
62816	36
62817	37
62818	37
62822	37
62827	37
62866	36
62868	36
62950	139
62951	139
62952	139
62953	139
62954	139
62955	139
63004	430
63203	159
63204	159
63207	163
63208	159
63210	163
63212	68
63240	185
63300	67
63301	67
63302	67
63303	67
63304	67
63306	67
63307	67
63308	67
63310	67
63311	67
63312	67
63313	67
63314	67
63316	67
63317	67
63318	67
63320	67
63321	67
63322	67
63323	67
63324	67
63325	67
63326	67
63327	67
63328	67
63331	67
63332	67
63332	186
63333	67
63334	67
63336	67
63337	67
63339	67
63340	67
63341	67
63342	67
63344	67
63345	67
63346	67
63347	67
63348	67
63349	67
63350	67
63351	67
63352	67
63353	67
63354	67
63355	67
63356	67
63357	67
63358	67
63359	67
63360	67
63361	67
63362	67
63363	67
63364	67
63365	67
63366	67
63368	67
63369	67
63371	67
63372	67
63373	67
63375	67
63376	67
63377	67
63378	67
63380	67
63381	67
63383	67
63384	67
63385	67
63386	67
63387	67
63389	67
63390	67
63392	67
63393	67
63394	67
63395	67
63396	67
63399	67
63400	67
63403	67
63404	67
63406	68
63407	186
63409	68
63409	186
63410	68
63411	68
63412	68
63414	68
63415	68
63418	68
63419	68
63420	68
63420	186
63421	68
63422	68
63423	68
63425	68
63426	68
63428	68
63429	68
63431	68
63433	68
63434	68
63436	68
63439	68
63441	186
63443	68
63443	186
63444	68
63446	68
63447	68
63448	68
63449	68
63452	68
63454	68
63454	186
63455	68
64057	421
64221	427
64326	348
64327	348
64328	348
64329	348
64331	348
64332	348
64333	348
64335	348
64336	348
64339	348
64340	348
64347	348
64348	348
64349	348
64355	348
64356	348
64357	348
64400	348
64401	348
64402	348
64403	348
64404	348
64405	348
64539	427
64540	427
64685	349
64686	349
64692	305
64692	305
64731	349
64732	349
64733	349
64735	349
64736	349

Catalog #	Page #
64737	349
64739	348
64740	348
64741	348
64776	349
64835	349
64836	349
64837	349
64838	349
64839	349
64840	349
64841	349
64843	349
64844	349
64859	349
64860	349
64861	349
64863	349
64864	349
64865	349
64923	349
64926	349
64928	349
64929	349
64984	335
64985	335
65039	129
65040	416
65043	387
65159	52
65240	415
65241	415
65261	52
65262	52
65263	52
65264	52
65266	52
65269	426
65270	204
65273	189
65279	426
65280	189
65280	426
65289	390
65291	389
65299	204
65318	419
65319	419
65320	419
65321	423
65329	423
65347	202
65348	202
65349	202
65350	202
65371	205
65372	202
65373	202
65375	418
65376	418
65387	423
65392	425
65396	423
65397	423
65402	420
65403	420
65404	423
65405	389
65406	423
65407	405
65408	405
65440	405
65441	405
65442	405
65443	405
65444	405
65445	405
65446	405
65447	405
65448	405
65450	405
65451	405
65452	405
65453	405
65454	405
65455	405
65456	204
65457	204
65500	406
65501	206
65501	406
65502	405
65503	405
65504	405
65505	405
65506	405
65508	414
65511	103
65515	405
65516	102
65520	405
65521	405
65522	405
65523	405
65524	405
65525	405
65526	405
65527	405
65534	405
65535	405
65555	431
65560	421
65561	421
65562	421
65563	421
65564	421
65570	102
65571	102
65571	429
65575	102
65576	102
65585	421
65586	421
65587	421
65588	421
65589	421
65590	421
65591	421
65592	421
65593	421
65594	421
65595	421
65596	421
65597	421
65598	421
65599	421
65645	427
65666	421
65669	421
65670	405
65671	405
65672	416
65673	425
65674	425
65675	425
65682	103
65688	423
65690	426
65691	426
65692	421
65693	421
65695	425
65696	425
65699	416
65750	426
65751	426
65777	390
65780	397
65810	422
65814	422
65815	422
65817	71
65825	52
65828	52
65903	189
65909	70
65910	71
65916	130
65917	130
65937	189
65948	71
65949	71
65950	71
65960	418
65961	418
65962	418
65963	418
65964	418
65965	423
65966	423
65967	418
65968	425
65970	418
65971	418
65972	418
65973	418
65974	418
65975	418
66004	102
66004	429
66005	102
66005	429
66006	102
66006	429
66007	102
66007	429
66008	102
66008	429
66009	102
66009	429
66050	405
66051	405
66052	405
66053	405
66054	405
66055	405
66056	405
66060	405
66061	405
66062	405
66063	405
66064	405
66065	405
66066	405
66067	405
66219	430
66255	431
66320	423
66321	423
66322	204
66324	204
66328	401
67992	139
69000	59
69005	55
69006	137
69008	118
69012	116
69013	116
69023	75
69025	76
69026	75
69028	109
69031	105
69032	33
69035	76
69036	75
69041	127
69042	54
69043	57
69044	118
69046	108
69050	160
69054	57
69068	104
69070	57
69071	86
69074	88
69075	108
69080	114
69087	116
69088	91
69089	58
69090	104
69091	72
69096	33
69097	29
69099	33
69100	159
69101	29
69102	28
69103	28
69105	29
69106	28
69108	29
69109	29
69111	29
69131	108
69133	160
69138	104
69143	117
69144	108
69148	108
69149	113
69157	75
69162	112
69168	85
69170	109
69173	149
69176	160
69179	134
69182	135
69183	134
69184	132
69190	76
69192	75
69193	30
69196	112
69199	78
69202	85
69206	85
69210	31
69215	136
69221	64
69226	128
69228	55
69229	128
69232	92
69237	109
69238	115
69243	87
69246	87
69250	93
69252	65
69255	135
69264	59
69265	59
69273	30
69275	59
69277	156
69282	117
69290	54
69291	54
69292	74
69294	60
69301	164
69302	73
69304	60
69307	116
69308	60
69315	74
69317	109
69331	130
69333	149
69337	60
69339	76
69344	110
69350	112
69352	149
69364	117
69371	54
69380	31
69382	31
69387	31
69399	61
69404	105
69405	34
69407	62
69408	55
69409	61
69410	31
69413	111
69414	149
69415	73
69416	115
69417	111
69425	117
69430	115
69437	140
69440	61
69442	65
69444	119
69445	34
69446	32
69447	32
69448	35
69449	34
69455	117
69456	115
69460	115
69461	31
69463	91
69464	149
69469	133
69470	138
69472	133
69473	31
69475	111
69477	32
69481	136
69486	133
69487	135
69494	135
69500	90
69504	111
69510	111
69511	84
69515	150
69531	106
69539	160
69540	112
69541	112
69546	135
69551	107
69558	61
69561	113
69562	161
69566	33
69567	126
69568	122
69573	63
69575	33
69576	113
69577	113
69579	136
69580	33
69581	136
69582	84
69583	84
69584	136
69585	63
69586	76
69587	76
69588	113
69590	113
69591	33
69594	113
69595	113
69596	113
69599	122
69600	122
69601	122
69603	33
69604	63
69606	33
69607	72
69608	114
69609	114
69611	114
69612	33
69613	76
69614	114
69615	63
69755	149
69763	102
69765	56
69767	51
69768	51
69771	29
69775	54
69783	116
69785	150
69789	51
69791	114
69792	122
69793	34
69794	64
69796	76
69799	136
69800	137
69801	66
69806	52
69809	52
69810	52
69813	51
69815	51
69825	52
70102	53
70103	53
70105	53
70109	53
70110	53
70112	53
70115	53
70117	53
70123	53
70127	53
70128	53
70129	53
70135	53
70136	53
70137	53
70138	53
70141	53
70152	53
70153	53
70161	53
70167	53
70202	74
70205	149
70206	56
70207	56
70208	56
70212	160
70217	56
70218	162
70220	32
70223	159
70225	84
70227	91
70230	162
70239	62
70240	57
70245	72
70246	57
70247	160
70248	70
70249	70
70250	29
70252	29
70255	160
70256	54
70257	163
70258	57
70260	57
70266	58
70267	58
70270	62
70273	132
70278	104
70279	134
70280	104
70286	127
70287	132
70288	127
70290	109
70293	149
70298	132
70299	128
70302	128
70303	128
70305	128
70306	75
70315	114
70317	64
70322	104
70323	79
70325	79
70327	58
70329	58
70330	30
70335	128
70336	135
70338	135
70339	128
70340	109
70345	93
70347	93
70350	58
70352	129
70356	65
70357	59
70358	129
70359	129
70362	134
70363	109
70366	137
70368	135
70370	135
70371	30
70372	59
70373	59
70374	55
70375	30
70376	164
70378	118
70383	130
70388	75
70389	75
70393	109
70402	75
70406	105
70409	105
70410	84
70416	139
70419	60
70422	110
70423	60
70426	143
70428	164
70430	62
70436	118
70437	110
70438	110
70442	117
70446	113
70448	113
70450	123
70452	120
70456	30
70457	160
70458	167
70460	80
70462	149
70466	72
70467	111
70468	111
70470	105
70475	130
70479	31
70495	135
70503	168
70506	130
70507	135
70508	143
70509	121
70515	133
70517	133
70518	150
70522	32
70523	135
70525	80
70526	168
70527	106
70528	106
70529	106
70532	72
70533	74
70534	74
70536	169
70537	169
70542	72
70546	113
70547	111
70548	72
70550	81
70555	149
70559	55
70562	170
70563	107
70565	31
70567	32
70569	74
70577	107
70578	150
70579	107
70580	107
70582	61
70585	61
70587	107
70588	133
70593	143
70602	31
70608	142
70609	142
70610	142
70612	142
70616	142
70617	142
70632	33
70667	31
70699	31
70713	32
70730	124
70736	34
70747	34
70753	34
70820	29
70833	33
70846	33
70852	29
70855	88
70863	33
70885	29
70915	78
70923	78
70947	79
70949	79
70976	79
70997	97
70998	98
70999	98
71015	80
71016	80
71046	89
71065	76
71106	72
71118	110
71120	110
71136	34
71142	34
71166	77
71178	165
71199	34
71216	34
71229	33
71258	33
71282	35
71288	35
71293	35
71313	35
71326	35
71335	33
71366	81
71373	81
71389	33
71396	35
71425	74
71432	74
71463	76
71473	76
71479	76
71543	30
71545	30
71565	75
71570	75
71572	75
71580	30
71643	87
71649	87
71655	88
71688	88
71708	84
71715	84
71732	89
71779	90
71895	58
71932	58
71945	59
71985	90
72009	122
72022	122
72024	122
72040	122
72049	123
72055	123
72072	120
72083	120
72091	123
72097	123
72118	121
72133	121
72148	124
72155	124
72176	124
72207	58
72230	58
72238	58
72246	59
72255	122
72285	120
72293	123
72295	123
72296	125
72297	125
72298	125
72328	121
72329	121
72336	125
72341	125
72342	121
72343	125
72344	125
72345	125
72346	125
72347	125
72348	125
72349	125
72355	125
72392	57
72395	125
72396	125
72397	125
72398	125
72399	125
72408	57
72428	57
72473	59
72489	59
72503	60
72537	60
72546	62
72573	55
72587	61
72605	149
72623	117
72655	118
72700	92
72708	92
72722	92

Part Number Index

www.BradyID.com

Catalog #	Page #
72752	118
72800	118
72808	117
72883	93
72897	93
72936	149
72949	119
72975	116
72988	126
73009	108
73052	108
73058	108
73086	108
73400	53
73403	53
73404	74
73405	160
73408	70
73410	137
73412	59
73414	72
73415	110
73416	120
73417	80
73418	62
73419	118
73420	61
73422	55
73423	150
73424	160
73426	142
73427	121
73430	30
73433	87
73434	88
73436	58
73437	120
73439	116
73440	84
73442	92
73443	116
73444	105
73445	53
73446	53
73447	53
73449	149
73450	113
73451	29
73455	135
73456	132
73457	128
73458	84
73460	109
73461	130
73463	73
73464	149
73466	121
73467	80
73469	34
73470	130
73471	92
73472	28
73473	80
73474	126
73475	135
73476	31
73477	142
73478	142
73481	89
73482	77
73483	89
73484	59
73486	123
73487	123
73489	57
73490	64
73493	92
73509	79
73510	79
73513	79
73538	93
73540	75
73542	80
73545	80
73558	79
74097	91
74111	108
74132	109
74170	137
74187	109
74226	109
74264	110
74270	105
74299	110
74305	110
74337	135
74350	106
74385	106
74391	31
74415	115
74429	115
74442	107
74455	107
74464	62
74479	136
74509	107
74520	56
74542	127
74581	129
74609	109
74616	62
74630	131
74680	107
74740	131
74764	131
74829	140
74837	140
74844	140
74850	140
74855	140
74871	52
74886	141
74900	141
74907	141
74940	91
74948	134
74966	91
74982	137
75042	131
75062	171
75063	161
75066	161
75071	165
75082	159
75086	163
75091	163
75093	163
75094	163
75096	160
75097	163
75101	164
75103	160
75110	164
75111	164
75113	164
75115	160
75118	159
75123	160
75126	105
75137	161
75140	165
75141	165
75142	165
75143	165
75144	166
75147	160
75155	168
75156	168
75157	171
75158	171
75161	167
75162	167
75166	167
75178	167
75180	167
75183	168
75190	168
75198	168
75199	169
75200	169
75201	169
75203	169
75205	169
75206	169
75207	169
75211	170
75212	170
75215	170
75219	171
75226	171
75227	171
75234	160
75362	53
75364	53
75365	53
75444	28
75478	30
75510	32
75590	75
75639	58
75662	59
75670	121
75900	129
75914	129
75919	129
75928	112
75962	91
75963	91
75970	73
75971	73
75972	124
75973	124
75974	56
75975	56
75976	131
75977	131
75978	78
75979	133
75980	133
75990	52
76005	52
76006	52
76009	52
76013	52
76015	52
76021	52
76034	52
76036	52
76040	52
76045	52
76050	52
76053	52
76056	52
76061	52
76063	52
76064	52
76065	74
76066	79
76067	79
76070	128
76072	75
76073	54
76077	69
76080	54
76081	139
76082	139
76085	63
76087	167
76088	169
76090	170
76092	59
76093	150
76095	93
76096	93
76097	52
76098	52
76100	52
76101	52
76168	202
76171	202
76192	202
76193	202
76197	202
76198	202
76222	205
76259	68
76290	143
76299	195
76300	195
76301	195
76302	195
76303	195
76308	232
76309	232
76312	232
76313	232
76316	232
76317	232
76394	68
76430	233
76432	233
76433	233
76501	221
76502	221
76503	221
76504	221
76505	221
76506	221
76507	221
76509	221
76510	221
76512	221
76514	221
79569	53
76598	333
76599	333
76600	333
76601	333
76602	333
76603	333
76604	333
76605	333
76606	333
76607	333
76608	333
76609	333
76610	333
76611	333
76612	333
76613	333
76614	333
76615	333
76616	333
76617	333
76618	333
76619	333
76620	333
76621	333
76622	333
76623	333
76624	333
76625	333
76626	333
76627	333
76628	333
76629	333
76630	333
76631	333
76632	333
76633	333
76634	333
76635	333
76636	333
76637	333
76638	333
76639	333
76640	333
76641	333
76642	333
76643	333
76644	333
76645	333
76646	333
76647	333
76648	333
76649	333
76650	333
76651	333
76652	333
76653	333
76654	333
76686	338
76687	338
76688	338
76689	338
76691	338
76692	338
76693	338
76694	338
76695	338
76696	338
76697	338
76698	338
76699	338
76700	338
76701	338
76702	338
76703	338
76704	338
76705	337
76706	337
76707	337
76711	336
76712	336
76713	336
76714	337
76715	337
76716	337
76720	338
76721	338
76722	338
76737	331
76739	339
76741	339
76743	339
76745	339
76747	339
76749	339
76751	339
76752	339
76759	339
76760	339
76761	339
76762	339
76763	339
76766	339
76767	339
76770	339
76771	339
76774	339
76775	339
76778	339
76779	339
76782	339
76786	339
76787	339
76790	339
76791	339
76794	339
76795	339
76800	331
76801	331
76802	331
76808	331
76811	331
76870	89
76871	156
76879	142
77198	235
77199	235
77200	235
77201	235
77202	235
77203	235
77204	235
77205	235
77208	235
77210	235
77995	52
77997	52
77998	52
77999	52
78000	154
78002	154
78003	154
78004	154
78007	154
78009	154
78010	154
78011	154
78013	154
78014	154
78015	154
78016	154
78018	154
78019	154
78031	154
78033	154
78035	154
78036	154
78037	153
78047	154
78049	154
78055	154
78063	52
78064	52
78066	52
78067	52
78073	52
78083	52
78084	52
78086	52
78091	232
78092	232
78146	232
78147	232
78148	232
78149	232
78150	232
78160	232
78161	232
78162	232
78163	232
78188	232
78189	232
78190	232
78191	232
78192	232
78193	232
78194	232
78195	232
78198	232
78227	117
78234	235
78235	235
78238	235
78238	429
78239	235
78241	235
78246	235
78254	235
78260	88
78273	172
78788	184
78985	232
78986	232
78988	232
78989	232
78998	172
80007	84
80009	84
80017	84
80027	80
80028	80
80029	81
80035	81
80037	33
80040	81
80041	81
80048	81
80049	156
80055	161
80060	161
80061	161
80067	161
80068	161
80070	161
80071	171
80072	171
80073	169
80074	169
80075	169
80076	163
80077	167
80078	171
80091	164
80094	164
80095	166
80097	162
80098	166
80099	168
80100	162
80101	161
80102	161
80103	161
80104	161
80105	166
80106	167
80108	165
80109	166
80110	156
80125	234
80127	234
80160	89
80161	86
80162	88
80167	87
80173	88
80174	88
80184	221
80187	221
80191	221
80201	77
80202	77
80204	75
80207	78
80208	78
80209	78
80210	78
80211	78
80212	78
80213	78
80214	78
80215	79
80217	79
80218	79
80219	79
80220	79
80221	79
80222	79
80223	86
80225	86
80227	87
80229	86
80231	87
80232	87
80233	86
80234	86
80235	87
80237	88
80241	88
80242	87
80243	88
80244	89
80245	93
80247	80
80248	122
80249	122
80250	80
80253	80
80254	80
80255	80
80256	81
80257	81
80259	81
80261	80
80262	81
80264	81
80266	81
80267	77
80268	77
80269	75
80270	75
80272	77
80273	78
80274	78
80275	78
80276	78
80277	78
80278	78
80279	78
80280	78
80281	79
80282	79
80283	79
80284	79
80285	79
80286	79
80287	79
80288	79
80289	79
80290	79
80291	86
80292	86
80294	86
80296	87
80297	87
80298	86
80299	86
80460	88
80702	98
80703	98
80704	97
80705	99
80716	66
80717	66
80735	101
80753B	83
80754B	83
80755B	83
80756B	83
80885	101
80899	101
80903	101
80943	235
80944	235
80946	235
81729	233
81760	211
81760	407
81761	211
81761	407
81762	211
81762	331
81765	211
81765	407
81766	211
81766	407
81767	211
81767	407
81768	211
81768	407
81769	211
81769	407
81770	407
81770	211
81773	407
81773	211
81869	233
81873	233
81963	196
81991	206
82586	194
82587	194
82588	194
82589	194
82590	194
82591	194
82592	194
82593	194
82594	194
82595	71
82596	71
83400	218
83413	218
83414	218
83415	218
83416	218
83418	218
83421	218
83424	218
83430	218
83432	218
83436	218
83448	218
83449	218
83450	218
83451	218
83453	218
83456	218
83460	218
83466	218
83468	218
83477	218
83478	218
83479	218
83484	218
83489	218
83496	218
83498	218
83501	218
83505	218
83510	218
83514	218
83515	218
83517	218
83520	218
83522	218
83527	218
83530	218
83537	218
83540	218
83545	218
83550	218
83551	218
83553	218
83556	218
83558	218
83563	218
83566	218
83573	218
83576	218
83585	218
83589	218
83590	218
83596	218
83598	218
83599	218
83600	218
83601	218
83604	218
83607	218
83612	218
83615	218
83654	37
83658	37
83660	36
83664	36
83669	37
83675	36
83677	37
83678	37
83679	36
83680	36
83681	36
83731	36
83732	37
83733	37
83735	36
83736	37
83737	36
83738	36
83741	36
83748	36
83751	37
83753	51
83754	36
83756	36
83757	36
83758	37

Catalog #	Page #
83759	37
83760	37
83761	37
83763	37
83764	37
83766	37
83767	37
83768	37
83839	36
83841	36
83874	37
83877	37
83883	36
83887	36
83892	37
83896	36
83898	37
83899	37
83900	36
83901	36
83902	36
83907	37
83908	37
83910	36
83911	37
83912	36
83913	36
83916	36
83923	36
83925	36
83928	51
83929	36
83931	36
83932	36
83933	37
83934	37
83935	37
83936	37
83938	37
83939	37
83941	37
83942	37
83943	37
83954	36
83956	36
84002	28
84003	28
84006	28
84007	28
84008	28
84009	28
84010	28
84011	28
84012	28
84013	28
84014	28
84015	28
84018	28
84019	28
84026	28
84027	28
84032	29
84033	29
84034	29
84035	29
84036	29
84037	29
84038	29
84039	29
84042	29
84043	29
84054	29
84055	29
84056	29
84057	29
84060	29
84061	29
84062	29
84063	29
84064	29
84065	29
84066	30
84067	30
84068	30
84069	30
84074	30
84075	30
84080	30
84081	30
84082	30
84083	30
84084	30
84085	30
84086	30
84089	30
84090	30
84091	30
84092	30
84095	30
84096	30
84097	30
84101	30
84103	31
84104	31
84107	31
84108	31
84110	31
84111	31
84112	31
84113	31
84114	31
84115	31
84119	31
84120	31
84122	31
84123	31
84124	31
84129	31
84130	31
84131	31
84132	31
84133	31
84134	31
84138	31
84140	31
84141	32
84142	32
84143	32
84144	32
84146	32
84149	32
84150	32
84151	32
84152	32
84153	32
84154	32
84155	32
84156	32
84159	32
84160	32
84167	32
84168	32
84171	32
84172	32
84173	32
84174	32
84175	32
84176	32
84177	121
84178	121
84179	33
84181	33
84182	33
84183	33
84184	33
84185	33
84186	33
84187	33
84188	33
84189	33
84190	33
84191	33
84192	33
84195	33
84196	33
84197	33
84198	33
84199	33
84200	33
84203	33
84204	33
84205	33
84206	33
84207	33
84208	33
84211	33
84212	33
84213	33
84215	33
84216	51
84217	51
84218	33
84219	33
84222	33
84223	33
84226	33
84227	33
84234	143
84236	34
84237	34
84238	34
84239	34
84240	34
84245	34
84246	34
84247	34
84249	34
84251	34
84252	34
84256	34
84257	34
84258	34
84259	34
84260	34
84263	34
84266	35
84267	35
84269	35
84270	35
84274	35
84275	35
84276	35
84277	35
84278	35
84279	35
84284	35
84285	54
84286	54
84289	54
84291	54
84292	54
84293	54
84294	54
84295	54
84296	54
84297	54
84298	54
84301	55
84302	55
84313	55
84314	55
84315	55
84316	55
84317	55
84318	55
84319	55
84320	55
84321	55
84322	55
84323	56
84324	56
84326	56
84327	56
84332	56
84333	56
84334	56
84335	56
84336	56
84337	56
84338	56
84339	56
84340	56
84341	56
84345	57
84346	57
84349	57
84350	57
84351	57
84352	57
84355	57
84356	57
84357	57
84358	57
84361	57
84362	57
84363	57
84364	57
84366	57
84368	57
84369	57
84370	57
84371	57
84372	57
84375	58
84376	58
84379	58
84387	59
84388	59
84393	59
84394	59
84395	59
84396	59
84397	59
84398	59
84399	59
84400	59
84403	59
84407	60
84408	60
84409	60
84411	60
84412	60
84421	60
84422	60
84423	60
84425	60
84426	60
84427	60
84428	61
84429	61
84430	61
84431	61
84434	61
84435	61
84436	61
84438	61
84439	61
84440	61
84446	61
84457	61
84458	61
84459	61
84461	61
84462	61
84463	62
84464	62
84466	62
84467	62
84468	62
84469	62
84471	62
84472	62
84473	62
84476	62
84477	62
84478	62
84483	63
84484	63
84487	63
84488	63
84491	63
84492	63
84493	63
84494	63
84497	64
84498	64
84507	65
84508	65
84511	66
84516	69
84529	128
84530	128
84531	128
84532	128
84533	129
84534	129
84535	129
84536	129
84537	129
84538	129
84542	69
84545	130
84546	130
84547	130
84548	137
84549	137
84550	137
84551	136
84552	137
84553	138
84554	138
84555	137
84556	130
84557	130
84562	70
84563	70
84564	70
84566	29
84567	70
84568	70
84569	29
84570	29
84571	29
84572	29
84575	71
84577	71
84583	140
84586	140
84601	142
84602	142
84603	142
84604	142
84605	142
84617	77
84618	77
84619	77
84621	77
84622	77
84625	78
84626	78
84627	79
84628	79
84630	79
84632	79
84633	79
84634	79
84635	87
84636	87
84641	80
84642	80
84643	80
84644	80
84647	80
84648	80
84651	81
84652	81
84653	81
84654	81
84661	78
84662	78
84663	78
84664	78
84665	78
84666	78
84667	78
84668	78
84669	78
84670	79
84671	79
84672	79
84673	79
84674	79
84675	79
84676	79
84677	79
84678	79
84679	79
84680	79
84681	86
84682	86
84683	86
84684	89
84685	80
84686	80
84687	80
84688	80
84689	81
84690	81
84692	72
84695	72
84696	72
84697	72
84698	72
84699	72
84700	72
84702	72
84703	72
84704	72
84705	72
84706	72
84707	72
84708	105
84710	72
84711	72
84712	72
84713	72
84714	72
84715	72
84716	72
84717	72
84718	72
84719	72
84720	72
84721	72
84725	72
84726	72
84727	72
84730	72
84732	31
84733	31
84736	32
84737	32
84738	72
84739	72
84740	72
84741	72
84746	73
84747	73
84748	73
84749	73
84750	73
84751	73
84752	73
84755	73
84756	73
84757	73
84758	73
84761	73
84762	73
84767	73
84768	73
84769	73
84770	73
84771	73
84774	128
84775	128
84776	128
84777	128
84778	128
84779	128
84780	128
84782	128
84783	128
84784	129
84785	129
84788	129
84789	129
84790	129
84791	129
84792	130
84793	130
84794	130
84795	130
84796	130
84797	130
84798	131
84799	131
84802	132
84803	132
84804	132
84805	132
84806	132
84807	132
84808	134
84809	134
84810	134
84811	134
84812	134
84813	134
84814	135
84815	135
84816	135
84817	135
84818	135
84822	136
84823	136
84824	137
84825	137
84826	137
84827	74
84828	74
84829	74
84830	74
84831	74
84832	74
84834	74
84837	74
84838	74
84843	74
84844	74
84847	74
84848	74
84851	74
84852	74
84853	74
84855	74
84856	74
84857	74
84859	74
84860	74
84865	75
84875	75
84876	75
84877	75
84878	75
84879	75
84880	75
84883	75
84884	75
84885	75
84886	75
84887	75
84888	75
84889	75
84897	75
84903	76
84904	76
84905	76
84906	76
84907	32
84908	32
84917	76
84918	76
84924	76
84925	76
84926	76
84927	76
84928	76
84929	74
84933	74
84934	74
84937	76
84938	76
84941	76
84942	76
84943	76
84944	76
84945	76
84946	76
84949	76
84956	76
84957	76
84958	76
84959	76
84960	76
84962	76
84963	76
84966	76
84967	76
84968	76
84971	127
84972	127
84973	127
84975	127
84976	127
84977	127
84981	128
84982	128
84983	128
84984	128
84987	130
84989	131
84990	131
84991	131
84992	131
84993	131
84994	131
84995	131
84996	131
84997	131
84998	131
84999	131
85000	131
85001	131
85002	131
85003	132
85007	132
85008	132
85011	132
85015	132
85016	132
85017	133
85018	133
85021	133
85027	133
85028	133
85029	134
85030	134
85032	134
85035	135
85036	135
85038	135
85039	135
85040	135
85041	135
85042	135
85045	135
85046	135
85049	135
85050	135
85051	135
85052	135
85053	136
85054	136
85055	136
85056	136
85057	136
85058	136
85066	136
85069	137
85070	137
85071	137
85072	138
85074	138
85075	138
85076	138
85079	127
85080	127
85083	105
85084	105
85085	106
85086	106
85087	106
85088	106
85091	106
85092	106
85093	106
85094	106
85095	107
85096	107
85097	107
85098	107
85099	107
85100	107
85101	108
85102	108
85115	110
85116	110
85117	110
85118	110
85119	109
85120	109
85129	135
85130	135
85133	113
85134	113
85135	113
85136	113
85139	114
85140	114
85141	114
85142	114
85143	114
85144	114
85145	115
85147	115
85148	84
85151	84
85152	84
85161	58
85162	58
85165	58
85166	58
85167	58
85168	58
85169	58
85170	58
85174	30
85175	58
85176	58
85179	58
85180	58
85181	58
85182	58
85183	59
85184	59
85185	59
85186	59
85187	59
85188	59
85189	120
85190	120
85191	59
85192	59
85197	84
85198	84
85199	84
85200	84
85206	84
85209	84
85210	84
85211	117
85212	117
85219	84
85220	84
85221	84
85222	84
85225	85
85228	85
85231	85

Part Number Index

www.BradyID.com

Catalog #	Page #
85236	85
85237	85
85239	85
85240	85
85241	85
85242	85
85243	85
85244	85
85248	86
85249	86
85253	86
85254	86
85255	87
85256	87
85257	87
85258	88
85259	88
85261	88
85262	87
85263	87
85264	87
85265	87
85267	87
85268	87
85269	87
85270	89
85271	89
85272	89
85273	89
85275	88
85276	88
85277	88
85278	88
85279	89
85280	89
85294	84
85297	90
85298	90
85299	90
85305	90
85308	91
85309	91
85310	91
85311	91
85312	91
85315	91
85316	91
85321	91
85322	91
85323	91
85324	91
85325	91
85326	91
85327	91
85328	91
85331	92
85332	92
85333	92
85334	92
85337	92
85338	92
85343	92
85344	92
85346	92
85349	92
85350	92
85352	92
85353	92
85354	92
85355	92
85356	93
85357	93
85358	93
85359	93
85360	93
85361	93
85362	93
85363	93
85368	93
85369	93
85370	93
85371	93
85375	93
85377	93
85378	93
85382	54
85383	54
85384	54
85385	54
85386	54
85406	236
85407	55
85408	55
85409	55
85410	55
85411	55
85412	55
85414	55
85417	55
85418	55
85427	159
85428	159
85437	56
85438	56
85439	56
85441	56
85442	56
85443	56
85444	56
85451	57
85452	57
85453	57
85458	58
85459	58
85463	89
85476	89
85478	93
85480	80
85481	80
85482	122
85483	122
85484	80
85485	59
85486	59
85489	59
85490	59
85493	59
85497	59
85498	59
85499	59
85500	59
85512	60
85521	61
85522	61
85523	80
85528	80
85531	62
85532	62
85533	62
85534	62
85535	62
85536	62
85540	80
85541	80
85545	80
85546	81
85547	63
85548	63
85549	63
85550	63
85551	63
85553	51
85554	51
85562	64
85563	64
85564	64
85565	64
85566	65
85567	65
85572	116
85573	116
85580	116
85581	116
85582	116
85583	116
85584	116
85592	116
85593	116
85598	116
85599	116
85601	81
85604	116
85605	116
85606	116
85607	116
85610	116
85614	116
85620	116
85629	116
85631	116
85632	117
85633	117
85634	117
85639	84
85642	117
85643	117
85644	117
85645	117
85648	117
85649	117
85650	117
85652	117
85653	117
85654	117
85655	117
85659	117
85662	117
85663	117
85664	117
85666	117
85667	117
85668	117
85669	117
85670	117
85671	117
85686	117
85687	117
85690	117
85691	117
85692	117
85694	118
85696	118
85697	118
85703	118
85706	118
85707	118
85708	118
85709	118
85710	118
85717	118
85720	118
85721	118
85722	118
85723	118
85724	118
85730	118
85733	118
85737	119
85738	119
85741	119
85745	119
85746	119
85747	73
85750	119
85751	119
85752	119
85753	119
85754	102
85755	102
85757	104
85777	104
85778	104
85779	104
85780	104
85781	104
85783	104
85791	104
85792	104
85793	104
85797	104
85799	104
85801	104
85813	104
85819	104
85820	104
85828	105
85831	105
85838	105
85844	105
85846	102
85847	102
85848	102
85849	102
85854	105
85855	105
85856	105
85857	105
85858	105
85859	105
85860	105
85861	105
85866	105
85867	105
85870	105
85871	105
85886	106
85887	106
85890	102
85891	102
85893	102
85896	106
85897	106
85898	106
85900	107
85901	107
85902	107
85903	107
85904	107
85905	107
85911	102
85912	102
85913	102
85919	108
85920	108
85921	108
85923	108
85924	108
85925	108
85926	108
85927	108
85928	108
85942	108
85949	108
85959	108
85960	108
85971	109
85972	109
85973	109
85974	109
85975	109
85979	109
85985	109
85986	109
85987	109
85988	109
85989	109
85990	109
85995	109
85997	109
85998	109
86007	142
86008	142
86009	142
86010	142
86011	142
86012	142
86013	142
86014	142
86015	142
86016	142
86018	142
86023	142
86024	142
86025	142
86027	142
86029	142
86033	84
86034	84
86090	86
86091	88
86092	87
86148	197
86193	198
86194	198
86198	199
86199	199
86199	428
86203	199
86204	199
86204	428
86213	199
86216	199
86216	428
86218	199
86225	199
86234	197
86235	197
86240	199
86240	428
86243	198
86245	199
86245	428
86246	199
86246	428
86248	198
86248	429
86250	198
86250	429
86260	196
86261	199
86336	172
86337	172
86339	172
86345	172
86266	198
86267	199
86270	199
86271	196
86275	199
86302	198
86403	203
86404	202
86405	203
86406	203
86407	203
86408	203
86409	203
86410	203
86411	203
86413	203
86414	203
86415	203
86416	203
86417	203
86418	203
86420	202
86421	202
86422	203
86423	203
86424	202
86425	202
86426	202
86427	202
86428	202
86429	203
86430	202
86431	202
86432	203
86433	202
86434	203
86435	205
86436	205
86437	205
86438	205
86439	205
86441	205
86442	205
86443	205
86444	205
86445	205
86446	205
86447	205
86448	205
86449	205
86450	205
86451	205
86452	208
86453	208
86454	208
86455	206
86456	206
86457	206
86458	206
86459	206
86460	206
86464	203
86465	202
86466	203
86467	203
86468	203
86469	203
86470	203
86471	203
86472	203
86474	203
86475	203
86476	203
86477	203
86478	203
86479	203
86481	202
86482	202
86483	203
86484	203
86485	202
86486	202
86487	202
86488	202
86489	202
86490	203
86491	202
86492	202
86493	203
86494	202
86495	203
86496	203
86497	205
86498	205
86499	205
86500	205
86501	205
86502	208
86503	205
86504	205
86505	205
86506	205
86507	205
86508	205
86509	205
86510	205
86511	205
86512	205
86513	205
86514	206
86515	206
86516	206
86517	206
86518	206
86522	203
86523	202
86524	203
86525	203
86526	203
86527	203
86528	203
86529	203
86530	203
86532	203
86533	203
86534	203
86535	203
86536	203
86537	203
86539	202
86540	202
86541	203
86542	203
86543	202
86544	202
86545	202
86546	202
86547	202
86548	203
86549	202
86550	202
86551	203
86552	202
86553	203
86554	203
86555	205
86556	205
86557	205
86558	205
86559	205
86560	205
86561	205
86562	205
86563	205
86564	205
86565	205
86566	205
86568	205
86569	205
86570	205
86571	205
86572	208
86573	208
86574	208
86577	203
86578	202
86579	203
86580	203
86581	203
86582	203
86583	203
86584	203
86585	203
86587	203
86588	203
86589	203
86590	203
86591	203
86592	203
86594	202
86595	202
86596	203
86597	203
86598	202
86599	202
86600	202
86601	202
86602	202
86603	203
86604	202
86605	202
86606	203
86607	202
86608	202
86609	203
86610	205
86611	205
86612	205
86613	205
86614	205
86615	205
86616	205
86617	205
86618	205
86619	205
86620	205
86621	205
86623	205
86624	205
86625	205
86626	205
86627	208
86628	208
86629	208
86632	203
86633	202
86634	203
86635	203
86636	203
86637	203
86638	203
86639	203
86640	203
86642	203
86643	203
86644	203
86645	203
86646	203
86647	203
86649	202
86650	202
86651	203
86652	203
86653	202
86654	202
86655	202
86656	202
86657	202
86658	203
86659	202
86660	202
86661	203
86662	202
86663	203
86664	203
86665	205
86666	205
86667	205
86668	205
86669	205
86670	205
86671	205
86672	205
86673	205
86674	205
86675	205
86676	205
86678	205
86679	205
86680	205
86681	205
86682	208
86683	208
86684	208
86687	203
86688	202
86689	203
86690	203
86691	203
86692	203
86693	203
86694	203
86695	203
86697	203
86698	203
86699	203
86700	203
86701	203
86702	203
86704	202
86705	202
86706	203
86707	203
86708	203
86709	202
86710	202
86711	202
86712	202
86713	203
86714	202
86715	202
86716	203
86717	202
86718	203
86719	203
86720	205
86721	205
86722	205
86723	205
86724	205
86725	205
86726	205
86727	205
86728	205
86729	205
86730	205
86731	205
86733	205
86734	205
86735	205
86736	205
86737	208
86738	208
86739	208
86740	207
86741	207
86742	207
86743	207
86744	207
86745	207
86746	207
86747	207
86748	207
86749	207
86750	207
86751	207
86752	207
86753	207
86754	207
86755	207
86756	207
86757	207
86758	207
86759	207
86760	207
86761	207
86762	207
86763	207
86764	207
86765	207
86766	207
86767	207
86768	207
86769	207
86770	207
86771	207
86772	207
86773	207
86774	207
86775	207
86776	207
86777	207
86778	207
86779	207
86780	207
86781	207
86783	196
86784	196
86785	196
86786	196
86789	196
86792	197
86793	197
86796	197
86797	197
86798	197
86799	197
86801	197
86804	197
86808	197
86811	197
86813	197
86817	197
86818	197
86826	198
86828	198
86830	198
86832	198
86837	198
86838	198
86839	198
86841	196
86842	196
86843	196
86844	196
86846	196

Catalog #	Page #
86847	196
86850	196
86853	196
86857	196
86859	198
86860	197
86861	197
86862	197
86863	197
86864	196
86865	198
86866	196
86867	197
86868	197
86869	197
86870	196
86871	197
86874	197
86877	197
86878	198
86879	198
86880	198
86882	197
86885	197
86886	197
86887	197
86889	196
86890	198
86891	197
86894	197
86895	196
86896	197
86898	196
86899	197
86900	198
86901	198
86902	198
86903	198
86905	198
86909	198
86913	196
87028	185
87301	162
87600	212
87601	212
87602	212
87603	212
87604	212
87605	212
87606	212
87607	212
87608	212
87609	212
87610	212
87611	212
87612	212
87613	212
87614	212
87615	212
87616	212
87617	212
87618	212
87619	212
87620	212
87627	212
87628	212
87629	212
87630	212
87631	212
87632	212
87633	212
87634	212
87635	212
87636	212
87637	212
87638	212
87639	212
87640	212
87641	212
87642	212
87643	212
87647	61
87648	61
87651	81
87662	92
87664	129
87667	76
87669	111
87670	111
87674	70
87675	70
87677	122
87678	75
87681	75
87682	149
87684	125
87685	125
87687	125
87688	125
87689	125
87691	125
87692	417
87693	417
87693	417
87694	212
87694	350
87695	212
87695	350
87696	212
87696	350
87697	212
87697	350
87698	212
87698	350
87699	212
87699	350
87710	212
87710	350
87711	212
87711	350
87712	212
87712	350
87713	212
87713	350
87715	117
87716	117
87717	117
87718	143
87719	143
87732	126
87736	117
87738	126
87748	70
87750	29
87751	30
87754	30
87755	30
87757	33
87758	33
87759	30
87762	59
87763	58
87764	58
87767	63
87768	71
87769	128
87770	129
87771	129
87772	129
87773	70
87774	72
87775	72
87776	72
87777	135
87778	129
87779	135
87780	133
87781	135
87782	107
87783	106
87784	106
87785	92
87786	92
87788	109
87790	105
87791	104
87792	111
87793	110
87795	123
87796	121
87797	121
87807B	83
87808B	83
87982	172
88052	52
88053	52
88054	52
88056	52
88057	52
88058	52
88059	52
88061	52
88063	52
88064	52
88065	52
88066	52
88101	109
88102	109
88107	109
88108	109
88109	109
88115	109
88116	109
88117	109
88119	109
88120	109
88123	109
88124	109
88127	110
88128	110
88131	110
88132	110
88135	110
88137	110
88138	110
88141	110
88142	110
88143	110
88144	110
88146	110
88152	110
88153	110
88155	110
88158	110
88160	111
88161	111
88162	111
88163	111
88164	111
88165	111
88172	111
88173	111
88174	111
88175	111
88176	111
88182	111
88183	111
88184	111
88185	111
88186	111
88187	112
88188	112
88189	112
88191	112
88192	112
88193	112
88194	112
88199	112
88205	112
88206	112
88208	112
88209	112
88215	112
88216	112
88217	113
88218	113
88221	113
88225	113
88226	113
88231	113
88234	113
88237	113
88238	113
88243	113
88244	113
88245	113
88246	113
88247	113
88248	113
88251	113
88252	113
88253	113
88254	113
88255	113
88256	113
88257	113
88258	113
88259	113
88260	113
88267	114
88268	114
88275	114
88276	114
88281	114
88283	114
88285	114
88288	114
88298	114
88299	114
88302	103
88302	429
88303	103
88303	429
88304	103
88305	115
88307	115
88310	115
88311	115
88312	115
88314	115
88315	115
88316	103
88317	115
88318	115
88320	103
88323	115
88324	115
88325	115
88326	115
88327	115
88328	115
88329	115
88330	115
88345	120
88346	120
88347	120
88348	120
88351	120
88352	120
88359	59
88360	59
88363	120
88364	120
88369	120
88370	120
88371	120
88374	120
88375	120
88376	121
88377	121
88378	121
88379	121
88380	121
88381	121
88382	121
88383	121
88384	121
88386	121
88387	121
88388	121
88389	121
88392	121
88393	121
88394	121
88396	122
88397	122
88400	122
88401	122
88402	122
88403	122
88404	122
88405	122
88410	122
88411	122
88412	122
88413	122
88414	122
88418	122
88421	122
88422	122
88423	122
88424	122
88425	122
88426	122
88427	123
88428	123
88429	123
88430	123
88432	123
88433	123
88434	123
88435	123
88436	123
88437	123
88438	123
88439	123
88440	123
88441	123
88442	123
88443	123
88444	123
88445	123
88446	123
88447	123
88448	124
88449	121
88450	121
88451	124
88452	124
88453	124
88454	124
88455	62
88456	62
88457	124
88458	124
88467	124
88468	124
88469	125
88470	125
88471	125
88472	125
88475	126
88476	126
88477	126
88478	126
88479	126
88480	126
88485	126
88486	126
88491	64
88494	114
88495	136
88497	76
88498	76
88500	64
88502	92
88503	115
88504	87
88505	88
88506	65
88509	156
88511	137
88512	76
88513	115
88516	126
88517	34
88520	122
88521	115
88522	65
88525	138
88527	138
88528	93
88529	66
88530	126
88543	127
88544	127
88545	128
88546	128
88547	128
88548	128
88551	128
88552	128
88571	130
88572	130
88583	131
88584	131
88585	131
88586	131
88609	133
88610	133
88611	132
88612	132
88617	133
88618	133
88619	133
88620	133
88627	61
88628	61
88641	134
88643	134
88644	134
88645	135
88646	135
88647	135
88648	135
88649	135
88651	135
88652	135
88656	135
88659	135
88660	135
88661	136
88662	136
88663	136
88664	136
88669	136
88670	136
88677	137
88678	137
88682	126
88683	126
88684	126
88691	139
88699	139
88700	139
88702	139
88707	139
88708	139
88709	139
88710	139
88715	139
88717	139
88718	139
88725	139
88726	139
88731	140
88733	140
88734	140
88736	140
88737	140
88738	140
88739	140
88740	140
88741	140
88742	140
88743	140
88745	140
88746	140
88747	140
88748	140
88749	140
88750	140
88751	140
88752	140
88762	141
88767	141
88768	141
88769	141
88770	141
88791	149
88806	149
88810	149
88811	149
88814	149
88815	149
88816	149
88817	149
88830	149
88831	149
88834	149
88835	149
88838	149
88839	149
88840	149
88842	149
88843	149
88846	149
88848	149
88849	149
88852	149
88853	149
88860	149
88861	149
88864	149
88865	149
88866	149
88870	149
88871	149
88872	149
88873	149
88874	149
88875	149
88876	149
88877	149
88878	150
88879	150
88880	150
88881	150
88898	150
88899	150
88905	150
88908	150
88909	150
88910	150
88911	150
88914	52
88915	52
88918	52
88919	52
88922	52
88924	52
88925	52
88926	52
88927	52
88928	52
88930	52
88932	52
88933	52
88935	52
88936	141
88937	141
88938	141
88939	52
88941	52
88942	52
88944	52
88945	52
88946	52
88947	52
88948	52
88949	52
89001	52
89006	52
89015	66
89017	208
89018	208
89087	54
89088	54
89090	129
89091	129
89093	103
89097	66
89098	75
89099	75
89100	76
89104	84
89105	84
89106	84
89107	84
89110	84
89112	140
89113	52
89115	52
89128	143
89129	160
89131	162
89132	162
89133	160
89134	160
89135	166
89136	165
89149	88
89152	76
89153	76
89154	122
89155	160
89156	78
89158	51
89159	51
89163	51
89164	51
89169	51
89170	51
89171	140
89173	75
89174	30
89176	122
89256	422
89257	184
90018	156
90019	232
90100	86
90101	86
90102	78
90103	85
90105	80
90106	89
90107	89
90109	78
90112	138
90121	136
90123	77
90128	138
90139	136
90143	44
90147	42
90149	46
90155	50
90156	49
90157	50
90158	49
90159	49
90160	49
90175	39
90183	80
90184	81
90185	90
90186	90
90187	89
90188	50
90196	137
90199	138
90366	86
90367	88
90368	90
90369	88
90370	89
90371	87
90372	85
90373	88
90376	86
90377	86
90379	85
90380	89
90383	87
90384	89
90386	90
90400	217
90401	217
90402	217
90403	217
90404	217
90405	217
90406	217
90407	217
90408	217
90409	217
90410	217
90411	217
90412	217
90413	217
90414	217
90415	217
90416	217
90417	217
90418	217
90419	217
90420	217
90421	217
90422	217
90423	217
90424	217
90425	217
90426	217
90427	217
90428	217
90429	217
90430	217
90431	217
90432	217
90433	217
90434	217
90435	217
90436	217
90437	217
90438	217
90439	217
90440	217
90441	217
90442	217
90443	217
90444	217
90445	217
90446	217
90447	217
90448	217
90449	217
90450	217
90451	217
90452	217
90453	217
90454	217
90455	217
90456	217
90457	217
90458	217
90459	217
90460	217
90461	217
90462	217
90463	217
90464	217
90465	217
90466	217
90467	217
90468	217
90469	217
90470	217
90471	217
90472	217
90473	217
90474	217
90475	217
90476	217
90477	217
90478	217
90479	217
90480	217
90481	217
90482	217

Part Number Index

www.BradyID.com

Catalog #	Page #
90483	217
90484	217
90485	217
90486	217
90491	77
90492	80
90494	78
90495	78
90496	427
90498	153
90499	153
90507	44
90509	42
90514	40
90518	49
90520	49
90521	49
90522	49
90524	114
90540	153
90542	42
90543	43
90544	47
90550	80
90551	81
90553	90
90554	89
90555	50
90558	89
90560	88
90573	90
90576	89
90584	137
90587	138
90607	93
90611	80
90616	78
90617	85
90619	80
90620	89
90622	78
90623	78
90625	86
90626	86
90627	86
90628	78
90629	85
90630	86
90631	80
90632	89
90633	50
90634	78
90635	78
90636	86
90637	86
90643	138
90644	137
90645	137
90646	138
90649	136
90650	136
90654	44
90655	42
90656	44
90657	45
90658	42
90662	49
90666	45
90667	47
90668	47
90670	49
90674	46
90680	46
90685	50
90686	50
90687	49
90690	49
90691	49
90692	39
90704	51
90706	39
90707	39
90710	64
90713	81
90714	80
90717	90
90718	89
90719	89
90720	136
90721	138
90722	138
90723	137
90725	138
90726	137
90727	137
90729	138
90731	136
90732	136
90734	45
90736	44
90737	42
90740	42
90743	42
90744	40
90748	50
90749	49
90750	50
90751	49
90752	49
90753	49
90769	39
90775	81
90776	80
90777	81
90780	89
90781	89
90785	138
90786	150
90791	48
90793	42
90795	43
90797	42
90799	41
90803	42
90804	49
90805	50
90807	46
90808	47
90809	40
90810	45
90811	47
90816	40
90817	41
90818	41
90819	44
90820	42
90821	48
90822	49
90839B	83
90840B	83
90841B	83
90842B	83
90844	424
90845	424
90847	424
90848	424
90850	424
90851	424
90853	424
90854	424
90885B	83
90886B	83
90887B	83
90888B	83
90891	423
90892	423
90893	423
90895	89
90910	222
90923	78
90924	78
90926	77
90927	78
90928	80
90929	80
90930	89
90931	81
90933	78
90934	78
90935	93
90936	80
90937	86
90939	80
90940	78
90941	79
90942	86
90943	86
90944	78
90946	86
90947	80
90948	89
90949	50
90950	78
90951	78
90952	86
90953	86
90960	137
90964	77
90966	80
90967	87
90968	85
90969	88
90971	233
90972	233
90973	233
90974	233
90975	88
90976	86
90977	89
90988	89
90992	90
90993	90
90994	89
90996	90
91010	156
91020	87
91031	88
91083	234
91084	234
91100	234
91102	234
91104	234
91165	222
91165	351
91166	222
91166	351
91172	234
91173	234
91175	234
91176	234
91179	234
91200	234
91201	234
91212	234
91224	234
91230	429
91256	234
91257	234
91287	221
91288	221
91289	221
91290	221
91295	236
91296	236
91297	236
91298	236
91319	143
91324	156
91326	156
91331	156
91332	156
91333	156
91334	156
91336	157
91351	156
91352	156
91354	156
91356	157
91357	156
91358	156
91359	156
91360	156
91362	157
91363	157
91370	156
91371	156
91372	156
91375	157
91376	156
91377	156
91378	156
91384	157
91386	157
91387	157
91388	157
91389	157
91408	221
91409	221
91410	221
91411	221
91412	221
91413	221
91414	221
91415	221
91416	221
91417	221
91418	221
91419	221
91420	221
91421	221
91422	221
91423	221
91424	221
91425	221
91426	221
91427	221
91428	221
91429	221
91430	221
91431	221
91432	221
91433	221
91450	234
91451	234
91455	234
91600	236
91601	236
91603	236
91606	236
92116	235
92117	235
92118	235
92119	235
92120	235
92121	235
92122	235
92122	429
92123	235
92125	235
92126	235
92127	235
92270	235
92280	235
92281	235
92285	235
92289	429
92400	94
92404	94
92405	94
92406	94
92407	94
92408	94
93242	221
93243	221
93247	221
93248	221
93252	221
93257	221
93258	221
93262	221
93267	221
93272	221
93390	221
93391	221
93392	221
93394	221
93395	221
93396	221
93397	221
93600	140
93602	140
93611	141
93616	141
93619	141
93620	141
93621	141
93625	141
93627	141
93629	141
93631	141
93634	141
93636	141
93637	141
93638	141
93640	141
94008	98
94014	98
94022	81
94027	97
94029	98
94044	98
94054	98
94105	165
94106	170
94112	156
94116	165
94117	165
94119	165
94120	165
94123	170
94124	165
94127	165
94130	166
94142	169
94143	169
94144	169
94145	169
94148	171
94150	163
94152	171
94163	161
94174	156
94175	157
94180	164
94181	164
94183	164
94185	164
94190	164
94192	166
94195	167
94197	167
94199	167
94209	169
94210	169
94211	169
94212	169
94213	169
94218	171
94222	161
94225	162
94234	161
94235	161
94237	167
94240	169
94307	161
94336	156
94412	144
94996	59
94998	59
94999	59
95000	59
95001	59
95002	59
95003	59
95005	64
95006	64
95007	64
95008	64
95009	64
95010	64
95011	64
95012	69
95013	69
95014	69
95015	69
95018	69
95027	153
95039	171
95040	171
95041	163
95042	171
95043	169
95044	169
95045	169
95046	169
95047	172
95049	239
95052	239
95060	239
95071	239
95073	239
95074	239
95075	239
95137	427
95138	427
95139	427
95140	239
95141	238
95142	79
95143	238
95144	238
95146	88
95147	86
95150	238
95154	121
95155	238
95158	239
95159	239
95161	239
95162	239
95163	239
95164	239
95165	239
95166	238
95167	238
95193	238
95195	238
95196	238
95197	238
95211	31
95212	31
95213	31
95214	31
95216	31
95218	195
95219	195
95220	195
95221	195
95222	195
95223	195
95224	195
95225	195
95226	195
95227	195
95228	195
95229	201
95230	31
95233	32
95236	32
95237	32
95238	32
95240	31
95241	32
95242	32
95243	32
95245	32
95246	32
95247	32
95248	32
95254	31
95255	31
95256	31
95258	31
95259	31
95262	32
95263	32
95265	32
95266	32
95268	31
95269	120
95270	31
95272	72
95275	31
95277	62
95278	31
95279	32
95280	32
95281	32
95283	32
95284	31
95285	32
95287	75
95288	32
95289	32
95290	32
95291	32
95293	32
95294	32
95296	32
95297	32
95298	32
95300	32
95301	32
95305	32
95309	32
95310	32
95311	32
95312	32
95314	32
95315	32
95316	32
95317	32
95318	32
95319	32
95321	31
95324	32
95326	28
95327	28
95328	28
95329	28
95330	28
95331	28
95332	28
95333	28
95335	28
95338	28
95339	28
95340	28
95341	28
95343	28
95344	28
95345	28
95346	28
95347	28
95348	28
95349	28
95351	71
95352	71
95356	30
95357	30
95359	30
95360	30
95361	30
95362	30
95363	30
95364	30
95365	30
95366	29
95367	29
95368	29
95369	29
95370	29
95371	29
95372	29
95373	29
95375	31
95376	31
95377	31
95378	31
95379	31
95380	31
95381	31
95382	31
95389	30
95390	30
95391	30
95392	30
95393	29
95394	29
95395	29
95396	29
95397	29
95398	29
95399	29
95400	29
95401	29
95407	30
95410	119
95411	152
95412	152
95413	153
95414	153
95415	153
95416	153
95417	153
95418	151
95419	32
95420	153
95421	153
95423	153
95424	153
95426	152
95427	152
95428	152
95429	153
95430	153
95431	152
95432	152
95433	152
95434	152
95435	152
95436	152
95437	153
95438	153
95442	33
95443	33
95444	34
95445	34
95446	34
95447	35
95448	35
95450	153
95451	153
95452	153
95453	153
95455	153
95456	153
95457	153
95458	152
95459	152
95461	152
95462	151
95463	153
95465	151
95466	151
95467	151
95468	151
95469	151
95470	151
95471	151
95472	151
95473	151
95474	151
95475	151
95476	151
95477	151
95478	151
95479	151
95481	151
95483	151
95484	151
95485	151
95486	151
95487	151
95488	151
95489	152
95491	152
95492	152
95493	152
95494	152
95495	152
95496	152
95498	119
95499	119
95500	119
95501	119
95502	119
95503	119
95504	85
95505	85
95559	52
95563	52
95635	239
95636	239
95538	388
95540	391
95643	239
95644	239
95645	239
95646	239
95647	239
95548	388
95550	388
95553	388
95653	239
95654	239
95655	239
95656	239
95657	239
95677	239
95678	239
95679	239
95680	239
95681	239
95682	239
95687	75
95772	36
96060	337
96061	337
96062	337
96087	64
96089	338
96090	64
96155	195
96156	195
96157	195
96158	195
96159	195
96160	195
96162	195
96163	195
96164	195
96165	195
96167	195
96168	195
96170	195
96171	195
96173	195
96175	195
96177	195
96178	195
96179	195
96180	195
96222	206
96222	406
96229	368
96907	97
96908	98
96921	236
96922	236
96923	236
96950	236
96951	236
96952	236
96953	236
96954	236
96955	236
97084	236
97198	190
97199	190

Catalog #	Page #
97204	172
97205	172
97206	172
97207	172
97208	172
97209	172
97210	172
97211	172
97609	94
97610	94
97611	94
97613	94
97614	94
97615	94
97616	94
97738	333
97739	333
97740	333
97741	333
97742	333
97743	333
97744	333
97745	333
98168	236
98219	406
98859	213
99004	433
99009	433
99162	397
99167	345
99168	345
99169	345
99170	345
99175	184
99195	184
99199	184
99219	337
99220	337
99221	337
99287	193
99289	189
99289	432
99290	388
99292	388
99293	388
99296	388
99297	388
99300	388
99302	388
99303	388
99305	391
99307	391
99308	391
99310	391
99312	391
99313	391
99320	393
99321	393
99324	393
99326	92
99500	412
99504	412
99508	412
99512	412
99516	412
99520	412
99524	412
99528	412
99533	412
99539	412
99543	412
99548	412
99552	410
99556	410
99564	410
99570	410
99576	410
99580	410
99608	413
99609	413
99610	413
99611	413
99612	413
99613	413
99615	413
99616	413
99617	413
99618	413
99619	413
99620	413
99668	418
99676	392
99677	392
99678	392
99679	392
99680	392
99681	392
99682	386
99684	386
99685	386
99686	386
99687	386
99688	386
99689	387
99690	387
99691	387
99693	400
99694	400
99696	400
99697	400
99699	400
99700	400
99703	400
99704	400
99706	400
99707	400
99709	398
99710	398
101416	392
101956	410
101957	412
101958	412
101963	413
101973	206
101974	206
101975	206
101976	206
101977	206
101978	206
101979	206
101980	206
101981	206
101982	206
101983	206
101984	206
101991	206
101992	206
101993	206
101994	206
101995	206
101996	206
101997	206
101998	206
101999	206
102000	206
102001	206
102002	206
102003	206
102004	206
102005	206
102006	206
102007	206
102008	206
102009	206
102010	206
102011	206
102012	206
102013	206
102014	206
102015	206
102016	206
102017	206
102018	206
102019	206
102020	206
102021	206
102523	193
102524	193
102525	193
102692	392
102693	392
102696	412
102698	412
102824	234
102833	232
102834	232
102836	232
102837	232
102838	232
102849	83
102851	83
102852	83
102853	83
102857	83
103025	305
103026	305
103027	305
103028	305
103029	305
103030	305
103031	305
103033	410
103598	86
103599	86
103644	153
104216	431
104275	431
104310	227
104311	227
104312	227
104313	227
104314	227
104315	227
104316	227
104317	227
104318	227
104319	227
104340	227
104341	227
104342	227
104343	227
104344	227
104345	227
104346	227
104347	227
104348	227
104349	227
104370	227
104371	227
104372	227
104373	227
104374	227
104375	227
104376	227
104377	227
104378	227
104379	227
104400	227
104401	227
104402	227
104403	227
104404	227
104405	227
104406	227
104407	227
104408	227
104409	227
104410	227
104411	227
104412	227
104413	227
104414	227
104415	227
104416	227
104417	227
104418	227
104419	227
104420	227
104421	227
104422	227
104423	227
104424	227
104425	227
104426	227
104427	227
104428	227
104429	227
104430	227
104431	227
104432	227
104433	227
104434	227
104435	227
104436	227
104437	227
104438	227
104439	227
104440	227
104441	227
104442	227
104443	227
104444	227
104445	227
104446	227
104447	227
104448	227
104449	227
104450	227
104451	227
104452	227
104453	227
104454	227
104455	227
104456	227
104457	227
104458	227
104459	227
104460	227
104461	227
104462	227
104463	227
104464	227
104465	227
104466	227
104467	227
104468	227
104469	227
104470	227
104471	227
104472	227
104473	227
104474	227
104475	227
104476	227
104477	227
104478	227
104479	227
104480	227
104481	227
104482	227
104483	227
104486	95
104486	229
104487	95
104487	229
104488	95
104488	229
104489	95
104489	229
104490	95
104490	229
104491	95
104491	229
104492	95
104492	229
104493	95
104493	229
104494	95
104494	229
104495	95
104495	229
104496	95
104496	229
104497	95
104497	229
104498	95
104498	229
104499	95
104499	229
104500	95
104500	229
104501	95
104501	229
104502	95
104502	229
104503	95
104503	229
104504	95
104504	229
104505	95
104505	229
104506	95
104506	229
104507	95
104507	229
104508	95
104508	229
104509	95
104509	229
104510	95
104510	229
104511	95
104511	229
104512	95
104512	229
104513	95
104513	229
104520	227
104521	227
104522	227
104523	227
104524	227
104525	227
104526	227
104527	227
104528	227
104529	227
104554	227
104555	227
104556	227
104571	193
104572	413
104573	413
104574	413
104575	413
104576	413
104577	413
104578	413
104579	413
104794	395
104795	395
104796	395
104808	235
104809	235
104916	410
104917	412
104918	412
104919	410
104920	412
104921	412
105038	352
105041	352
105088	305
105089	305
105370	407
105371	407
105372	407
105373	407
105579	221
105714	417
105715	417
105716	416
105717	416
105718	418
105719	418
105720	418
105721	418
105722	406
105723	406
105724	406
105729	127
105881	413
105882	413
105883	413
105884	413
105885	413
105886	410
105887	410
105888	410
105889	410
105890	410
105891	410
105892	410
105893	410
105894	412
105895	412
105896	412
105897	412
105898	412
105899	412
105900	412
105901	412
105902	413
105903	413
105904	413
105905	397
105906	397
105909	336
105910	336
105911	336
105912	345
105913	345
105914	345
105928	399
105929	399
105930	399
105931	399
105932	399
105933	399
105934	399
105935	399
105936	399
105937	399
105938	399
105939	399
105940	399
105941	399
105942	397
105954	396
105955	396
105956	396
105957	396
105958	396
105959	396
105960	396
105961	396
105962	396
105963	395
105964	395
105965	395
105966	394
105967	394
105968	394
105969	394
105970	394
105971	221
105972	221
105973	221
105974	221
105975	221
105976	221
105977	221
105978	221
105979	221
105980	221
105981	221
105982	221
105983	221
105984	221
105985	221
105986	221
105987	221
105988	221
106179	53
106180	53
106181	53
106182	53
106183	53
106184	53
106186	53
106291	145
106292	145
106293	145
106294	145
106295	145
106296	145
106297	145
106298	145
106299	145
106300	145
106303	146
106304	146
106305	146
106306	146
106307	146
106308	146
106309	144
106310	146
106311	146
106312	144
106313	144
106315	144
106316	144
106318	144
106321	144
106322	144
106323	144
106324	145
106325	145
106326	145
106327	145
106328	145
106329	145
106330	145
106331	145
106332	145
106333	144
106334	144
106434	148
106460	350
106460	352
106461	350
106461	352
106462	350
106462	352
106463	352
106464	352
106465	352
110017	232
110018	232
110019	232
110020	232
110220	339
110221	339
110972	124
110973	124
110975	124
110976	124
110977	124
110978	124
110979	124
112500	156
112653B	83
112654B	83
112655B	83
112656B	83
113063B	83
113105	332
113106	332
113107	332
113108	332
113109	332
113110	332
113111	332
113112	332
113113	332
113114	332
113115	332
113116	332
113117	332
113118	332
113119	332
113120	332
113121	332
113122	332
113123	332
113124	332
113125	332
113126	332
113127	332
113128	332
113129	332
113130	332
113131	332
113132	332
113133	332
113134	332
113135	332
113136	332
113137	332
113138	332
113139	332
113140	332
113141	332
113142	332
113143	332
113144	332
113145	332
113146	332
113147	332
113148	332
113149	332
113150	332
113151	332
113152	332
113153	332
113154	332
113182	306
113183	306
113184	306
113185	306
113186	306
113187	306
113188	306
113189	306
113190	306
113191	306
113192	306
113193	306
113194	306
113195	306
113196	306
113197	306
113198	306
113199	306
113200	306
113201	306
113202	306
113203	306
113204	306
113205	306
113206	306
113207	306
113208	306
113209	306
113210	306
113211	306
113212	306
113213	306
113214	306
113215	306
113216	306
113217	306
113218	306
113219	306
113220	307
113221	307
113222	307
113225	307
113226	307
113227	307
113228	307
113229	307
113230	307
113231	421
113232	421
113233	421
113234	421
113238	237
113239	237
113240	237
113241	237
113242	237
113243	237
113244	237
113340	268
114533	338
114634	233
114635	233
114636	233
114637	82
114638	82
114639	82
114640	82
114641	82
114642	82
114643	82
114644	82
114645	82
114646	82
114647	82
114648	82
114649	82
114650	82
114651	82
114652	82
114653	82
114654	82
114655	82
114656	82
114657	82
114658	82
114659	82
114660	82
114661	82
114662	82
114663	82
114664	82
114665	82
114666	82
114673	82
114674	82
114675	82
114676	82
114677	82
114678	82
114679	82
114680	82
114681	82
114685	82
114686	82
114687	82
114688	82
114689	82
114690	82
114691	82
114692	82
114693	82
114697	82
114898	233
114899	233
114900	233
114901	233
114902	233
114903	233
114904	233
114905	233
114906	233
114907	233
114908	233
114909	233
114910	233
114911	233
114912	82
114913	82
114914	82
114915	82
114917	82
114918	82
114919	82

Part Number Index

www.BradyID.com

Catalog #	Page #
114921	82
115751	306
115752	306
115753	306
115754	306
115755	306
115756	306
115757	306
115758	306
115759	306
115760	306
115761	306
115762	306
115763	335
115764	335
115765	335
115766	335
115767	335
115768	335
115769	335
115770	335
115771	335
115772	335
115773	335
118815	180
118816	180
118817	180
118821	180
118822	180
118823	180
118827	180
118828	180
118829	180
118833	180
118834	180
118835	180
118839	180
118840	180
118841	180
118845	180
118846	180
118847	180
118851	180
118852	180
118853	180
118857	180
118858	180
118859	180
118863	180
118864	180
118865	180
118869	180
118870	180
118871	180
118875	180
118876	180
118877	180
118881	180
118882	180
118883	180
118887	180
118888	180
118889	180
118893	180
118894	180
118895	180
118899	180
118900	180
118901	180
118905	180
118906	180
118907	180
118911	180
118912	180
118913	180
118917	180
118918	180
118919	180
118925	410
118926	410
118927	410
118928	410
118929	410
118930	410
118931	410
118932	410
118933	410
118934	410
118935	412
118936	412
118937	412
118938	412
118939	412
118940	412
118941	412
118942	412
118943	412
118944	412
118945	412
118946	412
118947	410
118948	410
118949	410
118950	410
118951	410
118952	410
118953	410
118954	410
118955	410
118956	410
118957	410
118958	410
118959	410
118960	410
118961	410
118962	410
118963	410
118964	410
118965	410
118966	410
118967	410
118968	410
118969	410
118970	410
118971	412
118972	412
118973	412
118974	412
118975	412
118976	412
118977	412
118978	412
118979	412
118980	412
118981	412
118982	412
120847	306
120848	306
120849	306
120850	306
120851	306
120853	306
120854	306
120855	306
120856	306
120857	306
120858	306
120859	306
120860	306
120862	306
120863	306
120864	306
120865	306
120866	306
120866	306
120867	306
120994	309
120994	309
121033	231
121034	231
121035	231
121036	231
121038	231
121045	231
121046	231
121047	231
121048	231
121049	231
121056	184
121061	185
121063	185
121064	185
121065	186
121066	186
121067	186
121070	186
121077	192
121078	192
121079	192
121080	192
121083	192
121084	192
121085	192
121086	192
121087	192
121088	192
121091	192
121092	192
121093	192
121094	192
121095	192
121096	192
121097	192
121098	192
121099	192
121100	192
121101	192
121102	192
121103	192
121104	192
121117	231
121118	231
121119	231
121120	231
121121	231
121122	231
121123	231
121124	231
121125	231
121126	231
121127	231
121128	231
121129	231
121130	231
121131	231
121139	231
121140	185
121141	186
121151	185
121153	185
121154	185
121155	185
121158	185
121159	185
121161	184
121163	184
121164	184
121165	184
121183	187
121184	187
121185	187
121186	187
121187	187
121364	228
121365	228
121366	228
121367	228
121368	228
121369	228
121370	187
121371	187
121405	231
121406	231
121413	231
121414	231
121415	231
121416	231
121417	231
121418	231
121419	231
121420	231
121421	231
121422	231
121432	185
121448	414
121449	414
121502	397
121504	420
121505	420
121506	403
121507	403
121508	400
121509	400
121510	390
121511	403
121512	400
121513	390
121514	406
121515	406
121516	406
121517	406
121518	406
121519	406
121520	406
121521	225
121522	225
121543	334
121544	334
121545	334
121546	334
121547	334
121548	334
121549	334
121550	334
121551	334
121552	334
121553	334
121554	334
121555	334
121556	334
121557	334
121558	334
121559	334
121560	334
121561	334
121562	334
121563	334
121564	334
121691	190
121691	230
121692	190
121692	230
121693	190
121693	230
121694	190
121694	230
121695	190
121695	230
121696	190
121696	230
121697	190
121697	230
121698	190
121698	230
121699	190
121699	230
121700	190
121700	230
121701	190
121701	230
121702	190
121702	230
121703	190
121703	230
121704	190
121704	230
121705	190
121705	230
121706	190
121706	230
121707	190
121707	230
121708	190
121708	230
121709	190
121709	230
121710	190
121710	230
121711	190
121711	230
121712	190
121712	230
121713	190
121713	230
121714	190
121714	230
121715	190
121715	230
121716	190
121716	230
121717	190
121717	230
121718	190
121718	230
121719	190
121719	230
121720	190
121720	230
121721	190
121721	230
121722	190
121722	230
121723	190
121723	230
121724	190
121724	230
121725	190
121725	230
121726	190
121726	230
121727	190
121727	230
121728	190
121728	230
121729	190
121729	230
121730	190
121730	230
121731	190
121731	230
121732	190
121732	230
121733	190
121733	230
121734	190
121734	230
121735	190
121735	230
121736	190
121736	230
121737	190
121737	230
121738	190
121738	230
121739	190
121739	230
121740	190
121740	230
121741	190
121741	230
121742	190
121742	230
121743	190
121743	230
121744	190
121744	230
121745	190
121745	230
121746	190
121746	230
121747	190
121747	230
121748	190
121748	230
121749	190
121749	230
121750	190
121750	230
121751	190
121751	230
121752	190
121752	230
121753	190
121753	230
121754	190
121754	230
121755	190
121755	230
121756	190
121756	230
121757	190
121757	230
121758	190
121758	230
121759	190
121759	230
121760	190
121760	230
121761	190
121761	230
121762	190
121762	230
121763	190
121763	230
121764	190
121764	230
121765	190
121765	230
121766	190
121766	230
121767	190
121767	230
121768	190
121768	230
121769	190
121769	230
121770	190
121770	230
121771	190
121771	230
121772	190
121772	230
121773	190
121773	230
121774	190
121774	230
121775	190
121775	230
121776	190
121776	230
121777	190
121777	230
121778	190
121778	230
121779	190
121779	230
121780	190
121780	230
121781	190
121781	230
121782	190
121782	230
121783	190
121783	230
121784	190
121784	230
121785	190
121785	230
121786	190
121786	230
121787	190
121787	230
121788	190
121788	230
121789	190
121789	230
121790	190
121790	230
121791	190
121791	230
121792	190
121792	230
121793	190
121793	230
121794	190
121794	230
121795	190
121795	230
121796	190
121796	230
121797	190
121797	230
121798	190
121798	230
121799	190
121799	230
121800	190
121800	230
121801	190
121801	230
121802	190
121802	230
121803	190
121803	230
121804	190
121804	230
121805	190
121805	230
121806	190
121806	230
121807	190
121807	230
121808	190
121808	230
121809	190
121809	230
121810	190
121810	230
121811	190
121811	230
121812	190
121812	230
121813	190
121813	230
121814	190
121814	230
121815	190
121815	230
121816	190
121816	230
121817	190
121817	230
121818	190
121818	230
121819	190
121819	230
121820	190
121820	230
121821	190
121821	230
121822	190
121822	230
121823	190
121823	230
121824	190
121824	230
121825	190
121825	230
121826	190
121826	230
121827	190
121827	230
121828	190
121828	230
121829	190
121829	230
121830	190
121830	230
121831	190
121831	230
121832	190
121832	230
121833	190
121833	230
121834	190
121834	230
121835	190
121835	230
121836	190
121836	230
121837	190
121837	230
121838	190
121838	230
121839	190
121839	230
121840	190
121840	230
121841	190
121841	230
121842	190
121842	230
121843	190
121843	230
121844	190
121844	230
121845	190
121845	230
121846	190
121846	230
121847	190
121847	230
121848	190
121848	230
121849	190
121849	230
121850	190
121850	230
121851	190
121851	230
121852	190
121852	230
121853	190
121853	230
121854	190
121854	230
121855	190
121855	230
121856	190
121856	230
121857	190
121857	230
121858	190
121858	230
121859	190
121859	230
121860	190
121860	230
121861	190
121861	230
121862	190
121862	230
121863	190
121863	230
121864	190
121864	230
121865	190
121865	230
121866	190
121866	230
121867	190
121867	230
121868	190
121868	230
121869	190
121869	230
121870	190
121870	230
121871	190
121871	230
121872	190
121872	230
121873	190
121873	230
121874	190
121874	230
121875	190
121875	230
121876	190
121876	230
121877	190
121877	230
121878	190
121878	230
121879	190
121879	230
121880	190
121880	230
121881	190
121881	230
121882	190
121882	230
121883	190
121883	230
121884	190
121884	230
121885	190
121885	230
121886	190
121886	230
121887	190
121887	230
121888	190
121888	230
121889	190
121889	230
121890	190
121890	230
121891	190
121891	230
121892	190
121892	230
121893	190
121893	230
121894	190
121894	230
121895	190
121895	230
121896	190
121896	230
121897	190
121897	230
121898	190
121898	230
121899	190
121899	230
121900	190
121900	230
121901	190
121901	230
121902	190
121902	230
121903	190
121903	230
121904	190
121904	230
121905	190
121905	230
121906	190
121906	230
121907	190
121907	230
121908	190
121908	230
121909	190
121909	230
121910	190
121910	230
121911	190
121911	230
121912	190
121912	230
121913	227
121914	227
121915	227
121916	227
121917	227
121918	227
122048	225
122049	225
122050	225
122051	225
122052	225
122053	225
122054	225
122055	225
122056	225
122057	225
122267	225
122268	225

Catalog #	Page #
122269	225
122270	225
122271	225
122272	225
122273	225
122274	225
122275	225
122276	225
122277	225
122278	225
122279	225
122280	225
122281	225
122282	225
122283	225
122284	225
122285	225
122286	225
122287	225
122288	225
122289	225
122290	225
122291	225
122293	225
122294	225
122295	225
122296	225
122297	225
122298	225
122299	225
122300	225
122301	225
122302	225
122303	225
122304	225
122305	225
122306	225
122307	225
122308	225
122309	225
122310	225
122311	225
122312	225
122313	225
122337	87
122338	78
122339	88
122340	88
122341	89
122342	124
122343	66
122344	34
122345	88
122347	49
122349	92
122350	118
122351	93
122352	76
122353	74
122355	74
122356	151
122357	151
122358	152
122359	151
122360	85
122361	92
122362	92
122363	151
122364	153
122365	119
122366	119
122367	153
122368	153
122369	153
122370	35
122371	153
122372	152
122373	153
122374	152
122375	152
122377	87
122379	170
122382	93
122383	131
122384	122
122385	33
122387	57
122391	41
122392	87
122394	66
122395	103
122396	49
122397	45
122398	42
122399	41
122400	41
122401	40
122402	48
122403	46
122404	47
122405	70
122406	57
122407	58
122408	129
122409	105
122410	130
122411	107
122412	32
122413	33
122414	33
122415	160
122416	117
122417	118
122418	76
122419	74
122421	74
122422	151
122423	151
122424	152
122425	151
122426	85
122427	92
122428	92
122429	86
122430	105
122431	151
122432	153
122433	119
122434	119
122435	153
122436	153
122437	153
122438	111
122439	35
122440	153
122441	152
122442	153
122443	152
122444	152
122447	170
122449	128
122451	93
122452	160
122453	73
122454	36
122455	131
122456	33
122458	57
122459	33
122463	87
122464	78
122465	88
122466	88
122467	89
122468	124
122469	66
122470	34
122471	88
122473	92
122474	118
122475	93
122476	76
122477	74
122479	74
122480	151
122481	85
122482	92
122483	92
122484	105
122485	35
122486	152
122487	152
122488	152
122489	66
122491	87
122493	170
122495	93
122496	122
122497	33
122499	57
122503	75
122505	66
122506	103
122507	49
122508	45
122509	42
122510	41
122511	41
122512	40
122513	48
122514	46
122515	47
122516	70
122517	58
122518	56
122519	59
122520	129
122521	107
122522	141
122523	160
122524	117
122525	33
122526	136
122527	76
122528	74
122530	74
122531	151
122532	151
122533	152
122534	151
122535	85
122536	92
122537	92
122538	86
122539	105
122540	151
122541	153
122542	119
122543	119
122544	153
122545	153
122546	153
122547	111
122548	35
122549	153
122550	152
122551	153
122552	152
122553	152
122554	66
122557	128
122559	160
122560	33
122562	57
122565	78
122566	88
122567	89
122568	34
122569	34
122570	88
122572	49
122573	36
122574	37
122575	36
122576	104
122577	107
122578	141
122579	76
122581	151
122582	151
122583	152
122584	151
122585	85
122586	92
122587	92
122588	92
122589	105
122590	103
122594	151
122595	153
122596	119
122597	119
122598	153
122599	153
122600	153
122601	111
122602	35
122603	153
122604	152
122605	153
122606	152
122607	152
122608	66
122610	87
122611	36
122612	37
122614	170
122616	128
122618	93
122619	160
122620	33
122622	33
122626	89
122627	88
122628	102
122629	103
122631	48
122632	87
122634	79
122635	78
122636	79
122637	66
122638	103
122639	34
122640	49
122641	45
122642	42
122643	41
122644	41
122645	40
122646	48
122647	46
122648	47
122649	70
122650	57
122651	84
122652	107
122653	141
122654	31
122655	117
122656	76
122658	151
122659	151
122660	152
122661	151
122662	92
122663	92
122664	92
122665	86
122666	105
122667	103
122671	151
122672	153
122673	119
122674	119
122675	153
122676	153
122677	153
122678	111
122679	35
122680	35
122681	153
122682	152
122683	153
122684	152
122685	152
122688	87
122689	36
122691	170
122692	128
122694	93
122695	160
122697	33
122702	87
122703	124
122705	78
122706	88
122707	89
122708	34
122709	34
122710	88
122712	49
122713	70
122714	29
122715	37
122716	104
122717	140
122718	107
122719	141
122720	92
122721	118
122722	92
122723	76
122724	74
122726	74
122727	151
122728	151
122729	152
122730	151
122731	85
122732	92
122733	92
122734	92
122735	105
122736	151
122737	153
122738	119
122739	119
122740	153
122741	153
122742	153
122743	111
122744	35
122745	153
122746	152
122747	153
122748	152
122749	152
122750	66
122752	87
122753	37
122754	36
122756	30
122757	78
122758	47
122760	55
122762	128
122764	93
122765	160
122766	73
122767	131
122768	33
122770	57
122774	89
122775	88
122776	102
122777	140
122778	103
122779	45
122780	42
122781	41
122782	41
122783	40
122784	48
122785	46
122786	47
122787	70
122788	75
122789	126
122790	87
122793	78
122794	88
122795	124
122796	124
122797	125
122798	66
122799	103
122800	34
122801	34
122802	49
122803	45
122804	42
122805	41
122806	41
122807	40
122808	48
122809	46
122810	47
122811	70
122812	70
122813	36
122814	109
122815	58
122816	109
122817	121
122818	121
122819	56
122820	57
122821	57
122822	57
122823	58
122824	109
122825	59
122826	59
122827	110
122828	110
122829	37
122830	36
122831	31
122832	84
122833	129
122834	129
122835	116
122836	131
122837	131
122838	54
122839	128
122840	109
122841	129
122842	55
122843	105
122844	72
122845	105
122846	130
122847	130
122848	107
122849	141
122850	32
122851	33
122852	33
122853	92
122854	31
122855	160
122856	117
122857	33
122858	93
122859	136
122860	118
122861	76
122862	74
122864	74
122865	151
122866	151
122867	152
122868	33
122869	151
122870	85
122871	92
122872	92
122873	86
122874	105
122875	151
122876	153
122877	119
122878	119
122879	153
122880	153
122881	153
122882	111
122883	35
122884	35
122885	153
122886	152
122887	153
122888	152
122889	152
122890	66
122892	87
122894	30
122895	63
122897	170
122898	55
122900	128
122902	93
122903	160
122904	73
122905	36
122906	122
122907	33
122909	57
122910	32
122911	92
122914	47
123236	412
123237	412
123238	412
123239	412
123240	412
123241	412
123242	412
123243	412
123244	412
123245	412
123246	412
123247	412
123248	412
123249	412
123250	412
123251	412
123252	412
123253	412
123254	412
123255	412
123256	412
123257	412
123258	412
123259	412
123260	412
123261	412
123262	412
123263	412
123264	412
123265	412
123266	412
123267	412
123268	410
123269	410
123270	410
123271	410
123272	412
123273	412
123274	412
123275	412
123276	412
123277	412
123278	412
123279	412
123280	412
123281	412
123282	412
123283	412
123320	413
123321	413
123322	413
123323	413
123324	411
123325	411
123326	411
123327	411
123328	411
123329	411
123330	411
123331	411
123332	411
123333	411
123334	411
123335	411
123336	411
123337	411
123338	411
123339	411
123340	411
123341	411
123342	411
123343	411
123344	411
123345	411
123346	411
123347	411
123348	411
123349	411
123350	411
123351	411
123352	411
123353	411
123354	411
123355	411
123356	411
123357	411
123358	411
123359	411
123396	411
123397	411
123398	411
123399	411
123400	411
123401	411
123402	411
123403	411
123404	411
123405	411
123406	411
123407	411
123408	411
123409	411
123410	411
123411	411
123412	411
123413	411
123414	411
123415	411
123416	411
123417	411
123418	411
123419	411
123420	411
123421	411
123422	411
123423	411
123424	411
123425	411
123426	411
123427	411
123428	411
123429	411
123430	411
123431	411
123432	413
123433	413
123434	413
123435	413
123436	413
123437	413
123438	413
123439	413
123440	413
123441	413
123456	34
123457	34
123458	34
123459	34
123460	34
123461	34
123462	35
123463	35
123464	35
123465	35
123466	35
123467	35
123468	35
123469	35
123470	35
123471	35
123472	35
123473	35
123474	33
123475	33
123476	33
123477	33
123478	33
123479	33
123480	153
123481	153
123482	153
123483	153
123484	153
123485	153
123486	153
123487	153
123488	153
123489	35
123490	35
123491	35
123492	35
123493	35
123494	35
123495	73
123496	35
123497	35
123498	35
123499	35
123500	35
123501	35
123502	34
123503	34
123504	34
123505	34
123506	34
123507	34
123508	34
123509	34
123510	34
123511	34
123512	34
123513	34
123514	142
123515	142
123516	142
123517	142
123518	142
123519	142
123520	153
123521	153
123522	153
123523	153
123524	153
123525	153
123526	151
123527	151
123528	151
123529	151
123530	151
123531	151
123532	153
123533	153
123534	153
123535	153
123536	153
123537	153
123538	73
123539	34
123540	34
123541	34
123542	34
123543	34
123544	34
123545	34
123546	34
123547	34
123548	34

Part Number Index

www.BradyID.com

Catalog #	Page #
123549	34
123550	34
123551	34
123552	34
123553	34
123554	34
123555	34
123556	34
123557	142
123558	142
123559	142
123560	142
123561	142
123562	142
123563	112
123564	112
123565	112
123566	112
123567	112
123568	112
123569	135
123570	135
123571	135
123572	135
123573	135
123574	135
123575	134
123576	134
123577	134
123578	134
123579	134
123580	134
123587	151
123588	151
123589	151
123590	151
123591	151
123592	151
123593	151
123594	151
123595	151
123596	151
123597	151
123598	151
123599	151
123600	151
123601	151
123602	151
123603	151
123604	151
123605	70
123606	70
123607	70
123608	70
123609	70
123610	70
123611	76
123612	76
123613	76
123614	76
123615	76
123616	76
123617	29
123618	29
123619	29
123620	29
123621	29
123622	29
123623	70
123624	70
123625	70
123626	70
123627	70
123628	70
123629	58
123630	58
123631	58
123632	58
123633	58
123634	58
123635	103
123636	103
123637	103
123638	103
123639	103
123640	103
123641	70
123642	70
123643	70
123644	70
123645	70
123646	70
123647	70
123648	70
123649	70
123650	70
123651	70
123652	70
123653	61
123654	61
123655	61
123656	61
123657	61
123658	61
123659	56
123660	56
123661	56
123662	56
123663	56
123664	56
123665	60
123666	60
123667	60
123668	60
123669	60
123670	60
123671	70
123672	70
123673	70
123674	70
123675	70
123676	70
123677	133
123678	133
123679	133
123680	133
123681	133
123682	133
123683	111
123684	111
123685	111
123686	111
123687	111
123688	111
123689	58
123690	58
123691	58
123692	58
123693	58
123694	58
123695	75
123696	75
123697	75
123698	75
123699	75
123700	75
123701	30
123702	30
123703	30
123704	30
123705	30
123706	30
123707	58
123708	58
123709	58
123710	58
123711	58
123712	58
123713	69
123714	69
123715	69
123716	69
123717	69
123718	69
123719	30
123720	30
123721	30
123722	30
123723	30
123724	30
123725	109
123726	109
123727	109
123728	109
123729	109
123730	109
123737	110
123738	110
123739	110
123740	110
123741	110
123742	110
123743	110
123744	110
123745	110
123746	110
123747	110
123748	110
123749	93
123750	93
123751	93
123752	93
123753	93
123754	93
123755	87
123756	87
123757	87
123758	87
123759	87
123760	87
123761	88
123762	88
123763	88
123764	88
123765	88
123766	88
123767	87
123768	87
123769	87
123770	87
123771	87
123772	87
123773	86
123774	86
123775	86
123776	86
123777	86
123778	86
123779	87
123780	87
123781	87
123782	87
123783	87
123784	87
123785	78
123786	78
123787	78
123788	78
123789	78
123790	78
123791	80
123792	80
123793	80
123794	80
123795	80
123796	80
123797	80
123798	80
123799	80
123800	80
123801	80
123802	80
123803	78
123804	78
123805	78
123806	78
123807	78
123808	78
123809	77
123810	77
123811	77
123812	77
123813	77
123814	77
123815	73
123816	73
123817	73
123818	73
123819	73
123820	73
123821	138
123822	138
123823	138
123824	138
123825	138
123826	138
123827	136
123828	136
123829	136
123830	136
123831	136
123832	136
123833	115
123834	115
123835	115
123836	115
123837	115
123838	115
123839	115
123840	115
123841	115
123842	115
123843	115
123844	115
123845	115
123846	115
123847	115
123848	115
123849	115
123850	115
123851	114
123852	114
123853	114
123854	114
123855	114
123856	114
123857	65
123858	65
123859	65
123860	65
123861	65
123862	65
123863	115
123864	115
123865	115
123866	115
123867	115
123868	115
123869	157
123870	157
123871	157
123872	157
123873	157
123874	157
123875	156
123876	156
123877	156
123878	156
123879	143
123880	143
123881	143
123882	143
123883	143
123884	143
123885	157
123886	157
123887	157
123888	157
123889	157
123890	157
123891	124
123892	124
123893	124
123894	124
123895	124
123896	124
123897	124
123898	124
123899	124
123900	124
123901	124
123902	124
123903	125
123904	125
123905	125
123906	125
123907	125
123908	125
123909	125
123910	125
123911	125
123912	125
123913	125
123914	125
123915	124
123916	124
123917	124
123918	124
123919	124
123920	124
123921	125
123922	125
123923	125
123924	125
123925	125
123926	125
123927	125
123928	125
123929	125
123930	125
123931	125
123932	125
123933	125
123934	125
123935	125
123936	125
123937	125
123938	125
123939	124
123940	124
123941	124
123942	124
123943	124
123944	124
123945	142
123946	142
123947	142
123948	142
123949	142
123950	142
123951	114
123952	114
123953	114
123954	114
123955	114
123958	114
123959	142
123960	142
123961	142
123962	142
123963	142
123964	142
123965	142
123966	142
123967	142
123968	142
123969	142
123970	142
123971	143
123972	143
123973	143
123974	143
123975	143
123976	143
123977	143
123978	143
123979	143
123980	143
123981	143
123982	143
123983	143
123984	143
123985	143
123986	143
123987	143
123988	143
123989	48
123990	48
123991	48
123992	48
123993	48
123994	48
123995	40
123996	40
123997	40
123998	40
123999	40
124000	40
124001	48
124002	48
124003	48
124004	48
124005	48
124006	48
124007	46
124008	46
124009	46
124010	46
124011	46
124012	46
124013	43
124014	43
124015	43
124016	43
124017	43
124018	43
124019	49
124020	49
124021	49
124022	49
124023	49
124024	49
124025	48
124026	48
124027	48
124028	48
124029	48
124030	48
124031	46
124032	46
124033	46
124034	46
124035	46
124036	46
124037	46
124038	46
124039	46
124040	46
124041	46
124042	46
124043	45
124044	45
124045	45
124046	45
124047	45
124048	45
124049	40
124050	40
124051	40
124052	40
124053	40
124054	40
124055	40
124056	40
124057	40
124058	40
124059	40
124060	40
124061	43
124062	43
124063	43
124064	43
124065	43
124066	43
124071	43
124072	43
124073	44
124074	44
124075	44
124076	44
124077	44
124078	44
124079	43
124080	43
124081	43
124082	43
124083	43
124084	43
124085	42
124086	42
124087	42
124088	42
124089	42
124090	42
124091	43
124092	43
124093	43
124094	43
124095	43
124096	43
124097	42
124098	42
124099	42
124100	42
124101	42
124102	42
124103	43
124104	43
124105	43
124106	43
124107	43
124108	43
124109	50
124110	50
124111	50
124112	50
124113	50
124114	50
124115	45
124116	45
124117	45
124118	45
124119	45
124120	45
124121	44
124122	44
124123	44
124124	44
124125	44
124126	44
124127	49
124128	49
124129	49
124130	49
124131	49
124132	49
124133	48
124134	48
124135	48
124136	48
124137	48
124138	48
124139	43
124140	43
124141	43
124142	43
124143	43
124144	43
124145	45
124146	45
124147	45
124148	45
124149	45
124150	45
124151	49
124152	49
124153	49
124154	49
124155	49
124156	49
124157	49
124158	49
124159	49
124160	49
124161	49
124162	49
124163	48
124164	48
124165	48
124166	48
124167	48
124168	48
124169	49
124170	49
124171	49
124172	49
124173	49
124174	49
124175	50
124176	50
124177	50
124178	50
124179	50
124180	50
124181	140
124182	140
124183	140
124184	140
124185	140
124186	140
124187	159
124188	159
124189	159
124190	159
124191	159
124192	159
124193	159
124194	159
124195	159
124196	159
124197	159
124198	159
124199	162
124200	162
124201	162
124202	162
124203	162
124204	162
124205	159
124206	159
124207	159
124208	159
124209	159
124210	159
124211	38
124212	38
124213	38
124214	38
124215	38
124216	38
124217	104
124218	104
124219	104
124220	104
124221	104
124222	104
124223	127
124224	127
124225	127
124226	127
124227	127
124228	127
124229	140
124230	140
124231	140
124232	140
124233	140
124234	140
124235	69
124236	69
124237	69
124238	69
124239	69
124240	69
124241	105
124242	105
124243	105
124244	105
124245	105
124246	105
124247	129
124248	129
124249	129
124250	129
124251	129
124252	129
124253	131
124254	131
124255	131
124256	131
124257	131
124258	131
124259	128
124260	128
124261	128
124262	128
124263	128
124264	128
124265	69
124266	69
124267	69
124268	69
124269	69
124270	69
124271	162
124272	162
124273	162
124274	104
124275	104
124276	104
124277	104
124278	104
124279	104
124280	55
124281	55
124282	55
124283	55
124284	55
124285	55
124286	69
124287	69
124288	69
124289	69
124290	69
124291	69
124292	129
124293	129
124294	129
124295	129
124296	129
124297	129
124298	140
124299	140
124300	140
124301	140
124302	140
124303	140
124304	73
124305	167
124306	167
124307	167
124308	165
124309	165
124310	165
124311	166
124312	166
124313	166
124314	171
124315	171
124316	171
124317	165
124318	165
124319	165
124320	165
124321	165
124322	165
124323	165
124324	165
124325	165
124326	163

Catalog #	Page #
124327	163
124328	163
124329	168
124330	168
124331	168
124332	165
124333	165
124334	165
124335	166
124336	166
124337	166
124338	162
124339	162
124340	162
124341	169
124342	169
124343	169
124344	164
124345	164
124346	164
124347	164
124348	164
124349	164
124350	164
124351	164
124352	164
124353	163
124354	163
124355	163
124356	164
124357	164
124358	164
124359	166
124360	166
124361	166
124362	164
124363	164
124364	164
124365	167
124366	167
124367	167
124368	168
124369	168
124370	168
124371	171
124372	171
124373	171
124374	171
124375	171
124376	171
124377	165
124378	165
124379	165
124380	165
124381	165
124382	165
124383	168
124384	168
124385	168
124386	162
124387	162
124388	162
124389	167
124390	167
124391	167
124392	165
124393	165
124394	165
124395	170
124396	170
124397	170
124398	171
124399	171
124400	171
124401	166
124402	166
124403	166
124404	164
124405	164
124406	164
124407	166
124408	166
124409	166
124410	165
124411	165
124412	165
124413	165
124414	165
124415	165
124416	170
124417	170
124418	170
124419	169
124420	169
124421	169
124422	169
124423	169
124424	169
124425	165
124426	165
124427	165
124428	170
124429	170
124430	170
124431	169
124432	169
124433	169
124434	169
124435	169
124436	169
124437	169
124438	169
124439	169
124440	166
124441	166
124442	166
124443	171
124444	171
124445	171
124446	170
124447	170
124448	170
124449	169
124450	169
124451	169
124452	171
124453	171
124454	171
124455	166
124456	166
124457	166
124458	163
124459	163
124460	163
124461	162
124462	162
124463	162
124464	168
124465	168
124466	168
124467	171
124468	171
124469	171
124470	171
124471	171
124472	171
124473	168
124474	168
124475	168
124476	170
124477	170
124478	170
124479	170
124480	170
124481	170
124482	170
124483	170
124484	170
124485	169
124486	169
124487	169
124488	169
124489	169
124490	169
124491	168
124492	168
124493	168
124494	168
124495	168
124496	168
124497	168
124498	168
124499	168
124500	168
124501	168
124502	168
124503	167
124504	167
124505	167
124506	170
124507	170
124508	170
124509	170
124510	170
124511	170
124512	170
124513	170
124514	170
124515	170
124516	170
124517	170
124518	170
124519	170
124520	170
124521	170
124522	170
124523	170
124524	170
124525	170
124526	170
124527	170
124528	170
124529	170
124530	169
124531	169
124532	169
124533	169
124534	169
124535	169
124536	169
124537	169
124538	169
124539	169
124540	169
124541	169
124542	170
124543	170
124544	170
124545	170
124546	170
124547	170
124548	170
124549	170
124550	169
124551	169
124552	169
124553	169
124554	169
124555	169
124556	169
124557	169
124558	170
124559	170
124560	170
124561	170
124562	48
124563	48
124564	48
124565	87
124566	87
124567	87
124568	88
124569	88
124570	88
124571	50
124572	50
124573	50
124574	50
124575	166
124576	166
124577	166
124578	166
124579	162
124580	162
124581	162
124582	162
124583	169
124584	169
124585	169
124586	169
124587	171
124588	171
124589	171
124590	171
124591	162
124592	162
124593	162
124594	162
124595	165
124596	165
124597	165
124598	165
124599	171
124600	171
124601	171
124602	171
124603	171
124604	171
124605	171
124606	171
124607	164
124608	164
124609	164
124610	164
124611	171
124612	171
124613	171
124614	171
124615	171
124616	171
124617	171
124618	171
124619	162
124620	162
124621	162
124622	137
124623	137
124624	137
124625	73
124626	73
124627	73
124628	73
124629	73
124630	73
124631	142
124632	142
124633	142
124634	143
124635	143
124636	143
124637	143
124638	143
124639	143
124640	124
124641	124
124642	124
124643	50
124644	50
124645	50
124646	50
124647	28
124648	28
124649	28
124650	28
124651	28
124652	28
124653	28
124654	28
124655	28
124656	28
124657	28
124658	28
124659	28
124660	28
124661	28
124662	28
124663	28
124664	28
124665	28
124666	28
124667	28
124668	28
124669	28
124670	28
124671	28
124672	28
124673	28
124674	28
124675	28
124676	28
124677	28
124678	28
124679	28
124680	28
124681	28
124682	28
124683	28
124684	28
124685	28
124686	28
124687	28
124688	28
124689	28
124690	28
124691	28
124692	28
124693	28
124694	28
124695	28
124696	28
124697	28
124698	28
124699	28
124700	28
124701	28
124702	28
124703	28
124704	28
124705	28
124706	28
124707	28
124708	28
124709	28
124710	28
124711	28
124712	28
124713	28
124714	28
124715	28
124716	28
124717	28
124718	28
124719	28
124720	28
124721	28
124722	28
124723	28
124724	28
124725	29
124726	29
124727	29
124728	29
124729	29
124730	29
124731	29
124732	29
124733	29
124734	29
124735	29
124736	29
124737	29
124738	29
124739	29
124740	29
124741	29
124742	29
124743	29
124744	29
124745	29
124746	29
124747	29
124748	29
124749	30
124750	30
124751	30
124752	30
124753	30
124754	30
124755	29
124756	29
124757	29
124758	29
124759	29
124760	29
124761	29
124762	29
124763	29
124764	29
124765	29
124766	29
124767	30
124768	30
124769	30
124770	30
124771	30
124772	30
124773	30
124774	30
124775	30
124776	30
124777	30
124778	30
124779	30
124780	30
124781	30
124782	30
124783	30
124784	30
124785	30
124786	30
124787	30
124788	30
124789	30
124790	30
124791	30
124792	30
124793	30
124794	30
124795	30
124796	30
124797	30
124798	30
124799	30
124800	30
124801	30
124802	30
124803	34
124804	34
124805	34
124806	34
124807	34
124808	34
124809	31
124810	31
124811	31
124812	31
124813	31
124814	31
124815	31
124816	31
124817	31
124818	31
124819	31
124820	31
124821	31
124822	31
124823	31
124824	31
124825	31
124826	31
124827	31
124828	31
124829	31
124830	31
124831	31
124832	31
124833	32
124834	32
124835	32
124836	32
124837	32
124838	32
124839	35
124840	35
124841	35
124842	35
124843	35
124844	35
124845	34
124846	34
124847	34
124848	34
124849	34
124850	34
124851	35
124852	35
124853	35
124854	35
124855	35
124856	35
124857	35
124858	35
124859	35
124860	35
124861	35
124862	35
124863	34
124864	34
124865	34
124866	34
124867	34
124868	34
124869	34
124870	34
124871	34
124872	34
124873	34
124874	34
124875	35
124876	35
124877	35
124878	35
124879	35
124880	35
124881	35
124882	35
124883	35
124884	35
124885	35
124886	35
124887	35
124888	35
124889	35
124890	35
124891	35
124892	35
124894	48
124895	48
124898	48
124899	48
124900	48
124901	48
124902	48
124903	48
124904	48
124905	50
124906	50
124907	50
124908	50
124909	50
124910	50
124911	40
124912	40
124913	40
124914	40
124915	40
124916	40
124917	41
124918	41
124919	41
124920	41
124921	41
124922	41
124923	41
124924	41
124925	41
124926	41
124927	41
124928	41
124929	41
124930	41
124931	41
124932	41
124933	41
124934	41
124935	42
124936	42
124937	42
124938	42
124939	42
124940	42
124941	43
124942	43
124943	43
124944	43
124945	43
124946	43
124947	43
124949	43
124952	43
124953	44
124954	44
124955	44
124956	44
124957	44
124958	44
124959	44
124960	44
124961	44
124962	44
124963	44
124964	44
124965	47
124966	47
124967	47
124968	47
124969	47
124970	47
124971	47
124972	47
124973	47
124974	47
124975	47
124976	47
124977	46
124978	46
124979	46
124980	46
124981	46
124982	46
124983	47
124984	47
124985	47
124986	47
124987	47
124988	47
124989	46
124990	46
124991	46
124992	46
124993	46
124994	46
124995	46
124996	46
124997	46
124998	46
124999	46
125000	46
125001	47
125002	47
125003	47
125004	47
125005	47
125006	47
125007	46
125008	46
125009	46
125010	46
125011	46
125012	46
125013	46
125014	46
125015	46
125016	46
125017	46
125018	46
125019	47
125020	47
125021	47
125022	47
125023	47
125024	47
125025	47
125026	47
125027	47
125028	47
125029	47
125030	47
125031	46
125032	46
125033	46
125034	46
125035	46
125036	46
125037	47
125038	47
125039	47
125040	47
125041	47
125042	47
125043	47
125044	47
125045	47
125046	47
125047	47
125048	47
125049	47
125050	47
125051	47
125052	47
125053	47
125054	47
125055	47
125056	47
125057	47
125058	47
125059	47
125060	47
125061	46
125062	46
125063	46
125064	46
125065	46
125066	46
125067	46
125068	46
125069	46
125070	46
125071	46
125072	46
125073	46
125074	46
125075	46
125076	46
125077	46
125078	46
125079	46
125080	46
125081	46
125082	46
125083	46
125084	46
125085	47
125086	47
125087	47
125088	47
125089	47
125090	47
125091	50
125092	50

Part Number Index

www.BradyID.com

Catalog #	Page #
125093	50
125094	50
125095	50
125096	50
125097	43
125098	43
125099	43
125100	43
125101	43
125102	43
125103	43
125104	43
125105	43
125106	43
125107	43
125108	43
125109	45
125110	45
125111	45
125112	45
125113	45
125114	45
125115	42
125116	42
125117	42
125118	42
125119	42
125120	42
125121	45
125122	45
125123	45
125124	45
125125	45
125126	45
125127	42
125128	42
125129	42
125130	42
125131	42
125132	42
125133	42
125134	42
125135	42
125136	42
125137	42
125138	42
125139	45
125140	45
125141	45
125142	45
125143	45
125144	45
125145	42
125146	42
125147	42
125148	42
125149	42
125150	42
125151	43
125152	43
125153	43
125154	43
125155	43
125156	43
125157	42
125158	42
125159	42
125160	42
125161	42
125162	42
125163	42
125164	42
125165	42
125166	42
125167	42
125168	42
125169	44
125170	44
125171	44
125172	44
125173	44
125174	44
125175	44
125176	44
125177	44
125178	44
125179	44
125180	44
125181	44
125182	44
125183	44
125184	44
125185	44
125186	44
125187	45
125188	45
125189	45
125190	45
125191	45
125192	45
125193	45
125194	45
125195	45
125196	45
125197	45
125198	45
125199	43
125200	43
125201	43
125202	43
125203	43
125204	43
125205	43
125206	43
125207	43
125208	43
125209	43
125210	43
125211	44
125212	44
125213	44
125214	44
125215	44
125216	44
125217	45
125218	45
125219	45
125220	45
125221	45
125222	45
125229	44
125230	44
125231	44
125232	44
125233	44
125234	44
125235	45
125236	45
125237	45
125238	45
125239	45
125240	45
125241	43
125242	43
125243	43
125244	43
125245	43
125246	43
125247	44
125248	44
125249	44
125250	44
125251	44
125252	44
125253	44
125254	44
125255	44
125256	44
125257	44
125258	44
125259	42
125260	42
125261	42
125262	42
125263	42
125264	42
125265	43
125266	43
125267	43
125268	43
125269	43
125270	43
125271	44
125272	44
125273	44
125274	44
125275	44
125276	44
125277	44
125278	44
125279	44
125280	44
125281	44
125282	44
125283	44
125284	44
125285	44
125286	44
125287	44
125288	44
125289	44
125290	44
125291	44
125292	44
125293	44
125294	44
125295	44
125296	44
125297	44
125298	44
125299	44
125300	44
125301	46
125302	46
125303	46
125304	46
125305	46
125306	46
125307	42
125308	42
125309	42
125310	42
125311	42
125312	42
125313	45
125314	45
125315	45
125316	45
125317	45
125318	45
125319	41
125320	41
125321	41
125322	41
125323	41
125324	41
125325	41
125326	41
125327	41
125328	41
125329	41
125330	41
125331	40
125332	40
125333	40
125334	40
125335	40
125336	40
125337	40
125338	40
125339	40
125340	40
125341	40
125342	40
125343	40
125344	40
125345	40
125346	40
125347	40
125348	40
125349	40
125350	40
125351	40
125352	40
125353	40
125354	40
125355	40
125356	40
125357	40
125358	40
125359	40
125360	40
125361	40
125362	40
125363	40
125364	40
125365	40
125366	40
125367	40
125368	40
125369	40
125370	40
125371	40
125372	40
125373	41
125374	41
125375	41
125376	41
125377	41
125378	41
125379	41
125380	41
125381	41
125382	41
125383	41
125384	41
125385	41
125386	41
125387	41
125388	41
125389	41
125390	41
125391	40
125392	40
125393	40
125394	40
125395	40
125396	40
125397	40
125398	40
125399	40
125400	40
125401	40
125402	40
125403	40
125404	40
125405	40
125406	40
125407	40
125408	40
125409	41
125410	41
125411	41
125412	41
125413	41
125414	41
125415	40
125416	40
125417	40
125418	40
125419	40
125420	40
125427	40
125428	40
125429	40
125430	40
125431	40
125432	40
125433	41
125434	41
125435	41
125436	41
125437	41
125438	41
125439	41
125440	41
125441	41
125442	41
125443	41
125444	41
125445	41
125446	41
125447	41
125448	41
125449	41
125450	41
125451	41
125452	41
125453	41
125454	41
125455	41
125456	41
125457	40
125458	40
125459	40
125460	40
125461	40
125462	40
125463	40
125464	40
125465	40
125466	40
125467	40
125468	40
125469	41
125470	41
125471	41
125472	41
125473	41
125474	41
125475	40
125476	40
125477	40
125478	40
125479	40
125480	40
125481	41
125482	41
125483	41
125484	41
125485	41
125486	41
125487	47
125488	47
125489	47
125490	47
125491	47
125492	47
125493	46
125494	46
125495	46
125496	46
125497	46
125498	46
125499	48
125500	48
125501	48
125502	48
125503	48
125504	48
125505	50
125506	50
125507	50
125508	50
125509	50
125510	50
125511	49
125512	49
125513	49
125514	49
125515	49
125516	49
125517	50
125518	50
125519	50
125520	50
125521	50
125522	50
125523	50
125524	50
125525	50
125526	50
125527	50
125528	50
125529	49
125530	49
125531	49
125532	49
125533	49
125534	49
125535	49
125536	49
125537	49
125538	49
125539	49
125540	49
125541	48
125542	48
125543	48
125544	48
125545	48
125546	48
125547	49
125548	49
125549	49
125550	49
125551	49
125552	49
125553	65
125554	65
125555	65
125556	65
125557	65
125558	65
125559	63
125560	63
125561	63
125562	63
125563	63
125564	63
125565	63
125566	63
125567	63
125568	63
125569	63
125570	63
125571	63
125572	63
125573	63
125574	63
125575	63
125576	63
125577	63
125578	63
125579	63
125580	63
125581	63
125582	63
125583	63
125584	63
125585	63
125586	63
125587	63
125588	63
125589	64
125590	64
125591	64
125592	64
125593	64
125594	64
125595	64
125596	64
125597	64
125598	64
125599	64
125600	64
125602	64
125603	64
125604	64
125605	64
125606	64
125607	64
125608	64
125609	64
125610	64
125611	64
125612	64
125613	64
125614	64
125615	64
125616	64
125617	64
125618	64
125619	64
125620	64
125621	64
125622	64
125623	64
125624	64
125625	64
125626	64
125627	64
125628	64
125629	64
125630	64
125631	64
125632	64
125633	64
125634	64
125635	64
125636	64
125637	64
125638	64
125639	64
125640	64
125641	64
125642	64
125643	64
125644	64
125645	64
125646	64
125647	64
125648	64
125649	64
125650	64
125651	64
125652	64
125653	64
125654	64
125655	64
125656	64
125657	64
125658	64
125659	64
125660	64
125661	64
125662	64
125663	64
125664	64
125665	64
125666	64
125667	64
125668	64
125669	64
125670	64
125671	64
125672	64
125673	65
125674	65
125675	65
125676	65
125677	65
125678	65
125679	65
125680	65
125681	65
125682	65
125683	65
125684	65
125685	65
125686	65
125687	65
125688	65
125689	65
125690	65
125691	65
125692	65
125693	65
125694	65
125695	65
125696	65
125697	65
125698	65
125699	65
125700	65
125701	65
125702	65
125703	64
125704	64
125705	64
125706	65
125707	65
125708	65
125709	65
125710	65
125711	65
125712	65
125713	65
125714	65
125715	65
125716	65
125717	65
125718	65
125719	65
125720	65
125721	65
125722	65
125723	65
125724	65
125725	65
125726	65
125727	65
125728	65
125729	65
125730	65
125731	65
125732	65
125733	65
125734	65
125735	65
125736	65
125737	65
125738	65
125739	65
125740	65
125741	65
125742	65
125743	65
125744	65
125745	65
125746	65
125747	65
125748	54
125749	54
125750	54
125751	54
125752	54
125753	54
125754	65
125755	65
125756	65
125757	65
125758	65
125759	65
125760	65
125761	65
125762	65
125763	65
125764	65
125765	65
125766	66
125767	66
125768	66
125769	66
125770	66
125771	66
125772	65
125773	65
125774	65
125775	65
125776	65
125777	65
125778	66
125779	66
125780	66
125781	66
125782	66
125783	66
125784	63
125785	63
125786	63
125787	63
125788	63
125789	63
125790	66
125791	66
125792	66
125793	66
125794	66
125795	66
125796	66
125797	66
125798	66
125799	66
125800	66
125801	66
125802	66
125803	66
125804	66
125805	66
125806	66
125807	66
125808	56
125809	56
125810	56
125811	56
125812	56
125813	56
125814	61
125815	61
125816	61
125817	61
125818	61
125819	61
125820	56
125821	56
125822	56
125823	56
125824	56
125825	56
125826	60
125827	60
125828	60
125829	60
125830	60
125831	60
125832	56
125833	56
125834	56
125835	56
125836	56
125837	56
125838	57
125839	57
125840	57
125841	57
125842	57
125843	57
125844	57
125845	57
125846	57
125847	57
125848	57
125849	57
125850	61
125851	61
125852	61
125853	61
125854	61
125855	61
125856	60
125857	60
125858	60
125859	60
125860	60
125861	60
125862	60
125863	60
125864	60
125865	60

Catalog #	Page #
125866	60
125867	60
125868	60
125869	60
125870	60
125871	60
125872	60
125873	60
125874	57
125875	57
125876	57
125877	57
125878	57
125879	57
125880	65
125881	65
125882	65
125883	65
125884	65
125885	65
125886	54
125887	54
125888	54
125889	54
125890	54
125891	54
125892	54
125893	54
125894	54
125895	54
125896	54
125897	54
125898	54
125899	54
125900	54
125901	54
125902	54
125903	54
125904	54
125905	54
125906	54
125907	54
125908	54
125909	54
125910	38
125911	38
125912	38
125913	38
125914	38
125915	38
125916	54
125917	54
125918	54
125919	54
125920	54
125921	54
125922	54
125923	54
125924	54
125925	54
125926	54
125927	54
125928	54
125929	54
125930	54
125931	54
125932	54
125933	54
125934	54
125935	54
125936	54
125937	54
125938	54
125939	54
125940	54
125941	54
125942	54
125943	54
125944	54
125945	54
125946	57
125947	57
125948	57
125949	57
125950	57
125951	57
125952	54
125953	54
125954	54
125955	54
125956	54
125957	54
125958	55
125959	55
125960	55
125961	55
125962	55
125963	55
125964	55
125965	55
125966	55
125967	55
125968	55
125969	55
125970	55
125971	55
125972	55
125973	55
125974	55
125975	55
125976	55
125977	55
125978	55
125979	55
125980	55
125981	55
125988	55
125989	55
125990	55
125991	55
125992	55
125993	55
125994	55
125995	55
125996	55
125997	55
125998	55
125999	55
126000	55
126001	55
126002	55
126003	55
126004	55
126005	55
126006	55
126007	55
126008	55
126009	55
126010	55
126011	55
126012	55
126013	55
126014	55
126015	55
126016	55
126017	55
126018	55
126019	55
126020	55
126021	55
126022	55
126023	55
126024	55
126025	55
126026	55
126027	55
126028	55
126029	55
126030	55
126031	55
126032	55
126033	55
126034	55
126035	55
126036	55
126037	55
126038	55
126039	55
126040	55
126041	55
126042	55
126043	55
126044	55
126045	55
126046	55
126047	55
126048	55
126049	55
126050	55
126051	55
126052	55
126053	55
126054	55
126055	55
126056	55
126057	55
126058	55
126059	55
126060	55
126061	55
126062	55
126063	55
126064	55
126065	55
126066	55
126067	55
126068	55
126069	55
126070	55
126071	55
126072	56
126073	56
126074	56
126075	56
126076	56
126077	56
126078	56
126079	56
126080	56
126081	56
126082	56
126083	56
126084	56
126085	56
126086	56
126087	56
126088	56
126089	56
126090	56
126091	56
126092	56
126093	56
126094	56
126095	56
126096	61
126097	61
126098	61
126099	61
126100	61
126101	61
126102	56
126103	56
126104	56
126105	56
126106	56
126107	56
126108	56
126109	56
126110	56
126111	56
126112	56
126113	56
126114	56
126115	56
126116	56
126117	56
126118	56
126119	56
126120	56
126121	56
126122	56
126123	56
126124	56
126125	56
126126	56
126127	56
126128	56
126129	56
126130	56
126131	56
126132	57
126133	57
126134	57
126135	57
126136	57
126137	57
126138	57
126139	57
126140	57
126141	57
126142	57
126143	57
126144	57
126145	57
126146	57
126147	57
126148	57
126149	57
126150	57
126151	57
126152	57
126153	57
126154	57
126155	57
126156	57
126157	57
126158	57
126159	57
126160	57
126161	57
126162	57
126163	57
126164	57
126165	57
126166	57
126167	57
126168	57
126169	57
126170	57
126171	57
126172	57
126173	57
126174	57
126175	57
126176	57
126177	57
126178	57
126179	57
126180	58
126181	58
126182	58
126183	58
126184	58
126185	58
126186	58
126187	58
126188	58
126189	58
126190	58
126191	58
126192	56
126193	56
126194	56
126195	56
126196	56
126197	56
126198	58
126199	58
126200	58
126201	58
126202	58
126203	58
126204	58
126205	58
126206	58
126207	58
126208	58
126209	58
126210	58
126211	58
126212	58
126213	58
126214	58
126215	58
126216	58
126217	58
126218	58
126219	58
126220	58
126221	58
126222	59
126223	59
126224	59
126225	59
126226	59
126227	59
126228	59
126229	59
126230	59
126231	59
126232	59
126233	59
126234	59
126235	59
126236	59
126237	59
126238	59
126239	59
126240	59
126241	59
126242	59
126243	59
126244	59
126245	59
126246	59
126247	59
126248	59
126249	59
126250	59
126251	59
126252	59
126253	59
126254	59
126255	59
126256	59
126257	59
126258	59
126259	59
126260	59
126261	59
126262	59
126263	59
126264	59
126265	59
126266	59
126267	59
126268	59
126269	59
126270	59
126271	59
126272	59
126273	59
126274	59
126275	59
126276	59
126277	59
126278	59
126279	59
126280	59
126281	59
126282	60
126283	60
126284	60
126285	60
126286	60
126287	60
126288	60
126289	60
126290	60
126291	60
126292	60
126293	60
126294	60
126295	60
126296	60
126297	60
126298	60
126299	60
126300	60
126301	60
126302	60
126303	60
126304	60
126305	60
126306	60
126307	60
126308	60
126309	60
126310	60
126311	60
126312	60
126313	60
126314	60
126315	60
126316	60
126317	60
126318	60
126319	60
126320	60
126321	60
126322	60
126323	60
126324	60
126325	60
126326	60
126327	60
126328	60
126329	60
126330	60
126331	60
126332	60
126333	60
126334	60
126335	60
126336	60
126337	60
126338	60
126339	60
126340	60
126341	60
126342	61
126343	61
126344	61
126345	61
126346	61
126347	61
126348	61
126349	61
126350	61
126351	61
126352	61
126353	61
126354	61
126355	61
126356	61
126357	61
126358	61
126359	61
126360	61
126361	61
126362	61
126363	61
126364	61
126365	61
126366	61
126367	61
126368	61
126369	61
126370	61
126371	61
126372	61
126373	61
126374	61
126375	61
126376	61
126377	61
126378	61
126379	61
126380	61
126381	61
126382	61
126383	61
126384	61
126385	61
126386	61
126387	61
126388	61
126389	61
126396	61
126397	61
126398	61
126399	61
126400	61
126401	61
126402	61
126403	61
126404	61
126405	61
126406	61
126407	61
126408	61
126409	61
126410	61
126411	61
126412	61
126413	61
126414	61
126415	61
126416	61
126417	61
126418	61
126419	61
126420	39
126421	39
126422	39
126423	39
126424	39
126425	39
126426	62
126427	62
126428	62
126429	62
126430	62
126431	62
126432	62
126433	62
126434	62
126435	62
126436	62
126437	62
126438	62
126439	62
126440	62
126441	62
126442	62
126443	62
126444	62
126445	62
126446	62
126447	62
126448	62
126449	62
126450	62
126451	62
126452	62
126453	62
126454	62
126455	62
126456	62
126457	62
126458	62
126459	62
126460	62
126461	62
126462	62
126463	62
126464	62
126465	62
126466	62
126467	62
126468	62
126469	62
126470	62
126471	62
126472	62
126473	62
126474	62
126475	62
126476	62
126477	62
126478	62
126479	62
126480	62
126481	62
126482	62
126483	62
126484	62
126485	62
126486	62
126487	62
126488	62
126489	62
126490	62
126491	62
126492	39
126493	39
126494	39
126495	39
126496	39
126497	39
126498	62
126499	62
126500	62
126501	62
126502	62
126503	62
126504	37
126505	37
126506	37
126507	37
126508	37
126509	37
126510	62
126511	62
126512	62
126513	62
126514	62
126515	62
126516	63
126517	63
126518	63
126519	63
126520	63
126521	63
126522	63
126523	63
126524	63
126525	63
126526	63
126527	63
126528	63
126529	63
126530	63
126531	63
126532	63
126533	63
126534	63
126535	63
126536	63
126537	63
126538	63
126539	63
126540	63
126541	63
126542	63
126543	63
126544	63
126545	63
126546	63
126547	63
126548	63
126549	63
126550	63
126551	63
126552	63
126553	63
126554	63
126555	63
126556	63
126557	63
126558	63
126559	63
126560	63
126561	63
126562	63
126563	63
126564	63
126565	63
126566	63
126567	63
126568	63
126569	63
126570	63
126571	63
126572	63
126573	63
126574	63
126575	63
126576	63
126577	63
126578	63
126579	63
126580	63
126581	63
126582	63
126583	63
126584	63
126585	63
126586	63
126587	63
126588	63
126589	63
126590	63
126591	63
126592	63
126593	63
126594	63
126595	63
126596	63
126597	63
126598	63
126599	63
126600	63
126601	63
126602	63
126603	63
126604	63
126605	63
126606	62
126607	62
126608	62
126609	62
126610	62
126611	62
126612	63
126613	63
126614	63
126615	63
126616	63
126617	63
126618	63
126619	63
126620	63
126621	63
126622	63
126623	63
126624	51
126625	51
126626	51
126627	51
126628	51
126629	51
126630	51
126631	51
126632	51
126633	51
126634	51
126635	51
126636	51
126637	51

Part Number Index

www.BradyID.com

Catalog #	Page #
126638	51
126639	51
126640	51
126641	51
126642	51
126643	51
126644	51
126645	51
126646	51
126647	51
126648	51
126649	51
126650	51
126651	51
126652	51
126653	51
126654	51
126655	51
126656	51
126657	51
126658	51
126659	51
126660	51
126661	51
126662	51
126663	51
126664	51
126665	51
126666	51
126667	51
126668	51
126669	51
126670	51
126671	51
126672	51
126673	51
126674	51
126675	51
126676	51
126677	51
126678	51
126679	51
126680	51
126681	51
126682	51
126683	51
126684	51
126685	51
126686	51
126687	51
126688	51
126689	51
126690	51
126691	51
126692	51
126693	51
126694	51
126695	51
126696	69
126697	69
126698	69
126699	69
126700	69
126701	69
126702	69
126703	69
126704	69
126705	69
126706	69
126707	69
126708	69
126709	69
126710	69
126711	69
126712	69
126713	69
126714	69
126715	69
126716	69
126717	69
126718	69
126719	69
126720	69
126721	69
126722	69
126723	69
126724	69
126725	69
126726	69
126727	69
126728	69
126729	69
126730	69
126731	69
126732	69
126733	69
126734	69
126735	69
126736	69
126737	69
126738	69
126739	69
126740	69
126741	69
126742	69
126743	69
126744	69
126745	69
126746	69
126747	69
126748	69
126749	69
126750	69
126751	69
126752	69
126753	69
126754	69
126755	69
126756	69
126757	69
126758	69
126759	69
126760	69
126761	69
126762	70
126763	70
126764	70
126765	70
126766	70
126767	70
126768	70
126769	70
126770	70
126771	70
126772	70
126773	70
126774	70
126775	70
126776	70
126777	70
126778	70
126779	70
126780	69
126781	69
126782	69
126783	69
126784	69
126785	69
126786	70
126787	70
126788	70
126789	70
126790	70
126791	70
126792	70
126793	70
126794	70
126795	70
126796	70
126797	70
126798	70
126799	70
126800	70
126801	70
126802	70
126803	70
126804	70
126805	70
126806	70
126807	70
126808	70
126809	70
126810	69
126811	69
126812	69
126813	69
126814	69
126815	69
126816	70
126817	70
126818	70
126819	70
126820	70
126821	70
126822	71
126823	71
126824	71
126825	71
126826	71
126827	71
126828	70
126829	70
126830	70
126831	70
126832	70
126833	70
126834	70
126835	70
126836	70
126837	70
126838	70
126839	70
126840	71
126841	71
126842	71
126843	71
126844	71
126845	71
126846	71
126847	71
126848	71
126849	71
126850	71
126851	71
126852	71
126853	71
126854	71
126855	71
126856	71
126857	71
126858	71
126859	71
126860	71
126861	71
126862	71
126863	71
126864	71
126865	71
126866	71
126867	71
126868	71
126869	71
126870	71
126871	71
126872	71
126873	71
126874	71
126875	71
126876	71
126877	71
126878	71
126879	71
126880	71
126881	71
126882	71
126883	71
126884	71
126885	71
126886	71
126887	71
126888	71
126889	71
126890	71
126891	71
126892	71
126893	71
126894	71
126895	71
126896	71
126897	71
126898	71
126899	71
126900	71
126901	71
126902	71
126903	71
126904	71
126905	71
126906	71
126907	71
126908	71
126909	71
126910	71
126911	71
126912	71
126913	71
126914	71
126915	71
126916	71
126917	71
126918	71
126919	71
126920	71
126921	71
126922	71
126923	71
126924	71
126925	71
126926	71
126927	71
126928	71
126929	71
126930	71
126931	71
126932	71
126933	71
126934	71
126935	71
126936	74
126937	74
126938	74
126939	74
126940	74
126941	74
126942	74
126943	74
126944	74
126945	74
126946	74
126947	74
126948	74
126949	74
126950	74
126951	74
126952	74
126953	74
126954	74
126955	74
126956	74
126957	74
126958	74
126959	74
126960	74
126961	74
126962	74
126963	74
126964	74
126965	74
126966	74
126967	74
126968	74
126969	74
126970	74
126971	74
126972	74
126973	74
126974	74
126975	74
126976	74
126977	74
126978	74
126979	74
126980	74
126981	74
126982	74
126983	74
126984	74
126985	74
126986	74
126987	74
126988	74
126989	74
126990	75
126991	75
126992	75
126993	75
126994	75
126995	75
126996	74
126997	74
126998	74
126999	74
127000	74
127001	74
127002	75
127003	75
127004	75
127005	75
127006	75
127007	75
127008	75
127009	75
127010	75
127011	75
127012	75
127013	75
127014	75
127015	75
127016	75
127017	75
127018	75
127019	75
127020	75
127021	75
127022	75
127023	75
127024	75
127025	75
127026	76
127027	76
127028	76
127029	76
127030	76
127031	76
127032	76
127033	76
127034	76
127035	76
127036	76
127037	76
127038	76
127039	76
127040	76
127041	76
127042	76
127043	76
127044	76
127045	76
127046	76
127047	76
127048	76
127049	76
127050	77
127051	77
127052	77
127053	77
127054	77
127055	77
127056	72
127057	72
127058	72
127059	72
127060	72
127061	72
127062	72
127063	72
127064	72
127065	72
127066	72
127067	72
127068	33
127069	33
127070	33
127071	33
127072	33
127073	33
127074	72
127075	72
127076	72
127077	72
127078	72
127079	72
127080	73
127081	73
127082	73
127083	73
127084	73
127085	73
127086	77
127087	77
127088	77
127089	77
127090	77
127091	77
127092	73
127093	73
127094	73
127095	73
127096	73
127097	73
127098	81
127099	81
127100	81
127101	81
127102	81
127103	81
127104	77
127105	77
127106	77
127107	77
127108	77
127109	77
127110	85
127111	85
127112	85
127113	85
127114	85
127115	85
127116	85
127117	85
127118	85
127119	85
127120	85
127121	85
127122	85
127123	85
127124	85
127125	85
127126	85
127127	85
127128	85
127129	85
127130	85
127131	85
127132	85
127133	85
127134	85
127135	85
127136	85
127137	85
127138	85
127139	85
127140	85
127141	85
127142	85
127143	85
127144	85
127145	85
127146	85
127147	85
127148	85
127149	85
127150	85
127151	85
127152	85
127153	85
127154	85
127155	85
127156	85
127157	85
127158	85
127159	85
127160	85
127161	85
127162	85
127163	85
127164	85
127165	85
127166	85
127167	85
127168	85
127169	85
127170	85
127171	85
127172	85
127173	85
127174	85
127175	85
127176	85
127177	85
127178	85
127179	85
127180	85
127181	85
127182	85
127183	85
127184	85
127185	85
127186	85
127187	85
127188	86
127189	86
127190	86
127191	86
127192	86
127193	86
127194	86
127195	86
127196	86
127197	86
127198	86
127199	86
127200	87
127201	87
127202	87
127203	87
127204	87
127205	87
127206	87
127207	87
127208	87
127209	87
127210	87
127211	87
127212	86
127213	86
127214	86
127215	86
127216	86
127217	86
127218	88
127219	88
127220	88
127221	88
127222	88
127223	88
127224	86
127225	86
127226	86
127227	86
127228	86
127229	86
127230	86
127231	86
127232	86
127233	86
127234	86
127235	86
127236	89
127237	89
127238	89
127239	89
127240	89
127241	89
127242	89
127243	89
127244	89
127245	89
127246	89
127247	89
127248	89
127249	89
127250	89
127251	89
127252	89
127253	89
127254	89
127255	89
127256	89
127257	89
127258	89
127259	89
127260	89
127261	89
127262	89
127263	89
127264	89
127265	89
127266	89
127267	89
127268	89
127269	89
127270	89
127271	89
127272	89
127273	89
127274	89
127275	89
127276	89
127277	89
127278	90
127279	90
127280	90
127281	90
127282	90
127283	90
127284	90
127285	90
127286	90
127287	90
127288	90
127289	90
127290	90
127291	90
127292	90
127293	90
127294	90
127295	90
127296	90
127297	90
127298	90
127299	90
127300	90
127301	90
127302	90
127303	90
127304	90
127305	90
127306	90
127307	90
127308	90
127309	90
127310	90
127311	90
127312	90
127313	90
127314	90
127315	90
127316	90
127317	90
127318	90
127319	90
127320	90
127321	90
127322	90
127323	90
127324	90
127325	90
127326	90
127327	90
127328	90
127329	90
127330	90
127331	90
127332	90
127333	90
127334	90
127335	90
127336	90
127337	90
127338	86
127339	86
127340	86
127341	86
127342	86
127343	86
127344	84
127345	84
127346	84
127347	84
127348	84
127349	84
127350	84
127351	84
127352	84
127353	84
127354	84
127355	84
127356	84
127357	84
127358	84
127359	84
127360	84
127361	84
127362	84
127363	84
127364	84
127365	84
127366	84
127367	84
127368	84
127369	84
127370	84
127371	84
127372	84
127373	84
127374	93
127375	93
127376	93
127377	93
127378	93
127379	93
127380	93
127381	93
127382	93
127383	93
127384	93
127385	93
127386	93
127387	93
127388	93
127389	93
127390	93
127391	93
127392	91
127393	91
127394	91
127395	91
127396	91
127397	91

Catalog #	Page #
127398	91
127399	91
127400	91
127401	91
127402	91
127403	91
127404	91
127405	91
127406	91
127407	91
127408	91
127409	91
127410	91
127411	91
127412	91
127413	91
127414	91
127415	91
127416	91
127417	91
127418	91
127419	91
127420	91
127421	91
127422	91
127423	91
127424	91
127425	91
127426	91
127427	91
127428	91
127429	91
127430	91
127431	91
127432	91
127433	91
127434	92
127435	92
127436	92
127437	92
127438	92
127439	92
127440	92
127441	92
127442	92
127443	92
127444	92
127445	92
127446	92
127447	92
127448	92
127449	92
127450	92
127451	92
127452	157
127453	157
127454	157
127455	157
127456	157
127457	157
127458	157
127459	157
127460	157
127461	157
127462	157
127463	157
127464	157
127465	157
127466	157
127467	157
127468	157
127469	157
127470	157
127471	157
127472	157
127473	157
127474	157
127475	157
127476	157
127477	157
127478	157
127479	157
127480	157
127481	157
127482	102
127483	102
127484	102
127485	102
127486	102
127487	102
127488	102
127489	102
127490	102
127491	102
127492	102
127493	102
127494	102
127495	102
127496	102
127497	102
127498	102
127499	102
127500	102
127501	102
127502	102
127503	102
127504	102
127505	102
127506	102
127507	102
127508	102
127509	102
127510	102
127511	102
127512	102
127513	102
127514	102
127515	102
127516	102
127517	102
127518	102
127519	102
127520	102
127521	102
127522	102
127523	102
127524	102
127525	102
127526	102
127527	102
127528	102
127529	102
127530	102
127531	102
127532	102
127533	102
127534	102
127535	102
127536	103
127537	103
127538	103
127539	103
127540	103
127541	103
127542	102
127543	102
127544	102
127545	102
127546	102
127547	102
127548	103
127549	103
127550	103
127551	103
127552	103
127553	103
127554	103
127555	103
127556	103
127557	103
127558	103
127559	103
127560	103
127561	103
127562	103
127563	103
127564	103
127565	103
127566	103
127567	103
127568	103
127569	103
127570	103
127571	103
127572	103
127573	103
127574	103
127575	103
127576	103
127577	103
127578	103
127579	103
127580	103
127581	103
127582	103
127583	103
127584	103
127585	103
127586	103
127587	103
127588	103
127589	103
127590	103
127591	103
127592	103
127593	103
127594	103
127595	103
127596	104
127597	104
127598	104
127599	104
127600	104
127601	104
127602	104
127603	104
127604	104
127605	104
127606	104
127607	104
127608	104
127609	104
127610	104
127611	104
127612	104
127613	104
127614	104
127615	104
127616	104
127617	104
127618	104
127619	104
127620	104
127621	104
127622	104
127623	104
127624	104
127625	104
127626	104
127627	104
127628	104
127629	104
127630	104
127631	104
127632	104
127633	104
127634	104
127635	104
127636	104
127637	104
127638	104
127639	104
127640	104
127641	104
127642	104
127643	104
127644	105
127645	105
127646	105
127647	105
127648	105
127649	105
127650	105
127651	105
127652	105
127653	105
127654	105
127655	105
127656	105
127657	105
127658	105
127659	105
127660	105
127661	105
127662	105
127663	105
127664	105
127665	105
127666	105
127667	105
127668	105
127669	105
127670	105
127671	105
127672	105
127673	105
127674	106
127675	106
127676	106
127677	106
127678	106
127679	106
127680	106
127681	106
127682	106
127683	106
127684	106
127685	106
127686	106
127687	106
127688	106
127689	106
127690	106
127691	106
127692	106
127693	106
127694	106
127695	106
127696	106
127697	106
127698	106
127699	106
127700	106
127701	106
127702	106
127703	106
127704	106
127705	106
127706	106
127707	106
127708	106
127709	106
127710	107
127711	107
127712	107
127713	107
127714	107
127715	107
127716	107
127717	107
127718	107
127719	107
127720	107
127721	107
127722	112
127723	112
127724	112
127725	112
127726	112
127727	112
127728	112
127729	112
127730	112
127731	112
127732	112
127733	112
127734	112
127735	112
127736	112
127737	112
127738	112
127739	112
127740	113
127741	113
127742	113
127743	113
127744	113
127745	113
127746	113
127747	113
127748	113
127749	113
127750	113
127751	113
127752	113
127753	113
127754	113
127755	113
127756	113
127757	113
127758	113
127759	113
127760	113
127761	113
127762	113
127763	113
127764	113
127765	113
127766	113
127767	113
127768	113
127769	113
127770	113
127771	113
127772	113
127773	113
127774	113
127775	113
127776	113
127777	113
127778	113
127779	113
127780	113
127781	113
127782	113
127783	113
127784	113
127785	113
127786	113
127787	113
127788	114
127789	114
127790	114
127791	114
127792	114
127793	114
127794	114
127795	114
127796	114
127797	114
127798	114
127799	114
127800	108
127801	108
127802	108
127803	108
127804	108
127805	108
127806	108
127807	108
127808	108
127809	108
127810	108
127811	108
127812	108
127813	108
127814	108
127815	108
127816	108
127817	108
127818	108
127819	108
127820	108
127821	108
127822	108
127823	108
127824	111
127825	111
127826	111
127827	111
127828	111
127829	111
127830	109
127831	109
127832	109
127833	109
127834	109
127835	109
127836	108
127837	108
127838	108
127839	108
127840	108
127841	108
127842	108
127843	108
127844	108
127845	108
127846	108
127847	108
127848	109
127849	109
127850	109
127851	109
127852	109
127853	109
127854	108
127855	108
127856	108
127857	108
127858	108
127859	108
127860	108
127861	108
127862	108
127863	108
127864	108
127865	108
127866	108
127867	108
127868	108
127869	108
127870	108
127871	108
127872	109
127873	109
127874	109
127875	109
127876	109
127877	109
127878	109
127879	109
127880	109
127881	109
127882	109
127883	109
127884	109
127885	109
127886	109
127887	109
127888	109
127889	109
127890	109
127891	109
127892	109
127893	109
127894	109
127895	109
127896	110
127897	110
127898	110
127899	110
127900	110
127901	110
127902	110
127903	110
127904	110
127905	110
127906	110
127907	110
127908	110
127909	110
127910	110
127911	110
127912	110
127913	110
127914	110
127915	110
127916	110
127917	110
127918	110
127919	110
127920	111
127921	111
127922	111
127923	111
127924	111
127925	111
127926	111
127927	111
127928	111
127929	111
127930	111
127931	111
127932	111
127933	111
127934	111
127935	111
127936	111
127937	111
127938	112
127939	112
127940	112
127941	112
127942	112
127943	112
127944	115
127945	115
127946	115
127947	115
127948	115
127949	115
127950	114
127951	114
127952	114
127953	114
127954	114
127955	114
127956	114
127957	114
127958	114
127959	114
127960	114
127961	114
127962	115
127963	115
127964	115
127965	115
127966	115
127967	115
127968	122
127969	122
127970	122
127971	122
127972	122
127973	122
127974	122
127975	122
127976	122
127977	122
127978	122
127979	122
127980	122
127981	122
127982	122
127983	122
127984	122
127985	122
127986	122
127987	122
127988	122
127989	122
127990	122
127991	122
127992	122
127993	122
127994	122
127995	122
127996	122
127997	122
127998	123
127999	123
128000	123
128001	123
128002	123
128003	123
128004	123
128005	123
128006	123
128007	123
128008	123
128009	123
128010	124
128011	124
128012	124
128013	124
128014	124
128015	124
128016	124
128017	124
128018	124
128019	124
128020	124
128021	124
128022	124
128023	124
128024	124
128025	124
128026	124
128027	124
128028	124
128029	124
128030	124
128031	124
128032	124
128033	124
128034	123
128035	123
128036	123
128037	123
128038	123
128039	123
128040	124
128041	124
128042	124
128043	124
128044	124
128045	124
128046	124
128047	124
128048	124
128049	124
128050	124
128051	124
128052	124
128053	124
128054	124
128055	124
128056	124
128057	124
128058	124
128059	124
128060	124
128061	124
128062	124
128063	124
128064	125
128065	125
128066	125
128067	125
128068	125
128069	125
128070	124
128071	124
128072	124
128073	124
128074	124
128075	124
128076	125
128077	125
128078	125
128079	125
128080	125
128081	125
128082	125
128083	125
128084	125
128085	125
128086	125
128087	125
128088	125
128089	125
128090	125
128091	125
128092	125
128093	125
128094	125
128095	125
128096	125
128097	125
128098	125
128099	125
128100	120
128101	120
128102	120
128103	120
128104	120
128105	120
128106	120
128107	120
128108	120
128109	120
128110	120
128111	120
128112	125
128113	125
128114	125
128115	125
128116	125
128117	125
128118	120
128119	120
128120	120
128121	120
128122	120
128123	120
128124	120
128125	120
128126	120
128127	120
128128	120
128129	120
128130	120
128131	120
128132	120
128133	120
128134	120
128135	120
128136	120
128137	120
128138	120
128139	120
128140	120
128141	120
128142	121
128143	121
128144	121
128145	121
128146	121
128147	121
128148	121
128149	121
128150	121
128151	121
128152	121
128153	121
128154	121
128155	121
128156	121
128157	121

Part Number Index

www.BradyID.com

Catalog #	Page #
128158	121
128159	121
128160	121
128161	121
128162	121
128163	121
128164	121
128165	121
128166	121
128167	121
128168	121
128169	121
128170	121
128171	121
128172	122
128173	122
128174	122
128175	122
128176	122
128177	122
128178	122
128179	122
128180	122
128181	122
128182	122
128183	122
128184	122
128185	122
128186	122
128187	122
128188	122
128189	122
128190	117
128191	117
128192	117
128193	117
128194	117
128195	117
128196	117
128197	117
128198	117
128199	117
128200	117
128201	117
128202	117
128203	117
128204	117
128205	117
128206	117
128207	117
128208	118
128209	118
128210	118
128211	118
128212	118
128213	118
128214	114
128215	114
128216	114
128217	114
128218	114
128219	114
128220	117
128221	117
128222	117
128223	117
128224	117
128225	117
128226	118
128227	118
128228	118
128229	118
128230	118
128231	118
128232	118
128233	118
128234	118
128235	118
128236	118
128237	118
128238	118
128239	118
128240	118
128241	118
128242	118
128243	118
128244	118
128245	118
128246	118
128247	118
128248	118
128249	118
128250	118
128251	118
128252	118
128253	118
128254	118
128255	118
128256	118
128257	118
128258	118
128259	118
128260	118
128261	118
128262	118
128263	118
128264	118
128265	118
128266	118
128267	118
128268	118
128269	118
128270	118
128271	118
128272	118
128273	118
128274	118
128275	118
128276	118
128277	118
128278	118
128279	118
128280	118
128281	118
128282	118
128283	118
128284	118
128285	118
128286	115
128287	115
128288	115
128289	115
128290	115
128291	115
128292	118
128293	118
128294	118
128295	119
128296	118
128297	118
128298	119
128299	119
128300	119
128301	119
128302	119
128303	119
128304	119
128305	119
128306	119
128307	119
128308	119
128309	119
128310	126
128311	126
128312	126
128313	126
128314	126
128315	126
128316	119
128317	119
128318	119
128319	119
128320	119
128321	119
128322	115
128323	115
128324	115
128325	115
128326	115
128327	115
128328	126
128329	126
128330	126
128331	126
128332	126
128333	126
128334	119
128335	119
128336	119
128337	119
128338	119
128339	119
128340	114
128341	114
128342	114
128343	114
128344	114
128345	114
128346	114
128347	114
128348	114
128349	114
128350	114
128351	114
128352	114
128353	114
128354	114
128355	114
128356	114
128357	114
128358	114
128359	114
128360	114
128361	114
128362	114
128363	114
128364	115
128365	115
128366	115
128367	115
128368	115
128369	115
128370	115
128371	115
128372	115
128373	115
128374	115
128375	115
128376	115
128377	115
128378	115
128379	115
128380	115
128381	115
128382	126
128383	126
128384	126
128385	126
128386	126
128387	126
128388	115
128389	115
128390	115
128391	115
128392	115
128393	115
128394	112
128395	112
128396	112
128397	112
128398	112
128399	112
128400	112
128401	112
128402	112
128403	112
128404	112
128405	112
128406	112
128407	112
128408	112
128409	112
128410	112
128411	112
128412	116
128413	116
128414	116
128415	116
128416	116
128417	116
128418	117
128419	117
128420	117
128421	117
128422	117
128423	117
128424	135
128425	135
128426	135
128427	135
128428	135
128429	135
128430	117
128431	117
128432	117
128433	117
128434	117
128435	117
128436	117
128437	117
128438	117
128439	117
128440	117
128441	117
128442	113
128443	113
128444	113
128445	113
128446	113
128447	113
128448	126
128449	126
128450	126
128451	126
128452	126
128453	126
128454	126
128455	126
128456	126
128457	126
128458	126
128459	126
128460	137
128461	137
128462	137
128463	137
128464	137
128465	137
128466	137
128467	137
128468	137
128469	137
128470	137
128471	137
128472	137
128473	137
128474	137
128475	137
128476	137
128477	137
128478	137
128479	137
128480	137
128481	137
128482	137
128483	137
128484	137
128485	137
128486	137
128487	137
128488	137
128489	137
128490	137
128491	137
128492	137
128493	137
128494	137
128495	137
128496	138
128497	138
128498	138
128499	138
128500	138
128501	138
128502	138
128503	138
128504	138
128505	138
128506	138
128507	138
128508	138
128509	138
128510	138
128511	138
128512	138
128513	138
128514	127
128515	127
128516	127
128517	127
128518	127
128519	127
128520	127
128521	127
128522	127
128523	127
128524	127
128525	127
128526	128
128527	128
128528	128
128529	128
128530	128
128531	128
128532	128
128533	128
128534	128
128535	128
128536	128
128537	128
128538	129
128539	129
128540	129
128541	129
128542	129
128543	129
128544	129
128545	129
128546	129
128547	129
128548	129
128549	129
128550	129
128551	129
128552	129
128553	129
128554	129
128555	129
128556	129
128557	129
128558	129
128559	129
128560	129
128561	129
128562	130
128563	130
128564	130
128565	130
128566	130
128567	130
128568	129
128569	129
128570	129
128571	129
128572	129
128573	129
128574	130
128575	130
128576	130
128577	130
128578	130
128579	130
128580	130
128581	130
128582	130
128583	130
128584	130
128585	130
128586	130
128587	130
128588	130
128589	130
128590	130
128591	130
128592	131
128593	131
128594	131
128595	131
128596	131
128597	131
128598	131
128599	131
128600	131
128601	131
128602	131
128603	131
128604	131
128605	131
128606	131
128607	131
128608	131
128609	131
128610	131
128611	131
128612	131
128613	131
128614	131
128615	131
128616	129
128617	129
128618	129
128619	129
128620	129
128621	129
128622	38
128623	38
128624	38
128625	38
128626	38
128627	38
128628	131
128629	131
128630	131
128631	131
128632	131
128633	131
128634	131
128635	131
128636	131
128637	131
128638	131
128639	131
128640	131
128641	131
128642	131
128643	131
128644	131
128645	131
128646	131
128647	131
128648	131
128649	131
128650	131
128651	131
128652	131
128653	131
128654	131
128655	131
128656	131
128657	131
128658	131
128659	131
128660	131
128661	131
128662	131
128663	131
128664	131
128665	131
128666	131
128667	131
128668	131
128669	131
128670	131
128671	131
128672	131
128673	131
128674	131
128675	131
128676	138
128677	138
128678	138
128679	138
128680	138
128681	138
128682	138
128683	138
128684	138
128685	138
128686	138
128687	138
128688	138
128689	138
128690	138
128691	138
128692	138
128693	138
128694	132
128695	132
128696	132
128697	132
128698	132
128699	132
128700	132
128701	132
128702	132
128703	132
128704	132
128705	132
128706	132
128707	132
128708	132
128709	132
128710	132
128711	132
128712	132
128713	132
128714	132
128715	132
128716	132
128717	132
128718	132
128719	132
128720	132
128721	132
128722	132
128723	132
128724	132
128725	132
128726	132
128727	132
128728	132
128729	132
128730	132
128731	132
128732	132
128733	132
128734	132
128735	132
128736	132
128737	132
128738	132
128739	132
128740	132
128741	132
128742	132
128743	132
128744	132
128745	132
128746	132
128747	132
128748	133
128749	133
128750	133
128751	133
128752	133
128753	133
128754	133
128755	133
128756	133
128757	133
128758	133
128759	133
128760	133
128761	133
128762	133
128763	133
128764	133
128765	133
128766	133
128767	133
128768	133
128769	133
128770	133
128771	133
128772	133
128773	133
128774	133
128775	133
128776	133
128777	133
128778	133
128779	133
128780	133
128781	133
128782	133
128783	133
128784	133
128785	133
128786	133
128787	133
128788	133
128789	133
128790	112
128791	112
128792	112
128793	112
128794	112
128795	112
128796	133
128797	133
128798	133
128799	133
128800	133
128801	133
128802	133
128803	133
128804	133
128805	133
128806	133
128807	133
128808	134
128809	134
128810	134
128811	134
128812	134
128813	134
128814	134
128815	134
128816	134
128817	134
128818	134
128819	134
128820	134
128821	134
128822	134
128823	134
128824	134
128825	134
128826	134
128827	134
128828	134
128829	134
128830	134
128831	134
128832	134
128833	134
128834	134
128835	134
128836	134
128837	134
128838	134
128839	134
128840	134
128841	134
128842	134
128843	134
128844	134
128845	134
128846	134
128847	134
128848	134
128849	134
128850	134
128851	134
128852	134
128853	134
128854	134
128855	134
128856	134
128857	134
128858	134
128859	134
128860	134
128861	134
128862	134
128863	134
128864	134
128865	134
128866	134
128867	134
128868	135
128869	135
128870	135
128871	135
128872	135
128873	135
128874	135
128875	135
128876	135
128877	135
128878	135
128879	135
128880	135
128881	135
128882	135
128883	135
128884	135
128885	135
128886	135
128887	135
128888	135
128889	135
128890	135
128891	135
128892	135
128893	135
128894	135
128895	135
128896	135
128897	135
128898	135
128899	135
128900	135
128901	135
128902	135
128903	135
128904	135
128905	135
128906	135
128907	135
128908	135
128909	135
128910	135
128911	135
128912	135
128913	135
128914	135
128915	135
128916	135
128917	135

Catalog #	Page #
128918	135
128919	135
128920	135
128921	135
128922	135
128923	135
128924	135
128925	135
128926	135
128927	135
128928	135
128929	135
128930	135
128931	135
128932	135
128933	135
128934	135
128935	135
128936	135
128937	135
128938	135
128939	135
128940	135
128941	135
128942	135
128943	135
128944	135
128945	135
128946	135
128947	135
128948	135
128949	135
128950	135
128951	135
128952	136
128953	136
128954	136
128955	136
128956	136
128957	136
128958	136
128959	136
128960	136
128961	136
128962	136
128963	136
128964	136
128965	136
128966	136
128967	136
128968	136
128969	136
128970	136
128971	136
128972	136
128973	136
128974	136
128975	136
128976	136
128977	136
128978	136
128979	136
128980	136
128981	136
128982	136
128983	136
128984	136
128985	136
128986	136
128987	136
128988	136
128989	136
128990	136
128991	136
128992	136
128993	136
128994	136
128995	136
128996	136
128997	136
128998	136
128999	136
129000	136
129001	136
129002	136
129003	136
129004	136
129005	136
129006	136
129007	136
129008	136
129009	136
129010	136
129011	136
129012	136
129013	136
129014	136
129015	136
129016	136
129017	136
129018	136
129019	136
129020	136
129021	136
129022	136
129023	136
129024	39
129025	39
129026	39
129027	39
129028	39
129029	39
129030	127
129031	127
129032	127
129033	127
129034	127
129035	127
129036	127
129037	127
129038	127
129039	127
129040	127
129041	127
129042	128
129043	128
129044	128
129045	128
129046	128
129047	128
129048	128
129049	128
129050	128
129051	128
129052	128
129053	128
129054	105
129055	105
129056	105
129057	105
129058	105
129059	105
129060	105
129061	105
129062	105
129063	105
129064	105
129065	105
129066	106
129067	106
129068	106
129069	106
129070	106
129071	106
129072	106
129073	106
129074	106
129075	106
129076	106
129077	106
129078	107
129079	107
129080	107
129081	107
129082	107
129083	107
129084	105
129085	105
129086	105
129087	105
129088	105
129089	105
129090	107
129091	107
129092	107
129093	107
129094	107
129095	107
129096	132
129097	132
129098	132
129099	132
129100	132
129101	132
129102	132
129103	132
129104	132
129105	132
129106	132
129107	132
129108	112
129109	112
129110	112
129111	112
129112	112
129113	112
129114	113
129115	113
129116	113
129117	113
129118	113
129119	113
129120	113
129121	113
129122	113
129123	113
129124	113
129125	113
129126	113
129127	113
129128	113
129129	113
129130	113
129131	113
129132	136
129133	136
129134	136
129135	136
129136	136
129137	136
129138	114
129139	114
129140	114
129141	114
129142	114
129143	114
129144	114
129145	114
129146	114
129147	114
129148	114
129149	114
129150	115
129151	115
129152	115
129153	115
129154	115
129155	115
129156	139
129157	139
129158	139
129159	139
129160	139
129161	139
129162	139
129163	139
129164	139
129165	139
129166	139
129167	139
129168	129
129169	129
129170	130
129171	130
129172	129
129173	129
129174	139
129175	139
129176	139
129177	139
129178	139
129179	139
129180	139
129181	139
129182	139
129183	139
129184	139
129185	139
129186	139
129187	139
129188	139
129189	139
129190	139
129191	139
129192	34
129193	34
129194	34
129195	34
129196	34
129197	34
129198	141
129199	141
129200	141
129201	141
129202	141
129203	141
129204	141
129205	141
129206	141
129207	141
129208	141
129209	141
129210	141
129211	141
129212	141
129213	141
129214	141
129215	141
129216	141
129217	141
129218	141
129219	141
129220	141
129221	141
129222	141
129223	141
129224	141
129225	141
129226	141
129227	141
129228	139
129229	139
129230	139
129231	139
129232	139
129233	139
129234	139
129235	139
129236	139
129237	139
129238	139
129239	139
129240	139
129241	139
129242	139
129243	139
129244	139
129245	139
129246	139
129247	139
129248	139
129249	139
129250	139
129251	139
129252	139
129253	139
129254	139
129255	139
129256	139
129257	139
129258	139
129259	139
129260	139
129261	139
129262	139
129263	139
129264	139
129265	139
129266	139
129267	139
129268	139
129269	139
129270	140
129271	140
129272	140
129273	140
129274	140
129275	140
129276	139
129277	139
129278	139
129279	139
129280	139
129281	139
129282	140
129283	140
129284	140
129285	140
129286	140
129287	140
129288	140
129289	140
129290	140
129291	140
129292	140
129293	140
129294	140
129295	140
129296	140
129297	140
129298	140
129299	140
129300	140
129301	140
129302	140
129303	140
129304	140
129305	140
129306	140
129307	140
129308	140
129309	140
129310	140
129311	140
129312	140
129313	140
129314	140
129315	140
129316	140
129317	140
129318	140
129319	140
129320	140
129321	140
129322	140
129323	140
129324	140
129325	140
129326	140
129327	140
129328	140
129329	140
129330	140
129331	140
129332	140
129333	140
129334	140
129335	140
129336	140
129337	140
129338	140
129339	140
129340	140
129341	140
129342	141
129343	141
129344	141
129345	142
129346	142
129347	142
129348	142
129349	142
129350	142
129351	142
129352	142
129353	142
129354	142
129355	142
129356	142
129357	142
129358	142
129359	142
129360	142
129361	142
129362	142
129363	142
129364	142
129365	142
129366	142
129367	142
129368	142
129369	142
129370	142
129371	142
129372	142
129373	142
129374	142
129375	142
129376	142
129377	142
129378	142
129379	142
129380	142
129381	142
129382	142
129383	142
129384	142
129385	142
129386	142
129387	142
129388	142
129389	142
129390	142
129391	142
129392	142
129393	142
129394	142
129395	142
129396	142
129397	142
129398	142
129399	143
129400	143
129401	143
129402	143
129403	143
129404	143
129405	151
129406	151
129407	151
129408	151
129409	151
129410	151
129411	153
129412	153
129413	153
129414	153
129415	153
129416	153
129417	153
129418	153
129419	153
129420	153
129421	153
129422	153
129423	169
129424	169
129425	169
129426	163
129427	163
129428	163
129429	163
129430	163
129431	163
129432	167
129433	167
129434	167
129435	166
129436	166
129437	166
129438	167
129439	167
129440	167
129441	168
129442	168
129443	168
129444	168
129445	168
129446	168
129447	171
129448	171
129449	171
129450	163
129451	163
129452	163
129453	160
129454	160
129455	160
129456	160
129457	160
129458	160
129459	170
129460	170
129461	170
129462	164
129463	164
129464	164
129465	170
129466	170
129467	170
129468	162
129469	162
129470	162
129471	163
129472	163
129473	163
129474	166
129475	166
129476	166
129477	163
129478	163
129479	163
129480	166
129481	166
129482	166
129483	163
129484	163
129485	163
129486	163
129487	163
129488	163
129489	164
129490	164
129491	164
129492	164
129493	164
129494	164
129495	171
129496	171
129497	171
129498	171
129499	171
129500	171
129501	159
129502	159
129503	159
129504	159
129505	159
129506	159
129507	159
129508	159
129509	159
129510	159
129511	159
129512	159
129513	159
129514	159
129515	159
129516	159
129517	159
129518	159
129519	160
129520	160
129521	160
129522	160
129523	160
129524	160
129525	160
129526	160
129527	160
129528	160
129529	160
129530	160
129531	160
129532	160
129533	160
129534	160
129535	160
129536	160
129537	160
129538	160
129539	160
129540	160
129541	160
129542	160
129543	161
129544	161
129545	161
129546	161
129547	161
129548	161
129549	161
129550	161
129551	161
129552	161
129553	161
129554	161
129555	161
129556	161
129557	161
129558	161
129559	161
129560	161
129561	162
129562	162
129563	162
129564	162
129565	162
129566	162
129567	162
129568	162
129569	162
129570	163
129571	163
129572	163
129573	163
129574	163
129575	163
129576	163
129577	163
129578	163
129579	163
129580	163
129581	163
129582	163
129583	163
129584	163
129585	164
129586	164
129587	164
129588	164
129589	164
129590	164
129591	164
129592	164
129593	164
129594	167
129595	167
129596	167
129597	168
129598	168
129599	168
129600	167
129601	167
129602	167
129603	168
129604	168
129605	168
129606	168
129607	168
129608	168
129609	168
129610	168
129611	168
129612	170
129613	170
129614	170
129615	164
129616	164
129617	164
129618	163
129619	163
129620	163
129621	164
129622	164
129623	164
129624	165
129625	165
129626	165
129627	166
129628	166
129629	166
129630	166
129631	166
129632	166
129633	166
129634	166
129635	166
129636	166
129637	166
129638	166
129639	167
129640	167
129641	167
129642	162
129643	162
129644	162
129645	162
129646	162
129647	162
129648	162
129649	162
129650	162
129651	162
129652	162
129653	162
129654	162
129655	162
129656	162
129657	167
129658	167
129659	167
129660	167
129661	167
129662	167
129663	168
129664	168
129665	168
129666	170
129667	170
129668	170
129669	163
129670	163
129671	163
129672	164
129673	164
129674	164
129675	164
129676	164
129677	164

Part Number Index

www.BradyID.com

Catalog #	Page #
129678	167
129679	167
129680	167
129681	167
129682	167
129683	167
129684	162
129685	162
129686	162
129687	165
129688	165
129689	165
129690	165
129691	165
129692	165
129693	166
129694	166
129695	166
129696	165
129697	165
129698	165
129699	167
129700	167
129701	167
129702	170
129703	170
129704	170
129705	167
129706	167
129707	167
129708	167
129709	167
129710	167
129711	162
129712	162
129713	162
129714	163
129715	163
129716	163
129717	163
129718	163
129719	163
129720	164
129721	164
129722	164
129723	163
129724	163
129725	163
129726	168
129727	168
129728	168
129729	168
129730	168
129731	168
129732	165
129733	165
129734	165
129735	166
129736	166
129737	166
129738	167
129739	167
129740	167
129741	167
129742	167
129743	167
129744	166
129745	166
129746	166
129747	166
129748	166
129749	166
129750	170
129751	170
129752	170
129753	168
129754	168
129755	168
130748	343
130749	343
130750	343
130751	343
130752	343
130753	343
130754	343
130755	343
130756	343
130757	343
130758	343
130759	343
130760	343
130761	343
130762	343
130763	343
130764	343
130765	343
130766	344
130767	344
130768	344
130769	344
130770	344
130771	344
130772	344
130773	344
130774	344
130775	344
130776	344
130777	344
130808	343
130809	343
130810	343
130811	343
130812	343
130819	426
130820	426
130821	426
130822	426
130823	426
130824	426
131063	419
131064	419
131065	419
131066	419
131615	29
131616	29
131617	29
131618	29
131619	29
131620	29
131621	29
131622	29
131631	29
131632	29
131633	29
131634	29
131635	29
131636	29
131637	29
131638	29
131639	29
131640	29
131641	29
131642	29
131643	29
131644	29
131645	29
131646	29
131647	30
131648	30
131649	30
131650	30
131651	30
131652	30
131653	30
131654	30
131655	30
131656	30
131657	30
131658	30
131659	30
131660	30
131661	30
131662	30
131663	31
131664	31
131665	31
131666	31
131667	31
131668	31
131669	31
131670	31
131671	31
131672	31
131673	31
131674	31
131675	31
131676	31
131677	31
131678	31
131679	69
131680	69
131682	69
131687	70
131688	70
131689	70
131690	70
131691	70
131692	70
131693	70
131694	70
131697	75
131698	75
131699	75
131700	75
131701	75
131702	75
131703	75
131704	75
131705	75
131706	75
131707	75
131708	75
131709	75
131710	75
131711	75
131712	75
131713	75
131714	75
131715	30
131716	30
131717	30
131718	30
131719	30
131720	30
131721	30
131722	30
131729	76
131730	76
131731	121
131732	121
131733	121
131734	121
131735	121
131736	121
131737	121
131738	121
131739	61
131740	61
131741	61
131742	61
131743	61
131744	61
131745	61
131746	61
131747	57
131748	57
131749	57
131750	57
131751	57
131752	57
131753	57
131754	57
131755	59
131756	59
131757	59
131758	59
131759	59
131760	59
131761	59
131762	59
131763	59
131764	59
131765	59
131766	59
131767	59
131768	59
131769	59
131770	59
131771	58
131772	58
131773	58
131774	58
131775	58
131776	58
131777	58
131778	58
131779	120
131780	120
131781	120
131782	120
131783	120
131784	120
131785	120
131786	120
131787	58
131788	58
131789	58
131790	58
131791	58
131792	58
131793	58
131794	58
131795	58
131796	58
131797	58
131798	58
131799	58
131800	58
131801	58
131802	58
131803	57
131804	57
131805	57
131806	57
131807	57
131808	57
131809	57
131810	57
131811	57
131812	57
131813	57
131814	57
131815	57
131816	57
131817	57
131818	57
131819	56
131820	56
131821	56
131822	56
131823	56
131824	56
131825	56
131826	56
131829	57
131830	61
131831	60
131832	60
131833	60
131834	60
131835	60
131836	60
131837	60
131838	60
131839	60
131840	60
131841	60
131842	60
131843	60
131844	60
131845	60
131846	60
131853	60
131854	60
131859	56
131861	56
131862	56
131863	111
131864	111
131865	111
131866	111
131867	111
131868	111
131869	111
131870	111
131871	109
131872	109
131873	109
131874	109
131875	109
131876	109
131877	109
131878	109
131879	62
131880	62
131881	62
131882	62
131883	62
131884	62
131885	62
131886	62
131887	65
131888	65
131889	65
131890	65
131891	65
131892	65
131893	65
131894	65
131895	64
131896	64
131897	64
131898	64
131899	64
131900	64
131901	64
131902	64
131909	129
131910	129
131911	129
131912	129
131913	129
131914	129
131915	131
131916	131
131917	131
131918	131
131919	131
131920	131
131921	129
131922	129
131923	129
131924	129
131925	129
131926	129
131927	129
131928	129
131929	129
131930	129
131931	129
131932	129
131933	129
131934	129
131935	127
131936	127
131937	127
131938	127
131939	127
131940	127
131941	127
131942	127
131943	127
131944	127
131945	127
131946	127
131947	127
131948	127
131949	127
131950	127
131951	130
131952	130
131953	130
131954	130
131955	130
131956	130
131957	130
131958	130
131959	130
131960	130
131961	130
131962	130
131963	130
131964	130
131965	130
131966	130
131967	130
131968	130
131969	130
131970	130
131971	130
131972	130
131973	130
131974	130
131975	130
131976	130
131977	130
131978	130
131979	130
131980	130
131981	130
131982	130
131983	130
131984	130
131985	130
131986	130
131987	130
131988	130
131989	130
131990	130
131991	130
131992	130
131993	130
131994	130
131995	130
131996	130
131997	130
131998	130
131999	120
132000	120
132001	120
132002	120
132003	120
132004	120
132005	121
132006	121
132007	121
132008	121
132009	121
132010	121
132011	121
132012	121
132020	152
132021	152
132022	152
132023	152
132024	152
132025	152
132026	152
132027	119
132028	119
132029	119
132030	119
132031	119
132032	119
132033	119
132034	119
132035	119
132036	119
132037	119
132038	119
132039	119
132040	119
132041	151
132042	151
132043	151
132044	151
132045	151
132046	151
132047	151
132048	151
132049	161
132050	161
132051	161
132052	161
132053	161
132054	161
132055	161
132056	161
132057	30
132058	72
132059	72
132060	106
132061	106
132062	106
132063	106
132064	106
132065	106
132066	106
132067	106
132068	106
132069	106
132070	106
132071	106
132072	106
132073	106
132074	106
132075	106
132076	104
132077	104
132078	104
132079	104
132080	104
132081	104
132082	104
132083	104
132084	105
132085	105
132086	105
132087	105
132088	105
132089	105
132090	105
132091	105
132092	107
132093	107
132094	107
132095	107
132096	107
132097	107
132098	107
132099	107
132100	143
132101	143
132103	168
132104	73
132105	73
132106	73
132107	73
132108	73
132109	73
132110	73
132111	73
132112	73
132113	73
132114	73
132115	73
132116	73
132117	73
132118	73
132119	73
132120	73
132121	73
132122	73
132123	73
132124	73
132125	73
132126	73
132127	73
132128	73
132129	73
132130	73
132131	78
132136	86
132137	86
132138	86
132139	86
132140	86
132141	86
132142	86
132143	86
132144	86
132145	86
132146	86
132147	86
132148	86
132149	86
132150	86
132151	86
132152	78
132153	78
132154	78
132155	78
132156	78
132157	78
132158	78
132159	78
132160	78
132161	78
132162	78
132163	78
132164	78
132165	78
132166	78
132167	78
132168	78
132169	78
132170	78
132171	78
132172	78
132173	78
132174	78
132175	78
132176	78
132177	78
132178	78
132179	78
132180	78
132181	78
132182	78
132183	78
132184	80
132185	80
132186	80
132187	80
132188	80
132189	80
132190	80
132191	80
132200	77
132201	77
132214	37
132215	37
132216	37
132217	37
132218	37
132219	37
132220	37
132221	37
132222	98
132231	37
132232	37
132233	37
132234	37
132235	37
132236	37

Catalog #	Page #
132237	37
132238	37
132239	97
132240	37
132241	37
132242	37
132243	37
132244	37
132245	37
132246	37
132247	37
132392	343
132393	343
132394	343
132395	343
132421	204
132422	204
132423	204
132424	204
132425	204
132426	431
132427	431
132428	181
132429	181
132430	227
132431	227
132432	227
132433	227
132434	227
132435	227
132436	227
132437	227
132438	227
132439	227
132440	227
132441	227
132449	153
132451	153
132452	204
132453	204
132454	204
132457	181
132458	181
133133	337
133134	337
133139	337
133140	337
133141	337
133158	337
133159	337
133161	418
133162	418
133164	337
133165	337
133166	337
133207	181
133208	181
133209	181
133261	413
133262	413
133263	413
133264	413
133265	413
133266	413
133267	413
133268	413
133269	413
133270	413
133271	413
133272	413
133273	413
133274	413
133275	413
133276	413
133277	413
133278	413
133279	413
133280	413
133281	413
133282	413
133283	413
133284	413
133285	413
133286	413
133287	413
133288	413
133289	413
133290	413
133291	413
133292	413
133293	413
133294	413
133295	413
133296	413
133481	238
133482	238
133483	238
133484	238
133485	238
133486	238
133487	238
133488	238
133489	405
133490	405
133491	405
133492	405
133493	405
133494	405
133495	405
133496	405
133497	405
133498	405
133499	405
133544	405
133545	405
133546	405
133547	405
133548	405
133549	405
133550	405
133551	405
133552	405
133553	405
133554	405
133555	405
133556	405
133557	405
133558	405
133559	405
133560	405
133561	405
133563	405
133564	405
133565	405
133566	405
133567	405
134018	426
134030	394
134031	389
134032	386
134033	393
134034	389
134035	390
134036	401
134105	331
134106	331
134107	331
134108	331
134109	305
134110	305
134177	158
134178	158
134179	105
134180	105
134181	105
134182	105
134183	158
134184	158
134185	158
134186	158
134187	158
134188	158
134189	158
134190	158
134191	158
134192	158
134193	158
134194	158
134352	339
141908	38
141909	38
141910	38
141911	38
141912	38
141913	38
141914	38
141915	38
141916	38
141917	38
141919	123
141920	123
141921	123
141922	123
141923	123
141924	123
141925	123
141926	123
141928	123
141929	125
141930	125
141931	125
141932	125
141933	125
141934	125
141935	125
141936	125
141937	125
141938	125
141939	123
141940	123
141941	123
141942	123
141943	123
141944	123
141945	123
141946	123
141947	123
141948	123
141949	123
141950	123
141951	123
141952	123
141953	123
141954	123
141955	123
141956	123
141957	123
141958	123
141959	123
141960	123
141961	123
141962	123
141963	123
141964	123
141965	123
141966	123
141967	123
141968	123
141969	123
141970	123
141971	123
141972	123
141973	123
142109	230
142111	230
142132	237
142133	212
142133	350
142154	228
142154	336
142155	228
142155	336
142156	228
142156	336
142157	228
142157	336
142158	228
142158	336
142159	228
142159	336
142160	228
142160	336
142161	228
142161	336
142162	228
142162	336
142163	228
142163	336
142164	228
142164	336
142165	228
142165	336
142166	228
142166	336
142167	228
142167	336
142168	228
142168	336
142169	228
142169	336
142170	228
142170	336
142171	228
142171	336
142172	228
142172	336
142173	228
142173	336
142174	228
142174	336
142175	228
142175	336
142176	228
142176	336
142177	227
142178	227
142179	227
142180	227
142181	227
142253	431
142254	431
142255	431
142256	237
142257	237
142258	237
142259	237
142269	298
142270	298
142271	298
142272	298
142273	298
142274	298
142275	298
142276	298
142277	298
142278	298
142279	298
142280	298
142281	298
142282	298
142283	298
142284	298
142285	298
142286	298
142287	298
142288	298
142289	298
142290	298
142291	298
142292	298
142296	298
142297	298
142298	298
142302	298
142303	298
142304	298
142395	100
142396	100
142397	100
142398	100
142399	101
142400	101
142401	100
142402	100
142403	100
142404	101
142405	100
142406	100
142407	101
142408	101
142409	101
142410	100
142411	101
142412	100
142413	100
142414	101
142415	100
142416	100
142417	100
142418	101
142419	101
142420	101
142421	100
142422	100
142423	100
142424	100
142425	101
142426	101
142427	100
142428	100
142429	101
142430	101
142431	100
142432	100
142433	100
142434	100
142435	100
142436	100
142437	101
142438	100
142439	101
142440	100
142441	100
142442	100
142443	101
142444	100
142445	100
142446	101
142447	100
142448	100
142449	100
142450	100
142451	100
142452	100
142453	101
142454	101
142455	100
142456	100
142457	100
142458	101
142459	100
142460	100
142461	101
142462	101
142463	101
142464	100
142465	100
142466	100
142467	100
142468	101
142469	100
142470	100
142471	100
142472	101
142473	101
142474	101
142475	100
142476	100
142477	100
142478	100
142479	101
142480	101
142481	100
142482	100
142483	101
142484	101
142485	100
142486	100
142487	100
142488	100
142489	100
142490	100
142491	101
142492	100
142493	101
142494	100
142495	100
142496	100
142497	101
142498	100
142499	100
142500	101
142501	100
142502	100
142503	100
142504	100
142505	100
142506	100
142507	101
142508	101
142509	100
142510	100
142511	100
142512	101
142513	100
142514	100
142515	101
142516	101
142517	101
142518	100
142519	100
142520	100
142521	100
142522	101
142523	100
142524	100
142525	100
142526	101
142527	101
142528	101
142529	100
142530	100
142531	100
142532	100
142533	101
142534	101
142535	100
142536	100
142537	101
142538	101
142539	100
142540	100
142541	100
142542	100
142543	100
142544	100
142545	101
142546	100
142547	101
142548	100
142549	100
142550	100
142551	101
142552	100
142553	100
142554	101
142555	100
142556	100
142557	100
142558	100
142559	100
142560	100
142561	101
142562	101
142563	100
142564	100
142565	100
142566	101
142567	100
142568	100
142569	101
142570	101
142571	101
142572	100
142573	100
142574	100
142575	100
142576	101
142577	100
142578	100
142579	100
142580	101
142581	101
142582	101
142583	100
142584	100
142585	100
142586	100
142587	101
142588	101
142589	100
142590	100
142591	101
142592	101
142593	100
142594	100
142595	100
142596	100
142597	100
142598	100
142599	101
142600	100
142601	101
142602	100
142603	100
142604	100
142605	101
142606	100
142607	100
142608	101
142609	100
142610	100
142611	100
142612	100
142613	100
142614	100
142615	101
142616	101
142617	100
142618	100
142619	100
142620	101
142621	100
142622	100
142623	101
142624	101
142625	101
142626	100
142627	100
142628	100
142629	100
142630	101
142631	100
142632	100
142633	100
142634	101
142635	101
142636	101
142637	100
142638	100
142639	100
142640	100
142641	101
142642	101
142643	100
142644	100
142645	101
142646	101
142647	100
142648	100
142649	100
142650	100
142651	100
142652	100
142653	101
142654	100
142655	101
142656	100
142657	100
142658	100
142659	101
142660	100
142661	100
142662	101
142663	100
142664	100
142737	347
142738	347
142739	347
142740	347
142741	347
142742	347
142743	347
142744	347
142745	347
142746	347
142747	347
142748	347
142749	347
142750	347
142753	347
142754	347
142755	347
142756	347
142757	347
142758	347
142759	347
142760	347
142762	347
142763	347
142764	347
142765	347
142766	347
142767	347
142768	347
142769	347
142770	347
142771	347
142772	347
142773	347
142774	347
142775	347
142776	347
142777	347
142778	348
142779	348
142780	348
142781	348
142782	347
142783	347
142784	347
142785	347
142786	348
142787	348
142788	348
142789	348
142790	348
142791	347
142792	347
142793	347
143123	410
143126	412
143128	412
143130	412
143132	412
143134	412
143136	412
143138	412
143140	412
143142	412
143144	412
143146	412
143148	412
143150	410
143152	410

Part Number Index

www.BradyID.com

Catalog #	Page #
143154	410
143156	410
143158	410
143160	410
143162	410
143164	410
143166	410
873367	426
66282098154	267
66282098155	267
66282098156	267
66282098157	267
75447314703	258
75447314704	258
75447314705	258
75447314706	258
75447314707	258
75447314708	258
75447370841	267
75447370842	267
75447370843	267
75447370844	267
ATKR01	371
AW99	366
AW124	365
AW412	365
AW430	365
AW806	365
AW1818	366
AW1818-2	366
B30-17-438	322
B30-18-438	322
B30-25-595-ANSICA	312
B30-25-595-ANSIDA	312
B30-25-595-ANSINO	312
B30-25-595-ANSIWA	312
B30-25-595-BLNKWT	312
B30-25-595-BLNKWT	312
B30-25-595-BLNKYL	312
B30-25-595-BLNKYL	312
B30-25-595-OSHACA	312
B30-25-595-OSHADA	312
B30-161-595-DIAM	316
B30-219-595-BLNKWT	312
B30-219-595-BLNKWT	312
B30-222-438	322
B30-241-595-ANSICA	312
B30-241-595-ANSIDA	312
B30-241-595-ANSINO	312
B30-241-595-ANSIWA	312
B30-241-595-BLNKWT	312
B30-241-595-BLNKWT	312
B30-241-595-BLNKYL	312
B30-241-595-BLNKYL	312
B30-241-595-OSHACA	312
B30-241-595-OSHADA	312
B30-242-595-BLNKWT	312
B30-242-595-BLNKWT	312
B30-244-595-CB	316
B30-244-595-DIAM	316
B30-244-595-HMIG	316
B30-244-595-NFPA	316
B30-245-595-CB	316
B30-245-595-NFPA	316
B30-246-595-HMIG	316
B30-246-595-NFR	316
B30-255-551-ANSICA	312
B30-255-551-ANSIDA	312
B30-255-551-OSHADA	312
B30-255-551-WHT	312
B30-260-7569-CLP1	315
B30-260-7569-CLP2	315
B30-260-7569-CLP3A	315
B30-260-7569-CLP3B	315
B30-260-7569-CLP4A	315
B30-260-7569-CLP4B	315
B30-261-7569-CLP1	315
B30-261-7569-CLP2	315
B30-261-7569-CLP3A	315
B30-261-7569-CLP3B	315
B30-261-7569-CLP4A	315
B30-261-7569-CLP4B	315
B30-262-7569-CLP1	315
B30-262-7569-CLP2	315
B30-262-7569-CLP3A	315
B30-262-7569-CLP3B	315
B30-262-7569-CLP4A	315
B30-262-7569-CLP4B	315
B30-263-595-CB	316
B30-263-595-NFPA	316
B30-R10000	329
B30-R10000-BL	329
B30-R10000-GN	329
B30-R10000-MA	329
B30-R10000-OR	329
B30-R10000-RD	329
B30-R10000-WT	329
B30-R10000-YL	329
B30-R4300	329
B30-R4400-WT	329
B30-R4500-SV	329
B30-R6000	329
B30-R6200	329
B30-R6400	329
B30-R6600	329
B30C-500-569-BK	314
B30C-500-569-BL	314
B30C-500-569-BR	314
B30C-500-569-CL	314
B30C-500-569-GN	314
B30C-500-569-GY	314
B30C-500-569-LB	314
B30C-500-569-OC	314
B30C-500-569-OR	314
B30C-500-569-PK	314
B30C-500-569-PL	314
B30C-500-569-RD	314
B30C-500-569-SB	314
B30C-500-569-TN	314
B30C-500-569-WT	314
B30C-500-569-YL	314
B30C-500-581-WT	317
B30C-500-581-YL	317
B30C-500-595-BK	313
B30C-500-595-BL	313
B30C-500-595-BR	313
B30C-500-595-CL	313
B30C-500-595-GD	313
B30C-500-595-GN	313
B30C-500-595-GY	313
B30C-500-595-OR	313
B30C-500-595-PL	313
B30C-500-595-RD	313
B30C-500-595-WT	321
B30C-500-595-WT	321
B30C-500-595-YL	321
B30C-500-595-YL	321
B30C-1125-595-WT	321
B30C-1125-595-YL	321
B30C-1125-595-YL	321
B30C-1125-526	316
B30C-1125-549-WT	318
B30C-1125-549-YL	318
B30C-1125-569-BK	314
B30C-1125-569-BL	314
B30C-1125-569-BR	314
B30C-1125-569-CL	314
B30C-1125-569-GN	314
B30C-1125-569-GY	314
B30C-1125-569-LB	314
B30C-1125-569-OC	314
B30C-1125-569-OR	314
B30C-1125-569-PK	314
B30C-1125-569-PL	314
B30C-1125-569-RD	314
B30C-1125-569-SB	314
B30C-1125-569-TN	314
B30C-1125-569-WT	314
B30C-1125-569-YL	314
B30C-1125-581-WT	317
B30C-1125-581-YL	317
B30C-1125-584-OR	317
B30C-1125-584-SL	317
B30C-1125-584-YL	317
B30C-1125-595-BK	313
B30C-1125-595-BL	313
B30C-1125-595-BR	313
B30C-1125-595-CL	313
B30C-1125-595-GD	313
B30C-1125-595-GN	313
B30C-1125-595-GY	313
B30C-1125-595-OR	313
B30C-1125-595-PL	313
B30C-1125-595-RD	313
B30C-1125-855-WT	320
B30C-1125-855-YL	320
B30C-2250-526	316
B30C-2250-549-WT	318
B30C-2250-549-YL	318
B30C-2250-569-BK	314
B30C-2250-569-BL	314
B30C-2250-569-BR	314
B30C-2250-569-CL	314
B30C-2250-569-GN	314
B30C-2250-569-GY	314
B30C-2250-569-LB	314
B30C-2250-569-OC	314
B30C-2250-569-OR	314
B30C-2250-569-PK	314
B30C-2250-569-PL	314
B30C-2250-569-RD	314
B30C-2250-569-SB	314
B30C-2250-569-TN	314
B30C-2250-569-WT	314
B30C-2250-569-YL	314
B30C-2250-581-WT	317
B30C-2250-581-YL	317
B30C-2250-584-OR	317
B30C-2250-584-SL	317
B30C-2250-584-YL	317
B30C-2250-595-BK	313
B30C-2250-595-BL	313
B30C-2250-595-BR	313
B30C-2250-595-CL	313
B30C-2250-595-GD	313
B30C-2250-595-GN	313
B30C-2250-595-GY	313
B30C-2250-595-OR	313
B30C-2250-595-PL	313
B30C-2250-595-RD	313
B30C-2250-595-WT	313
B30C-2250-595-YL	313
B30C-2500-509-WT	317
B30C-2500-509-YL	317
B30C-2500-551-WT	316
B30C-2250-855-WT	320
B30C-2250-855-YL	320
B30C-3000-438-SL	322
B30C-3000-569-WT	314
B30C-3000-595-WT	313
B30C-3000-595-YL	313
B30C-3250-551-WT	316
B30C-4000-526	316
B30C-4000-549-WT	318
B30C-4000-549-YL	318
B30C-4000-569-BK	314
B30C-4000-569-BL	314
B30C-4000-569-BR	314
B30C-4000-569-CL	314
B30C-4000-569-GN	314
B30C-4000-569-GY	314
B30C-4000-569-LB	314
B30C-4000-569-OC	314
B30C-4000-569-OR	314
B30C-4000-569-PK	314
B30C-4000-569-PL	314
B30C-4000-569-RD	314
B30C-4000-569-SB	314
B30C-4000-569-TN	314
B30C-4000-569-WT	314
B30C-4000-569-YL	314
B30C-4000-581-WT	317
B30C-4000-581-YL	317
B30C-4000-584-OR	317
B30C-4000-584-SL	317
B30C-4000-584-YL	317
B30C-4000-595-BK	313
B30C-4000-595-BL	313
B30C-4000-595-BR	313
B30C-4000-595-CL	313
B30C-4000-595-GD	313
B30C-4000-595-GN	313
B30C-4000-595-GY	313
B30C-4000-595-OR	313
B30C-4000-595-PL	313
B30C-4000-595-RD	313
B30C-4000-595-WT	313
B30C-4000-595-YL	313
B30C-4000-854-CAUT	320
B30C-4000-854-DANG	320
B30C-4000-854-WARN	320
B30C-4000-854-WT	320
B30C-4000-854-YL	320
B30C-4000-855-CAUT	320
B30C-4000-855-DANG	320
B30C-4000-855-WARN	320
B30C-4000-855-WT	320
B30C-4000-855-YL	320
B30C-4250-509-WT	317
B30C-4250-509-YL	317
B30C-4250-551-WT	316
B30EP-167-593-BK	318
B30EP-167-593-GN	318
B30EP-167-593-RD	318
B30EP-167-593-WT	318
B30EP-167-593-YL	318
B30EP-168-593-BK	318
B30EP-168-593-GN	318
B30EP-168-593-RD	318
B30EP-168-593-WT	318
B30EP-168-593-YL	318
B30EP-169-593-BK	318
B30EP-169-593-GN	318
B30EP-169-593-RD	318
B30EP-169-593-WT	318
B30EP-169-593-YL	318
B30EP-170-593-BK	318
B30EP-170-593-GN	318
B30EP-170-593-RD	318
B30EP-170-593-WT	318
B30EP-170-593-YL	318
B30EP-171-593-BK	321
B30EP-171-593-BK	321
B30EP-171-593-GN	319
B30EP-171-593-RD	319
B30EP-171-593-SL	321
B30EP-171-593-SL	321
B30EP-171-593-WT	321
B30EP-171-593-WT	321
B30EP-171-593-YL	319
B30EP-172-593-BK	319
B30EP-172-593-GN	319
B30EP-172-593-RD	319
B30EP-172-593-SL	319
B30EP-172-593-WT	319
B30EP-172-593-YL	319
B30EP-173-593-BK	319
B30EP-173-593-GN	319
B30EP-173-593-RD	319
B30EP-173-593-SL	319
B30EP-173-593-WT	319
B30EP-173-593-YL	319
B30EP-174-593-BK	319
B30EP-174-593-GN	319
B30EP-174-593-RD	319
B30EP-174-593-SL	319
B30EP-174-593-WT	319
B30EP-174-593-YL	319
B30EP-175-593-BK	319
B30EP-175-593-GN	319
B30EP-175-593-WT	319
B30EP-175-593-YL	319
B30EP-176-593-BK	319
B30EP-176-593-GN	319
B30EP-176-593-WT	319
B30EP-176-593-YL	319
B30EP-177-593-BK	319
B30EP-177-593-GN	319
B30EP-177-593-WT	319
B30EP-177-593-YL	319
B30EP-167U-593-BK	318
B30EP-167U-593-GN	318
B30EP-167U-593-RD	318
B30EP-167U-593-WT	318
B30EP-167U-593-YL	318
B30KIT-ARCFLASH-W	328
B30KIT-GENIND	328
B30KIT-LEANVW	328
B30KIT-PIPE	328
B30KIT-SFTY	328
B31-CCT	309
B31-WIPER	309
B33-1-457	327
B33-1-498	321
B33-2-426	327
B33-4-426	327
B33-5-423	322
B33-5-425	320
B33-5-428	322
B33-5-432	322
B33-5-434	322
B33-5-483	321
B33-5-483	321
B33-5-486	322
B33-5-489	322
B33-5-498	321
B33-5-498	321
B33-8-427	323
B33-9-427	323
B33-10-427	323
B33-11-457	327
B33-14-426	327
B33-14-457	327
B33-14-477	327
B33-14-478	327
B33-14-498	324
B33-17-423	322
B33-17-424	320
B33-17-425	320
B33-17-428	322
B33-17-430	322
B33-17-432	322
B33-17-434	322
B33-17-483	321
B33-17-483	321
B33-17-486	322
B33-17-489	322
B33-18-423	322
B33-18-424	320
B33-18-425	320
B33-18-428	322
B33-18-430	322
B33-18-432	322
B33-18-434	322
B33-18-483	321
B33-18-483	321
B33-18-486	322
B33-18-489	322
B33-19-425	320
B33-19-424	320
B33-19-432	322
B33-19-434	322
B33-19-483	321
B33-19-483	321
B33-19-486	322
B33-19-489	322
B33-25-424	320
B33-26-427	323
B33-27-427	323
B33-42-479	327
B33-43-457	327
B33-43-477	327
B33-43-478	327
B33-43-479	327
B33-44-457	327
B33-45-457	327
B33-46-457	327
B33-49-457	327
B33-56-427	323
B33-58-457	327
B33-59-457	327
B33-68-498	321
B33-68-498	321
B33-68-499	321
B33-73-427	323
B33-74-427	323
B33-75-427	323
B33-80-427	323
B33-81-427	323
B33-87-498	321
B33-87-498	321
B33-88-498	321
B33-88-498	321
B33-89-498	321
B33-89-498	321
B33-90-498	321
B33-90-498	321
B33-91-498	324
B33-94-2-342	325
B33-94-2-342YL	325
B33-94-2-7642	326
B33-95-498	321
B33-95-498	321
B33-103-457	327
B33-113-427	323
B33-116-427	323
B33-118-427	323
B33-119-427	323
B33-120-427	323
B33-121-427	323
B33-125-2-342	325
B33-125-2-342YL	325
B33-125-2-7642	326
B33-131-427	323
B33-135-427AW	323
B33-136-499	321
B33-137-427AW	323
B33-137-499	321
B33-143-499	321
B33-144-499	321
B33-165-498	324
B33-165-499	321
B33-187-2-342	325
B33-187-2-342-2	325
B33-187-2-342YL	325
B33-187-2-7642	326
B33-250-2-342	325
B33-250-2-342-2	325
B33-250-2-342YL	325
B33-250-2-7642	326
B33-375-2-342	325
B33-375-2-342-2	325
B33-375-2-342YL	325
B33-375-2-7642	326
B33-500-2-342	325
B33-500-2-342YL	325
B33-500-2-7642	326
B33-750-2-342	325
B33-750-2-342YL	325
B33-750-2-7642	326
B33-1000-2-342	325
B33-1000-2-342YL	325
B33-1000-2-7642	326
B33-1500-2-342	325
B33-1500-2-342BK	325
B33-1500-2-342YL	325
B33-1500-2-7642	326
B33C-240-498	324
B33C-312-498	324
B33C-375-498	324
B33D-94-2-342	325
B33D-94-2-342BK	325
B33D-94-2-342YL	325
B33D-94-2-345	326
B33D-94-2-345BK	326
B33D-94-2-7642	326
B33D-125-2-342	325
B33D-125-2-342BK	325
B33D-125-2-342YL	325
B33D-125-2-345	326
B33D-125-2-345BK	326
B33D-125-2-7642	326
B33D-187-2-342	325
B33D-187-2-342BK	325
B33D-187-2-342YL	325
B33D-187-2-345	326
B33D-187-2-345BK	326
B33D-187-2-7642	326
B33D-250-2-342	325
B33D-250-2-342BK	325
B33D-250-2-342YL	325
B33D-250-2-345	326
B33D-250-2-345BK	326
B33D-250-2-7642	326
B33D-375-2-342	325
B33D-375-2-342BK	325
B33D-375-2-342YL	325
B33D-375-2-345	326
B33D-375-2-345BK	326
B33D-375-2-7642	326
B33D-500-2-342	325
B33D-500-2-342BK	325
B33D-500-2-342YL	325
B33D-500-2-345	326
B33D-500-2-345BK	326
B33D-500-2-7642	326
B33D-750-2-342	325
B33D-750-2-342BK	325
B33D-750-2-342YL	325
B33D-750-2-345	326
B33D-750-2-345BK	326
B33D-750-2-7642	326
B33D-1000-2-342	325
B33D-1000-2-342BK	325
B33D-1000-2-342YL	325
B33D-1000-2-345	326
B33D-1000-2-345BK	326
B33D-1000-2-7642	326
B33D-1500-2-342	325
B33D-1500-2-342BK	325
B33D-1500-2-342YL	325
B33D-1500-2-345	326
B33D-1500-2-345BK	326
B33D-1500-2-7642	326
B33D-2000-2-7642	326
B85-DC	341
B85-STYLUS	341
BBP31	309
BBP31-ARCFLASH-KIT	309
BBP31-GENIND-KIT	309
BBP31-LEANVW-KIT	309
BBP31-MWL	309
BBP31-MWS	309
BBP31-PIPE-KIT	309
BBP31-SFTY-KIT	309
BBP33-C	311
BBP33-C-LMP	311
BBP33-C-LMP-MWS	311
BBP33-C-MWS	311
BBP85	341
BBP85-31-71-KIT	341
BBP85-31-KIT	341
BBP85-71-KIT	341
BBP85-MWL	341
BCK	189
BH2010	189
BLSP	147
BM15	360
BM30	360
BM30X	360
BM100	360
BM71-7-423	295
BM71-11-427	291
BM71-11-498	290
BM71-11-499	290
BM71-12-109	289
BM71-16-423	295
BM71-17-423	295
BM71-17-427	291
BM71-17-428	295
BM71-18-427	291
BM71-18-498	290
BM71-19-423	295
BM71-19-427	291
BM71-19-498	290
BM71-20-422	293
BM71-20-423	295
BM71-20-424	286
BM71-20-428	295
BM71-21-427	291
BM71-23-427	291
BM71-29-423	295
BM71-29-427	291
BM71-29-498	290
BM71-30-427	291
BM71-31-427	291
BM71-32-427	291
BM71-33-427	291
BM71-34-427	291
BM71-40-412	293
BM71-64-427	291
BM71-94-175-342	292
BM71-94-175-342YL	292
BM71-107-427	291
BM71-109-427	291
BM71-110-145-GY	289
BM71-111-145-GY	289
BM71-125-1-342	292
BM71-125-175-342	292
BM71-125-175-342YL	292
BM71-187-1-342	292
BM71-187-1-342YL	292
BM71-187-175-342	292
BM71-187-175-342YL	292
BM71-250-1-342	292
BM71-250-175-342	292
BM71-250-175-342YL	292
BM71-375-1-342	292
BM71-375-175-342	292
BM71-500-1-342	292
BM71-500-1-342YL	292
BM71-500-175-342	292
BM71-500-175-342YL	292
BM71-1000-175-342	292
BM71C-125-342	292
BM71C-187-342	292
BM71C-240-498	290
BM71C-250-342	292
BM71C-318-498	290
BM71C-375-342	292
BM71C-375-498	290
BM71C-500-342	292
BM71C-1000-342	292
BM71C-1000-582	287
BM71C-1000-584-OR	287
BM71C-1000-584-WT	287
BM71C-1000-584-YL	287
BM71C-1000-854-WT	287
BM71C-1000-854-YL	287
BM71C-1000-855-WT	287
BM71C-1000-855-YL	287
BM71C-2000-582	287
BM71C-2000-584-OR	287
BM71C-2000-584-WT	287
BM71C-2000-584-YL	287
BM71C-2000-854-CAU	287
BM71C-2000-854-DAN	287
BM71C-2000-854-WAR	287
BM71C-2000-854-WT	287
BM71C-2000-854-YL	287
BM71C-2000-855-CAU	287
BM71C-2000-855-DAN	287
BM71C-2000-855-WAR	287
BM71C-2000-855-WT	287
BM71C-2000-855-YL	287
BMP21	244
BMP21-AC	244
BMP21-HC	244
BMP21-MAGNET	244
BMP21-TOOL	244
BMP41-AC	252
BMP41-BATT	252
BMP41-HC	252
BMP41-KIT	252
BMP41-KIT-EL	257
BMP41-KIT-GI	257
BMP41-KIT-HC	252
BMP41-KIT-VD	257
BMP41-MAGNET	252
BMP41-QC	252
BMP41-USB	252
BMP71	284
BMP71-360	284

Catalog #	Page #
BMP71-360-KIT	284
BMP71-LM	284
BMP71-MW	284
BMP71-QC	284
BMP71-SC	284
BMP71-SC-QC	284
BMP-UBP	258
BMP-UBP-AC	258
BPO100	362
BPO200	362
BPO500	362
BPU100	360
BPU200	360
BPU500	360
BR801B	188
BRO150	362
BPSPT-094-1-WT	276
BPSPT-094-175-WT	276
BPSPT-125-1-WT	276
BPSPT-125-175-WT	276
BPSPT-187-1-WT	276
BPSPT-187-175-WT	276
BPSPT-250-1-WT	276
BPSPT-250-175-WT	276
BPSPT-375-1-WT	276
BPSPT-375-175-WT	276
BPSPT-500-1-WT	276
BPSPT-500-175-WT	276
BPSPT-1000-175-WT	276
BPTLTB-498-240	280
BPTLTB-498-318	280
BPTLTB-498-375	280
BPTL-7-423	270
BPTL-11-427	277
BPTL-11-498	280
BPTL-11-499	280
BPTL-12-109	275
BPTL-16-423	270
BPTL-17-423	270
BPTL-17-427	277
BPTL-17-428	274
BPTL-18-427	277
BPTL-18-498	280
BPTL-19-423	270
BPTL-19-427	277
BPTL-19-498	280
BPTL-20-422	269
BPTL-20-423	270
BPTL-20-424	271
BPTL-20-428	274
BPTL-21-427	277
BPTL-23-427	278
BPTL-29-423	270
BPTL-29-427	277
BPTL-29-498	280
BPTL-30-427	277
BPTL-31-427	277
BPTL-32-427	277
BPTL-33-427	278
BPTL-34-427	278
BPTL-40-412	277
BPTL-64-427	278
BPTL-107-427	277
BPTL-109-427	278
BRU150	360
BS07A-BU	421
BS07A-GN	421
BS07A-RD	421
BS07A-YW	421
BS08A-BU	421
BS08A-GN	421
BS08A-RD	421
BS08A-YW	421
BSC20	365
BSC40	365
BSCSK-CB	372
BSM100	364
BSM300	364
BSM3650	364
CABLO	419
CABLO-10	419
CB305	366
CB612	366
CC400	365
CC440V	365
CH100	364
CH1212	364
CH1212-50	364
CH15P	364
CH30DP	364
CL-105-619	301
CL-111-502	301
CL-111-607	301
CL-111-619	301
CL-111-969	301
CL-117-619	301
CL-311-502	301
CL-311-619	301
CL-311-969	301
CL-317-619	301
CL-517-619	301
CL-917-619	301
CS-CB18	367
CS-LFB10	367
CSP	147
DGUARD14	368
DGUARD1410	368
DGUARD9	368
DGUARD910	368
DPA24	368
DPE	240
DTA25	366
DTO25	366
DZ-100	367
EHMVSD	240
ENT-ETSH157	209
ENT-ETSH157A	209
ENT-ETSI532	209
ENV100	362
ENV150	362
ENV200	362
ENV300	362
ENV50	362
ENV500	362
ENV510	366
ENV810	366
EPD	241
FESP	147
FLSP	147
FLT-ETSH9	209
FLT-ETSH9A	209
FLT-ETSI51	209
GD01	240
GD02	240
GD03	240
GD03DL	240
GLOBOX	417
GP30	360
GP100	360
GP100-B	360
GP200-B	360
GP300	360
GP500	360
GS-10	367
HAZ99	366
HAZ124	365
HAZ412	365
HAZ1818	366
HAZ1818-2	366
HT15	360
HT30	360
HT153	360
HT200	360
HT215	360
HT230	360
HT303	360
HT303X	360
HT350	360
HT500	360
HT550	360
HT555	360
IC326E	187
IDPRO-BC	300
IDPRO-BP	300
IDPRO-HC	300
JET-26-141-25-SH	225
JET-26-146-25-SH	225
JET-27-141-25-SH	225
JET-35-141-25-SH	225
JET-35-146-25-SH	225
JET-36-141-25-SH	225
JET-36-146-25-SH	225
JET-37-146-25-SH	225
JET-38-141-25-SH	225
JET-38-146-25-SH	225
JET-39-141-25-SH	225
JET-39-146-25-SH	225
JET-40-141-25-SH	225
JET-40-146-25-SH	225
JS1	188
KT226A	402
L0AE01A	97
L0EW03A	97
L0FA03A	98
L0FE15A	98
L0FEG1G	98
L0FL15A	97
L0ME02A	98
L0MS03A	99
L0PH02A	99
L0SR03A	99
L0SS03A	99
L0SWG4G	99
L0TS024A	99
L0WO02A	99
L3FE15A	98
LABXPERT-SER-USB	246
LAD-EITH/L12	208
LAD-EITH12	208
LAD-EITL521	208
LC202G	402
LC203G	402
LC210G	403
LC211G	403
LC226A	402
LC251M	398
LC252M	397
LC254M	397
LC501E	402
LC502E	402
LC517E	401
LC518E	401
LC744E	402
LG003E	417
LG008E	417
LG252M	398
LH220A	418
LID-3	414
LK041R	394
LK042R	394
LK330E	395
LK331E	395
LK520B	394
LK627E	394
LK907E	395
LK980E	387
LK981E	387
LKP	387
LKX	391
LKX-Rack	391
LKXSET	391
LKX-TKLBOX	397
LM023E	427
LM5STDCD	258
LM5STDE	246
LOCB	432
LOPADDUSER1	433
LOPBASIC3001	433
LOPCORP2001	433
LOPDESK1001	433
LOSB1	189
LOSB1	432
LOSC13	430
LOSC13 BI	430
LOSF5	432
LOSP22	189
LOSP22	432
LOSP8	430
LOSP8SP	430
LR008E	415
LR018E	415
LR060E	415
LR360E	415
M-7-422	254
M-7-422	255
M-7-422	256
M-7-422	261
M-7-422	261
M-7-422	261
M-7-422	261
M-7-422	261
M-7-498	254
M-7-498	265
M-11-427	253
M-11-427	264
M-11-498	254
M-11-498	265
M-11-499	255
M-11-499	256
M-11-499	261
M-11-499	261
M-17-351	266
M-17-422	261
M-17-422	261
M-17-422	261
M-17-422	261
M-17-422	266
M-17-427	264
M-17-483	261
M-17-483	261
M-17-428	263
M-18-427	264
M-18-498	265
M-19-422	261
M-19-422	261
M-19-422	261
M-19-422	261
M-19-427	263
M-19-427	263
M-19-498	265
M-20-351	266
M-20-483	261
M-20-483	261
M-20-483	261
M-20-483	261
M-20-428	263
M-20-428	263
M-20-428	263
M-21-427	263
M-21-427	263
M-21-427-YL	263
M-21-427-YL	263
M-23-427	263
M-23-427	263
M-23-427-YL	263
M-23-427-YL	263
M-24-428-BB	263
M-24-428-BB	263
M-29-422	261
M-29-422	261
M-29-422	261
M-29-422	261
M-29-422	261
M-29-427	263
M-29-427	263
M-29-428	263
M-29-428	263
M-29-428	263
M-30-422	261
M-30-422	261
M-30-422	261
M-30-422	261
M-30-422	261
M-30-427	263
M-30-427	263
M-30-428	263
M-30-428	263
M-31-427	263
M-31-427	263
M-31-427-YL	263
M-31-427-YL	263
M-31-498	265
M-32-427	263
M-32-427	263
M-33-427	263
M-33-427	263
M-34-427	263
M-34-427	263
M-47-422	254
M-47-422	255
M-47-422	256
M-47-427	253
M-47-428	255
M-47-483	256
M-48-427	253
M-48-498	254
M-49-422	255
M-49-422	256
M-49-427	253
M-49-498	254
M-51-427	253
M-51-427-YL	253
M-53-427	253
M-53-427-YL	253
M-60-428	255
M-60-483	255
M-60-483	256
M-61-483	254
M-61-483	255
M-61-483	256
M-61-483	261
M-61-483	261
M-61-483	261
M-61-483	261
M-78-499	261
M-78-499	261
M-84-499	255
M-84-499	256
M-84-499	261
M-84-499	261
M-89-422	254
M-89-422	255
M-89-422	256
M-89-427	253
M-90-422	254
M-90-422	255
M-90-422	256
M-90-427	253
M-91-427	253
M-91-427-YL	253
M-91-498	254
M-92-428-BB	255
M-96-427	264
M-102-427	263
M-102-427	263
M-102-427	253
M-103-427	263
M-103-427	263
M-115-427	263
M-115-427	263
M-116-427	263
M-116-427	263
M-125-1-342	264
M-125-075-342	253
M-128-499	255
M-128-499	256
M-130-499	255
M-130-499	256
M-131-498	254
M-131-499	255
M-131-499	256
M-132-499	261
M-132-499	261
M-136-427	253
M-141-499	253
M-143-427	253
M-151-499	261
M-152-499	261
M-163-498	254
M-163-498	265
M-187-1-342	264
M-187-075-342	253
M-250-1-342	264
M-250-075-342	253
M-375-1-342	264
M-375-075-342	253
MC-1000-427	263
MC-1000-427	264
MC-1500-427	263
MC-1500-427	264
M21-125-C-342	245
M21-187-C-342	245
M21-250-C-342	245
M21-375-423	245
M21-375-430	245
M21-375-499	245
M21-375-499-TB	245
M21-375-C-342	245
M21-375-595-BL	245
M21-375-595-GN	245
M21-375-595-OR	245
M21-375-595-RD	245
M21-375-595-WT	245
M21-375-595-YL	245
M21-500-423	245
M21-500-430	245
M21-500-499	245
M21-500-499-TB	245
M21-500-595-BL	245
M21-500-595-GN	245
M21-500-595-OR	245
M21-500-595-RD	245
M21-500-595-WT	245
M21-500-595-YL	245
M21-750-423	245
M21-750-427	245
M21-750-430	245
M21-750-499	245
M21-750-595-BL	245
M21-750-595-GN	245
M21-750-595-OR	245
M21-750-595-RD	245
M21-750-595-WT	245
M21-750-595-YL	245
M21-1000-427	245
M21-1250-427	245
M21-1500-427	245
M420	240
M50-AC	258
M50-BATT-TRAY	258
M50-CABLE	258
M50-HC	258
M50-MAGNET	258
M50-SC	258
M71-1-423	295
M71-2-423	295
M71-2-477	296
M71-3-423	295
M71-3-457	295
M71-4-423	295
M71-4-478	296
M71-5-423	295
M71-6-423	295
M71-6-473	296
M71-7-423	295
M71-7-498	290
M71-7-499	290
M71-9-423	295
M71-9-426	295
M71-9-473	296
M71-9-478	296
M71-10-423	295
M71-10-427	291
M71-10-457	295
M71-10-473	296
M71-10-498	290
M71-11-427	291
M71-11-498	290
M71-11-499	290
M71-12-109	289
M71-13-423	295
M71-13-426	295
M71-14-423	295
M71-14-477	296
M71-15-423	295
M71-15-428	295
M71-16-423	295
M71-16-426	295
M71-16-430	286
M71-16-457	295
M71-16-473	296
M71-16-483	286
M71-16-498	290
M71-16-499	290
M71-17-351	296
M71-17-352	296
M71-17-423	295
M71-17-426	295
M71-17-427	291
M71-17-428	295
M71-17-430	286
M71-17-473	296
M71-17-483	286
M71-17-486	286
M71-17-489	286
M71-17-498	290
M71-18-427	291
M71-18-498	290
M71-18-499	290
M71-19-423	295
M71-19-427	291
M71-19-427-YL	291
M71-19-483	286
M71-19-498	290
M71-19-499	290
M71-20-351	296
M71-20-352	296
M71-20-423	295
M71-20-424	286
M71-20-428	295
M71-20-459	286
M71-20-483	286
M71-20-486	286
M71-21-427	291
M71-21-427-YL	291
M71-21-498	290
M71-21-499	290
M71-22-423	295
M71-22-428	295
M71-23-423	295
M71-23-427	291
M71-23-483	286
M71-24-423-BK	295
M71-25-423	295
M71-25-478	296
M71-26-423	295
M71-26-428	295
M71-27-423	295
M71-28-423	295
M71-28-426	295
M71-28-427	291
M71-28-473	296
M71-28-499	290
M71-29-423	295
M71-29-427	291
M71-29-428	295
M71-29-459	286
M71-29-483	286
M71-29-486	286
M71-29-489	286
M71-29-498	290
M71-29-499	290
M71-30-422	293
M71-30-423-TEST	288
M71-30-427	291
M71-30-427-AW	291
M71-30-427-BL	291
M71-30-427-PL	291
M71-30-427-RD	291
M71-30-428-CALI	288
M71-30-459	286
M71-30-483	286
M71-30-486	286
M71-30-498	290
M71-30-499	290
M71-31-351	296
M71-31-352	296
M71-31-423	295
M71-31-427	291
M71-31-427-GN	291
M71-31-427-RD	291
M71-31-427-YL	291
M71-31-483	286
M71-31-498	290
M71-31-499	290
M71-32-423	295
M71-32-427	291
M71-32-427-YL	291
M71-32-489	286
M71-32-498	290
M71-33-427	291
M71-33-427-YL	291
M71-33-498	290
M71-34-427	291
M71-35-428-PROP	288
M71-36-109	289
M71-37-351	296
M71-37-352	296
M71-37-422	293
M71-37-423	295
M71-37-483	286
M71-37-486	286
M71-38-423	295
M71-38-428	295
M71-38-483	286
M71-38-483-CAUT	288
M71-38-483-DANG	288
M71-38-483-NOTI	288
M71-38-483-WARN	288
M71-38-489	286
M71-40-412	293
M71-45-422	293
M71-45-430	286
M71-61-483	286
M71-64-427	291
M71-65-483	286
M71-66-427	291
M71-68-430	286
M71-71-430	286
M71-78-499	290
M71-80-488	286
M71-81-488	286
M71-88-427	291
M71-94-1-342	292
M71-94-1-342YL	292
M71-94-175-342	292
M71-94-175-342YL	292
M71-96-427	291
M71-97-488	286
M71-103-427	291
M71-104-427	291
M71-107-427	291
M71-109-427	291
M71-110-145FR-GY	289
M71-110-145-GY	289
M71-111-145FR-GY	289
M71-111-145-GY	289
M71-125-1-342	292
M71-125-1-342YL	292
M71-125-175-342	292
M71-125-175-342YL	292
M71-187-1-342	292
M71-187-1-342YL	292
M71-187-175-342	292
M71-187-175-342YL	292
M71-250-1-342	292
M71-250-1-342YL	292
M71-250-175-342	292
M71-250-175-342YL	292
M71-375-1-342	292
M71-375-1-342YL	292
M71-375-175-342	292
M71-375-175-342YL	292
M71-500-1-342	292
M71-500-1-342YL	292
M71-500-175-342	292
M71-500-175-342YL	292
M71-1000-1-342	292
M71-1000-1-342YL	292
M71-1000-175-342	292
M71-1000-175-342YL	292

Part Number Index

www.BradyID.com

Catalog #	Page #
M71-1000-483-BK-KT	228
M71-1000-483-BK-KT	288
M71-1000-483-BL-KT	228
M71-1000-483-BL-KT	288
M71-1000-483-GN-KT	228
M71-1000-483-GN-KT	288
M71-1000-483-OR-KT	228
M71-1000-483-OR-KT	288
M71-1000-483-RD-KT	228
M71-1000-483-RD-KT	288
M71-1000-483-WT-KT	228
M71-1000-483-WT-KT	288
M71-1000-483-YL-KT	228
M71-1000-483-YL-KT	288
M71-2000-483-BK-KT	228
M71-2000-483-BK-KT	288
M71-2000-483-BL-KT	228
M71-2000-483-BL-KT	288
M71-2000-483-GN-KT	228
M71-2000-483-GN-KT	288
M71-2000-483-OR-KT	228
M71-2000-483-OR-KT	288
M71-2000-483-RD-KT	228
M71-2000-483-RD-KT	288
M71-2000-483-WT-KT	228
M71-2000-483-WT-KT	288
M71-2000-483-YL-KT	228
M71-2000-483-YL-KT	288
M71-AC-BC	284
M71-ADAPT	284
M71-BATT	284
M71-CABLE	284
M71-CLEAN	284
M71-HC	284
M71-QC	284
M71-R4400-WT	297
M71-R6000	297
M71-R6200	297
M71-R6400	297
M71-R6600	297
M71-R6800-WT	297
M71-R6900-BL	297
M71-R6900-GN	297
M71-R6900-MA	297
M71-R6900-RD	297
M71-R6900-YL	297
M71-SC	284
M71C-230-412	293
M71C-240-498	290
M71C-318-498	290
M71C-375-412	293
M71C-375-422	293
M71C-375-430	286
M71C-375-498	290
M71C-475-412	293
M71C-475-422	293
M71C-500-412	293
M71C-500-422	293
M71C-500-423	295
M71C-500-430	286
M71C-500-483	286
M71C-500-498	290
M71C-500-499	290
M71C-500-530	296
M71C-500-581-WT	287
M71C-500-581-YL	287
M71C-500-595-BK	285
M71C-500-595-BL	285
M71C-500-595-BR	285
M71C-500-595-CL	285
M71C-500-595-GD	285
M71C-500-595-GN	285
M71C-500-595-GY	285
M71C-500-595-LB	285
M71C-500-595-OC	285
M71C-500-595-OR	285
M71C-500-595-PK	285
M71C-500-595-PL	285
M71C-500-595-RD	285
M71C-500-595-SB	285
M71C-500-595-TN	285
M71C-500-595-WT	285
M71C-500-595-YL	285
M71C-625-412	293
M71C-625-422	293
M71C-785-412	293
M71C-1000-422	293
M71C-1000-430	286
M71C-1000-483	286
M71C-1000-498	290
M71C-1000-499	290
M71C-1000-529	285
M71C-1000-530	296
M71C-1000-581-WT	287
M71C-1000-581-YL	287
M71C-1000-595-BK	285
M71C-1000-595-BL	285
M71C-1000-595-BR	285
M71C-1000-595-CL	285
M71C-1000-595-GD	285
M71C-1000-595-GN	285
M71C-1000-595-GY	285
M71C-1000-595-LB	285
M71C-1000-595-OC	285
M71C-1000-595-OR	285
M71C-1000-595-PK	285
M71C-1000-595-PL	285
M71C-1000-595-RD	285
M71C-1000-595-SB	285
M71C-1000-595-TN	285
M71C-1000-595-WT	285
M71C-1000-595-YL	285
M71C-1900-422	293
M71C-1900-430	286
M71C-1900-483	286
M71C-1900-498	290
M71C-1900-499	290
M71C-2000-529	285
M71C-2000-530	296
M71C-2000-581-WT	287
M71C-2000-581-YL	287
M71C-2000-595-BK	285
M71C-2000-595-BL	285
M71C-2000-595-BR	285
M71C-2000-595-CL	285
M71C-2000-595-GD	285
M71C-1000-472	293
M71C-1000-472-YL	293
M71C-1500-472	293
M71C-1500-472-YL	293
M71C-2000-472	293
M71C-2000-472-YL	293
M71C-2000-595-GN	285
M71C-2000-595-GY	285
M71C-2000-595-LB	285
M71C-2000-595-OC	285
M71C-2000-595-OR	285
M71C-2000-595-PK	285
M71C-2000-595-PL	285
M71C-2000-595-RD	285
M71C-2000-595-SB	285
M71C-2000-595-TN	285
M71C-2000-595-WT	285
M71C-2000-595-YL	285
M71EP-167-593	294
M71EP-167-593-BK	294
M71EP-167-593-GN	294
M71EP-167-593-RD	294
M71EP-167-593-YL	294
M71EP-168-593	294
M71EP-168-593-BK	294
M71EP-168-593-GN	294
M71EP-168-593-RD	294
M71EP-168-593-YL	294
M71EP-169-593	294
M71EP-169-593-BK	294
M71EP-169-593-GN	294
M71EP-169-593-RD	294
M71EP-169-593-YL	294
M71EP-171-593	294
M71EP-171-593-BK	294
M71EP-171-593-GN	294
M71EP-171-593-RD	294
M71EP-171-593-SL	294
M71EP-171-593-YL	294
M71EP-173-593	294
M71EP-173-593-BK	294
M71EP-173-593-GN	294
M71EP-173-593-RD	294
M71EP-173-593-SL	294
M71EP-173-593-YL	294
M71EP-174-593	294
M71EP-174-593-BK	294
M71EP-174-593-GN	294
M71EP-174-593-RD	294
M71EP-174-593-SL	294
M71EP-174-593-YL	294
M71EP-176-593	294
M71EP-176-593-BK	294
M71EP-176-593-GN	294
M71EP-176-593-RD	294
M71EP-176-593-YL	294
M71FP-1-425	289
M71FP-2-425	289
M71FT-1-425	289
M71-9-472	293
M71-10-472	293
M71-15-472	293
M71-17-472	293
M71-19-472	293
M71-21-472	293
M71-29-472	293
M71-30-472	293
M71-31-472	293
M71-R4300	297
MC111E	188
MC-125-342	253
MC-125-342	264
MC-125-342-YL	253
MC-125-342-YL	264
MC-187-342	253
MC-187-342	264
MC-187-342-YL	253
MC-187-342-YL	264
MC-240-498	254
MC-240-498	265
MC-250-342	253
MC-250-342	264
MC-250-342-YL	253
MC-250-342-YL	264
MC-318-498	254
MC-318-498	265
MC-375-342	253
MC-375-342	264
MC-375-412	254
MC-375-412	261
MC-375-422	254
MC-375-422	255
MC-375-422	256
MC-375-422	261
MC-375-422	261
MC-375-422	261
MC-375-498	254
MC-375-499	255
MC-375-499	256
MC-375-498	265
MC-475-412	254
MC-475-412	261
MC-475-412	261
MC-475-422	254
MC-475-422	255
MC-475-422	256
MC-475-422	261
MC-475-422	261
MC-475-422	261
MC-500-422	255
MC-500-422	256
MC-500-422	266
MC-500-499	255
MC-500-499	256
MC-500-584	256
MC-500-584	260
MC-500-584-YL	256
MC-500-584-YL	260
MC-500-595-BK-WT	257
MC-500-595-BK-WT	260
MC-500-595-BL-WT	257
MC-500-595-BL-WT	260
MC-500-595-CL-BK	257
MC-500-595-CL-BK	260
MC-500-595-CL-WT	257
MC-500-595-CL-WT	260
MC-500-595-CL-WT	261
MC-500-595-GN-WT	257
MC-500-595-GN-WT	260
MC-500-595-OR-BK	255
MC-500-595-OR-BK	257
MC-500-595-OR-BK	260
MC-500-595-RD-WT	256
MC-500-595-RD-WT	257
MC-500-595-RD-WT	260
MC-500-595-RD-WT	260
MC-500-595-WT-BK	257
MC-500-595-WT-BK	260
MC-500-595-WT-RD	257
MC-500-595-WT-RD	260
MC-500-595-YL-BK	257
MC-500-595-YL-BK	260
MC-625-412	254
MC-625-412	261
MC-625-422	255
MC-625-422	256
MC-625-422	261
MC-750-427	253
MC-750-427	264
MC-750-499	255
MC-750-499	256
MC-750-584	256
MC-750-584	260
MC-750-584-YL	256
MC-750-584-YL	260
MC-750-595-BK-WT	257
MC-750-595-BK-WT	260
MC-750-595-BL-WT	257
MC-750-595-BL-WT	260
MC-750-595-CL-BK	257
MC-750-595-CL-BK	260
MC-750-595-CL-WT	257
MC-750-595-CL-WT	260
MC-750-595-CL-WT	261
MC-750-595-GN-WT	257
MC-750-595-GN-WT	260
MC-750-595-OR-BK	255
MC-750-595-OR-BK	257
MC-750-595-OR-BK	260
MC-750-595-RD-WT	256
MC-750-595-RD-WT	257
MC-750-595-RD-WT	260
MC-750-595-RD-WT	260
MC-750-595-WT-BK	257
MC-750-595-WT-BK	260
MC-750-595-WT-RD	257
MC-750-595-WT-RD	260
MC-750-595-YL-BK	257
MC-750-595-YL-BK	260
MC-1000-422	262
MC-1000-422	262
MC-1000-422	262
MC-1000-584	260
MC-1000-584-YL	260
MC-1000-595-BK-WT	260
MC-1000-595-BL-WT	260
MC-1000-595-CL-BK	260
MC-1000-595-CL-WT	260
MC-1000-595-CL-WT	261
MC-1000-595-GN-WT	260
MC-1000-595-OR-BK	260
MC-1000-595-OR-BK	260
MC-1000-595-RD-WT	260
MC-1000-595-RD-WT	260
MC-1000-595-WT-BK	260
MC-1000-595-WT-RD	260
MC-1000-595-YL-BK	260
MC-1250-427	264
MC-1500-584	260
MC-1500-584-YL	260
MC-1500-595-BK-WT	260
MC-1500-595-BL-WT	260
MC-1500-595-BL-WT	260
MC-1500-595-CL-BK	260
MC-1500-595-CL-BK	260
MC-1500-595-CL-WT	260
MC-1500-595-CL-WT	265
MC-1500-595-CL-WT	265
MC-1500-595-GN-WT	260
MC-1500-595-GN-WT	260
MC-1500-595-OR-BK	260
MC-1500-595-OR-BK	260
MC-1500-595-RD-WT	260
MC-1500-595-RD-WT	260
MC-1500-595-RD-WT	260
MC-1500-595-WT-BK	260
MC-1500-595-WT-BK	260
MC-1500-595-WT-RD	260
MC-1500-595-WT-RD	260
MC-1500-595-YL-BK	260
MC-1500-595-YL-BK	260
MC1-1000-422	255
MC1-1000-422	256
MC1-1000-595-BK-WT	257
MC1-1000-595-BL-WT	257
MC1-1000-595-CL-BK	257
MC1-1000-595-CL-WT	257
MC1-1000-595-GN-WT	257
MC1-1000-595-OR-BK	255
MC1-1000-595-OR-BK	257
MC1-1000-595-RD-WT	256
MC1-1000-595-RD-WT	257
MC1-1000-595-WT-BK	257
MC1-1000-595-WT-RD	257
MC1-1000-595-YL-BK	257
MFT-01-425	265
MIC-MTHSTD04	209
MIC-MTIGPI G	209
MIC-MTIGPI R	209
MIC-MTIGPI Y	209
MPPE	240
MRO12P	360
MRO15	360
MRO15-DP	360
MRO15-DPS	360
MRO15P	360
MRO24-DP	360
MRO30	360
MRO30-DP	360
MRO30P	360
MRO50	360
MRO100	360
MRO100-2	360
MRO150DND	360
MRO300	360
MRO315P	360
MRO350	360
MRO350-DP	360
MS-50	365
MS-124	365
MS-412	365
MS-806	365
MSSP	148
MUL-EITHUSA01	209
MUL-EITHUSA01A	209
MUL-EITL 230	209
MUL-EITL535	209
MVSD	240
MVSDL	240
MXO1000	362
MXP-C20	371
MXP-O20	371
MXP-U20	371
MXU1000	360
NET-BT-WIFI-LAN	258
NET-LAN	258
NET-WIFI	258
ODN08	366
OIL99	366
OIL124	365
OIL412	365
OIL430	365
OIL806	365
OIL1818	366
OIL1818-2	366
ON030	366
OP15	362
OP15-DP	362
OP15-DPS	362
OP15P	362
OP30	362
OP30-DP	362
OP30P	362
OP50	362
OP100	362
OP150DND	362
OP300	362
OP315P	362
OP350-DP	362
OP550	362
PBL2	426
PBL4	426
PBL6	426
PBL8	426
PCCABLE-1	246
PCK-6	246
PD205A	241
PD206A	241
PD240E	240
PD241E	240
PD265E	241
PD322E	241
PD325E	240
PD439G	241
PD524E	240
PD674E	184
PD701E	241
PD995E	241
PD997E	241
PLO23	425
PLO27E	425
PLUG2	368
PLUG3	368
PLUG4	368
PLUG6	368
PS125E	147
PS125S	147
PS127E	148
PS128E	147
PS135E	147
PS139E	148
PS139S	148
PSPT-094-1-WT	276
PSPT-094-175-WT	276
PSPT-125-1-WT	276
PSPT-125-175-WT	276
PSPT-187-1-WT	276
PSPT-187-175-WT	276
PSPT-250-1-WT	276
PSPT-250-175-WT	276
PSPT-375-1-WT	276
PSPT-375-175-WT	276
PSPT-500-1-WT	276
PSPT-500-175-WT	276
PSPT-1000-1-WT	276
PSPT-1000-175-WT	276
PTL-1-423	270
PTL-2-423	270
PTL-3-423	270
PTL-4-423	270
PTL-5-422	269
PTL-5-423	270
PTL-6-423	270
PTL-6-430	271
PTL-7-422	269
PTL-7-423	270
PTL-7-430	271
PTL-7-432	272
PTL-7-498	280
PTL-7-499	280
PTL-8-422	269
PTL-8-423	270
PTL-8-428	274
PTL-8-430	271
PTL-8-432	272
PTL-8-439	272
PTL-8-439-BK	272
PTL-8-439-BL	272
PTL-8-439-GR	272
PTL-8-439-OR	272
PTL-8-439-RD	272
PTL-8-439-YL	272
PTL-8-483	273
PTL-8-489	274
PTL-9-423	270
PTL-10-423	270
PTL-10-425	271
PTL-10-427	277
PTL-10-427-YL	278
PTL-10-432	272
PTL-10-498	280
PTL-11-427	277
PTL-11-427-YL	278
PTL-11-432	272
PTL-11-498	280
PTL-11-499	280
PTL-12-109	275
PTL-13-423	270
PTL-14-423	270
PTL-15-423	270
PTL-15-428	274
PTL-15-498	280
PTL-16-422	269
PTL-16-423	270
PTL-16-430	271
PTL-16-435	275
PTL-16-483	273
PTL-16-486	275
PTL-16-489	274
PTL-16-498	280
PTL-16-499	280
PTL-17-351	282
PTL-17-352	282
PTL-17-422	269
PTL-17-423	270
PTL-17-427	277
PTL-17-427-YL	278
PTL-17-428	274
PTL-17-430	271
PTL-17-432	272
PTL-17-435	275
PTL-17-483	273
PTL-17-486	275
PTL-17-489	274
PTL-17-498	280
PTL-17-7546	282
PTL-17-7566	282
PTL-17-7576	282
PTL-18-427	277
PTL-18-427-YL	278
PTL-18-498	280
PTL-18-499	280
PTL-19-422	269
PTL-19-423	270
PTL-19-427	277
PTL-19-427-BL	278
PTL-19-427-BR	278
PTL-19-427-GR	279
PTL-19-427-GY	278
PTL-19-427-OR	279
PTL-19-427-PL	279
PTL-19-427-RD	279
PTL-19-427-YL	278
PTL-19-435	275
PTL-19-483	273
PTL-19-486	275
PTL-19-489	274
PTL-19-498	280
PTL-19-499	280
PTL-19-642	277
PTL-20-351	282
PTL-20-352	282
PTL-20-422	269
PTL-20-423	270
PTL-20-424	271
PTL-21-427	277
PTL-20-428	274
PTL-20-435	275
PTL-20-483	273
PTL-20-486	275
PTL-20-489	274
PTL-20-7546	282
PTL-20-7576	282
PTL-21-427-BL	278
PTL-21-427-BR	278
PTL-21-427-GR	279
PTL-21-427-GY	278
PTL-21-427-OR	279
PTL-21-427-PL	279
PTL-21-427-RD	279
PTL-21-427-YL	278
PTL-21-498	280
PTL-21-499	280
PTL-21-642	277
PTL-22-422	269
PTL-22-423	270
PTL-22-424	271
PTL-22-428	274
PTL-23-422	269
PTL-23-423	270
PTL-23-427	278
PTL-23-427-BL	278
PTL-23-427-BR	278
PTL-23-427-GR	279
PTL-23-427-GY	278
PTL-23-427-OR	279
PTL-23-427-PL	279
PTL-23-427-RD	279
PTL-23-427-YL	278
PTL-23-483	273
PTL-23-498	280
PTL-23-499	280
PTL-24-423-BK	270
PTL-24-428-BK	274
PTL-24-483-BK	273
PTL-24-486-BK	275
PTL-25-423	270
PTL-26-423	270
PTL-26-428	274
PTL-27-423	270
PTL-28-423	270
PTL-28-427	277
PTL-28-427-BL	278
PTL-28-427-BR	278
PTL-28-427-GR	279
PTL-28-427-GY	278
PTL-28-427-OR	279
PTL-28-427-PL	279
PTL-28-427-RD	279
PTL-28-427-YL	278
PTL-28-430	271
PTL-28-498	280
PTL-28-499	280
PTL-29-422	269
PTL-29-423	270
PTL-29-427	277
PTL-29-427-BL	278
PTL-29-427-BR	278
PTL-29-427-GR	279
PTL-29-427-GY	278
PTL-29-427-OR	279
PTL-29-427-PL	279
PTL-29-427-RD	279
PTL-29-427-YL	278
PTL-29-428	274
PTL-29-430	271
PTL-29-435	275
PTL-29-483	273
PTL-29-486	275
PTL-29-489	274
PTL-29-498	280
PTL-29-499	280
PTL-30-427	277
PTL-30-422	269
PTL-30-423-CALI	270
PTL-30-423-INSP	270
PTL-30-423-TEST	270
PTL-30-427-AW	277
PTL-30-427-BL	278
PTL-30-427-BR	278
PTL-30-427-GR	279
PTL-30-427-GY	278
PTL-30-427-OR	279
PTL-30-427-PL	279
PTL-30-427-RD	279
PTL-30-427-YL	278
PTL-30-428-CALI	274
PTL-30-428-INSP	274
PTL-30-428-TEST	274

Catalog #	Page #
PTL-30-435	275
PTL-30-483	273
PTL-30-486	275
PTL-30-489	274
PTL-30-498	280
PTL-30-499	280
PTL-30-7566	282
PTL-31-351	282
PTL-31-352	282
PTL-31-423	270
PTL-31-427	277
PTL-31-427-BL	278
PTL-31-427-BR	278
PTL-31-427-GR	279
PTL-31-427-GY	278
PTL-31-427-OR	279
PTL-31-427-PL	279
PTL-31-427-RD	279
PTL-31-427-YL	278
PTL-31-435	275
PTL-31-483	273
PTL-31-486	275
PTL-31-489	274
PTL-31-498	280
PTL-31-499	280
PTL-31-642	277
PTL-31-7546	282
PTL-31-7566	282
PTL-31-7576	282
PTL-32-422	269
PTL-32-423	270
PTL-32-427	277
PTL-33-427	278
PTL-34-427	278
PTL-34-498	280
PTL-37-423	270
PTL-37-483-DANGER	273
PTL-37-483-WARNING	273
PTL-38-423	270
PTL-38-483-DANGER	273
PTL-38-483-WARNING	273
PTL-46-422	269
PTL-32-427-BL	278
PTL-32-427-BR	278
PTL-32-427-GR	279
PTL-32-427-GY	278
PTL-32-427-OR	279
PTL-32-427-PL	279
PTL-32-427-RD	279
PTL-32-427-YL	278
PTL-32-435	275
PTL-32-483	273
PTL-32-486	275
PTL-32-489	274
PTL-32-498	280
PTL-33-427-BL	278
PTL-33-427-BR	278
PTL-33-427-GR	279
PTL-33-427-GY	278
PTL-33-427-OR	279
PTL-33-427-PL	279
PTL-33-427-RD	279
PTL-33-427-YL	278
PTL-33-498	280
PTL-34-427-BL	278
PTL-34-427-BR	278
PTL-34-427-GR	279
PTL-34-427-GY	278
PTL-34-427-OR	279
PTL-34-427-PL	279
PTL-34-427-RD	279
PTL-34-427-YL	278
PTL-35-422-PROP	269
PTL-35-423-PROP	270
PTL-35-428-PROP	274
PTL-35-435-PROP	275
PTL-36-109	275
PTL-37-351	282
PTL-37-352	282
PTL-37-422	269
PTL-37-424	271
PTL-37-428	274
PTL-37-435	275
PTL-37-483	273
PTL-37-486	275
PTL-37-489	274
PTL-37-7546	282
PTL-37-7576	282
PTL-38-422	269
PTL-38-424	271
PTL-38-428	274
PTL-38-435	275
PTL-38-483	275
PTL-38-486	275
PTL-38-489	274
PTL-39-422	269
PTL-39-430	271
PTL-40-412	277
PTL-42-422	269
PTL-42-430	271
PTL-42-432	272
PTL-42-439	272
PTL-42-439-BK	272
PTL-42-439-BL	272
PTL-42-439-GR	272
PTL-42-439-OR	272
PTL-42-439-RD	272
PTL-42-439-YL	272
PTL-42-483	273
PTL-42-489	274
PTL-43-422	269
PTL-43-430	271
PTL-43-432	272
PTL-43-439	272
PTL-43-439-BK	272
PTL-43-439-BL	272
PTL-43-439-GR	272
PTL-43-439-OR	272
PTL-43-439-RD	272
PTL-43-439-YL	272
PTL-43-483	273
PTL-43-489	274
PTL-44-422	269
PTL-44-430	271
PTL-45-422	269
PTL-45-430	271
PTL-46-430	271
PTL-55-412	277
PTL-56-412	277
PTL-57-412	277
PTL-58-412	277
PTL-59-412	277
PTL-61-483	273
PTL-62-483	273
PTL-63-483	273
PTL-64-427	278
PTL-65-483	273
PTL-66-427	278
PTL-68-430	271
PTL-69-430	271
PTL-70-430	271
PTL-71-430	271
PTL-74-427	277
PTL-75-427	278
PTL-77-461	278
PTL-78-427-AW	277
PTL-78-488	273
PTL-78-499	280
PTL-80-424	271
PTL-80-488	273
PTL-81-488	273
PTL-81-499	280
PTL-84-499	280
PTL-85-430	271
PTL-87-427	277
PTL-87-499	280
PTL-88-427	277
PTL-96-427	277
PTL-97-488	273
PTL-99-430	271
PTL-100-432	272
PTL-100-483	273
PTL-100-489	274
PTL-101-432	272
PTL-101-483	273
PTL-101-489	274
PTL-102-427	277
PTL-103-427	277
PTL-104-427	277
PTL-105-427-AW	277
PTL-107-427	277
PTL-109-427	278
PTL-157-427	278
PTL-160-499	280
PTL-161-499	280
PTLEP-167-593	281
PTLEP-167-593-BK	281
PTLEP-167-593-GN	281
PTLEP-167-593-RD	281
PTLEP-167-593-YL	281
PTLEP-168-593	281
PTLEP-168-593-BK	281
PTLEP-168-593-GN	281
PTLEP-168-593-RD	281
PTLEP-168-593-YL	281
PTLEP-169-593	281
PTLEP-169-593-BK	281
PTLEP-169-593-GN	281
PTLEP-169-593-RD	281
PTLEP-169-593-YL	281
PTLEP-171-593	281
PTLEP-171-593-BK	281
PTLEP-171-593-GN	281
PTLEP-171-593-RD	281
PTLEP-171-593-SL	281
PTLEP-171-593-YL	281
PTLEP-173-593	281
PTLEP-173-593-BK	281
PTLEP-173-593-GN	281
PTLEP-173-593-RD	281
PTLEP-173-593-SL	281
PTLEP-173-593-YL	281
PTLEP-174-593	281
PTLEP-174-593-BK	281
PTLEP-174-593-GN	281
PTLEP-174-593-RD	281
PTLEP-174-593-SL	281
PTLEP-174-593-YL	281
PTLEP-176-593	281
PTLEP-176-593-BK	281
PTLEP-176-593-GN	281
PTLEP-176-593-RD	281
PTLEP-176-593-YL	281
PTLTB-498-318	280
PTLTB-498-375	280
PTPSL-17-422	269
PTPSL-17-424	271
PTPSL-17-428	274
PTPSL-20-422	269
PTPSL-20-424	271
PTPSL-20-428	274
PTPSL-26-422	269
PTPSL-26-428	274
PTPSL-50-422	269
PTPSL-50-428	274
PVC18	368
PVC24	368
PVC36	368
RAG24150	364
R4310	283
R4410-BL	283
R4410-RD	283
R4410-WT	283
R5300	300
R6010	283
R6210	283
R7300	300
RAG1818	364
RAG36150	364
RF100	361
RF300	361
RF500	361
RFDP300	361
RFDP328DP	361
RFGRANULAR	367
RF0412	365
RFODP100	363
RFOP14P	363
RFOP28DP	363
RFP28-DP	361
RFP100	361
RFP328-DP	361
RFP314P	361
RFP500	361
RK018A	187
RK085A	187
RK623E	188
RS-1	368
RS-2	368
RS-3PACK	368
RS-26	368
SB-1010	368
SB-1212	368
SB-1226	368
SB-1236	368
SB-SL44	368
SB-SL46	368
SC-4	369
SC-3000	369
SC-ACC	369
SC-Cabinet	369
SC-Cart	369
SC-D15	369
SC-D40	369
SC-DP2	368
SC-DP4	368
SC-DK	368
SC-DPR	368
SC-MB	369
SC-SD2	368
SCAF-STH132	208
SCAF-STH132A	208
SCAF-STH146	208
SCAF-STSI593	208
SCAF-STSI594	208
SCAF-STSI751	208
SCAF2-STHUSA	208
SCAF2-STHUSAA	208
SD02M	427
SF647E	429
SH1824	148
SIR36	364
SIR36150	364
SIR72	364
SK-CAMO	372
SK-CAMO-RS	372
SKA-20	373
SKA-20-RESCUE	373
SKA20-TAA	373
SKA30	373
SKA30-TAA	373
SKA-55	374
SKA55-TAA	374
SKA-55W	374
SKA65	374
SKA65-TAA	374
SKA-65W	374
SKA-95	375
SKA-ATK	371
SKA-ATK-TAA	371
SKA-BKTACID	371
SKA-BKTBASE	371
SKA-BKT-TAA	372
SKA-CFB	372
SKA-CFB-TAA	372
SKA-PP-TAA	371
SKA-SRP	371
SKA-BKT	372
SKA-K2	373
SKA-LT	376
SKA-PP	371
SKA-SAK	372
SKA-XLT	376
SKH-20	373
SKH-20-RESCUE	373
SKH30	373
SKH-55	374
SKH-55W	374
SKH65	374
SKH-65W	374
SKH-95	375
SKH-95W	375
SKA-95W	375
SKH-ATK	371
SKH-BKT	372
SKH-CFB	372
SKH-K2	373
SKH-LT	376
SKH-PP	371
SKH-SAK	372
SKH-SRP	371
SKH-XLT	376
SKMA-20	373
SKMA-30	373
SKMA-55	374
SKMA-55W	374
SKMA-65	375
SKMA-65W	375
SKMA-95	375
SKMA-95W	375
SKM-LT	376
SKM-XLT	376
SKO-20	373
SKO-20-RESCUE	373
SKO30	373
SKO-55	374
SKO-55W	374
SKO65	374
SKO-95	375
SKO-95W	375
SKO-ATK	371
SKO-BKT	372
SKO-CFB	372
SKO-65W	373
SKO-LT	376
SKO-PP	371
SKO-SAK	372
SKO-SRP	371
SKO-XLT	376
SKR-20	373
SKR-55	374
SKR-95	375
SKR-ATK	371
SKR-PP	371
SM681A	187
SM682A	187
SP818V	98
SP184L	98
SPC10	366
SPC50	362
SPC100	362
SPC100B	362
SPC105	362
SPC150	362
SPC152	362
SPC156	362
SPC200	362
SPC300	362
SPC318	366
SPC500	362
SPC510	366
SPC518	366
SPC810	366
SPC818	366
SPC1900	366
SPC5510	366
SPC19150	362
SPC-ACID	367
SPC-BASE	367
SPCUN1019	364
SPCUN1113	364
SPCUN1113-50	364
SPCUN1719	364
SPCUN3800	364
SR100	362
SR1825	362
SR3600	362
SR3625	362
SRP75P	361
SRP100	361
SRP200	361
SRPH75P	364
SRPH100	364
SRPH200	364
SRPO75P	363
SRPO100	363
SRPO200	363
STYLUS-3PK	331
SW46	365
SXT100	362
SXT15P	362
SXT200	362
SXT30DP	362
SXT300	362
T218	418
T220	418
TC8	211
TC8	407
TH2	211
TH2	407
TLS2200	268
TLS2200-AC	268
TLSHM-QUICKCH	268
TLSHM-QUICKCH	298
TLSPC	268
TLSPC-AC	268
TLSPC-BP	268
TLSPC-CABLE	268
TM19	364
TM29	364
TM30	364
TM58	364
UXT100	360
UXT15P	360
UXT200	360
UXT300	360
UXT30DP	360
V1AE01A	97
V1CP45A	99
V1DS24A	97
V1EP24A	97
V1ESG1G	97
V1EW03A	97
V1EWG1G	97
V1FA03A	98
V1FE15A	98
V1FEG1G	98
V1FHG1G	98
V1FL15A	97
V1FS03A	98
V1LS01A	98
V1ME02A	98
V1MS03A	99
V1PH02A	99
V1RR02A	99
V1RR45A	99
V1SR03A	99
V1SS03A	99
V1SSG4G	99
V1SWG4G	99
V1TOG1G	99
V1TS024A	99
V1WH45A	99
V1WO45A	99
V2EX01A	97
V2MS24A	98
V2SS24A	99
V3EW03A	97
V3FE15A	98
V2MS21A	99
VS12P	361
VS75P	361
VSH12P	364
VSH75P	364
VSO12P	363
VSO75P	363
WKT2	406
WKT3	406
WML-205-292-1	300
WML-205-292-2S	300
WML-205-292-75	300
WML-211-292-1	300
WML-211-292-75	300
WML-305-292	300
WML-305-292-2S	300
WML-305-499	300
WML-305-502	300
WML-311-292	300
WML-317-292	300
WML-505-499	300
WML-505-499-2S	301
WML-505-502	300
WML-505-502-2S	301
WML-511-292	301
WML-511-499	300
WML-511-502	300
WML-517-292	301
WML-705-499	300
WML-705-502	300
WML-711-292	301
WML-711-499	300
WML-711-502	300
WML-717-292	301
WML-905-502	300
WML-911-499	300
WML-911-502	300
WMS-111-321	301
WSLO	425
X-7-422	248
X-7-422	248
X-7-498	249
X-11-498	249
X-11-499	248
X-17-422	251
X-17-422	251
X-17-428-SV-BK	248
X-17-483	248
X-17-483	248
X-18-498	249
X-19-422	248
X-19-422	248
X-19-498	249
X-20-428-SV-BK	248
X-20-483	248
X-20-483	248
X-21-498	249
X-23-498	249
X-24-428-SVBB-BK	248
X-29-422	251
X-29-422	251
X-29-428-SV-BK	248
X-30-422	248
X-30-422	248
X-30-428-SV-BK	248
X-31-498	249
X-61-483	248
X-61-483	248
X-84-499	248
X-103-498	249
X-130-499	248
X-132-422	248
X-162-498	249
X-162-499	248
X-163-498	249
XC-240-498	250
XC-318-498	250
XC-375-422	251
XC-375-498	250
XC-375-499	248
XC-475-422	251
XC-500-499	248
XC-500-595-BL-WT	248
XC-500-595-CL-BK	248
XC-500-595-GN-WT	248
XC-500-595-OR-BK	248
XC-500-595-RD-WT	248
XC-500-595-WT-BK	248
XC-500-595-WT-RD	248
XC-500-595-YL-BK	248
XC-500-595-YL-BK	248
XC-750-499	248
XC-750-595-BL-WT	248
XC-750-595-CL-BK	248
XC-750-595-GN-WT	248
XC-750-595-OR-BK	248
XC-750-595-RD-WT	248
XC-750-595-WT-BK	248
XC-750-595-WT-RD	248
XC-750-595-YL-BK	248
XC-1000-422	251
XC-1000-499	248
XC-1000-595-BL-WT	249
XC-1000-595-CL-BK	249
XC-1000-595-GN-WT	249
XC-1000-595-OR-BK	249
XC-1000-595-RD-WT	249
XC-1000-595-WT-BK	249
XC-1000-595-WT-RD	249
XC-1000-595-YL-BK	249
XC-1000-595-YL-BK	249
XC-1500-595-BL-WT	249
XC-1500-595-CL-BK	249
XC-1500-595-GN-WT	249
XC-1500-595-OR-BK	249
XC-1500-595-RD-WT	249
XC-1500-595-WT-BK	249
XC-1500-595-WT-RD	249
XC-1500-595-YL-BK	249
XC-1500-595-YL-BK	249
XPERT-ABC	246
XPERT-ABC-KIT-LM	246
XPERT-AC	246
XPERT-CONT	246
XPERT-HC-ABC	246
XPERT-HC-KEY	246
XPERT-KEY	246
XPERT-KEY-KIT-LM	246
XPS-125-1	249
XPS-125-CONT	249
XPS-125-CONT-YL-BK	249
XPS-187-1	249
XPS-187-CONT	249
XPS-187-CONT-YL-BK	249
XPS-250-1	249
XPS-250-CONT	249
XPS-250-CONT-YL-BK	249
XPS-375-1	249
XPS-375-CONT	249
XSL-11-427	250
XSL-17-427	250
XSL-18-427	250
XSL-19-427	250
XSL-19-427	250
XSL-21-427	250
XSL-21-427	250
XSL-21-427-YL-BK	250
XSL-21-427-YL-BK	250
XSL-23-427	250
XSL-23-427	250
XSL-23-427-YL-BK	250
XSL-23-427-YL-BK	250
XSL-29-427	250
XSL-29-427	250
XSL-30-427	250
XSL-30-427	250
XSL-31-427	250
XSL-31-427	250
XSL-31-427-YL-BK	250
XSL-31-427-YL-BK	250
XSL-32-427	250
XSL-32-427	250
XSL-33-427	250
XSL-33-427	250
XSL-34-427	250
XSL-34-427	250
XSL-96-427	250
XSL-102-427	250
XSL-102-427	250
XSL-103-427	250
XSL-103-427	250
XSL-115-427	250
XSL-115-427	250
XSL-116-427	250
XSL-116-427	250

Product Index

www.BradyID.com

A
Absorbent Pillows....366
Absorbents & Spill Control....366
Admittance Signs....36
Alert Signs....37
Ansi Z535 Signs....38
Arc Flash Labels....192
Arc Flash Training Aids....193

B
Barricades....429
BBP®31 / BBP®33 Label Materials....312
BBP®31 / BBP®33 Print Ribbons....329
BBP®31 Sign & Label Printer....309
BBP®33 Label Printer....311
BBP®85 Label Materials....345
BBP®85 Print Ribbons....346
BBP®85 Sign & Label Printer....305
Benchtop Printers....312
Bilingual Signs....46
Biohazard Signs....51
Blank Signs....52
BMP®21 Label Materials....245
BMP®21 Label Printer....244
BMP®41 Label Materials....257
BMP®41 Label Printer....252
BMP®51 / BMP®53 Label Materials....267
BMP®51 Label Maker....258
BMP®53 Label Maker....258
BMP®71 Label Materials....295
BMP®71 Label Printer....284
BMP®71 Printer Ribbon....297
BradyGlo Tape....233
Braille Signs....53

C
Cable Lockouts....419
Chemical & Hazardous Material Signs....61
Chemical Absorbents....364
Confined Space Signs....70
Confined Space Tags....204
Construction Site Signs....71

D
Dispensers....241
Door Signs....72
DOT Placards Signs....68
Drum Cover Absorbents....366

E
eLearning Courses - Lockout....431
eLearning Courses - Visual Workplace....237
Electrical Hazard Signs....76
Electrical Lockout Devices....422
Envelopes....211
Exit & Directional Signs....79

F
Fire Safety Signs....87
First Aid Signs....91
Floor Signs....94
Funny Signs....96

G
Gas & Air Lockouts....427
GHS Labels....180
GHS Training Aids....181
GlobalMark® Industrial Label Printer....331
GlobalMark® Label Materials....335
GlobalMark® Printer Ribbon....339
Granular Absorbents....367

H
Handicapped Parking Signs....156
HandiMark® Label Materials....298
Hazardous Material Shipping Labels....186
Hazardous Material Shipping Signs....68
Hazardous Waste Labels....184
High Visibility Signs....97
Hospital Signs....100

I
I.D. Pro® Plus Portable Printer....300
I.D. Pro® Plus Printer Materials....301
I.D. Pro® Plus Printer Ribbons....300
IDXPERT™ Handheld Labeler....246
IDXPERT™ Label Materials....248
IIAR Pipe Markers....217
IMO Signs....101

L
Labelizer® Label Materials....348
Labelizer® Printer....347
Labels....331
Labels & Tags....192
Laminators....352
Lockout Boxes....416
Lockout Hasps....418
Lockout Labels....429
Lockout Procedures....432
Lockout Pro™ Software....433
Lockout Stations....403
Lockout Tagout....429
Lockout Tagout Kits....387
Lockout Tagout Signs....36
Lockout Tagout Training....430
Lockout Tags....211

M
Machine & Operational Signs....111
Maintenance Signs....116
Marine Absorbents....366
Mat & Rug Absorbents....364
MiniMark™ Industrial Label Printer....305
MiniMark™ Label Materials....306
MiniMark™ Printer Ribbon....305

N
No Cellular Phones Signs....119
No Smoking Signs....120
Number & Letter Labels....190

O
Oil Only Absorbents....362

P
Packlock Storage....415
Padlock Labels....414
Padlocks....413
Personal Hygene Signs....126
Personal Protection Signs....128
Pipe Marker Blanks....351
Pipe Markers....219
Pipe Marking Tape....221
Portable Printers....245

R
Radiation & Laser Signs....141
Rail Signs....158
Recycle & Environment Signs....142
Red Tag Signs....225
Red Tag Stations....225
Red Tags....225
Restroom Signs....143
Right To Know Labels....184
Road Construction Signs....155

S
Safety & Regulatory....180
Safety Banners....146
Safety Information Centers....189
Safety Posters....147
Safety Slogan Signs....149
Scaffolding Tag....208
Scoreboard Signs....150
Security....239
Security Badges....239
Security Camera....239
Security Seals....238
Security Signs....152
Sign Accessories....172
Sign Blanks....350
Signs....36
SOC Absorbents....365
Spill Containment....368
Spill Kits....371

T
Tags....202
Temporary Signs....154
TLS PC Link™ Label Printer....268
TLS2200® Label Materials....276
TLS2200® Label Printer....268
TLS2200® Print Ribbon....283
Toughjet Sheets....225
Toughstripe Floor Marking Tape....336
Toughstripe Numbers & Letters....190
Traffic Control Signs....159
Training Materials....426

U
Universal Absorbents....360

V
Valve Lockouts....420
Valve Tag Blanks....350
Valve Tags....212
VersaPrinter™ Label & Sign Maker....347
Visual Workplace....235
Visual Workplace Marking....231

Scan now or visit:
www.BradyID.com

SHOP NOW WITH OUR

ONLINE INTERACTIVE CATALOGS

Instantly access this catalog online to:

- Quickly flip through pages
- Add items to your cart
- Purchase online
- Or browse additional Brady product brochures and catalogs



LABELS AND TAGS



ABSORBENTS AND SPILL CONTROL

BradyID.com!

Your resource for safety, facility and equipment identification.

- Shop from thousands of parts
- Order online
- View product videos
- View product specifications
- Download product guides
- And more!

Custom solutions also available!

WORKPLACE SAFETY

PIPE MARKING

Also find Brady on:

Brady warrants only to the buyer that the products and parts set forth herein will be free from defects in material and workmanship from the date of purchase for a period of one year. Brady's sole obligation under the above warranty shall be to repair or replace the defective products or parts during the warranty period. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GIVEN, AND BRADY EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, INCLUDING AND WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. All statements, technical information, or recommendations relating to the products or parts are based upon tests believed to be reliable, but do not constitute a guaranty or warranty. BRADY SHALL NOT UNDER ANY CIRCUMSTANCES WHATSOEVER BE LIABLE TO ANY PARTY FOR LOSS OF PROFITS, DIMINUTION OF GOOD WILL, OR ANY OTHER SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES WHATSOEVER WITH RESPECT TO ANY CLAIM IN CONNECTION WITH BRADY PRODUCTS AND/OR PARTS. Brady's maximum liability for warranty claims is limited to the invoice price of the product or price claimed defective.

PRICES AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE.

USA
Customer Service: 1-888-272-3946
Inside Sales: 1-888-311-0775
www.BradyID.com

Canada
Customer Service: 1-800-263-6179
www.BradyCanada.ca

Mexico
Customer Service: 1-800-262-7777
Inside Sales: 1-800-262-7777 ext 177
www.BradyLatinAmerica.com

Y3406460 MS3406460

© 2013 Brady Worldwide, Inc. All Rights Reserved.

BRADY®
WHEN PERFORMANCE MATTERS MOST™