

Competitive Cross Reference

Type H — High Strength Split-Bolt Connectors							
Blackburn®	Penn Union	Burndy	Ilco/Utilco	Anderson	Joslyn	Dossert	Eritech
9H	S-10	KS90	IK-10	C-10	J3657	DS-09F	ESB10
8H	S-8	KS15	IK-8	C-8	J3608	DS-1F	ESB8
8H3	SEL-8	—	SEL8S	C-8-L	—	—	—
6H	S-6	KS17	IK-6	C-6	J3606	DS-2F	ESB6
6H3	SEL-6	KS17-3	SEL6S	C-6-L	J3608	DS-2-3	—
4H	S-4	KS20	IK-4	C-4	J3604	DS-3F	ESB4
4H3	SEL-4	KS20-3	SEL4S	C-4-L	J3604	DS-3-3	—
3H	—	—	—	—	—	—	ESB3
3H3	—	—	—	—	—	—	—
2H	S-3	KS22	IK-3	C-2	J3602	DS-5F	ESB2
2H3	SEL-3	KS22-3	—	C-2-L	J3602	DS-5-3	—
1H	S-2	KS23	IK-2	C-1	—	DS-6F	—
1H3	SEL-2	—	SEL-2S	C-1-L	—	DS-6-3	—
10H	S-1/0	KS25	IK-1/0	C-1/0	J3610	DS-10F	ESB1/0
20H	S-2/0	KS26	IK-2/0	C-2/0	—	DS-13F	ESB2/0
30H	S-3/0	KL27	IK-3/0	C-3/0	—	DS-17	ESB4/0
40H	S-4/0-250	—	KS29	IK-250	C-4/0	DS-25C	ESB250
350M	S-350	KS31	IK-350	C-350	J3635	DS-35	ESB350
500M	S-500	KS34	IK-500	C-500	J2650	DS-50	ESB500
750M	S-750	KS39	IK-750	C-750	J3675	DS-75	ESB750
1000M	S-1000	KS44	IK-1000	C-1000	J3679	DS-100	—
Type HPS — Plated Split-Bolt Connectors with Spacer							
Blackburn®	Penn Union	Burndy	Ilco/Utilco	Anderson	Joslyn	Dossert	Eritech
9HPS	SW-1	—	—	—	—	—	—
8HPS	SW-2	—	—	—	—	—	ESBP8
6HPS	SW-3	KSU17	SK-6	—	—	DSNS2	ESBP9
4HPS	SW-4	KSU20	SK-4	—	—	DSNS3F	ESBP6
2HPS	SW-5	KSU22	SK-3	—	—	DSNS5F	ESBP2
1HPS	SW-6	KSU23	SK-2	—	—	DSNS6F	—
10HPS	SW-7	KSU25	SK-1/0	—	—	DSNS10F	ESBP1/0
20HPS	SW-8	KSU26	SK-2/0	—	—	DSNS13F	ESBP2/0
40HPS	SW-9A	KSU27	SK-3/0	—	—	DSNS25C	ESBP4/0
350HPS	SW-11	KSU31	SK-350	—	—	DSNS35	ESBP350
500HPS	SW-12	KSU34	SK-500	—	—	DSNS50	ESBP500
750HPS	SW-13	—	—	—	—	DSNS75	—
1000HPS	SW-14	—	—	—	—	DSNS100	—
Type APS — Aluminum Dual-Rated Split-Bolts							
Blackburn®	Penn Union	Burndy	Ilco/Utilco	Anderson	Joslyn	Dossert	Eritech
APS06	—	KSA-6	AK-6	—	—	—	ASBP6
APS04	—	KSA-4	AK-4	—	—	—	ASBP4
APS02	SW-6	KSA-2	AK-2	—	—	—	ASBP2
APS11	SW-7	KSA-1/0	AK-1/0	—	—	—	ASBP1/0
APS21	SW-8	KSA-2/0	AK-2/0	—	—	—	ASBP2/0
APS41	SW-9	KSA-4/0	AK-4/0	—	—	—	ASBP4/0
APS350	SW-11	KSA-350	AK-350	—	—	—	—
APS500	SW-12	KSA-500	AK-500	—	—	—	—
Type IPC — Talon™ Insulation Piercing Connectors							
Blackburn®	Penn Union	Burndy	Ilco/Utilco	Kupler			
IPC1102	—	—	IPC-1/0-2	130001			
IPC4111	—	—	IPC-4/0-1/0	130003			
IPC4141	—	—	IPC-4/0-4/0	130004			
IPC5041	—	—	IPC-500-4/0	130005			
IPC3535	—	—	IPC-350-350	130012			
IPC3541	—	—	IPC-350-4/0	130013			

Competitive Cross Reference

Type 2B — Two-Bolt Connectors without Spacer								
Blackburn®	Penn Union	Burndy	IlSCO/Utilco	Anderson	Joslyn	Dossert	Chance	Kearney
2B10	VT-0	—	—	K-1	—	DSU10	—	17280
2B20BB	VT-1	KVS26		K-2		DSU13	00UC	16369
2B40	VT-2	KVS28	IKB-4/0	K-3		DSU21	—	—
2B350	VT-3	KVS31	IKB-350	K-4		DSU35	35UC	16371
2B500	VT-4	KVS34	IKB-500	K-5		DSU50	50UC	16372
2B800	VT-5	KVS40	IKB-800	K-6		DSU80	75UC	—
2B1000	VT-6	KVS44	IKB-1000	K-7		DSU100	100UC	16374
Type 2BX — One-Piece Two-Bolt Connectors without Spacer								
Blackburn®	Penn Union	Burndy	IlSCO/Utilco	Anderson	Joslyn	Dossert	Chance	Kearney
2B10X	VT-0L	—	—	—	—	—	—	—
2B20X	VT-1L							
2B40X	VT-2L							
2B350X	VT-3L							
2B500X	VT-4L							
2B800X	VT-5L							
2B1000X	VT-6L							
Type 2BPW — Plated Two-Bolt Connector with Spacer								
Blackburn®	Penn Union	Burndy	IlSCO/Utilco	Anderson	Joslyn	Dossert	Chance	Kearney
2B10PW	VTA-0L	—	—	KR-1TP	—	DSUN10	—	—
2B20PW	VTA-1L	KVSU26		KR-2TP		DSUN13		
2B40PW	VTA-2L	KVSU28	IKS-4/0	KR-3TP		DSUN21		
2B350PW	VTA-3L	KVSU31	IKS-350	KR-4TP		DSUN35		
2B500PW	VTA-4L	KVSU34	IKS-500	KR-5TP		DSUN50		
2B800PW	VTA-5L	KVSU40	IKS-800	KR-6TP		DSUN80		
2B1000PW	VTA-6L	KVSU44	IKS-1000	KR-7TP		DSUN100		
Type 2BW — One-Piece Two-Bolt Connector with Spacer								
Blackburn®	Penn Union	Burndy	IlSCO/Utilco	Anderson	Joslyn	Dossert	Chance	Kearney
2B10W	VTW-0L	—	—	KR-1	—	DSUS10	—	—
2B20W	VTW-1L	KVSW26		KR-2		DSUS13		
2B40W	VTW-2L	KVSW28		KR-3		DSUS21		
2B350W	VTW-3L	KVSW31		KR-4		DSUS35		
2B500W	VTW-4L	KVSW34		KR-5		DSUS50		
2B800W	VTW-5L	KVSW40		KR-6		DSUS80		
2B1000W	VTW-6L	KVSW44		KR-7		DSUS100		

Competitive Cross Reference

Types L — Copper Mechanical Connectors, Single Conductor, One-Hole Mount							
Blackburn®	Penn Union	Burndy	Ilco/Utilco	T&B®	Anderson	Dossert	Gedney
L35	PNL-8	KA8C	SLU-35	31003	LU-08	D-35	SL081
L70	PNL-4	KA4C	SLU-70	31005	LU-04	D-70	SL041
L125	PNL-1/0	KA25	LO-0	31007	LU-1/0	D-10	SL211
L250	PNL-250	KA28	LO-250	31011	-	D-25	SL241
L400	PNL-500	KA34	LO-500	31015	LU-500	D-50	SL501
L650	PNL-1000	QA44B	LO-1000	31019	LU-1000	D-100	SL921
Types L — Copper Mechanical Connectors, Single Conductor, Two-Hole Mount							
*Blackburn	Penn Union	Burndy	Ilco/Utilco	T&B®	Anderson	Dossert	Gedney
L1252	PNL-1/0-2	QA1C-2B	E-125	32007	-	-	SL212
L2502	PNL-250-2	QA28-2B	E-225	32011	-	-	SL242
L4002	PNL-500-2	QA35-2B	E-400	32015	-	-	S1502
L6502	PNL-1000-2	QA44-2B	E-650	32019	-	-	SL922
Types TL — Copper Mechanical Connectors, Two Conductors, Two-Hole Mount							
Blackburn®	Penn Union	Burndy	Ilco/Utilco	T&B®	Anderson	Dossert	Gedney
TL250	-	Q2A31-2N	LU-4	32013BD	-	D2-25	SLL302
TL400	SLL504	Q2A34-2N	-	32015BD	LU2-500-2N	D2-50	SLL504
TL650	-	Q2A44-2N	-	32019BD	-	D2-100	SLL924
Type STC — Copper Single Conductor, One-Hole Mount, Straight Tang							
Blackburn®	Penn Union	Burndy	Ilco/Utilco	T&B®	Anderson	Dossert	Gedney
STC1014	-	-	SLS25	-	-	-	-
STC0614	-	KPA8CUP	SLS35	-	-	-	-
STC0414	-	KPA4CUP	SAS70	-	-	-	-
STC0208	-	-	SLS70	-	-	-	-
STC1102	-	KPA25UP	SLS125	-	-	-	-
STC3104	-	-	SLS175	-	-	-	-
STC4102	-	KPA28UP	SLS225	-	-	-	-
STC3511	-	-	SLS300	-	-	-	-
STC5011	-	KPA34UP	SLS400	-	-	-	-
STC9960	-	-	SLS650	-	-	-	-
Type BTC — Copper Single Conductor, One-Hole Mount, Offset Tang							
Blackburn®	Penn Union	Burndy	Ilco/Utilco	T&B®	Anderson	Dossert	Gedney
BTC1014	SLU-25	-	SLU-25	-	-	-	-
BTC0614	SLU-35	KPA8C	SLU-35	-	-	G-35-1	-
BTC0208	SLU-70	KPA4C	SLU-70	-	-	G-70-1	-
BTC1102	SLU-125	KPA25	SLU-125	-	-	G-125-1	-
BTC3104	SLU-175	-	SLU-175	-	-	-	-
BTC4102	SLU-225	KPA28	SLU-225	-	-	G-225-1	-
BTC3511	SLU-300	-	SLU-300	-	-	-	-
BTC5011	SLU-400	KPA34	SLU-400	-	-	G-400-1	-
BTC9960	SLU-650	-	SLU-650	-	-	G-650-1	-

Competitive Cross Reference

Type ADR ALCÜL™ — Aluminum Dual-Rated Connectors, Single Conductor, One-Hole Mount							
Blackburn®	Penn Union	Burndy	IlSCO/Utilco	T&B®	Anderson	Dossert	Gedney
ADR6	LA-6	KA6U	TA-6-S				
ADR2	LA-2	KA2U	TA-2				
ADR11	LA-0	KA-26U	TA-0				
ADR21	LA-2/0	KA26U	TA-2/0				
ADR25	LA-250	KA29U	TA-250				
ADR30	—	KA30U	TA-300				
ADR35	LA-350	KA31U	TA-350	—	—	—	—
ADR50	LA-500	KA34U	TA-500				
ADR60	LA-600	KA36U	TA-600				
ADR6004	—	—	TA-500S				
ADR80	LA-800	KA40U	TA-800				
ADR99	LA-1000	KA44U	TA-1000				
Type ADR ALCÜL™ — Aluminum Dual-Rated Connectors, Two Conductors, One-Hole Mount							
Blackburn®	Penn Union	Burndy	IlSCO/Utilco	T&B®	Anderson	Dossert	Gedney
ADR11-21	L2A-0	K2A25U	AU-0				
ADR21-21	—	K2A28U	AU-2/0				
ADR25-21	L2A-250	K2A29U	AU-250				
ADR35-21	L2A-350	K2A31U	AU-350	—	—	—	—
ADR60-21	L2A-600	K2A36U	AU-600				
ADR80-21	L2A-800	K2A40U	AU-800				
Type ADR ALCÜL™ — Aluminum Dual-Rated Connectors, Three Conductors, Two-Hole Mount							
Blackburn®	Penn Union	Burndy	IlSCO/Utilco	T&B®	Anderson	Dossert	Gedney
ADR02-32		K3A20-2	T3A2-2				
ADR11-32	—	K3A25U2	T3A2-0				
ADR31-32		K3A27-2N	T3A2-3/0				
ADR25-32	L3A-250-2	K3A29U-2N	T3A2-250				
ADR35-32	L3A-350-2	K3A31U-2N	T3A2-350	—	—	—	—
ADR50-32	L3A-500-2	K3A36U-2N	T3A2-500				
ADR60-32D	—	KK3A-36U-2N	T3A2-600N				
ADR80-32	L3A-800-2	K3A40U-2N	T3A2-800N				
ADR99-32	—	KK3A-44U2N	T3A2-1000N				
Type ADR ALCÜL™ — Aluminum Dual-Rated Connectors, Four Conductors, Four-Hole Mount							
Blackburn®	Penn Union	Burndy	IlSCO/Utilco	T&B®	Anderson	Dossert	Gedney
ADR25-44	LA4M4-250	K4A29U-4N	T4A4-250N				
ADR35-44	LA4M4-350	K4A31U-4N	T4A4-350N				
ADR60-44D	LA4M4-600	KK4A36U-4N	T4A4-600N	—	—	—	—
ADR80-44D	LA4M4-800	KK4A40U-4N	T4A4-800N				
Type ASL ALCÜL™ — Aluminum Dual-Rated Connectors, Two Conductors, One-Hole Mount							
Blackburn®	Penn Union	Burndy	IlSCO/Utilco	T&B®	Anderson	Dossert	Gedney
ASL30-21	PB2-300	K11A30U	PB2300	—	—	—	—
Type ASL ALCÜL™ — Aluminum Dual-Rated Connectors, Two Conductors, Two-Hole Mount							
Blackburn®	Penn Union	Burndy	IlSCO/Utilco	T&B®	Anderson	Dossert	Gedney
ASL60-22	PB2-600	K11A-36U-2	—	—	—	—	—
ASL75-22	PB2-750	—	—	—	—	—	—

Competitive Cross Reference

Type ASL ALCÜL™ — Aluminum Dual-Rated Panelboard Lug, Three Conductors, Two-Hole Mount							
Blackburn®	Penn Union	Burndy	Ilco/Utilco	T&B®	Anderson	Dossert	Gedney
ASL60-32	-	K21A36U-2	PB3-600	-	-	-	-
Type ASR ALCÜL™ — Splice Reducers with Solid Barrier Wire Stop							
Blackburn®	Penn Union	Burndy	Ilco/Utilco	T&B®	Anderson	Dossert	Gedney
ASR0214	-	-	SPA-2	-	-	-	-
ASR1114			SPA-0				
ASR2506			SPA-250				
ASR3506			SPA-350				
ASR7525			SPA-750				

Blackburn and T&B are registered trademarks of Thomas & Betts Corporation.
All other trademarks are the property of their respective owners.